

John L. Harris Deputy Surveyor.
T. *14 North* R. *9 East*
6th & Salt River Meridian.

No-259

FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township *14 North* Range *9 East*
6th & Salt River Meridian.

BY

John L. Harris Deputy Surveyor.

under his Contract of *April 28* 18*79*

Survey Commenced *August 26*. 18*79*

Survey Completed *September 1*. 18*79*

Platted:

Copied for Washington,

Copied for Register,

Township

1st North

Range

9 East

1A

Saline Salt River

Meridian.

BOOK 259

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		3
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

OK.

13


Preliminary Oaths of Assistants.

We, Richard Shupe
and Geo. McNeal

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Richard Shupe
Geo Mc Neal

Sworn to and subscribed before me, this 31st
day of May, 1879



John A. Faull
Notary Public

We, *B. Palm & C. Lindsey*
and Evaristo Saiz

do solemnly swear that we will well and truly perform the duties of *Assessor and*
Alguacil respectively according to instructions given us, and to the best of our skill and ability.

B. Palm

C. Lindsey
Evaristo Saiz

Sworn to and subscribed before me this *31st*
 day of *May* 187*9*

John P. Saull,
Notary Public.



Chains From the corner to Sections 35, 36, 1 and 2 on the South boundary, I run North, between Sections 35 and 36.

Variation $15^{\circ} 24'$ East.
As per East Boundary.
Descending N. slope

- 12.00 Foot of slope and ascend S. slope of hills to N. N. E.
- 30.00 Top of ascent and descend
- 33.20 Pine lime tree 21 in. dia.
- 36.81 do. " 30 " "
- 40.00 Set a post, marked $1/4$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, and build mound of stones 2 ft. high, as per instructions for $1/4$ sec. cor. from which
 a Pine, 26 in. dia. br. S. 3° W. 36 hrs. dist
 do. 27 " " " S. 49° E. 80. " "
- 41.74 Fir lime tree 25 in. dia.
- 47.65 do. " " 24 " "
- 50.00 Foot of descent run on rolling ground NE & SW.
- 63.00 House br. W. 250 hrs. dist
- 63.25 Spring br. W. 100 hrs. dist.
- 70.35 Road to Pine Springs br. SW. & NE.
- 80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, and build mound of stones 2 ft. high, as per instructions for cor. to secs 25, 26, 35 & 36, from which
 a Pine, 24 in. dia. br. N. 10° W. 20 hrs. dist
 do. 26 " " " S. 13° E. 17 " "
 do. 20 " " " S. 2° W. 13 " "
 do. 19 " " " N 66° E. 49 " "

Soil mountainous & brown. Soil mostly poor. Scattering Fir & Oak. Heavy Pine timber. Oak brush.

Township

17 North

Range

BOOK 259

9 East

2

Gila & Salt River

BOOK
Meridian.

259

Chains

East, on a random line between Sections 25 and 36.

Variation $15^{\circ} 24'$ East.

9.31 Road to Pine Springs Trs. SW. & NE.
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.83 Intersect E. boundary 11 lns. S. of cor.
 to Secs. 25 & 36. from which cor.
 Iron
 $S. 89^{\circ} 55' W.$

On true line bet. Secs. 25 & 36.

var. $15^{\circ} 24'$ East

39.91 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
 flattened 3 in. wide, 1 ft in the ground,
 and built around a stone 2 ft
 high, as per instructions for $\frac{1}{4}$ sec.
 cor. from which
 A Pine, 26 in. dia. br. S. $2^{\circ} W.$ 56 lns. dist

do. 29 " " " N. $10^{\circ} W.$ 121 " "

43.69 Pine tree 27 in. dia.

79.83 Cor. to Secs. 25, 26, 35 & 36.

Sand rolling & broken.

Some good soil on W. Grass.
 Scattering Fir and Oak.

Heavy Pine timber.

August 26, 1879.

Township 17 North Range 9 East
W. & Salt River BOC 259
 Meridian.

Chains North, between Sections 25 and 26.
 Variation 15° 24' East.

Ascending S. slope of hills to the N
 40.00 Top of ascent. Set a post, marked 1/4 S. 4
 ft long, flattened 3 in wide, 4 ft in the ground,
 and build mound of stones 2 ft high as
 per instructions for 1/4 sec. cor. from which
 a Pine, 24 in dia. br. S. 79° E. 104 lvs. dist
 do 30 " " " N. 86° W. 23 " "
 43.00 Descend N. slope of E. side of hill, top br. N. S. W.
 58.85 Oak timber 20 in. dia.
 71.73 Pine " " 29 " "
 80.00 Set a post, marked Ennotched, 4 ft long
 3 in. sq. d. 4 ft in the ground, and
 build mound of stones 2 ft high as
 per instructions for cor. to Secs. 23, 24
 25 and 26. from which
 a Pine, 18 in. dia. br. N. 30° W. 54 lvs. dist
 a Fir, 30 " " " N. 70° E. 38 " "
 a Pine, 28 " " " S. 45° E. 36 " "
 do. 26 " " " S. 88° W. 75 " "
 Land broken & mountainous.
 Soil poor. Fine Grass
 Scattering Fir, Oak & Aspen. Oak brush.
 Heavy Pine timber.

Chains

East, on a random line between Sections 24 and 25.

Variation

15° 24' East.

40.00 Set temporary 1/4 sec. cor.

80.12 Intersect E. boundary 16 chs. S. of
cor. to secs. 24 and 25, from which
cor. I run
S. 89° 53' W.

Put true line between secs. 24 & 25,

var. 15° 24' East

40.06 Set a post, marked 1/4 S. of blang. flattened
3 in wide. 1/4 in the ground, drive charred
stake & build mound a foot high
with pits 1 ft deep & 2 ft long, 1 ft wide,
as per instructions for 1/4 sec. cor. from which
a Pine 34 in dia. br. N. 37° 09' W. 36 chs. dist
do 15 " " S. 80° E. 77 " "

72.22 Pine limb tree 28 in dia.

78.32 do. " " 30 " "

80.12 Cor. to Secs. 23, 24, 25 and 26.

Land across N. slopes, and broken.
Some good soil. Grass.
Scattering Oak Fir & Aspen.
Heavy Pine timber.

Township

14 North
No 4 Salt River Meridian.

Chains

North, between Sections 23 and 24.

Variation 15° 24' East.

Still descending N. slope.

- 5.00 Run on slightly rolling ground SW. N.E.
- 5.06 Pine lime tree 26 in. dia.
- 13.72 " " " 20 " "
- 16.96 " " " 11 " "
- 18.28 Oak " " 12 " "
- 37.61 Pine " " 24 " "
- 40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, and build mound of stone 2 ft high, as per instructions for 1/4 sec. cor. from which
 - A Pine: 18 in. dia. br. N. 89° E. 3 hrs. dist.
 - do. 15 " " " S. 2 1/2° W. 5 " "
 And ascend SW. slope of hill to the E.
- 50.00 Top of ascend & descend N.W. slope.
- 75.32 Pine lime tree 25 in. dia.
- 78.00 Foot of descent.
- 80.00 Set a post, marked & notched, 4 ft long 3 in. sq. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to sec. 13, 14, 23 and 24. from which
 - A Pine: 20 in. dia. br. N. 35° E. 7 1/2 hrs. dist.
 - do. 21 " " " N. 15° W. 67 " "
 - do. 22 " " " S. 34° W. 248 " "
 - do. 19 " " " S 9° E. 220 " "
 Land broken & rough. Some good soil. Grass. Scattering Oak & Ashen. Heavy Pine timber.

Township

14 North

Range

9 East

6

Gla & Salt River

BOOK 259
Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation

15° 24'

East.

40.00 Set temporary 1/4 sec. cor.

67.00 Deep rocky gulch br. N.W. 250 hrs. wide.

78.38 Road br. N.W. E.S.E.

79.90 Intersect E. boundary 5 hrs. S of
cor. to secs. 13 and 24. from
which cor. Drive
S. 89° 58' W.

Put true line bet. secs. 13 & 24.

var. 15° 24' East

7.43 Pine line tree 23 in. dia.

16.96 Oak " " 12 " "

39.95 Set post, marked 1/4 S. of long. flat-
tened 3 in. wide, 1 ft. in the ground,
drive charred stake and build
mound a foot high with pits
1 ft. deep, 2 ft. long, 1 ft. wide as per in-
structions for 1/4 sec. cor. from which
a pine, 27 in. dia. br. S. 5° W. 103 hrs. dist.

do. 29 " " " N. 80° W. 128 " "

79.90 Cor. to secs. 13, 14, 23 and 24.

Land broken E. across N. slope W.
Some good soil. Scattered Oak,
Heavy Pine timber.

Township 17 North **BOOK 259** Range 9 East
W & Salt River Meridian.

Chains North, between Sections 13 and 14. **BOOK 259**
Variation 15° 24' East.

40.00 Set a post, marked 4 S. 4 ft long, flat-
tened 3 in wide. 4 ft in the ground
drive charred stakes and build mound
of earth 4 ft high with pits 4 ft deep 2 ft
long. 4 ft wide, as per instructions for
74 sec. cor. from which
a Pine, 28 in. dia. br. S. 85° E. 98 lbs. dist
do. 26 " " " N. 25° W. 103 " "

68.75 Road br. N. W. S. E.

80.00 Set a post, marked and notched,
4 ft long. 3 in. sq. d. 4 ft in the
ground, and build mound of
stones 2 ft high, as per instruc-
tions for cor. to secs. 11, 12, 13 and
14. from which
a Pine, 26 in. dia. br. N. 62° E. 58 lbs. dist

- do. 28 " " " N. 20° W. 63 " "
- do. 27 " " " S. 40° W. 55 " "
- do. 21 " " " S. 85° E. 114 " "

Land rolling. Some good soil.
Grass. Heavy Pine timber.

Township

17 North

Range

9 East

8

Gila & Salt River

Meridian.

Chains

East, on a random line between Sections 12 and 13.

BOOK

259

Variation

15° 24'

East.

4000 Set temporary 1/4 sec. cor.

79.92 Intersect E. boundary of land
open to secs 12 and 13. from
which cor. I run
S. 89° 56' W.

A true line bet. secs. 12 & 13.

var. 15° 24' East

39.96 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in. wide. 1 ft. in the
ground, and build mound of
stones 2 ft high as per instru-
tion for 1/4 sec. cor. from which
a Pine, 20 in. dia. br. N. 6° W. 46 in. dia.

do 30 " " " S. 7° E. 71 " "

49.67 Pine limb tree 28 in. dia.

79.92 Cor. to Secs. 11, 12, 13 and 14.

Land rolling. Soil mostly
poor. Grass. Scattering Oak,
Heavy Pine timber.

Township

17 North

Range

9 East

Tila & Salt River

Meridian.

Chains

North, between Sections 11 and 12.

BOOK 259

Variation

15024

East.

- 4000 Set apart, marked 14 ft long, flattened 3 in wide, 1 ft in the ground and build mound of stones 2 ft high, as per instructions for 14 sec. cor. from which
 a Pine, 12 in. dia. br. S. 80° E. 49 brs. dist.
 do. 8 " " " N. 79° W. 76 " "
- 69.58 Pine live tree 27 in. dia.
 69.63 " " " 25 " "
 78.57 " " " 20 " "
- 8000 Set apart, marked and notched 4 ft long, 3 in. sq. d. 1 ft in the ground and build mound of stones 2 ft high as per instructions for cor. to Secs 1, 2, 11 and 12, from which
 a Pine, 31 in. dia. br. N. 29° E. 34 brs. dist.
 do. 33 " " " S. 70° E. 56 " "
 do. 36 " " " S. 19° W. 77 " "
 do. 38 " " " N. 8° W. 117 " "
- Land ascending N. Soil poor.
 Grass. Scattering Oak
 Heavy Pine timber.

Township 17 North Range 9 East
N 4 Salt River Meridian.

Chains East, on a random line between Sections 1 and 12. **BOOK 259**

Variation 15° 24' East.

17.05 Road from Saw Mill to San Francisco
co. Mts. br. N.W. & S.E.

4000 Set temporary 74 sec. cor.

79.85 Intersect E. boundary 21 chub
after cor. to secs. 1 and 12. from
which cor. from
S. 89° 51' N.

Put true line bet. secs 1 & 12,
var. 15° 24' East

39.92 Set a post, marked 7/4 S 4 ft long
flattened 3 in. wide. 4 ft in the
ground, and build mound of
stones 2 ft high, as per instruc-
tions for 74 sec. cor. from which
a Pine 13 in. dia. br. S. 23° N. 63 lbs. dist.
do. 22 " " " N. 26° W. 57 " "

40.10 Pine line tree 34 in. dia.

45.73 " " " 28 " "

79.85 Cor. to secs 1, 2, 11 and 12.

Land rolling table.
Soil poor. Grass.
Heavy Pine timber.

Township

10th North

Range

9 East

T¹ & Salt River

Meridian.

Chains

North, on a random line between Sections 1 and 2.

Variation

15° 24'

East.

16.75 Road to Sawmill br. N. N. & S. E.

4000 Set temporary 1/4 sec. cor.

79.97 Intersect N. boundary 8 lns. E. of
cor. to secs. 1 and 2. from which
cor. I run
S. 0° 3' E.

On true line bet. secs. 1 & 2.

var. 15° 24' East

39.97 Set a post, marked 1/4 S. 4 ft long, flattened
3 in. wide, 4 ft in the ground, and build
mound of stones 2 ft high, as per in-
structions for 1/4 sec. cor. from which
a Pine, 24 in. dia. br. S. 33° E. 32 lns. dia. E

do. 18 " " " N. 48° W. 60 " "

42.84 Pine limb tree 27 in. dia.

49.47 " " " 29 " "

52.87 " " " 12 " "

61.56 " " " 28 " "

78.30 " " " 36 " "

79.97 Cor. to secs. 1, 2, 11 & 12.

Land uneven and rolling.

Soil poor. Grass. Scattering Oak.

Heavy Pine timber.

August 24, 1879.

Township

17 North

Range

9 East

Gila & Salt River Meridian.

Chains

North, between Sections 34 and 35.

Variation

15 3/4 East.

Ascending SW. slope of hill to the N.

25.00 Top of ascent and descend

40.00 Set a post, marked 45. 4 ft long, flattened
3 in wide. 1 ft in the ground, and
build mound of stones 2 ft high as per
instructions for 4 sec. cor. from which
a Pine, 19 in. dia. br. S. 87° E. 31 lvs. dist.
do. 24 " " " N. 69° W. 38 " "

42.21 Pine limb tree 30 in. dia.

50.00 Foot of descent, run on rolling ground
br. SW + N.E.

71.09 Trail br. SW + N.E.

80.00 Set a post, marked Enotched, 4 ft
long. Pine sq. 1 ft in the ground,
and build mound of stones 2 ft high,
as per instructions for cor. to sec 34
26. 27. 34 E 85° from which

a Pine, 20 in. dia. br. S. 87° W. 67 lvs. dist.

do. 30 " " " S. 56° E. 111 " "

do. 30 " " " N. 23° E. 100 " "

do. 29 " " " N. 35° W. 77 " "

Land hilly & broken. Soil poor.
Grass. Heavy Pine timber.

Township 14 North Range 9 EastGila & Salt River Meridian.

Chains East, on a random line between Sections 26 and 35.

Variation 15° 24' East.

- 11.00 Enter little meadow br. N. E. + SE.
- 22.80 Leave same, and little rivulet 5 br. wide
flows S. W. and sinks in a short distance.
And House br. N. 300 br. dist.
- 25.00 Trail to House from Spring br. N.W. + SE.
- 25.40 Little rivulet again, 5 br. wide, br. N. W.
- 26.50 Spring, with troughs running N.W. from it, br.
S. 75 br. dist., and ascend N. slope.
- 40.00 Set temporary 1/4 sec. cor.
- 42.00 Top of ascent and descend
- 62.00 Foot of descent
- 79.89 Intersect N. + S. line 7 brs. N. of cor.
to Secs. 25-26, 35 & 36, from which cor. Draw
N. 89° 54' W. On true line bet. sec. 26 & 35.
var. 15° 24' East
- 39.94 Set a post, marked 1/4 S. of flow, flattened Pine
wide, 1/2 in. in the ground, and build around of stones
2 ft high, as per instructions for 1/4 sec. cor. from which
a Pine, 24 in. dia. br. S. 65° W. 40 brs. dist
do. 28 " " " S. 25° E. 33 "
- 47.54 Pine line tree, 25 in. dia.
- 54.50 " " " 24 " "
- 79.89 Cor. to Secs. 26, 27, 34 and 35,
Land hilly. Some good soil.
Pine grass. Scattering Oak. Heavy
Pine timber.

Township

17 North Range 9 East

Tla & Salt River

Meridian.

Chains

North, between Sections 26 and 27.

Variation

15° 24'

East.

- 35.00 Ascend SW. slopes of hills to E. & N.E.
 40.00 Set a post, marked 14 ft long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high as per instructions for 14 sec. cor. from which
 a Pine, 20 in. dia. br. N. 4° W. 25 lbs. dist.
 do. 21 " " S. 69° E. 76 " "
- 42.20 Oak line tree 8 in. dia.
 47.05 Pine " " 28 " "
 60.00 Descending to the N.
 80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs. 22, 23, 26, and 27, from which
 a Pine, 22 in. dia. br. S. 83° W. 66 lbs. dist.
 do. 26 " " N. 80° W. 102 " "
 do. 30 " " S. 45° E. 52 " "
 do. 10 " " N. 25° E. 87 " "
- Land mountain slopes. Soil poor.
 Grass. Scattering Fir, Oak & Aspen.
 Heavy Pine timber.

Township

14 North

Range

9 East

Pike & Salt River

Meridian.

Chains

East, on a random line between Sections 23 and 26.

Variation $15^{\circ}24'$ East.

Descending E.

25.00 Foot of descent, run in little valley br.
W. & SE.

37.00 Ascend S. slope brown hill br. N.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

56.00 Top of ascent and descend

57.00 Foot of descent and ascend.

58.50 Top and run on it br. to the N.

60.50 Descend over bluff of rocks N & S.

65.00 Foot of descent, run in ravine br. N.E.

73.00 Ascending E.

79.76 Intersect N. & S. line 23 hrs. N. of cor.
to Secs 23, 24, 25 & 26. from which cor. run
N. 89° 50' W. on true line bet. sec. 23 & 26.Var. $15^{\circ}24'$ East39.88 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3
in. wide, 4 ft in the ground, and build mound
of stones 2 ft high, as per instructions for
 $\frac{1}{4}$ sec. cor. from which

A Pine, 30 in. dia. br. N. 49° E. 75 hrs. dist

do. 36 " " " S. 57° W. 106 " "

79.76 Cor. to Secs. 22, 23, 26 & 27.

Land mountainous. Some good soil.
Grass. Scattering Fir. Oak & Ashen.
Heavy Pine timber.

Township 17 North Range 9 East

Plat 4 Salt River Meridian.

Chains	North, between Sections 22 and 23.
	Variation $15^{\circ} 24'$ East.
	Descending N. slope.
4.46	Pine live tree 39 in. dia.
13.78	" " " 10 " "
15.00	Foot of descent run on rolling ground E. & W.
40.00	Set apart marked 14 S. 4 ft long, flattened 3 in. wide, 4 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide as per instructions for 14 sec. con. from which A Pine, 28 in. dia. br. East, 41 br. West. do. 39 " " " N. 35° W. 81 " "
58.50	Pine live tree 27 in. dia.
70.00	Leave timber E. & W. enter arm of park br. W.
78.00	Leave open park, enter timber E. & W.
80.00	Set apart marked & colored, 4 ft long, 3 in. sq. et. 4 ft in the ground, drive charred stake & build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for con. to Secs 14, 15, 22 & 23. from which A Pine, 8 in. dia. br. S. 23° W. 64 br. dia. et do. 24 " " " S. 35° E. 74 " " do. 27 " " " N. 5° W. 111 " " do. 28 " " " N. 28° E. 178 " "

Land rolling. Some good soil. Grass. Heavy Pine timber except in the park.

Township

14 North

Range

9 East

W⁴ Salt River

Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation $15^{\circ} 24'$ East.

- 23.50 Ascend on hills to N. & S.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 70.00 Descend steep E. slope
- 79.80 Foot of descent and intersect
N. & S. line 25 lbs. N. of cor. to sec.
13, 14, 23 and set from which
cor. Issue
N. $89^{\circ} 49' W.$
True line bet sec. 14 & 23.
ran $15^{\circ} 24'$ East.
- 39.90 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, and build mound of stones
2 ft high as per instructions for $\frac{1}{4}$
Sec. cor. from which
a line, 20 in dia. on N. $20^{\circ} E.$ 72 lbs. dist
do 19 " " " S. $72^{\circ} W.$ 107 " "
- 56.47 Pine limb tree 29 in dia.
- 79.80 Cor to sec. 14, 15, 22 and 23.

Land broken & rough. Soil mostly
poor. Scattering pine trees & brush.
Heavy pine timber.

Township 17 North Range 9 East

6th & Salt River Meridian.

Chains North, between Sections 14 and 15.

Variation 15° 24' East.

- 30.00 Ascend S. slope of hill to the N. N. E.
 - 40.00 Set a post, marked 44 S. 4 ft long, flattened 3 in. wide, 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions for 44 sec. cor. from which
 - a Pine, 20 in. dia. brs. N. 87° W. 31 lbs. dist
 - do 21 " " " S. 20° E. 52 " "
 - 50.00 Top of ascent and descend N. N. W. slope
 - 80.00 Foot of descent. Set a post, marked 44 notched, 4 ft long, 3 in. sq. 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs. 10, 11, 14 and 15. from which
 - a Pine, 29 in. dia. brs. S. 85° W. 21 lbs. dist
 - do. 30 " " " N. 10° W. 40 " "
 - do. 28 " " " N. 30° E. 137 " "
 - do. 74 " " " S. 31° E. 85 " "
- Land brown & hilly Soil poor.
Grass Scattered Oak.
Heavy Pine timber.

Township

17 North

Range

9 East

W & Salt River

Meridian.

Chains	East, on a random line between Sections 11 and 14.
	Variation $15^{\circ}24'$ East.
	Ascending N.W. slope of hills to the S.E.
8.50	Top of ascent & descend N.E. slope.
40.00	Foot of descent. Set temporary 1/4 sec. cor.
67.86	Road br. N.W. & S.E.
79.88	Intersect N. & S. line 15 hrs. N. of Co. to Secs. 11, 12, 13 and 14, from which cor. I run N. $89^{\circ}54'7''$.
	Outline bet. Secs. 11 & 14. var. $15^{\circ}24'$ East
39.94	Set a post, marked 14 S. 4 ft. long, flattened 3 in wide, 1 ft. in the ground, and build mound of stone 2 ft high, as per instructions for 1/4 sec. cor. from which a Pine, 20 in. dia. br. S. 70° E. 25 hrs. dist. do 10 " " " North 31 " "
53.53	Pine line tree 18 in. dia.
65.92	" " " 24 " "
68.95	" " " 28 " "
79.88	Co. to Secs. 10, 11, 14 and 15. Sand hilly and rolling soil poor. Scattering Oak. Heavy Pine timber.

Township 17 North Range 9 East
T14 E Salt River Meridian.

Chains North, between Sections 10 and 11.
Variation 15° 24' East.

- Along Foot of W. slope bearing N. & S.
- 36.37 Pine tree 22 in dia.
- 38.08 " " " 23 " "
- 39.53 " " " 19 " "
- 40.00 Set a post marked 1/4 S. 4 ft long, flattened 3 in wide. 1 ft in the ground, and build a mound of stones 2 ft high, as per instructions for 1/4 sec. cor. from which
 - a Pine 18 in dia. br. S. 85° E. 61 lns. dist
 - do. 16 " " " West. 39 " "
- 67.00 Rise on the W. slope bends W. of N.
- 80.00 On steep W. slope. Set a post marked 1/4 S. 4 ft long, 3 in sq. d. 1 ft in the ground, and build mound of stone 2 ft high, as per instructions for cor. to Secs 2, 3, 10 and 11. from which
 - a Pine 27 in dia. br. N. 50° E. 15 lns. dist
 - do. 18 " " " S. 20° E. 67 " "
 - do. 12 " " " S. 19° W. 142 " "
 - do. 8 " " " N. 7° W. 154 " "

Land uneven Soil poor. Grass.
Heavy Pine timber.

Township 17 North Range 9 East

Tila & Salt River Meridian.

Chains

East, on a random line between Sections 2 and 11.

Variation $15^{\circ} 24'$ East.

Ascending slope br. N. of N.

40.00 Top of ascent, run on high rolling table land br. N. & S.

20.06 Road br. N.W. & S.E.

40.00 Set temporary 1/4 sec. cor.

79.93 Intersect N. & S. line 16 hrs. N. of cor. to secs. 1, 2, 11 and 12, from which cor. I run N. $89^{\circ} 53'$ W.

Outline line between secs. 2 & 11.

var. $15^{\circ} 24'$ East.

10.06 Pine line tree 35 in. dia.

21.18 " " " 31 " "

39.96 Set a post, marked 1/4 S. 4 ft long, flattened 3 in wide, 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions as per instructions for 1/4 sec. cor. from which a Pine, 27 in. dia. br. N. $38^{\circ} E$. 21 hrs. dist. do. 24 " " " S. $60^{\circ} E$. 63 " "

41.97 Pine line tree, 18 in. dia.

79.93 Cor. to secs. 2, 3, 10 and 11.

Land rolling table. Soil poor.

Heavy Pine timber. August 28, 1879.

Township 17 North Range 9 East
1/4 Sec 10 W. & Salt River Meridian.

Chains	North, on a random line between Sections 2 and 3.
	Variation <u>15° 24'</u> East.
	Along N. slope brs. N. + W. of N.
24.95	Road brs. NW. then N.
35.40	Road from Saw Mill towards San Francisco Mts. brs. NW + SE.
40.00	Set temporary 1/4 sec. cor. and ascend from the slope bends W. of N.
57.00	Top of ascent, run on high rolling table brs. SE. + NW.
80.10	Intersect N. boundary 20 lvs. E. of cor. to Secs. 2 & 3. from which cor. I run S. 0° 9' E. to true line between Secs. 2 & 3. var. 15° 24' East
40.10	Set post marked 45.4 ft along flattened Pine woods, 4 in the ground, and build mound of stones 2 ft high, as per instructions for 1/4 sec. cor. from which a Pine 22 in dia brs. S. 70° W. 42 lvs. dist. do 27 " " " N. 20° E. 97 " "
73.95	Pine line tree 20 in dia
78.65	" " " 14 " "
80.10	Cor to Secs. 2, 3, 10 and 11. Land broken. Soil poor. Heavy Pine timber.

Township

Range

9 East

T17 N. R. 9 E. Salt River

Meridian.

Chains

North, between Sections 33 and 34.

Variation $15^{\circ} 24'$ East.

- 4.00 Leave timber E. & W. enter point of opening br. NW.
- 19.67 Pine limb tree 18 in. dia. And enter timber again E & W.
- 33.60 Pine limb tree 28 in. dia.
- 40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, and built mound of stones 2 ft high, as per instructions for 14 sec. cor. from which
 a Pine, 25 in. dia. br. East, 39 lbs. dist
 do 27 " " " S. 84° W. 79 " "
- 80.00 Set a post, marked E notched, 4 ft long, 3 in. sq. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to secs. 27, 28, 33 and 34, from which
 a Pine, 29 in. dia. br. S. 38° W. 50 lbs. dist
 do 20 " " " S. 32° E. 47 " "
 do 24 " " " N. 48° E. 64 " "
 do 16 " " " N. 15° W. 112 " "
- Land rolling. Soil poor. Grass.
 Heavy Pine timber, except across opening.

Township

14 North Range 9 East

1/4 Salt River

Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation

15° 24'

East.

40.00 Set temporary 1/4 sec. cor.

79.96 Intersect N. & S. line 5 hrs. N. of cor.
to secs. 26, 27, 34 and 35. from
which cor. I run
N. 89° 58' W.

on true line bet secs. 27 & 34.

var. 15° 24' East

12.25 Pine limb tree 29 in. dia.

33.23 Oak " " 10 " "

37.61 Pine " " 12 " "

39.98 Set a post, marked 1/4 S. 4 ft long, flat-
tened 3 in wide, 1 ft in the ground, and
build mound of stones 2 ft high, as per
instructions for 1/4 sec. cor. from which
a Pine, 24 in. dia. br. South 10 hrs. dist

do. 19 " " " N. 1° W. 63 " "

45.20 Pine limb tree 29 in. dia.

46.95 " " " 21 " "

68.55 " " " 20 " "

79.96 Cor to Secs. 27, 28, 33 and 34.

Land somewhat broken. Soil poor.

Grass. Scattering Oak trees & brush.

Heavy Pine timber.

Township 17 North Range 9 East1/4 Sec 4 Salt River Meridian.

Chains North, between Sections 27 and 28.

Variation $15^{\circ} 24'$ East.

- 16.50 Pine limb tree 28 in. dia.
- 32.37 Pine " " 26 " " And enter
E. end of open park br. N. N.W.
- 40.00 Set a post, marked 74 S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long. Measure
as per instructions for 74 sec. cor. from which
@ Pine, 20 in dia. br. N. $89\frac{1}{2}^{\circ}$ E. 448 lbs. dist
do. 24 " " " N. 49° E. 445 " "
- 55.00 Leave park, enter timber again NW. S.E.
- 80.00 Set a post, marked and notched, 4
ft long, 3 in. sq. 1 ft in the ground,
and build mound of stones 2 ft high
as per instructions for cor. to Secs.
21, 22, 27 and 28. from which
@ Pine, 24 in dia. br. N. 50° W. 66 lbs. dist
do. 37 " " " N. 10° E. 68 " "
do. 28 " " " S. 33° E. 128 " "
do. 26 " " " S. 58° W. 149 " "
- Land mostly level. Some good soil
Traces. Heavy Pine timber Except
in park.

Township 17 North Range 9 East

Gila & Salt River Meridian.

Chains	East, on a random line between Sections 22 and 27.
	Variation $15^{\circ} 24'$ East.
20.00	Ascending low ^N mountain slopes
40.00	Set temporary 1/4 sec. cor.
79.86	Intersect N. & S. line 10 hrs. N. of cor. to secs. 22, 23, 26 and 27. from which cor. Run $N. 89^{\circ} 56' W.$ Outline line bet. secs. 22 & 27. var. $15^{\circ} 24'$ East
9.73	Pine limb tree 30 in. dia.
39.93	Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground and build mound of stones 2 ft. high, as per instructions for 1/4 sec. cor. from which A Pine, 24 in. dia. br. S. 3° W. 28 hrs. dist to 20 " " " North 44 " "
70.03	Pine limb tree 11 in. dia.
75.27	" " " 27 " "
79.86	Cor. to Secs. 21, 22, 27 & 28.

Land across N. W. slopes of low mountains to the S. E. Soil poor. Grass. Heavy Pine timber.

Township

17 North

Range

9 East

Tla & Salt River

Meridian.

Chains

North, between Sections 21 and 22.

Variation

15° 24'

East.

37.00 Leave timber E.W. enter N. side little opening Co. E.

40.00 Set a post, marked 14 S. 4 ft. long, flattened 3 in wide, 1 ft. in the ground and build mound of stones 2 ft high, as per instructions for 1st sec. cor. from which
 a Pine, 13 in. dia. Co. S. 89° W. 156 Co. dist
 do 18 " " " N. 64° W. 159 " "

44.00 Leave opening, enter timber NW S.E.

61.12 Pine line tree 26 in. dia.

80.00 Set a post, marked and nailed, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs. 15, 16, 21 and 22, from which

a Pine, 12 in. dia. Co. S. 72° W. 22 Co. dist

do. 21 " " " S. 14° E. 34 " "

do. 29 " " " N. 26° E. 83 " "

do. 28 " " " N. 33° W. 155 " "

Land rolling. Some good soil
 Trass. Mostly heavy Pine
 timber.

Township 17 North Range 9 East
Platte & Salt River Meridian.

Chains East, on a random line between Sections 15 and 22.
Variation 15° 24' East.

40.00 Set temporary 1/4 sec. cor.
80.05 Intersect N. & S. line 17 lns S.
of cor. to secs. 14, 15, 22 & 23.
from which cor. run
S. 89° 53' W.

On true line bet. secs. 15 & 22.
var. 15° 24' East

40.02 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, and build mound of
stones 2 ft high, as per instru-
tions for 1/4 sec. cor. from which
a Pine, 12 in dia. S. 1° E. 35 lns. dist
do. 24 " " " N. 69° E. 49 " "

40.92 Pine limb tree 30 in dia.

80.05 Cor. to secs. 15, 16, 21 and 22.

Land rolling. Some good soil.
Grass.
Heavy Pine timber.

Township

17 North

Range

9 East

P. & S. Meridian.

Meridian.

Chains

North, between Sections 15 and 16.

Variation $15^{\circ} 24'$ East.

- 4.28 Pine lime tree 22 in. dia.
- 21.00 " " " 30 " "
- 30.29 " " " 12 " "
- 32.16 " " " 29 " "
- 40.00 Set a post, marked $4 \frac{1}{2}$ ft long, flattened 3 in wide. 4 ft in the ground, and build mound of stones 2 ft high, as per instructions for 4^{th} sec. cor. from which
 a Pine, 20 in. dia. on West, 51 lbs. dist
 do. 28 " " " N. $28^{\circ} E$. 73 " "
- 47.30 Pine lime tree 36 in. dia.
- 50.00 Set a post, marked & notched, $4 \frac{1}{2}$ ft long, 3 in. sq. 4 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Sec. 9, 10, 15 & 16, from which
 a Pine, 20 in. dia. on S. $84^{\circ} E$, 28 lbs. dist
 do. 19 " " " S. $8^{\circ} N$. 38 " "
 do. 11 " " " N. $30^{\circ} W$. 84 " "
 do. 29 " " " N. $18^{\circ} E$. 79 " "
- Land rolling. Soil poor. Grass.
 Heavy Pine timber.

Township

17 North

Range

9 East

Tla & Salt River

Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation

15° 24'

East.

30.00 Ascend on N. slope high hill to the S.E.

40.00 Set temporary 1/4 sec. cor.

45.00 Top as ascend and descend

60.00 Foot of descent, run on slightly rolling ground.

79.84 Intersect N. & S. line 12 hrs. S. of cor. to Secs. 10, 11, 14 and 15, from which cor. Run S. 89° 53' W.

Outline line bet. secs. 10 & 15.

var. 15° 24' East

39.92 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground and build around a post 2 ft. high as per instructions for 1/4 sec. cor. from which a Pine, 18 in. dia. 60, S. 8° E. 55 hrs. dist. do 19 " " " S. 24° W. 71 " "

59.67 Pine lone tree, 30 in. dia.

62.70 " " " 30 " "

79.84 Cor. to Secs. 9, 10, 15 and 16.

Land brown. Soil poor.

Grass. Heavy Pine timber.

Township

17 North

Range

9 East

1/4 E Salt River

Meridian.

Chains

North, between Sections 9 and 10.

Variation

15° 24'

East.

- 40.00 Set a post, marked 74 S. 4 ft. long, flattened 3 in. sq. & 6 ft. in the ground, and build a mound of stones 2 ft. high as per instructions for 4 sec. cor. from which
 a Pine, 21 in. dia. br. S. 49° E. 51 lbs. dist.
 do. 24 " " " N. 2° E. 81 " "
- 67.58 Pine line tree 10 in. dia.
- 80.00 Set a post, marked & scratched, 4 ft. long. 3 in. sq. & 6 ft. in the ground, and build a mound of stones 2 ft. high as per instructions for cor. to secs. 3, 4, 9 and 10, from which
 a Pine, 12 in. dia. br. N. 17° W. 38 lbs. dist.
 do. 20 " " " N. 68° E. 52 " "
 do. 20 " " " S. 15° E. 80 " "
 do. 26 " " " S. 12° W. 62 " "
- Land rolling.
 Soil poor. Grass.
 Heavy Pine timber.

Township 17 North Range 9 East

6th & Salt River Meridian.

- Chains East, on a random line between Sections 3 and 10.
Variation 15° 24' East.
- 40.00 Set temporary 1/4 sec. cor.
- 76.00 Ascend steep slope br. N. & S.
- 79.88 Intersect N. & S. line 10 hrs. S. of cor. to secs. 2, 3, 10 and 11. from which cor. down S. 89° 56' W.
Put true line bet secs. 3 & 10. var. 15° 24' East
- 15.92 Pencil line 12 in. dia.
- 36.50 do. 28 " "
- 39.94 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, and build mound of stones 2 ft high as per instructions for 1/4 sec. cor. from which
A. Pile, 29 in. dia. br. N. 20° E. 10 hrs. dist
do 30 " " " S. 10° W. 65 " "
- 75.44 Pencil line, 24 in. dia.
- 77.27 do 22 " "
- 79.88 Cor. to secs. 3, 4, 9 and 10.
Land sloping S. Soil poor.
Grass. Heavy Pine timber.

Township

17 North

Range

9 East

W. & Salt River

Meridian.

Chains	North, on a random line, between Sections 3 and 4.
	Variation $15^{\circ} 24'$ East.
20.00	Ascend SW. slope of small mound - tains to the N.E. and E.
40.00	Set temporary $\frac{1}{4}$ sec. cor.
45.00	Top of ascent, descend NW. slope.
65.00	Foot of descent, run on broken and rolling ground to S & N.E.
80.06	Intersect N. boundary 18 hrs. E of cor. to secs. 3 and 4, from which cor. I run $S. 0^{\circ} 8' E.$ Continue line bet. secs. 3 & 4. run $15^{\circ} 24' East.$
40.06	Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide 1 ft in the ground and build mound of stones 2 ft high, as per instructions for $\frac{1}{4}$ sec. Cor. from which a Pine, 27 in. dia. N. $28^{\circ} W.$ 48 hrs. dist do. 29 " " " N. $31^{\circ} E.$ 49 " "
51.90	Pine line tree 24 in. dia.
80.06	Cor. to secs. 3, 4, 9 and 10. Land broken & mountainous, Soil poor. Grass. Scattering Oak trees brush. Heavy Pine timber.

Township 17 North Range 9 East

6th & Salt River Meridian.

Chains North, between Sections 32 and 33.

Variation 15° 24' East.

- 27.11 Pencilines 40 in. dia.
 - 38.68 do. 12 " "
 - 40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep - 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. from which
 - a Pine, 40 in. dia. br. East. 53 lbs. dist
 - do. 29 " " " N. 60° W. 62 " "
 - 8000 Set a post, marked E notched, 4 ft long, 3 in. sq. d. 1 ft in the ground and build mound of stones 2 ft high, as per instructions for cor. to Secs. 28, 29, 32 and 33. from which
 - a Pine, 24 in. dia. br. S. 38° E. 32 lbs. dist
 - do. 26 " " " S. 60° W. 27 " "
 - do. 27 " " " N. 25° W. 37 " "
 - do. 28 " " " N. 28° E. 79 " "
- Land rolling. Some good soil
 Grass. Heavy Pine timber.
 August 29, 1879.

Township

17 North

Range

9 East

Old & Salt River

Meridian.

Chains

East, on a random line, between Sections 28 and 33.

Variation

15° 24'

East.

40.00 Set temporary 1/4 sec. cor.

79.94 Intersect N. & S. line 10 hrs. S. of
cor. to secs. 27, 28, 33 & B.C. from
which cor. Diver
S. 89° 56' W.

Put true line bet secs. 28 & 33

var. 15° 24' East

9.38 Pine tree 19 in. dia.

39.97 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, and build mound of
stones 2 ft high, as per instruc-
tion for 1/4 sec. cor. from which
a Pine, 27 in dia. br. S. 5° W. 45 hrs. dist
do. 36 " " " N. 29° E. 82 " "

79.94 Cor. to secs. 28, 29, 32 and 33.

Land rolling & broken.

Soil poor.

Grass.

Heavy Pine timber.

Township 17 North Range 9 East6th & Salt River Meridian.

Chains

North, between Sections 28 and 29.

Variation 15° 24' East.

- 44.00 Leave timber E.W. enter arm of opening br. E. Set a post, marked 4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake & build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor. from which
 a Pine, 36 in. dia. br. S. 58° E. 50 br. dist
 do. 39 " " " S. 33° W. 49 " "
- 44.00 Leave opening & enter timber S. of W. & N. of E.
- 44.61 Pine limb tree 38 in. dia.
- 80.00 Set a post, marked and scratched, 4 ft long, 3 in. sq. d. 1 ft in the ground and build mound of stones 2 ft high, as per instructions 20, 21, 28 and 29, from which
 a Pine, 30 in. dia. br. N. 28° W. 58 br. dist
 do. 20 " " " N. 16° E. 49 " "
 do. 28 " " " S. 18½° W. 87 " "
 do. 29 " " " S. 47° E. 56 " "
- Land rolling level. Some good soil. Grass, Heavy Pine timber,

Township 17 North Range 9 East

Gila & Salt River Meridian.

Chains East, on a random line, between Sections 21 and 28.

Variation 15° 24' East.

4000 Set temporary 1/4 sec. cor.

79.77 Intersect N. & S. line 19 hrs. N. of cor. to secs. 21, 22, 27 and 28, from which cor. D run N. 89° 52' W.

On true line bet secs. 21 & 28 var. 15° 24' East.

39.88 Set a post, marked 1/4 S. of ft long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for 1/4 sec. cor.

from which
A Pine 74 in dia. br N. 28° W. 26 hrs. dist
do. 25 " " " S. 26° E. 96 " "

50.19 Pine limb tree 34 in dia.

79.77 Cor to secs. 20, 21, 28 and 29.

Land rolling. Soil poor.
Grass.
Heavy Pine timber.

Township 17 North Range 9 East

6th E Salt River Meridian.

Chains North, between Sections 20 and 21.

Variation 15° 24' East.

46.00 Set a post, marked 74 S. 4 ft long, flattened 3 in wide. 1 ft. in the ground and build mound of stones 2 ft high, as per instructions for 4 sec. Cor. from which

A Pine, 20 in. dia. br. S. 41° E. 45 lns. dist.
 do. 25 " " " S. 44° N. 60 " "

56.01 Pine live tree 11 in. dia.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft. in the ground and build mound of stones 2 ft high, as per instructions for cor. to Secs. 16, 17, 20 and 21, from which

A Pine, 24 in. dia. br. S. 63° E. 37 lns. dist.
 do. 30 " " " N. 9° E. 68 " "
 do. 31 " " " S. 69° N. 51 " "
 do. 18 " " " N. 84° N. 67 " "

Sand rolling.
 Some good soil.
 Grass.
 Heavy Pine timber.

Township

14 North Range 9 East

Tila & Salt River

Meridian.

Chains

East, on a random line, between Sections 16 and 21.

Variation

15° 24'

East.

- Have set temporary 1/4 sec. cor.
 79.69 Intersect N. & S. line 22 lns. N.
 of cor. to secs. 15, 16, 21 & 22.
 from which cor. I run
 N. 89° 51' W.
 true line bet. secs. 16 & 21.
 var. 15° 24' East
- 39.84 Set a post, marked 1/4 S. of ft. long,
 flattened 3 in wide, 1 ft in the
 ground, and built around
 a stones 2 ft high, as per in-
 structions for 1/4 sec. cor.
 from which
 a Pine, 30 in. dia. br. N. 17° E. 72 lns. dist
 do. 20 " " " N. 35° W. 120 " "
- 79.69 Cor. to secs. 16, 17, 20 & 21.

Land rolling. Soil poor.
 Grass.

Heavy Pine timber.

Township

17 North

Range

9 East

W & Salt River

Meridian.

Chains

North, between Sections 16 and 17.

Variation

15° 24'

East.

16.00 Leave timber to N.W. enter little opening br. N.W.

29.00 Enter timber again br. NW. S.E.

40.00 Set a post, marked 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which

a Pine, 28 in. dia. br. S. 65° E. 24 hrs. dist

do. 36 " " " N. 28° E. 77 " "

8000 Set a post, marked & notched, 4 ft long, 3 in. sq. d. 1 ft. in the ground, and build mound of stone 2 ft high, as per instructions for cor. to sec. 8, 9, 16, and 17, from which

a Pine, 10 in. dia. br. N. 89° E. 58 hrs. dist

do. 27 " " " N. 75° W. 56 " "

do. 35 " " " S. 37° W. 63 " "

do. 28 " " " S. 48° E. 111 " "

Land rolling level. Some good soil. Pass. Heavy Pine timber except in Park.

Township 14 North Range 9 East

W. Salt River Meridian.

Chains East, on a random line, between Sections 9 and 16.

Variation $15^{\circ} 24'$ East.

- 4000 Set temporary 1/4 sec. cor.
- 80.10 Intersect N. & S. line of M.S. of cor. to Secs. 9, 10, 15 and 16. from which cor. I run $S. 89^{\circ} 56' W.$
On true line bet. sec. 9 & 16.
var. $15^{\circ} 24'$ East
- 18.11 Pine lime tree 26 in. dia
- 40.05 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide. 1 ft in the ground and build mounds of stones 2 ft high as per instructions for 1/4 sec. cor. from which
A Pine, 26 in. dia. br. $S. 65^{\circ} E. 12$ lbs. dist
do. 35 " " " $N. 27^{\circ} W. 67$ " "
- 53.21 Pine lime tree 24 in. dia
- 57.82 Oak " " 10 " "
- 80.10 Cor. to Secs 8, 9, 16 and 17.

Land rolling. Soil poor.

Grass.

Heavy Pine timber.

Township

17 North

Range

9 East

Gila & Salt River

Meridian.

Chains

North, between Sections 8 and 9.

Variation $15^{\circ} 24'$ East.

- 31.26 Pine live tree 12 in. dia.
- 40.00 Set a post, marked 14 S. of blng. flat-tined 3 in. wide. 1 ft. in the ground, drive charr'd stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which
 A Pine, 19 in. dia. br. N. 60° W. 14 lns. dist
 do. 20 " " S. 55° E. 35 " "
- 44.39 Pine live tree, 18 in. dia.
- 47.24 do. 10 " "
- 52.27 do. 9 " "
- 54.87 do. 24 " "
- 64.69 do. 30 " "
- 80.00 Set a post, marked & watched, 4 ft long, 3 in. sq. d. 1 ft. in the ground, and build mound of stone 2 ft high, as per instructions for cor. to sec. 4, 5, 8 & 9, from which
 A Pine, 30 in. dia. br. S. 43° W. 36 lns. dist
 do. 18 " " " N. 10° W. 73 " "
 do. 15 " " " N. 34° E. 93 " "
 do. 25 " " " S. 16° E. 118 " "
- Land barren. Soil poor. Heavy Pine timber.

Township

14 North

Range

9 East

W. Salt River

Meridian.

Chains

East, on a random line, between Sections 4 and 9.

Variation $15^{\circ} 24'$ East.

- 20.00 Descend into ravine crs. N.
- 23.59 Creek with water in it, runs N. 5 lns wide,
- 24.00 House crs. S. 500 lns. dist
- 26.00 Ascend out of ravine crs. N.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 80.05 Intersect N. of line 15 lns. N. of cor.
to secs. 3, 4, 9 and 10. from which cor. drawn
N. $89^{\circ} 54'$ W. on true line bet. secs. 4 & 9,
var. $15^{\circ} 24'$ East
- 9.57 Pine tree 12. in. dia.
- 36.72 do. 23. " "
- 37.37 do. 12. " "
- 39.78 do. 38. " "
- 40.02 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, and build a
round of stones of high, as per in-
structions for $\frac{1}{4}$ sec. cor. from which
a Pine, 18 in. dia. crs. N. 54° E. 16 lns. dist.
do. 29 " " S. 49° E. 80 " "
- 67.87 Pine tree 29 in. dia.
- 80.05 Cor to Secs. 4, 5, 8 and 9.
Land rolling & broken. Soil mostly
poor. Grass. Heavy Pine timber.

Township 17 North Range 9 East

Gila & Salt River Meridian.

- Chains North, on a random line between Sections 4 and 5.
 Variation $15^{\circ} 24'$ East.
- 8.00 Enter ravine Cr. N.E.
 - 10.00 Trail Cr. N.E.
 - 25.00 Ascend on high & broken ground, N.E. side.
 - 40.00 Set temporary 1/4 sec. cor.
 - 80.15 Intersect N. boundary 22 lns. N. of cor. to Secs. 4 and 5. from which cor. run $S. 0^{\circ} 9' N.$
 Put true line bet. Secs. 4 and 5.
 var. $15^{\circ} 24'$ East
 - 40.15 Set a post, marked 1/4 S. 4 belong, flattened 3 in wide 1 ft. in the ground, and build mound of stones 2 ft high, as per custom -
 true for 1/4 sec. cor. from which
 a Pair, 28 in dia. Cr. N. $68^{\circ} N.$ 40 lns. dist
 do. 25 " " " N. $52^{\circ} E.$ 108 " "
 - 80.15 Cor. to Secs. 4, 5, 8 and 9.

Land rolling & broken.
 Soil mostly poor.
 Grass. Heavy Pine timber.

Township

14 North Range 9 East

Pike & Salt River Meridian.

Chains

North, between Sections 31 and 32.

Variation

15° 22' N

East.

- 33.00 Leave timber S. E. & W. and enter little pass
br. S. E.
- 40.00 Set a post, marked 1/4 S. 4 ft long, flat-
tined 3 in wide, 1 ft in the ground, drive
churned stone and build mound of
earth of high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions for
1/4 sec. cor. No trees near.
- 44.00 Leave pass, enter timber E & W.
- 80.00 Set a post, marked & notched, 4 ft
long, 3 in sq. d. 1 ft in the ground, and
build mound of stones 2 ft high
as per instructions for cor. to Secs
29, 30, 31 and 32, from which
a Pine, 29 in. dia. br. N. 55° W. 50 br. dist
do. 27 " " " N. 53° E. 52 " "
do. 26 " " " S. 17° E. 59 " "
do. 31 " " " S. 28° W. 103 " "
- Land rolling then level. Some
good soil. Grass.
Heavy Pine timber except in pass.

Township 17 North Range 9 East

Gula & Salt River Meridian.

Chains East, on a random line between Sections 29 and 32.

Variation 15° 24' East.

4000 Set temporary 1/4 sec. cor.
80.06 Intersect N. & S. line 8.400 S. of
cor. to Secs. 28, 29, 32 and 33,
from which cor. I run
S. 89° 57' W.

Continue line between Secs. 29 & 32.
var. 15° 24' East

27.90 Pine limb tree 9 in. dia.

35.04 Oak " " 18 " "

40.03 Set a post marked 1/4 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, and build mound of
stones 2 ft high, as per instructions
for 1/4 sec. cor. from which
a Pine. 26 in dia. br. S. 69° W. 64 br. dia.
do. 27 " " " N 3° E. 66 " "

80.06 Cor to Secs. 29, 30, 31 & 32.

Land rolling. Some good
soil. Grass.

Heavy Pine timber.

Township 17 North Range 9 East

Tila & Salt River Meridian.

Chains

West, on a random line between Sections 30 and 31.

Variation $15^{\circ} 24'$ East.

- 40.00 Set temporary $1/4$ sec. cor.
- 79.93 Intersect W. boundary 3 lns. S. of cor. to secs. 30 & 31. from which cor. I run $S. 89^{\circ} 59' E.$
Put true line bet. sec. 30 & 31.
var. $15^{\circ} 24'$ East
- 10.77 Pine lime tree, 30 in. dia.
- 11.83 do. 36 " "
- 23.20 do. 21 " "
- 36.91 do. 18 " "
- 39.93 Set post, marked $1/4$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, and build mound of stones 2 ft. high, as per instructions for $1/4$ sec. cor. from which a Pine, 20 in. dia. br. N. $20^{\circ} W.$ 65 lns. dist
do. 26 " " S. $85^{\circ} E.$ 56 " "
- 48.49 Pine lime tree 29 in. dia.
- 79.93 Cor. to Secs. 29, 30, 31 and 32.

Land rolling & broken.
Soil poor. Grass.
Heavy Pine timber.

Township 17 North Range 9 East
T4 E Salt River Meridian.

Chains North, between Sections 29 and 30.

Variation 15° 24' East.

19.81 Pine lucie tree 20 in. dia.

38.10 do. 18 " "

40.00 Set a post, marked T4 E. 4 ft long, flat
tend 3 in wide, 1 ft in the ground,
and build mound of stones 2 ft high
as per instructions for T4 sec. cor.
from which

A Pine, 30 in dia. br S. 75° W. 36 lns. dist.

do. 29 " " " N. 32° E. 40 " "

50.00 Set a post, marked Enolched, 4 ft.
long, 3 in sq. 1 ft in the ground
and build mound of stones 2 ft
high, as per instructions for corner
to secs. 19, 20, 29 and 30.

from which

A Pine, 20 in dia. br S. 42° W. 24 lns. dist.

do. 26 " " " S. 37° E. 69 " "

do. 12 " " " N. 28° E. 31 " "

do. 24 " " " N. 40° W. 92 " "

Land rolling. Some good soil.
Grass. Heavy Pine timber.

August 30, 1849.

Township

17 North

Range

9 East

Gila & Salt River

Meridian.

Chains

East, on a random line between Sections 20 and 29.

Variation $15^{\circ} 24'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.08 Intersect N. & S. line 10 hrs. S.
 of cor. to Secs. 20, 21, 28 and
 29, from which cor. I run
 $S. 89^{\circ} 56' W.$
 A true line bet secs. 20 & 29.
 var. $15^{\circ} 24'$ East
- 32.81 Pine live tree 27 in. dia.
 40.04 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
 flattened 3 in. wide, flon the
 ground, and build mound of
 stones 2 ft high, as per instruc-
 tions for $\frac{1}{4}$ sec. cor. from which
 a Pine, 11 in. dia. br. N. $5^{\circ} W.$ 7 hrs. dist
 do. 12 " " " S. $13^{\circ} E.$ 39 " "
- 80.08 Cor. to Secs. 19, 20, 29 & 30.

Sand rolling. Some good soil.
 Grass.

Heavy Pine timber.

Township

17 North

Range

9 East

Gila & Salt River

Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation

15° 24'

East.

40.00 Set temporary 74 sec. cor.

60.00 Ascend on N. slope of small mountain to S.W.

79.89 Intersect N. boundary 16 tra N. of cor. to Secs. 19 and 30. from which cor. from N. 89° 53' E.

Outline line bet sec. 19 & 30.

var. 15° 24' East.

39.89 Set a post, marked 74 S. 4 ft long, flattened 3 in wide, 4 ft in the ground, and build mound of stones 2 ft high, as per instruction for 74 sec. cor. from which a Pinc. 23 in. dia. br. S. 29° E. 42 and dist do. 19 " " " N. 13° W. 102 " "

79.89 Cor. to Secs. 19, 20, 29 & 30.

Land broken.

Soil mostly poor.

Scattering Oak trees.

Heavy Pine timber.

Township

17 North

Range

9 East

W. & Salt River

Meridian.

Chains

North, between Sections 19 and 20.

Variation

15° 24'

East.

4000

Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground, and build a mound of stones 2 ft high, as per instructions for $\frac{1}{4}$ sec. cor. from which

A Pine, 21 in. dia. br. N. 60° E. 87 ft. l. dist.

do 30 " " " S. 67° W. 57 " "

75.00

Leave timber SW. & E. enter a open park br. N. & W. aft N.

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 17, 18, 19 and 20.

No trees near.
Land rolling then level.
Some good soil.
Heavy Pine timber to the Park.

Township 17 North Range 9 East

6th & Salt River Meridian.

Chains East, on a random line between Sections 17 and 20.

Variation 15° 24' East.

10.50 Leave park, enter timber N. + S.

40.00 Set temporary 1/4 sec. cor.

80.13 Intersect N. + S. line 14 hrs. S. of cor. to Secs. 16, 17, 20 + 21, from which cor. I run S. 89° 54' W.

Between line bet. Secs. 17 & 20. var. 15° 24' East

0.73 Pine lime tree 12 in. dia.

40.06 Set up post, marked 1/4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for 1/4 sec. cor. from which

A Pine, 18 in. dia. br. N. 2° E. 6 hrs. dist
do 18 " " " S. 50° W. 14 " "

80.13 Cor to Secs. 17, 18, 19 + 20.

Land level & rolling.
Some good soil. Grass.
Heavy Pine timber, except in park.

Township

14 North

Range

9 East

1/4 Salt River

Meridian.

Chains

West, on a random line between Sections 18 and 19.

Variation

15° 24'

East.

- 5.25 Leave park, enter timber N.W. & E. of S.
 40.00 Set temporary 1/4 sec. cor.
 79.87 Intersect N. boundary of lino S.
 of cor to secs. 18 and 19. from
 which cor. Run
 S. 89° 54' E.
 to true line between secs. 18 & 19.
 var. 15° 24' East
- 21.77 Pine lime tree 24 in. dia.
 35.95 do. 26 " "
 39.87 Set a post, marked 1/4 S. of lino,
 flattened 3 in wide. ft. in the
 ground, and build mound of
 stones 2 ft high, as per instruc-
 tions for 1/4 sec. cor. from which
 a Pine, 24 in. dia. br. N. 50° W. 27 lns. dist
 do. 23 " " S. 23° W. 64 " "
- 79.84 Cor to secs. 17, 18, 19 & 20.

Land level rolling
 Some good soil. Grass.
 Mostly heavy Pine timber.

Township 17 North Range 9 East

6th & Salt River Meridian.

Chains North, between Sections 17 and 18.

Variation 15° 24' East.

In open Park

40.00 Set a post, marked N.S. 4 ft long, flat-topped 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 4 ft wide, as per instructions for 1st sec. cor. No trees near.

48.50 Leave park, enter timber S.W. & E.

77.16 Pine tree 30 in. dia. And ascend on rolling & broken ground E.W.

8000 Set a post, marked & notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs.

- 7. 8. 17 and 18. from which
- A Pine, 20 in. dia. br. S. 7° E. 19 lbs. dist.
- do. 21 " " " S. 80° W. 59 " "
- do. 19 " " " N. 39° W. 65 " "
- do. 12 " " " N. 73° E. 94 " "

Sand level. Good soil. Then broken & poor. Grass. Some heavy Pine timber

Township

17 North Range 9 East

M⁴ Salt River

Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation 15° 24' East.

- 40.00 Set temporary 1/4 sec. cor.
- 80.09 Intersect N. & S. line 26 chs. N. of cor to secs. 8, 9, 16 and 17, from which cor. True N. 89° 49' W.
- On true line bet secs. 8 & 17.
var. 15° 24' East.
- 40.04 Set a post, marked 14 S. of pt long, flattened 3 in wide, 1 1/2 in the ground, and build mound of stones 2 ft high, as permanent for 1/4 sec. cor. from which
- Run 24 in. dia. br. North 13 chs. dit
do. 19 " " " S. 20° W. 75 " "
- 80.09 Cor to secs. 7, 8, 17 and 18.
- Land hilly & broken. Soil poor.
Scattering oak trees.
Heavy pine timber.

Township

17 North

Range

9 East

Gila & Salt River

Meridian.

Chains

West, on a random line between Sections 7 and 18.

Variation

15° 24'

East.

20.00 Set temporary 1/4 sec. cor.

79.70 Intersect N. boundary 11 lns.
N. of cor. to Secs. 7 and 18. from
which cor. drawn
N. 89° 55' E.

Put true line bet. Secs. 7 & 18.

var. 15° 24' East

6.06 Put true line tree, 27 in. dia.

20.19 do. 30 " "

39.70 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in wide, 1 ft in the
ground, and build mound of
stones 2 ft high, as per old
survey for 1/4 sec. cor.
from which

A Pair, 24 in. dia. br. S. 50° W. 22 lns. dist.

do. 19 " " " N. 52° W. 51 " "

79.70 Cor. to Secs. 7, 8, 17 & 18.

Land brown & rolling -

Soil poor. Grass.

Heavy Pine timber. Some
Oak.

Township

14 North

Range

9 East

Tila & Salt River

Meridian.

Chains

North, between Sections 7 and 8.

Variation

15° 24'

East.

4000 Set a post, marked 14 S. 4 ft. long,
flattened 3 in wide. 1 ft. in
the ground, and build a
mound of stones 2 ft. high
as per instructions for 14 sec.
cor. from which

A Pine, 10 in. dia. br. S. 20° N. 17 lbs. dist.

do. 18 " " " N. 10° E. 31 " "

8000 Set a post, marked E. notated,
4 ft. long. 3 in. sq. d. 1 ft. in the
ground, and build mound of
stones 2 ft. high, as per instruc-
tions for cont. to secs. 5, 6, 7 & 8.
from which

A Pine, 28 in. dia. br. S. 27° E. 27 lbs. dist.

do. 28 " " " S. 20° N. 41 " "

do. 12 " " " N. 85° N. 29 " "

do. 10 " " " N. 45° E. 54 " "

Sand rolling. Soil poor mostly
Grass. Oak trees.
Heavy Pine timber.

Township 17 North Range 9 East
W & Salt River Meridian.

- Chains East, on a random line between Sections 5 and 8.
Variation $15^{\circ} 24'$ East.
- 10.00 Enter N.W. end of little open park
Cr. S.E. - leaving timber NW & SE.
 - 25.00 Leave park, enter timber NW & SE.
 - 40.00 Set temporary 4 sec cor.
 - 79.89 Intersect N. & S. line 18 hrs. S.
of cor. to sec. 4, 5, 8 and 9, from
which cor. I run
 $S. 89^{\circ} 52' N.$
to true line bet sec. 5 & 8.
var. $15^{\circ} 24'$ East
 - 39.74 Set a post marked 4 sec. 4 ft long,
flattened 3 in wide. 4 ft in diameter
and build mound of stones 2 ft high
as per instructions for 4 sec. cor.
from which
a Pine 22 in dia. br. N. $38^{\circ} E.$ 37 hrs. dist.
do. 30 " " " S. $47^{\circ} E.$ 56 " "
 - 47.22 Pine lime tree, 29 in dia.
 - 54.15 do. 28 " "
 - 79.89 Cor. to sec. 5, 6, 7 and 8.
Land rolling. Some good soil.
Grass. Heavy Pine timber,
except in park.

Township

14 North

Range

9 East

T14 N R9 E

Meridian.

Chains

West, on a random line between Sections 6 and 7.

Variation

15° 22'

East.

40.00

Set temporary 1/4 sec. cor.

73.50

Enter opening bet. S.W. and leave timber S.W. & N.E.

79.68

Intersect N. boundary 6 hrs. S. of cor. to secs. 6 and 7, from which cor. from S. 89° 57' E.

Pine line between sec. 6 & 7

var. 15° 22' East

39.68

Set a post, marked 1/4 S. of plng. flat-topped 3 in. wide, 1 ft. in the ground, and build mound of stones 2 ft. high as per instructions for 1/4 sec. cor. from which

A Pine, 30 in. dia. bet. S. 20° W. 63 hrs. dist

do. 12 " " " N. 15° E. 61 " "

50.06

Pine line tree 20 in. dia.

68.90

do. 27 " "

69.13

do. 28 " "

75.29

do. 11 " "

79.68

Cor. to sec. 5, 6, 7 & 8.

Sand rolling, soil poor.

Grass. Mostly heavy Pine timber.

Township

T^y North Range 9 EastT^{ila} & Salt River

Meridian.

Chains

North, on a random line between Sections 5 and 6.

Variation 15° 24' East.

44.00 Set temporary 1/4 sec. cor.

80.12 Intersect N. boundary 11 chs. N. of
cor. to secs. 5 and 6. from which
cor. Iron
S. 0° 5' N.Put line between secs. 5 & 6.
var. 15° 24' East

30.12 Pine tree 20 in. dia.

40.12 Set post, marked 1/4 S. 4 ft long flat-
tended 3 in wide. 4 ft in the ground,
and build mound of stones 2 ft high,
as per instructions for 1/4 sec. cor.
from which

A Pine, 19 in. dia. br. S. 48° W. 13 chs. dist.

do 21 " " " S. 68° E. 70 " "

48.88 Pine tree, 25 in. dia.

49.69 do. 30 " "

54.85 do. 12 " "

55.66 do. 20 " "

80.12 Cor. to secs. 5, 6, 7 & 8.

Land rolling & broken. Soil poor.

Grass. Oak trees.

Heavy Pine timber.

September 1, 1849.

GENERAL DESCRIPTION.

With the exception of occasional little open parks, the surface of Township 17 N. Range 9 E., is heavily covered with Pine timber of commercial value. The trees grow to a considerable size and are clean and straight. On the hilly portions in the Eastern part of the township is considerable Fir timber. There is scattering oak and aspen throughout the township. The eastern portion of the township is hilly and mountainous; the western rolling and broken.

The land throughout the township is wholly non-mineral.

The lines were blazed and line trees notched.

The township is crossed by roads in the N.E. & S.E. portions, and the timber is generally easily accessible.

Jos. L. Harris
U. S. Dep. Surveyor.

List of Names.

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of

Subdivision Lines of
Township 17 North
Range 9 East of the
1st & Salt River Me-
ridian Arizona

Showing the respective capacities in which they
acted.

Richard S. ... Chainman.

Geo. McNeal Chainman,

B. Palm } Axeman.

J. C. Lindsay }
Evaristo King } Flagman.

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner-boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

W. L. Harris

Deputy Surveyor.

Sworn to and subscribed before me, this 25th
day of September, 1879

John R. Howell
Notary Public



U. S. Surveyor General's Office,

Tucson, A. T.

November 8, 1879

The foregoing Field Notes of the surveys of
the Subdivision Lines of
Township 14 North
Range 9 East

Sila Salt River Meridian

in the Territory of Arizona executed by

John L. Heavis.

U. S. Deputy Surveyor, under his contract dated

April 28, 1879,

having been critically examined, the necessary cor-
rections and explanations made, the said Field Notes
and the surveys they describe are hereby approved.

John Masson.

U. S. Surveyor General for the District of Arizona.