

John Harris Deputy Surveyor.
T. *17 North* **R.** *10 East*
Pila & Salt River Meridian.

No-260

FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township *17 North* Range *10 East*
Pila & Salt River Meridian.

BY

John Harris Deputy Surveyor.

under his Contract of *April 28* 1879.

Survey Commenced *August 20. 1879*

Survey Completed *August 25. 1879.*

Platted:

Copied for Washington,

Copied for Register,

Township

17 North

Range

10 East

1A

Gila & Salt River

Meridian.

BOOK 260

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		3
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

OK.

Preliminary Oaths of Assistants.

We, Richard Shrope
and Geo McNeal

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Richard Shrope
Geo McNeal

Sworn to and subscribed before me, this 21st
day of May, 1879

John P. Faull,
Notary Public.



We, B. Palm J. C. Lindsey
and Evaristo Sainz
do solemnly swear that we will well and truly per-
form the duties of Axemen and
Flagman respectively
according to instructions given us, and to the best
of our skill and ability.

B. Palm
J. C. Lindsey
Evaristo Sainz

Sworn to and subscribed before me this 21
day of May, 1879

John R. Farrell
Notary Public



Township 17 North Range 10 East

10 1/4 Sec 4 Salt River Meridian.

Chains From the corner to Sections 35, 36, 1 and 2 on the South boundary, I run North, between Sections 35 and 36.

Variation 15° 27' East.

As per East Boundary -

24.95 Road to Jaycox Tanks, brs. S. of E.

40.00 Set a post, marked "4 S. + ft long, flattened 3 in. wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for "4 sec. cor.

No trees near.

8000 Set a post, marked "notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs 25, 26, 35 and 36.

From which

A Poi. 27 in. dia. br. N. 52° E. 151 lns. dist.
do. 20 " " S. 73° E. 202 " "

No other trees near.

Land slightly rolling. Some good soil. Scattering Pine Juniper and Cedar trees.

Township 17 North Range 10 East

Gila & Salt River Meridian.

Chains East, on a random line between Sections 25 and 36.

Variation 15° 27' East.

4000 Set temporary $\frac{1}{4}$ sec. cor.

80.09 Intersect E. boundary 10 hrs. N. of cor to Secs. 25 and 36. from which cor. Draw

N. 89° 56' W.

on true line between Secs. 25 & 36.

var. 15° 27' East

40.04 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for $\frac{1}{4}$ sec. cor.

No trees near

80.09 Cor. to Secs. 25, 26, 35 and 36.

Land slightly rolling.

Some grass here.

Scattering Pine Juniper & Cedar trees.

Township

17 North

Range

10 East

Tila & Salt River

Meridian.

Chains

North, between Sections 25 and 26.

Variation $15^{\circ} 27'$ East.

- 20.00 Ascending long slope of hill to the N.
 4000 Set a post, marked 74 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instruction for 74 sec. cor. from which
 a Juniper, 10 in. dia. br. S. 44° E. 54 ls. dist
 do. 10 " " " West, 90 " "
- 8000 Top of hill br. E. & W. Set a post, marked
 Engraved, 4 ft long, 3 in. sqd. 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs. 23, 24, 25 and 26. from which
 a Pine, 26 in. dia. br. N. 58° E. 48 ls. dist
 do. 27 " " " S. 14° W. 97 " "
 do. 23 " " " S. 62° E. 220 " "
 do. 12 " " " N. 30° W. 131 " "

Land ascending N.

Some good soil. Grass.
 Scattering Pine, Cedar, Juniper
 and Fir.

August 20, 1879.

BOOK 260

Township 17 North Range 10 East 4
Tila & Salt River Meridian.

Chains East, on a random line between Sections 24 and 25.

Variation $15^{\circ} 27'$ East.

- 1.75 Leave the hill top, and descend E. slope of the hill.
- 10.00 Foot of descent.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 45.00 Ascending N. slope of hill to the E.
- 80.03 Intersect E. boundary 5 lns. N. of cor. to Secs. 24 and 25. from which cor. I run N. 89° 58' W.
- On true line between sec. 24 & 25.
var. $15^{\circ} 27'$ E.
- 44.01 Set a post, marked $\frac{1}{4}$ S.
4 ft long, flattened Pine cord, 1/2 in the ground, and build mound of stones 2 ft high, as per instructions for $\frac{1}{4}$ sec. cor. No trees near
- 79.20 Pine line tree 24 in. dia.
- 80.03 Cor. to Secs. 23, 24, 25 & 26.
- Land hilly. Soil poor.
Grass scattering Pine Juniper
and cedar trees.

Township

14 North Range 10 East

Gila & Salt River

Meridian.

Chains

North, between Sections 23 and 24.

Variation

15° 27'

East.

Descending N. slope of hill.

18.00 Foot of descent.

4000 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for $\frac{1}{4}$ sec. cor.

Notes near.

8000 Set a post, marked & notched, 4 ft long, 3 in sq. 1 ft in the ground and build mound of stones 2 ft high, as per instructions for cor. to Secs. 13, 14, 23 and 24, from which

A Cedar, 15 in. dia. br. N. 76° W. 56 hrs. dist.

do. 18 " " " N. 79° E. 48 " "

No other trees near.

Land broken.

Soil poor. Grass.

Scattering Cedar, Pine and Pinyon trees.

Township 17 North Range 10 East6th & Salt River Meridian.

Chains East, on a random line between Sections 13 and 24.

Variation 15° 24' East.4000 Set temporary $\frac{1}{4}$ sec. cor.79.90 Intersect ~~N.~~^{E.} boundary 16 Sec.
N. of cor. to sec. 13 and 24,
from which cor. I run

N. 89° 53' W.

To true line between sec. 13 & 24,
var. 15° 24' East39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in wide, 1 ft.
in the ground, and build
mound of stones 2 ft high,
as per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

79.90 Cor. to sec. 13, 14, 23 and 24.

Land slightly rolling.
Some good soil. Grass.
Scattering Cedar trees.

7
Township 14 North Range 10 East
1/4 Salt River Meridian.

Chains North, between Sections 13 and 14.

Variation $15^{\circ} 24'$ East.

- 39.00 Dry wash 25-30 wide, br. S.E.
4000 Set a post, marked 74 S. 4 ft.
long, flattened 3 in wide, 1 ft.
in the ground, and build
mound of stones 2 ft high,
as per instructions for 74 Sec.
Cor. from which
A Pine, 24 in. dia. br. S. 84° E. 91 lbs. dist.
do 30 " " " S. 17° N. 93 " "
- 68.35 Road to Brigham City br. E & W.
8000 Set a post, marked E marked,
4 ft long, 3 in sq d. 1 ft in the
ground, and build mound
of stones 2 ft high, as per
instructions for cor. to Secs.
11, 12, 13 and 14.

No trees near.

Land slightly rolling.

Soil mostly poor.

Grass.

Scattering Pine trees.

Township 14 North Range 10 East

Pila & Salt River Meridian.

Chains East, on a random line between Sections 12 and 13.

Variation 15° 24' East.

4000 Set temporary 1/4 sec. cor.

79.86 Intersect E. boundary 20 lks.
N. of cor. to secs. 12 and 13. from
which cor. I run

N. 89° 51' W.

On true line between secs. 12 & 13.
var. 15° 24' East

39.93 Set a post, marked 1/4 S. 4
ft long. 3 in sq. d. 1 ft in the
ground and build mound
of stones 2 ft high, as per
instructions for 1/4 sec. cor.
Notes near.

79.86 Cor. to secs. 11, 12, 13 & 14.

Land slightly rolling.
Some good soil.
Scattering Cedar trees.

Township 17 North Range 10 East

Tla³ Salt River Meridian.

Chains North, between Sections 11 and 12.

Variation 150 24' East.

4000 Setapost, marked 74 S. 4
 ft long, flattened 3 in. wide,
 1 ft in the ground, and
 build mound of stones
 2 ft high, as per instructions
 for 74 sec. cor.
 No trees near.

8000 Setapost, marked and
 notched, 4 ft long, 3 in.
 sq. d., 1 ft in the ground,
 and build mound of
 stones 2 ft high, as per in-
 structions for cor. to secs.
 1, 2, 11 and 12.
 No trees near.

Sand slightly rolling.
 Some good soil.
 Grass. No timber.

Township

14 North Range 10 East

1/4 E Salt River

Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation

15° 24'

East.

4000 Set temporary 1/4 sec. cor.

79.87 Intersect E. boundary 18
Sec. 11. a few cor. to secs. 1 and
12. from which cor. I run

N. 89° 52' W.

On true line between secs. 1 & 12.

var. 15° 27' East

39.93 Set a post, marked 1/4 S.
4 ft long, flattened 3 in.
wide, 1 ft in the ground,
and build mound of stone
2 ft high, as per instructions
for 1/4 sec. cor.

Notes near.

79.87 Cor. to Secs. 1, 2, 11 and 12.

Land slightly rolling
Some good soil.
Woods. Scattering Cedars.

Township

14 North Range 10 East

W⁴ Salt River Meridian.

Chains

North, on a random line between Sections 1 and 2.

Variation

15° 27' East.

4000 Set temporary 1/4 sec. cor.

80.09 Intersect N. boundary 20 ch.
E. of cor to sec. 1 and 2. from
which cor. I run

S. 0° 9' E.

On true line between sec. 1 & 2,

var. 15° 27' East

40.09 Set a post marked 1/4 S. 4
ft long, flattened 3 in wide,
1 ft in the ground, and
build mound of stones
2 ft high, a paper instru-
tion for 1/4 sec. cor.

No trees near.

80.09 Cor to sec. 1, 2, 11 and 12.

Land slightly rolling;
Some good soil. Grass.
Scattering Cedar trees.

Township 17 North Range 10 East

1/4 E Salt River Meridian.

Chains North, between Sections 34 and 35.

Variation 15° 24' East.

4000 Set a post, marked 4 S. 4 ft. long, flattened 3 in wide. 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions for 1/4 sec. cor.

No trees near.

50.00 Dry wash, 20 m wide, br. S. of E.

51.94 Road to Jaycox Tanks, br. S. of E.

53.93 Branch dam road br. S. E.

54.00 Ascending

8000 Set a post, marked E marked, 4 ft long. 3 in sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor to Secs.

26. 27. 34 and 35. from which a Pine, 10 in. dia. br. N. 28° W. 261 lbs. dist.

Juniper, 11 " " " S. 42° E. 199 " "

No other trees near.

Land rolling Some good soil. Grass. Scattering Pine Cedar and Juniper trees.

Township

14 North

Range

10 East

Platte Salt River

Meridian.

Chains

East, on a random line between Sections 26 and 35.

Variation

15° 27'

East.

4000 Set temporary 1/4 sec. cor.

79.80 Intersect N. Slave 7/16 S.
of cor. to secs. 25, 26, 35 and
36, from which cor. Draw

S. 89° 57' W.

true line between sec. 26 & 35.

var. 15° 27' East

39.90 Set a post, marked 1/4 S. 4
ft. long, flattened 3 in wide,
1 ft in the ground, and build
mound of stones 2 ft high
as per instructions for 1/4
sec. cor.

No trees near.

79.80 Cor. to Secs. 26, 27, 34 and
35.Land descending E & SE.
Some good soil. Grass.
A few Pine and Cedar trees.

Township 14 North Range 10 East

N 1/4 E Salt River Meridian.

Chains North, between Sections 26 and 27.

Variation 15° 24' East.

4000 Set a post, marked N 4 S. 4 ft. long, flattened 3 in wide, 1 ft. in the ground, and build mound of stones 2 ft high as per instructions for 1/4 sec. cor. from which
Quimper, 20 in. dia. br. East 20 8 land dist.
do. 8 " " S. 90° W. 156 " "

4300 Ascend E. slope br. N. & N. W.

8000 Set a post, marked and notched, 4 ft long, 3 in sq d. 1 ft in the ground, and build mound of stones 2 ft high as per instructions for cor. to secs. 22, 23, 26 and 24.

No trees near.

Land ascending N.
Some good soil.
Scattering Pine, Cedar & Quimper trees.

15 Township 17 North Range 10 East

W 1/4 Salt River Meridian.

Chains East, on a random line between Sections 23 and 26. Variation 15° 24' East.

Descending E.

10.00 Foot of descent -
4.00 Set temporary cor.
54.00 Ascend W. slope of hill to the E.
79.86 Intersect N. & S. line 19 hrs. S. of cor. to sec. 23. 24. 25 and 26. from which cor. Run S. 89° 52' W.

On true line between sec. 23 & 26. var. 15° 24' East.

39.93 Set a post marked 1/4 S. 4 ft long, flattened 3 in. wide. 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions for 1/4 sec. cor. from which a Cedar, 5 in. dia. br. S. 78° E. 85 hrs. dist. do. 4 " " " N. 43° W. 168 " "

79.86 Cor to sec. 22. 23. 26 & 27.

Sand hilly. Soil poor. Grass scattering Pine Cedar Pinon & Juniper trees.

Township 14 North Range 10 East1/4 E Salt River Meridian.

Chains North, between Sections 22 and 23.

Variation 15° 27' East.

4000 Set a post, marked 14 S. 4 ft. long, flattened 3 in wide, 1 ft. in the ground, and build a mound of stones 2 ft high, as per instructions for 14 sec. cor. from which

a Pine, 17 in. dia. br. N. 83° W. 44' lead dist.
do. 15 " " " S. 49 1/2° E. 84 " "

5000 Leave slope and run on slightly rolling ground br. N. of W. + S.E.

8000 Set a post, marked and notched, 4 ft long, 3 in sq. d. 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs.

14, 15, 22 and 23. from which
a Pine, 20 in. dia. br. S. 60° E. 178' lead dist.
No other tree near.

Land rolling some good soil
Grass. Scattering Pine
Cedar + Pison.

August 21. 1879.

Township

14 North

Range

10 East

Pila & Salt River

Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation $15^{\circ}27'$ East.4000 Set temporary $\frac{1}{4}$ sec. cor.79.82 Intersect N. & S. line 12 Chas.
of cor to secs. 13, 14, 22 and
23, from which cor. I runS. $89^{\circ}55'$ W.

Put true line between secs. 14 & 23.

var. $15^{\circ}27'$ East39.91 Set a post, marked $\frac{1}{4}$ S., 4 ft.
long, flattened 3 in wide, 1 ft. in
the ground, and build mound
of stones 4 ft high, as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees near.

79.82 Cor to secs 14, 15, 22 and 23

Land slightly rolling.

Some good soil. Grass.

Scattering Cedar trees.

Township

17 North

Range

10 East

Tola & Salt River

Meridian.

Chains

North, between Sections 14 and 15.

Variation

15° 27'

East.

4000 Set a post, marked '4 S. 4 ft. long, flattened 3 in wide, 4 ft. in the ground and build a mound of stones 2 ft high as per instructions for 14 sec. cor from which
 a Cedar, 12 in. dia. br. N. 36° E. 298 lbs. dist.
 No other trees near.

5729 Road to Brigham City br. E. W.

8000 Set a post, marked 'E notched, 4 ft long, 3 in sq. 4 ft in the ground, and build a mound of stones 2 ft high as per instructions for cor to Sec. 10, 11, 14 and 15; from which
 a Pine, 20 in dia. br. N. 16° W. 255 lbs. dist.
 do. 21 " " N. 11° E. 284 " "
 No other trees near.

Land slightly rolling.
 Some good soil. Grass.
 Scattering Pine & Cedar trees.

19 Township 14 North Range 10 East
1/4 Salt River Meridian.

Chains East, on a random line between Sections 11 and 14.

Variation 15° 24' East.

4000 Set temporary 1/4 sec. cor.
79.88 Intersect N. & S. line of sec. 9 less S.
of cor. to Secs. 11. 12. 13 and
14. from which cor. I run

S. 89° 56' W.

On true line between Secs. 11 & 14.
var 15° 24' East

39.94 Set a post, marked 1/4 S. 4 ft.
long, flattened 3 in wide, 1/4 ft.
in the ground, and build
mound of stones 2 ft high
as per instructions for 1/4
sec. cor.

No trees near

79.88 Cor. to Secs. 10. 11. 14 and 15.

Land slightly rolling. Some
good soil. Grass
a few Cedars.

Township 17 North Range 10 East

1/4 Sec 4 Salt River Meridian.

Chains North, between Sections 10 and 11.

Variation 15024' East.

4000 Set a post, marked 4 S. 4 ft long flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for 1/4 sec. cor. No trees near.

8000 Set a post, marked E notched, 4 ft long, 3 in sq. d. 1 ft in the ground, and build a mound of stones 2 ft high as per instructions for cor. to secs. 2, 3, 10 and 11. No trees near.

Land gently rolling. Some good soil. Grass. No timber.

Township 17 North Range 10 EastPile & Salt River Meridian.

Chains East, on a random line between Sections 2 and 11.

Variation 15° 24' East.4000 Set temporary $\frac{1}{4}$ sec. cor.79.89 Intersect N. & S. Line 14 hrs. S.
of cor. to secs. 1, 2, 11 and 12,
from which cor. drawn

S. 89° 54' W.

On true line bet. sec. 2 & 11.

var. 15° 24' East

39.94 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long
flattened 3 in wide, 1 ft in the
ground, and build mound of
stones 2 ft high, as per instruc-
tions for $\frac{1}{4}$ sec. cor. from which
a Cedar 9 in. dia. br. S. 80° W. 156 hrs. dist.
No other trees near.

79.89 Cor to secs. 2, 3, 10 and 11.

Land gently rolling. Some
good soil. Grass.
A few Cedars.

Township

14 North

Range

10 East

6th & Salt River

Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation

15° 24'

East.

4000 Set temporary 1/4 sec. cor.

50.06 Intersect N. boundary B. line. E. of cor. to Secs 2 and 3, from which cor. Run S. 0° 6' E.

Return line between Secs 2 & 3 var. 15° 24' East

40.06 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for 1/4 sec. cor.

Notes near

80.06 Cor to Secs. 2, 3, 10 & 11.

Land gently rolling. Some grass. No timber.

Township

Range

10 East

Tla & Salt River

Meridian.

Chains

North, between Sections 33 and 34.

Variation

10° 24' East.

- 38.83 Pine lime tree 25 in. dia.
 4000 Set a post, marked 74 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for 74 sec. cor. from which
 a Pine, 29 in. dia., br. S. 75° W. 44 lvs. dist.
 do. 30 " " " N. 78° E. 243 " "
- 8000 Set a post, marked x notched, 4 ft long, 3 in sq. 1 ft in the ground and build mound of stones 2 ft high, as per instructions for cor. to secs. 27, 28, 33 and 34, from which
 a Pine, 8 in. dia., br. S. 8° W. 118 lvs. dist.
 do. 33 " " " N. 48° W. 217 " "
 do. 28 " " " S. 73° E. 226 " "
- No other tree near.
 Land slightly rolling.
 Soil poor.
 Scattering Pine timber.

Township

12 North Range 10 East

Plat ⁴ Salt River

Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation

15° 27'

East.

4000 Set temporary 1/4 sec. cor.

40.21 Road to Jaycos tanks Co. S.E
+ N.W.80.20 Intersect N. + Slide 15 lns. N.
of cor. to secs. 26. 27. 34 and
35. from which cor. I run

N. 89° 54' W.

True line between sec 27 East
var. 15° 27' East40.10 Set a post, marked 4 ft. 4 ft.
long, flattened 3 in wide, 1 ft.
in the ground, and build
mound of stones 2 ft high
as per instructions for 1/4
sec. cor.

No trees near.

80.20 Conto secs. 27. 28. 33 and
34.Land rolling. Some good
soil. Grass. Scattering
Pine timber.

Township

17 North

Range

10 East

Tla & Salt River

Meridian.

Chains

North, between Sections 27 and 28.

Variation

15° 24'

East.

- 35.00 Road to Jaycox Peaks on S. E. cor.
- 40.00 Set a post marked 74 S. 4 ft long, flattened 3 in wide. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for 74 sec. cor. from which
- A Pine 18 in. dia. on S. 85° E. 255 lbs. dist.
- do. 26 " " " N. 20° E. 235 " "
- And ascend S. W. slope.
- 80.00 Set a post marked Enatched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs 21, 22, 27 & 28. from which
- An Oak 13 in. dia. on N. 9° W. 236 lbs. dist.
- No other trees near.

Land rolling ascending N.
Some good soil.
Scattered Pines & Oaks.

Township 14 North Range 10 East

1/4 E Salt River Meridian.

Chains East, on a random line between Sections 22 and 27.

Variation 15° 24' East.

4000 Set temporary 1/4 sec. cor.
80.16 Intersect N. & S. line 17 Sec. N.
of cor. to secs. 22, 23, 26, and
27, from which cor. I run
N. 89° 53' W.

On true line between secs. 22 & 27.
var. 15° 24' East

5.38 Juniper live tree 8 in. dia.

40.08 Set a post, marked 1/4 S. 4
ft long, flattened 3 in. wide,
1 ft in the ground, and
build mound of stones 2 ft
high, as per instructions
for 1/4 sec. cor.
from which

a Pine, 12 in. dia. br. North of said
a Juniper, 18 " " S. 45° W. 17 " "

80.16 Cor. to secs. 21, 22, 27 and 28.

Land across S. slope.
Soil poor. Grass -
Scattering Pine Oak & Juniper
trees.

Township 17 North Range 10 East
Plat E Salt River Meridian.

Chains North, between Sections 21 and 22.

Variation 15° 27' East.

- 30.00 Ascend high hill br. E. W.
And enter heavy ^{Pine} timber E. W.
 - 40.00 Set a post marked 14 S. 4 ft long, flattened
3 in wide, 1 ft in the ground, and build
mound of stones 2 ft high, as per in-
structions for 14 sec. cor. from which
a Pine 28 in dia br. S. 2° E. 49 lns. dist.
do. 24 " " " N. 80° W. 29 " "
 - 41.23 Pine line tree 2.6 in. dia.
 - 49.00 Top of ascend and descend N.E. slope.
 - 77.00 Pine line tree 30 in. dia.
 - 80.00 Foot of descent. Set a post,
marked & notched, 4 ft long, 3 in
sq. d. 1 ft in the ground, and build
mound of stones 2 ft high, as per
instructions for cor. to Secs. 15, 16,
21 & 22. from which
a Pine 30 in dia br. S. 10° W. 49 lns. dist.
do. 26 " " " N. 25° W. 51 " "
do. 20 " " " N 6° E. 49 " "
do. 19 " " " S. 86° E. 91 " "
- Land hilly and mountainous.
Soil poor. Some heavy Pine timber.
Scattering Oak trees.

Township 14 North Range 10 East
6th & Salt River Meridian.

Chains	East, on a random line between Sections 15 and 22.
	Variation $15^{\circ} 24'$ East.
10.00	Leave heavy Pine timber NW. & E.
40.00	Set temporary $\frac{1}{4}$ sec. cor
80.04	Intersect N. & S. line 5 lns. S. a few to Secs. 14, 15, 22 and 23, from which cor. Run $S. 89^{\circ} 58' N.$ to true line between sec. 15 & 22. var. $15^{\circ} 24'$ East
40.02	Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in wide, set in the ground, and build mound of stone 2 ft high, as per instructions for $\frac{1}{4}$ sec. cor. from which a Pine 20 in. dia. br. N. 20° E. 258 lns. dist. No other trees near.
80.04	Cor to Secs. 15, 16, 21 & 22. Sand rolling. Soil poor. Grass. Scattering Pine Cedar & Oak trees.

Township

17 North

Range

10 East

Tula & Salt River

Meridian.

Chains

North, between Sections 15 and 16.

Variation

East.

15.00 Leave heavy Pine timber NW & SE

40.00 Set a post, marked $\frac{1}{4}$ S,
4 ft long, flattened 3 in wide
4 ft in the ground, and
build mound of stones 2 ft
high, as per instructions for
 $\frac{1}{4}$ sec. cor.

No trees near

42.55 Road to Brigham City br. N.E. & S.W.

8.00 Set a post, marked and notched
4 ft long, 3 in sq. d., 4 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions for cor to Secs. 9, 10, 15
and 16.

No trees near.

Sand rolling. Some good soil
Grass.

Some Pine & oak timber

Township

17 North

Range

10 East

Gila & Salt River

Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation

15° 24'

East.

4000 Set temporary 1/4 sec. cor.
 80.25 Intersect N. & S. line 27 lns. N.
 after to secs 10, 11, 14 and
 15, from which cor. Run

N. 89° 48' W.

Return line between secs 10 & 15.

var. 15° 24' East

40.12 Set a post, marked 1/4 S. 4 ft.
 long, flattened 3 in wide, 1 ft.
 in the ground, and build
 mound of stones 2 ft high,
 as per instructions for 1/4
 sec. cor. from which
 a Pine 17 in. dia. br. S. 42 1/2° E. 193 lns dist
 do. 18 " " N. 40° E. 221 " "

80.25 Cor to secs. 9, 10, 15 and 16.

Sand rolling. Soil poor.

Grass.

Scattering Pine & oak trees.

August 22, 1879.

Township

17 North

Range

10 East

Pala & Salt River

Meridian.

Chains

North, between Sections 9 and 10.

Variation

15° 24'

East.

13.00 Dry rocky wash, 20 br wide, br. E.
 4000 Set a post, marked 74 S. 4 ft
 long, flattened 3 in wide, 1 ft
 in the ground, and build a
 mound of stones 2 ft high,
 as per instructions for 74 sec.
 cor.

No trees near.

8000 Set a post, marked 9 scratched,
 4 ft long, 3 in sq d, 1 ft in the
 ground, and build mound
 of stones 2 ft high, as per
 instructions for cor. to Secs.
 3, 4, 9 and 10.

No trees near.

Sand rolling.

Some good soil
 scattering Pine timber.

Township 14 North Range 10 East
Gila & Salt River Meridian.

Chains East, on a random line between Sections 3 and 10.
Variation 15° 24' East.

4000 Set temporary 1/4 sec. cor.

80.16 Intersect N. & S. line 30 ls. N. of cor to secs. 2, 3, 10 and 11, from which cor. Run N. 89° 44' W.

On true line bet. secs. 3 & 10 var. 15° 24' East.

4008 Set a post marked 1/4 S. 4 ft. long, flattened 3 in wide, 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions for 1/4 sec. cor. No trees near.

80.16 Cor to Secs. 3, 4, 9 and 10, Layd somewhat rolling. Some good soil. A few Pines.

Township 19 North Range 10 East
1/4 Sec. 3 & 4 Salt River Meridian.

Chains North, on a random line, between Sections 3 and 4.
Variation 15° 24' East.

4000 Set temporary 1/4 sec. cor.

80.11 Intersect N. boundary 24
lvs. E. of cor. to secs. 3 and
4. from which cor. Run
S. 0° 10' E.

On true line bet. secs. 3 & 4.
var. 15° 24' East

40.11 Set a post, marked 1/4 S. 4 ft.
long, flattened 3 in wide, 1 ft
in the ground, and build
mound of stones 2 ft high,
as per instructions for 1/4 sec.
cor. from which

at Pnt. 19 in. dia. on S. 67° E. 41 lvs. dist
do 20 " " " N. 70° W. 67 " "

80.11 Cor. to secs. 3, 4, 9 and 10.
Land somewhat rolling.
Some good soil. Grass.
Some Pine timber.

Township

Range

14 North 10 East

N. & Salt River

Meridian.

Chains

North, between Sections 32 and 33.

Variation

15° 24'

East.

4000 Setapost, marked $\frac{1}{4}$ S. of long
flattened 3 in. wide, 1 ft. in the
ground, and build mound of
stones 2 ft high, as per instruc-
tions for $\frac{1}{4}$ sec. cor. from which
a Pine, 25 in. dia. br. West, 145 lbs. dist.

do. 24 " " " N. 34° E. 127 " "

8000 Setapost, marked and notched,
 $\frac{1}{4}$ S. of long, 3 in. sq. 1 ft. in the
ground, and build mound of
stones 2 ft high, as per in-
structions for cor. to Secs. 28.

29, 32 and 33, from which
a Pine, 12 in. dia. br. N. 30° W. 44 lbs. dist.

do. 21 " " " N. 85° E. 140 " "

do. 12 " " " S. 44° E. 77 " "

do. 10 " " " S. 10° W. 183 " "

Land somewhat rolling.

Soil poor mostly.

Grass. Pine timber.

Township 17 North Range 10 East

Tola & Salt River Meridian.

Chains East, on a random line, between Sections 28 and 33.

Variation $15^{\circ} 24'$ East.

Howe Set temporary $\frac{1}{4}$ sec. cor.
 79.90 Intersect N. & S. line 12 hrs. S.
 of cor. to Secs. 24, 28, 33 and
 34, from which cor. Run

S. $89^{\circ} 55' N.$

Between line between Secs. 28 & 33.

var. $15^{\circ} 24'$ East.

39.95 Set a post marked $\frac{1}{4}$ S. of along
 flattened 3 in wide, 1 ft in the
 ground, and built mound
 of stones 2 ft high, as per in-
 structions for $\frac{1}{4}$ sec. cor.
 from which

a Pine, 18 in. dia. brk. S. $8^{\circ} N.$ 247 hrs. dist.do. 10 " " " N. $70^{\circ} N.$ 220 " "

99.90 Co. to Secs. 28, 29, 32 & 33.

Land somewhat rolling,
 soil mostly poor. Grass.
 Some Pine timber.

Township 17 North Range 10 East
W. & Salt River Meridian.

Chains North, between Sections 28 and 29.

Variation 15° 24' East.

4000 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long, flattened 3 in wide, 1 ft in the ground and build mound of stones 2 ft high as per instructions for $\frac{1}{4}$ sec. cor. from which

A Pine, 33 in. dia. br. North $\frac{1}{4}$ sec. dist
A Oak, 36 " " " S. 20° W. 52 " "

6000 Enter heavy Pine timber N.E. SW.

8000 Set a post, marked & notched, $\frac{1}{4}$ ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs. 20, 21, 28 and 29, from which

A Pine, 11 in. dia. br. S. 24° W. 79 in. dist
do. 15 " " " N. 55° W. 169 " "
do. 18 " " " N. 87° E. 47 " "
do. 12 " " " S. 47° E. 104 " "

Land rolling. Some good soil
Then Broken and Poor on the N.
Some Heavy Pine timber.

Township

17 North

Range

10 East

Gila & Salt River

Meridian.

Chains

East, on a random line, between Sections 21 and 28.

Variation $15^{\circ} 27'$ East.

- 10.00 Leave Heavy Pine timber NE & SW
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 49.00 Ascending W. slope.
 51.48 Road to Jaycox Tanks br. S.E. & N.W.
 79.84 Intersect N. & S. line 18 lns. N.
 of cor. to secs. 21, 22, 27 & 28.
 from which cor. I run
 N. $89^{\circ} 52'$ W.
 On true line bet. secs. 21 & 28.
 var. $15^{\circ} 27'$ East
 39.92 Set a post, marked $\frac{1}{4}$ S. of W.
 long, flattened 3 in wide. If in
 the ground, and build mound
 of stones 2 ft high, as per instruc-
 tions for $\frac{1}{4}$ sec. cor. from which
 a Pine, 15 in dia br, N. 3° W. 160 lns. dist
 do 10 " " " S. 78° E. 286 " "
- 79.84 Cor. to secs. 20, 21, 28 & 29.

Land rolling. Some good soil.
 Considerable Pine timber.

Township 14 North Range 10 East
Tla & Salt River Meridian.

Chains North, between Sections 20 and 21.
Variation 15° 24' East.

26.30 Road to Jaycos Pans. bro. Safe,
4000 Set a post, marked 44 S. 4 ft long,
flattened 3 in wide. 1 ft in the
ground, and build mound of stones
2 ft high as per instructions for 44
Sec. cor. from which
A Pine 25 in dia. bro. East 19 hrs. dist.
do-26 " " " S. 89° W. 20 " "

41.90 Pine lime tree 18 in dia.

69.47 do. " 22 " "

69.99 do. " 12 " "

8000 Set a post, marked & notched, 4 ft
long, 3 in sqd. 1 ft in the ground, and
build mound of stones 2 ft high,
as per instructions for cor. to Secs
16, 17, 20 & 21. from which

A Pine, 18 in dia. bro. N. 42° W. 30 hrs. dist.

do. 15 " " " N. 62° E. 57 " "

do. 24 " " " S. 50° E. 46 " "

do. 29 " " " S. 34° W. 110 " "

Land rolling. Some good soil.
Heavy Pine timber.

Township

14 North

Range

10 East

W & Salt River

Meridian.

Chains

East, on a random line, between Sections 16 and 21.

Variation

15° 24'

East.

4000 Set temporary 1/4 sec. cor.

79.75 Intersect N. & S line 25' W. & S.
of cor. to secs. 15, 16, 21 & 22,
from which cor. Run
S. 89° 49' W.

Patue line bet. secs. 16 & 21,

var. 15° 24' East.

3.13 Pine line tree 28 in. dia.

5.14 do. " 29 " "

5.20 do. " 28 " "

79.87 Set a post marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1 ft. in
the ground, and built around
of stones 2 ft. high, as per instru-
tions for 1/4 sec. cor. from which
a Pine, 24 in. dia. br. N. 15° W. 83 lbs. dist.

An Oak, 12 " " " S. 47° E. 36 " "

79.75 Cor. to Secs. 16, 17, 20 and 21.
Land somewhat broken.
Soil poor.

Heavy Pine timber.

Township 17th North Range 10 East
W 1/4 Salt River Meridian.

Chains North, between Sections 16 and 17.

Variation 15° 24' East.

0.23 Pine tree 30 in. dia.

8.77 Road to Brigham Co. N.E. & S.W.

4000 Set a post, marked "U.S. 4 ft long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for 14 sec. cor. from which a Pine, 12 in dia. br. N. 72° E. 166 lbs. dist.
do. 26 " " " N. 60° W. 166 " "

8000 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs 8, 9, 16, and 17. from which

- a Pine, 30 in. dia. br. N. 73 1/2° E. 52 lbs. dist
- do. 29 " " " S. 41° E. 85 " "
- do. 27 " " " N. 64° W. 105 " "
- do. 19 " " " S. 118 1/2° W. 170 " "

Land slightly rolling. Some good soil. Grass. Heavy Pine timber.

Township

14 North

Range

10 East

Plat^e Salt River

Meridian.

Chains

East, on a random line, between Sections 9 and 16.

Variation

15° 24'

East.

40.00 Set temporary 1/4 sec. cor.
 50.00 Leave Heavy Pine timber NW. & SE.
 79.76 Intersect N. S. line 22 hrs. S. of
 cor. to secs. 9, 10, 15 and 16, from
 which cor. Issue

S. 89° 51' W.

On true line bet. secs. 9 & 16,

var. 15° 24' East

39.88 Set a post, marked 1/4 S. of ft. long,
 flattened 3 in. wide, 1 ft. in the
 ground, and build mound of stone
 2 ft. high, as per instructions for 1/4
 sec. cor. from which
 a Pine 21 in. dia. br. S. 90° W. 50 hrs. dist.
 do. 29 " " " N. 39° E. 86 " "

79.76 Cor. to secs. 8, 9, 16, and 17.

Sand rolling. Some good
 soil. Grass.
 Some Heavy Pine timber.

Township 17 North Range 10 East
Tla & Salt River Meridian.

Chains North, between Sections 8 and 9.

Variation 15024' East.

Ascending gradual slope of high hill to the N.
 40.00 Set a post, marked 14 ft. 4 ft. long, flattened
 3 in. wide, 1 ft. in the ground, and build
 mound of stones 2 ft. high, as per in-
 structions for 14 sec. cor. from which
 a Pine, 31 in. dia. br. East 33 lvs. dist.
 do. 20 " " N. 40° W. 95 " "
 59.64 Pine live tree 16 in. dia.
 61.49 do. " 13 " "
 63.00 Top of ascent at N. point of hill on E. E. descend.
 69.41 Pine live tree, 21 in. dia.
 79.50 do. " 29 " "
 80.00 Set a post, marked & notched, 4 ft.
 long, 3 in. sq. d. 1 ft. in the ground, and
 build mound of stones 2 ft. high, as
 per instructions for cor. to Secs. 4, 5, 8
 and 9, from which
 a Pine, 16 in. dia. br. N. 70° E. 36 lvs. dist.
 do. 18 " " " S. 68° E. 40 " "
 do. 19 " " " S. 70° W. 52 " "
 do. 22 " " " N. 18° W. 163 " "

Land rolling & hilly. Some good soil.
 Heavy Pine timber.

Township *12th North* Range *10 East*
W 1/4 Salt River --- Meridian.

Chains East, on a random line, between Sections 4 and 9.

Variation *15° 24'* East.

Crossing N. slope of hill to the S.

20.00 E. foot, run on slightly rolling ground

4000 Set temporary cor. & leave heavy Pine timber to S. & NW.

79.92 Intersect N. & S. line 13 lns. S. of cor. to Secs. 3, 4, 9 and 10. from which cor. Run S. 89° 54' W.

Run true line between Secs. 4 & 9. var. 15° 24' East.

39.96 Set apart marked 1/4 S. 4 ft long, flat tined 3 in wide, 4 ft in the ground, and build around a stone of the high, as per instructions for 1/4 sec. cor. from which a Pine 15 in. dia. to N. 27° W. 50 lns. dist do 18 " " " S. 28° E. 122 " "

79.92 Cor. to Secs. 4, 5, 8 and 9.

Land rolling & hilly. Soil poor. Grass. Some heavy Pine timber.

Township

14 North

BOOK 260

Range

10 East

44

W & Salt River

Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation

15° 27'

East.

Descend N. slope.

10.00 Run on level ground, and leave heavy Pine timber E. & W.

40.00 Set temporary 1/4 sec. cor.

80.04 Intersect N. boundary of Sec. 4 & 5. from
of cor. to secs. 4 and 5. from
which cor. Run
S. 0° 45' W.

Random line between sec. 4 & 5.

var. 15° 27' East

40.04 Set a post, marked 1/4 S. of ft. clay,
flattened 3 in wide, 1 ft in the
ground, and build mound of stone
2 ft high, as per instructions for
1/4 sec. cor. from whichA Pine, 12 in dia. N. 29° W. 290 lbs dist
do 20 " " " N. 58° W. 378 " "

80.04 Cor. to secs. 4, 5, 8 and 9.

Land slightly rolling & level.
Some good soil. Grass.
Scattering Pine timber.

Township 17 North Range 10 EastPila & Salt River Meridian.

Chains North, between Sections 31 and 32.

Variation 15° 24' East.

Descending slope br. st.

10.00 Run on slightly rolling ground.

25.00 Dry wash, 10 lbs wide, br. E. & N.E.

27.71 Pine lime tree, 27 in. dia.

34.97 do. " 35. "

40.00 Set a post, marked 4 S. 4 ft long, flat-topped 3 in wide, 1 ft in the ground and built around a stone 2 ft high, as per instructions for 14 sec. cor. from which

A Pine, 10 in. dia. br. S. 5° W. 40 lbs. dist.

do. 39 " " N. 11 1/2° W. 68 " "

80.00 Set a post, marked and painted, 4 ft long, 3 in. sq. 1 ft in the ground and built around a stone 2 ft high, as per instructions for cor. to secs. 29, 30,

31 and 32. from which

A Pine, 18 in. dia. br. N. 8° W. 123 lbs. dist.

do. 26 " " N. 43° E. 183 " "

do. 26 " " S. 18° W. 165 " "

do. 29 " " S. 8° E. 195 " "

Land descending N. then easterly. Some good soil. Grass.

Heavy Pine timber. Aug. 23. 1879.

Township

17 North

Range

10 East

Tla & Salt River

Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation

 $15^{\circ} 27'$

East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.80.10 Intersect N. & S. line 14 ch. N. of
cor. to secs. 28-29-32 and B3.from which cor. D run
N. $89^{\circ} 54' W.$

Sub true line bet. secs. 29 & B2.

var. $15^{\circ} 27'$ East35.55 Pine tree 22 in. dia. And en-
ter heavy pine timber br. NE & SW.40.05 Set a post marked $\frac{1}{4}$ S. & flag
flattened 3 in. wide, 1 ft. in the
ground, and build mound of
stones 2 ft high, as per instructions
for $\frac{1}{4}$ sec. cor. from which
Alum, 31 in. dia. br. S. $84^{\circ} W.$ 15 ch. distdo. 28 " " " N. $30^{\circ} E.$ 198 " "

80.10 Cor. to Secs. 29-30-31 & B2.

Land somewhat rolling.

Some good soil. Grass.

Some heavy Pine timber.

Township 17 North Range 10 East
1/4 E Salt River Meridian.

Chains West, on a random line between Sections 30 and 31.

Variation 15° 27' East.

14.00 Ascend point of mountain br.
 N. S.W.

35.00 Top of ascent and descend

40.00 Set temporary 1/4 sec. cor.

50.00 Run on rolling ground br. N.E. S.W.

79.85 Intersect N. boundary 50 chs. N.
 after to secs. 30 & 31. from which
 cor. drawn
 N. 89° 39' E.

On true line bet sec. 30 & 31.

var. 15° 27' East

39.85 Set a post, marked 14 S. 4 ft long,
 flattened 3 in. wide. 1 ft in the ground
 and build mound of stones 2 ft
 high, as per instructions for 1/4 sec.
 cor. from which

A Pine 27 in. dia. br. S. 10° E. 127 chs. dist.

do 24 " " " N. 5° E. 113 " "

53.75 Fir line tree 27 in. dia.

79.85 Cor. to sec. 29, 30, 31 and 32.

Land mountainous. Soil poor.

Grass. Scattered Fir and Oak.
 Oak brush.

Heavy Pine timber.

Township

BOOK 260
14 North Range 10 East
W & Salt River Meridian.

Chains

North, between Sections 29 and 30.

Variation 15° 24' East.

4000 Set a post, marked 4 S. 4 ft long
flattened 3 in wide, 4 ft in the
ground, and build mound of
stones 2 ft high, as per instruc-
tions for 14 sec. cor. from which
a Pair. 30 in. dia. N. 2° W. 6 las. dist
do. 25 " " N. 15° E. 38 " "

8000 Set a post, marked and notched,
4 ft long, 3 in. sq. 4 ft in the ground,
and build mound of stones
2 ft high, as per instructions for
cont. Secs. 19, 20, 29 and 30.
from which
a Pair. 29 in. dia. N. 39° E. 147 las. dist.
do. 27 " " S. 52° E. 141 " "
do. 26 " " S. 65° W. 100 " "
do. 30 " " N. 46 1/2° W. 138 " "

Land somewhat rolling.
Some good soil. Grass.
Heavy Pine timber.

Township

17 North

Range

10 East

Wabash & Salt River

Meridian.

Chains

East, on a random line between Sections 20 and 29.

Variation

15° 27'

East.

40.00 Set temporary 74 sec. cor.
 80.14 Intersect N. & S. line 18 chs. N.
 of cor. to Secs. 20, 21, 28 and
 29, from which cor. I run
 N. 89° 52' W.

Run true line bet. Secs. 20 & 29.

var. 15° 27' East.

40.07 Set a post, marked 74 S. 24 ft. long,
 flattened 3 in. wide, 1 ft. in the
 ground, and build mound of
 stones 2 ft. high, as per instructions
 for 74 sec. cor. from which
 a Pine, 14 in. dia. br. N. 15° W. 57' has dist.
 do. 21 " " " S. 35° W. 78 " "

40.47 Pine line tree 25 in. dia.

60.61 do. " 25 " "

80.14 Cor. to Secs. 19, 20, 29 & 30.

Sand broken on line: hilly to S.
 Soil poor. Grass.
 Heavy Pine timber.

Township

14 North

Range

10 East

1/4th E Salt River Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation

15° 24'

East.

22.39 Road from Saw Mill to Pine Springs brs.
N. & S.

32.00 Trail brs. N.E. & S.W.

33.00 Ascend on high & broken ground N.E. S.W.

40.00 Set temporary 1/4 sec. cor.

79.78 Intersect N. boundary 58 chs N.
approx. to sec. 19 & 30. from
which cor. true
N. 89° 35' E.

On true line bet sec. 19 & 30.

var. 15° 24' East.

7.08 Pine limb tree 24 in. dia.

10.03 do. " 28 " "

39.48 Set post, marked 1/4 S. 4 ft long
flattened 3 in wide, 1 ft in the ground
and build around a stake 2 ft high
as per instructions for 1/4 sec. cor. from which
a pine, 27 in. dia. brs. N. 66° E. 50 chs. dist.

do. 23 " " " N. 114° E. 58 " "

79.78 Cor. to sec. 19. 20. 29 & 30.

Land broken & rolling.

Soil poor. Grass. Heavy Pine
timber. Some oak trees.

Township Ty North Range 10 East
N. & Salt River Meridian.

Chains North, between Sections 19 and 20.

Variation 150° 27' East.

- 10.60 Pine live tree 10 in. dia.
 22.27 do " 25 "
 23.35 E. end of House br. N. 20.50 chs. dist.
 24.06 E. end of Saw Mill, (running E-W) br. N. 16.23 chs. dist.
 25.54 Stream of water, 5 lvs. wide, runs E. and sinks
 in a short distance to the E.
 26.55 E. end of House br. N. 17.00 chs. dist.
 28.17 E. end of another House br. N. 17.58 chs. dist.
 28.45 Road to Saw Mill br. N. This road forms on the
 East, - one branch going to Brigham City, the other
 to Jaycox Tanks.
 40.00 Set a post, marked 44 S. 4 ft. long, flattened
 3 in. wide, 1 ft. in the ground, and build
 mound of stones 2 ft. high, as per in-
 structions for 4 sec. cor. from which
 a Pine, 28 in. dia. br. S. 1 1/2° E. 57 lvs. dist.
 do. 10 " " " N. 21° W. 78 " "
 42.50 Pine live tree 13 in. dia.
 8000 Set a post, marked and notched, 4 ft.
 long, 3 in. sq. d. 1 ft. in the ground, and build
 mound of stones 2 ft. high, as per instructions
 for cor. to secs. 17, 18, 19 & 20, from which
 a Pine, 11 in. dia. br. N. 40° W. 10 lvs. dist.
 do. 26 " " " S. 49° W. 99 " "
 do. 27 " " " S. 56° E. 79 " "
 do. 29 " " " N. 65° E. 138 " "
 Land uneven. Some good soil. Grass,
 Heavy Pine timber. Timber depre-
 dated upon in sec. 19.

Township

17 North Range 10 East
Pl. & Salt River Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation 15° 24' East.

40.00 Set temporary 4 sec. cor.
67.00 Road to Brigham City br. N.E. & S.W.
80.05 Intersect N. & S. line 5 hrs. N. of
cor. to secs. 16, 17, 20 & 21. from
which cor. I run
N. 89° 58' W.

On true line between secs. 17 & 20.
var. 15° 24' East

- 12.44 Oak lime tree 11 in. dia.
- 12.57 do. " 12 " "
- 15.02 do. " 16 " "
- 17.72 Pine lime tree 27 " "
- 40.02 Set a post, marked 14 S. 4 ft long,
flattened 3 in. wide, 4 ft. in the ground,
and build mound of stones 2 ft high
as per instructions for 4 sec. cor. from which
a Pine 20 in. dia. br. S. 11° E. 74 hrs. dist
do. 10 " " " N. 15° W. 89 " "

75.95 Pine lime tree 26 in. dia.
80.05 Cor. to secs. 17, 18, 19 & 20.
Land rolling. Soil poor. Grass.
Scattering Oak trees & brush.
Heavy Pine timber.

Township 17 North Range 10 EastPlata & Salt River Meridian.

Chains West, on a random line between Sections 18 and 19.

Variation 15° 27' East.

0.75 Road br. N. & S.

27.74 Road from Saw Mill to San Francisco
co mto br. N. & S.E.

40.00 Set temporary 1/4 sec. cor

79.60 Intersect N. boundary 90 lbs. N.
of cor. to Secs. 18 and 19. from
which cor. I run
N. 89° 21' E

Out true line bet sec. 18 & 19

var. 15° 27' East

39.60 Set a post, marked 1/4 S. 4 ft long
flattened 3 in wide. 1 ft in the
ground, and build around a stone
2 ft high, as per instructions for 1/4
sec. cor. from which

A Pine 15 in dia br. S. 31° E. 33 lbs. dist.

No. 30 " " " N. 12° W. 50 " "

62.02 Pine line tree 2 3 in dia

79.60 Cor. to Secs. 17, 18, 19 and 20.

Sand rolling. Soil poor.
Grass. Heavy Pine timber.

Township

17 North Range 10 East

Platte & Salt River

Meridian.

Chains

North, between Sections 17 and 18.

Variation

15° 24'

East.

20.00 Road bro. N.E. & S.W.

4000 Set a post, marked 74 S. 4 ft. long, flattened 3 in wide, 1 ft. in the ground, and build mound of stones 2 ft high as per instructions for 74 sec. cor. from which a Pine, 35 in. dia. bro. N. 35° W. 66 lbs. dist

do. 12 " " " N. 62° E. 20 " "

45.30 Pine live tree 28 in. dia.

8000 Set a post, marked and notated, 4 ft long, 3 in. sq. d. 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions for cor. to secs. 7, 8, 17 and 18, from which a Pine, 20 in. dia. bro. N. 6½° W. 79 lbs. dist

do. 32 " " " S. 35° W. 102 " "

do. 36 " " " S. 50° E. 75 " "

do. 12 " " " N. 31° E. 30 " "

Land rolling. Soil mostly poor.
Grass.

Heavy Pine timber.

Township 17 North BOOK 260 Range 10 East
Gila & Salt River Meridian.

Chains East, on a random line between Sections 8 and 17.

Variation $15^{\circ}24'$ East.

12.06 Road br. E of N. & S.W.

40.00 Set temporary $\frac{1}{4}$ sec. cor

80.08 Intersect N. & S. line 12 ch. N.
of cor. to secs. 8, 9, 16 and
17, from which cor. I run
N. $89^{\circ}55' W$.

Put true line bet secs. 8 & 17.
var. $15^{\circ}24'$ East.

40.04 Set a post, marked 145, 4 ft long,
flattened 3 in wide, 1 ft in the
ground, and build mound of
stones 2 ft high, as per instruc-
tions for $\frac{1}{4}$ sec. cor. from which
a Pine, 27 in. dia. br. S. $46^{\circ} E$, 59 ch. dist.
do 14 " " " N. $33^{\circ} W$, 138 " "

75.55 Pine live tree 12 in. dia.

80.08 Cor. to secs 7, 8, 17 & 18.

Land rolling. Soil mostly
poor. Grass.
Heavy Pine timber.

Township 17 North Range 10 East
Pala & Salt River Meridian.

Chains West, on a random line between Sections 7 and 18.

Variation 15° 24' East.

- 40.00 Set temporary 1/4 sec. cor.
- 69.83 Road from Mill to San Francisco Mt. Co. N.W.S.E.
- 79.75 Intersect N. boundary 20 chs. N. of cor. to secs. 7 and 18, from which cor. Issue N. 89° 51' E.
Future line bet. secs. 7 & 18 var. 15° 24' East.
- 20.97 Pine lime tree 30 in. dia
- 30.14 do " " 21 " "
- 39.75 Set a post marked 1/4 S. 4 ft long flattened 3 in wide. It is in the ground and built around a fastener 2 ft high, as per instructions for 1/4 sec. cor. from which
A Pine 13 in dia. br. S. 10° W. 23 chs. dist
do 15 " " " N. 14 E. 62 " "
- 73.79 Pine lime tree 19 in. dia.
- 75.96 do " 15 " "
- 79.75 Cor. to secs. 7, 8, 17 and 18.
Land rolling table. Soil poor. Grass. Heavy Pine timber.

Township 17 North Range 10 East

File 9 Salt River

Meridian.

Chains North, between Sections 7 and 8.

Variation 15° 24' East.

- 2.34 Pine lime tree 33 in. dia.
- 20.31 Oak do. 10 " "
- 40.00 Set a post, marked 14 S. 4 ft long flattened 3 in wide. 1 ft. in the ground and build mound of stones 2 ft high, as per instructions for 14 sec. Cor. from which
 A Pine. 26 in. dia. br. N. 60° E. 41 lks. dist
 do. 27 " " " N. 85° W. 119 " "
- 80.00 Set a post, marked & notched 4 ft long. 3 in sqd. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for corners Secs. 5, 6, 7 & 8. from which
 A Pine. 20 in. dia. br. S. 20° W. 10 lks. dist
 do. 18 " " " S. 54° E. 52 " "
 do. 12 " " " N 48° W. 127 " "
 do. 28 " " " N. 13° E. 140 " "

Landralling. Some good soil.
 Grass. Scattering Oak trees.
 Heavy Pine timber.

Township

17 North Range 10 East

T14 E Salt River

Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation

15° 24'

East.

37.00 Road br. E of N. & N. of S.

40.00 Set temporary 1/4 sec. cor.

60.00 Ascending gradually to the E.

79.92 Intersect N. & Slave 16 lns. N. of
cor. to secs. 4, 5, 8 and 9, from
which cor. I run
N. 89° 53' W.

On true line bet secs. 5 & 8.

var. 15° 24' East.

15.97 Pair live trees 24 in. dia.

18.09 do. " 10 " "

39.96 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in. wide 1 ft in the ground
and build mound of stones 2 ft.
high, as per instructions for 1/4 sec.
cor. from which

a Pair, 20 in. dia. br. S. 12° W. 86 lns. dist

do. 24 " " N. 13° W. 164 " "

79.92 Cor. to secs. 5, 6, 7 and 8.

Sand rolling & ascending E.
Soil poor. Heavy Pair timber.

Township

17th North

Range

10 East

1/4 E Salt River

Meridian.

Chains

West, on a random line between Sections 6 and 7.

Variation

15° 27'

East.

- 40.00 Set temporary 1/4 sec. cor.
 79.70 Intersect W. boundary 8 lns.
 N. of cor. to secs. 6 and 7. from
 which cor. In run
 N. 89° 57' E.
 Put true line bet sec. 6 & 7.
 var. 15° 27' East
- 6.03 Pine line tree 29 in. dia.
 6.98 do. " 27 " "
 35.64 do. " 28 " "
- 39.70 Set a post, marked 1/4 S. 4 ft long
 flattened 3 in. wide, 1 ft in the
 ground and build mound
 of stones 2 ft high, a few in-
 structions for 1/4 sec. cor. from which
 a Pine. 21 in. dia. br. S. 61° W. 67 lns. dist.
 do. 20 " " " N. 20° E. 66 " "
- 69.83 Pine line tree 20 in. dia.
 79.70 Cor. to Secs. 5, 6, 7 and 8.

Land rolling table. Soil poor.
 Grass. Heavy Pine timber.

Township 14 North Range 10 East
Vila & Salt River Meridian.

Chains North, on a random line between Sections 5 and 6.

Variation 15° 27' East.

2000 Loose heavy Pine timber NW & SE.

4000 Set temporary 1/4 sec. cor.

79.92 Intersect N. boundary 12 lns. N.
 also to Secs. 5 and 6 from
 which cor. Run
 S. 0° 5' N.

On true line between Secs. 5 & 6.

var. 15° 24' East

39.92 Set a post, marked 1/4 sec. cor. along
 flattened 3 in wide, 1 ft. in the
 ground, and build mound of
 stones 2 ft high, as per in-
 structions for 1/4 sec. cor.
 from which

A Pine. 27 in dia. br. N. 28° W. 166 lns. dist.

do. 18 " " " S. 69° E. 227 " "

79.92 Cor. to Secs. 5, 6, 7 and 8.

Land somewhat rolling.
 Soil mostly poor.
 Grass. Some heavy Pine timber.

August 25, 1879

GENERAL DESCRIPTION.

Only the ^{western} portion of Township 17 N. Range 10 E., is heavily covered with timber of Commercial value. In the eastern and larger portion of the Township, the timber is scattering and in some sections entirely disappears.

The Township is wholly non-mineral land.

In the Western portion the timber is almost entirely Pine (of the kind known commonly as Yellow Pine), with some Fir on the hills and some interspersed Oak.

The lines were blazed and line trees notched.

The soil is generally poor with a rank growth of grass.

In the S. E. 1/4 of sec. 19. is a steam saw mill, first class and complete in every respect and in active operation.

The Mill belongs to Mormon authorities, with Wm. C. McLellan

as local superintendent.

The supplies of saw-logs are drawn from the vicinity of the mill, and the sawed product is shipped to settlements on the Little Colorado and elsewhere.

Considerable thrift and enterprise have been shown in the building of the mill and its surroundings.

There are good roads from the mill to various localities.

J. L. Harris
U.S. Dep. Surveyor

BOOK 260 63
List of Names.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

Subdivision Line of Township 17 N. Range 10 E. of the Gila and Salt River Meridian Arizona

Showing the respective capacities in which they acted.

Richard Shupe Chainman.

Geo. McNeal Chainman,

B. Palm } Axeman.

J. G. Lindsey }
Evaristo Sainz } Flagman.

64

032

Final Oath of Assistants.

We hereby certify that we assisted *John L. Harris* U. S. Deputy Surveyor, in surveying

The Subdivision Lines of Township 17 North Range 10 East of the 9th & 10th Salt River Meridian Arizona

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

- Richard Sheperd* Chairman.
- Geo. Mc Neal* Chainman,
- B. Polun* Axeman
- J. W. Anderson* Axeman
- Evaristo Sainz* Flagman.

Sworn to and subscribed before me, this *19th* day of *September*, 187*9*

Wm. L. Harris
U.S. Dep. Surveyor

Final Oath of Deputy Surveyor.

BOOK

260

65

I, John L. Harris

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 28th day of April

1879. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision Lines
of Township 17 North
Range 10 East of the
Pala & Salt River
Meridian, Arizona.

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

60

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Wm L Harris
Deputy Surveyor.

Sworn to and subscribed before me, this *25th*
day of *September*, 187*9*

John R. Powell
Notary Public.



W

U. S. Surveyor General's Office.

Tucson, A. T.

November 8, 1879.

The foregoing Field Notes of the surveys of
 the Subdivision Lines of
 Township 14 North
 Range 10 East
 Gila and Salt River Meridian
 in the Territory of Arizona executed by

John L. Heavis.

U. S. Deputy Surveyor, under his contract dated

April 28, 1879.

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Mason.

U. S. Surveyor General for the District of Arizona.