

John L. Harris Deputy Surveyor.

T. *14 North* R. *21 East*

Gila and Salt River Meridian.

FIELD NOTES

OF BOOK 266

THE SUBDIVISION LINES OF

Township *14 North* Range *21 East*

Gila and Salt River Meridian.

266

BY

John L. Harris Deputy Surveyor.

under his Contract of *April 28* 18*70*

Survey Commenced *July 3, 1870*

Survey Completed *July 7, 1870*

No-266

Platted.

Copied for Washington, *J.P.T.*

Copied for Register, *a. b.*

C.

Recd Sep 1870

Township *14 North* Range *21 East*

1A Gila and Salt River

Meridian.

BOOK 266

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	13	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

O.K.


13

Preliminary Oaths of Assistants.

We, Richard Shrope
 and G. A. Bedshur
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Richard Shrope
G. A. Bedshur
~~Wm. J. Wood~~

Sworn to and subscribed before me, this 3rd
 day of May, 1879



John R. Tancell
 Notary Public.

We, *B. Palm, Geo. McNeal and*
Evaristo Saing _____

do solemnly swear that we will well and truly per-
 form the duties of *Acemen and*
Flagman, respectively _____
 according to instructions given us, and to the best
 of our skill and ability.

B Palm
Geo Mc Neal
Evaristo Saing

Sworn to and subscribed before me this *21*
 day of *May*, 187*9*

John R. Stowell
 Notary Public



Township 17 North Range 21 EastD Pila and Salt River Meridian.

Chains From the corner to Sections 35, 36, 1 and 2 on the South boundary I run.
North, between Sections 35 and 36.

Variation $14^{\circ}42'$ East.

As per East Boundary.

40.00 Set a sandstone $28 \times 12 \times 5$ in.
34 in the ground, marked 14 and
on the N. build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for
14 sec. cor.

No trees near.

80.00 Set a post, marked 9, notched, 4 ft
long, 3 in. sq. d. 1 ft in the ground,
and build mound of stone 2 ft
high, as per instructions for cor. to
Secs. 25, 26, 35 and 36.

from which

A Cedar 15 in. dia. br. S. 81° W. 94 lbs. dist.
No other trees near.

Land mostly level.

Soil 1st rate.

Scattering Cedar trees.

Township 17 North Range 21 EastGila & Salt River Meridian.

Chains

East, on a random line between Sections 25 and 36.

Variation 14° 42' East.

- 38.00 Little Calaveras river 90 lbs. wide flow
N. W.
- 40.00 Set temporary 1/4 sec. cor.
- 80.20 Intersect E. boundary 17 lbs. N. of
cor. to secs. 25 and 36. from which
cor. run
N. 89° 53' W.
On true line between secs. 25 & 36.
var. 14° 42' East
- 40.10 Set a sandstone 25 x 12 x 4 in.
3/4 in the ground, marked 1/4,
and on the W. build mound of
stones 2 ft high, as per instruc-
tions for 1/4 sec. cor. from which
a Cedar 10 in dia. to N. 8° E. 45 lbs. dist
No other trees near.
- 80.20 Cor. to secs. 25, 26, 35 and 36.
Sand uneven.
Some good soil
Scattering Cedar trees.

Township 17 North Range 21 East
Pela and Salt River Meridian,

Chains North, between Sections 25 and 26.

Variation 14 1/2' East.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stakes and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.

80.00 Set a sandstone 30 x 11 x 5 in. 1 ft in the ground, on bed rock, notched S. and E., and on the N. build mound of stones 2 ft high, as per instructions for cor. to sec. 23, 24, 25 and 26.

from which

A Cedar 20 in. dia. S. 89 1/2° W. 11 lbs. dia.
 No other trees near.

Land uneven. Some good soil
 Scattering Cedar trees.

Township 17 North Range 21 East

Gla and Salt River Meridian.

Chains	East, on a random line between Sections 24 and 25.
	Variation 14°42' East.
1.52	Cannon of the Little Colorado river brs N. of N. and descend into it
2.10	Little Colorado river 90 hrs. wide flows N. of N. and rise out of cañon
4.50	Top on E. side and run on slightly rolling ground.
48.00	Set temporary 1/4 sec. cor.
50.00	Little Colorado road brs. N. W. & S. E.
80.10	Intersect E. boundary 12 hrs. N. of cor to secs. 24 and 25. from which cor. Draw N. 89°55' W.
	On true line between secs. 24 & 25. var. 14°42' East
40.05	Set a sandstone 25 x 20 x 2 inches 3/4 in the ground, marked 1/4 and on the N. build mound of earth 2 ft high with pits 1 ft deep. 2 ft long 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.
80.10	Cor. to secs. 23, 24, 25 and 26.
	Land slightly rolling & level. Much good soil. Grass. Scattered Cedar trees.

Township

17 North

Range

21 East

Tola & Salt River

Meridian.

Chains

North, between Sections 23 and 24.

Variation 14° 42' East.

18.50 Little Colorado river, in deep mud walls, 95 lbs. wide flows N. W.

25.00 Run on level ground.

40.00 Set a sandstone shaft 48 x 24 x 4 in. 1 ft in the ground, on bed rock of solid sandstone, and build around it, for better security, a mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide and mark stone 1/4, for 1/4 sec. cor. No trees near.

8000 Set a post, marked and notched, 2 ft long, 3 in sq d. 1 ft in the ground. Drive charred stakes and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 13, 14, 23 and 24. No trees near.

Land mostly level. Much good soil grass. A few cedars.

Township 17 North Range 21 East

Gila & Salt River Meridian.

Chains East, on a random line between Sections 13 and 24.

Variation $14^{\circ}42'$ East.

- 0.50 Little Colorado Road b/s. N.W. & S.E.
 4000 Set temporary $\frac{1}{4}$ sec. cor.
 80.22 Intersect E. boundary 15 lks N. of
 cor. to Secs. 13 and 24, from
 which cor. Issue

N. $89^{\circ}54'$ W.

On true line between Secs. 13 & 24.

var. $14^{\circ}42'$ East

- 40.11 Re-mark from stone & timber.
 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions for
 $\frac{1}{4}$ sec. cor.

- 80.22 Cor. to Secs. 13, 14, 23 & 24.

Sand level.

Soil good.

Grass.

No timber.

Township 14 North Range 21 East
 6th Salt River Meridian.

Chains North, between Sections 13 and 14.

Variation 142 1/2 East.

0.51 Little Colorado Road Co. NW & SE,
 4000 Remote from stone and timber.
 Two charred stave and build
 mound of earth 2 ft. high, with
 pits 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions for 14 sec.
 cor.

8000 Set a post, marked and scratched,
 4 ft. long, 3 in. sq. d., 1 ft. in the
 ground, two charred stave and
 build mound of earth 2 ft. high
 with pits 1 ft. deep, 2 ft. long, 1 ft.
 wide, as per instructions for
 cor. to Sec. 11, 12, 13 & 14.
 No trees near.

Land level and slightly
 rolling.

Soil Good.

Grass.

No timber.

Township 14 North Range 21 East
Platte & Salt River Meridian.

Chains * East, on a random line between Sections 12 and 13.

Variation $14^{\circ}42'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.16 Intersect E. boundary 19 lns. N.
 of cor. to Secs. 12 and 13. from
 which cor. is run

$N. 89^{\circ}52' W.$

Put true line between Sec. 12 & 13

var. $14^{\circ}42'$ East

40.08 Remote from stone & timber.
 Drive charred stake and build
 mound a foot high, with
 pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instruction for $\frac{1}{4}$
 sec. cor.

80.16 Cor. to Secs. 11, 12, 13 & 14.

Land level.

Soil good.

Grass.

No timber.

9 Township 14 North Range 21 East

Gila & Salt River

Meridian.

Chains

North, between Sections 11 and 12.

Variation 14° 22' East.

4000 Remove from stone & timber
Drive charred stake and build a
mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as
per instructions for 1/4 sec. cor.

8000 Set a sandstone 16 x 12 x 5 in.
2/3 in the ground, notched S. &
E. and on the N. build mound
of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as
per instructions for cor. to Secs.
1, 2, 11 and 12.

No trees near.

Land level and slightly ascending N.
Soil good.

Grass.

No timber.

Township

17 North

Range

21 East

Gila & Salt River

Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation

14° 42' East.

40.00 Set temporary 1/4 sec. cor.

80.12 Intersect E. boundary 10 chs.
N. of cor to sec. 1 and 12,
from which cor. I run

N. 89° 56' W.

On true line between sec. 1 & 12.

var. 14° 42' East

40.06 Remote from stone and
timber. Drive charred stake
and build mound of earth 2 ft
high, with pits 1 ft deep - 2 ft long,
1 ft wide, as per instructions
for 1/4 sec. cor.

80.12 Cor. to sec. 1, 2, 11 and 12.

Sand level.

Soil Good.

Grass.

No timber.

Township 14 North Range 21 East

Gla Salt River Meridian.

Chains North, on a random line between Sections 1 and 2.

Variation 14° 42' East.

4000 Set temporary 1/4 sec. cor.
79.86 Intersect N. boundary 15 lks.
N. of cor. to secs. 1 and 2, from
which cor. Issue

S. 0° 6' N.

On true line between secs. 1 & 2.

var. 14° 42' East

39.86 Set a sandstone 20 x 10 x 4 in,
3/4 in the ground, marked 1/4,
and on the S. build mound
of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as
per instructions for 1/4 sec.
cor. No trees near.

79.86 Cor to secs. 1, 2, 11 and 12.

Land slightly descending N.
Soil Good.

Grass.

No timber.

Township 14 North Range 21 East

Gila & Salt River Meridian.

Chains North, between Sections 34 and 35.

Variation 14° 42' East.

4000 Set a sandstone 18 x 12 x 8 in.
 3/4 in the ground, marked 74,
 and on the N. build mound of
 earth 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, as per in-
 structions for 74 sec. cor.

No trees near.

80.00 Set a sandstone 23 x 16 x 3 in.
 3/4 in the ground, sloched S. and
 E. and on the N. build mound
 of earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, as per
 instructions for cor to secs.
 26, 27, 34 and 35.

No trees near.

Land level Soil Good.

Grass.

Scattering Cedar trees.

July 3, 1879.

Township 17 North Range 21 East
Gila and Salt River Meridian.

Chains East, on a random line between Sections 26 and 35.
Variation 14°42' East.

4000 Set temporary 1/4 sec. cor
79.89 Intersect N. & S. line 13 lks. N. of
cor to secs. 25, 26, 35 and 36.
from which cor. I run

N. 89° 54' W.
On true line between secs. 26 & 35.
var. 14° 42' East

39.94 Set a sandstone 30 x 12 x 3 in.
3/4 in. in the ground, marked 1/4
and on the W. build mound
of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, as per
instructions for 1/4 sec. cor.
from which

A Cedar, 10 in. dia. brs, N. 50° W. 78 lks. dist.
do. 5 " " " N. 70° E. 45 " "

79.89 Cor to secs. 26, 27, 34 and 35.

Land somewhat descending
E. Some good soil.
Scattering Cedar trees.

Township

17th North

Range

21 East

Gila and Salt River

Meridian.

Chains

North, between Sections 26 and 27.

Variation

14° 42' East.

4000 Set a post, marked 4 S. 4 ft. long, flattened 3 in wide
 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft. deep, 2 ft long, 1 ft wide,
 as per instructions for 74 sec.

cor.

8000 Set a sandstone shaft 49 x
 7 x 3 in. notched S. and E. 2 ft
 in the ground, on bed rock, and
 on the N. build mound of earth
 2 ft. high, with pits 1 ft. deep, 2
 ft long, 1 ft wide, as per in-
 structions for cor. to Secs. 22,
 23, 26 and 27, from which
 a Cedar, 4 in. dia. bro. S. 50° W. 24 ft. dist.
 do. 5 " " " S. 30° E. 75 " "
 No other trees near.

Land uneven. Soil mostly
 Poor. Scattering Cedar trees.

Township 19 North Range 21 East

Gila and Salt River Meridian.

Chains East, on a random line between Sections 23 and 26.

Variation 14°42' East.

4000 Set temporary 1/4 sec. cor.
79.90 Intersect N-S line 20 lns.
S. of cor. to secs. 23, 24, 25
and 26, from which cor. In run

S. 89°51' W.

On true line between secs. 23 & 26.
var. 14°42' East

39.95 Set a sandstone 18 x 10 x 24 in.
3/4 in the ground, marked 1/4
and on the W. build mound
of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide as
per instructions for 1/4 sec.
cor. No trees near.

79.90 Cor. to secs. 22, 23, 26 and 27.

Land uneven.
Some good soil.
Grass.
A few cedars.

Township 14 North Range 21 East

Glaucus Salt River Meridian.

Chains North, between Sections 22 and 23.

Variation 14° 42' East.

4000 Set a sandstone $25 \times 9 \times 3$ in.
 $3/4$ in the ground, marked 14,
 and on the N. build mound
 of stones 2 ft high, as per in-
 structions for 14 sec. cor.

from which

A Cedar, 13 in. dia. top. S. 75° E. 33 ho. dia.

do. 12 " " " S. 69° W. 92 " "

5000 Set a post, marked and notched,
 4 ft long. 3 in sq. d. 1 ft in the ground,
 drive charred stake and build a
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions for
 cor. to secs. 14, 15, 22 and
 23. No trees near.

Land level.

Soil Good

Grass.

A few Cedar trees.

Township 1st North Range 21 East
Gila & Salt River Meridian.

Chains East, on a random line between Sections 14 and 23.

Variation 14°42' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
40.50 Little Colorado river, in deep
mud walls, flows N. W. 98 lbs wide.
79.81 Intersect N. & S. line $\frac{1}{4}$ Sec. N.
of cor. to Secs. 13, 14, 23, and 24,
from which cor. I run

N. 89° 54' W.

On true line between Secs. 14 & 23,
var. 14°42' East

39.90 Set a sandstone $24 \times 12 \times 3$ in -
 $\frac{3}{4}$ in the ground, marked $\frac{1}{4}$
and on the N. build mound of
stones 2 ft high, as per instructions
for $\frac{1}{4}$ sec. cor. from which
A Cedar 24 in. dia. br. N. 30° W. 14' lead set.
No other trees near.

79.81 Cor. to Secs. 14, 15, 22 & 23.

Land level and uneven.
Some good soil.
Grass. A few Cedars.

Township

17 North

Range

21 East

Plat 3 Salt River

Meridian.

Chains

North, between Sections 14 and 15.

Variation 140° 42' East.

- 40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. from which
 A cedar, 12 in. dia. to S. 46° W. 90 lbs. dist.
 No other trees near.
- 57.78 Little Colorado river, in high mud walls, 100 lbs wide, flows N. W.
- 80.00 Set a post, marked and notched 4 ft long, 3 in. sq. 1 ft in the ground drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 10, 11, 14 and 15.
 No trees near
 Sand never.
 Some good soil.
 Grass.
 A few cedar trees

Township 17 North Range 21 East
Gla and Salt River Meridian.

Chains

East, on a random line between Sections 11 and 14.

Variation 14°42' East.

11.73 Little Colorado road bet. N.W. & S.E.
40.00 Set temporary 1/4 sec. cor.
79.79 Intersect N. & S. line 10 lns. N. of
cor. to secs. 11, 12, 13 and 14,
from which cor. I run

N. 89°56' W.

Put true line between secs 11 & 14.

var. 14°42' East

39.89 Set a post, marked 1/4 S. 4 ft long
flattened 3 in. wide, 1 ft. in the
ground, drive charr'd stake and
build mound of earth 2 ft high,
with pits 1 ft. deep, 2 ft. long, 1 ft. wide
as per instructions for 1/4 sec. cor.
No trees near.

79.79 Cor. to Secs. 10, 11, 14 and 15

Land level.

Soil Good.

Grass.

No timber.

Township

14 North

Range

21 East

Gla & Salt River

Meridian.

Chains

North, between Sections 10 and 11.

Variation

1472

East.

7.78 Little Colorado road br. S. of E. No. 11.
 40.00 Set a post marked 14 S. 14 E.
 long, flattened 3 in wide, 1 ft
 in the ground, drive charred
 stake and build mound of
 earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, as per
 instructions for 14 sec. cor.

No trees near.

8000 Set a sandstone 27 x 14 x 3 in.
 3 ft in the ground, notched S. & E.
 and on the N. build mound
 of earth 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions for cor. to sec.
 2, 3, 10 and 11.

No trees near.

Sand level. Soil Good.
 Grass. No timber.

Township

14 North

Range

21 East

Gla and Salt River

Meridian.

Chains

East, on a random line between Sections 2 and 11.

Variation

14°42'

East.

4000 Set $\frac{1}{4}$ sec. cor. temporarily.
 79.86 Intersect N. & S. line 25 Mo. S.
 of cor. to Secs. 1, 2, 11, & 12. from
 which cor. I run

S. 89° 49' W.

to true line between sec. 2 & 11.

var. 14°42' East.

39.93 Remote from stone and timber.
 Drove charred stake and build
 mound of earth 2 ft high,
 with pits 1 ft deep - 2 ft long - 1 ft
 wide, as per instructions for
 $\frac{1}{4}$ sec. cor.

79.86 Cor. to Secs. 2, 3, 10 and 11.

Land level. Soil Good.

High hill in the N. W. $\frac{1}{4}$ of sec.

11.

Grass.

No timber.

Township 14 North Range 21 EastGila and Salt River Meridian.

Chains North, on a random line between Sections 2 and 3.

Variation 14° 42' East.

4000 Set temporary cor.

79.92 Intersect N. boundary 20 chs.
N. of cor. to Secs. 2 and 3. from
which cor. I run

S. 0° 9' N.

On true line between sec. 2 & 3.

var. 14° 42' East

39.92 Remote from stone & timber.
Drove charred stake and
built mound of earth 2 ft
high, with pits 1 ft deep & 2 ft
long, 1 ft wide, as per in-
structions for 1/4 sec. cor.

79.92 Cor to Secs. 2, 3, 10 and 11.

Sand level. Soil good.

Grass. No timber.

3
Township 17 North Range 21 East
Tela and Salt River Meridian.

Chains North, between Sections 33 and 34.

Variation 14° 21' East.

4000 Remove from stone and timber,
Drive charred stake and build
mound of earth 2 ft high with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for 1/4 sec. cor.

8000 Set a post, marked and notched,
4 ft long, 3 in. sqd. 1 ft in the
ground, drive charred stake
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for
corner Secs. 24, 28, 33 and 34.
No trees near.

Sand level.

Soil Good.

Grass.

No timber.

Township

14 North

Range

21 East

Gla and Salt River Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation

14° 42' East.

4000 Set temporary 1/4 sec. cor.
 79.92 Intersect N. & S line 21 hrs. S.
 after cor. to secs. 26, 27, 34 and
 35, from which cor. Inm

S. 89° 51' W.

On true line between sec. 27 & 34.
 var. 14° 42' East

39.96 Remote from stone & timber.
 Drive charred stake and build
 mound of earth 2 ft. high, with
 pits 4 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions for 1/4 sec.
 cor.

79.92 Cor to secs. 27, 28, 33 and 34.

Land level.

Soil Good.

Grass.

No timber.

Township 17 North Range 21 EastGla and Salt River Meridian.

Chains North, between Sections 27 and 28.

Variation 14 1/2 East.

4000 Remove from stave & timber.
 Drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for 1/4 sec.
 Cor.

8000 Set a sandstone 20 x 10 x 5 in.
 3/4 in the ground, notched S. and
 E., and on the N. build mound
 of earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, as
 per instructions for cor. to Secs.
 21, 22, 27 and 28.

No trees near.

Land level and slightly rolling.

Soil Good. Grass -
 No timber.

Township

14 North

Range

21 East

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation $14^{\circ}42'$ East.

4000 Set temporary 1/4 sec. cor.
 79.88 Intersect N. & S. line 24 hrs. S.
 off cor. to secs. 22, 23, 26 and
 27, from which cor. I run

S. $89^{\circ}50'N$.

on true line between secs. 22 & 27.
 var. $14^{\circ}42'$ East

39.94 Remote from stone & timber.
 Drive charred stave and brick
 mound of earth 2 ft high with
 pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for 1/4 sec.
 cor.

79.88 Cor to secs. 21, 22, 27 & 28.

Land level.

Soil good.

Grass.

No timber.

Township 14 North Range 21 EastGila & Salt River Meridian.

Chains North, between Sections 21 and 22.

Variation 14 1/2 East.

4000 Set a sandstone $18 \times 12 \times 3$ in.
 $3/4$ in the ground, marked $7/4$,
 and on the N. build a mound of
 earth 2 ft high, with pits 1 ft deep
 2 ft long, 1 ft wide, as per in-
 structions per $7/4$ sec. cor.

No trees near.

8000 Set a post, marked and notched,
 4 ft long, 3 in. sq. d. 1 ft in the
 ground, drive charred stake
 and build mound of earth 2
 ft high, with pits 1 ft deep, 2
 ft long, 1 ft wide, as per in-
 structions per cor. to Secs.
 15, 16, 21 and 22.

No trees near.

Land gently rolling.
 Soil good.

Grass.

No timber.
 July 4, 1849.

Township

17 North

Range

21 East

Gila & Salt River

Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation $14^{\circ}42'$ East.

4000 Set temporary $\frac{1}{4}$ sec. cor.
 79.72 Intersect N. & S. line 16 Sec. N.
 of cor. to Secs. 14, 15, 22 & 23,
 from which cor. I run

N. $89^{\circ}53'W$.

On true line between Secs. 15 & 22,
 var. $14^{\circ}42'$ East

39.86 Set a sandstone $22 \times 18 \times 8$ in.
 $\frac{1}{4}$ in the ground, marked $\frac{1}{4}$,
 and on the N. build mound
 of earth 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions for $\frac{1}{4}$ sec. cor.
 No trees near.

79.72 Cor. to Secs. 15, 16, 21 and 22.

Land slightly sloping to the N.
 Soil good.

Grass.

No timber.

Township 17 North Range 21 East

Gla and Salt River Meridian.

Chains North, between Sections 15 and 16.

Variation 14° 2' East.

4000 Set a post, marked 4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which a Cedar, 13 in. dia. br. S. 40° E. 140 lbs. dist. No other trees near.

8000 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 9, 10, 15 and 16. No trees near.

Sand meson.

Some good soil.

A few cedar trees.

Township

17 North

Range

21 East

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation

14° 42'

East.

36.96 Little Colorado river 100 ft wide
flows N. W.

4000 Set temporary 1/4 sec. cor.

79.96 Intersect N. & S. line 18 Chs. S.
of cor. to Secs. 10, 11, 14 and
15, from which cor. I run

S. 89° 52' W.

On true line between secs. 10 & 15

var. 14° 42' East

39.98 Set a sandstone 20 x 12 x 8 in.

3/4 in the ground, marked 1/4,
and on the W. build mound
of stones 2 ft high, as per
instruction for 1/4 sec. cor.
No trees near.

79.96 Cor. to secs. 9, 10, 15 & 16.

Land uneven. Soil mostly
poor. Grass.

A few cedar trees.

Township 14 North Range 21 EastGila and Salt River Meridian,

Chains North, between Sections 9 and 10.

Variation 14° 22' East.28.21 Little Colorado river, 75 lns. wide,
flows W.4000 Set a post, marked 14 S. 4 ft long, flat-
tened 3 in wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, as
per instructions for 14 sec. cor.
No trees near.

50.56 Little Colorado Road br. E & W.

57.44 Branch of same Road br. E & W & S. W. & S. E.

8000 Set a post, marked and notched, 4
ft long, 3 in sq d., 1 ft in the ground
drive charred stake and build a
mound of earth 2 ft high with pits
1 ft deep, 2 ft long, 1 ft wide, as
per instructions for cor. to Sec
3, 4, 9 and 10.

No trees near.

Land somewhat rolling then level.
Some good soil. Grass.
A few Cottonwood & Cedar trees.

Township 17 North Range 21 EastGila Salt River Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation 14°42' East.

4000 Set temporary $\frac{1}{4}$ sec. cor.
 79.80 Intersect N. & S. line 15 chs. N.
 of cor. to Secs. 2, 3, 10 and 11,
 from which cor. Run

N. $89^{\circ}54'W$.

On true line between Secs. 3 & 10.
 var. 14°42' East

39.90 Set a sandstone $7\frac{1}{2} \times 13 \times 2$ in.
 $\frac{3}{4}$ in the ground, marked $\frac{1}{4}$
 and on the W. build mound
 of earth 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for $\frac{1}{4}$ sec.
 cor.

No trees near.

79.80 Cor. to Secs. 3, 4, 9 and 10.

Sand level.

Soil good.

Grass. No timber.

Township 14 North Range 21 East

Fila and Salt River BOOK 266 Meridian.

Chains North, on a random line between Sections 3 and 4.

Variation 147 1/2 East.

- 40.00 Set temporary 1/4 sec. cor.
- 41.00 Dry bed of the Rio Puerco, brs. SW and run in it
- 56.00 Leave same brs. S. W.
- 60.00 The Waigate and Prescott Road brs. S. W. & N. E.
- 66.00 Leave low land ascend on high broken mesa brs. SW & N. E.
- 79.86 Intersect N. boundary 10 chs. E. of cor. to Secs. 3 and 4, from which cor. Run S. 0° 4' E. On true line between sec. 3 & 4. var. 147 1/2 East
- 39.86 Remote from stone & timber. Drive chisel stake & build mound of earth 2 ft high, with pits 1 ft deep & 1/2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.
- 79.86 Cor. to Secs. 3, 4, 9 and 10.

Land level then uneven.
Soil good on the S. No timber

Township 17 North Range 21 East

Gila and Salt River Meridian.

Chains North, between Sections 32 and 33.

Variation 14 1/2 East.

4000 Remote from stone & timber.
Drove charred stake and
built mound of earth 4 ft
high with pits 4 ft deep 2 ft
long. 4 ft wide as per instru-
tions for 1/4 sec. cor.

8000 Set a post, marked and notch-
ed. 4 ft long. 3 in sq. ft in
the ground. Drove charred
stake and built mound of
earth 4 ft high with pits 4 ft
deep. 2 ft long. 4 ft wide. as
per instructions for con to
Secs. 28. 29. 32 and 33.
No trees near.

Sand level.
Soil good.
Grass. No timber.

Township 17 North Range 21 East

Gla and Salt River Meridian.

Chains East, on a random line between Sections 28 and 33.
Variation 14° 42' East.

4000 Set temporary 1/4 sec. cor
80.16 Intersect N. & S. line 23 lns. N.
of cor. to secs. 24. 28. 33 & 34
from which cor. In run

N. 89° 50' W.
On true line between secs. 28 & 33.
var. 14° 42' East

40.08 Set a sandstone 16 x 12 x 24 in.
2/3 in the ground, marked 1/4.
and on the W. build mound
of earth 2 ft high, with pits 1 ft
deep. 2 ft long, 1 ft wide, as per
instructions for 1/4 sec. cor.
No trees near.

80.16 Cor. to Secs. 28. 29. 32 & 33.

Sand level.
Soil good.
Grass.
No timber.

Township

17 North

Range

21 East

Gila and Salt River

Meridian.

Chains

North, between Sections 28 and 29.

Variation

14 1/2'

East.

- 37.00 Low hills br. E & W and ascend
 38.50 Top and descend on N. slope
 39.50 Foot of descent and run on level ground.
 40.00 Set a sandstone 20 x 18 x 3 in. 3/4 in the ground, marked 74 and on the N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. No trees near.
 49.00 Low hill br. N. about 10.00 chs dist
 50.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d., 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 20, 21, 28 and 29. No trees near.

Sand level & hilly. Some good soil. No timber.

Township

14 North

Range

21 East

Gla & Salt River

Meridian.

Chains

East, on a random line between Sections 21 and 28.

Variation

14° 42' East.

4000 Set temporary 1/4 sec. cor.
 80.12 Intersect N. & S. line 24 lns. N.
 of cor. to secs. 21, 22, 27 and
 28, from which cor. I run

N. 89° 50' W.

On true line between sec. 21 & 28.

var. 14° 42' East

40.06 Set 2 sandstone 22 x 18 x 3 in.
 3/4 in the ground, marked 1/4,
 and on the N. build mound
 of earth 1 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for 1/4 sec.
 cor. No trees near.

80.12 Cor. to secs. 20, 21, 28 and 29.

Sand level. Soil Good.
 No timber.

Township

17 North

Range

21 East

Gila & Salt River Meridian.

Chains

North, between Sections 20 and 21.

Variation $14\frac{1}{2}$ East.

4000 Remote from stone and timber.
 Drive charred stone and build
 mound of earth 2 ft high with
 pits 1 ft deep, 2 ft long, 1 ft wide
 as per instruction for 74 sec.
 cor.

8000 Set a sandstone 26 x 10 x 3 in.
 24 in the ground, marked
 S. and E. and on the N. build
 mound of earth 2 ft high with
 pits 1 ft deep, 2 ft long, 1 ft
 wide, as per instruction for
 cor. to Secs. 16, 17, 20 and
 21.

No trees near.

Land slightly rolling.
 Some good soil.
 No timber.

Township

17 North

Range

21 East

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 16 and 21.

Variation

147 1/2 East.

40.00 Set temporary 1/4 sec. cor.

80.18 Intersect N. & S line 10 lns. S. of
cor. to Secs. 15, 16, 21 & 22.
from which cor. I run

S. 89° 56' W.

On true line between Secs. 16 & 21.

var. 147 1/2 East.

40.09 Set a sandstone 29 x 9 x 4 in.
3/4 in the ground, marked 1/4
and on the W. build mound
of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide as
per instructions for 1/4 sec. cor.
No trees near.

80.18 Cor. to Secs. 16, 17, 20 & 21.

Land mostly level.
Some good soil
No timber.

Township 17 North Range 21 East

Gila and Salt River Meridian.

Chains

North, between Sections 16 and 17.

Variation $14^{\circ} 42'$ East.

4000 Set a sandstone $29 \times 14 \times 3$ in.
 $3\frac{1}{2}$ in the ground, marked 14
 and on the N. build mound
 of earth 2 ft high, with pits 1 ft
 deep, 2 ft long. 1 ft wide, as
 per instructions for 14 sec. cor.
 No trees near.

5000 Set a post, marked and
 notched, 4 ft long, 3 in sqd.
 1 ft in the ground, and build
 mounds of stones 2 ft high,
 as per instructions for cor to
 Secs. 8, 9, 16 and 17.
 No trees near.

Land rolling and level.
 Some good soil.
 Grass. No timber.

Township

14 North

Range

21 East

Tola and Salt River

Meridian.

Chains

East, on a random line between Sections 9 and 16.

Variation $14^{\circ}42'$ East.4000 Set temporary $\frac{1}{4}$ sec. cor.80.08 Intersect N. & S. line 20 ch. N.
of cor. to secs. 9, 10, 15 and 16,
from which cor. I runN. $89^{\circ}51' W.$

on true line between secs. 9 & 16.

var. $14^{\circ}42'$ East.40.04 Set a sandstone $20 \times 12 \times 5$ in.
 $\frac{3}{4}$ in the ground, marked $\frac{1}{4}$,
and on the W. build mound
of stones 2 ft high, as per in-
structions for $\frac{1}{4}$ sec. cor.

No trees near.

80.08 Cor. to secs. 8, 9, 16 and 17.

Land somewhat rolling.

Some good soil.

A few cedars.

Township

17 North

Range

21 East

Gila & Salt River

Meridian.

Chains

North, between Sections 8 and 9.

Variation

144 1/2 East.

- 40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stave & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor. No trees near.
- 44.33 Little Colorado river, 100 lbs wide, flows N.
- 71.58 Little Colorado Road pro from S. E. to N. and ^{shortly} ~~immediately~~ runs into the Wingate and Prescott road N. of the line.
- 72.00 House brs. N. 13.50 chs. dist.
- 74.16 Wingate & Prescott road brs. Ex W. & N. E.
- 76.67 Thompson's House, at foot of hill bearing N, brs. N. 5.00 chs. dist.
- 78.79 Ascend steep hill brs. N. & N. E.
- 80.00 On S. slope of the hill. Set a post, marked and notched, 4 ft long, 3 in sq. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to secs. 4, 5, 8 & 9. No trees near.
- Land mostly level. Soil good. A few Cottonwood trees.

Township 17 North Range 21 EastPlains Salt River Meridian

Chains

East, on a random line between Sections 4 and 9.

Variation 14° 42' East.

Descending S.E. slope of hill.

- 4.00 Foot of descent and down a level ground.
- 30.00 The Little Colorado and Rio Puerco rivers join about 23 chs. S. of this point.
- 34.76 The Wigate & Prescott Road br. N. & N.E.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 41.25 Enter dry bed of the Rio Puerco br. N. of S.
- 59.11 Leave same br. N. of S.
- 79.92 Intersect N. & S. line 12 lns. S of cor. to Secs. 3, 4, 9 and 10. from which cor. Run S. 89° 55' W.
- Between secos. 4 & 9
var. 14° 42' East.
- 39.96 Set a post, marked $\frac{1}{4}$ S. of pt. long. flat-tined 3 in. wide, 1 ft. in the ground, above charred stone and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
- 79.92 Cont. to Secs. 4, 5, 8 and 9.
Land mostly level. Some good soil. No timber.

Township 17 North Range 21 East

Glas Salt River Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation $14^{\circ}42'$ East.

- Ascending steep hill br. E. N. & NE.
- 2.00 Top and down on broken ground gradually descending N.
- 4.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.82 Intersect N. boundary 15' to N. of cor. to secs. 4 and 5. from which cor. Run $S. 0^{\circ} 6' W.$ on true line between secs. 4 & 5. var. $14^{\circ}42'$ East
- 39.82 Set a sandstone $26 \times 17 \times 3$ in. marked $\frac{1}{4}$, 1 ft in the ground on solid bed rock and on the S. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near
- 79.82 Cor. to Secs 4, 5, 8 and 9.
- Land barren Soil poor.
- No timber.
- July 5, 1849.

Township

17 North

Range

21 East

Pala and Salt River

Meridian.

Chains

North, between Sections 31 and 32.

Variation

14° 22' East.

4000 Set a post, marked 1/4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep 2 ft. long, 1 ft. wide, as per instructions for 1/4 Sec. cor.
No trees near.

52.42 Old road to Apache br. N.W. + S.E.

8000 Set a post marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake & build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to Secs. 29, 30, 31 + 32.
No trees near.

Sand slightly rolling.
Some good soil.
Grass.

No timber.

Township 17 North Range 21 EastGila and Salt River Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation

14°42'

East.

4.69 Little canon, 100 lbs. wide, br. N. of N.
 4000 Set temporary $\frac{1}{4}$ sec. cor.
 79.89 Intersect N. & S. line 10 lbs. N.
 of cor. to Secs. 28. 29. 32 & 33
 from which cor. Draw

N. 89°56' W.

On true line between Secs. 29 & 32.

var. 14°42' East.

39.94 Drive charred stave and build
 mound of earth 2 ft high, with
 pit 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions for $\frac{1}{4}$ sec.
 cor.

Remote from stave & timber.

79.89 Cor to Secs. 29. 30. 31 & 32.

Land somewhat rolling
 Some good soil.

Grass.

No timber.

Township 14 North Range 21 East
Gela and Salt River Meridian.

Chains West, on a random line between Sections 30 and 31.

Variation 14042 East.

- 11.34 Small canon 200 lbs. wide, on N. of E.
 29.07 Old Apache Road on NW + SE.
 40.00 Set temporary 1/4 sec. cor.
 79.94 Intersect N. boundary 15 lbs. N.
 of cor. to Secs. 30 + 31. from
 which cor. I run

N. 89° 57' E.

On true line between Secs. 30 + 31.

var. 14042 East.

- 39.94 Set apart, marked 1/4 S. 4 ft. long,
 flattened 3 in wide, 1 ft. in the
 ground. Drive charred stake and
 build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions for
 1/4 sec. cor.

No trees near.

- 79.94 Cor to Secs. 29, 30, 31 + 32.

Land rolling. Some good soil.
 No timber. Grass.

Township 17 North Range 21 East

Gila and Salt River Meridian.

Chains North, between Sections 29 and 30.

Variation 140 1/2 East.

4.00 Small cañon 150 ft wide, bro. N.E.

40.00 Remote from stone & timber.
Drove charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor.

80.00 Set a post, marked and notched 4 ft long, 3 in. sq. d., 1 ft in the ground, drove charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 19, 20, 29 & 30.

No trees near.

Land mostly level.

Some good soil.

Grass.

No timber.

49 BOOK 266
Township 17 North Range 21 East
Pl & Salt River Meridian.

Chains

East, on a random line between Sections 20 and 29.

Variation 14°42' East.

4000 Set temporary 1/4 sec. cor.
6600 Small cañon, 100 yds. wide, bro. N.
80.17 Intersect N. & S. line 20 yds. S. of
cor. to secs. 20, 21, 28 & 29,
from which cor. I run

S. 89°51' N.

On true line between secs. 20 & 29.

var. 14°42' East

40.08 Reconnect from stone & timber.
Drive charred stake and build a
mound of earth 2 ft high with
pits 1 ft deep, 2 ft long, 1 ft wide
as per instructions for 1/4 sec. cor.

80.17 Cor. to Secs. 19, 20, 29 & 30.

Land slightly rolling.
Some good soil.
Grass.
No timber.

Township

17 North

Range

21 East

Gila and Salt River

Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation $14^{\circ}42'$ East.

4000 Set temporary $\frac{1}{4}$ sec. cor
 42.93 Old Apache road br. NW & S.E.
 79.87 Intersect N. boundary 15' W. S.
 of cor. to Secs. 19 & 30. from
 which cor. I run

$S. 89^{\circ} 54' E.$

On true line between Secs. 19 & 30.

var. $14^{\circ}42'$ East

39.87 Set a sandstone $21 \times 13 \times 3$ in.
 marked $\frac{1}{4}$, $\frac{3}{4}$ in the ground
 and on the E. build mound of
 earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, as
 per instructions for $\frac{1}{4}$ sec. cor.
 No trees near.

79.87 Cor. to Secs. 19, 20, 29 & 30.

Land slightly rolling -
 Some good soil.
 Grass. No timber.

Township 14 North Range 21 East
Pole and Salt River Meridian.

Chains North, between Sections 19 and 20.

Variation 14° 42' East.

4000 Set a sandstone 30 x 17 x 3 in,
3/4 in the ground, marked 74
and on the N. build mound
of stones 2 ft high as per in-
structions for 74 sec. cor
from which

A Cedar, 5 in. dia. 60. N. 40° W. 33 lbs. dia.
do. 12 " " " N. 65° E. 64 " "

8000 Set a sandstone 28 x 14 x 3 in,
3/4 in the ground, notched S,
& E, and on the N. build a
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide
as per instructions for cor. to Secs.
17, 18, 19 & 20.

No trees near.

Land somewhat rolling.
Some good soil.
Grass.

A few cedar trees.

Township 14 North Range 21 East
Gila and Salt River Meridian.

Chains East, on a random line between Sections 17 and 20.

Variation 14°42' East.

4000 Set temporary 1/4 sec. cor.
79.78 Intersect N. & E. line 30 lns.
N. of cor. to secs. 16-17, 20 & 21.
from which cor. Draw

N. 89° 44' W.

On true line between Secs. 17 & 20.
var. 14°42' East

39.89 Remote from stone & timber.
Drove charred stake and
built mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions for 1/4 sec. cor.

79.78 Cor. to Secs. 17, 18, 19 & 20.

Land level mostly.
Soil good.
Grass.
No timber.

Township

17 North

Range

21 East

Gila and Salt River

Meridian.

Chains

West, on a random line between Sections 18 and 19.

Variation

14° 42'

East.

4000 Set temporary $\frac{1}{4}$ sec. cor.

51.00 Old apache road to N. & S.

79.82 Intersect N. boundary 19 hrs. N.
of cor. to Secs. 18 and 19. from
which cor. drawn

N. 89° 52' E.

On true line between Secs. 18 & 19.

var. 14° 42' East

39.82 Remote from stone & timber.
Drive charred stake and build
mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for
 $\frac{1}{4}$ sec. cor.

79.82 Cor. to Secs. 17, 18, 19 & 20.

Land slightly rolling -
Poor wood.

Grass.

No timber.

Township

17 North

Range

21 East

Gila and Salt River

Meridian.

Chains

North, between Sections 17 and 18.

Variation 14 1/2 East.

4000 Set a post, marked 4 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drove charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. No trees near.

8000 Set a sandstone 29 x 13 x 3 in. 3/4 in the ground notched S. & E. and on the N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long 1 ft wide, as per instructions for cor. to Secs. 7, 8, 17 and 18. No trees near.

Land descending N.

Soil Good.

Grass.

No timber.

Township 14 North Range 21 East
Gila & Salt River Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation 14°42' East.

4000 Set temporary $\frac{1}{4}$ sec. cor.
 80.14 Intersect N. & S. line 25 lns.
 S. of cor. to Secs. 8, 9, 16 and 17,
 from which cor. I run

S. 89° 49' W.

Outline line between Secs. 8 & 17

var. 14°42' East

40.07 Set a post, marked $\frac{1}{4}$ S. 4 ft.
 long, flattened 3 in wide, 1 ft.
 in the ground, above charred
 stake and build mound of
 earth 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, as per in-
 structions for $\frac{1}{4}$ sec. cor.

No trees near.

80.14 Cor to Secs. 7, 8, 17 and 18.

Land somewhat sloping N.
 Soil Good.

Grass.

No timber.

Township

17 North

Range

21 East

Gila & Salt River

Meridian.

Chains

West on a random line between Sections 7 and 18.

Variation $14^{\circ} 42'$ East.

31.48 Old Apache Road br. N. W. & S.

4000 Set temporary $\frac{1}{4}$ sec. cor.79.77 Intersect N. boundary of Sec. 7
cor. to secs. 7 and 18. from
which cor. done $S. 89^{\circ} 56' E.$

On true line between secs. 7 & 18.

var. $14^{\circ} 42'$ East39.77 Set a sandstone $24 \times 13 \times 4$
in. $\frac{3}{4}$ in the ground, marked
 $\frac{1}{4}$, and on the E. build mound
of earth 2 ft high with pits
1 ft deep, 2 ft long. 1 ft wide,
as per instructions for $\frac{1}{4}$
sec. cor. No trees near.

79.77 Cor. to secs. 7, 8, 17 and 18.

Sand level.

Soil Good Grass.

No timber.

Township

14 North Range 21 East

Plat Salt River

Meridian.

Chains

North, between Sections 7 and 8.

Variation 14 1/2' East.

4000

Set a post, marked 1/4 S. 4 ft long, flattened 3 in wide. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long 1 ft wide, as per instructions for 1/4 sec, Cor.

No trees near.

59.00

Little Colorado river 100 lks wide, flows N. & N. W.

8000

Set a post, marked E. notched, 4 ft long, 3 in sq'd. 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 5, 6, 7 and 8. from which

- 1 Cottonwood 14 in. dia. br. S. 55° E. 170 lks dist.
- do. 12 " " " N. 77 1/2° E. 146 " "
- do. 13 " " " N. 15° W. 93 " "

No other trees.

Land mostly level. Soil good - A few Cottonwood trees -

Township

17 North

Range

21 East

Old Salt River

Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation $140^{\circ}42'$ East.

- 19.85 Little Colorado river 100 lbs. wide, flows S.W.
 40.00 Set temporary $1/4$ sec. cor.
 58.29 Little Colorado ^{river} 100 lbs wide, flows N.W.
 63.00 Branch to Main road br. S of E. & N.W.
 78.90 Wingate and Prescott Road br. NW. & S.E.
 73.00 Ascend high S.W. slope br. NW & S.E.
 80.11 Intersect N. & S. line 16 lbs. S. of cor. to secs. 4, 5, 8 and 9, from which cor. I run S. $89^{\circ}53'W$.
 On true line between secs. 5 & 8. var $140^{\circ}42'$ East
- 40.05 Set a post, marked $1/4$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drove chared stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $1/4$ sec. cor. from which Cottonwood, 15 in dia. br. S. $45^{\circ}W$, 80 lbs. dist. do. 12 " " " N. $50^{\circ}W$, 164 " "
- 80.11 Cor. to secs. 5, 6, 7 and 8.
 Land level. Soil Good. Scattering Cottonwood trees.

Township 17 North Range 21 EastGila & Salt River

Meridian

Chains West, on a random line between Sections 6 and 7.

Variation. 14° 42' East.

8.02 Little Colorado river, 100 lbs. wide, flows
N. W. and "Old Horse Head Crossing" on
the river about 200 lbs. below where line crosses.

4000 Set temporary 1/4 sec. cor.

43.25 Old Apache road bro. N. W. & S.

79.69 Intersect N. boundary 14 lbs. N. of
cor. to secs. 6 and 7. from which cor.
I run

N. 89° 54' E.

On true line between secs. 6 & 7.

var. 14° 42' East

39.69 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for 1/4 sec.
cor. No trees near.

79.69 Cor. to secs. 5, 6, 7 & 8.

Land uneven. Soil Good.
Scattering Cottonwood trees.

Township 17 North Range 21 EastGila and Salt River Meridian.

Chains North, on a random line between Sections 5 and 6.

Variation 14° 42' East.

- 13.06 Scott's first house br. E., 2.63 chs. dist
- 14.00 Scott's second do. br. E. 3.35 " "
- 15.56 First Branch Road br. E. & W.
- 22.78 Acappia br. S. W. & N. E.
- 28.00 Barada's Main House br. W. 49.00 chs. dist. A second house br. N. of the first and 190 lvs. dist. A third house br. W. of the 1st, 150 lvs. dist. None but the first could be seen from any part of the line, being surrounded with Cottonwoods.
- 30.00 2^d Branch road br. E. & W.
- 40.00 Set temporary 1/4 sec. cor.
- 40.80 Wingate and Prescott Road br. N. of W.
- 77.00 Leave bottom, ascend on mesa br. W. & S. of E.
- 79.80 Intersect N. boundary 18 lvs. E. of cor. to Secs. 5 & 6. from which cor. I run S. 0° 8' E. to true line between Secs. 5 & 6.
- var. 14° 42' East.
- 39.80 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, dirt chared stake and build mound of earth 1 ft high, with pits 1 ft deep. 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.
- 79.80 Cor. to Secs. 5, 6, 7 and 8.
Land mostly level. Soil good.
Scattering Cottonwood trees.

July 29, 1879.

GENERAL DESCRIPTION.

Township 17 N. Range 21 E., presents a somewhat rolling surface in the southwestern and central Eastern portions; the balance is mostly level and a large portion flat, low and of first rate soil.

The Little Colorado river runs diagonally across the whole township from section 36 to 6, and contains sufficient water for the irrigation of the agricultural sections of the Township. The river runs in a little cañon in portions of sections 14, 23 and 25, but is elsewhere open.

Settlement has lately been made in the N. W. portion of the Township. There is considerable fine grazing land in the outside portions. I found no signs of mineral in the Township. There is but little timber.

W. L. Harris
U. S. Geol. Surveyor