

Book No. 8

BOOK 270

Deputy Surveyor.

T.

R.

Gila and Salt River Meridian.

FIELD NOTES

OF BOOK 270

THE SUBDIVISION LINES OF

Township

Range

Gila and Salt River Meridian.

BY

Deputy Surveyor.

Under his Contract of

Survey Commenced

Survey Completed

July 25th 1882

Feb 14th 1883

Feb 24th 1883

Platted,

Copied for Washington,

Copied for Register,

Edward Denny & Co., Stationers & Printers, S. F. Cal.

Copyright Secured,

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

No-270

270

No-270


Platted
revised

BOOK 270

TOWNSHIP 17N.

RANGE 25E.

S. S. R. MERIDIAN



30	29	28	27	26	25
31	32	33	34	35	36

Bancroft's Blank, Township Plot—80 chains to an inch.

A. L. Bancroft & Co., Printers and Lithographers, 721 Market St., S. F.

BOOK 270

- Meridian Line,*
- Base Line,*
- Standard Line,*
- Township Lines,*
- Section Line,*
- Meander Lines,*
- Ranch Lines Re-Survey*
- Office Work,*

BOOK 270

Township

Range

Meridian.

No-270

For preliminary notes
and description of
instrument used see
book No. 1 -

Survey made with Burt's Patent Improved Solar
Compass nearly new and in first rate order. Made
by Otto Fennel of Cassel
Germany in 1881

10 Township 17 N. Range 25 E.
 (See previous page.) Gila and Salt River Meridian.

Chains

Standard
 From the corner to Sections 35, 36, 1 and 2 on the South boundary, of Sp.

Which is a post 4 ins. square set firmly in the ground marked S. C. T. 17 N. R. 25 E. on N. S. 36 on E. and S. 35 on N.W. face with 1 notch on E. and 5 notches on W. face with pit 18 x 18 x 12 ins. N. E. & W. of post 5 1/2 ft. dist. and earth mound 2 ft. high, 4 1/2 ft. base around post.
 Iron North between sections 35 & 36

Variation 13° 44' East.

Ascend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for 1/2 Sec. Cor., marked 1/2 S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 25, 26, 30, 36 marked T, 17 N. S. 25, on N, E, R. 25 E, S. 36 on S, E, S. 35 on S, W, and S. 26 on N, W, face with 1 notch on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base around post.

Land rolling.

Soil 2nd rate vegetation grass

Township

17 N

Range

25 E

2

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 25 and 36.

Variation

14° 15'

East.

Descend.

31.00 Cross low Sag and ascend.

40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

46.00 Top of Ridge, bears N. & S. and descend.

79.64 Intersect E. B. of Tp. 42 lks. N. of cor. to secs.

25. 30. 31. 36 E. 17 N. R. 25 E.

Which is a post-4 ins. square set firmly in the ground marked T. 17 N. S. 30 N. E. R. 25 E. S. 31 on S. E. R. 25 E. S. 36 on S. W. and S. 25 on N. W. faces, with 5 notches on N. and 1 notch on S. edges, with posts 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and earth mound 2 ft. high, $4\frac{1}{2}$ ft. base around post from which corner, I run

N. 89° 42' W. on a true line, between sections 25 & 36

Variation

14° 13'

East.

39.82 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.high, $3\frac{1}{2}$ ft. base around post.

79.64 The corner to sections 25. 26. 35. 36

Land mountainous.

Soil

3.

rate

Vegetation

grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

North, between Sections 25 and 26.

Variation $14^{\circ} 15'$ East.*Ascend.*

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{2}$ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 23, 24, 25, 26 marked T, 1/4 N. S. 24, on N, E, R, 25 S, S. 26 on S, E, S, 26 on S, W, and S, 23 on N, W, face with 2 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft, dist., and raised a mound of earth 2 ft, high, $4\frac{1}{2}$ ft, base around post.

Land rolling.

Soil 3rd rate

Vegetation grass.

Timber of juniper.

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation

14° 15'

East.

Descend.

20.00

Foot of hills base Ned. and ascend

40.00

Set temporary $\frac{1}{2}$ Sec. Cor.

79.86

Intersect C. B. of Tp. 28 Ns. N. of cor. to secs.

19.24.25.30 T. 17 N. R. 25 E.

Which is a post-~~24~~ ins. square set firmly in the ground, marked T. 17 N. S. 19 on N.E. R. 26 E. S. 20 on S.E. R. 25 E. S. 25 on S.W. & S. 24 on N.W. faces, with 4 notches N. & 2 notches on S. edges, with pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base around post.

from which corner, I run

N. 89° 48' W. on a true line, between sections 24 & 25

Variation

14° 18'

East.

39.93

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

79.86

The corner to sections 23. 24. 25. 26

Land rolling.

Soil 3rd rate

Vegetation grass

Timber of cedar.

Township

17 N.

Range

20 E.

Gila and Salt River Meridian.

Chains

North, between Sections 23 and 24.

Variation

14° 15'

East.

Ascend.

19.00

Top of Ridge, bears N. E. S. W. and descend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 13, 14, 23, 24 marked T, 17 N. S, 13 on N, E, R, 23 E, S, 24 on S, E, S, 23 on S, W, and S, 14 on N, W, face with 3 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft, high, $4\frac{1}{2}$ ft, base around post.

*Land rolling.*Soil 3rd rate

Vegetation grass.

Timber of cedar.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation

14° 15'

East.

Descend.

40.00

Set temporary $\frac{1}{4}$ Sec. Cor.

79.91

Intersect C. B. of Tp. 12 lks. N. of cor. to secs.

13. 18. 19. 24 T. 17 N. R. 25 E.

Which is a post 4 ins. square set firmly in the ground marked T. 17 N. S. 18 on N. E. R. 26 E. S. 19 on S. E. R. 25 E. S. 24 on S. W. & S. 13 on W. faces with 3 notches on N. and 3 notches on S. edge with pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and mound of earth 2 ft. high $4\frac{1}{2}$ ft. base around post.

N. 89° 55' W. on a true line, between sections 13 & 24

Variation

14° 15'

East.

39.96

Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.high, $3\frac{1}{2}$ ft. base around post.

79.91

The corner to sections 13, 14, 23, 24

Land rolling.

Soil 3rd rate

Vegetation grass.

Township

17 N

BOOK 270

Range

20 E

Gila and Salt River Meridian.

Chains

North, between Sections 13 and 14.

Variation

11° 15'

East.

*Descend.*18.00 *Cross low Sag and ascend.*

46.00 *Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.*

80.00 *Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 11, 12, 13, 14, marked T, 17 N, S, 12, on N, E, R, 20 E, S, 13 on S, E, S, 14 on S, W, and S, 11 on N, W, face with 4 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft, dist., and raised a mound of earth 2 ft, high, $4\frac{1}{2}$ ft, base around post.*

*Land rolling.**Soil 3rd rate**Vegetation grass,**Timber of cedar.*

Township

17 N.

Range

25 E

8

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation

14° 15'

East.

Descend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.21 Intersect E. B. of Twp. 16 lks. S. of cor. to secs.

7. 12 13. 18 T. 17 N. R. 25 E.
 Which is a post- 4 ins. square
 set firmly in the ground marked
 T. 17 N. S. 7 on N. E. R. 26 E. S. 18 on S. E.
 R. 25 E. S. 18 on S. W. & S. 12 on W. W. faces
 with 4 notches on S. and 2 notches on N.
 edges with pile 18 x 18 x 12 ins. in each Sec.
 5½ ft. dist. and a mound of earth 2 ft. high
 4½ ft. base around post.
 from which corner, I run

S. 89° 53' W. on a true line, between sections 12 & 13

Variation

14° 15'

East.

40.10

Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
 N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
 post 5½ ft. dist., and raised a mound of earth 1½ ft.
 high, 3½ ft. base around post.

80.21

The corner to sections 11. 12. 13. 14

Land rolling.

Soil 3rd rate

Vegetation Grass.

Feb. 17. 1883

Township

17 N

BOOK 270

Range

25 E

Gila and Salt River Meridian.

Chains	North, between Sections 11 and 12.	East.
	Variation	14° 15'

Ascend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 1, 3, 11, 12 marked T, $1\frac{1}{2}$ N. S. 1, on N, E, R, 25 E, S. 12 on S, E, S, 11 on S, W, and S, 2 on N, W, face with 5 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base around post.

Land rolling
 Soil: 3rd rate
 Vegetation: grass,
 Timber of: cedar.

Township 17 N Range 25 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation $14^{\circ} 15'$ East.

Descend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

79.96 Intersect C. B. of Tp. 25 lks. N. of cor. to secs.

1. 6. 7. 12 T. 17 N. R. 25 E.

Which is a post-4 ins. square set firmly in the ground marked T. 17 N. S. 6 on N. E. R. 26 E. S. 7 on S. E. R. 25 E. S. 12 on S. W. S. 1 on NW. face, with 1 notch on N. and 5 notches on S. edges, with pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and a mound of earth 2 ft. high $4\frac{1}{2}$ ft. ^{from which corner it runs} base around post.

N. 89. 49. W on a true line, between sections 1 & 12.

Variation $14^{\circ} 13'$ East.

29.98 Set a post 3 ft. long. 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

79.90 The corner to sections 1, 2, 11, 12.

Land rolling.

Soil 8th rate

Vegetation grass.

Township 17 N. Range 25 E.

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 1 and 2.

Variation 14° 15' East.*Ascend.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

79.89 Intersect N. B. of Tp. 28 Nks. E. of cor. to secs.

1.2.30.36 T. 17 N. R. 25 E,

Which is a post set firmly in the ground, marked N. 18 N. S. 30 on N. E. R. 25 E. S. 1 on S. E. T. 17 N. S. 3 on S. W. and S. 34 on N. W. ^{faces} with 1 notch on E. and 5 notches on W. edges, with pile 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist., and a mound of earth 2 ft. high ^{from which corner, 1 run} $4\frac{1}{2}$ ft. base around post:

S. 12' E. on a true line, between sections 1 & 2.

Variation 14° 15' East.

79.89 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

79.89 The corner to sections 1, 2, 11, 12

Land rolling.

Soil 3:3 rateVegetation grassTimber of cedar

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

Standard

From the corner to sections, ^{34 & 35} on S. B. T^h
 Which is a post - 4 ins. square
 set firmly in the ground
 marked S. C. T. 17 N. R. 25 E.
 on N. S. 35 on E. and S. 34 on
 W. faces, with 2 notches on E.
 and 4 notches on W. face, with pits 18 x 18 x 12 ins.
 N. E. & W. of post - 5 1/2 ft. dist. and earth mound
 2 ft. high, 4 1/2 ft. base around post.

Iron

North between sections 34 & 35

Variation 13° 45' East.

Over rolling land.

40.00

Set a post 3 ft. long. 3 ins. diam. with marked stone
 12 ins. in the ground, for 1/2 Sec. Cor., marked 1/2 S. on
 W. face, dug pits, 18 x 18 x 12 ins., N. and S. of
 post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft.
 high, 3 1/2 ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone
 12 ins. in the ground, for Cor. to Secs. 26, 27, 34, 35
 marked T, 17 N. S. 26, on N, E, R, 25 E, S. 30
 on S, E, S, 34 on S, W, and S, 27 on N, W, face
 with 1 notch on S, and 2 notches on E, edges,
 dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.,
 and raised a mound of earth 2 ft. high, 4 1/2 ft. base
 around post.

Land rolling.

Soil

2nd

rate

Vegetation grass.

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 26 and 35.

Variation $14^{\circ} 15'$ East.*Ascend.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.63 Intersect N. & S. line, 33 lks. S of cor. to secs.

26.26.36.36 from which corner, I run

89.46' W. on a true line between sections 26 & 35

Variation $14^{\circ} 15'$ East

40.26 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.high, $3\frac{1}{2}$ ft. base around post.

80.53 The corner to sections 26.27.34.35

Land rolling.

Soil 2^{nd} rate

Vegetation grass.

Township 17 N. Range 25 E.

Gila and Salt River Meridian.

Chains

North, between Sections 26 and 27.

Variation 14° 16' East.*Ascend.*

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 22, 23, 26, 27 marked T, 17 N. S. 23, on N, E, R, 25 E. S. 26 on S, E, S, 27 on S, W, and S, 22 on N, W, face with 2 notches on S, and 2 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base around post.

Land rolling.

Soil good rateVegetation grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 23 and 26.

Variation $14^{\circ} 15'$ East.*Ascend.*40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

80.58 Intersect N. & S. line, 116 lks. S. of cor. to secs.

23, 24, 25, 26 from which corner, I run

S. $89^{\circ} 40' W.$ on a true line between sections 23 & 26Variation $14^{\circ} 15'$ East

40.29 Set a post 3 ft. long, 3 ins. diam. with marked stone
 12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on
 N. face, dug pits, 18 x 18 x 12 ins., E and W of
 post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
 high, $3\frac{1}{2}$ ft. base around post.

80.58 The corner to sections 27, 28, 26, 27

Land rolling.

Soil 2nd rate

Vegetation grass,

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

North, between Sections 22 and 23.

Variation

14° 15'

East.

Ascend.

19.00

Top of Ridge, bears *E. e W.* and descend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone

- 12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on *W.* face, dug pits, 18 x 18 x 12 ins., *N.* and *S.* of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 14, 15, 22, 23 marked T, 17 N.S. 14, on N, E, R, 25 *E.* S. 23 on S, E, S, 22 on S, W, and S, 15 on N, W, face with 3 notches on S, and 2 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base around post.

Land mountainous.

Soil *2nd* rateVegetation *grass.*

Township

17 N

Range

26 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation $14^{\circ} 15'$ East.

Descend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.32 Intersect N. & S. line, 18 lks. S. of cor. to secs.

13, 14, 23, 24 from which corner, I run

S. $89^{\circ} 52'$ W. on a true line between sections 14 & 23Variation $14^{\circ} 15'$ East

40.16 Set a post 3 ft. long, 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

80.32 The corner to sections 14, 15, 22, 23

Land rolling.

Soil 2nd rate

Vegetation grass

Oct. 19. 1883

Township

14 N

Range

25 E

Gila and Salt River Meridian.

Chains

North, between Sections 14 and 15.

Variation $14^{\circ} 15'$ East.*Ascend.*

40.00

Set a Sand stone $13 \times 12 \times 11$ ins., 8 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins., N and S. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.00

Deposited a marked stone, 12 ins. in the ground, for cor 2^{d} Secs. 10. 11. 14. 15, dug pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. square, 2 ft. long, 12 ins; in the ground, marked T. 17 N. S. 11 on N. E. R. 25 E. S. 14 on S. E. S. 15 on S. W and S. 10 on N. W faces, with 11 notches on S. and 2 notches on E. edges.

Land rolling.

Soil 3rd rate

Vegetation grass.

Township

17 N.

Range

20 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 11 and 14.

Variation $14^{\circ} 15'$ East.*Descend.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

79.98 Intersect N. & S. line, 26 lks. S. of cor. to secs.

11, 12, 13, 14 from which corner, I run

 $S. 89^{\circ} 11' W.$ on a true line between sections 11 & 14Variation $14^{\circ} 15'$ East

39.99 Set a post 3 ft. long, 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

8 79.98 The corner to sections 10, 11, 14, 15

Land rolling.

Soil 3rd rate

Vegetation grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

North, between Sections 10 and 11.

Variation $14^{\circ} 15'$ East.*Ascend.*

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{2}$ S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 2, 3, 10, 11 marked T, 17 N.S. 2, on N, E, R, 25 E, S. 11 on S, E, S, 10 on S, W, and S, 3 on N, W, face with 5 notches on S, and 2 notches on E, edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base around post.

*Land rolling.*Soil 3rd rate

Vegetation grass

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 2 and 11.

Variation $14^{\circ} 15'$ East.*Descend.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.79.83 Intersect N. & S. line, $\frac{1}{3}$ lks. S. of cor. to secs.

1. 2. 11. 12 from which corner, I run

S. $89^{\circ} 54'$ W. on a true line between sections 2 & 11Variation $14^{\circ} 15'$ East

39.91 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.high, $3\frac{1}{2}$ ft. base around post.

79.83 The corner to sections 2, 3, 10, 11

Land rolling.

Soil 3rd rate

Vegetation grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation 14° 15' East.

Ascend.

40.00 Set temporary 1/2 Sec. Cor.

79.92 Intersect N.B. of Tn. 16 lks. \odot of cor. to secs.

2.3.34.35- T. 17 N. R. 25 E

Which is a post-4 ins. square set firmly in the ground marked T. 17 N. S. 35 on N. E. R. 25 E. S. 2 on S. E. T. 17 N. S. 3 on S. W. S. 34 on N. W. face with 2 notches on E. and 4 notches on W. edges, with pits 18x18x12 ins. in each Sec. 5 1/2 ft. dist. and mound of earth 2 ft. 4 1/2 ft. base around post-
from which corner, I run

S. 7. E. on a true line, between sections 2 & 3

Variation 14° 15' East.

39.92

Deposited a marked stone, 12 ins. in the ground, for 1/2 sec. cor., dug pits 18x18x12 ins. N. and S. of post 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base over it. In N. pit drove a stake 2 ft. long, 2 in. square, 12 ins. in the ground, marked 1/2 s. on W. face.

79.92

The corner to sections 2. 3. 10. 11

Land rolling.

Soil 3rd rate

Vegetation grass

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

Standard

From the corner to sections, 33 & 34 on S.B. $\frac{1}{2}$
 Which is a post-in stone
 mound marked S. C. T. 17 N.
 R. 25 E. on N. S. 34 on E. and
 S. 33 on W. faces, with 3 notches
 on E. and 3 notches on W. faces,
 and ~~raised~~ a mound of
 stone around post, 1 ft. diam.

North between sections 33 & 34

Variation $14^{\circ} 15'$ East.

Over rolling land.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone
 12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on
 W. face, dug pits, 18 x 18 x 12 ins. N. and S. of
 post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
 high, $3\frac{1}{2}$ ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone
 12 ins. in the ground, for Cor. to Secs, 27, 28, 33, 34
 marked T, 17 N. S. 27, on N, E, R. 25 E. S. 34
 on S, E, S. 33 on S, W, and S. 28 on N, W, face
 with 1 notch on S, and 3 notches on E, edges,
 dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.,
 and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base
 around post.

Land rolling.

Soil

2nd

rate

Vegetation

grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation $14^{\circ} 15'$ East.*Ascend.*40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

79.81 Intersect N. & S. line, 19 lks. S. of cor. to secs.

26, 27, 34, 35 from which corner, I run

S. $89^{\circ} 52'$ W. on a true line between sections 27 & 34Variation $14^{\circ} 15'$ East

34.91 Set a post 3 ft. long, 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E and W. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

79.81 The corner to sections 27, 28, 32, 34

*Land rolling.*Soil *2nd* rateVegetation *grass*

Township

17 N

Range

20 E

Gila and Salt River Meridian.

Chains

North, between Sections 27 and 28.

Variation $14^{\circ} 15'$ East.*Ascend.*

42.00 Set a post 3 ft. long. 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, dug pits, 18 x 18 x 12 ins., N and S of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

48.00 Top of Ridge, bears N. 70° W. 2° S. 70° E. and descend.

80.00 Set a post 4 ft. long. 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 21. 22. 27. 28 marked T, 17 N. S. 22, on N, E, R, 25 E. S. 27 on S, E, S, 28 on S, W, and S, 21 on N, W, face with 2 notches on S, and 3 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base around post.

Land mountainous.

Soil 2nd rate

Vegetation Grass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Feb. 20. 1883

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation $14^{\circ} 15'$ East.*Ascend.*40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

79.58 Intersect N. & S. line, 13 lks. N. of cor. to secs.

22, 23, 26, 27 from which corner, I run

N. 89.54' W. on a true line between sections 22 & 27

Variation $14^{\circ} 15'$ East

39.79 Set a Sand stone $14 \times 11 \times 6$ ins., 10 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on N. face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

79.58 The corner to sections 21, 22, 27, 28

Land rolling.

Soil 2nd rate

Vegetation grass.

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

North, between Sections 21 and 22.

Variation

14° 15'

East.

Descend.

27.00 Pedro Condorak's House bears E. 3.50 chs. dist.

28.00 Cross Wash, 1/2 kts. wide, Course N 72° E and ascend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone
12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on
W. face, dug pits, 18 x 18 x 12 ins., N and S. of
post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft.
high, 3 1/2 ft. base around post.80.00 Set a Sand stone 13 x 12 x 6 ins. 8 ins.
in the ground for Cor. to Secs. 15. 16. 21. 22 marked
with 3 notches on S. and 3 notches on E. edges,
dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and
raised a mound of earth 2 ft. high, 4 1/2 ft. base.

Land rolling.

Soil 2nd rate

Vegetation grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation $14^{\circ} 15'$ East.*Descend.*

22.60 Cross Gulch, 15 lks. wide, Course N 60° E and ascend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

79.92 Intersect N. & S. line, 9 lks. N. of cor. to secs.

14. 15. 22. 23 from which corner, I run

N. 89. 56' W. on a true line between sections 15 & 22

Variation $14^{\circ} 15'$ East

39.96 Set a post 3 ft. long. 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. onN. face, dug pits, 18 x 18 x 12 ins., E. and W. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

79.92 The corner to sections 15. 16. 21. 22

Land rolling.

Soil 2nd rate

Vegetation grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

North, between Sections 15 and 16.

Variation

14° 15'

East.

Ascend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone
12 i. s. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
W. face, dug pits, 18 x 18 x 12 ins., N. and S. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

80.00

Set a Sand stone $14 \times 12 \times 8$ ins. 10 ins.
in the ground for Cor. to Secs. 9. 10. 15. 16 marked
with 4 notches on S. and 3 notches on E. edges,
dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. alongside.

Land rolling.

Soil 2nd rate

Vegetation grass.

Township 17 N Range 25 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 10 and 15.
Variation 14° 15' East.

Ascend.

40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

80.14 Intersect N. & S. line. 13 lks. S. of cor. to sec.

10. 11. 14. 15 From which corner, I run

S. $89^{\circ} 54' W.$ on a true line between sections 10 & 15

Variation 14° 15' East

40.07 Set a post 3 ft. long, 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

80.14 The corner to sections 9. 10. 15. 16

Land rolling.

Soil 2nd rate

Vegetation grass

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

North, between Sections 9 and 10.

Variation $14^{\circ} 15'$ East.*Ascend.*

40.00

Set a Sand stone $15 \times 8 \times 8$ ins., 10 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on W. face, dug pits $18 \times 18 \times 12$ ins. N. and S. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 3, 4, 9, 10 marked T, 17 N.S. 3, on N, E, R, 25 E, S. 10 on S, E, S, 9 on S, W, and S, 4 on N, W, face with 5 notches on S, and 3 notches on E, edges, dug pits $18 \times 18 \times 12$ ins, in each Sec., $5\frac{1}{2}$ ft, dist., and raised a mound of earth 2 ft, high, $4\frac{1}{2}$ ft, base around post.

*Land rolling.*Soil *good* rateVegetation *grass*.

Township

17 N.

Range

35 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation $14^{\circ} 15'$ East.*Ascend.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.36 Intersect N. & S. line, 42 lks. S. of cor. to sec.

2, 3, 10, 11 from which corner, I run

S. 89. 42' W. on a true line between sections 3 & 10

Variation $14^{\circ} 15'$ East

40.18 Set a post 3 ft. long, 3 ins. diam. with marked stone
 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
 N. face, dug pits, 18 x 18 x 12 ins., E and W of
 post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
 high, $3\frac{1}{2}$ ft. base around post.

80.36 The corner to sections 3, 4, 9, 10

Land rolling.

Soil 2nd rate

Vegetation grass.

Township 17 N Range 25 E

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 3 and 4.

Variation $14^{\circ} 15'$ East.*Ascend.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.28 Intersect N. B. of Twp. 29 Tks. W. of cor. to secs.

3. 4. 33. 34 E. $17^{\circ} N$. R. $25^{\circ} E$.

Which is a sand stone
 $16 \times 8 \times 5$ ins, set 11 ins. in the
 ground marked with 3 notches
 on E. and 3 notches on W. edges, with
 pits $18 \times 18 \times 12$ ins. in each Sec. $5\frac{1}{2}$ ft.
 dist. and a mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base alongside,

from which corner, I run

S $12^{\circ} W$. on a true line, between sections 3 & 4Variation $14^{\circ} 15'$ East.

40.28 Set a post 3 ft. long. 3 ins. diam. with marked stone
 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
 W. face, dug pits, $18 \times 18 \times 12$ ins. N. and S. of
 post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
 high, $3\frac{1}{2}$ ft. base around post.

80.28 The corner to sections 3. 4. 9. 10

Land rolling.

Soil 2nd rate

Vegetation grass.

Feb. 21. 1883

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

Standard
 From the corner to sections, 32 & 33 on S. B. line of
 which is a sand stone
 $20 \times 10 \times 2$ ins. 15 ins. in
 the ground marked S. C. with
 4 notches on E. and 2 notches
 on W. faces, with pits $18 \times 18 \times 12$ ins.
 N. E. & W. of stone $5\frac{1}{2}$ dist. and
 a mound of earth
 alongside. Sub

North between sections 22 & 33

Variation $13^{\circ} 45'$ East.

Over rolling land.

110.00 Set a post 3 ft. long. 3 ins. diam. with marked stone
 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
 W. face, dug pits, $18 \times 18 \times 12$ ins., N. and S. of
 post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
 high, $3\frac{1}{2}$ ft. base around post.

80.00 Set a Sand stone $13 \times 10 \times 6$ ins. 8 ins.
 in the ground for Cor. to Secs. 28, 29, 32, 33 marked
 with 1 notch on S. and 4 notches on E. edges,
 dug pits $18 \times 18 \times 12$ ins. in each Sec., $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. alongside.

Land rolling.

Soil 2nd rate

Vegetation grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation $14^{\circ} 15'$ East.*Ascend.*40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

79.72 Intersect N. & S. line, 6 lks. S. of cor. to secs.

27, 28, 33. From which corner, I run

S. 89.57. W. on a true line between sections 28 & 33

Variation $14^{\circ} 15'$ East

39.86 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.high, $3\frac{1}{2}$ ft. base around post.

79.72 The corner to sections 28, 29, 32, 33

Land rolling.

Soil 2nd rate

Vegetation grass.

Township

17 N.

BOOK 270
Range

25 E.

Gila and Salt River Meridian.

Chains

North, between Sections 28 and 29.

Variation

14° 15'

East.

Ascend.

40.00

Deposited a marked stone, 12 ins. in the ground, for $\frac{1}{2}$ sec. cor., dug pits 18x18x12 ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long, 2 in. square, 12 ins. in the ground, marked $\frac{1}{2}$ s. on W. face.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 20. 21. 28. 29 marked T, 17 N.S. 21, on N, E, R, 20 E, S. 28 on S, E, S, 29 on S, W, and S, 20 on N, W, face with 2 notches on S, and 4 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft, high, $4\frac{1}{2}$ ft, base around post.

Land rolling.

Soil 2nd rate

Vegetation grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 21 and 28.

Variation $14^{\circ} 15'$ East.*Ascend.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

79.96 Intersect N. & S. line, 18 lks. S. of cor. to secs.

21. 22. 27. 28 From which corner, I run

S. $89^{\circ} 52'$ W. on a true line between sections 21 & 28Variation $14^{\circ} 15'$ East

30.98 Set a post 3 ft. long. 3 ins. diam. with marked stone
 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
 N. face, dug pits, 18 x 18 x 12 ins., E and W of
 post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
 high, $3\frac{1}{2}$ ft. base around post.

79.96 The corner to sections 20. 21. 28. 29

Land rolling.

Soil 2nd rate

Vegetation grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

North, between Sections 20 and 21.

Variation

14° 15'

East.

Ascend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, dug pits, 18 x 18 x 12 ins. N. and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00

Set a Sand stone 11 x 10 x 9 ins. 8 ins. in the ground for Cor. to Secs. 16, 17, 20, 21 marked with 3 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. alongside.

*Land rolling.*Soil *Loam* rateVegetation *grass,*

Township

17 N.

Range

25 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 16 and 21.

Variation $14^{\circ} 15'$ East.

Descend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.80.22 Intersect N. & S. line, 27 lks. N. of cor. to secs.
15. 16. 21. 22 from which corner, I runN. $89^{\circ} 48'$ W. on a true line between sections 16 & 21Variation $14^{\circ} 15'$ East40.11 Set a post 3 ft. long. 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

80.22 The corner to sections 16, 17, 20, 21

Land rolling.

Soil 2nd rate

Vegetation Grass.

Township 17 N Range 25 E

Gila and Salt River Meridian.

Chains

North, between Sections 16 and 17.

Variation $14^{\circ} 15'$ East.*Ascend.*

- 40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, dug pits, 18 x 18 x 12 ins. N and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.
- 80.00 Set a sand stone $14 \times 11 \times 9$ ins. 10 ins. in the ground for Cor. to Secs. 8, 9, 16, 17 marked with 4 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. alongside.

*Land rolling.*Soil 2^{nd} rate

Vegetation grass.

41 Township 17 N. Range 25 E.
Gila and Salt River Meridian.

Chains East, on a random line between Sections 9 and 16.
Variation 14° 15' East.

Ascend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.09 Intersect N. & S. line, 44 lks. N. of cor. to secs.

9. 10. 15. 16 from which corner, I run

N. 89° 41' W. on a true line between sections 9 & 16

Variation 14° 15' East

40.04 Set a post 3 ft. long. 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{2}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
post 5 $\frac{1}{4}$ ft. dist., and raised a mound of earth 1 $\frac{1}{2}$ ft.
high, 3 $\frac{1}{2}$ ft. base around post.

80.09 The corner to sections 8. 9. 16. 17

Land rolling.

Soil 2nd rate

Vegetation grass.

Township 17 N. Range 25 E
 Gila and Salt River Meridian.

Chains

North, between Sections 8 and 9.

Variation 14° 15' East.*Ascend.*

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone
 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{2}$ S. on
 W. face, dug pits, 18 x 18 x 12 ins. N. and S. of
 post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
 high, $3\frac{1}{2}$ ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone
 12 ins. in the ground, for Cor. to Secs, 4, 5, 8, 9
 marked T, 17 N, S, 4, on N, E, R, 25 E, S. 9
 on S, E, S, 8 on S, W, and S, 5 on N, W, face
 with 6 notches on S, and 4 notches on E, edges,
 dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft, dist.,
 and raised a mound of earth 2 ft, high, $4\frac{1}{2}$ ft, base
 around post.

Land rolling.

Soil 2nd ratsVegetation grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 4 and 9.

Variation $14^{\circ} 15'$ East.*Ascend.*40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

79.92 Intersect N. & S. line, 7 lks. N. of cor. to secs.

3. 4. 9. 10 from which corner, I run

N. $89^{\circ} 57'$ W. on a true line between sections 4 & 9Variation $14^{\circ} 15'$ East

39.96 Set a post 3 ft. long, 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

79.92 The corner to sections 4. 5. 8. 9

Land rolling.

Soil 2nd rate

Vegetation grass.

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation

14° 15'

East.

Ascend.

13.00 Top of Ridge, bears N. 70° E. & S. 70° W. and descend.

40.00 Set temporary $\frac{1}{2}$ Sec. Cor.

80.12 Intersect N.B. of Tp. 40 Ns. W. of cor. to secs.

4. 5. 32. 33 T. 17 N. R. 25 E.

Which is a post-4 ins. square set firmly in the ground marked T. 18 N. S. 33 on N.E. Q. 25 E. S. 4 on S.E. T. 17 N. S. 5 on S.W. & S. 32 on N.W. faces, with 4 notches on E. and 2 on W. edges, with pits 18x18x12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base around post, from which corner, I run

S. 17° W. on a true line, between sections 4 & 5

Variation

14° 15'

East.

40.12 Set a Sand stone 16 x 11 x 9 ins., 10

ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{2}$ on W.

face, and raised a mound of stone alongside. Pits

impracticable.

80.12 The corner to sections 4. 5. 8. 9

Land mountainous.

Soil 2nd rate

Vegetation Grass.

Feb. 22. 1883

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

Standard
From the corner to sections, 31 & 32 on S. B. T_p

Which is a post-4 ins. square, set firmly in the ground marked S. C. T. 17 N. R. 25 E. on S. 32 on E. & S. 31 on W. faces with 5 notches on E. and 1 notch on W. faces, with pits 18 x 18 x 12 ins. N. E. & W. of post-5½ ft. dist., and earth mound 2 ft. high, 4½ ft. base around post.

Imm North between sections 31 & 32

Variation 13° 45' East.

Ascend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for ¼ Sec. Cor., marked ¼ S. on W. face, dug pits, 18 x 18 x 12 ins. N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 29, 30, 31, 32 marked T, 17 N. S. 29, on N, E, R, 25 E. S. 32 on S, E, S, 31 on S, W, and S, 30 on N, W, face with 1 notch on S, and 5 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., 5½ ft. dist., and raised a mound of earth 2 ft. high, 4½ ft. base around post.

Land rolling.

Soil

3°

rate

Vegetation grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation $14^{\circ} 15'$ East.*Descend.*•40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.26 Intersect N. & S. line, 53 lks. N. of cor. to secs.

28.29. 32. 33 from which corner, I run

N. 84° 37' W. on a true line between sections 29 & 32

Variation $14^{\circ} 15'$ East

40.13

Set a *lime* stone $10 \times 9 \times 8$ ins., 6 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.26

The corner to sections 29. 30. 31. 32

Land rolling.

Soil 3^{rd} rate

Vegetation grass.

Township

17 N

Range

20 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 30 and 31.

Variation $14^{\circ} 16'$ East.*Ascend.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.79.64 Intersect W. B. of Twp. 22 Nks. N, of cor. to secs.
previously set by me.

20. 30. 31. 36, from which corner, I run

N. 89. 51. E on a true line, between sections 30 & 31

Variation $14^{\circ} 16'$ East.

89.68 Set a Sand stone $17 \times 16 \times 12$ ins., 12 ins.
in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face,
dug pits $18 \times 18 \times 12$ ins., E and W. of stone $5\frac{1}{2}$
ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$
ft. base alongside.

79.68 The corner to sections 29, 30, 31, 32

Land rolling.

Soil 8? rate

Vegetation grass.

Township 17 N Range 25 E

Gila and Salt River Meridian.

Chains North, between Sections 29 and 30.

Variation $14^{\circ} 15'$ East.*Ascend.*

40.00

Set a Sand stone $13 \times 12 \times 9$ ins., 8 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins. N. and S. of stone $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, alongside.

80.00

Set a Sand stone $20 \times 17 \times 10$ ins. 16 ins. in the ground for Cor. to Secs. 19, 20, 29, 30 marked with 2 notches on S. and 5 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

Land rolling.

Soil 3: rats

Vegetation grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 20 and 29.

Variation

14° 15'

East.

Ascend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

79.87 Intersect N. & S. line, 25 lks. N. of cor. to secs.

20, 21, 28, 29 from which corner, I run

N. 89° 49' W. on a true line between sections 20 & 29

Variation

14° 15'

East

39.93 Set a post 3 ft. long, 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
post 5 $\frac{1}{2}$ ft. dist., and raised a mound of earth 1 $\frac{1}{2}$ ft.
high, 3 $\frac{1}{2}$ ft. base around post.

79.87 The corner to sections 19, 20, 24 ^{and} 30,

Land rolling.

Soil 3rd rate

Vegetation grass

Township

17 N. Range

25 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation $14^{\circ} 10'$ East.*Descend.*40.00 Set temporary $\frac{1}{2}$ Sec. Cor.79.30 Intersect W. B. of Tp. 14 lks. S. of cor. to secs.
previously set by me.
19. 24. 25. 30, from which corner, I runS. $89^{\circ} 54'$ E on a true line, between sections 19 & 30Variation $14^{\circ} 15'$ East.39.30 Set a post 3 ft. long, 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

79.30 The corner to sections 19. 20. 29. 30

Land rolling.

Soil 3rd rate

Vegetation grass.

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

North, between Sections 19 and 20.

Variation $14^{\circ} 15'$ East.*Ascend.*

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 17, 18, 19, 20 marked T, 17 N. S., 17, on N, E, R, 25 E, S. 20 on S, E, S, 19 on S, W, and S, 18 on N, W, faces with 3 notches on S, and 5 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft, dist., and raised a mound of earth 2 ft, high, $4\frac{1}{2}$ ft, base around post.

*Land rolling.**Soil 3rd rate**Vegetation grass.*

Township

BOOK 270

Range

52

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation $14^{\circ} 15'$ East.*Ascend.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.11 Intersect N. & S. line, 12 lks. S. of cor. to sec.

16. 17. 20. 21 from which corner, I run

S. $89^{\circ} 05'$ W. on a true line between sections 17 & 20Variation $14^{\circ} 15'$ East

40.05 Set a post 3 ft. long. 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.high, $3\frac{1}{2}$ ft. base around post.

80.11 The corner to sections 17. 18. 19. 20

Land rolling.

Soil 3rd rate

Vegetation grass.

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 18 and 19.

Variation $14^{\circ} 10'$ East.*Descend.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.79.17 Intersect W. B. of Tp. 8 Nks. S. of cor. to secs.
previously set by me.

73. 18. 19. 24 from which corner, I run

S. 89. 57 E. on a true line, between sections 18 & 19

Variation $14^{\circ} 15'$ East.

89.17

Set a post 3 ft. long, 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E and W. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

79.17

The corner to sections 17, 18, 19, 20

Land rolling.

Soil 2nd rate

Vegetation grass.

Township

14 N.

Range

25 E

Gila and Salt River Meridian.

Chains

North, between Sections 17 and 18.

Variation

4° 15'

East.

Ascend.

42.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, dug pits, 18 x 18 x 12 ins., N and S. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 7, 8, 17, 18 marked T, 17 N, S, 8, on N, E, R, 25 E, S, 17 on S, E, S, 18 on S, W, and S, 7 on N, W, face with 4 notches on S, and 5 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft, high, $4\frac{1}{2}$ ft, base around post.

Land rolling.

Soil 3^d rate

Vegetation grass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Feb. 28. 1883

Chains

East, on a random line between Sections 8 and 17.

Variation $14^{\circ} 15'$ East.*Ascend.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.79.83 Intersect N. & S. line, 32 lks, $\frac{1}{4}$ of cor. to secs.

8. 9. 16. 17 from which corner, I run

 $\frac{1}{4}$ 89.46 W. on a true line between sections 8 & 17Variation $14^{\circ} 15'$ East

39.91 Set a post 3 ft. long, 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

79.83 The corner to sections 7. 8. 17. 18

Land rolling.

Soil 2nd rate

Vegetation grass.

Township

17 N

Range

25 E

Gila and Salt River

Meridian.

Chains

West, on a random line between Sections 7 and 18.

Variation $14^{\circ} 15'$ East.

Descend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.79.22 Intersect W. B. of Tp. 12 lks. N. of cor. to secs.
previously set by me.

7. 12. 13. 18 from which corner, I run

N. $89^{\circ} 55'$ E on a true line, between sections 7 & 18Variation $14^{\circ} 15'$ East.

39.22 Set a post 3 ft. long. 3 ins. diam. with marked stone
12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on
N. face, dug pits, 18 x 18 x 12 ins., E and W. of
post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around post.

79.22 The corner to sections 7. 8. 17. 18

Land rolling.

Soil 2nd rate

Vegetation grass.

Timber of cedar.

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

North, between Sections 7 and 8.

Variation $14^{\circ} 16'$ East.*Ascend.*

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, dug pits, 18 x 18 x 12 ins., N and S, of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 5, 6, 7, 8 marked T, by N. S. 5, on N, E, R, 25 E. S. 8 on S, E, S, 7 on S, W, and S, 6 on N, W, face with 5 notches on S, and 5 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., $5\frac{1}{2}$ ft. dist., and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base around post.

*Land rolling.*Soil 2nd rate

Vegetation grass.

Township

17 N.

Range

25 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation

14° 15'

East.

*Ascend.*40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.18 Intersect N. & S. line, 18 lks. S. of cor. to secs.

4, 5, 8, 9 from which corner, I run

S. 89° 52' W. on a true line between sections 5 & 8

Variation

14° 15'

East

40.09 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post 5 $\frac{1}{2}$ ft. dist., and raised a mound of earth 1 $\frac{1}{2}$ ft.high, 3 $\frac{1}{2}$ ft. base around post.

80.18 The corner to sections 5, 6, 7, 8

Land rolling.

Soil 2nd rate

Vegetation grass

Timber of cedar

Township 17 N Range 20 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 6 and 7.

Variation 14° 15' East.*Ascend.*40.00 Set temporary $\frac{1}{2}$ Sec. Cor.78.76 Intersect *W. B. of T_p 34 lks. S. of cor. to secs.*
*previously set by me.*16. 7. 12 \wedge from which corner, I run $S. 89^{\circ} 45' E$ on a true line, between sections 6 & 7Variation 14° 15' East.38.76 Set a Sand stone $13 \times 10 \times 9$ ins., 8 ins.
in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on *N.* face,
dug pits $18 \times 18 \times 12$ ins., *E* and *W.* of stone $5\frac{1}{2}$
ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$
ft. base alongside.

78.76 The corner to sections 5. 6. 7. 8

Land rolling.

Soil *2nd* rateVegetation *grass.*

Township

17 N

Range

25 E

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 5 and 6.

Variation $14^{\circ} 15'$ East.

Ascend.

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.55 Intersect N. B. of Twp. 6 lks. E. of cor. to secs.

5. 6. 31. 32 T. 17 N, R. 25 E,

Which is a post - 4 ins. square set firmly in the ground, marked T. 17 N. S. 32 on N. E. R. 25 E. S. 5 on S. E. T. 17 N. S. 6 on S. W. & S. 31 on N. W. faces with 5 notches on E. and 1 notch on W. edges with file $18 \times 18 \times 12$ ins. in each Sec. $5\frac{1}{2}$ ft. dist. - mound around of earth 2 ft. high, $4\frac{1}{2}$ ft. base around from which corner I run

S. 3 E. on a true line, between sections 5 & 6

Variation $14^{\circ} 15'$ East.

40.55 Set a post 3 ft. long. 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on W. face, dug pits, $18 \times 18 \times 12$ ins. N and S of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.55 The corner to sections 5. 6. 7. 8

Land rolling.

Soil 2nd rate

Vegetation grass.

Feb. 24. 1883

GENERAL DESCRIPTION.

This Township consists of rolling plain covered with a light growth of scrub timber, cedar.

Nutritious grasses cover the ground in abundance, making it a fine grazing country.

Most of the Sp. consists of 2nd rate soil. It is a sandy loam.

Pedro Cordova has a house and corral in sec. 22

For final notes
see book No. 14.

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

July 31, 1883

The foregoing Field Notes of the Survey of the

*Subdivision lines of
Township 17 N. R. 25 E.*

Of the Gila and Salt River Base and Meridian, Arizona, executed by *A. A. Coe*

Deputy Surveyor, under his contract of the *25th*
day of *July*, 1882, having been
critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

J. M. Robinson
Surveyor General.