

2.

No 332

BOOK 332

332

4-671

FIELD NOTES ^{BOOK} 332

GENERAL LAND OFFICE.

Subdivision

Township 20. N. R. 2. E.

No 332

For Index in Book 331.

BOOK 332

Township 20N R. 2E

6	5	109	4	81	3	2	1
			107		78		
7	8	104	9	75	10	11	12
			101		74		
18	17	99	16	71	15	14	13
			96		69		
19	20	93	21	65	22	23	24
126	124		91				
30	120	29	89	28	27	26	25
117		115		86			
31	112	32	84	33	34	35	36

Chains. Surv. T. 20 N. R. 2. E (contd)

An ear 6 in. diam. Tr. N. $55^{\circ}41' W.$

131 Mrs. dist. marked $\frac{1}{4}$ S. B. T.

57.00 Descend, 200 ft. into cañon

75.00 Bed of cañon, course S.

Ascend 150 ft.

79.90 Top of ascent.

Cor to sec. 21. 22. 27 & 28

Land, mountainous & broken

Soil, rocky 4th rate

Timber, pine

Mountainous or heavily

timbered land. 79.90 chs.

October - 26. 1894

N $0^{\circ}2' W.$ Tr sec. 21 & 22.

T a $13^{\circ}51' E.$

Over broken heavily timbered
land.

Along Wedge of cañon

Chains Subdivisions

- 10.96 A pine 10 in diam. on line I
mark with 2 notches on N + S sides
- 11.28 A pine 10 in diam. on line I mark
with 2 notches on N. + S sides.
- 13.00 Descend 250 ft. into Cañon
- 26.73 A pine 12 in diam on line I mark
with 2 notches on N + S sides.
- 30.50 Bed of cañon course $S. 15^{\circ} E.$
- 40.00 Set a malpais. Stone $12 \times 10 \times 8$
ins. 8 ins. in the ground for
 $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on W
Face and raised a mound of
Stone $1\frac{1}{2}$ ft. high 2 ft. base
alongside, From which
A pine 14 in diam. $ms. N. 15^{\circ} 09' E.$
26 Ms. dist. marked $\frac{1}{4}$ A. B. T.
- A pine 16 in diam. $ms. N. 57^{\circ} 26' E$
44 Ms. dist. marked $\frac{1}{4}$ A. B. T.
- Brand 20 ft

Chain T₂₂ N. R 2 E (Contd)

- 45.00 Top of ascent, + descended 25 ft.
- 49.95 A pine 18 in diam. on line I mark
with 2 notches on N. + S. sides.
- 50.10 Foot of descent, in red. canyon
course. S. W.
- 51.00 Ascent 75 ft.
- 56.00 Top of ascent
- 64.90 A pine 36 in diam on line I mark
with 2 notches on N + S. sides.
- 68.40 Descend 20 ft.
- 70.00 Foot of descent
- 79.75 Road N. E. E. S. W.
- 80.00 Set a trapline. Turn 14 x 12 x 10
ins. 9 ins. in the ground
for cor to sec. 15, 16, 21 + 22
marked with 3 notches on
S + E. edges. and raised a
mound of turn 1 1/2 ft. high
2 ft fuse alongside, from which

Chains Subdivisions

A pine 22 in diam. Tr. N 68° 07' E
 52 Ws. dist. marked T. 20 N
 R. 2 E. S. 15. T. T.

A pine 26 in diam. Tr. S. 82° 20' E
 52 Ws. dist. marked T. 20 N
 R. 2 E. S. 22. T. T.

A pine 10 in diam. Tr. S. 88° 06' W
 84 Ws. dist. marked T. 20 N
 R. 2 E. S. 21. T. T.

A pine 22 in diam. Tr. N 5° 58' W
 97 Ws. dist. marked T. 20 N
 R. 2 E. S. 16. T. T.

Land mountainous & rolling
 Soil, very 4th rate

Timber, Pine, common oak
 Mountainous or heavily
 timbered land so char.

chains. T₂₀ N. B. 2 E. (Contd)

N. $89^{\circ}48'E$ on a random line
 bet. secs. 15-^E 22
 T a $13^{\circ}51'E$

4000 Set temporary 1/4 sec. cor.

7987 Intersect N + S. line 15th N
 of cor to secs. 14, 15-22 E, 23.

Thence Turn

S. $89^{\circ}54'W$ on a true line bet
 sec. 15^E 22
 T a $13^{\circ}51'E$.

Over rolling heavily timbered
 land.

Descend 35 ft.

3.00 Foot of descent

12.00 Small wash, course. S. $26^{\circ}W$.

38.00 Ascend. 50 ft.

39.22 A pine 48 in diam. on line S + N
 with 2 notches on E + W sides.

39.93 Set a malpais. Turn 14 x 12 x 10

Chains. Subdivisions

ins. pins in the ground
 for 1/4 sec. cor. marked 1/4
 on N. Face and raised a
 mound of Tim. 1 1/2 ft. high
 2 ft. base alongside, from which
 a pine 48 in diam. to S. 50° E
 7 Ms. dist. marked 1/4 A. B. T.
 A pine 30 in diam. to S 24° 33' W.
 35 Ms. dist. marked 1/4 A. B. T.

- 47.00 Top of ascent
 49.00 Descend. 100 ft.
 57.34 A pine 24 in diam on line I
 mark with 2 notches on E + W sides
 64.00 Foot of descent,
 67.31 A pine 12 in diam. on line I mark
 with 2 notches on E + W sides.
 74.00 Small wash, course. S.
 79.40 A pine 24. in diam. on line I mark
 with 2 notches on E + W sides.

Chains. T. on N. B. 2. E. (Contd)

79.65 Road N. E. + S. W.

79.87 The cor to secs. 15, 16, 21 + 22

Land, rolling + broken

Soil, very 4th rate

Timber, pine

Heavily timbered land. 79.87. chs.

No. 2' W. for secs. 15 + 16

To 13° 51' E.

Over rolling heavily timbered
land.

34.00 Ravine. 5 ft. deep, Course S. 30° E
Ascend 150 ft.

4000 Set a sandstone 27 x 18 x 16 ins.
20 ins. in the ground for 1/4
sec. cor marked 1/4 on W. face
and raised a mound of iron
1 1/2 ft. high 2 ft. base

Chains. Subdivisions

- along side, Form which
 An case 10 in diam. W. N 7' 22" E
 23 Ws. Dist. marked $\frac{1}{4}$ S. B. T.
 An case 16 in diam. W. S. 101' E
 16 Ws. Dist. marked $\frac{1}{4}$ S. B. T.
- 49.00 Top of ascent, thence over
 rolling land.
- 61.00 Ascend 300 ft.
- 72.00 Top of ascent ridge, Course
 E + 7 ft.
- Descend 100 ft
- 76.00 Foot of Descent.
 Ascend 50 ft. to
- 80.00 Set a malpais stone 23 x 16 x 12
 ins. 18 ins. in the ground.
 For cor to cases 9, 10, 15 + 16
 marked with 4 notches on
 S. and 3 notches on E. edges
 and raised a mound of stone

chain. T. 20 N. R. 2. E. (Contd)

1 1/2 ft. high 2 ft. base
alongside, found which
are over 6 in. diam. W. N. 11° E.
48 Ws. dist. marked T. 20 N.
R. 2. E. S. 10 T. J.

Are over 6 in. diam. W. S. 81° 31' E.
17 Ws. dist. marked T. 20 N.
R. 2. E. S. 15. T. J.

Are over 6 in. diam. W. S. 87° 52' N.
65 Ws. dist. marked T. 20 N.
R. 2. E. S. 16. T. J.

Are over 6 in. diam. W. N. 25° 06' W.
37 Ws. dist. marked T. 20 N.
R. 2. E. S. 9. T. J.

Land, mountainous + broken
Soil, very 4th rate
Timber, pine, some cent. oak
Mountainous or heavily
timbered land as shown

Chains. Subdivisions.

N. $89^{\circ}54'$ E. on a random
line for sec. 10 E/15
Ta $13^{\circ}51'$ E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect N+S. line 2871.5

N of cor to sec. 10. 11. 14 E/15

Thence S. run

N $89^{\circ}54'$ W on a true line for
sec. 10 E/15

Ta $13^{\circ}51'$ E.

Over rolling heavily timbered
land.

23.00 Descend 150 ft.

29.50 Foot of descen. in Vrd
cañon, course S

Ascend 40 ft.

38.00 Top of ascen.

39.90 A flat sandstone in place
which I mark with a cross

chains. To N. B. 2. E. (Contd.)

(4) at exact cor point. For
 1/4 sec. cor. with 1/4 on N of
 cross and raised a mound
 of stone 1 1/2 ft. high 2 ft
 base along side from which
 a pine 10 in diam. W. N. 86° 07' E.

17 Ws. dist. marked 1/4 S. B. T.

A pine 8 in diam. W. N. 61° 48' E.

22 Ws. dist. marked 1/4 S. B. T.

53.00 Descend 150 ft. to

79.80 The cor to secs. 9, 10, 15 + 16.

Land, mountains.

Soil, very 4th rate

Timber, pine.

Mountains or heavily timbered
 land. 79.80 chs.

N. 0° 2' W. For secs. 9 & 10

Chains. Subdivisions

Ta 13° 51' E.

Over mountains. heavily timbered land.

Ascend over bluff 200 ft.

7.00 Top of bluff. course N.E. & S.W.

Thence over high rolling land.

16.02 A pine 12 in diam. on line I
mass with 2 notches on N & S sides.29.56 A pine 20 in diam. on line I mass
with 2 notches on N & S sides.

29.70 Barren 60 ft. deep, course W.

40.00 Set a mark pair. Stone 12 x 10 x 6
ins. 8 ins. in the ground
for 1/4 sec. cor. marked 1/4 on
N. face and raised a mound
of stone 1 1/2 ft. high 2 ft
base along side, found which
A pine 6 in diam. W. S. 50° 42' W

Chains. T. 20 N B 2 E. (Contd)

- 36.75 Ms. dist. marked $\frac{1}{4}$ S. B. T.
 A pine 10 in diam. Trs. N. $40^{\circ} 27' E$.
 10 Ms. dist. marked $\frac{1}{4}$ S. B. T.
- 49.50 Descend. 250 ft. into Cañon
- 55.70 Bed. of cañon, course W.
 Ascend. 200 ft.
- 68.70 Top of ascent.
 Descend 150 ft.
- 77.00 Foot of descent.
- 80.00 Set a malpais. Trm $16 \times 12 \times 10$
 ins. 10 ins. in the ground for
 cor to sec. $3.4.9 \times 10$ marked
 with 5 notches on S. and 3
 notches on E. edges and
 raised a mound of Trm $1\frac{1}{2}$
 ft. high 2 ft. base alongside
 From which
 An oak 7 in diam. Trs. N $84^{\circ} 14' E$.
 78 Ms. dist. marked. T. 20 N.

Chains. Subdivisions.

R. 2 E. S. 3. T. 3.

A pine 37 in diam. Trs. S. 28° 57' E.

68 Ms. dist. marked T. 20 N. R.

2 E. S. 10. T. 3.

An oak. 6 in diam. Trs. S. 60° 32' W.

48 Ms. dist. marked T. 20 N

R. 2 E. S. 9. T. 3.

A pine 21 in diam. Trs. N. 10° 14' W.

90 Ms. dist. marked T. 20 N

R. 2 E. S. 4 T. 3.

Land, wooded

Soil, very 4th rate

Timber, pine

Mountains or mainly timbered

land. 80 chs.

S. 89° 54' E on a random line

No sec 3 Ed 10

chains. T. 20 N. R. 7. E. (Contd)

V a $130^{\circ}51'E$,

4.00 Set temporary $\frac{1}{4}$ sec. cor.
79.85 Intersect N + S line 13 Nls.
N of cor & sec. 2, 3, 9 + 10.
Thence S on

N. $89^{\circ}48'$ W on a true line for
secs. 3 & 10.

V a $130^{\circ}51'E$.

Over mountains heavily
timbered land.

- 6.00 Ascend over bluff. 250 ft.
8.00 Top of bluff. course N + S.
Thence over rolling land.
37.84 A pine 16 in diam. on line I
mark with 2 notches on E + W sides.
39.92 A malpais rock in place
 $1 \times 2 \times 3$ ft. above ground, which
I mark with a cross (+) an
exact corner point for $\frac{1}{4}$ sec

Chains. Subdivisions

- cor, with $\frac{1}{4}$ on N of cross
 and raised a mound of
 stone $1\frac{1}{2}$ ft. high 2 ft
 base alongside, from which
 A pine 12 in diam. W. S. $8^{\circ}05'$ W.
 21 W. dist. marked $\frac{1}{4}$ S. B. T.
 A pine 18 in diam. W. N. $44^{\circ}31'$ E.
 11 W. dist. marked $\frac{1}{4}$ S. B. T.
 58.70 A pine 18 in diam. on line Somers
 with 2 notches on E & W sides.
 62.57 A pine 24 in diam. on line Somers
 with 2 notches on E & W sides.
 67.00 Ascend. 300 ft.
 78.00 Top of ascent,
 Descend 50 ft. to.
 79.85 The cor & secs. 3, 4, 9 & 10
 Land, mountainous
 Soil, rocky 4th rate
 Timber, pine

Chains. To N. R. 2. E. Contd

Mountains or heavily timbered
land. 79.85 chs.

No. 2 W. lot sec. 3 E 4

Va 13° 51' E

Over to near heavily timbered
land.

Ascend 50 ft.

9.00 Top of ascent.

Descend 65 ft.

22.00 Foot of descent

Ascend 30 ft.

31.00 Top of ascent

Descend 30 ft.

35.00 Foot of descent

Old road, course N.E. + S.W.

Ascend 25 ft.

39.00 Top of ascent

Chains. Subdivisions

4000 Set a maulpais stone $20 \times 14 \times 12$ ins. 15 ins. in the ground
 For-14 sec. cor marked $\frac{1}{4}$ on
 W. Face and raised a
 mound of Torr $1\frac{1}{2}$ ft. high
 2 ft. base alongside from
 which.

A pine 24 in. diam. br. $N 87^{\circ} 03' W$
 27 hrs. dist. marked $\frac{1}{4}$ A. B. T.

A pine 30 in. diam. br. $S 71^{\circ} 11' E$
 38 hrs. dist. marked $\frac{1}{4}$ A. B. T.

5000 Old road N. W. + S. E.

Ascend 35 ft.

63.00 Top of ascent, ridge, course
 E. + W.

Descend 20 ft.

67.00 Foot of descent, Cartiueber

69.54 Intersect Sedge of Coleman
 pond, where I set a

Chains. T. 20 N. B. 2. E. (Contd)

Sandstone $21 \times 18 \times 4$ ins 15 in
in the ground. For Witness Cor
to closing Cor to sec. 3 & 4
Marked W. C. C. C on S. face
with 3 notches on E & W. Faces
and raised a mound of stone
 $1\frac{1}{2}$ ft. high 2 ft. base
alongside, from which
A pine 25 in diam. $75.42^{\circ} 22' N.$
223 W. dist. marked T. 20 N.
B. 2 E. W. C. S. 3. B. T.

A pine 28 in diam. $75.19^{\circ} 08' N.$
222 W. dist. marked T. 20 N.
B. 2 E. W. C. S. 4. B. T.

A pine 38 in diam. $75.8^{\circ} 25' E.$
257 W. dist. marked T. 20 N.
B. 2 E. W. C. S. 3. B. T.

Land, 7000

Soil, very 4th rate

Chains. Subdivisions.

Timber, pine
Heavily timbered land 67 chs.
October 27. 1844

From the cor to sec. 4. 5. 32 + 33
on S. vdy of Tp. as herein-
before described I run
N 0° 2' W. for sec. 32 & 33.
Ta 13° 51' E

Over timber land

- 5.00 Descend 500 ft. into Cañon
34.00 Bed of cañon, Course S. 71° W.
Ascend 350 ft.
40.00 Set a trap for Tom 18x16x12
ins 12 ins. in the ground
for 1/4 sec cor marked 1/4 on
W face and raised a mound
of stone 1 1/2 ft. high. 2 ft
face alongside.

Chains T 20 N. B. 2 E. (Contd)

Pits impracticable

53.00 Top of ascent

57.00 Descend 300 ft. into Cañon

62.00 Bed of Cañon course W.

Ascend 250 ft.

69.00 Top of ascent

80.00 Set a malpais stone 20 x 14 x 12

ins. 15 ins. in the ground.

For cor to secs. 28. 29. 32 & 33.

marked with 1 notch on S.

and 4 notches on E. edges.

and raised a mound of stone

1 1/2 ft. high 2 ft. base

alongside, from which

A cedar 12 in diam. to S.

15° 14' W. 80 yrs. dist. marked

T. 20 N. B. 2 E. S. 32. 73. S.

A cedar 6 in diam. to S. 4° 04' W.

50 yrs. dist. marked T. 20 N.

Chains. Subdivisions.

R. 2 E. S. 32 T. 3 N.

A piece 30 in diam. $\text{Tr. S. } 34^{\circ} 28'$

E. 161 Ws. dist. marked T. 30 N.

R. 2 E. S. 33 T. 3 N.

A piece 36 in diam. $\text{Tr. S. } 76^{\circ} 39' \text{ E.}$

140 Ws. dist. marked T. 30 N.

R. 2 E. S. 33 T. 3 N.

Land, mountainous

Soil, rocky 4th rate

No timber, comm. tract.

Mountainous land 75 chs.

East on a random line to

secs. 28 + 33.

 $\text{Tr. } 13^{\circ} 51' \text{ E.}$

40.00 Set temporary 1/4 sec. cor.

79.80 Intersect N + S line 30 Ws.

Top cor & secs. 27, 28, 33 & 34.

Chains To N. B. 2 E. (Contd)

Thence I run

S. 89° 47' W on a true line two
secs. 28 Ed. 33.

To 13° 51' E.

Over timber land.

2.00 Descend 250 ft. into Cañon

8.00 Bed of cañon, course S. 3° W.

Ascend 225 ft.

17.00 Top of ascent, thence over
rolling heavily timbered land.

24.22 A pine 14 in diam. on line I
mark with 2 notches on E & W sides.

36.38 A pine 14 in diam. on line I
mark with 2 notches on E & W sides.
Lean heavily timbered land.

39.90 Set a mark on top 18 x 14 x 12
ins. 12 ins. in the ground for
1/4 sec. cor. marked 1/4 on N
face and raised a mound of

Chains. Subdivisions-

- Stone $1\frac{1}{2}$ ft. high 2 ft.
 Base along side, from which
 A pine 22 in diam. $\text{ms. N } 14^{\circ} 18' \text{ E.}$
 37 $\text{ms. Dist. marked } \frac{1}{4} \text{ S. B. T.}$
 An oak 8 in diam. $\text{ms. N } 22^{\circ} \text{ W.}$
 140 $\text{ms. Dist. marked } \frac{1}{4} \text{ S. B. T.}$
 53.00 A pine 8 in diam. on line S. cross
 with 2 notches on E & W sides
 61.00 Descend 300 ft. into cañon
 68.00 Bed of cañon, course $\text{S. } 15^{\circ} \text{ W.}$
 Ascend 250 ft.
 71.50 Top of ascent
 77.00 Descend 25 ft. to
 79.80 The cor to cros. 28. 29. 32 & 33
 Land broken & mountainous
 Soil, very 4th rate
 Timber, pine
 Mountainous or heavily timbered
 land. 52.18 chs.

Chains. T₂₀ N. B. 2. E. (Contd)

N₀° 2' W. br. sec. 28 & 29.
T_a 13° 51' E.

Over mountainous land.

Descend 200 ft. into cañon

7.00 Bed of cañon, course S. 23° W.

Ascend 250 ft. along western
W. slope of cañon

31.00 Top of ascent, enter pine
timber

40.00 Set a sandstone 18 x 12 x 10
ins. 12 ins. in the ground.

For $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on
W. face and raised a mound

of stone $1\frac{1}{2}$ ft. high 2 ft.

face alongside, from which
A pine 30 in diam. br. S. 30° 14' W

117 W. dist. marked $\frac{1}{4}$ S. B. T.

A cedar 8 in diam. br. N. 62° 14' E

130 W. dist. marked $\frac{1}{4}$ S. B. T.

Chains. Subdivisions.

- 51.00 Old road. N. $80^{\circ} E$ S. $75^{\circ} W$
- 80.00 Set a malpais. Tom 18x12
x12 ins. 12 ins. in the ground
for cor & sec. 20. 21. 28 & 29.
marked with 2 notches on S.
and 4 notches on E. edges
and raised a mound of stone
 $1\frac{1}{2}$ ft. high 2 ft. base
along side, from which
A pine 12 in diam. Trs. N $72^{\circ} 58' E$.
33 Ms. dist. marked T. 20 N
R. 2. E. S. 21. B. T.
- A pine 6 in diam. Trs. S. $68^{\circ} 02' E$.
114 Ms. dist. marked T. 20 N
R. 2. E. S. 28. B. T.
- A pine 30 in diam. Trs. S. $72^{\circ} 08' W$.
171 Ms. dist. marked T. 20 N
R. 2. E. S. 29. B. T.
- A pine 12 in diam. Trs. N $7^{\circ} 39' W$.

chains. T 20 N. R. 2. E. (Contd)

31 Mrs. Diet. married. T. 20 N

R. 2 E. S. 20. B. T

Land, mountainous + broken

Soil, rocky 4th rate

Timber, pine

Mountainous or heavily timbered

land. 80 chs.

N 89° 47' E on a random line

bet sec. 21 Ed 28

T a 13° 51' E.

4000 Set temporary 1/4 sec. cor

79.85 Intersect N + S. line 18 W. N.

of cor to sec. 21. 22. 27 Ed 28.

Thence South

S. 89° 55' W. on a true line bet.

sec. 21 Ed 28

T a 13° 51' E.

Chains. Subdivisions.

- Over mountains. Heavily timbered land.
- Ascend 100 ft.
- 15.15 Road N + S.
- 19.00 Descend 150 ft.
- 34.40 Foot of descent, various causes.
- Ascend. 150 ft.
- 39.92 Set a sandstone $12 \times 10 \times 8$ ins. 8 ins. in the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N face and raised a mound of stone $1\frac{1}{2}$ ft. high 2 ft. base alongside, from which a pine 20 in diam. Trs. S. $86^{\circ} 30'$ W. 42 Ms. dist. marked $\frac{1}{4}$ S. T. S.
- A pine 18 in diam. Trs. N. $31^{\circ} 42'$ E. 29 Ms. dist. marked $\frac{1}{4}$ S. T. S.
- 40.50 Top of ascent.
- 56.77 A juniper 12 in diam. on line Irons.

chains. T. 20 N. R. 2 E. (Contd)

with 2 notches on E. & W. sides

Descend 200 ft. into cañon

62.75 Bed of cañon course S.

Ascend 150 ft.

73.00 Top of ascent

79.85. The cor & sec. 20, 21, 28 & 29.

Land, mountainous & barren

Soil, very 4th rate

Timber, pine

Mountainous or heavily timbered

land. 79.85 chs.

N 0° 2' W. bet sec. 20 & 21

Ta 13° 51' E.

Over rolling heavily timbered
land.

35.75 Descend 60 ft. into cañon

38.40 Bed of cañon, course W.

Chains. Subdivisions.

Ascend 50 ft.

- 40.00 A Flat sandstone in place which I mark with a cross at exact cor point. For $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ m. W. of cross and raised a mound of stone $1\frac{1}{2}$ ft high 2 ft. base alongside, from which a goniometer 40 in diam. $\text{ms. N } 47^{\circ} \text{ E. } 85 \text{ Ms. Dist. marked } \frac{1}{4} \text{ S. B. T.}$
 A goniometer 30 in diam. $\text{ms. S } 73^{\circ} 20' \text{ W. } 141 \text{ Ms. Dist. marked } \frac{1}{4} \text{ S. B. T.}$

41.50 Top of ascent

53.00 Descend 85 ft. into cañon

59.00 Bed of cañon, Course S. W.
 Ascend. 100 ft.

67.00 Top of ascent

80.00 Set a malpais stone $20 \times 20 \times 16$ ins. 15 ins. in the ground for

chains. T 20 N. R. 2. E. (Contd)

Cor to sec. 16. 17. 20 & 21

marked with 3 notches on S.
and 4 notches on E. edges
and raise a mound of stone
1 1/2 ft. high 2 ft. base
along side, from which

A pine 6 in diam. No. N 62° 07' E.

91 No. dist. marked T. 20 N
R. 2. E. S. 16. T. B. T.

An oak 6 in diam. No. S 45° 56' E.

102 No. dist. marked T. 20 N
R. 2. E. S. 21 T. B. T.

A juniper 40 in diam. No. S 53° 46'

No. 82 No. dist. marked T. 20 N
R. 2. E. S. 20. T. B. T.

A pine 8 in diam. No. N. 31° 28' W.

82 No. dist. marked T. 20 N
R. 2. E. S. 17. T. B. T.

Land, Town

Chains. Subdivisions.

Soil, rocky 4th rate.

Timber, pine

Heavily timbered land 80 chs.

October 28 - 1894.

At the cor to sec. 16. 17. 20 & 21

Verify the adjustments of the
transit and find them correct

I set off $13^{\circ}19'S$ on the decl,
arc, and at 11^h44' a.m. 2.m. &

observe the sun on the
meridian: the resulting lat,
is $35^{\circ}05' N$. the true lat nearly.

$N. 89^{\circ}55' E$ on a random line

bet. sec. 16 & 21

$Ta 13^{\circ}51' E$.

40.00 Set temporary 1/4 sec. cor.

Chains. T. 30 N. R. 7 E. (contd.)

- 79.80 Intersect N + S line 17 W. S. of cor to secs. 15, 16, 21 + 22
Thence S 89° 48' W. on a true line to
secs 16 E. 21
Ta 13° 51' E.
Over. to see heavily timbered
land.
- 3.00 Ascend 25 ft.
- 7.00 Top of ascent, thence over
rolling land.
- 22.80 A pine 14 in diam. on line S from
with 2 matches on E + W sides.
- 39.73 A cedar 6 in diam. on line S from
with 2 matches on E + W sides.
- 39.90 Set a malpais stone 16 x 12 x 10
ins 11 ins in the ground.
For 1/4 sec. cor marked 1/4 on
N. face and raised a mound.

Chains Subdivisions

- of. Stone $1\frac{1}{2}$ ft. high 2 ft.
 base along side, from which
 An oak 8 in diam. $\text{Trs. } S. 83^{\circ} 56' E$
 23 Ms. dist. marked $\frac{1}{4}$ S. B. T.
 An oak 6 in diam. $\text{Trs. } N. 73^{\circ} 26' W.$
 50 Ms. dist. marked $\frac{1}{4}$ S. B. T.
 44.00 Descend gradually 40 ft.
 49.52 A pine 40 in diam. on line I mark
 with 2 notches on E + W sides.
 58.62 A pine 40 in diam. on line I.
 mark with 2 notches on E + W sides.
 74.00 Foot of descent.
 Ascend 30 ft to
 79.80 The cor to secs 16. 17. 20 Ed 21
 Land, where Ed. rolling
 Soil, very 4th rate.
 Timber, pine,
 Heavily timbered land 79.80 cho.

chains. T. 20 N. R. 2. E. (contd)

N^o 2' W. br. sec. 16 E 117
T a 13° 51' E.

Over more heavily timbered
land.

1.00 Descend 200 Ft. into Cañon

6.00 Bed of cañon course S. W.
Ascend 200 Ft.

11.00 Top of ascent.

15.00 Descend gradually 30 Ft.

22.00 Foot of descent.

Small wash, course S. W.

Ascend gradually 40 Ft.

40.00 Set a malspais stone 20x18x12
ins. 15 ins. in the ground for
1/4 sec. cor. marked 1/4 on W
face and raised a mound of
stone 1 1/2 Ft. high 2 Ft. base
alongside, from which
An oak 8 in. diam. W. N 23° 07' W.

Chains. Subdivisions.

27 Ws. dist. marked $\frac{1}{4}$ S. B. T.

An oak 6 in diam. Ws. $S47^{\circ}21'E$

19 Ws. dist. marked $\frac{1}{4}$ S. B. T.

49.00 Top of ascent.

59.41 Wire fence across line, corner
E + W. Enter Purrie cattle co's
pasture.

65.00 Descend gradually 60 ft.

71.00 Foot of descent.

79.00 A pine 32 in diam. on line I
mark with 2 notches on N + S sides.

80.00 Set a malpais. Stone $14 \times 10 \times 10$
ins. 9 ins in the ground for
cor to sec. 8. 9. 16 $S47^{\circ}16'E$ marked
with 4 notches on S. Ed E
edges and raised a mound
of stone $1\frac{1}{2}$ ft. high 2 ft.
base along side, from which
An oak 10 in diam. Ws. $N47^{\circ}16'E$

Arms. T 20 N. R. 2. E. (Contd)

146. Ws. dist. wanted T. 20 N.
R. 2. E. S. 9. 73. T.

A pine 36 in diam. Ws. S. 12° 15' E.

72 Ws. dist. wanted. T. 20 N.
R. 2. E. S. 16. 73. T.

An oak. 6 in diam. Ws. S. 38° 56' W.

68 Ws. Ws. dist. wanted T. 20 N.
R. 2. E. S. 17. 73. T.

A pine 36 in diam. Ws. N. 49° 36' W.

17 Ws. dist. wanted. T. 20 N.
R. 2. E. S. 8. 73. T.

Land, mountains + rolling

Soil, very 4th rate

Timber, pine

Heavily timbered land. 80 chs.

S. 89° 45' E on a random line
bet. sec. 9 & 16.

Chains. Subdivisions

$$T a 13^{\circ} 51' E.$$
40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.83 Intersect N + S line 15 - Mls.

N of cor to secs. 9, 10, 15 + 16.

Thence I run

$$S. 89^{\circ} 54' W$$
 on a true line for
secs. 9 E of 16.

$$T a 13^{\circ} 51' E.$$
Over more heavily timbered
land.

1.00 Ascend 85 ft.

13.00 Top of ascent, thence
over rolling land.39.91 Set a malpais. stone $20 \times 2 \times 11$
ins. 15 ins. in the ground
for $\frac{1}{4}$ sec. cor mark of $\frac{1}{4}$ on
N. face and raised a mound
of stone $1\frac{1}{2}$ ft. high 2 ft.
face alongside, found which.

Chains. T 20 N. R. 2. E. (Contd)

A juniper 28 in. diam. No. N 7° 13' W.

63 No. dist. marked 1/4 S. B. T.

Aspen 30 in diam. No. S 73° 21' E

47 No. dist. marked 1/4 S. B. T.

42.00 Descend 100 ft.

44.65 - Wire fence across line
course N + S, Enter Perrin
cattle Co's. pasture

51.00 Foot of descent.

Ascend. 35 ft.

59.00 Top of ascent

Descend. 150 ft.

71.00 Foot of descent.

79.83 Thru cor to sec. 8. 9. 16 & 17.

Land, timber

Soil, stony 4th date

Timber, pine

Heavily timbered land 79.83 chs.

Chains. Subdivisions.

No. 2. W. Mt sec. 8 E. 19
Ta 13° 51' E.

Over trees heavily timbered
land.

Ascend gradually 25 ft.

8.00 Top of ascent.

Descend 50 ft.

16.70 Foot of descent, west course
1/4 ft.

16.90 A pine 50 in diam. on line I
mark with 2 notches on N + S sides.
Ascend 40 ft.

19.00 Top of ascent

19.20 A pine 8 in diam. on line I mark
with 2 notches on N + S sides.

23.00 Descend. 30 ft.

26.00 Foot of descent

36.25 A wire fence across line
course E + W. near pasture

chains. To N.B. 2.C. (contd)

39.00 Top of ascent.

40.00 Set a malpais stone $14 \times 12 \times 10$
in 9 in in the ground for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W.

Face and raised a mound
of stone $1\frac{1}{2}$ ft. high 2 ft.
Face alongside, from which:

An arc 6 in diam. br. $S. 5^{\circ} 14' E.$

33 Ws. dist. marked $\frac{1}{4}$ S. B. F.

A pine 20 in diam. br. $N 10^{\circ} 31' W.$

26 Ws. dist. marked $\frac{1}{4}$ S. B. F.

40.65 Descend 200 ft.

53.00 Foot of descent, small
wash, course $S. 39^{\circ} W.$

Ascend 250 ft.

61.00 Top of ascent.

69.00 Descend 150 ft.

71.00 Road. Course $N. 65^{\circ} E. \times S. 65^{\circ} W.$

73.00 Foot of descent.

Chains. Subdivisions

8000 Set a malpais. *Tom* 16x14x10
 ins. 10 ins. in the ground
 for cor to ccs. 4, 5, 8 & 9.
 marked with 5 notches on *S*
 and 4 notches on *E* edges
 and raised a mound of
Tom 1 1/2 ft high 2 ft
 base alongside, from which
 An oak 8 in diam. *ms.* N. 26° E
 21 *ms.* dist. marked *S* 20 N
R. 2. *E.* *S.* 4. *B.* *S.*

A pine 20 in diam. *ms.* S. 13° 18' E
 91 *ms.* dist. marked *S* 20 N
R. 2. *E.* *S.* 9. *B.* *S.*

A pine 30 in diam. *ms.* S. 31° 29' E
 61 *ms.* dist. marked *S* 20 N
R. 2. *E.* *S.* 9. *B.* *S.*

An oak 6 in diam. *ms.* N. 87° 21' W
 65 *ms.* dist. marked *S* 20 N

Chains. "T₂₀ N. B. 2. E. (Contd)

B. 2. E. S. 5. B. T.

Land, broken & mountainous

Soil, very fertile

Timber, pine

Mountainous or heavily

timbered land. 80 chs.

N. 89° 54' E on a random line

bet. sec. 4 & 9.

Ta 13° 51' E.

4000 Set temporary 1/4 sec. cor.

79.90 Intersect N. + S. line 23 ins.

N of cor to sec. 3, 4, 9 & 10

Thence S on

N. 89° 56' W on a true line bet

sec. 4 & 9.

Ta 13° 51' E.

Over rolling heavily timbered land

Chains. Subdivisions—

- Descend gradually 30 ft.
- .09 A pine 30 in diam on line I more
with 2 notches on E & W. sides—
- 7.00 Foot of descent
- 21.50 West 3 ft. deep, Course S.
- 23.35 Old road N & S.
- 24.00 Ascend gradually 25 ft.
- 32.00 Top of ascent
- 34.00 Descend gradually 165 ft.
- 39.95 Set a malpais. Stone 14 x 12 x 10
ins. 9 ins. in the ground.
For 14 sec. cor. marked 1/4 on
N. Face and raised a
mound of stone 1 1/2 ft
high 2 ft. base alongside
stone which
An case 12 in diam. Trs. N 67° 13'
W. 21 Mrs. dit. marked 1/4 S. B. S.
An case 8 in diam. Trs. S. 16° W.

Chains T. 20. N. B. 2. E. (Contd)

33 Ms. dist. marked $\frac{1}{4}$ S. B. T.

69.00 Foot of ascent

Ascent 60 ft.

71.00 Top of ascent

79.90 Th conts secs. 4. 5. 8 & 9.

Land, broken

Soil, stony 3rd rate

Timber, pine

Heavily timbered land. 79.90 chs

October 28. 1894

No 2' N. bet secs. 4 & 5-

Ta $13^{\circ} 51' E$.

Over timber heavily timbered

Ascent 60 ft.

11.00 Top of ascent, thence over rolling land.

40.00 Set a malspair. stone $20 \times 20 \times 14$ in 15 in the ground for

Chains. Subdivisions

1/4 sec. cor. marked 1/4 on W
face, and raised a mound
of Tom 1 1/2 ft. high 2 ft.
Face alongside, from which
An Oak 8 in diam. M. S. 67° 21' E.

47. Ws. dist. marked 1/4 S. T. B. T
An Oak 6 in diam. M. S. 63° 09' W

61 Ws. Dist. marked 1/4 S. T. B. T

43.00 Ascend 50 ft.

55.00 Top of ascent, thence
along E. slope of a red butte.

80.31 Intersect 5th standard
parallel North at a point
3.88 chs. N. of Standard cor
& sec. 32 & 33. T. 21. N. R. 2 E.

At which point I set a
Malpais. Tom 16 x 10 x 6 ins.
10 ins. in the ground for
closing cor & sec. 4 E/5

Chairs. T. 20 N. B. 2. E. (Contd)

marked C.C. on S. Face with
4 notches on E and 2 notches
on W. Faces and raised a
mound of stone $1\frac{1}{2}$ ft.
high E. Face alongside
from which.

An ear 6 in diam. W. $A. 41^{\circ} 56' E.$
53 Ms. dist. marked; T. 20 N.
B. 2. E. $A. 4. 73. T.$

Apine 6 in diam. W. $A. 12^{\circ} 28' W.$
33 Ms. dist. marked T. 20 N.
B. 2. E. $A. 5-73. T.$

An ear 6 in diam. W. $A. 73^{\circ} 56' E.$
36 Ms. dist. marked T. 20 N.
B. 2. E. C.C. $A. 4+5. 73. T.$

Land, barren

Soil, very 4th rate

Timber pine

Heavily timbered land 80.31 obs

Chains. Subdivisions.

October 29th 1894.

At the cor to sec. 5.6. 31^E/32.

Verify the adjustments of
the transit and find
them correct

Set off. $13^{\circ}40'$ S on the
Decl, arc, and at 11^h 44^m
A.M. 2.M.T. observe the sun
on the meridian; the
resulting lat is. $35^{\circ}03'$ N.
the true lat, nearly.

From the cor to sec.

5.6. 31^E/32 on S. side of
Sp. as hereinbefore described
I run.

N $0^{\circ}3'$ W. for sec 31^E/32
Ta $13^{\circ}51'$ E.

Over town land.

Descend 150 ft. into cañon

5.60 Bed of cañon, course S. W.

chains. T. 2, R. 2, E. (Contd)

Ascend 200 ft.

9.00 Top of ascent

40.00 Set a sandstone $27 \times 12 \times 12$

ins 20 ins in the ground

For $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on
W. face and raised a mound
of stone $1\frac{1}{2}$ ft. high 2 ft.

base along side, from which

A juniper 19 in diam. to $N 5^{\circ} 5' E$.

228 Ws. dist. marked $\frac{1}{4}$ A. B. T.

A juniper 16 in diam. to $N 4^{\circ} 22' E$.

215 Ws. dist. marked $\frac{1}{4}$ A. B. T.

58.00 A juniper 16 in diam. on line

Imane with 2 notches on N + S sides

67.00 Descend 100 ft. into Cañon

71.00 Bed of Cañon, Course W.

Ascend 125 ft.

73.00 Top of ascent

80.00 Set a malpais stone $14 \times 12 \times 10$

Strains. Subdivisions

- 9 ins. in the ground for
 Cor to cen 29. 30. 31 + 32
 marked with 1 notch on S.
 and 5 notches on E. edges -
 and raised a mound of Tom
 1 1/2 ft. high 2 ft. base
 along side, from which
 A juniper 12 in diam. to N
 65° 37' E. 139. Ws. dist. marked.
 T. 20 N. R. 2 E. S. 29. B. T.
- A juniper 8 in diam. to S.
 67° 18' E. 136. Ws. dist. marked.
 T. 20 N. R. 2 E. S. 32. B. T.
- A juniper 20 in diam. to S.
 2° W. 35 Ws. dist. marked.
 T. 20 N. R. 2 E. S. 31 B. T.
- A juniper 12 in diam. to N.
 39° 48' W. 71 Ws. dist. marked.
 T. 20 N. R. 2 E. S. 30 B. T.

chains. T. 20 N. R. 2. E. (Contd)

Land, broken & mountainous.

Soil, Stony 4th rate.

No timber, scattering brush.

Mountainous land 9.00 chs.

East on a random line for
secs. 29 & 32.

Ta 13° 51' E.

40.00 Set temporary 1/4 sec. cor.

79.85 Intersect N+S line 20 Ncs.
Top cor to secs. 28, 29, 32 + 33.

Thence True.

S. 89° 51' W on a true line for
secs 29 & 32

Ta 13° 51' E.

Over broken land.

Descend. 200 ft. into cañon

5.63 Bed of cañon, course S. 6° W.

Chains. Subdivisions.

- Ascend 300 ft.
- 12.25 Top of ascent.
- 15.00 Descend gradually 150 ft.
- 28.40 A pine 30 in diam on line I
marked with 2 notches on E & W sides.
- 34.00 Foot of descent.
Small wast, course I.
- Ascend 100 ft.
- 39.92 Set a malpais stone 20x11x9
ins. 15 ins in the ground.
For $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on
N face and raised a mound
of stone $1\frac{1}{2}$ ft. high, 2 ft.
wide alongside, from which
an case 8 in diam. br. N 29° 42' E
71 yds. dist. marked $\frac{1}{4}$ S. B. T.
- An case 8 in diam. br. N 84° 51' E.
42 yds. dist. marked $\frac{1}{4}$ S. B. T.
- 46.00 Top of ascent.

chains. To N.B. 2.E. (contd)

Thence over high rolling
mrsa

61.20 Old road N + S.

79.85 The cor to sec. 29. 30. 31 & 32

Land. mountainous & rolling

Soil, rocky 4th rate

Timber, pine

Mountainous land. 46. chs.

West on a true line to sec-
30 & 31.

To 13° 51' E.

Over mountainous land.

1.00 Descend. 250 ft.

10.00 Enter heavy pine timber

13.00 Foot of descent.

22.00 Ravine, 5 ft. deep, Course S. 15° W.

25.00 Leave timber

chains. Sub-divisions.

- Ascend gradually 25 ft.
 33.00 Top of ascent.
 40.00 Set a mark pair stone 20x20x
 14 ins. 15 ins. in the ground.
 For $\frac{1}{4}$ sec. cor. named $\frac{1}{4}$ on
 N. face and raised a mound
 of stone $1\frac{1}{2}$ ft. high 2 ft.
 base alongside, from which
 a quipper 16 in diam. br. S.
 $65^{\circ}09' E$ 117. No. dist. named $\frac{1}{4}$ S. B. T.
 Alpine 6 in diam. br. N. $37^{\circ}23' E$.
 146. No. dist. named $\frac{1}{4}$ S. B. T.
 73.50 Descend 85 ft. to
 78.62 Intersect W. edge of Tp.
 4.68 chs. N of cor to sec.
 25. 30. 31 Ed 36. which is a
 stone firmly set and properly
 named and witnessed as
 described in the field.

chains. T. 20 N. R. 2. E. (contd)

notes furnished by the
surveyor General.

obliterate all marks which
refer to surveys on the East.
At the point of intersection
I set a mark. Stone 18 x 14 x 12
ins. 12 ins. in the ground.
For closing cor to sec-
30 & 31. marked C.C. on E Face
with 5 notches on N. an 1
notch on S. Face. and raised
a mound of Stone 1 1/2 ft. high
2 ft. base alongside, found
which.

Opine 36 in diam. to. N. 5° 07' E.
105 Ws. dist. marked T. 20 N.
R. 2. E. S. 30 B. T.

A juniper 8 in diam. to. N.
37° 13' E. 185 Ws. dist. marked S.

Chairs. Subdivisions.

T. 20 N. R. 2. E. S. 30. T. B. T.

A pine 30 in diam. Tr. S.

89° 03' N. 17 W. Dist. marked.

T. 20 N. R. 2. E. C. C. S. 30 + 31 T. B. T.

Land, mountains + rolling
Soil, Stony 3rd rate.

Timber, pine

Mountainous or heavily timbered
land. 15 chs.N 0° 3' W. Tr. sec. 29 E. 30
Ta 13° 51' E.

Over mountainous land.

2.00 Descend 250 ft.

11.55 A pine 36 in diam. On line S
mark with 2 notches on N + S. sides12.00 Foot of descent, small
water course W.

chains. To N. B. & E. (contd)

Ascend gradually 50 ft.

27.00 Top of ascent, Enter heavy
pine timber

Descend 75 ft.

32.00 Foot of descent, ravine
3 ft. deep, course S. 90° W.

Ascend 250 ft.

37.00 Leave pine timber

40.00 A flag caudatum in place
which I mark with a cross.

(H) at each cor point for
1/4 sec. cor. with 1/4 on W of

cross and raised a mound
of stone 1 1/2 ft. high 2 ft.

Face alongside, from which.

An obs. 8 in diam. W. S. 11° 28' E.

71 Ws. dist. marked 1/4 S. B. T.

An obs. 8 in diam. W. N. 85° 41' E.

52 Ws. dist. marked 1/4 S. B. T.

Chains. Subdivisions

- 44.00 Top of ascent.
- 50.00 Center heavy pine timber
Thence along E. slope of
a red butte.
- 60.69 A pine 14 in diam. on line I more
with 2 notches on N & S. sides.
- 70.91 A pine 14 in diam. on line I more
with 2 notches on N & S. sides.
Descend 20 ft.
- 80.00 Foot of descent.
Set a mark pair. $\text{Iron } 24 \times 18 \times 12$
ins. 18 ins. in the ground.
For cor to sec. 19, 20, 29 & 30
marked with 2 notches on
S. and 5 notches on E. edge
and raised a mound of
 $\text{Iron } 1\frac{1}{2}$ ft. high 2 ft.
base along side, from which
A pine 4 in. diam. $\text{Iron } 4 \times 15 \times 8$.

chains T. 20 N. R. 2 E. (Contd)

77 Ws. dist. marked T. 20 N
R. 2 E. S. 20 B. T.

An oak 8 in diam W. S. $12^{\circ}30'$ E.

71 Ws. dist. marked. T. 20 N
R. 2 E. S. 29 B. T.

A pine 12 in diam. W. S. $5^{\circ}49'$ W.

70 Ws. dist. marked. T. 20 N
R. 2 E. S. 30 B. T.

A pine 10 in diam. W. N. $68^{\circ}30'$ W.

43 Ws. dist. marked T. 20 N
R. 2 E. S. 19. B. T.

Land, mountainous

Soil, rocky 4th rate

Timber, pine

Mountainous or heavily timbered
land. 80 chs.

Chains. Subdivisions.

N. $89^{\circ}51' E.$ on a random
line. Tr. sec. 20 $\frac{E}{S}$ 29
Ta $13^{\circ}51' E.$

4000 Set temporary $\frac{1}{4}$ sec. cor.
79.90 Intersect - N + S. line 13 Mo.
Set cor to sec. 20. 21. 28 + 29.
Thence Iron

S. $89^{\circ}45' W$ on a true line Tr
sec. 20 $\frac{E}{S}$ 29.
Ta $13^{\circ}51' E.$

Our rolling heavily timbered
land.

15.31 A juniper 40 in diam. on line
I mark. with 2 notches on E + W sides

26.43 A pine 24 in diam. on line I mark.
with 2 notches on E + W sides
Clear heavily timbered, land.

39.95 Set a malpais. Tom 10x10x8
ins. 6 ins. in the ground.

Chain. T. 20 N. R. 2. E. (contd)

For $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on
N Face and raised a mound
of stone $1\frac{1}{2}$ ft. high 2 ft.
base alongside, found which
A cedar 8 in diam. br. N $73^{\circ}33'W$.
203 Ms. dist. marked $\frac{1}{4}$ S. B. T.
A cedar 6 in diam. br. S. $51^{\circ}14'W$
197 Ms. dist. marked $\frac{1}{4}$ S. B. T.

48.00 Descend 300 ft.

68.00 Foot of descent, ravine 5 ft.
deep, course S. $13^{\circ}W$.

Enter heavy pine timber

71.15 Small wash, course S

79.20 A pine 16 in. diam. on live stone
with 2 notches on E. & W. sides

79.90 The cor to sec. 19, 20, 29 & 30

Steep mountains & rolling
Soil, Stony 4th rate
Timber, pine

Chains Subdivisions

Mountainous or heavily
timbered land 58.33 chs.

West on a true line for sec-
19 E of 30.

$\angle a 13^{\circ} 51' E.$

Over mountainous heavily
timbered land.

Ascend 225 ft.

- 1.74 A pine 10 in diam. on true line
with 2 notches on E & W sides
- 6.59 A pine 12 in diam. on true line
with 2 notches on E & W sides
- 20.80 Top of mountain, course N W &
S E. There were three
mountain tops.
- 30.74 A pine 12 in diam. on true line
with 2 notches on E & W sides.

chain. T. 20 N. R. 2, E. (Contd)

31.69 A pine 12 in diam. on line I mean
with 2 notches on E & W sides
Descend 500 ft.

40.00 Set a malpais stone 12x12x8
ins 8 ins. in the ground
for 1/4 sec. cor marked 1/4 on
N face and raised a mound
of stone 1 1/2 ft. high 2 ft.
face along side, found which
A pine 12 in diam. W. N 74° 4' E.

14 Ws. dist. marked 1/4 S. T. T.

A pine 4 in diam W. N 4° 15' E.

106 Ws. dist. marked 1/4 S. T. T.

63.86 A pine 27 in diam. on line I mean
with 2 notches on E & W sides.

69.00 Descend 200 ft into cañon

73.00 Bed of cañon, course S. 23° W.
Ascend 200 ft.

78.00 Top of ascent.

Chain Surv. T20 N. R. 2 E (contd)

78.58 Intersect W. Vol. of Tps.
 4.24 chs. N of cor to sec.
 19.24.25 E/30 which is a
 stone firmly set and properly
 marked and witnessed as
 described in the Field
 notes. Furnished by the
 Surveyor General. I obliterate
 all marks which refer
 to surveys on the East
 At the point of intersection
 I set a sandstone 14 x 12 x 10
 ins. 9 ins. in the ground.
 For closing cor to sec.
 19 E/30 marked C.C. on E
 face with 4 notches on N
 and 2 notches on S face.
 and raised a mound of stone
 1 1/2 ft. high 2 ft. base

Notes concluded in
Book 333.

BOOK 332