

~~Book No.~~ BOOK 336

Deputy Surveyor.

T. R.

Gila and Salt River Meridian.

No-336

# FIELD NOTES

OF BOOK 336

THE SUBDIVISION LINES OF

Township 19 N Range 26 E

Gila and Salt River Meridian

BY

Frank Fullam Deputy Surveyor.

Under his Contract of July 1st 1883

Survey Commenced March 12<sup>th</sup> 1883

Survey Completed March 17<sup>th</sup> 1883

No-336

Platted,  
Copied for Washington,  
Copied for Register,

336

Edward Denny & Co., Stationers & Printers, S. F., Cal.  
Copyright Secured,

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

1A

BOOK 336

*Frank Hollman* Deputy Surveyor.

T. *19 N.* R. *26 E.*

Gila and Salt River Meridian.

*No-336*

# FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township *19 N.* Range *26 E.*

Gila and Salt River Meridian.

BY

*Frank Hollman* Deputy Surveyor.

Under his Contract of *July 21<sup>st</sup>* 18*82*.

Survey Commenced *March 12<sup>th</sup>* 18*83*

Survey Completed *March 17* 18*83*

*Platted,  
Copied for Washington,  
Copied for Register,*

A 1 B

Township *19 North*, Range *26 East*

Gila and Salt River

Meridian

BOOK 336

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

*O.K.*

Edward Denny & Co., Stationers & Printers, S. F., Cal.

*Copyright Secured.*

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

Township.....

Range.....

Meridian.

Survey made with Burt's Patent Improved Solar  
Compass, nearly new, and in first rate order. Made  
by Otto Fennel of Cassel  
Germany

Before proceeding to subdivide this Tp., I made a  
change of 5 minutes in the latitude arc of my  
solar compass by subtracting same from  
the reading previously given, and at noon verified  
and corrected same by observation on the sun. I also  
further tested instrument by reversing.

(See previous page.)

Chains

From the corner to Sections 35, 36, 1 and 2 on the South boundary which is a post in earth mound and pits. Run North, between Sections 35 and 36. *270*

Variation *11° 4'* East.

Ascend.

*4.00*  
Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

*7.00*  
Top of Spur, bears *S. 20° W. N. 20° E.* and descend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. *20, 36, 37, 38* marked T. 19 S. *20*, on N. E., R *26 E.*, S. *36* on S. E. S. *36* on S. W. and S. *26* on N. W. face, with 1 notch on S. and 1 notch on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land mountainous.

Soil *2nd* rate

Vegetation *Grass & Sagebrush.*

Township

19 N

Range

26 E

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 25 and 36.

Variation

146° 40'

East.

Ascend.

1.50

Top of Spur, bears S 10° W &amp; N 10° E and descend.

29.40

Cross Gulch, 11 lks. wide, Course S W and ascend.

40.00

Set temporary  $\frac{1}{2}$  sec. cor.

80.68

Intersect E. B. of Tp. 67 lks. S of cor. to secs.

previously set by me.

25; 30; 31; 36 from which corner, I run

S 89° 31' W on a true line, between sections 25 &amp; 36

Variation

146° 10'

East.

40.27

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post 5  $\frac{1}{2}$  ft. dist., and raised a mound of earth 1  $\frac{1}{2}$  ft.high, 3  $\frac{1}{2}$  ft. base around post.

80.68

The corner to sections 25; 26; 35; 36

Land mountainous.

Soil

2<sup>nd</sup>

rate

Vegetation

Grass &amp; Sagebrush.

Township

19 A

Range

26 E

Gila and Salt River

Meridian

Chains

North, between Sections 25 and 26.

Variation

14° 10'

East.

Ascend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone.  
12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

46.50

Top of Spur, bears W. and descend.

79.00

A Spring, bears S. 50° W. 25.60 chs. dist.

A House, bears S. 50° W. 25.60 chs. dist.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.  
12 ins. in the ground, for Cor. to Secs. 23, 24, 25, 26  
marked T. 19 N. S. 24, on N. E., R. 26 E., S. 26  
on S. E., S. 26 on S. W. and S. 23 on N. W. face,  
with 2 notches on S. and 1 notch on E. edges;  
dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
around post.

Land mountainous.

Soil good rate

Vegetation Grass &amp; Sagebrush

Township

19 N.

Range

20 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation

114° 10'

East.

*Ascend.*

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

80.26

Intersect C. B. of Tp. 21 lks. S. of cor. to secs. previously set by me.

19. 24. 26. 30 from which corner, I run

S 89° 51' W. on a true line, between sections 24 & 25

Variation 114° 10' East.

40.12

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.

high,  $3\frac{1}{2}$  ft. base around post.

80.26

The corner to sections 23, 24, 25, 26

Land mountainous.

Soil 2<sup>nd</sup> rate

Vegetation Grass & Sagebrush.



Township 19 N Range 26 E

Gila and Salt River Meridian.

Chains

North, between Sections 23 and 24.

Variation

14° 10'

East.

Ascend.

2.00

Top of Spur, bears  $\text{N} 22^{\circ} \text{W}$  and descend.

19.00

A Spring, bears East; 2.00 chs. dist.

20.00

Cross Gulch, 11 lks. wide, Course  $\text{N} 10^{\circ} \text{W}$  and ascend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on

W. face, dug pits, 18 x 18 x 12 ins., N. and S. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.

high,  $3\frac{1}{2}$  ft. base around post.

41.20

Top of Spur, bears  $\text{N} 10^{\circ} \text{W}$  &  $\text{S} 10^{\circ} \text{E}$  and descend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs.

18 14 23 24 marked T. 19 N. S. 13 on N. E., R. 26 E, S. 24

on S. E., S. 28 on S. W. and S. 14 on N. W. face,

with 4 notches on S. and 1 notch on E. edges;

dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,

and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base

around post.

Land mountainous.

Soil 2<sup>nd</sup> rate

Vegetation Grass & Sagebrush.

Township 19 N Range 26 E  
 Gila and Salt River Meridian.

Chains	East, on a random line between Sections 13 and 24.
	Variation 14° 10' East.
	Ascend.
40.00	Set temporary $\frac{1}{4}$ sec. cor.
79.87	Intersect E. B. of Tp. 14 Tks. N. of cor. to secs. 13, 18, 19, 24 previously set by me. From which corner, I run N. 89° 54' W. on a true line, between sections 13 & 24. Variation 14° 10' East.
89.93	Set a post 3 ft. long, 3 ins. diam. with marked stone. ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5 $\frac{1}{2}$ ft. dist., and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base.
79.87	The corner to sections 13, 14, 23, 24 Land rolling. Soil 2 <sup>nd</sup> rate Vegetation Grass & Sagebrush.

Township 19 N Range 26 E  
Gila and Salt River Meridian

Chains

North, between Sections 13 and 14.

Variation 14° 10' East.

Descend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 11, 12, 13, 14 marked T. 19 N. S. 12, on N. E., R 26 E, S. 13 on S. E. S. 4 on S. W. and S. 11 on N. W. face, with 4 notches on S. and 1 notch on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush.

Township

19

Range

26

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation

14° 10'

East.

*Ascend,*

40.00

Set temporary  $\frac{1}{2}$  sec. cor.

80.16

Intersect *E. B. of Tp. 17* lks. *W.* of cor. to secs.  
*previously set by me.*  
7. 12. 13. 18. *from which corner, I run**N. 89° 53' W.* on a true line, between sections 12 & 13

Variation

14° 10'

East.

40.08

Set a post 3 ft. long, 3 ins. diam. with marked stone.  
12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
*N.* face, dug pits, 18 x 18 x 12 ins., *E.* and *W.* of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.10

The corner to sections 11. 12. 13. 14

Land rolling.

Soil *2<sup>nd</sup>* rate

Vegetation

*Grass & Sagebrush*

Chains

North, between Sections 11 and 12.

Variation 14° 10' East.

Descend.

40.50

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.

46.00

80.00

Cross Road, to Navajo base N. E. & S. W.

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 1, 2, 11, 12 marked T. 19 N. S. 1, on N. E., R. 26 E, S. 12 on S. E., S. 11 on S. W. and S. 2 on N. W. face, with 5 notches on S. and 1 notch on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base around post.

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass & Sagebrush.

Township 10 N Range 26 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation  $111^{\circ} 10'$  East,

Ascend.

38.00

Cross Road, to Navajo Springs bears N. E. d.

40.00

Set temporary  $\frac{1}{2}$  sec. cor.

79.94

Intersect C. B. of Tp. 23 lks. N. of cor. to secs.

previously set by me.  
l. 6. 7. 12 from which corner, I run

$N. 89^{\circ} 50' W.$  on a true line, between sections 1 & 12

Variation  $111^{\circ} 10'$  East.

39.97

Set a post 3 ft. long, 3 ins. diam. with marked stone.  
12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

79.94

The corner to sections 1. 2. 11. 12

Land rolling.

Soil  $2^{nd}$  rate

Vegetation Grass & Sagebrush

Township 19

Range 26

Gila and Salt River

Meridian.

Chains

North, on a random line between Sections 1 and 2.

Variation

14° 10'

East.

Descend.

40.00

Set temporary  $\frac{1}{2}$  sec. cor,

74.63

Intersect N. B. of Tp. 29 W. of cor. to secs.  
previously set by me.

1.2. 35. 34 from which corner, I run

S. 12. W. on a true line, between sections 1 &amp; 2

Variation 14° 10' East.

37.52

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on

W. face, dug pits, 18 x 18 x 12 ins., N. and S. of

post 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft.high, 3 $\frac{1}{2}$  ft. base around post.

79.63

The corner to sections 1. 2. 11. 12.

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush.

Mar. 12, 1883

Township 19 N Range 26 E

Gila and Salt River Meridian

Chains

From the corner to sections, 2, 3, 34 & 35 in S 1/4 of 24  
 which is a post in earth mound and pits, 1 m n  
 North, between Sections 34 and 35.

Variation

11° 8'

East.

Descend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone.  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.  
 12 ins. in the ground, for Cor. to Secs. 26, 27, 34, 35  
 marked T. 19 N. S. 26, on N. E., R. 26 E, S. 35  
 on S. E. S. 34 on S. W. and S. 27 on N. W. face,  
 with 1 notch on S. and 2 notches on E. edges;  
 dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post.

Land rolling.

Soil  $\frac{1}{2}$  rate

Vegetation Grass &amp; Sagebrush.



Township 19 N

Range 26 E

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 26 and 35.

Variation

14° 10'

East.

Ascend.

40.00

Set temporary 1/2 sec. cor.

79.93

Intersect N. & S. line, 32 lks. S. of cor. to secs.

26, 30, 31, 34 from which corner, I run

S. 89° 46' W. on a true line between sections 26 & 35

Variation, 14° 10' East.

3996

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for 1/2 Sec. Cor., marked 1/2 S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft.

high, 3 1/2 ft. base around post.

79.93

The corner to sections 26, 27, 34, 35

Land rolling.

Soil

2<sup>nd</sup>

rate

✓

Vegetation

Grass & Sagebrush.

Township

19

N

Range

26

C.

Gila and Salt River

Meridian.

Chains

North, between Sections 26 and 27.

Variation

11° 10'

East.

Descend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a Sand stone 12 x 10 x 8 ins. 8 ins. in the ground for Cor. to Secs. 22 23 26 27 marked with 2 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base. alongside

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation

Grass &amp; Sagebrush.

Township

19 N. M.

Range

26 E.

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 23 and 26.

Variation

14° 10'

East.

Descend.

23.69 Cross Gulch, 20 lks. wide, Course N. 50° W. and ascend.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

74.80 Top of Spur, bears N. 15° W. &amp; S. 15° E. and descend.

80.16 Intersect N. &amp; S. line, 19 lks. N. of cor. to secs.

23. 24. 25. 26 from which corner, I run

N. 89° 52' W. on a true line between sections 23 &amp; 26

Variation, 14° 10' East.

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. onN. face, dug pits, 18 x 18 x 12 ins., E. and W. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

87.16 The corner to sections 22. 23. 24. 27

Land mountainous.

Soil rate

Vegetation Grass &amp; Sagebrush.

Township

19 N

Range

26 0

Gila and Salt River Meridian.

Chains

North, between Sections 22 and 23.

Variation

11° 10'

East.

Descend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

63.20

<sup>from E. & W.</sup> Cross low Sag and ascend.

80.00

Set a Sand stone 12 x 12 x 8 ins. 8 ins. in the ground for Cor. to Secs. 14, 16, 22, 23 marked with 3 notches on S. and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

Land rolling.

Soil 2 m<sup>2</sup> rate

Vegetation

Grass & Sagebrush.

Township

19 N

Range

26 E

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation

14° 10'

East.

*Ascend.*

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

36.32

Intersect N. &amp; S. line, 7 lks. S. of cor. to secs.

13. 14. 22. 24 from which corner, I run

S. 57° 57' W. on a true line between sections 14 &amp; 23

Variation . 14° 10' East.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

80.00

The corner to sections 14. 19. 22. 23

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush.

Township 19 N Range 26 E  
 Gila and Salt River Meridian.

Chains

North, between Sections 14 and 15.

Variation

14° 10'

East,

Ascend.

Cross Road, <sup>1.70</sup> to Navajo Springs <sup>36.70</sup> bear N. E. & S. W.

Top of Spur, bears <sup>40.00</sup> E. & W. and descend.

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on

W. face, dug pits, 18 x 18 x 12 ins., N. and S. of

post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft.

high, 3 1/2 ft. base around post.

<sup>86.40</sup> Cross low <sup>bear E. & W.</sup> Sag and ascend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 10, 11, 14, 15

marked T. 19 N. S. 11, on N. E., R. 26 E., S. 14

on S. E., S. 16 on S. W. and S. 10 on N. W. face,

with 6 notches on S. and 2 notches on E. edges;

dug pits, 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist.,

and raised a mound of earth 2 ft. high, 4 1/2 ft. base

around post.

Land mountainous.

Soil <sup>2<sup>nd</sup> class</sup> rate

Vegetation Grass & Sagebrush.

Township

19 N

Range

26 E

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 11 and 14.

Variation

14° 10'

East.

*Ascend.*

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

43.18

Cross Road, to Navajoe Springs bears N. 45° E. &amp; S. 50° W.

79.91

Intersect N. &amp; S. line, 314 lks. S. of cor. to secs.

11. 12. 13. 14 from which corner, I run

S. 89° 45' W. on a true line between sections 11 &amp; 14.

Variation

14° 10'

East.

39.95

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft.high, 3 $\frac{1}{2}$  ft. base around post.

79.91

The corner to sections 10. 11. 14. 15

Land rolling.

Soil

2<sup>nd</sup>

rate

Vegetation

Grass &amp; Sagebrush.

Township 19 N Range 26 E

Gila and Salt River Meridian.

Chains

North, between Sections 10 and 11.

Variation 14° 10' East.*Ascend.*40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone, 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

64.60Top of Spur, bears E. & W. and descend.80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 2, 3, 10, 11 marked T. 19 N. S. 2, on N. E., R. 26 E. S. 11 on S. E., S. 10 on S. W. and S. 3 on N. W. face, with 5 notches on S. and 2 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land mountainous.

Soil 2nd rate =Vegetation Grass & Sagebrush.



Township

19 N

Range

26 E

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 2 and 11.

Variation

14° 10'

East.

Descend.

40.00

Set temporary  $\frac{1}{2}$  sec. cor.

114.36

Cross Gulch, 20 lks. wide, Course N. 16° E. and ascend.

79.68

Intersect N. &amp; S. line, 16 lks. S. of cor. to secs.

1, 2, 11, 12 from which corner, I run

S. 89° 53' W. on a true line between sections 2 &amp; 11

Variation 14° 10' East.

39.84

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. onN. face, dug pits, 18 x 18 x 12 ins., E. and W. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

79.68

The corner to sections 2, 3, 10, 11

Land mountainous.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush.

Township

19 N

Range

26 E

Gila and Salt River

Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation

11° 10'

East.

Descend.

40.00

Set temporary  $\frac{1}{2}$  sec. cor.

79.78

Intersect N. B. of Tp. 13 Tks. E. of cor. to secs.

previously set by me.  
2. 8. 34. 36' from which corner, I run

S. 18' E. on a true line, between sections

Variation

11° 10'

East.

39.78

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{4}$  S. onW. face, dug pits, 18 x 18 x 12 ins. N. and S. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

79.78

The corner to sections 2, 8, 10, 11

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush.

I carefully examined the adjustments of my solar  
compass to-day, particularly the latitude and revers-  
ing apparatus, and found them correct.

March, 13, 1883

Township

19 N

Range

26 E

Gila and Salt River

Meridian

From the corner to sections, 3, 4, 33 & 34 on S. By of which is a post in earth mound and pits. 1 row North, between Sections 33 and 34.

Chains

Variation

11° 5'

East.

Ascend.

20.50

Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for 1/2 Sec. Cor., marked 1/2 S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.

64.40

Top of Spur, bears E. or W. and descend.

63.70

Cross low Sag and ascend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone, 12 ins. in the ground, for Cor. to Secs. 27, 28, 33, 34 marked T. on N. S. 27, on N. E., R. 26 E., S. 34 on S. E., S. 33 on S. W. and S. 28 on N. W. face, with 1 notch on S. and 3 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base around post.

Land mountainous.

Soil 2<sup>nd</sup> rate

Vegetation Grass & Sagebrush.

Township

19 N

BOOK 336

Range

26 E

24

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation

14° 10'

East.

*Ascend.*

40.00

Set temporary  $\frac{1}{2}$  sec. cor.

79.76

Intersect N. &amp; S. line, 44 lks. N. of cor. to secs.

26. 27. 34. 35 - from which corner, I run

N. 89° 41' W. on a true line between sections 27 &amp; 34

Variation

14° 10'

East.

39.55

Set a Sand stone 14 x 12 x 4 ins., 10

ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.

face, dug pits, 18 x 18 x 12 ins., E. and W. of stone

5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high,3 $\frac{1}{2}$  ft. base. alongside

79.76

The corner to sections 27. 28. 33. 34

Land rolling.

Soil <sup>gr. s.</sup> <sub>red</sub> <sup>rate</sup>

Vegetation Grass &amp; Sagebrush.

Township

19 N

Range

26 E

Gila and Salt River

Meridian.

Chains

North, between Sections 27 and 28.

Variation

14° 10'

East.

Ascend.

44.00

Set a *limestone* stone 16 x 12 x 7 ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on *W* face, dug pits, 18 x 18 x 12 ins., *N*, and *S*, of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

58.70

Top of Spur, bears *West* and descend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 21, 22, 27, 28 marked *T*. *19 N. S.* 22 on *N. E.*, *R 26 E*, *S.* 27 on *S. E.*, *S.* 28 on *S. W* and *S.* 21 on *N. W* face, with 2 notches on *S.* and 3 notches on *E.* edges; dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land mountainous.

Soil *2<sup>nd</sup>* rateVegetation *Grass & Sagebush.*

Township

19 N

Range

26 E

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation

14° 10'

East.

Descend.

40.00

Set temporary  $\frac{1}{2}$  sec. cor.

79.42

Intersect N. &amp; S. line, 26 lks. N. of cor. to secs.

22. 23. 26. 27 from which corner, I run

N. 89° 49' W. on a true line between sections 22 &amp; 27

Variation 14° 10' East.

39.71

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

79.42

The corner to sections 21. 22. 27. 28

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation

Grass &amp; Sagebush.

Township

19 N.

Range

26 E.

Gila and Salt River

Meridian.

Chains

North, between Sections 21 and 22.

Variation

14° 10'

East.

Descend.

11.10

Cross Wash, 10 lks. wide, Course S. 80° W. and ascend.

22.80

Cross Road, to Navajo Spring bears N. 55° E. S. 70° W.

46.00

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

W. face, dug pits, 18 x 18 x 12 ins., N. and S. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

48.80

Top of Spur, bears E. &amp; W. and descend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 15, 16, 21, 22

marked T. 19 N. S. 15, on N. E., R. 26 E., S. 22

on S. E., S. 21 on S. W. and S. 16 on N. W. face,

with 3 notches on S. and 3 notches on E. edges;

dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land rolling.

Soil

2<sup>nd</sup>

rate

Vegetation

Grass &amp; Sagebrush.

Township

19 N

Range

26 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation

14° 10'

East.

*Ascend.*

36.00 Top of Spur, bears S. 75° W. and descend.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

68.00 Cross Gulch, 10 lks. wide, Course S. 80° W and ascend.

78.00 Cross Road, 1<sup>st</sup> Navajo Spring bears N. E. & S. W.

79.98 Intersect N. &amp; S. line, 13 lks. S. of cor. to secs.

14. 15. 22. 23 from which corner, I run

S. 89° 54' W. on a true line between sections 15 &amp; 22

Variation

14° 10'

East.

39.99

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft.high, 3 $\frac{1}{2}$  ft. base around post.

79.98

The corner to sections 15. 16. 21. 22

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush.



Township 19 N Range 26 E

Gila and Salt River

Meridian.

Chains

North, between Sections 15 and 16.

Variation

14° 10'

East.

*Ascend.*

116.00

Set a post 3 ft. long, 3 ins. diam. with marked stone.  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.  
12 ins. in the ground, for Cor. to Secs. 9, 10, 15, 16  
marked T. 19 N. S. 10 on N. E., R 26 E, S. 15  
on S. E., S. 16 on S. W and S. 9 on N. W. face,  
with 4 notches on S. and 3 notches on E. edges;  
dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
around post.  
Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush.

Township

19 N

Range

26 E

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation

14° 10'

East.

*Descend.*

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

80.21

Intersect N. &amp; S. line, 23 lks. N. of cor. to secs.

10. 11. 14. 16 from which corner, I run

N. 89° 50' W. on a true line between sections 10 &amp; 15

Variation 14° 10' East.

40.11

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

80.21

The corner to sections 9. 10. 15. 16

Land rolling.

Soil good rate

Vegetation

Grass &amp; Sagebrush.

Township 19 N. Range 26 E.

Gila and Salt River

Meridian.

Chains

North, between Sections 9 and 10.

Variation 14° 10'

East.

*Ascend.*

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone, 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins. N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

44.40

Top of Spur, bears N. E. & S. W. and descend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone, 12 ins. in the ground, for Cor. to Secs. 3, 4, 9, 10 marked T. 19 N. S. 3, on N. E., R. 26 E., S. 10 on S. E. S. 9 on S. W. and S. 4 on N. W. face, with 6 notches on S. and 3 notches on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land mountainous.

Soil 2<sup>nd</sup> rateVegetation Grass & Sagebrush.

Township 19 N Range 26 E  
 Gila and Salt River Meridian.

Chains	East, on a random line between Sections 3 and 10.
	Variation $14^{\circ} 10'$ East.
	<i>Ascend.</i>
40.00	Set temporary $\frac{1}{2}$ sec. cor.
50.00	Top of Spur, bears $N 10^{\circ} E$ $\frac{1}{2}$ $S 10^{\circ} W$ and descend.
80.42	Intersect N. & S. line, 37 lks. S. of cor. to secs. $2. 3. 10. 11$ from which corner, I run $S 89^{\circ} 44'$ W. on a true line between sections 3 & 10 Variation $14^{\circ} 10'$ East.
40.27	Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.
80.42	The corner to sections 3. 4. 9. 10 Land mountainous. Soil $3^{rd}$ rate Vegetation Grass & Sagebrush.

Township

19 N

Range

26 E

Gila and Salt River

Meridian.

Chains

North, on a random line between Sections 3 and 4.

Variation

14° 10'

East.

Descend.

40.00

Set temporary  $\frac{1}{2}$  sec. cor.

80.10

Intersect N. B. of Tp. 16 lks. W. of cor. to secs.  
previously set by me.

3. 4. 33. 34 from which corner, I run

S. 7' W. on a true line, between sections 3 &amp; 4.

Variation 14° 10' East.

40.10

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on

W. face, dug pits, 18 x 18 x 12 ins. N. and S. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

60.10

The corner to sections 3. 4. 9. 10

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation

Grass &amp; Sagebrush.

March. 14, 1889

Township

19 N.

Range

26 E

Gila and Salt River Meridian.

From the corner to sections 28, 29, 32, 33  
 which is done in stone mound & iron  
 North, between Sections 32 and 33.

Chains

Variation

14° 8'

East.

Descend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone.  
 12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on  
 W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
 post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft.  
 high, 3 1/2 ft. base around post.

80.00

Set a sand stone 14 x 9 x 5 ins. 9 ins. in  
 the ground for Cor. to Secs. 28, 29, 32, 33 marked  
 with 1/4 notch on S. and 1/4 notch on E. edges, dug pits  
 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist., and raised a  
 mound of earth 2 ft. high 4 1/2 ft. base. alongside

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass & Sagebrush.

Township

19 N

Range

26 E

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation

14° 10'

East.

Ascend.

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

67.60

Top of Spur, bears N and descend.

60.76

Cross Wash, 11 lks. wide, Course N and ascend.

80.16

Intersect N. &amp; S. line, 8 lks. S of cor. to secs.

27. 28. 33. 34. from which corner, I run

S. 89° 67' W. on a true line between sections 28 &amp; 33

Variation 14° 10' East.

40.07

Set a Sand stone 18 x 10 x 8 ins., 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face, dug pits, 18 x 18 x 12 ins., E. and W. of stone 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base. alongside

80.16

The corner to sections 28. 29. 32. 33

Land mountainous.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush.

Township 19 N Range 26 E  
Gila and Salt River Meridian.

Chains

North, between Sections 28 and 29.

Variation 14° 10' East.

Descend.

2.50  
26.30  
40.00

Cross Wash, 11 lks. wide, Course W. and ascend.

Top of Spur, bears W. and descend.

Set a Sand stone 16 x 12 x 8 ins., 10 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. alongside

47.30  
80.00

Cross Road, 10 Navajo Springs bears N. 80° E. 100 yds

Set a Sand stone 12 x 9 x 9 ins. 8 ins. in the ground for Cor. to Secs. 20, 21, 25, 29 marked with 2 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high 4 1/2 ft. base. alongside

Land mountainous.

Soil 2<sup>nd</sup> rate

Vegetation Grass & Sagebrush.



Township

19

N

Range

26

E

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 21 and 28.

Variation

74° 10'

East.

Ascend.

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

56.18

Cross Road, 10 Navajo Spring bears N. E. &amp; S. W.

77.83

Cross Wash, 10 fks. wide, Course S. W and ascend.

79.74

Intersect N. &amp; S. line, 82 fks. S. of cor. to secs.

21. 22. 27. 28 from which corner, I run

S. 89° 46' W. on a true line between sections 21 &amp; 28

Variation . 14° 10' East.

89.87

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. onN. face, dug pits, 18 x 18 x 12 ins., E. and W. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

79.74

The corner to sections 20. 21. 28. 29

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush.

Township

19 N

Range

26 E

Gila and Salt River Meridian.

Chains

North, between Sections 20 and 21.

Variation

14° 10'

East.

Descend.

40.00

Set a Sand stone 14 x 6 x 7 ins., 10 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. alongside

47.50

Cross Wash, 15 lks. wide, Course W. and ascend.

73.20

Top of Mesa bears E. & W. and descend.

80.00

Set a Sand stone 18 x 14 x 6 ins. 12 ins. in the ground for Cor. to Secs. 16. 17. 20. 21 marked with 3 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high 4 1/2 ft. base. alongside

Land rolling.

Soil rate

Vegetation Grass & Sagebrush.

Township 19 N Range 26 E

Gila and Salt River Meridian.

Chains	East, on a random line between Sections 16 and 21.
	Variation $11^{\circ} 10'$ East.
	Descend.
40.00	Set temporary $\frac{1}{2}$ sec. cor.
79.86	Intersect N. & S. line, 25 lks. N. of cor. to secs. 15. 16. 21. 22 from which corner, I run N. 89. 119. W. on a true line between sections 16 & 21
	Variation $11^{\circ} 10'$ East.
39.93	Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.
79.86	The corner to sections 16. 17. 20. 21
	Land rolling.
	Soil 2 <sup>nd</sup> rate
	Vegetation Grass & Sagebrush.

Township 19 N Range 26 E

Gila and Salt River Meridian.

Chains

North, between Sections 16 and 17.

Variation

14° 10'

East.

Descend.

40.00

Set a Sand stone  $14 \times 12 \times 6$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits,  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

80.00

Set a Sand stone  $18 \times 16 \times 9$  ins. 12 ins. in the ground for Cor. to Secs. 8, 9, 16, 17 marked with 4 notches on S. and 4 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation

Grass &amp; Sagebrush.

Township

19 N

Range

26 E

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 9 and 16.

Variation

4° 10'

East.

*Ascend.*

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

79.69

Intersect N. &amp; S. line, 12 lks. S. of cor. to secs.

9. 10. 15. 16 from which corner, I run

S 89° 25' W. on a true line between sections 9 &amp; 16

Variation, 14° 10' East.

39.84

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  S. onN. face, dug pits, 18 x 18 x 12 ins., E. and W. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

79.69

The corner to sections 8. 9. 16. 17

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation

Grass &amp; Sagebrush

Township

19 N

Range

26 E

Gila and Salt River

Meridian.

Chains

North, between Sections 8 and 9.

Variation

N 4° 10'

East.

Descend.

40.00

Set a Sand stone  $14 \times 10 \times 8$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on 76 face, dug pits,  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

62.25

Cross Gulch, 20 lks. wide, Course S. W. and ascend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 4, 5, 8, 9 marked T. 19 N. S. 4, on N. E., R. 26 E. S. 9 on S. E. S. 2 on S. W. and S. 6 on N. W. face, with 6 notches on S. and 4 notches on E. edges; dug pits,  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush.

Township 19 N Range 26 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 4 and 9.

Variation  $14^{\circ} 10'$  East.

Descend.

40.00 Set temporary  $\frac{1}{2}$  sec. cor.

72.96 Intersect N. &amp; S. line, 29 lks. N. of cor. to secs.

3. 4. 9. 10 from which corner, I run

N.  $89^{\circ} 48'$  W. on a true line between sections 4 & 9Variation  $14^{\circ} 10'$  East.

79.96 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. onN. face, dug pits, 18 x 18 x 12 ins., E. and W. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

79.96 The corner to sections 4. 5. 8. 9

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush

Township

19

N

Range

26

O

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation

14° 10'

East.

Ascend.

40.00

Set temporary  $\frac{1}{2}$  sec. cor.

79.91

Intersect N.B. of Tp. 27 Tks. W. of cor. to secs.  
previously set by me.

4 6. 32. 33 from which corner, I run

S 12. W on a true line, between sections

4 &amp; 5

Variation

14° 10'

East.

39.91

Set a Sand stone 16 x 9 x 8 ins., 10  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
face, dug pits, 18 x 18 x 12 ins. N. and S. of stone  
5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high,  
3 $\frac{1}{2}$  ft. base. alongside

79.91

The corner to sections 4, 5 &amp; 9

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation

Grass &amp; Sagebrush

March, 10, 1883



Township

19

Range

26 E

Gila and Salt River

Meridian

From the corner to sections 5 6 31 &amp; 32 on S. B. J. Meridian

Chains

Which is a <sup>sand</sup> stone ~~in~~ earth mound with pits  
North, between Sections 31 and 32.

Variation

14° 5'

East

Ascend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone.  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.  
12 ins. in the ground, for Cor. to Secs. 29, 30, 31, 32  
marked T. 19 N. S. 29, on N. E., R 26 E, S. 32  
on S. E. S. 31 on S. W and S. 30 on N. W. face,  
with 1 notch on S. and 6 notches on E. edges;  
dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
around post.

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation

Grass &amp; Sagebrush.

Township

19

N

Range

26

E

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation

14° 10'

East.

Ascend.

27.70

Top of Spur, bears S. 76° W. N. 76° and descend.

39.10

Cross Wash, 50 yds. wide, Course S. W. and ascend.

40.00

Set temporary  $\frac{1}{2}$  sec. cor.

79.92

Intersect N. &amp; S. line, 19 yds. N. of cor. to secs.

29. 29. 32. 33 from which corner, I run

N. 89° 52' W. on a true line between sections 29 &amp; 32

Variation

14° 10'

East.

3996

Set a Sand stone 14 x 12 x 6 ins., 10 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

79.92

The corner to sections 29. 30. 31. 32

Land mountainous.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush

Township

19 N

Range

26 E

Gila and Salt River

Meridian

Chains

West, on a random line between Sections 30 and 31.

Variation

14° 10'

East.

Descend.

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

77.96

Intersect W. B. of Tp. 19 N of cor. to secs.  
which is a sand stone in stone mound  
25 30 31. 36 from which corner, I run

N 89° 37' E. on a true line, between sections 30 &amp; 31

Variation 14° 10' East.

77.96

Set a Sand stone 12 x 10 x 8 ins., 8  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
face, dug pits, 18 x 18 x 12 ins., E. and W. of stone  
5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high,  
3 $\frac{1}{2}$  ft. base. alongside

77.96

The corner to sections 24, 20, 31, 32

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass - Sagebrush.

Township 19 N Range 26 E

Gila and Salt River Meridian.

Chains North, between Sections 29 and 30. Variation 14° 10' East.

Ascend.

31.14 Cross Road, to Navajo Springs, near N. E. Cor. of Sec. 29

40.00 Set a Sand stone 12 x 11 x 7 ins., 8 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. alongside

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 19, 20, 29, 30 marked T. 19 N/S. 20, on N. E., R 26 E, S, 29 on S. E., S. 30 on S. W. and S. 19 on N. W. face, with 2 notch on S. and 6 notch on E. edges; dug pits, 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base around post. Land rolling.

Soil 2:00 rate

Vegetation Grass Sagebrush

Township

19 N

Range

26 E

Gila and Salt River

Meridian

Chains

East, on a random line between Sections 20 and 29.

Variation

14° 10'

East.

*Ascend.*

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

119.85

Intersect N. &amp; S. line, 21 lks. S. of cor. to secs.

20, 21, 25, 29 from which corner, I run

S 89° 51' W. on a true line between sections 20 &amp; 29

Variation 14° 10' East.

27.47

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

79.86

The corner to sections 19, 20, 25, 29

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Angelica.

Township 19 N Range 26 E Gila and Salt River Meridian.

Chains West, on a random line between Sections 19 and 30. Variation 20' 10' East.

Descend.

40.00 Set temporary 1/4 sec. cor. 77.54 Intersect W. B. of Tp. 42 lks. N. of cor. to secs. Which is a sand stone in stone mound from which corner, I run N. 89° 41' E on a true line, between sections 19, 24, 20, 30. Variation 14' 10' East.

37.54 Set a Sand stone 14 x 10 x 9 ins., 10 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. alongside

77.54 The corner to sections 19, 20, 29, 30 Land rolling.

Soil 2nd rate

Vegetation Grass & Sagebrush.

Township

19 N 20

Range

26

E

Gila and Salt River

Meridian

Chains

North, between Sections 19 and 20.

Variation

14° 10'

East.

*Ascend.*

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone, 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins. N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a sand stone 18 x 11 x 7 ins. 12 ins. in the ground for Cor. to Secs. 17, 18, 19, 20 marked with 2 notches on S. and 6 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush

Township 19 N Range 26 E

Gila and Salt River Meridian.

Chains	East, on a random line between Sections 17 and 20.
	Variation $14^{\circ} 10'$ East.
	<i>Ascend.</i>
40.00	Set temporary $\frac{1}{2}$ sec. cor.
52.80	Top of Mesa bean N.W. cor. (and descend.
50.13	Intersect N. & S. line, 10 lks. S. of cor. to secs.
	16, 17, 20, 21 from which corner, I run
	S. 89° 56' W. on a true line between sections 17 & 20
	Variation $14^{\circ} 10'$ East.
40.00	Set a post 3 ft. long, 3 ins. diam. with marked stone.
	12 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ S. on
	N. face, dug pits, 18 x 18 x 12 ins., E. and W. of
	post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft.
	high, $3\frac{1}{2}$ ft. base around post.
50.13	The corner to sections 17, 18, 19, 20
	Land rolling.
	Soil 2:0 rate
	Vegetation Grass & Sagebrush.



Township 19 N Range 26 E  
 Gila and Salt River Meridian.

Chains West, on a random line between Sections 18 and 19.  
 Variation 14° 10' East.

*Descend.*

40.00 Set temporary  $\frac{1}{2}$  sec. cor.

77.68 Intersect W. B. of Tp. 19 lks. N. of cor. to secs.  
 Which is a sand stone in stone mound  
13. 18. 19. 24 from which corner, I run

N. 89° 52' E on a true line, between sections 18 & 19  
 Variation 14° 10' East.

77.68 Set a Sand stone 16 x 12 x 6 ins., 10  
 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.  
 face, dug pits, 18 x 18 x 12 ins., E. and W. of stone  
5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high,  
3 $\frac{1}{2}$  ft. base. alongside

77.68 The corner to sections 17. 18. 19. 20  
 Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation Grass & Sagebrush.

I carefully examined the adjustments of my solar  
 compass to-day, particularly the latitude and revers-  
 ing apparatus, and found them correct.

March, 16. 1883

Township

19 N.

Range

26

E

Gila and Salt River

Meridian.

Chains

North, between Sections 17 and 18.

Variation

4° 10'

East.

Ascend.

40.00

Set a Sand stone  $12 \times 8 \times 7$  ins., 8 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits,  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone. 12 ins. in the ground, for Cor. to Secs. 7, 8, 17, 18 marked T. 19 N. S. 8, on N. E., R. 26 E. S. 17 on S. E., S. 18 on S. W. and S. 7 on N. W. face, with 4 notches on S. and 6 notches on E. edges; dug pits,  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land rolling.

Soil 3<sup>rd</sup> rate

Vegetation Grass &amp; Sagebrush.

Township

19 N.

Range

26 E.

Gila and Salt River

Meridian

Chains

East, on a random line between Sections 8 and 17.

Variation

14° 10'

East.

Descend:

40.00

Set temporary  $\frac{1}{4}$  sec. cor.

64.40

Cross Wash, 11 lks. wide, Course S. W. and ascend.

80.24

Intersect N. &amp; S. line, 14 lks. N. of cor. to secs.

819. 16. 17 from which corner, I run

N. 89° 54' W. on a true line between sections 8 &amp; 17

Variation 14° 10' East.

112.12

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

116.24

The corner to sections 7. 8. 17. 18

Land rolling.

Soil rate

Vegetation

Grass &amp; Sagebrush.

Township 19 N. Range 26 E.  
 Gila and Salt River Meridian.

Chains	West, on a random line between Sections 7 and 18.
	Variation <u>44° 10'</u> East.
	<i>Ascend.</i>
<u>16.20</u>	<i>Edge of Mesa base N. E. S. and descend.</i>
<u>40.00</u>	<i>Set temporary <math>\frac{1}{2}</math> sec. cor.</i>
<u>74.22</u>	<i>Intersect W. B. of Tp. 20 lks. S. of cor. to sec. 7, 12, 13, 18</i> <i>Which is a sand stone in earth mound with pits from which corner, I run</i> <i>89° 47' E. on a true line, between sections 7 &amp; 18</i>
	Variation <u>44° 10'</u> East.
<u>37.22</u>	<i>Set a post 3 ft. long, 3 ins. diam. with marked stone. 12 ins. in the ground, for <math>\frac{1}{2}</math> Sec. Cor., marked <math>\frac{1}{2}</math> S. on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post <math>5\frac{1}{2}</math> ft. dist., and raised a mound of earth <math>1\frac{1}{2}</math> ft. high, <math>3\frac{1}{2}</math> ft. base around post.</i>
<u>77.22</u>	<i>The corner to sections 7, 8, 17, 18</i> <i>Land rolling.</i> <i>Soil <u>2<sup>nd</sup></u> rate</i> <i>Vegetation <u>Grass &amp; Sagebrush.</u></i>

Township 19 N Range 26 E

Gila and Salt River

Meridian

Chains

- North, between Sections 7 and 8.

Variation

4° 10'

East.

*Ascend.*

10.00

Edge of mesa from N. E. &amp; S. W. and descend.

19.40

Cross Wash, 8 lks. wide, Course S. E. and ascend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on

W. face, dug pits, 18 x 18 x 12 ins., N. and S. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 5. 6. 7. 8

marked T. 19 N. S. 5; on N. E., R. 26 E, S. 8

on S. E. S. 7 on S. W. and S. 6 on N. W. face,

with 4 notches on S. and 6 notches on E. edges;

dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base

around post.

Land rolling.

Soil - 2<sup>nd</sup> rate

Vegetation Grass &amp; Sagebrush.

Township 19 Range 26  
 Gila and Salt River Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation

14° 10'

East.

Ascend.

18.65 - Top of Spur, bears N. 6° S. and descend.

40.00 Set temporary  $\frac{1}{2}$  sec. cor.

79.94 Intersect N. &amp; S. line, 4 lks. S. of cor. to secs

4, 5, 8, 9 from which corner, I run

S. 89° 68' W. on a true line between sections 5 &amp; 8

Variation

14° 10'

East.

39.97

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

72.94

The corner to sections 5, 6, 7, 8

Land mountainous.

Soil

rate

Vegetation

Grass &amp; Sagebrush.

Township

19 N

Range

26 E

Gila and Salt River

Meridian

Chains

West, on a random line between Sections 6 and 7.

Variation

14° 10'

East.

Descend.

40.00

Set temporary  $\frac{1}{2}$  sec. cor.

77.60

Intersect W. B. of Tp. 26 lks. S of cor. to secs.

Which is a sand stone in earth mound with pits  
l. 6. 7. 12, from which corner, I run

S. 89° 49' E on a true line, between sections 6 &amp; 7

Variation 14° 10' East.

37.60

Set a Sand stone 13 x 10 x 6 ins., 8  
ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N  
face, and raised a mound of stone. alongside Pits  
impracticable.

77.60

The corner to sections 6. 6. 7. 8'

Land rolling.

Soil 3<sup>rd</sup> rate

Vegetation Grass &amp; Sagebrush.

Township 19 N. Range 26 E.  
 Gila and Salt River Meridian.

Chains

North, on a random line between Sections 5 and 6.

Variation 14° 10' East.

Ascend.

31.20 Top of Ridge, bears E. & W. and descend.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

75.30 Cross Rio Puncó River

34 lks. wide, Course W. and ascend.

79.86 Intersect N.B. of Tp. 34 lks. E. of cor. to secs.  
 previously set by me.

5. 6. 31. 32. from which corner, I run

S. 15' E. on a true line, between sections 5 & 6

Variation 14° 10' East.

89.86 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5½ ft. dist., and raised a mound of earth 1½ ft. high, 3½ ft. base around post.

79.86 The corner to sections 5. 6. 7. 8

Land mountainous.

Soil 2<sup>nd</sup> rate

Vegetation Grass & Sagebrush.

March 17, 1883



## GENERAL DESCRIPTION.

This township contains mountain and plain. The soil is a sandy loam, in the plain sand, gravel and loam in the mountains.

It is covered with an abundant growth of nutritious grasses, affording good grazing. It can be classed as second rate. Will produce in places without irrigation.

Springs in Secs. 24 & 25 of pure water, of un-failing supply.

Mr. Dodge has a patent land claim in Sec. 6.

## Final Oaths for Surveys.

## LIST OF NAMES.

A list of the names of the individuals employed by Frank Hollman, United States

Deputy Surveyor, to assist in running, measuring, and marking the lines and corners described in the foregoing field-notes of the survey of the Exterior and Subdivisions lines of T. 19 N. R. 26 E, Tps 20. 21 & 22 N Rs 25. 26 & 27 E, T. 22 N. R. 28 E, Tps 23 N Rs 26 & 27 E and Tps 26 N Rs 28 & 29 E of G. & S. R. Mer

showing the respective capacities in which they acted.

W. O. Childs, Compassman.

Maurice Legrand, Chainman.

S. J. Porter, Chainman.

....., Chainman.

....., Chainman.

James Dalton, Axeman.

....., Axeman.

Jeremiah Sullivan, Flagman.

.....

# Final Oaths of Assistants.

We hereby certify that we assisted Frank  
Hollman, United States Deputy Surveyor,

in surveying all those parts or portions of the Exterior &

Subdivision lines of Tps 19<sup>th</sup> & R 26<sup>E</sup>  
Tps 20. 21 + 22 & R 25. 26 + 27 E. T  
22<sup>nd</sup> & R 28 E, Tps 23<sup>rd</sup> & R 26 + 27 E and  
Tps 26<sup>th</sup> & R 28 + 29 E

of the Genl S R base and  
Meridian, Territory of Arizona, as are

represented in the foregoing field-notes as having been surveyed by  
him and under his direction; and that said survey has been in all  
respects, to the best of our knowledge and belief, well and faith-  
fully surveyed, and the corner monuments established according  
to the instructions furnished by the United States Surveyor-Gen-  
eral for

W. O. Childs, Compassman.

Maurice Legrand, Chainman.

D. P. Porter, Chainman.

, Chainman.

, Chainman.

James Dalton, Axeman.

, Axeman.

Jeremiah Sullivan, Flagman.

Subscribed and sworn to before me this

day of April, 1883

20<sup>th</sup>

A. E. Shoemaker

U. S. Commissioner, 3<sup>d</sup> Judicial District,  
Arizona Territory.

Final Oath of United States Deputy Surveyor.

I, Frank Tollman,

United States Deputy Surveyor, do solemnly swear that in pursuance of instructions received from

John Wasson, United States Surveyor-General

for Arizona, bearing date of the

31<sup>st</sup> day of July, 1882,

I have well, faithfully, and truly, in my own proper person, and

in strict conformity with the instructions furnished by the United

States Surveyor-General for Arizona,

the surveying manual, and the laws of the United States, sur-

veyed all those parts or portions of the Exterior

and Subdivision lines of T. 19

R. 26 E. Tps 20. 21 + 22 N R. 25

26 + 27 E. T. 22 N R. 28 E. Tps 23 N

R. 26 + 27 E + Tps 26 N R. 28

and 29 E

of the 6<sup>th</sup> and 8<sup>th</sup> R base and

Meridian in the Territory of Arizona,

as represented in the foregoing field-notes as having been surveyed

by me and under my directions; and I do further solemnly swear

that all the corners of said survey have been established and perpetuated in strict accordance with the surveying manual, printed instructions, the special written instructions of the United States Surveyor-General for Arizona, and in the specific manner described in the field-notes, and that the foregoing are the true field-notes of such survey; and, should any fraud be detected, I will suffer the penalty of perjury, under the provisions of an Act of Congress, approved August 8, 1846.

*Frank Follman*

United States Deputy Surveyor.

Subscribed and sworn to before me this 20<sup>th</sup>  
 day of April, 1883

*A. E. Shoemaker*

**U. S. Commissioner, 3d Judicial District  
 Arizona Territory.**



U. S. Surveyor General's Office,  
Tucson, Arizona, June 19, 1883,

The foregoing Field Notes of the survey of the  
Subdivision Lines of  
the Township 19 North  
Range 26 East,

of the Gila and Salt River Base and Meridian, Arizona,  
executed by Frank Fullman,  
D. S., under his contract of the 31<sup>st</sup> day of  
July, 1882, having been critically ex-  
amined and the necessary corrections and explanations  
made, the said Field Notes and the surveys they de-  
scribe, are hereby approved.

J. W. Robinson  
Surveyor General.