

No-351

John L. Harris, Deputy Surveyor.  
T. 20 North R. 7 East  
Gil. and Salt River Meridian.

# FIELD NOTES

OF BOOK 351

## THE SUBDIVISION LINES OF

Township 20 North Range 7 East  
Gil. and Salt River Meridian.

BY

John L. Harris, Deputy Surveyor.

under his Contract of July 29, 1878

Survey Commenced September 11, 1878

Survey Completed September 16, 1878

Platted,  
Copied for Washington,  
Copied for Register,

No-351

J. L. H.  
A. S.

351

Township 20 North Range 7 East  
Gila and Salt River Meridian.  
**BOOK 351**

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

*O.K.*

Journal

BOOK 351

March

1850  
1851  
1852  
1853

John R. Powell  
Notary Public



Preliminary Oaths of Assistants.


We, *Richard Shrope*  
and *N. Van Alstine*

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

*Richard Shrope*  
*N. Van Alstine*

Sworn to and subscribed before me, this *17th*  
day of *August*, 1878.

*John R. Fanell,*  
Notary Public.



We, Wm. Amos Kolb, Flagman, & W.  
Quastegui & Frank Carpenter, Azena, and  
D. B. Dodson, Pitman,  
do solemnly swear that we will well and truly per-  
form the duties of Flagman, Azena and  
Pitman, respectively,  
according to instructions given us, and to the best  
of our skill and ability.

Wm. Amos <sup>his</sup> Kolb  
Quastegui  
Frank Carpenter  
D. B. Dodson

Sworn to and subscribed before me this 10<sup>th</sup>  
day of August, 1878.

John P. Farrell  
Notary Public.

1 Township 20 North Range 7 East

10 Gila and Salt River

Meridian.

Chains From the corner to Sections 35, 36, 1 and 2 on the South boundary I run.  
North, between Sections 35 and 36.

Variation  $15^{\circ}40'$  East.

As per E. Boundary

- 140.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for  $\frac{1}{4}$  sec. cor. from which  
 a Pine, 26 in. dia. br. S.  $30^{\circ}$  E. 37 lbs. ditto  
 do. 24 " " " N.  $70^{\circ}$  W. 65 " "
- 80.00 Set a post, marked and notched, 4 ft long, 3 in sqd, 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 25, 26, 35 and 36. from which  
 a Pine, 30 in. dia. br. N.  $18\frac{1}{2}^{\circ}$  E. 20 lbs. ditto  
 do. 29 " " " S.  $44^{\circ}$  E. 85 " "  
 do. 33 " " " N.  $46^{\circ}$  W. 54 " "  
 do. 36 " " " S.  $88^{\circ}$  W. 94 " "

Land broken. Soil mostly poor.  
 Grass. Heavy Pine timber.

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains East, on a random line between Sections 25 and 36.

Variation var 15°40' East.

- 39.50 Branch cañon 400 yds. wide, br. N.E.  
 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.20 Intersect the E. boundary 30 hrs. S.  
 of cor. to secs. 25 and 36. from  
 which cor. I run

S. 89° 10' W.

Outline line between secs. 25 & 36.  
 var. 15°40' East.

- 40.10 Set apart marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in. wide 1 ft in the ground  
 and build mound of stones 2 ft high  
 as per instructions for  $\frac{1}{4}$  sec. cor.  
 from which

A Pine, 32 in. dia br. S. 75° W. 26 hrs. dist.

do. 24 " " N. 48° W. 19 " "

- 80.20 Cor. to secs. 25, 26, 35 and 36.

Land broken. Soil mostly poor.

Grass. Heavy Pine timber.

Township

20 North

Range

7 East

Gila and Salt River

Meridian.

Chains

North, between Sections 25 and 26.

Variation

15°40'

East.

- Ascend immediately into cañon, brs. N.E.
- 6.50 N. wall of cañon brs. N. of E, and leave cañon.
- 40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build a mound a fourth of the height, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. from which  
 A Pair. 37 in dia. brs. S. 80° W. 77 lcs. dist  
 do. 32 " " " S. 85° E. 72 " "
- 80.00 Set a post marked and notched, 4 ft long, 3 in sqd. 1 ft in the ground, drive charred stake and build mound a fourth of the height, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 23, 24, 25 and 26, from which  
 A Pair. 41 in dia. brs. S. 22° E. 32 lcs. dist  
 do. 29 " " " S. 38° W. 72 " "  
 do. 34 " " " N. 53° W. 91 " "  
 do. 32 " " " N. 15° E. 144 " "
- Land barren, soil poor.  
 Grass. Heavy Pine timber.



Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains East, on a random line between Sections 24 and 25.  
 Variation  $15^{\circ}40'$  East.

- 29.00 Descend into ravine brs. N. E.  
 36.00 Leave ravine brs. N. E.  
 40.00 Set temporary 74 sec. cor.  
 80.12 Intersect the E. boundary 16 lns. N.  
 a few to secs. 24 and 25, from  
 which cor. June  
 $N. 89^{\circ} 53' W.$   
 Outline line between secs. 24 & 25.  
 var  $15^{\circ}40'$  East
- 40.06 Set a post, marked 74 S. 4 ft long,  
 flattened 3 in. wide, 1 ft in the ground,  
 drive charred stake & build mound of  
 earth 2 ft high, with pits 1 ft deep, 2  
 ft long, 1 ft wide, as per instructions  
 for 74 sec. cor. from which  
 A Pine, 20 in. dia. brs. North 46 lns. dist.  
 do. 34 " " " S.  $60^{\circ} E.$  52 " "
- 80.12 Cor. to secs. 23, 24, 25 and 26.

Land rolling. Some good soil.  
 Grass. Heavy Pine timber.

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains North, between Sections 23 and 24.

Variation 15°40' East.

- 40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for  $\frac{1}{4}$  sec. cor. from which  
 A Pine, 40 in. dia. br. East, 105 lns. dist.  
 do. 30 " " S. 85° W. 110 " "
- 37.00 A Pine, 24 in. dia.
- 53.07 do. 34 " "
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec. 13, 14, 23 and 24 from which  
 A Pine, 28 in. dia. br. N. 35° W. 6 lns. dist.  
 do. 30 " " " N. 52° E. 25 " "  
 do. 29 " " " S. 74° E. 8 " "  
 do. 36 " " " S. 22° W. 45 " "

Land rolling. Soil poor.  
 Grass. Heavy Pine timber.

Township 20 North Range 7 EastGila and Salt River Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation 15°40' East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.06 Intersect E. boundary 14 sec. N.  
 of cor. to sec. 13 and 24. from  
 which cor. I am  
 N. 89°54' W.  
 On true line between sec. 13 & 24.  
 var 15°40' East
- 40.03 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in wide, 1 ft in the  
 ground, drive charred stake  
 and build mound a foot high  
 high, with pits 1 ft deep, 2 ft long,  
 1 ft wide, as per instructions for  
 $\frac{1}{4}$  sec. cor. from which  
 A Pine, 31 in. dia. to, S. 22° E. 66 in. dist.  
 do. 38 " " " N. 84° W. 49 " "
- 80.06 Cont. to Secs. 13, 14, 23 and 24.

Land broken. Soil poor  
 Grass. Heavy Pine timber.

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains North, between Sections 13 and 14.

Variation 15°40' East.

- 40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in wide, 1 ft in the ground, and build around a stone 2 ft high, as per instructions for  $\frac{1}{4}$  sec. cor. from which  
 A Pine, 32 in dia. br. N. 45° E. 177 br. dit  
 do. 34 " " " N. 52° W. 51 " "
- 80.00 Set a post, marked and notched, 4 ft long, 3 in sq'd. 1 ft in the ground, and build around a stone 2 ft high, as per instructions for cor. to Secs. 11, 12, 13 and 14, from which  
 A Pine, 12 in dia. br. S. 11½° E. 21 br. dit  
 do. 20 " " " S. 72° W. 19 " "  
 do. 25 " " " N. 63° W. 22 " "  
 do. 27 " " " N. 20° E. 65 " "

Land smooth rolling. Soil stony  
 and poor. Grass.

Heavy Pine timber.

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains East, on a random line between Sections 12 and 13.

Variation  $15^{\circ}40'$  East.

- 40.00 Set temporary 4 sec. cor.  
 60.00 Descend into level bottom b/w N. and S.  
 80.18 Intersect the E. boundary 12 hrs. N. of  
 cor. to Secs. 12 and 13. from which  
 Cor. Inue  
 $N. 89^{\circ}55' W.$   
 On true line between Secs. 12 & 13.  
 var.  $15^{\circ}40'$  East
- 40.09 Set a post, marked 74 S. 4 ft. long,  
 flattened 3 in wide, 1 ft. in the ground,  
 and build mound of stones 2 ft.  
 high, as per instructions for 74 sec.  
 Cor. from which  
 A Pine, 30 in. dia. br.,  $N. 27^{\circ} W.$  95 lbs. dist.  
 do. 39 " " "  $S. 58^{\circ} E.$  102 " "
- 80.18 Cor. to Secs. 11, 12, 13 and 14.

Land descending E. Some good  
 soil on E. half.

Grass, Heavy Pine timber.

Township

20 North

Range

7 East

Gila and Salt River

Meridian.

Chains

North, between Sections 11 and 12.

Variation

15°40'

East.

- 40.00 Set a post, marked 74 S. 4 ft. long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for 74 sec. cor. from which  
 a Pine, 20 in. dia. brs, S. 55° E. 16 lns. dist.  
 do. 36 " " " N. 65° W. 78 " "
- 80.00 Set a post, marked and notched, 4 ft long, 3 in sq. d. 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 12, 11, and 12, from which  
 a Pine, 30 in. dia. brs, N. 11° W. 128 lns. dist.  
 do. 40 " " " N. 68° E. 94 " "  
 do. 29 " " " S. 17° W. 68 " "  
 do. 20 " " " S. 74° E. 65 " "

Land smooth rolling.

Some good soil.

Grass. Heavy Pine timber.

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation  $15^{\circ}40'$  East.

Descending E.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

68.00 West bank of cañon br. N. &amp; S. Descend into it.

77.50 Creek with running water flows S.

79.00 Ascend from cañon, br. N. &amp; S.

80.20 Intersect E. boundary 30 hrs. S.  
 of cor. to secs. 1 and 12. from which  
 cor. run  
 $S. 89^{\circ}47' W.$ 

On true line between secs. 1 and 12,

var.  $15^{\circ}40'$  East40.10 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flat-  
 tined 3 in wide, 1 ft in the ground,  
 and build mound of stones 2 ft high  
 as per instructions for  $\frac{1}{4}$  sec. cor.  
 from whichA Pine, 24 in dia br. S.  $12^{\circ} E.$  39 hrs. dist.do. 20 " " N.  $79^{\circ} E.$  38 " "

80.20 Cor. to secs. 1, 2, 11 and 12.

Land broken. Some good soil  
 Grass, Heavy Pine timber.

September 11, 1878

Township 20 North Range 7 East

Gila and Salt River

Meridian.

Chains North, on a ~~measured~~<sup>Pine</sup> line between Sections 1 and 2.

Variation 15° 40' East.

40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for 74 sec. cor. from which

A Post, 20 in. dia. br, S. 50° W. 18 lvs. dist  
do. 31 " " " N. 10° E. 36 " "

80.09 Intersect 5<sup>th</sup> Standard Parallel N., at a point 13.60 chs. W. of standard cor. to Secs. 35 and 36. of Township 21 N. Range 7 E.

Set a post, marked 8 notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for closing cor. to Secs.

1 and 2. from which  
A Pine, 20 in. dia. br, S. 32° E. 16 lvs. dist  
do. 30 " " " S. 48° W. 104 " "

It will be obvious that none can be marked to the N. of the corner.

Land broken and rough. Soil poor. Grass. Heavy Pine timber.



Township

20 North Range 7 East

Gila and Salt River Meridian.

Chains

North, between Sections 34 and 35.

Variation

15°40'

East.

40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. from which

A Pine, 41 in. dia. br. S. 25° E. 26 lvs. dist.

do. 24 " " N. 38° E. 118 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 26, 27, 34 and 35. from which

A Pine, 21 in. dia. br. S. 40° N. 5 lvs. dist.

do. 22 " " S. 5° E. 16 " "

do. 20 " " N. 66° E. 30 " "

do. 31 " " N. 10° N. 58 " "

Land rolling and poor S. smooth and some good N. Grass.  
Heavy Pine timber.

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains East, on a random line between Sections 26 and 35.

Variation  $15^{\circ}40'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 65.00 Descend into cañon br. N. of E.  
 80.10 Leave same br. N. of E. and intersect N.  
 and S. line 15 chs. N. of cor. to secs. 25,  
 26.35 and 36. from which cor. down

N.  $89^{\circ}54' W.$

On true line between secs. 26 & 35.  
 var.  $15^{\circ}40'$  East.

- 40.05 Set a post, marked  $\frac{1}{4}$  S. of fl. long.  
 flattened 3 in wide, 4 ft in the ground  
 and build mound of stones 2 ft high  
 as per instructions for  $\frac{1}{4}$  sec. cor.  
 from which  
 A Pine, 31 in dia br. N.  $40^{\circ} E.$  106 chs. dist.  
 do 32 " " " S.  $27^{\circ} W.$  115 " "
- 80.10 Cor. to Secs. 26.27. 34 and 35

Land barren. Some good sort  
 Grass. Heavy Pine timber.

Township 20 North Range 7 East

Gila and Salt River Meridian.

Chains North, between Sections 26 and 27.

Variation  $15^{\circ}40'$  East.

40.00 Set a post, marked  $1/4$  S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, and build mound of stones 2 ft. high, as per instructions for cor. to  $1/4$  Secs. from which

- A Pine, 32 in. dia. to S.  $9^{\circ}$  E. 69 lvs. dist.
- do. 33 " " " N.  $25^{\circ}$  E. 138 " "

80.00 Set a post, marked and notched, 4 ft. long, 3 in. sqd. 1 ft. in the ground, drive charred stake and build a mound a fourth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to Secs.

- 22, 23, 26 and 27, from which
- A Pine, 29 in. dia. to S.  $46^{\circ}$  E. 33 lvs. dist.
- do. 30 " " " S.  $75^{\circ}$  N. 102 " "
- do. 30 " " " N.  $35^{\circ}$  N. 93 " "
- do. 32 " " " N.  $32\frac{1}{2}^{\circ}$  E. 145 " "

Land rolling. Some good soil  
Grass. Heavy Pine timber.

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 23 and 26.

Variation  $15^{\circ}40'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 80.11 Intersect <sup>As line</sup> 16 hrs. S. of the cor. to Secs.  
 23, 24, 25 and 26. from which cor.  
 Run  
 $S. 89^{\circ}53' W.$   
 On true line between Secs. 23 & 26,  
 var.  $15^{\circ}40'$  East
- 40.05 Set a post, marked  $\frac{1}{4}$  S., 4 ft. long  
 flattened 3 in. wide, 1 ft. in the  
 ground, and build mound of  
 stones 2 ft. high, as per instructions  
 for  $\frac{1}{4}$  sec. cor. from which  
 a Pine, 35 in dia. br. S.  $7^{\circ} W.$  32 grad. etc.  
 do. 26 " " " N.  $39^{\circ} E.$  48 " "
- 80.11 Cont. to Secs. 22, 23, 26 and 27.  
 Land rolling. Some good soil.  
 Grass, Heavy Pine timber.
-

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains

North, between Sections 22 and 23.

Variation  $15^{\circ}40'$  East.

- 177.17 A Pine 30 in dia.  
 140.00 Set a post, marked 74 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drove charred stave and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. from which  
 A Pine, 12 in dia. br. N.  $75^{\circ}$  E. 52 br. dist.  
 do. 29 " " " S.  $80^{\circ}$  W. 102 " "  
 80.00 Set a post, marked and notched, 4 ft long, 3 in sq. ft. in the ground, and build mound of stones 2 ft high, as per instructions for cor. to secs. 14, 15, 22, and 23. from which  
 A Pine, 24 in dia. br. N.  $79^{\circ}$  E. 122 br. dist.  
 do. 34 " " " S.  $1^{\circ}$  W. 53 " "  
 do. 29 " " " S.  $50^{\circ}$  E. 91 " "  
 do. 20 " " " N.  $55^{\circ}$  W. 64 " "

Land smooth rolling.  
 Some good soil. Grass.  
 Heavy Pine timber.

Township 20 North Range 17 East

Gila Salt River

Meridian.

Chains East, on a random line between Sections 14 and 23.

Variation 15°40' East.

- 40.00 Set temporary 1/4 sec. cor.
- 49.80 Intersect N. and S. line 61 hrs. S. of cor. to Secs. 13, 14, 22 and 24. from which cor. Run S. 89° 34' W.  
On true line between secs. 14 & 23 var. 15°40' East
- 39.90 Set a post, marked 1/4 S. 4 ft long, flattened 3 in wide, 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions for 1/4 sec. cor. from which  
A Pine, 39 in dia. br. S. 60° E. 4 1/2 hrs. dist  
do. 12 " " " N. 5° W. 6 1/4 " "
- 79.80 Cor. to Secs 14, 15, 22 and 23.

Sand broken. Mostly poor soil.  
Grass. Heavy Pine timber.

---

Township

20 North Range 7 East

Gila and Salt River

Meridian.

Chains

North, between Sections 14 and 15.

Variation 15°40' East.

40.00 Set a post, marked 14 S. 4 ft long, flat-tined 3 in wide, 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which

- A Pine, 42 in dia. br. N. 20° W. 3 br. dist.
- do. 48 " " " S. 90° W. 2 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in sq. d. 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs.

- 10, 11, 14 & 15. from which
- A Pine, 20 in dia. br. N. 14° W. 67 br. dist.
- do. 30 " " " N. 68° E. 80 " "
- do. 21 " " " S. 21° E. 110 " "
- do. 27 " " " S. 56° W. 103 " "

Land broken then rolling and smooth  
 Some good soil on last end.  
 Grass. Heavy Pine timber.

Township

20 North Range 7 East

Gila and Salt River

Meridian

Chains

East, on a random line between Sections 11 and 14.

Variation

15°40'

East.

- 40.00 Set temporary 1/4 sec. cor.  
 65.00 Ascend high hills  
 80.09 Intersect N. and S. line 5 W. S. of  
 cor. to Secs. 11, 12, 13 and 14. from  
 which cor. down  
 S. 89° 58' W.  
 Put true line between secs. 11 & 14  
 var. 15°40' East
- 40.05 Set a post, marked 1/4 S. 4 ft long, flat-  
 tened 3 in wide, 1 ft in the ground,  
 and build mound of stones 2 ft  
 high, as per instructions for 1/4 sec.  
 cor. from which  
 A. Pine, 26 in dia, S. 50° W. 10 in dia  
 do. 29 " " North, 42 " "
- 48.19 A. Pine 36 in dia,  
 80.09 Cor. to Secs. 10, 11, 14 and 15.

Land broken. Soil mostly poor.

Grass. Heavy Pine timber.



Township

20 North Range 7 East

Gila &amp; Salt River

Meridian.

Chains

North, between Sections 10 and 11.

Variation 15°40' East.

40.00 Set apart, marked 14 S. 4 ft long, flat-topped 3 in wide, 1 ft in the ground, and build mound of stone 2 ft high, as per instructions for 74 sec. cor.

from which

A Pine, 24 in. dia. brs. S. 87° W. 21 lns. dist.

do. 24 " " " N. 42° E. 56 " "

80.00 Set apart, marked and notched, 4 ft long 3 in. sq'd. 1 ft in the ground and build mound of stones 2 ft high, as per instructions for cor. to Secs. 2, 3, 10 and 11.

from which

A Pine, 34 in. dia. brs. S. 27° W. 29 lns. dist.

do. 20 " " " S. 59° E. 66 " "

do. 30 " " " N. 45° E. 42 " "

do. 40 " " " N. 8° W. 162 " "

Land broken. Soil mostly poor.

Grass. Heavy Pine timber.

Township

20 North Range 7 East

Gla and Salt River

Meridian.

Chains

East, on a random line between Sections 2 and 11.

Variation  $15^{\circ}40'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 79.90 Intersect N. and S. line 18 hrs. N. a few  
 to sec. 1, 2, 11 and 12, from which cor.  
 S. line  
 N.  $89^{\circ}52' W.$   
 Between line between sec. 2 & 11,  
 var.  $15^{\circ}40'$  East.
- 39.95 Set apart marked  $\frac{1}{4}$  S. 4 ft long, flat-  
 tened 3 in. wide, 1 ft in the ground,  
 and built mound of stones 2 ft high  
 as per instructions for  $\frac{1}{4}$  sec. cor.  
 from which.  
 A Pair, 30 in dia. br. S.  $61^{\circ} E$ , 57 hrs. dist.  
 do. 30 " " " N.  $65^{\circ} E$ , 69 " "
- 79.90 Co. to sec. 2, 3, 10 and 11,

Land rolling, Soil mostly poor.

Grass, Heavy Pine timber.

---

Township 20 North <sup>BOOK 351</sup> Range 7 East  
Gila and Salt River Meridian.

Chains North, on a ~~line~~<sup>true</sup> line between Sections 2 and 3.  
Variation 15 1/2 East.

40.00 Set a post marked 74 S. 4 ft long, flat-  
tened 3 in wide, 1 ft in the ground,  
and build mound of stones 2 ft high,  
as per instructions for 74 sec cor.  
from which

A Poi. 40 in. dia br. West 29 lvs. dist  
do 28 " " " N. 30° E. 30 " "

79.82 Intersect the 5<sup>th</sup> Standard N<sub>7</sub> at a  
point 12.80 ch. N. of the standard  
cor. to secs. 24. and 35. of township  
21 N. Range 7 E.

Set a post, marked and notched, 4  
ft long, 3 in. sq'd. 1 ft in the ground,  
and build mound of stones 2 ft high  
as per instructions for closing cor. to  
secs. 2 and 3. from which

A Poi. 28 in. dia br S. 26° W. 23 lvs. dist  
do. 27 " " " S. 30° E. 86 " "

Land broken rough and poor.  
Grass. Heavy Puncturing.

September 12. 1878.

BOOK 351  
 Township 20 North Range 4 East  
 Gila and Salt River Meridian.

Chains North, between Sections 33 and 34.

Variation  $15^{\circ}40'$  East.

40.00 Setapost, marked 1/4 S. 4 ft. long, flattened  
 3 in. wide, 1 ft. in the ground, drive charred  
 stake and build mound of earth 2 ft.  
 high, with pits 1 ft. deep, 2 ft. long, 1 ft.  
 wide, as per instructions for 1/4 sec. cor.  
 from which

A Pine, 24 in. dia. to S.  $35^{\circ}$  W. 26 hrs. dist.

do. 26 " " " N.  $36^{\circ}$  E. 71 " "

80.00 Setapost, marked and notched, 4 ft. long,  
 3 in. sq. d. 1 ft. in the ground, drive charred  
 stake and build mound of earth 2 ft.  
 high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
 as per instructions for cor. to secs. 27, 28,  
 33 and 34, from which

A Pine, 40 in. dia. to N.  $50^{\circ}$  E. 50 hrs. dist.

do. 36 " " " N.  $28^{\circ}$  W. 101 " "

do. 39 " " " S.  $80^{\circ}$  W. 100 " "

do. 23 " " " S.  $22^{\circ}$  E. 125 " "

Land rolling, then smooth and  
 good soil. Grass.  
 Heavy Pine timber.

Township 20 North Range 7 East

Gila and Salt River Meridian.

Chains East, on a random line between Sections 27 and 34.

Variation 15°40' East.

40.00 Set temporary 1/4 sec. cor.

79.60 Intersect N. and S. line 50 hrs. S of cor. to secs. 26, 27, 34 and 35. from which cor. I run S. 89°39' W.

On true line between secs. 27 & 34 var 15°40' East

39.80 Set a post, marked 1/4 S. 4 ft. long, flat-topped 3 in. wide, 1 ft. in the ground, drive charred stake and build mound a fourth of ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor. from which a pine, 29 in. dia. br. N. 50° W. 40 hrs. dist. do. 26 " " S. 38° E. 86 " "

79.60 Cor. to secs. 27, 28, 33 and 34.

Land smooth. Soil good  
Grass, Heavy Pine timber.

BOOK 351  
 Township 20 North Range 7 East  
 Gila and Salt River Meridian.

Chains North, between Sections 27 and 28.

Variation  $15^{\circ}40'$  East.

- 8.00 A Pine 30 in. dia  
 40.00 Set a post, marked 14 S. 4 ft long,  
 flattened 3 in. wide, 1 ft in the ground,  
 drive charred stake and build mound  
 of earth 2 ft high, with pits 1 ft deep,  
 2 ft long, 1 ft wide, as per instructions  
 for 14 sec. cor. from which  
 A Pine, 24 in. dia. br. N.  $6^{\circ}$  E. 107 br. dist.  
 do. 25 " " " S.  $27^{\circ}$  W. 36 " "  
 80.00 Set a post, marked and notched, 4 ft  
 long, 3 in. sq. d. 1 ft in the ground,  
 and build mound of stones 2 ft high  
 as per instructions for cor. to sections  
 21, 22, 27 and 28. from which  
 A Pine, 27 in. dia. br. S.  $4^{\circ}$  E. 83 br. dist.  
 do. 28 " " " S.  $57^{\circ}$  W. 156 " "  
 do. 12 " " " N.  $40^{\circ}$  W. 62 " "  
 do. 30 " " " N.  $70^{\circ}$  E. 121 " "

Land smooth. Soil good.  
 Grass.

Heavy Pine timber.

BOOK 351  
Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains East, on a random line between Sections 22 and 27.  
Variation 15°40' East.

40.00 Set temporary 1/4 sec. cor.  
80.04 Intersect N. and S. line 13 lns. S. of  
cor. to secs. 22, 23, 26, and 27, from  
which cor. drawn

S. 89° 57' W.

On true line between sec. 22 & 27.  
var. 15°40' East.

40.02 Set a post, marked 1/4 S. 1/4 of long, flat-  
tened 3 in. wide, 1 ft in the ground, and  
build mound of stones 2 ft high, as  
per instructions for 1/4 sec. cor.  
from which

A Pine, 35 in dia. to South 14 lns. dist  
do. 33 " " N. 20° E. 41 " "

79.94 A Pine 20 in dia.

80.04 Cor. to secs. 21, 22, 27 and 28.

Land smooth rolling. Some good  
soil. Grass.  
Heavy Pine timber.

Township 20 North Range 7 East

Gila and Salt River Meridian.

Chains North, between Sections 21 and 22.

Variation  $15^{\circ}40'$  East.

- 28.00 Descend into deep ravine br. S. W.
- 38.00 Leave same br. S. W.
- 40.00 Set a post, marked 14 S. 4 ft long, flattened  
3 in. wide, 4 ft in the ground, and build  
mound of stones 2 ft high as per in-  
structions for 14 sec. cor. from which  
A Pine, 20 in. dia. br. N.  $75^{\circ}$  E. 19 lns. dist.  
do. 24 " " " S.  $60^{\circ}$  E. 28 " "
- 44.74 A Pine, 15 in. dia.
- 45.22 do. 17 " "
- 45.28 do. 16 " "
- 51.72 do. 32 " "
- 52.20 do. 29 " "
- 80.00 Set a post, marked 4d notched, 4 ft long,  
3 in. sq. d. 4 ft in the ground, drive charred  
stake and build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft wide, as per  
instructions for cor. to sec. 15, 16, 21 and  
22, from which  
A Pine, 24 in. dia. br. N.  $70^{\circ}$  E. 17 lns. dist.  
do. 20 " " " S.  $58^{\circ}$  W. 4 " "  
do. 32 " " " N.  $50^{\circ}$  W. 121 " "  
do. 33 " " " S.  $55^{\circ}$  E. 86 " "
- Land rolling. Soil good and poor -  
Grass Heavy Pine timber.



Township 20 North Range 7 East

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation 15°40' East.

40.00 Set temporary 1/4 sec. cor.  
 79.81 Intersect N. and E. line 44 ch. N. of cor.  
 to sec. 14, 15, 22 and 23. from which  
 cor. In run  
 N. 89°41' W.

On true line between sec. 15 & 22.  
 var. 15°40' East

39.90 Set a post, marked '4 S. 4 ft long, flat-  
 topped 3 in wide, 1 ft. in the ground,  
 drive charred stake and build mound  
 of earth 2 ft high, with pits 1 ft deep,  
 2 ft long, 1 ft wide, as per instructions  
 for 1/4 sec. cor. from which  
 a Pine, 26 in dia. br, S. 80° W. 73 br. dist  
 do. 40 " " North, 119 " "

79.81 Cor. to sec. 15, 16, 21 and 22.

Land level, and soil good; then broken.

Grass, Heavy Pine timber.

Township

20 North

Range

4 East

Gila and Salt River

Meridian,

Chains

North, between Sections 15 and 16.

Variation

15°40'

East.

- 40.00 Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  ft. long, flattened  
3 in wide, 1 ft. in the ground, drive chanced  
stake and build mound of earth 2 ft  
high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide  
as per instructions for  $\frac{1}{4}$  sec. cor. from which  
A Pin, 29 in. dia. br. N. 70° W. 162 lvs. dist  
do. 30 " " " S. 5° E. 99  $\frac{1}{2}$  " "
- 80.00 Set a post, marked and notched, 4 ft.  
long, 3 in. sq. d. 1 ft. in the ground,  
drive chanced stake and build mound  
of earth 2 ft. high, with pit 1 ft. deep,  
2 ft. long, 1 ft. wide, as per instructions  
for cor. to sec. 9, 10, 15 and 16,  
from which  
A Pin, 38 in. dia. br. N. 35° W. 66 lvs. dist  
do. 36 " " " S. 58° W. 111 " "  
do. 39 " " " S. 9° E. 16 " "  
do. 20 " " " N. 40° E. 97 " "

Land smooth rolling. Some good  
soil. Grass. Heavy Pine timber.

Township

20 North Range 7 East

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 10 and 15.

Variation

15°40'

East.

40.00 Set temporary 1/4 sec. cor.

80.08 Intersect N. and S. line 11 hrs. S. of  
cor to secs. 10, 11, 14 and 15. from  
which cor. Run  
S. 89° 55' W.Btrue line between secs. 10 & 15.  
var. 15°40' East.

17.81 A Pine 29 in. dia.

17.87 do. 28 " "

40.04 Set a post, marked 1/4 S. 4 ft long, flat-  
tined 3 in wide, 4 ft in the ground,  
and build mound of stone 2 ft  
high, as per instructions for 1/4 sec. cor.  
from whichA Pine, 37 in dia. br. S. 35° W. 5 hrs. dist  
do 20 " " " N. 45° W. 37 " "

78.78 A Pine 30 in. dia.

80.08 Cor to Secs. 9, 10, 15 and 16.

Sand rolling. Soil poor.  
Grass. Heavy Pine timber.

Township 20 North Range 7 East

Gila and Salt River Meridian,

Chains North, between Sections 9 and 10.

Variation  $15^{\circ}40'$  East.

- 14.16 A Pine 34 in. dia.
- 36.82 do. 30 " "
- 40.00 Set a post, marked 74 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, and build mound of stones 2 ft. high as per instructions for 74 sec. cor. from which
- A Pine, 20 in. dia. 60 S.  $38^{\circ}E$ . 36 lbs. dist.
- do. 12 " " " N.  $44^{\circ}W$ . 39 " "
- 80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to secs. 3, 4, 9 and 10, from which
- A Pine, 30 in. dia. 60, N.  $28^{\circ}E$ . 76 lbs. dist.
- do. 36 " " " S.  $70^{\circ}E$ . 95 " "
- do. 28 " " " S.  $51^{\circ}W$ . 51 " "
- do. 20 " " " N.  $25^{\circ}W$ . 123 " "

Land smooth rolling. Some good soil. Grass.  
Heavy Pine timber.

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation  $15^{\circ}40'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 79.64 Intersect N. and S. line 80 lns. N. of  
 cor. to secs. 2, 3, 10 and 11. from  
 which cor. I run  
 $N. 89^{\circ}26' W.$   
 On true line between secs. 3 and 10.  
 var.  $15^{\circ}40'$  East.
- 39.82 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in wide, 1 ft in the ground,  
 driven charred stake and build mound  
 of earth 2 ft high, with pits 1 ft deep,  
 2 ft long, 1 ft wide, as per instruc-  
 tions, for  $\frac{1}{4}$  sec. cor. from which  
 a Pine, 34 in dia br., S.  $29^{\circ} E.$  44 lns. dist.  
 do 32 " " " N.  $21^{\circ} W.$  35 " "
- 79.64 Cor. to secs. 3, 4, 9 and 10.

Land rolling then broken.

Grass, Heavy Pine timber.

Township 20 North Range 7 East

Gila and Salt River Meridian.

Chains

North, on a ~~random~~<sup>true</sup> line between Sections 3 and 4.Variation  $15^{\circ}40'$  East.

- 40.00 Set a post, marked  $1/4$  S. 4 ft. long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for  $1/4$  sec. cor. from which  
 A Pine, 29 in. dia. br. N.  $86^{\circ}$  E. 2 hrs. dist.  
 do. 28 " " " N.  $24^{\circ}$  W. 15 " "
- 40.36 A Pine 24 in. dia.
- 80.06 Intersect the 5<sup>th</sup> Standard Parallel N<sub>7</sub> at a point 12.20 chs. N. of the standard cor. to secs. 33 and 34. of T<sub>20</sub> N. Range 7 E.  
 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 1/2 ft deep, 2 ft long, 1 ft wide, as per instructions for closing cor. to secs. 33 & 34. from which  
 A Pine, 30 in. dia. br. S.  $47^{\circ}$  E. 64 hrs. dist.  
 do. 39 " " " S.  $66^{\circ}$  W. 89 " "

Land rolling. Some good soil.  
 Grass. Heavy Pine timber.

Township

20 North Range 7 East

Gila and Salt River Meridian.

Chains

North, between Sections 32 and 33.

Variation  $15^{\circ}40'$  East.

- 14.00 Dry wash 100 lns wide, br. N. W.
- 40.00 Set apart, marked  $14$  S.  $4$  ft long, flat-topped  $3$  in wide,  $1$  ft in the ground, drive charred stake and build mound of earth  $2$  ft high, with pits  $1$  ft deep,  $2$  ft long,  $1$  ft wide, as per instructions for  $14$  sec. cor. from which
- Al Pin, 28 in. dia. br. N.  $55^{\circ}$  W. 70 lns. Sect  
do. 39 " " " S.  $52^{\circ}$  E. 79 " "
- 80.00 Set apart, marked and notched  $14$  ft long,  $3$  in.  $\times$   $4$  in.  $1$  ft in the ground, and build mound of stones  $2$  ft high as per instructions for cor. to sec., 28. 29. 32 & 33. from which
- Al Pin, 36 in. dia. br. N.  $50^{\circ}$  W. 112 lns. Sect  
do. 34 " " " N.  $60^{\circ}$  E. 225 " "  
do. 35 " " " S.  $59^{\circ}$  E. 412 " "  
do. 31 " " " S.  $85^{\circ}$  W. 412 " "
- Little opening in timber to S. of this cor.
- Land broken thru level. Mostly poor soil. Grass, Heavy Pine timber.
- September 13, 1878

Township 20 North Range 7 East

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation 15°40' East.

40.00 Set temporary cor.

80.07 Intersect N and S line 10 hrs. S. of cor. to Secs. 27, 28, 33 and 34 from which cor. I run S. 89° 56' W.

On true line between secs. 28 & 33. var. 15°40' East.

40.03 Set a post, marked 74 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, and build mounds of stones 2 ft high as per instructions for 74 sec. cor. from which

A Pine, 15 in dia. br. N. 65° E, 23 in dist.  
do. 33 " " West, 65 " "

80.07 Cor. to Secs. 28, 29, 32 and 33.

Land rolling. Some good soil.

Grass. Heavy Pine timber.



Township

20 North Range of East

Gila and Salt River

Meridian.

Chains

North, between Sections 28 and 29.

Variation 15°40' East.

- 40.00 Setapost, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  ft long flat-topped 3 in wide, 1 ft in the ground, driven chased stake and build mound of earth 2 ft high, with pits 1 ft deep. 2 ft long, 1 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor. from which  
 A Pile, 30 in. dia. brs. S.  $9^{\circ}$  N. 25 lbs. dist.  
 do. 40 " " " N.  $10^{\circ}$  E. 53 " "
- 80.00 Setapost, marked and notched  $\frac{1}{4}$  ft long. 3 in. sqd. 1 ft in the ground, driven chased stake and build mound of earth 2 ft high, with pits 1 ft deep. 2 ft long, 1 ft wide, as per instructions for cor. to sec. 20, 21, 28 and 29, from which  
 A Pile, 36 in. dia. brs. S.  $66^{\circ}$  E. 16 lbs. dist.  
 do. 20 " " " N.  $60^{\circ}$  E. 107 " "  
 do. 24 " " " N.  $42\frac{1}{2}^{\circ}$  W. 90 " "  
 do. 39 " " " S.  $85^{\circ}$  W. 122 " "

Land smooth rolling.  
 Some good soil. Grass.  
 Heavy Pine timber.

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 21 and 28.

Variation  $15^{\circ}40'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 79.96 Intersect standard line  $\frac{1}{4}$  lvs. S. of cor.  
 to secs. 21, 22, 27 and 28. from which  
 cor. drawn.  
 S.  $89^{\circ}57' N.$   
 Actual line between secs. 21 & 28.  
 var.  $15^{\circ}40' E.$
- 7.54 A Pine, 30 in. dia.  
 19.05 do. 31 " "  
 39.98 Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  lvs. long, flattened  
 3 in. wide, 1 ft. in the ground, drive charred  
 stakes and build a mound of earth 2 ft. high,  
 with pits 4 ft. deep, 2 ft. long, 1 ft. wide, as  
 per instructions for  $\frac{1}{4}$  sec. cor. from which  
 A Pine, 24 in. dia. brs. S.  $34^{\circ} N.$  24 lvs. dist.  
 do. 30 " " " S.  $50^{\circ} E.$  25 " "
- 79.96 Cor. to secs 20, 21, 28 and 29.

Land rolling hills.  
 Some good soil. Grass.  
 Heavy Pine timber.

Township

20 North

Range

7 East

Gila and Salt River

Meridian.

Chains

North, between Sections 20 and 21.

Variation  $15^{\circ}40'$  East.

- 30.00 Steep bluff of rock brs. N.W.
- 40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high as per instructions for 74 sec. cor. from which
- A Poi. 74 in dia. br. S.  $55^{\circ}$  E. 20 lns. dist.  
do. 25 " " " N.  $76^{\circ}$  W. 98 " "
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, drive chanced stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to Secs. 16, 17, 20 and 21, from which
- A Poi. 39 in dia. br. S.  $44^{\circ}$  W. 6 lns. dist.  
do. 40 " " " S.  $58^{\circ}$  E. 39 " "  
do. 30 " " " N.  $72^{\circ}$  E. 100 " "  
do. 29 " " " N.  $40^{\circ}$  W. 72 " "

Land rolling. Some good soil.  
Grass, Honey Pine timber.

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 16 and 21.

Variation  $15^{\circ}40'$  East.40.00 Set temporary  $\frac{1}{4}$  sec. cor.80.08 Intersect N. and E. line 4 lks. S of  
 cor. to Secs. 15, 16, 21 and 22. from  
 which cor. Run  
 $S. 89^{\circ} 58' W.$ On true line between Secs. 16 & 21.  
 var.  $15^{\circ}40' E.$ 

10.38 A Pine 27 in dia.

40.04 Set apart marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in wide. 1 ft in the ground,  
 drive charred stake and build a  
 mound of earth 2 ft high as per in-  
 structions with pits 1 ft deep, 2 ft long,  
 1 ft wide, for  $\frac{1}{4}$  sec. cor. from which  
 A Pine, 32 in dia. to N.  $55^{\circ} E.$  26 lks dist  
 do. 24 " " " N.  $63^{\circ} W.$  22 " "

80.08 Cor. to Secs. 16, 17, 20 and 21.

Land smooth rolling. Some  
 good soil. Grass.  
 Heavy Pine timber.

Township

20 North Range 7 East

Gila and Salt River Meridian.

Chains

North, between Sections 16 and 17.

Variation 15°40' East.

40.00 Set a post, marked '4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, and build mound of stones 2 ft high as per instructions for '4 sec. cor. from which

A Pine, 43 in dia. br. N. 16° E. 3 lns. dist.

do 36 " " " S. 42° N. 78 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high as per instructions for cor. to Secs. 8, 9, 16, and 17. from which

A Pine, 43 in dia. br. N. 54° E. 46 lns. dist.

do 26 " " " S. 88° E. 55 " "

do 27 " " " N. 78° N. 21 " "

do 20 " " " S. 58° N. 41 " "

Land rolling then broken and poor.

Grass. Heavy Pine timber.

Township

20 North Range 7 East

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 9 and 16.

Variation

15° 40'

East.

40.00 Set temporary 1/4 sec. cor.

79.80 Intersect N. and S. line 20 ch. N. of  
cor. to Secs. 9, 10, 15 and 16, from  
which cor. I run  
N. 89° 51' W.

Return line between Secs. 9 &amp; 16.

var. 15° 40' E.

39.90 Set a post, marked 1/4 S. 4 ft long, flat-  
tened 3 in. wide, 1 ft in the ground,  
drive charred stake and build mound  
of earth 2 ft high, with pits 1 ft deep, 2  
ft long, 1 ft wide, as per instructions for  
1/4 sec. cor. from which

a line, 25 in. dia. br. N. 35° E. 29 ch. dist.

do. 23 " " " S. 39° W. 36 " "

79.80 Cor. to Secs. 8, 9, 16, and 17.

Land broken; then smooth and  
good soil.

Grass. Heavy Pine timber.

Township

20 North Range 7 East

Gila and Salt River Meridian.

Chains

North, between Sections 8 and 9.

Variation

15°40'

East.

6.00 Ascend

8.00 Descend into deep ravine brs. E. &amp; W.

15.00 Leave same brs. E. &amp; W.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which

a Pine, 40 in. dia. br. S. 55° E. 15 lvs. dist.

do. 23 " " " N. 42° W. 10 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in sq'd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec. 4, 5, 8, and 9, from which

a Pine 40 in. dia. br. N. 24½° E. 11 lvs. dist.

do. 40 " " " S. 61° E. 66 " "

do. 37 " " " S. 52° W. 28 " "

do. 33 " " " N. 30° W. 143 " "

Land broken then level. Soil sandy and poor. Grass Heavy Pine timber.

Township

20 North

Range

7 East

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 4 and 9.

Variation

15°40'

East.

40.00 Set temporary 4<sup>th</sup> sec. cor.  
 79.82 Intersect N and S line 32 Ch. S.  
 of cor. to secs. 3, 4, 9 and 10 from  
 which cor. I run  
 S. 89°46' W.

On true line between secs. 4 & 9  
 var. 15°40' East.

39.91 Set a post, marked 74 S. 4 ft long,  
 flattened 3 in wide, 1 ft in the ground,  
 drive charred stake and build mound  
 of earth 2 ft high with pits 1 ft deep 2 ft  
 long, 1 ft wide, as per instructions for  
 4<sup>th</sup> sec. cor. from which

A Pine, 39 in dia. N. 8° E. 21 hrs. dist  
 do. 16 " " S. 19° W. 23 " "

79.82 Cor. to Secs. 4, 5, 8 and 9.

Land rolling. Soil sandy and  
 poor. Grass.  
 Heavy Pine timber.



Township

20 North Range 7 East

Gila and Salt River Meridian.

Chains

North, on a ~~random~~<sup>True</sup> line between Sections 4 and 5.Variation  $15^{\circ}40'$  East.

- 0.62 A Pui. 30 in. dia.
- 9.43 do. 29 " "
- 9.69 do. 29 " "
- 40.00 Set apart, marked  $1/4$  S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth of height with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for  $1/4$  sec. cor. from which A Pui, 29 in. dia. br. S.  $12^{\circ}$  E. 55 hrs. dist  
do. 30 " " " N.  $33\frac{1}{2}^{\circ}$  W. 43 " "
- 80.20 Intersect 5<sup>th</sup> Standard N., at a point 12.00 chs. W. of a standard cor. to Secs. 32 and 33. of Twp. 21 N. Range 7 E.  
Set apart, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth of height with pits  $1\frac{1}{2}$  ft deep, 2 ft long, 1 ft wide, as per instructions for closing cor. to Secs. 4 & 5, from which A Pui, 15 in. dia. br. S.  $42^{\circ}$  E. 77 hrs. dist  
do. 30 " " " S.  $84^{\circ}$  W. 93 " "
- Land level. Soil sandy and poor. Grass. Heavy Pine timber.

Township

20 North Range 7 East

Range

7 East

Gila and Salt River

Meridian.

Chains

North, between Sections 31 and 32.

Variation  $15^{\circ}40'$  East.

- 30.00 Sup wash of cañon, 300 lbs. wide, br. S.W.
- 40.00 Set a post, marked 14 S. 4 ft. long, flattened  
3 in. wide, 1 ft. in the ground, drive charred  
stake and build mound of earth 2 ft.  
high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions for 14 sec. cor. from which  
A Pine, 39 in. dia. br. N.  $70^{\circ}$  W. 86 lbs. dist  
do. 39 " " " N.  $3^{\circ}$  E. 7 " "
- 80.00 Set a post, marked and notched, 4 ft.  
long, 3 in. sq. d. 1 ft. in the ground, and  
build mound of stones 2 ft. high, as  
per instructions for cor. to Secs. 29,  
30, 31 and 32. from which  
A Pine, 30 in. dia. br. S.  $14^{\circ}$  W. 70 lbs. dist  
do. 38 " " " S.  $74^{\circ}$  E. 28 " "  
do. 22 " " " N.  $28^{\circ}$  E. 120 " "  
do. 30 " " " N.  $73^{\circ}$  W. 91 " "

Land broken. Soil poor.

Grass. Heavy Pine timber.

Township

20 North Range 7 East

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation 15°40' East.

- 40.00 Set temporary 1/4 sec. cor.
- 80.12 Intersect N. and E. line 13 lvs. N. of cor. to Secs. 28, 29, 32 and 33, from which cor. Draw N. 89° 54' W.  
On true line between secs. 29 & 32. var. 15° 40' East
- 40.06 Set a post, marked 1/4 S. 4 ft long, flat-topped 3 in. wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for 1/4 sec. cor. from which  
A Pine, 24 in. diam. S. 33° W. 32 lvs. dist.  
do. 20 " " " N. 75° W. 54 " "
- 80.12 Cor. to Secs. 29, 30, 31 and 32.

Land smooth rolling. Soil poor.  
Grass. Heavy Pine timber.

September 14, 1878.

Township

20 North Range 7 East

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 20 and 29.

Variation  $15^{\circ}40'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 41.00 Dry wash, 20 lvs. wide, brs. N.W.
- 80.10 Subsect N. and S. line 5 lvs. S. of  
 cor to secs. 20, 21, 28 and 29, from  
 which cor. True  
 $S. 89^{\circ}58' W.$   
 on true line between secs. 20 & 29  
 var.  $15^{\circ}40' E.$
- 40.05 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in. wide, 1 ft in the ground,  
 drive charred stake and build mound  
 of earth 2 ft high, with pit 1 ft deep,  
 2 ft long, 1 ft wide, as per instructions  
 for  $\frac{1}{4}$  sec. cor. from which  
 A Pine, 39 in. dia. brs. N.  $21^{\circ} E.$  30 lvs. dit  
 do. 35 " " " East 63 " "
- 80.10 Cor to sec. 19, 20, 29 and 30.

Land uneven. Some good soil.

Grass. Heavy Pine timber.

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation  $15^{\circ}40'$  East.

- 41.00 Enter open flat bet. N. and N.E. & S.W.  
 15.00 Ciuega with running water bet. S.W. & N.  
 20.25 Leave Ciuega.  
 21.00 Leave open flat, enter timber bet. N. and S.W.  
 23.00 Ascend to higher ground.  
 40.00 Set temporary cor.  
 78.90 Intersect N. boundary 25 bet. S. of cor.  
 to secs. 19 and 30. from which cor.  
 Run  
 $S. 89^{\circ}49' E.$  on timber bet. sec. 19 & 30.  
 var.  $15^{\circ}40'$  East  
 38.90 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long, flat-  
 tened 3 in. wide, 1 ft. in the ground,  
 drive charred stake and build mound  
 of earth 2 ft. high, with pits 1 ft. deep, 2  
 ft. long, 1 ft. wide, as per instructions for  
 $\frac{1}{4}$  sec. cor. from which  
 a Pine, 20 in dia. bet. S.  $45^{\circ} E.$  25 hrs. dist.  
 do. 12 " " " West. 65 " "  
 78.90 Cor. to secs. 19. 20. 29 and 30.

Land broken N. Level, rich and  
 well watered on the E.  
 Grass. Some heavy Pine timber N.

## Gila and Salt River

Meridian.

Chains

North, between Sections 19 and 20.

Variation

15°40'

East.

- 9.50 Leave timber brs. N. E. & S. W. enter fine open flat brs. E. & W. and with Springs and running water on its N. side.
- 11.50 Dry bed of stream 20 brs. wide, brs. S. W.
- 30.00 Ascend from bottom land to higher ground.
- 32.00 Spring of water 100 brs. N.
- 33.50 Enter timber brs. E. and W.
- 39.50 Cease ascending, run along uneven ground
- 40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground and build mound of stones 2 ft high, as per instructions for 74 sec. cor. from which  
 a Pine, 16 in. dia. brs. N. 39° W. 65 brs. dist.  
 do. 25 " " N. 44° E. 22 " "
- 80.00 Set a post, marked E notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and build a mound of stones 2 ft high, as per instructions for cor. to Secs. 17, 18, 19 and 20. from which  
 a Pine, 30 in. dia. brs. N. 85° E. 6 brs. dist.  
 do. 29 " " " S. 58° E. 16 " "  
 do. 31 " " " S. 7 1/2° W. 40 " "  
 do. 24 " " " N. 70° W. 50 " "
- Land level and rich soil. Then ascending N. and poor. Grass. Heavy Pine timber on N.

Chains

East, on a random line between Sections 17 and 20.

Variation  $15^{\circ}40'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.95 Intersect N. and S. line 15 hrs. S. of  
cor. to secs. 16, 17, 20 and 21, from  
which cor. Run  
S.  $89^{\circ}54' W.$

Outline line between secs. 17 & 20.  
var.  $15^{\circ}40'$  East.

39.97 Set a post, marked  $\frac{1}{4}$  S. 14 ft long,  
flattened 3 in wide, 1 ft in the ground  
dove chanced stake and build mound  
of earth 2 ft high, with pits 1 ft deep  
2 ft long, 1 ft wide, as per instruc-  
tions, for  $\frac{1}{4}$  sec. cor. from which  
a Pine, 36 in. dia. br. S.  $65^{\circ} E.$  22 hrs. d  
do. 20 " " " N.  $74\frac{1}{2}^{\circ} W.$  50 " "

79.95 Cor. to Secs. 17, 18, 19 and 20.

Land broken.

Soil poor.

Grass.

Heavy Pine timber

Chains West, on a random line between Sections 18 and 19.  
Variation  $15^{\circ}40'$  East.

- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 78.81 Intersect N. boundary 42 chs. S. of cor. to secs. 18 and 19, from which cor. Run  $S. 89^{\circ}42' E.$   
 Out true line between secs. 18 & 19 var  $15^{\circ}40'$  East
- 38.81 Set apart marked  $\frac{1}{4}$  S. 4 ft long, flat-tined 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high as per instructions for  $\frac{1}{4}$  sec. cor. from which  
 A Pine 12 in dia. br. N.  $44^{\circ} W.$  23 chs. dist.  
 do. 12 " " S.  $49^{\circ} E.$  28 " "
- 75.20 A Pine 36 in dia.
- 78.81 Cor. to secs. 17, 18, 19 and 20.

Land mostly level.  
 Soil poor.  
 Grass.  
 Heavy Pine timber.



## Gila and Salt River Meridian.

Chains

North, between Sections 17 and 18.

Variation  $15^{\circ}40'$  East.

34.91 A Pine 39 in. dia.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, and build mound of stones 2 ft high as per instructions for 14 sec. cor. from which

A Pine, 31 in. dia. cor. S.  $25^{\circ}$  W. 24 in. dia. cutdo. 27 " " " N.  $41\frac{1}{2}^{\circ}$  W. 28 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive chared stake and build mound of earth 2 ft high, with pits 1 ft deep. 2 ft long, 1 ft wide, as per instructions for cor. to secs. 7, 8, 17 and 18, from which

A Pine, 30 in. dia. cor. S.  $48^{\circ}$  W. 53 in. dia. cut.do. 32 " " " N.  $44^{\circ}$  W. 50 " "do. 30 " " " N.  $1\frac{1}{2}^{\circ}$  E. 24 " "do. 29 " " " S.  $84^{\circ}$  E. 55 " "Land broken. Soil mostly poor.  
Grass. Heavy Pine timber.

Township 20 North Range 7 East  
Gila & Salt River Meridian.

Chains West, on a random line between Sections 18 and 19.  
Variation 15°40' East.

- 40.00 Set temporary 1/4 sec. cor.
- 78.81 Intersect N. boundary 42 chs. S. of cor. to secs. 18 and 19. from which cor. from S. 89°42' E.  
On true line between secs. 18 & 19 var 15°40' East
- 38.81 Set apart marked 1/4 S. 4 ft long. flat tined 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high as per instructions for 1/4 sec. cor. from which  
A Pine 12 in dia. br. N. 44° W. 23 chs. dist.  
do. 12 " " S. 49° E. 28 " "
- 75.20 A Pine 36 in dia.
- 78.81 Cor. to Secs. 17, 18, 19 and 20.

Land mostly level.  
Soil poor.  
Grass.  
Heavy Pine timber.

Township 20 North Range 7 East

Gila and Salt River Meridian.

Chains North, between Sections 17 and 18.

Variation 15°40' East.

34.91 A Pine 39 in. dia.  
40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flat-topped 3 in. wide, 1 ft in the ground, and build mound of stones 2 ft high as per instructions for  $\frac{1}{4}$  sec. cor. from which

A Pine, 31 in. dia. br. S. 25° W. 24 sec. dist.  
do. 27 " " " N. 41 1/2° W. 28 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep. 2 ft long, 1 ft wide, as per instructions for cor. to secs. 7, 8, 17 and 18, from which

A Pine, 30 in. dia. br. S. 48° W. 53 br. dist.  
do. 32 " " " N. 74° W. 50 " "  
do. 30 " " " N. 1 1/2° E. 24 " "  
do. 29 " " " S. 84° E. 55 " "

Sand broken. Soil mostly poor.  
Grass. Heavy Pine timber.

Township 20 North Range 7 East

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation  $15^{\circ}40'$  East.

- 40.00 Set temporary  $7\frac{1}{4}$  sec. cor.
- 60.00 Deep ravine brs S.W. Descend into it
- 67.00 Leave same brs S.W.
- 80.04 Intersect N. and S. line 12 hrs. S. of cor.  
to secs. 8, 9, 16, and 17, from which  
Cor. Iron  
S.  $89^{\circ}55'N$ .  
Outline line between secs. 8 & 17.  
var.  $15^{\circ}40'$  East.
- 26.00 A Pine, 29 in dia.
- 30.70 do. 32 " "
- 31.80 do. 30 " "
- 40.02 Set a post, marked  $7\frac{1}{4}$  S. 4 ft long, flattened  
3 in wide, 1 ft in the ground, drive chanced  
stake and build mound of earth 2 ft  
high, with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for  $7\frac{1}{4}$  sec. cor.  
from which  
A Pine, 28 in dia brs, N.  $16\frac{1}{2}^{\circ}E$ , 55 hrs. dist  
do. 26 " " " S.  $46\frac{3}{4}^{\circ}N$ , 35 " "
- 80.04 Cor to secs. 7, 8, 17 and 18.

Land rolling and smooth. Some good  
Soil. Grass. Heavy Pine timber

Township 20 North Range 7 East  
Gila and Salt River Meridian.

Chains West on a random line between Sections 7 and 18.  
Variation 15°40' East.

40.00 Set temporary 1/4 sec. cor.  
64.00 Descend into flat.  
78.62 Intersect N. boundary 38 lns. N. of  
cor. to secs. 7 and 18. from which cor.

Run  
N. 89°44' E.  
Return line between secs. 7 & 18.  
var. 15°40' East.

38.62 Set apart, marked 1/4 S. 4 ft long,  
flattened 3 in wide, 1 ft in the ground  
driv charred stake and build mound  
apex with 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for 1/4 sec. cor. from which  
A Pin, 28 in. dia. br. S. 75° W. 39 lns. dist  
do. 29 " " " N. 33° W. 58 " "  
78.62 Cor. to secs. 7, 8, 17 and 18.

Land mostly level  
Some good soil.  
Grass.  
Heavy Pine timber.

Township

20 North

Range

7 East

Gila and Salt River

Meridian.

Chains

North, between Sections 7 and 8.

Variation

15°40'

East.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor. from which

A Pine, 29 in diameter, S. 31° E, 7 lvs. dist

do. 30 " " " N. 74° W. 51 " "

80.00 Set a post, marked and notched, 4 ft long 3 in sq'd, 1 ft in the ground, and build mound of stones 2 ft high as per instructions for cor. to secs. 5, 6, 7 and 8. from which

A Pine, 27 in diameter, S. 27° W. 8 lvs. dist

do. 31 " " " S. 50° E, 70 " "

do. 30 " " " N. 40° E, 60 " "

do. 28 " " " N. 74½° W. 57 " "

Land mostly level.

Some good soil.

Grass.

Many Pine timber.

Township

20 North

Range

7 East

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation

15° 40'

East.

40.00 Set temporary 1/4 sec. cor.

80.10 Intersect N. and S. line of lvs. S. a few cor.  
to secs. 4, 5, 8 and 9, from which  
cor. down  
S. 89° 56' W.

Between line between secs. 5 &amp; 8.

var. 15° 40' East.

37.31 A Pine 30 in dia.

40.03 Set a post, marked 1/4 S. 4 ft long, flat-  
tened 3 in wide, 1 ft in the ground, drive  
charred stone and build mound a few ft  
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for 1/4 sec. cor.  
from which

A Pine, 30 in dia. br. N. 27° E. 82 lvs. dist.

do. 25 " " S. 49 1/2° W. 94 " "

80.10 Cor. to secs. 5, 6, 7 and 8.

Land level. Soil sandy and poor.

Grass. Heavy Pine timber.

Township 20 North Range 7 East

Gila & Salt River

Meridian.

Chains

West, on a random line between Sections 6 and 7.

Variation 15°40' East.

40.00 Set temporary 1/4 sec. cor.

78.40 Intersect N. boundary 27 lvs. S. of cor. to Secs. 6 and 7. from which cor. I run S. 89°49' E.

On true line between sec. 6 & 7. var. 15°40' East.

38.40 Set a post, marked 448.4 ft long, flattened 3 in. wide, and build a mound of stones 2 ft high, as per instructions for 1/4 sec. cor. from which a Pine, 18 in. dia. br. N. 2° W. 46 lvs. dist. do. 24. " " S. 39 1/2° E. 54 " "

78.40 Cor. to Secs. 5, 6, 7 and 8.

Land level. Some good soil.

Grass. Heavy Pine timber.





Township 20 North Range 7 East

Gila and Salt River Meridian.

Chains North, on a ~~random~~ <sup>True</sup> line between Sections 5 and 6.

Variation 15° 40' East.

40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec cor. from which  
A Pine, 40 in. dia. br, S. 66° E. 26 lead to  
do. 34 " " " N. 60 1/2° W. 40 " "

80.20 Intersect N. boundary, (the 5<sup>th</sup> Standard Parallel N<sub>2</sub>) 11.80 chs. W. of the standard cor. to secs. 31 and 32. of township 21 N. Range 7 E. - Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 1/2 ft deep, 2 ft long, 1 ft wide, as per instructions for closing cor. to secs. 5 and 6. from which  
A Pine, 33 in. dia. br, S. 35° W. 32 lead to  
do. 34 " " " S. 46° E. 56 " "

Land broken and soil poor; then level and some good. Grass. Heavy Pine timber. September 16. 1878.

## GENERAL DESCRIPTION.

Township 20 N. Range 7 E. contains a solid body of Pine timber, of great commercial value and easily accessible.

The trees are straight and of great height and size.

There is water in secs. 19 and 30 and in secs. 1 and 12.

There is excellent grass throughout the township.

The soil is generally poor or stony except in the S.W. part where there is some fine agricultural land the only open spot however being the S.W.  $\frac{1}{4}$  of sec. 20 and the S.E.  $\frac{1}{4}$  of sec. 19.

The center and N.W. portions are level or rolling. The extreme S. and E. portions are broken. The land is wholly non-mineral.

The lines were blazed and lime trees notched in accordance with instructions.

John P. Harris  
U.S. Dep. Surveyor.

List of Names.

BOOK 351

62

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

The Subdivision Lines of Township 20 N. Range 7 E. of the Gila and Salt River Meridian

Showing the respective capacities in which they acted.

Richard Shropshire Chainman.

N. Van Alstine Chainman,

W. Sausteque } Axeman.  
Frank Carpenter }

Am. Amos Kolb Flagman.



63

# Final Oath of Assistants.

BOOK 351 \_\_\_\_\_

We hereby certify that we assisted John L. Harris U. S. Deputy Surveyor, in

surveying  
The Subdivision Lines of  
Township 20 N. Range 7 E.  
of the Gila and Salt River  
Meridian.

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Richard Shreps Chainman.

N. Van Hatten Chainman,

Frank Carpenter Axeman.

Wm. Amos <sup>his</sup> Holt Flagman.  
D. B. Dodson <sup>in</sup> aid Pitman

Sworn to and subscribed before me, this 13<sup>th</sup>

day of November, 1878

John R. Farrell  
Notary Public.



Final Oath of Deputy Surveyor.

64

BOOK 351

I, John H. Harris  
U. S. Deputy Surveyor, do solemnly swear that  
in pursuance of a contract with John Wasson,  
United States Surveyor-General for Arizona, bear-  
ing date the 29<sup>th</sup> day of July

1878. I have well, faithfully and truly, in my  
own proper person, and in strict conformity with  
the instructions furnished by the Surveyor-Gener-  
al, the Surveying Manual, and the laws of the  
United States, surveyed all those portions of

The Subdivision Lines of  
Township 20 N Range 7  
E. of the Gila and Salt  
River Meridian

as are repre-  
sented in the foregoing Field Notes as having  
been surveyed under my directions; and I do  
further solemnly swear that all the corners of  
said surveys have been established and perpet-  
uated in strict accordance with the Surveying  
Manual and printed instructions, and also in ac-  
cordance with the additional requirements con-

65

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

*John L. Harris*

Deputy Surveyor.

BOOK 351

Sworn to and subscribed before me, this <sup>13<sup>th</sup></sup>.....

day of *November*, 1878

*John R. Farrell*

Notary Public



U. S. Surveyor General's Office,

TUCSON, ARIZONA, December 30, 1878.

The foregoing Field Notes of the Survey of the  
Subdivision Line of  
Township 22 North  
Range 7 East,

Of the Gila and Salt River Base and Meridian, Arizona, execu-  
ted by John S. Harris.

Deputy Surveyor, under his contract of the 29<sup>th</sup>  
day of July, 1878, having been

critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe  
are hereby approved.

John Masson

Surveyor General.