

357

BOOK 357

357

F I E L D N O T E S

OF THE SURVEY OF THE

SUBDIVISION LINES

OF

Township 20 North, Range 17 East.

Gila and Salt River Base and
Meridian,

ARIZONA.

By Frank Follman, D. S., under
Contract dated July 29, 1882.
Survey commenced Oct. 24, 1882.
Survey completed Oct. 26, 1882.

BOOK 357

~~Book No. 5~~

No-357

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF-

Township *20. N.*, Range *17. E.*

Gila and Salt River Base and Meridian

ARIZONA.

By *Frank Fallman* D. S.

under contract dated *July 29th* 1882.

Survey commenced *Oct. 24th* 1882.

Survey completed *Oct. 26th* 1882.

No-357

✓
Copy 30
Admitted

1A


INDEX.

Township 20 N, Range 17, E

BOOK 357 Gila and Salt River Meridian.

6	84	5	61	4	46	3	31	2	16	1
83	82	60	45	30	15					
7	80	8	59	9	44	10	28	11	14	12
79	78	58	43	27	12					
18	77	17	57	16	42	15	26	14	11	13
75	74	56	41	25	9					
19	73	20	54	21	39	22	24	23	8	24
71	70	53	38	22	6					
30	69	29	52	28	37	27	21	26	5	25
67	65	51	36	20	4					
31	64	32	49	33	34	34	19	35	2	33

Referring the lines to the pages of the field notes.



2

BOOK 357

For preliminary
oaths & list of assis-
tants see first book
(No. 1) of survey,

J, 20 N, R, 17 E, 9, S R M,

Amn the Cr, to Secs 35-36
 1 and 2 on the S. Boundary
 of Township, previously
 established by the
 15 210 in, set in
 ground

(Do not leave space)

June 7, bet Secs. 35 + 36
 Cr. 140 15' Each
 as per ^{140 15'} 140 15' improved Galax Corners
 over high rolling land
 4000 bet a sand stone 12 x 7 x 7 in
 8 in. in the ground for 1/4

J. 20 N. R. 17 E. Cont

Chairs

Sie. Cor, marked $\frac{1}{4}$ on
N. fac., dug pits $18 \times 18 \times 12$
ins N & S. of ston. $5\frac{1}{2}$ ft.
dick and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft
bar along side

57.00 Top of spur 60 ft. high bar.
N & S.

75.25 Dy work 70 lks wide bar
S. E.

8000 Like a pond ston $20 \times 12 \times 12$ in
15 ins. in the pond for Cor
to locs 25-26-35 & 36
marked with 1 notch on E &
S edges, dug pits $18 \times 18 \times 12$
ins in each loc $5\frac{1}{2}$ ft. dick
and raised a mound of
earth 2 ft. high $4\frac{1}{2}$ ft bar
along side

Land rolling
soil 35 net
growing fair

T. 20 N. R. 17 E. Q. 10k.

Chains

East on a condon line
bet. Sies 25 + 36

EB $14^{\circ} 15'$ East

Over rolling land

24.50 Top of spur 40 ft. high to N + S.

40.00 Set temporary $\frac{1}{4}$ Sec Cor.

65.00 Dry wash 50 lks. Mid. Corner S.

68.00 Ascend gradually to Cor.

80.12 Intersect East Boundary

of Township 13 lks. S. of

Cor to Sies 25-30-31 + 36

previously established by me

thence I run $S. 89^{\circ} 54' W.$

on a true line bet Sies

25 + 36 with corner Va

40.06 Set a cond etm $20 \times 12 \times 8$ ins

15 ins in the ground for $\frac{1}{4}$ Sec

Cor. marked $\frac{1}{4}$ on N. face

dry pit $18 \times 18 \times 12$ ins C + W

T. 20 N. R. 17 E. Cont

Chairs

of straw $\frac{5}{8}$ ft. dia and
raised a mound of earth
 $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
alongside

So. 12

See Cor to Secs 25-26-35 + 36
Rolling surface
Soil 3rd rate *grazing* fair

North bet. Secs 25 + 26

Cor. 14 + 15 + East

Other high rolling land

3.50

Top of spur 50 ft. high to
N. 70° W. + S. 70° E.

4.00

See a round straw 12 x 7 x 7 ins
& ins. in the ground for $\frac{1}{4}$
See Cor. marked $\frac{1}{4}$ on N.
face dug pit 18 x 18 x 12 ins
N. + S. of straw $\frac{5}{8}$ ft. dia
& raised a mound of earth
 $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base alongside

J. 20 N. R. 17 E. Creek.

Chris

62.50 Enter Valley on ~~NT~~ S.E.

50.00 Set a pond 14x13x4 in
9 in. in the ground for Cor. to
Sics 23-24-25 & 26

Marked with 1 notch on E
& 2 notches on S. edges, dug
pits 18x18x12 in. in each
Sic, 5 1/2 ft. diet and
raised a mound of loess
2 ft. high 4 1/2 ft. over
along side. ^{High rolling land}
^{Soil 35 rate}
^{Growing fair}

Each on a random line
bet. Sics. 24 & 25

Cor. 14° 15' East

Over Valley long

40.00 Set temporary 1/4 Sec Cor
62.00 due S. of this point is

T. 20 N. R. 17 E. Cont

choirs

49.92 situated Pomman's residence
 Interest E. Boundary of
 Township 8th. N. of Co
 to Secs. 19-24-25 + 30
 previously established by
 me.

Thence S 20° 57' N,
 On a true line bet

39.96 Secs. 24 + 25 with same wa.
 Let a pond str 14 x 10 x 8
 ins, 9 ins. in the front fr
 1/4 Sec. Co marked 1/4 on
 N. face dug pit 18 x 18 x 12
 in E + W. of str 5 1/2 ft.
 dish & raise a mound
 of earth 1 1/2 ft high 3 1/2 ft
 on along side

T. 20 N. R. 17 E. Cook

Chris

79.92 The Cor to Secs 23-24-25 & 26
 Surface Valley land & rolling
 Soil $\frac{3}{4}$ cat
 growing fair

North beh. Secs. 23 & 24
 W. $14^{\circ} 15'$ E each

Over Valley land

22.50 Team Valley bur E & N and
 Ascend

4000 Set a blint rock $12 \times 6 \times 6$ in
 8 in. in the fur for $\frac{1}{4}$ Sec Cor,
 marked $\frac{1}{4}$, on W. face
 dug pit $18 \times 18 \times 12$ in N. S. of
 stone $\frac{1}{2}$ ft. dist and
 raised a mound of
 earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
 from alongside

9

BOOK 357

T. 20 N. R. 17 E. Cont.

Chain
80.00

Set a pond stru $20 \times 12 \times 12$
ins. 15 ins in the front for
for to Secs 13-14-23 & 24
marked with 1 notch on E
& 3 notches on S. Edges
Clay pits $18 \times 18 \times 12$ ins in
each Sec 5 ft ft dirt and
round a mound of each
2 ft. high $4 \frac{1}{2}$ ft. from
along side
Surface rolling
soil 2' & 3' at
edges fair

Each on a London line bet
Sec, 13 & 24

Cor. 14^o 15' East

Over valley land

25.00

Cross way 100 lks mid
Corner South

T. 20 N., R. 17 E., Cont

Chairs

40,00 Set temporary $\frac{1}{4}$ Sec. Cor,
48,00 ^{around} Top of mesa 68 ft. high bet
N & S.

80,10 Interest E. Boundary of
Township 8 lks South
of Cor to Secs. 13-18-19 & 24
previously established by
me.

Thence I run S. $89^{\circ} 57' W$,

on a new line bet

Secs. 13 & 24 with corner Va

40,05 Set a round stone 12 x 6 x 6 in
diam. & circ. in the ground for
 $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ on
N. face, dug pits 18 x 18 x 12
E. & W. of stone $3\frac{1}{2}$ ft. dia
& raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. diam
along side

11
J. S. N. R. 17 E. Cont

Chairs

80.10 The Cor to locs 13-14-23 & 24
 Simpson ^{Rolling}
 Fork 2nd Cat
 Spring fair

North beh. Secs 13 & 14
 Cor. 14° 15' East

Over Valley Road

37.00 Enters road land by S. 25°
 W. & N. 25° E.

40.00 Set a round stone 12 x 10 x 6 ins
 8 ins. in the ground for 1/4 Sec
 Cor. marked 1/4 on W. face
 dug pit 18 x 18 x 12 in. N. S.
 of stone 5 1/2 ft. deep and cover
 a mound of earth 1 1/2 ft
 high 3 1/2 ft. high alongside

80.00 Set a Terra Stone 20 x 10 x 4 in
 15 ins. in the ground for Cor

T. 20 N. R. 17 E. Cont

chain

11-12-13 & 14 on top of
high hills to E + W
Marked with 1 notch on
E, & 4 notches on S, Edges.
 dug pits 18x18x12 ins in each
Sec 5 1/2 ft. dirt and rain
a mound of soil 2 ft high
4 1/2 ft. base along side
from valley land
Soil 2 5 & 3 feet
spring fair

Each on a random line
bet. Secs 12 & 13

- 14 & 15 East

17. From base lands and
enter table land

4000 lot temporary 1/4 Sec. Cor.

7988 Interest E. Boundary
of Township 15 N. R. 17 E.
of Cor to Secs 7-12-13 & 18

J. 20 N. R. 17 E. Cont

chairs

previously established
by me

thence S. 89° 54' W

On a tree line bet

Secs 12 + 13 with Dow Co.

39.94 let a round ston 20 x 12 x 8 ins

15 ins. in the front for $\frac{1}{4}$ Sec

Cor marked $\frac{1}{4}$ on N. face

dry pit. 18 x 18 x 12 ins E & W.

of ston 5 $\frac{1}{2}$ ft. dia and

incid a mound of earth

1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. diam

along side

79.88

The Cor. to Secs 11-12-13+14

Surface of lands

Soil 4 or 2 ft

growing poor

T, 20 N, R, 17 E, Cont.

Chairs

North bef. Secs. 11 & 12
 Str. 14° 15' East

40.00 Set a lava stone 14x10x4 in.,
 9 in. in the ground for $\frac{1}{4}$ Sec
 Cr., marked $\frac{1}{4}$ on W. face
 dug pits 18x18x12 in N. & S.
 of stone 5 $\frac{1}{2}$ ft. dist and
 raised a mound of earth
 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. broad
 along side

53.00 Top of knob 70 ft. high
 from E.

61.00 Lion head lands bet N.E. & S.W.

77.00 Enter valley bet N.E. & S.W.

80.00 Set a Lava Stone 14x10x4 in
 9 in in the ground for Cr
 to Secs 1-7-11 & 12 marked
 with 1 notch on E. & 5 notches
 on S. edges dug pits 18x18x12

1.5

T. 20 N. R. 17 E. Cont

Chowin

in each Sec 5 1/2 ft. dist
and raised a mound of
earth 2 ft. high 4 1/2 ft. in
along side
~~Drain in front of~~
~~Sec 4 & 20~~ grazing fair

Each on a random line
bet. Sec 1 + 12

Over 140 151 Each

Over daily land

37.00 Enter tod lands to S. N. 60° E. + S 60° W.

40.00 let temporary 1/4 Sec, Cor.

80.12 Interest E. Boundary of
Township 5 lks S. of Cor
to Secs 1-6-7-12 previously
established by me

Measure 1 mi S. 89° 58' W.

On a true line
bet. Secs 1 + 12 with some Va

J. 20 N. R. 17 E. Cont.

Choirs

40.06

Set a sand stone $14 \times 12 \times 14$ in.
 9 in. in the ground for $\frac{1}{4}$
 Sec Cr., marked $\frac{1}{4}$ on N.
 face, dug pits $18 \times 18 \times 12$ in.
 E & W of stone $5 \frac{1}{2}$ ft. apart
 & raised a mound of
 earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. from
 alongside

S012

The Cr., to Secs 1-2-11 & 12
 Surface rolling
 soil 3' rate
 grazing fair

North on a line bet. Sec 1 & 2
 Str $14^{\circ} 15'$ East

Descending gradually

40.00

Set a sand stone $20 \times 12 \times 8$ in.
 15 in in the ground for $\frac{1}{4}$ Sec
 Cr., marked $\frac{1}{4}$ on N. face
 dug pits $18 \times 18 \times 12$ in. N. & S.

17

BOOK 357

T. 20 N. R. 17 E. Creek

Choir

of stone $5\frac{1}{2}$ ft. dia. and
 covered a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. long
 along side

499.90 Intersection 5th Standard N.,
 20.97 Choir N. of Standard
 Cr. to Secs 35 & 36 T. 21 N.
 R. 17 E. each, previously estab-
 lished by me when I set
 a sand stone $20 \times 10 \times 5$ ins,
 15 ins in the ground for closing
 Cr. to Secs. 1 + 2, marked
 C.C. with 1 notch on E, and
 5 notches on N edges. dug
 pit $18 \times 18 \times 12$ ins E. W. of
 stone ^{$5\frac{1}{2}$ ft. dia.} covered a mound of
 earth 2 ft. high $4\frac{1}{2}$ ft. long
 along side. ^{Subsoil broken}
 Soil ³ ^{rather} fair
 Frank Hollman
 Oct 24 1882

J. 21 N. R. 17 E. Cont

chain

I carefully examined
~~the adjustment of my~~
~~solar compass particularly~~
~~the latitude & reversing~~
~~apparatus & found them correct~~

From the Cont to Secs 23-34
 and 35 on the South Boundary
 of the Township previously
 established by me.

19

BOOK 357

T. 20 N., R. 17 E., Cont.

Chowin

I run North bet. Sacs 34 & 35

Cor. 14° 15' East

Over high rolling land

Cor 14° 15' East

Over high rolling land

40.00 Set a sand stone 14 x 10 x 8

ins. of ins. in the ground for

1/4 Sec. Cor marked 1/4

S. on N. face, dug pit. 18 x

18 x 12 ins N. & S. of stone

3 ft high & raised a mound of earth

1/2 ft high 3 1/2 ft from

apex

80.00 Set a sand stone 20 x 12 x 8

in 15 ins. in the ground for

Cor to Sacs 26-27-34 & 35

Marked with 2 notches on

E & 1 notch on S edges,

dug pit 18 x 18 x 12 ins in

T 20 N. R. 17 S Cont

Herein

each Sec 3 1/2 ft. dia +
 raised a mound of
 earth 2 ft. high 4 ft. dia.
 for aloupid.
 Surface high rolling land
 Soil 3rd rate spraying fair

Each on a condour line
 bet Secs 26 & 35

40.14 15' Each

On high rolling land

40.00 Lot temporary 1/4 Sec. Cor

74.00 Dry work 70 lks wide

Corner S. E. ÷

50.20 Interest N. + S. line 18 lks

N. of cor. to Secs. 25-26-35 + 36

Thence I run N. 89° 52' W,

on a true line bet

Secs. 26 - 35 with corner Va

40.10 Lot a sand stone 13 x 10 x 8 lks

27

J. 20 N. R. 19 E. Cont

chains

9 ins. in the row for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on N. face, dry pit. $18 \times 18 \times 12$ ins E + W of stone $5\frac{1}{2}$ ft. dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. long along side

80.20

The Cor. to Secs 26 27 34 + 35
Slope - high rolling land
Soil 3' Cat
Spring fair

North bek. Secs 26 + 27
at $14^{\circ} 15'$ East

Over high rolling land

40.00

Set a round stone $20 \times 12 \times 8$ ins. 15 ins. in the row for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ on N. face, dry pit. $18 \times 18 \times 12$ ins N. + S of stone $5\frac{1}{2}$ ft.

J. 20 N. R. 19 E. Cont

Chairs

disk and record a mound
of earth 1 1/2 ft. high 3 1/2 ft.
over alongside

8000

Set a Terra Stone 10x10x6 in
6 ins. in the ground for Cor to
Sies 22-23-26 + 27

Marked with 2 notches on
E, & 2 notches on Sedges

Aug pits 18x18x12 in each

Set 3 1/2 ft. disk and record
a mound of earth 2 ft. high
4 1/2 ft. over alongside
Surface high rolling land
and 3 1/2 ft. grass fair

East on a random line
bet. Sies 23 & 26

Dir. 140 151 East

OTW rolling land

4000

Set temporary 1/4 Sec. Cor.

6780

Enter daily to N + S

23

J. D. N. R. M. E. Arch.

Choirs
8015

Intersect N. + S. line 13
E. S. of Cor to Secs 23-24-
25 + 26

Chosen Iron S. 89° 54' W

On a true line bet Secs

23 + 26 not some Ia.

40.07

Set a round stone 20x17x8 ins
15 ins in the front for 1/4 Sec
Cor, marked 1/4 on N. face dug
pit 18x18x12 ins E + W of stone
5 1/2 ft. dist + raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. over along side

8015

In Cor. to Secs 24-23-26 + 27
Superior
Site 3 1/2 mi
Grazing fair

T. 20 N. R. 17 E. Cont

Acres

North bet. Secs 22 & 23
 Or 14° 15' East

Over Valley land

11.00 Lean Valley land to S. 70 ft,
 and into bad lands

38.00 Lean bad lands to E & W.

40.00 Let a round stone 14 x 10 x 4 in
 9 ins. in the front for $\frac{1}{4}$ Sec
 Cor. marked $\frac{1}{4}$ on W face
 dug pits 18 x 18 x 12 ins N, & S,
 of stone $5\frac{1}{2}$ ft. dist., and
 raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. across
 along side

80.00 Let a round stone 20 x 12 x 12 in
 15 ins in the front for Cont Secs
 14-15-22 & 23 marked with
 2 notches on E, and 3 notches
 on S. edge, dug pits ^{18 x 18 x 12 ins} in each

J. 20 N. R. 17 E. Quad,

Chains

Sec 5 1/2 ft. dist and excav
 a mound at east 2 ft high
 4 1/2 ft. from along side.
 Surface rolling grazing farm
 Soil 3' Rate

East on a contour line bet
 Secs. 14 + 23

Var. 14.15 E sec

OTW Valley rolling land

38.00 Leave Valley land + enter
 bad lands

40.00 let temporary 1/4 Sec. Cor.

56.72 Leave bad lands, tes. S. 70° W.
 and enter Valley

79.84 Intersect N + S. line 18 lbs.

N. of Cor to Secs 13-14-23 + 24

Chena I run N. 89° 52' W.

on a true line bet.

Secs 14 + 23 with some Va

S. 20 N. R. 17 E. Cont.

3992 ^{Sand} Set a stone 12 x 10 x 4 ins 8
ins in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. face, dug
pits 18 x 18 x 12 E & W, of stone
5 ft. dist & round a mound
of earth 1 ft. high 3 ft. long
along side

3984 The Cor. to Lies 14-15-22 & 23
^{Surface to be}
^{soil + a rat} grazing fair

North beh. Lies 14 & 15
Cor. 14 & 15 East

Descending gradually

4000 Set a Lora Rock 10 x 7 x 7 ins
6 ins in the ground for $\frac{1}{4}$ sec.
Cor. marked $\frac{1}{4}$ on N. face
dug pits 18 x 18 x 12 ins N & S. of stone
5 ft. dist & round a mound of
earth 1 ft. high 3 ft. long along side

27

BOOK 357

T. 20 N., R. 17 E., Cont.,

Chris
80.00

Set a lava rock $20 \times 10 \times 4$ in
 15 ins. in the ground for Cor
 to Sies 10-11-14 & 15 marked
 with 2 notches on E. & 4 notches
 on S. edges. dug pits $18 \times 18 \times 12$
 ins. in each Sies $5 \frac{1}{2}$ ft. dist.
 & round a mound of rock
 2 ft high $4 \frac{1}{2}$ ft. dia along id.
~~sub to a trap~~
~~and a cat~~ grazing

Each on a random line bet.
 Sies 11 & 14

W 14° 15' E each

Over Valley land

38.00 Enter Bad lands to N. 60° E
 and S 60° W.

40.00 Set temporary $\frac{1}{2}$ p. Sies Cor.
 80.08 Intersect N & S. line
 15 lbs S. of Cor to Sies

J. 20 N R. 17 E. Cook

Chains

11-12-13 + 14.

Hence I run S. 89° 34' W,

on a true line bet

Sics. 11 & 14 with Iron Sta.

40.04

At a pond stone 12 x 10 x 8

ins. 8. ins in the ground for

1/4 Ric. Cor marked 1/4 on

N. face, dug pits 18 x 18 x 12

ins E. & W. of stone 5 1/2 ft.

dish. & raised a mound

of earth 1 1/2 ft. high 3 1/2

ft. from along side.

80.08

The Cor. to Sics 10-11-14 + 15

Surface broken

Soil 3 or 4 ft. with

springing fair

North to Sics 10 + 11

W. 14 + 15 East

T. 20 N. R. 17. E. Cont.

Chairs

Old Valley land

40.00 Set a round stone $10 \times 7 \times 4$ ins
 6 ins. in the ground for $\frac{1}{4}$ Sec.
 Cor. marked $\frac{1}{4}$ on N face.
 dug pits $18 \times 18 \times 12$ N. & S.
 of stone $5\frac{1}{2}$ ft. dia + void
 a mound of earth $1\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base along side

80.00 Set a round stone $20 \times 16 \times 8$ ins
 15 ins in the ground for cont
 Secs 2-3-10 & 11 marked
 with 2 notches on E. & 5
 notches on S. edges. dug
 pits $18 \times 18 \times 12$ ins. in each
 Sec $5\frac{1}{2}$ ft dia and
 void a mound of earth
 2 ft high $4\frac{1}{2}$ ft. base along side
 Old Valley land
 Set 3rd 2nd 2nd ground property

J. 20 N. R. 17, E. Creek

Archie

East on a sandstone line
bet. Secs 2 & 11

Or, $14^{\circ} 15'$ East

40.00

Set a temporary $\frac{1}{4}$ Sec. Cr.

80.09

Intersect N & S. line 15 lks.

N. of Cr to Secs 1-2-11 & 12

Thence I run N. $89^{\circ} 54' W$,

On a true line bet Secs

2 and 11 with same Pa.

40.04

Set a Lora Rock $20 \times 10 \times 4$ ins

15 ins. in the ground for $\frac{1}{4}$

Sec. Cr. marked $\frac{1}{4}$ on N.

face, dug pit, $18 \times 18 \times 12$ ins

E & W. of stone $5\frac{1}{2}$ ft. dia

and raised a mound of

earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft

for obelisk

80.09

The Cr. to Secs 2-3-10 & 11

Some broken

grazing fair

31

T. 20 N. R. 17 E. Cont

Chorus

North Sec. 2 & 3
Cor. 14° 15' E.

Over level land. Sandy

40.40

Set a round stone 14 x 12 x 10
ins. 9 ins. in the ground for 1/4
Sec. Cor. mark 1/4 on the
face ^{18 x 18 x 12 ins.} dry pit N. & S. of stone
5 1/2 ft. dist & raised a
mound of earth 1 1/2 ft. high
3 1/2 ft. in diameter

63.00

Dry work 220 lbs. wide
Corner S. W.

79.75

Intersect 5th Standard N.
21, 31 Chorus W. of Standard
Cor to Sec ³⁴⁻³⁵ 21 N. R 17
E, previously established
by me when I set a round
stone 24 x 10 x 6 ins. 18 ins
in the ground for closing

T. 20 N R. 17 E. Cont

Notes

Cors. to Secs 2+3, marked
C.C. with 2 notches on E.
and 4 notches on N. edge

And drilled a ^{de 1/2 mile} ~~small~~ ^{surface} ~~small~~ ^{sample} of
strat. along side ^{Surface Sample} ^{Soil} ^{at rate} ^{grows fair}
It is impracticable

John Lee Compton
Oct. 24 1887

T. 21 N. R. 17 E. Cont.

Choir

I carefully examined the
adjustment of my Compass ^{today}
particularly the latitude and
reversing apparatus and
found them correct

T. 20 N. R. 17 E. Cont

Choices

From the Cor. to Secs 33+34
on the South Boundary of
the Township previously
established by me,

From N. 1/4 Secs. 33+34
Cor. 14° 15' East

Over high rolling lands

4000

at a point str 13 x 10 x 8 in
9 in. in the ground for 1/4 Sec

J. 20 N. R. 17 E. Cont

Chrom

Cr. marked 1/4 on W face
 dug pit, 18 x 18 x 12 ins N & S.
^{5 1/2 ft. diam.}
 of stone and raised a mound
 of earth 1 1/2 ft. high 3 1/2 ft
 base along side

17.00

Top of ridge bis. E. & W. 60
 ft. high & over high table land

80.00

Like Boulder rock 17 x 10 x 10
 ins 12 ins. in the front for
 Arts Secs 27-28-33 & 34
 marked with 3 notches on
 E. and 1 notch on S edges,
 dug pits 18 x 18 x 12 ins. in each
 Sec 5 ft. diam. and raised
 a mound of earth 2 ft. high
 4 1/2 ft. base along side
 Duffay high rolling lands
 South 2nd east grazing post,

J. 25 N. R. 17 East, Cont.

chain

East on a rounded line bet
Secs 27 & 34

Cor. $124^{\circ} 15'$ East

Over high table land

40.00 Set temporary $\frac{1}{4}$ Sec. Cor

8915 Intersect N & S line 11 lks

S. of Cor. to Secs. 26-27-34 & 35

Hence run $S. 89^{\circ} 55' W.$,

on a true line bet Secs

27 & 34 with some Va.

40.07 Set a round stone $12 \times 12 \times 8$

ins 8 ins. in the ground for $\frac{1}{4}$

Sec. Cor. marked $\frac{1}{4}$ on

N. face, dug pits $18 \times 18 \times 12$

in E. & W. of stone $5 \frac{1}{2}$ ft. dist

and raised a mound of

earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft from

along side

T. 20 N. R. 17 E. Cont

Choir
50.15In Corto Secs. 27, 28, 33 & 34
Sum of high collis + table lands
S. 3' date August 1900North bet Secs 27 & 28
Cor. 14° 15' East

Over high table land

40.00

Set a sand stone 20 x 10 x 2 ins

15 ins. in the ground for 1/4 Sec

Cor. marked with 1/4 on N.

face, dug pits 18 x 18 x 12 ins

N. & S. of stone 5 1/2 ft. dia

& raised a mound of earth

1 1/2 ft. high 3 1/2 ft. dia

along side

77.00

Enter good land to E & N.

50.00

Set a lava rock 24 x 10 x 7 ins

18 ins. in the ground for Corto

Secs. 21-22-27 & 28 marked

with 3 N. H. on E, & 2 notch

J. 20 N. R. 17 E. Conk

Choir

on S. edge, dug pits
 18 x 18 x 12 in in each sec 5 1/2
 ft. dist, & raised a mound
 of earth 2 ft. high 4 1/2 ft.
 across along side
 surface high top level of ground
 from 35 feet ~~to~~ ~~ground~~ ~~level~~

East on a random line
 bet. Secs 22 & 27

200, 140, 150 East

through bad lands

10.00 from bad lands bet. N. E. &

S. W., and enter rolling land

4000 set temporary 1/4 Sec. Cor.

79.88 Intersect N & S. line 15 lks

N. of Cor. to Secs. 22-23-26 & 27

thence I run N. 89° 54' W,

on a true line bet

Secs 22 & 27 with found a

T. 20 N. R. 17 E. Cont.

- Chowin
39,94 At a Lora Rock 12 x 7 x 5 ins
8 ins. in the ground for $\frac{1}{4}$
Sec. Cor. marked $\frac{1}{4}$ on N.
face, dug pits 18 x 18 x 12
ins E. & W. of stone $5\frac{1}{2}$ ft
dist. & raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$
ft. long along side
- 7988 The Cor. to Secs 21-22-27 & 28
Surface had bands
of soil & a grassy field

North bet. Secs 21 & 22
Cor. 14015 East

Descend over broken hills

30,00 From hills bus E & W &
Descend gradually

40,00 At a round stone 16 x 12 x 5
ins 12 ins. in the ground for $\frac{1}{4}$
Sec. Cor. marked $\frac{1}{4}$ on N.

T 10 N. R 17 E. Contk

Chim

face, dug pit 18 x 18 x 12 in
N. S. of stone 5 ft. dia. and
raised a mound of earth 1 1/2
ft. high 3 1/2 ft. over along side

H 071 Cross dug work 28 lbs. with
Cous N. 85° W.

8000 W. a found stone 16 x 12 x 4 in.
12 in. in the ground for
trees. 15-16-21 & 22

Marked with 3 notches on E,
3 notches on S. Edges dug
pit 18 x 18 x 12 in. in each
See 5 1/2 ft. dia. & raised
a mound of earth 2 ft. high
1 1/2 ft. over along side

Surface broken
grotesque fair
Soil + a rats

H1

BOOK 357

S. 20 N. R. 17 E. Creek

Choir

East on a random line

bet. Secs 15 & 22 ^{var. 140 15.8}H0.00 Wh temporary $\frac{1}{4}$ Sec. Cr.80.14 Section N + S. line to lts,
South of Cor to Sec. 14-15-22-23.Mound run S. $89^{\circ} 57' N$,

on a true line bet

Secs 15 & 22 with same mark

H0.06 Red a pond stone 20 x 14 x 18

ins, 15 ins. in the ground for $\frac{1}{4}$ Sec. Cr. marked $\frac{1}{4}$ on N. face

Any pit 18 x 18 x 12 ins E + W,

of stone $\frac{5}{8}$ ft. dia and

kind a mound of 1 inch

 $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base

alongside

80.12 The Cor to Sec 15-16-21-22

Same rolling

Soil 35 ft

grass is fair

S. 20 N. R. 17 E. Conk.

chain

North bet p.c. 15 + 16

Ob. 14 + 15 Each

Descend gradually

40.00

Set a round stone 17×9.5
ins 12 ins. in the ground for $\frac{1}{4}$
Sec. Cor. marked $\frac{1}{4}$ on N.
face, dug pit $18 \times 18 \times 12$ in
N. S. of stone $5\frac{1}{2}$ ft. dia
and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
long alongside

HH 28

Cross dry wash 50 lbs wide
Cross W. + enter flat. (Good
grazing)

80.00

Set a round stone $16 \times 14 \times 6$ ins
12 ins. in the ground for Cor
to Sec. 9-10-15 to mark
with 3 notches on E. + 4
notches on S. edges, dug

J. 20 N. R. 17 E. Creek,

Chairs

Pits 18 x 18 x 12 in each
 5 1/2 ft. dia & raised on
 mound of earth 12 ft. high
 4 1/2 ft. base along side
 Surface rolling
 Soil 3rd rate
 Good grazing

Each on a random line bet
 Sec 10 & 15 near 14° 15' E.

Over rolling Country

40.00 1/4 temporary 1/4 Sec. Cor.

80.10 Interest N & S. line 18 lbs

South of Cor to Sec 10-11-14 & 15

Mean Run S. 89° 52' W,

On a true line bet Secs

10 & 15 with some Va.

J. 20 N. R. 17 E. Oak

Chairs

40.05 Set a round stone 20 x 10 x 8
ins 15 ins. in the ground for
1/4 Sec. Cor. marked 1/4
on N. face, dug pits 18 x 18 x
12 ins. E. & W. of stone 5 1/2
ft. dia. & raised a mound
of earth 1 1/2 ft. high 3 1/2
ft. base along side

80.10 The Cor. to Secs 9-10-15 & 16
Surface rolling
and rate of growth fair

North Sec. 9 & 10

Cor. 14° 15' East

40.00 Set a round stone 14 x 12 x 10 ins
10 ins. in the ground for 1/4 Sec.
Cor. marked 1/4 on W. face
dug pits 18 x 18 x 12 ins. N. & S.
of stone 5 1/2 ft. dia. and
raised a mound of earth 1 1/2 ft. high
3 1/2 ft. base along side

S. 20 N. R. 17 E. Cook

^{*12 ins. in the ground for cor to see}
 80.00 ^{3, 4, 9, & 10} At a Pond ^{15 x 18 x 12} ^{18 x 18 x 12} ^{franked with 5 notches on S edge & 3 notches on E edge}
 in in each Rec 5 1/2 ft. dia
 & raised a row of earth
 2 ft high 4 1/2 ft deep
 along side for Cor. to see
 3-4-9 & 10
 Surface level & pondy
 Soil 3⁵ rat
 Grazing fair

East on a random line
 bet Sec 3 & 10

1/4 Sec. 14 & 15 East

40.00 At Tempway 1/4 Rec. Cor.
 on level land

79.90 Interest N & S. line 15
 1/4 S. part of Cor. to see
 2-3-10 & 11

T. 28 N., R. 17 E., Cont.,

Apr 1915

Thence I run S, $89^{\circ}54'$ W,
On a true line bet, Secs
3+10 with 4 corner & a,

39.95 Put a sand stone $20 \times 12 \times 4$
ins. 15 ins. in the ground for
 $\frac{1}{4}$ Sec. Cor marked $\frac{1}{4}$ on N.
face, dug pits $18 \times 18 \times 12$ ins
E & W. of stone $5\frac{1}{2}$ ft. dia's
and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
from along side.

79.90 The Cor. to Secs 3-4-9 & 10
Survey level
Soil & sandy - 4 rats grazing fair

North on a ^{true} line bet, Secs, 3+4
for $14\frac{1}{2}$ to $15'$ Each

35.50 Cross mark 28 lts, with Corner
S. 28° W

40.00 Put a sand stone $14 \times 12 \times 10$

T. 2, N. R. 17 E. Cont

Chairs

ins. 9 ins. in the ground for
 1/4 Sec. Cor. marked 1/4 on
 W. face dug pits 18 x 18 x 12
 ins N. S. of stone ^{5 1/2 ft. dist.} and raised
 a mound of earth 1 1/2 ft.
 high 3 1/2 ft. base along side

79.85 Intersect 3rd Standard N.
 21.65 Chur. west of Standard
 Cor. to Secs ³²⁻³⁴ 32 & 33, T. 21 N
 R. 17 E. previously established
 by me. When I ran a
 sand stone 20 x 10 x 8 ins.

15 ins. in the ground for
 closing Cor to Secs 3 & 4 marked
 C, C, with 3 notches on E and
 3 notches on W. edges, dug
 pits 18 x 18 x 12 ins. S., E. & W.
 of stone ^{5 1/2 ft. dist.} & raised a mound of
 earth 2 ft. high 4 1/2 ft

J. 20 N. R. 17 E. Cont.

Chorus

Her alms side
Surface rolling
Soil 3 rot
Good grazing
J. 20 N. R. 17 E. Cont.
Oct 25 1882



~~I carefully examined the
adjustment of my Solar Compass
today particularly the latitude
and reversing apparatus
and found them correct~~

49

BOOK 357

T. 20 N. R. 17 E. Cont

chains

From the Cor of Secs 4-5
32 & 33 on the South
Boundary of the Township
previously established
by me.

From N. Cor. Secs 32 & 33
to 14' 15' East
40.00 Set a round stone N $\frac{1}{2}$ 12 x 8
dis. 10 dis. in the ground for
1/4 Sec. Cor., marked 1/4 on

J. To N. R. 17 E. Cont.

Notes

8000

W. fac dug pits 18 x 18 x 12
 N. & S. of stem 5 ft dist &
 raised a mound of earth 1 1/4
 ft. high 3 1/2 ft. base along side
 Set a sand stem 16 x 13 x 7 in
 12 in in the ground for Cev
 to Secs. 28-29-32 & 33
 marked with 4 notches on E.
 & 1 notch on S. edges.
 dug pit 10 x 18 x 12 in. in
 each Sec. 5 ft. dist and
 raised a mound of earth
 2 ft. high 4 1/2 ft. base along side
 Sur face high level lands
 Soil sand & 3rd rot
 Good grazing.

57

BOOK 357

T. 20 N. R. 17 E. Cont

Hours

East on a road on line

bet Secs 28 + 33

W. $140^{\circ} 15'$ East

40.00

Set temporary $1/4$ Sec. Cor.

60.00

Descend through rolling hills
to Cr.

80.19

Intersect N + S line 18 lks

N. of cr to Secs 27-28-33 + 34

Then I ran N. $89^{\circ} 52'$ W.

On a new line bet Secs

28 + 33 with some Va.

40.10

Set a sand stone $19 \times 12 \times 14$ in 12 in in the front for $1/4$ Sec.Cor. marked $1/4$ on N. facecup pts. $18 \times 18 \times 12$ in. E + W.of stone, ^{$5\frac{1}{2}$ ft dist} & raised a moundof earth $1/2$ ft high $3\frac{1}{2}$ ft

on along side

J. J. M. R. 17 E Cont

Acres
5419

the Cor to Secs 28-29-32 & 33
Surface high table land
Good grazing
Soil - best

North bet Secs. 28 & 29
Pct. 14 & 15 East

Other high table land

46.00 bet a road eton 18 x 12 x 3 mis
12 mis. in the front for 1/4 Sec. Cor
marked 1/4 on N face, due pts
18 x 18 x 12 mis N & S, 70 ton 5/8
ft dist. & round a mound of
earth 1 1/2 ft. high 3/4 ft. from
abreast

41.00 Lean table land & descend
over rough broken country

75.00 Lean hills ^{East} 1/2, & descend gradually

J. D. N. R. 17 E. Creek.

Chowis
81.00

Set a sand stone $16 \times 12 \times 6$ ins
12 ins. in the form for Cor & Secs.
20-21-28 + 29 marked with
4 notches on E. + 2 notches on
S. Edges. dug pits $18 \times 18 \times 12$
ins. in each Sec $5 \frac{1}{2}$ ft. dist
and raised a mound of earth
2 ft. high $4 \frac{1}{2}$ ft. long along pit.
Surface broken
Soil $5 \frac{1}{2}$ ft.
Grass fair

East on a random line bet Secs 24 + 28
100. 14 + 15' Each,

Ascend gradually

25.00 Foot of hills bet. N, E + S. W.
and ascend over rough broken
lands.

40.00 Set temporary $1/4$ Sec cor.

50.00 Enter ball lands bet N. E. x S. W.

J. 25 N. R. 17 E. Cont.

Notes

79.84 Intersect N + S, line 20 Ws
S. of Cor to Secs. 21-22-27 + 28
There I run with some bars, S. 89°
51' W, on a thin line bet Secs. 21 + 28

39.92 Put a road stone 16 x 9 x 4 in
12 ins. in ch from 1/4 Sec Cor.
marked 1/4 on N face dry pit
18 x 18 x 12 ins. E, + W of stone 1/2
ft. dist and raised a mound
of earth 1/2 ft. high 3 1/2 ft. in
alongside

79.84 In Cor to Secs 20-21-28 + 29
Surface broken.
Soil 35 feet
growing fair

North bet. Secs. 20 + 21

W 14' 15' East

Descend gradually

300 Enter flat top. E + W.

J. 20 N. R. 17 E. Cook,

Chairs
1575 Dry wash 20 lbs with Coars
N. N.

40.00 Let a sand stone $17 \times 12 \times 4$ ins
12 ins. in the ground for $\frac{1}{4}$ Sec
Co., marked $\frac{1}{4}$ on N face
dry pits $18 \times 18 \times 12$ ins N. & S. of
stone $3\frac{1}{2}$ ft. dist. & raised a
mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base along side

50.00 Let a sand stone $18 \times 13 \times 5$
ins 12 ins. in the ground for
Co. to Secs 16-17-20 & 21
marked with 4 notches on E.
& 3 notches on S. edges, dry pits
 $18 \times 18 \times 12$ ins in each Sec $3\frac{1}{2}$
ft. dist. & raised a mound
of earth 2 ft. high $4\frac{1}{2}$ ft. base
along side
Surface ^{of my fair} calling
Sec 3 R 20

T. 20 N. R. 17 E. Cont

Choir

East on a southern line bet
Secs 16 + 21

Cor. 140° 15' East

40.00 let temporary 1/4 Sec Cor.

7986 Interest N. + S line 19 lfs

S. of Cor. + Secs 15-16-21 + 22

Then I run with com Va. S. 89°

52' W, On a true line bet. Secs 16 + 21

59.93 let ad found stone 16 x 14 x 3 in

12 ins in the front for 1/4 Sec Cor

marked 1/4 on N. face, dug pit

18 x 18 x 12 in E. + W. of stone 5/8

ft. dist + raised a mound of

earth 1 1/2 ft. high 3 1/2 ft base

along side

7984 The Cor. to Secs 16-17 20 + 21

Surface flat + sandy

Soil 3' soil

growing fair

157

BOOK 357

T. 20 N. R. 17 E. Gosh

chairs

North bet Secs 16 + 17
Cor. 140 15' East

40.00

Set a sand stone 15 x 10 x 5 ins
10 ins. in the front for 1/4 Sec.
Cor. marked 1/4 on N. face.
dry pit 18 x 18 x 12 ins N. v. S.;
of stone 3 1/2 ft. dia + round
a mound of earth 1 1/2 ft high
3/4 ft. bar alongside

45.00

Cross mark 20 lbs. wide
Cruz. N.

50.00

Set a sand stone 16 x 13 x 4 ins
12 ins in the front for Cor
& Secs 8-9-16 + 17 marked
with 4 notches on E + S edges
dry pit 18 x 18 x 12 ins in each
Sec 3 1/2 ft. dia + round a
mound of earth 2 ft high 1/4 ft
ft. bar alongside

T. 20 N. R. 17 E. Cont

drains

Surface flat & sandy
Soil 3rd Rot
grazing fair

East on a random line bet Sacs
9 & 16

Dr., 14 & 15 East

40.00 Let temporary $\frac{1}{4}$ Sec Cor

79.89 Interest N. & S. line as lks S;
of Arts Sacs 9-10-15 & 16

There is a well from Sta S, 89°

51' W; on a true line bet Sacs

9 & 16

39.95 Let a pond stone 16 x 14 x 8 ins
12 ins in the front for $\frac{1}{4}$ Sec.

Cor. marked $\frac{1}{4}$ on N. fence
dry pits 18 x 18 x 12 in E & W of
stone 5 ft high dirt & gravel on
ground of earth 12 ft high 3 ft

59.

BOOK 357

J. 20 N. R. 17 E. Cont

Chains

ft. from along side.

79.89

The Cor to Secs 8-9-16-17

Surface level of Sandy

Soil ^{3' at}on some grazing

North bet. Sec 8 + 9

Cor. 14 + 15 / E.

40.00

Set a round stone 16 x 10 x 5 in
 12 ins. in the front for 1/4 Sec. cor
 marked 1/4 on N. face, dug pit
 18 x 18 x 12 in N. + S. of stone 5 1/2
 ft. dist + raised a mound of
 earth 1 1/2 ft. high @ 1/2 ft. from
 along side

31.00

Cross with 33 lbs. rods
 Cross N.

80.00

Set a round stone 15 x 12 x 9 in
 10 ins. in the front for

J. 20 N. R. 17 E. Conk

Chains

Go to Sacs. 4-5-8 + 9 marked
 with 4 notches on E, + 5 notches
 on S, edges, dug pit 18x18x12
 in in each Sac 5 1/2 ft. dia
 and around a mound of earth
 4 ft high 4 1/2 ft. dia. around
 surface level & sandy
 Soil 3^d Rat
 grazing fair

East on a random line bet
 Sacs. 4 + 9

Dir. 140° 15' East

40.00 Set temporary 1/4 Sec. Cor.

41.12 Cross dry wash 50 lks wide
 Course S. W.

79.90 Intersect N + S. line 24 lks. S.
 of Cor. to Sacs 3-4-9 + 10

Thence S. 89° 50' W.

661

J. 20 N. R. 17 E. Cont

Chairs

7 39.95

on a ^{tree} line bet. Secs 4 & 9
 with same ~~tree~~
 bet a sand stone 14' x 12' x 8'
 ins. 9 ins. in the ground for 1/4
 Sec. Cor. marked 1/4 on
 N. fac., dug pit 18' x 18' x 12' ins
 E & W. of stone 5 1/2 ft dirt and
 raised a mound of earth 1 1/2
 ft. high 3 1/2 ft. from assemblage

479.90

The Cor to Secs 4-5-8 & 9
 Surface level
 Said 3' Rats
 grazing fair

North on a ^{tree} line bet Secs 4 & 5
 Cor. 14' 15' East
 Over Valley land

40.00

bet a sand stone 18' x 6' x 5' ins
 12 ins in the ground for 1/4
 Sec. Cor. marked 1/4 on N.

J. D. N. R. 17 E, Corak

Choin

face dug pit 18 x 18 x 12 ins
N + S. of ~~stone~~ ^{5 1/2 ft. dist} & round a
mound of earth 10 1/2 ft. high
3 1/2 ft. long along side

\$0.00

Entered 5th Standard

Perakill 21.99 choin mesh

of Standard Cor & Secs 32 & 33

Sp. 21 N. R. 17 E. previously
established by me when I

set a stone 20 x 16 x 14

ins 15 ins the ground for

closing Cor to Secs 4 & 5

marked C.C. with 4 notches

on E, 2 notches on W, Edges

dug pit 18 x 18 x 12 ins S, E, & W,

of stone 5 1/2 ft. dist and round

a mound of earth 2 ft. high off ft.

long along side ^{Surface level}
^{Soil sandy}

grozing fair
John Lee Carpenter

Oct 25 1882

63 Tp. 20 N. R. 17 E. Cosh

BOOK 357

Choirs

I carefully examined the
adjustment of my Solar
Compass, particularly the
latitude & housing apparatus
and for the corner,

From the corner to Sec
5-6-31 & 32 on West
Boundary of the Township
previously established
by me,

2, 20 N. R. 17 E. Cont

Cham

Sum N, bet Sec. 31 & 32

Dr. 14° 15' E each

over high table land

25.00 From high table land turn
N + E, and

descend over rough broken
bed lands

40.00 Set a sand trap 16 x 14 x 5

ins. 12 ins. in the front for

1/4 Lic Cov. marked 1/4 on
N. fac. dug pit ^{18 x 18 x 12 ins.} N + S 17'

Stom 5 1/2 ft. dia and

raised a mound of earth

1 1/2 ft. high 3 1/2 ft. dia

along side

71.00 Cross dug work 20 lbs

Mid. Cras N. 85° N.

80.00 Set a sand trap 18 x 12 x 5

ins 12 ins. in the front for

T. 20 N. R. 17 E. Oak

Oroon

Ar. to Res. 29-30-31 & 32
 Marked with 5 notches on
 E. & 1 notch on S. edges,
 dry pit. 18x18x12 in. in
 each Sec 5 1/2 ft deep and
 raised a mound of earth
 2 ft. high with a bar along side
 Surface broken
 Soil 3 cat.
 Exposure fair

East on a round limb bet

Secs 29 & 32

Var. 14' 15' East

Ascend through rough broken
 ball lands

7.00

Top of hill 50 ft. high bet
 N & S. and

descend

8.00

Dry wash 20 lbs wide Crater

T. 20 N., R. 17 E., Creek

Chairs

N. 65° W., and
Ascend

40.00 Let temporary 1/4 Sec. Cor.

42.00 Top of bluff 75 ft. high
to N & S. and over
table land

80.74 Interest N. & S. line 23 lks.
S. of Cor to Secs 28-29-32
& 33

then a line with pole & a
S. 89° 50' W., on a thin line bet
Secs 29 & 32

40.12 Let a pond str 18 x 12 x 4 in
12 ins in the front for 1/4 Sec
Cor marked 1/4 on N face
day pit 18 x 18 x 12 in E & W
of str 5 1/2 ft. dist & around a
mound of earth 1/2 ft. high 3 1/2 ft
from alongside

69

T. 20 N. R. 17 E. Creek

Choir

80.24

W. Cr. to Secs 29-30-31 & 32
Soil 3^d pat.
Surface broken grazing bar
Frank J. Allison
Oct 26 1882



Mark a random line bet
Secs 30 & 31

W. 140 15' E each

Descend gradually

17.00

Enter Valley to N & S.

40.00

Ret temporary 1/4 Sec Cor.

88.25

Intersect N. Boundary
of Township 15 lks South
of Cr. to Secs. 25-30-31
& 36 previously established
by me

When I am with you

J. 20 N. R. 17 E. Contk

Chris

S. 89° 54' E, on a tra line but

Sics 30 + 31

48.25 Is a cona str 15 x 14 1/2 x 1 in
10 in in the pond for 1/4 Sic
As, marked 1/4 on No. face
dry pit. 18 x 18 x 12 in E or
N. of str. ^{5 1/2 ft. dist} toward a
mount of earth 1 1/2 ft. high
3 1/2 ft. from along side

88.25 The Car to Pies 29-30-31 + 32

Surface rolling
Soil 3 ft. into, grazing fair

John Lee Crumpson
Oct 24 1882

69

T. 20 N. R. 17 E. Cont

Chain

N. bet Secs. 29 + 30
Sec. 14 + 15' Each

Along front of Bluffs

30.00 Cross dry wash 25 lbs wide
Course S. W.

40.00 Set a sand stone 19 x 18 x 14
in 14 in in the front for 1/4
Sec. 14 marker 1/4 on N.
face, dry pit 18 x 18 x 12 in
N + S of stone 1/2 ft. dish &
raise a mound of earth 1 1/2
ft. high 3 1/2 ft. base along side

52.00 Eaten flat top, N. E.

80.00 Set a sand stone 14 x 12 x 6 in
9 in in the front for C. to.
Secs 19 x 20 - 29 + 30 marker
with 5 notches in E. + 2 inlets
on S. Edge dry pits 18 x 18 x 12 in
in each Sec. ^{5 ft. dish} near a mound of soil
2 ft. high 4 1/2 ft.

Is. 20 N. R. 17 E. cont

Series

toe down side
Surface rolling
soil ^{35 cat} spraying fair

East on a random line bet
Secs. 20 & 29

R. 14 & 15 / East

40.00 1/4 Sec Cor
80.72 Intersect N & S. line 2, lks
N. of Cor to Secs. 20-21-28 & 29

Thence S on mt down Va
N. 89° 51' W. On a true line bet
Secs 20 & 29

40.11 Set a sand stone 16 x 12 x 4 ins
12 ins. in the ground for 1/4
Sec. Cor. marks 1/4 on N.
face, dug pit 18 x 18 x 12 ins
E. & W. of stone ^{5 1/2 ft. dist} and raised
a mound of earth 11 ft. high

T. 20 N., R. 17, E. Cont.

chain
 80.72 1/2 ft. to along side
 the cor. to Secs 19-20-29 & 30
 Surface flat & sandy
 ground fair soil 3' red
 Iron & hollow
 Oct 24 1882

Weston & others line bet
 Secs 19 & 30

N. 14° 15' East

4000 Set temporary 1/4 Sec Cor
 88.76 - Interest N. boundary of
 Township 10 N., R. of cor
 to Sec. 19-24-25 & 30 previously described
 by me. True line with corner
 N. 89° 56' E, on a true line
 bet. Sec. 19 & 30

T. 20 N. R. 17 E. Cor. 1

Notes

48.76 At a sand flow 18 x 14 x 5 mi
12 mi. in the form of a
Cor marked 1/4 on N. face dug
pit 18 x 18 x 12 mi E & W. of
Stony ^{3 ft. dist} & a rise a mound
of earth 1 1/2 ft high 3 1/2 ft.
long along side.

88.76 The Cor. & Secs 19-20 29 & 30
Surface level & Sandy
Soil 3 Rate varying said
John Sleu Compassman
Oct 26th 1882

173
T. 20 N. R. 17 E. Creek,

Chairs

North bek. Sics 19 + 20

W. 14/15 East

4000 Lick a sand stone $14 \times 12 \times 6$
ins. 10" Ms in the ground for
1/4 Sec. Cor. marked 1/4
on N. face, dug pit $18 \times 18 \times 12$
ins. N + S. of stone 5 ft. 1.
dug + found a mound of
earth 1 1/2 ft high 3/2 ft
base along side

8000 Lick a sand stone $17 \times 13 \times 6$ in.
13 ins. in the ground for Cor &
Sics 17-18-19 + 20 marked
with 5 notches on E + 3
notches on S. edges, dug
pit $18 \times 18 \times 12$ ins. inside
Sec. 3 ft. deep and

74

T. 20 N. R. 17. E. Cont.

choirs

visited a mound of earth
 4 ft high $4\frac{1}{2}$ ft. base along old
 Surface flat + sandy
 Soil 3' rate Graying fair

East on a road down line bet. Secs 17 + 20
 W. 14 + 15 East

40.00 Let temporary $\frac{1}{4}$ Sec Cor
~~47.00~~ Cross mark $2\frac{1}{2}$ ft. wide. course N.
 87.24 Interest N + S. line 22 lbs
 N. of Cor to Secs 16-17-20 + 21

Hence south with some Va.
 N. 89° 51' W, On a line
 bet Secs. 17 + 20

40.12 On a sand stone $15 \times 12 \times 5$ ins
 10 ins. in the front for $\frac{1}{4}$ Sec
 Cor, marked $\frac{1}{4}$ on N. face, dug
 pit $18 \times 18 \times 12$ ins E. of
 stone $3\frac{1}{2}$ ft. dist + visited a mound of
 earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base along old

T. 20 N. R. 17 E. Conk.

Shows

50224 1/4 Cor. of Secs. 17-18-19 & 20

Surface flat & sandy

Soil 3rd Rat

Jack Johnson ^{Graying pair}

Oct. 26, 1883



Net on a window line bet
Secs. 18 & 19

Mar. 14th 18th East

4000 Net temporary 1/4 Sec Cor.

89,27 Intert. Mesh & Sunday of
Township 8 lks N. of Cor to
Secs. 13-18-19 & 24 previously
described by me

J. D. M. R 17 E. Cook

Chorus

Thence. Saw with some 20

N. 89° 54' E. At a trawl in Secs
18 & 19

49, 27 At a sand stone 17 & 19 & 4 in's
12 in's, in the form of $\frac{1}{4}$ Sec Box
marked 14 on N. face dug pit
18 x 12 in's E, & N. of stone
 $5\frac{1}{2}$ ft. dist & found a mass
of sand $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base along side.

89, 27 The Cor. to Secs 17-18-19 & 20
Surface flat & sandy
Soil 3^d Rat having hair
from Secs composition
Oct. 26, th 1882

77

T. 20 N. R. 17 E. Cont.

Shoals

North of Sec. 17 + 18

W. 140 15' East

H. 100

Let a sand stone 18 x 12 x 3 ins
12 ins. in the front for 1/4 Sec
Cm. marked 1/4 on W. fac, dug
pit 18 x 18 x 12 ins N + S. of stone ^{5/2}
_{for dist.}
and raised a mound of earth

1 1/2 ft. high 3/4 ft. long along side

8000

Let a sand stone 17 x 10 x 4 ins
12 ins. in the front for Cor & Sec
7-8-17 + 18 marked with 5

Notches on E. + 4 notches on S
edges, dug pits 18 x 18 x 12 ins in
each Sec 3 1/2 ft. deep + a mound
a mound of earth 2 ft. high 4 1/2
ft. long along side

Surface flat + sandy

Soil 3' Rate

Graying pair

T. 20 N. R. 17 E. Cont

Chairs

East on a random line bet

Secs 8 + 17

Var. $14^{\circ} 15^{\circ} \text{ E}$,

22.00 Cross road 27 lks with Chairs
N. N.

41.00 Set temporary $\frac{1}{4}$ Sec Cor.
S. 22 intersect N & S. line 27 lks.
N. of gas to Secs 8-9-16+17

Thence I run met from Ta
 $118^{\circ} 50' \text{ W}$. On a true line
bet. Secs 8 + 17

40.11 Set a cond stn $14 \times 12 \times 8$ ins
9 ins, in the front for $\frac{1}{4}$ Sec
Cor. marked $\frac{1}{4}$ on N. face
due pt. $18 \times 18 \times 12$ ins E & W.
 $5 \frac{1}{2}$ ft dia
of stn & round a row of
earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft long
along side.

8072 McComb Secs. 7-8-17+18
Surface fine soil & sandy 5' Rot
Frank Hollman
Geary pair
Oct 26, 1887

T. 20 N. R. 17 E. Cont

Shows

Westward condensation line bet
Sics 7 & 18
Dip $14^{\circ} 15'$ East

40.00 Set temporary $\frac{1}{4}$ Sec Cor.
89.78 Interior N. Boundary of
Township 15 lks south of
Cp. to Sics 7-12-13 & 18
previously described by me
then I run with same
S. $89^{\circ} 54' E$, On a true line bet Sics
7 & 18

49.78 Set a sand stone $16 \times 14 \times 6$ mi
10 lks in the form for $\frac{1}{4}$ Sec Cor
marked $\frac{1}{4}$ on N. face. Day
pts $18 \times 18 \times 12$ mi E. & W. of
stone $5 \frac{1}{2}$ ft. dia & round
around of south $1 \frac{1}{2}$ ft. high
 $3 \frac{1}{2}$ ft. from along side

T. D. N. R. 17 E. Cook

Chairs

89.78 The Cor. to Sics 7-8-17 & 18
 Surface level
 Said 3 Rats Some grazing
 John Ste. Compton
 Oct 26th 1882

North Cor. Sics. 7 & 8

Cor. 14' 15' Each

34.30 Cross dug mark on N side
 Corner N.

4000 A sand stone 14 x 12 x 8 ins
 9 ins in the front for 1/4 E. Cor
 Marked 1/4 on N face, dug pit
 18 x 18 x 12 ins, N & S, of stone
 5 1/2 ft. dia & round a row
 of earth 1 1/2 ft. high 3 1/2 ft. dia
 along side

S.

BOOK 357

T. 20 N. R. 17 E. Cont

Chairs

From this point are 4 Cottonwood
trees, true, S. 85° E, 21 chas,
dist.

\$0.00

Set a round stone $14 \times 12 \times 10$ ins
9 ins. in the ground for Cor to
Sics 5-6-7 & 8 marked
with 5 notches on E & 5 notches
on S. Edges, deep pit, $15 \times 18 \times$
10 ins. in each Sic $5 \frac{1}{2}$ ft dist
& build a mound of loess
8 ft. high $4 \frac{1}{2}$ ft. top along with
Surface flat & sandy
Soil 4 & 2 at some grazing

J. G. N. R. 17 E. Cook

Chowin

East on a random line bet
Sics 5 + 8

Var, 14° 15' East

4000 Set temporary $\frac{1}{4}$ Sec. Cor.

S. 25 Intersect N + S. line 24 lbs
S. of Cor. to Sics 4-5-8-9

There I run with some & a
S. 89° 50' W, on a line
bet Sics, 5 + 8

4013 Aha sand stone 17 x 10 x 5 in
12 in, in the part for $\frac{1}{4}$ Sec
Cor mark $\frac{1}{4}$ in 21 fac, dug
pits 18 x 18 x 12 in E + N.
of stone 5 ft. dist & 2 in
a mound of cutt 1 ft. high
3 ft. over along side

S. 25 In Cor to Sics, 5-6-7+8.

Surface level & sandy
side of pits good grazing

Asa Cook Fullerton 4 1882

Oct 26

T. 20 N. R. 17 E. Contd

Hewitt

Nest on a random line bet
Sics 6 & 7

2k. 14° 15' East

40.00 Set temporary $\frac{1}{4}$ Sec Cor.

90.33 Intersect N. Boundary of
Township 12 k's south of
Corte Sics. 1-6-7 & 12
previously described by
me

Hewitt summit corner
S. 89° 55' E, on a true line bet
Sics 6 & 7

30.33 Set a round stone 19 x 14 x 3 in
13 lbs. with iron for $\frac{1}{4}$ Sec
Cor marked $\frac{1}{4}$ on N. face
face. dug pits 18 x 18 x 12 in E &
N. of stone $5\frac{1}{2}$ ft. dia & south
a mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft. long along id.

T. 20 N. R. 17 E. Cont.

Chains

90.33 The Cont. Secs. 5-6-7 & 8
Surface level & Sandy
Soil 3^d Rate
Good for 3 mi

^{True}
North ^{on a line} Secs. 5 & 6

Ar. 140 15¹ Each

4000 Set a round stone 18 x 18 x 6 ins
12 ins. in the ground for $\frac{1}{4}$ Sec
Cor. marked $\frac{1}{4}$ on N. face
by pit 18 x 18 x 12 ins N. & S.
of stone ^{5 1/2 ft. apart} & round a run of
cable 1 1/2 ft. high 3/4 ft. low
along side.

80.27 Intersect 5th Standard
N. at a point - 22, 33 chs,
West of Standard Cor,
10 res, 31, 32, pre-

T. 20. N. R. 17. E.

viously established by
me,

when I set a sand-
stone $18 \times 6 \times 6$ ins, 12
ins, in the ground
for closing cor. to Res.
586, marked C.C.,
with 5 notches on E,
& 1 notch on W. edge,
dug pits $18 \times 18 \times 12$
ins S. E. & N. of stone
 $5\frac{1}{2}$ ft, dia., & raised
a mound of earth
2 ft, high, $4\frac{1}{2}$ ft, base
along side.

John Dyer

Compassman
Oct., 26, 1882,

T. 20 N. R. 17 E.

I carefully examined
the adjustments of
my compass today,
particularly the
latitude & reversing
apparatus & found
them correct.

T. 20 N., R. 17, E.,

General Description

The surface of this town-
ship is mostly level, some
what rolling in N. easterly
portion, & with some table
land in S. westerly portion.
The northerly & easterly
portions are traversed by
washes, now dry.

The soil is mostly 3rd
rate & sandy. Grazing
good in parts of
township.

Poumair's residence
is on N. E. quarter
of sec, 25.

For final oaths see
last book, (No. 17.) of
Curry,

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

April 19, 1883,

The foregoing Field Notes of the Survey of the

Subdivision Line of Township
20 North, Range 17 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by Frank Follman

Deputy Surveyor, under his contract of the

29th

day of

July

, 1882, having been

critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.

W. B. Smith
Surveyor General.