

362

BOOK 362

F I E L D N O T E S
O F T H E S U R V E Y O F T H E
S U B D I V I S I O N L I N E S
O F

Township 20 North, Range 22 East.

Gila and Salt River Base and
Meridian,

ARIZONA.

By Frank Follman, D. S., under
Contract dated July 29, 1882.
Survey commenced Nov. 10, 1882.
Survey completed Nov. 13, 1882.

362

Entered
1880
Copyright
Inclined

~~Book No 11~~

No-362

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF - BOOK 362

Township 20, N. Range 22, E

Gila and Salt River Base and Meridian

ARIZONA.

By Frank Fulliman D. S.

under contract dated July 29th 1882.

Survey commenced Nov, 10th 1882.

Survey completed Nov, 13th 1882.

No-362

No. ~~362~~ 362

INDEX.

1A

Township 20, N., Range 22, E.,

Gila and Salt River Meridian.

BOOK 362

6	87	5	62	4	47	3	32	2	15	1
86		84		61		46		30		14
7	83	8	60	9	44	10	29	11	12	12
82		80		59		43		28		11
18	79	17	58	16	42	15	27	14	10	13
77		75		56		41		25		9
19	74	20	55	21	40	22	24	23	7	24
73		71		54		39		22		6
30	70	29	53	28	38	27	21	26	5	25
69		68		52		36		20		3
31	66	32	50	33	35	34	18	35	2	36

Referring the lines to the pages of the field notes.

13

For preliminary oaths
& list of assistants
see field-book (No. 1)
of survey.

T. 20 N. R. 22 E. G. & S. R. M.

Chen's

Block Art. Sec. 1-2-35 & 36
 out South Boundary of the
 Township which is a sand-
 stone 17 x 5 ins. set in
 the ground firmly,
 properly marked, &
 with pits & mound
 of earth,

I run North bet. Secs. 35 & 36

Apr. 14. 2' Sack
 of pe. Burt's improved Solar Compas
 over rolling surface

4000 lbs a sand stone 13 x 13 x 6 ins
 9 ins. in the form of $\frac{1}{4}$ Sec
 Cor. dug pits ^{marked $\frac{1}{4}$ on surface} 18 x 18 x 12 ins

3

BOOK 362

J. 20 N. R. 22 E. Creek

Chairs

N + S. of stone 5 1/2 ft. dist and
raised a mound of earth
1 1/2 ft. high 3 1/2 ft. for along side

80.00

Set a Lera Stone 17 x 12 x 4
ins. 12 ins. in the ground for

Crt & Sies 25-26-35 & 36

marker with 1 notch on E. & S. edges

day pit 18 x 18 x 12 ins in each

Sic. 5 1/2 ft. dist & raised a
mound of earth 2 ft high
4 1/2 ft. for along side

Spraying good

Soil 3' Good

No timber Sound rollingEast on a road low line bet
Sies. 25 & 36

Over rolling surface

14.00 Top of spur to N. E.

J. W. R. 22 E. Cont.

Hours

Descent

37.20 Cross day to S. No S. 40 ft deep
and ascend on bad lands

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

Set on Intersect E. Boundary of
Township 13 lts south
of Cor. to Sics. 25-30-31 & 36
previously established by me
Thence run S. $89^{\circ} 54' W.$
on a true line bet.

Sics 25 & 36 with same or

40.05 Set a round stone $12 \times 12 \times 5$ in

8 ins. in the front for $\frac{1}{4}$ Sec

Cor. marked $\frac{1}{4}$ on N. face

any pit $18 \times 18 \times 12$ ins. S & N.

of stone ^{5 ft. dist} across a mound

of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.

over along side

J. 20 N. R. 22 E. Creek

Chairs
 80.10 241 Cor. & Secs 25-26-35-36
 Grazing good
 Soil sandy &
 30 Kats
 surface rolling

North lot Secs 25 & 26
 140 02' Each

Over rolling surface
 40.00 Set a sand stone 16 x 8 x 8 ins
 12 ins. in the ground for 1/4 Sec
 Cor. marked 1/4 on N. face dug
 pit 18 x 18 x 12 ins, N & S. of stone
 5 1/2 ft. dia & raised a mound
 of earth 1 1/2 ft. high 3 1/2 ft.
 from along side

50.00 Set a sand stone 17 x 10 x 4
 ins, 13 ins. in the ground for Cor
 to Secs 23-24-25 & 26

J. 20 N. R. 22 E. Conk

Chairs

marked with 7 notches on
 E + 2 notches on S edges
 dug pits ^{18x18x12 ins.} each 5 1/2 ft.
 dist. + raised a mound of
 earth 2 ft. high 4 1/2 ft. across
 along side
 Grazing ground
 Soil Rat
 Run, running

Each on a random line but lies
 54 + 25

Var. 14.02' Each

Overhead surface

4000 let temporary 1/4 Sec. Cor.

7100 Enter bad lands. 400 M & D.

8008 Interest E Boundary of
 Township 13. let S of Cor

7

BOOK 362

T. 20 N., R. 22 E. Creek

Chairs

to Sics. 19-24-25 & 30
 previously established by me
 thence S. $89^{\circ}54'N$,
 on a true line bet Sics.
 24 + 25 with some bar.

40.04 Set a round stone $16 \times 10 \times 5$ ins
 12 ins. in the ground for $1/4$ Sic
 Cor marked $1/4$ on N. face, day
 pits $18 \times 18 \times 12$ ins E. & W of stone
 $3/4$ ft. dia & raised a mound
 of earth $1 1/2$ ft. high $3/2$ ft. from
 along side

80.08 In cor to Sics. 23-24-25 & 26
 Surface level. sics 3^d rate
 grazing fair

North bet. Sics 23 + 24
 Br. $14^{\circ}02'$ East
 Over rolling surface

T. 20 N. R. 22 E. Clark

Chairs
3.70Cross dry wash 20 ft. N. of
Cramer S. H.

40.00

Loha sand stone 14x10x4 ins
9 ins. in the front for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ on N. face, dug
pit 18x18x12 ins N. & S. of str 5 $\frac{1}{2}$
ft. ditch, & raised a mound of
earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base
alongside

80.00

Loha sand stone 18x16x12 ins
12 ins. in the front for Cor. to
Sec. 13-14-23 & 24 marked
with 1 notch on E. & 3 notches
on S. edge, dug pit 18x18x12
ins. in each Sec 5 $\frac{1}{2}$ ft. ditch
and raised a mound of earth
4 $\frac{1}{2}$ ft. high 4 $\frac{1}{2}$ ft. base alongside
Grogging pond
Soil 3' Rat.
Surface rolling

J. 20 N. R. 72 E. Conty

Chains

East on a roundwood line bet
Secs. 13 & 24

W. 140 02' Each

Open rolling surface

40.00 bet temporary $\frac{1}{4}$ Sec. Cor.79.88 Intersect E Boundary of
Township 18 lks N. of Cor &
Secs. 13-18-19 & 24 previously
established by me

Then I ran N. 89° 52' W.

On a new line bet Secs

13 & 24 with some DA.

39.94 bet a land stem 14 x 10 x 8 ins
9 ins in the pond for $\frac{1}{4}$ Sec
Cor marked $\frac{1}{4}$ on 71 from day
pts 18 x 18 x 12 ins E & W. of Sta
5 $\frac{1}{2}$ ft. dia & round a mound
of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. dia
alongside

J. To M. R. 22 E. Cook

Chris
79.88 M. Corwin to Secs. 13-14-23+24
Grazing ground
Soil 3' Kata
Surface rolling

North bet. Secs. 13+14
W. 14° 02' East

Over rolling surface

40.00 Set a sand stone 18x18x8 ins
12 ins in the front for 1/4 Sec. Cor.
marked 1/4 on N face, dug pit
8x18x12 ins N & S, of stone 5/8
ft. deep & raised a mound of
earth 1 1/2 ft. high 3/4 ft. from
alongside

80.00 Set a sand stone 18x14x10 ins
12 ins. in the front for Cor. to Secs.
11-12-13+14 marked with 1
Notch on E, & 4 notches on S Edge

11

BOOK 362

J. W. N. R. 2nd E. Cont

Chairs

Aug pit 18x18x12 ins. in each
 Sec 3 1/2 ft. dirt & raised a
 mound of earth 2 ft. high 4 1/2
 ft. long along side.
 Grazing good
 Soil 3 Rats
 Surface rolling

Each on a random line bet
 Secs 12 & 13

100, 140 02 Each

40.00

Let temporary 1/4 Sec Cor

79.84

Interest & Boundary of
 Township 18 T. N. of or to
 Secs 7-12-13 & 18 previously
 established by me

Thence S 2nd N, 89°

12

J. G. N. R. 22 E. Cont

Chasius

52' W, on a true line ~~between~~ Secs
bet Secs. 12 & 13 with some Va39.92 At a sand stone 26 x 16 x 12 ins 15,
ins, in the ground No 14 Sec Cor
marked 1/4 on N. face, dug
pit 18 x 18 x 12 ins, E & W. of
stone 5 1/2 ft. dia & raised a
mound of earth 1 1/2 ft. high 3/4
ft. from alongside79.84 The Cont. Secs. 11-12-13 & 14
Grozing food
For 3 Rate
Super soiling

North bet. Secs. 11 & 12

Dr 140 021 East

Over soiling surface

40.00 At a sand stone 16 x 12 x 10 ins

13

T. 2v N. R. 22 E. Contk

Chassis

12 ins. in the front for $\frac{1}{4}$ Sec
 Cor. marked $\frac{1}{4}$ on $\frac{1}{4}$ face day
 pit 18 x 18 x 12 ins. N & S. of stone
 5 $\frac{1}{2}$ ft. dish & raised a mound
 of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. $\frac{1}{2}$ in
 along side

53.00 Enter Brokenrod lands to E & W.

80.00 Let a round stone 20 x 16 x 12 ins
 15 ins in the front of Cor & Sec
 1-2-11 & 12 marked with 1 notch
 on E. & 5 notches on S. edges
 day pit 18 x 18 x 12 ins. in each
 Sec 5 $\frac{1}{2}$ ft. dish & raised a
 mound of earth 2 ft. high
 4 $\frac{1}{2}$ ft. $\frac{1}{2}$ in along side
 Spozmy ford
 Soil 3' Rat
 Surface rolling

J. D. N. R. J. E. Cook

Chains

East on a random line bet
Secs. 1 & 12

Upr. $140^{\circ} 02'$ East

Over bad lands

20.00 Iron rod lands, bis, N. $20^{\circ} 21'$
and enter rolling valley land

40.00 let temporary $\frac{1}{4}$ Sec. Cor.

50.12 Interest E. Boundary of
Township 18 Tls. N. of Cor
& Secs. 1-6-7 & 12 previously
Established by and

Then Iron N. $89^{\circ} 52'$ N.

On a true line bet Secs 1 & 12
with Iron &c.

40.06 let a pond stone 16x12x10 vis
12 vis. in the front for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ on N far dug pit
18x18x12 vis. E & N of stone $5\frac{1}{2}$
ft. dist & raised a mound

15

BOOK 362

J. 20 N. R. 22 E. Cont

Chairs

of each $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft
for almond.

80.12 for Cir. & Secs. 1-2-11 & 12

Soil Barren
and it eat
Surface Broken

North on a ^{true} line bet. Secs. 1 & 2
Dist. $140 \pm 2'$ each

Over bad lands

By 00

Lean bad lands

40.00

Set a round stone $16 \times 12 \times 10$
in 12 in in the front for $\frac{1}{4}$ Sec
Cir marked $\frac{1}{4}$ on N face day
pts $18 \times 18 \times 12$ in N of stone
 $3\frac{1}{2}$ ft. dist & raised a row
of each $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft
for almond.

J. D. W. R. 72 E. Cont.

Chairs
81.00

Interest 5 standard ^{rough} parallel
standard
5.25 chairs of Cor. + Secs,
35, + 36, - previously established
to me

When I set a sand stone
18 x 8 x 6 ins. 12 ins in the front
for Chair, Ans + Secs 1-2. ...
marked C.C. with 1 notch on
E. + 5 notches on N. edge. dug
pit 18 x 18 x 12 ins S.E. + N. of stone, 5 1/2
ft. dia + raised a mound of
earth 2 ft high 4 1/2 ft long
along side

Surface rolling
grazing food

Soil 3rd grade

Frank Hollman

Nov 10 1882

17

T. 20 N. R 22 E. Creek

chris

~~I carefully examined the adjacent
of my solar compass today
particularly the latitude and
meridian apparatus and
found them correct.~~

~~~~~

T. 20 N. R. 22 E. Craik

Chain

I now return to Cor & Sics  
2-3-34 & 35 on S. Boundary  
of the Township which is  
a sandstone 13 & 9 ins.  
set firmly in the  
ground, properly mar-  
ked & with pits and  
mound of earth along  
-side,

Thence I run N. to Sics 34 & 35  
Vbr.  $14^{\circ} 02'$  East

Now calling surface

40.50 At a pond stone  $18 \times 12 \times 6$  ins  
12 ins. in the pond for  $\frac{1}{4}$  sec  
It marked  $\frac{1}{4}$  on N face  
day pit  $18 \times 18 \times 12$  ins N & S

19

S. 20 N. R. 22 E. Coak.

Drain

of ston 5 1/2 ft. dia and  
raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. from  
alongside

80.00

Put a pond ston 10 x 10 x 8  
ins. 10 ins in the front for  
Crt to Dec 26-27-34 + 35  
marked with 2 notch on E <sup>+ 1 notch on S.</sup>  
Edges. dug pit 18 x 18 x 12 ins  
in back Sec 5 1/2 ft. dia  
and raised a mound of  
earth 2 ft. high 4 1/2 ft. from  
alongside

Grazing good

Soil 3 rats

Surface rolling

J. To N, R, 22 E, Cont.

Chains

East on a random line bet  
Sics 26 + 35

140 02 East

Over calling surface

40.00

Set temporary  $\frac{1}{4}$  Sec. Cor

60.00

Cross mark 50 lks. wide

Course S.

79.88

Intersect N-S line 13 lks. S,  
of Cor. to Sics. 25-26-35 + 36

Thence down S:  $89^{\circ}54'W$ ,

On a true line bet. Sics 26

+ 35 with some Va.

39.94

Set a round stone  $17 \times 12 \times 4$  in.  
+ 3 in. in the front for  $\frac{1}{4}$  Sec. Cor.

Marked  $\frac{1}{4}$  on N. face, dug pit:

$18 \times 18 \times 12$  in. S + N. of stone  $5\frac{1}{2}$

ft. dia + raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.

over along side

J. 20 N. R. 72, E. Crab,

Chain

79.88 Up to Secs. 26-27-34 & 35  
 Surface rolling, freezing fair  
 Soil 3' deep

North by, Secs. 26 & 27  
 Var. 14° 02' East

Over rolling surface

Descend

8.00 Cross <sup>North</sup> 30 ft deep across N.  
 and Ascend

36.00 Top of table land 50 ft. high  
 to E & N, and

Descend gradually

46.00 Set a round stone 24 x 10 x 8 in  
 18 in in the front for 1/4 Sec.  
 Cor. marked 1/4 on N. face  
 any pit 18 x 18 x 12 in N & S.  
 of stone 5 1/2 ft. deep & raised  
 a mound of earth 1 1/2 ft.  
 high 3 1/2 ft. from along side



T. D. N. R. 22 E. Cont

Chms

52.00 Cross day work 2.00 Chms with  
Course N. E.

80.00 Set a pond stone 18 x 8 x 8 in  
12 ins. in the front for Cor to  
Acres 22-23-26 & 27 marked  
with 2 notches on E. & S. edges  
dry pits 18 x 18 x 12 in ~~5 ft~~  
dick in each Sec. <sup>5 1/2 ft</sup> and raised  
a mound of earth 2 ft high  
4 1/2 ft. over alongside  
surface rolling. ~~grazing~~ <sup>fair</sup>  
~~and 3 sets~~

East on a pondow line to Secs  
23 & 26

Ills. 140 02' East

Over table land

8.00 Over table land

Discovered

23

BOOK 362

T. 20 N. R. 22 E. Cont.

Chairs

21.00 Cross day work 2.00 chns.  
with Coarsen S. W.38.00 Cross day work 2.00 chns  
with Coarsen N. W.40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.80.15 Interest N, & S, line 13 lks.  
South of Cor. to Sec. 23-24-  
25 & 26Bearing of line S.  $89^{\circ} 54' N$ .

On a true line bet. Secs

23 &amp; 26 with corner ea.

40.07 Set a round stone  $10 \times 10 \times 4$  ins  
6 ins. in the front for  $\frac{1}{4}$  Sec  
Cor. Marked  $\frac{1}{4}$  on N. four day  
pit  $18 \times 18 \times 12$  ins E. & W. of  
stone  $5\frac{1}{2}$  ft. dia. & raised  
a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. dia. alongside

T. 20 N. R. 22 E. Cont.

Arms

80.15 The Cor. to Secs 22-23-26 & 27  
 Surface rolling & broken  
 grazing good  
 Soil 3<sup>5</sup> ft. deep

---

T. North bet. Secs. 22 & 23

Plat. 140 0 2' Each

Over table land

30.00 Descend from Table land  
 to N. 80° E.

40.00 At a round stone 24 x 12 x 3  
 ins. 18 ins. in the part for 1/4  
 Sec. cor. marked 1/4 on N.  
 face, dug pit 18 x 18 x 12 ins  
 N & S. of stone 5 1/2 ft. dist  
 and raised a mound of  
 earth 1 1/2 ft. high 3 1/2 ft. base  
 alongside

25

J. 2v N. R. 22 E. Coak

Chairs

Ascend

42.00 Top of Spur 40 ft. high  
bas. S, W.

8010 At a pond about 20 x 14 x 10  
in 15 ins. in the pond for and  
to nos. 14-15-22 & 23  
Marked with 2 notches on E,  
& 3 notches on S. edges, dug  
pit 18 x 18 x 12 ins in each end  
5 1/2 ft. deep & covered a mound  
of earth 2 ft. high 4 1/2 ft. base  
alongside. Surface rolling  
uprising fair. Soil 3' note

Each on a random basis with Secs  
14 & 23

Apr. 14 02 Each  
Over rolling Valley land  
40.50 At temporary 1/4 Sec. Cor

T. 20 N. R. 22 E. Cont

Chains

80.13

Intersect N + S; line 15 lks  
South of Cor. to Dec 13-14-  
23 + 24

Thence I run S, 89° 54' W,

to a new line bet Dec

14 + 23 with same bearing.

40.06

Set a round stone 14 x 10 x 8 in

9 in in the ground for 1/4 Sec

Cor marked 1/4 on N. face

diag pts 18 x 18 x 12 in E, W,

of stone 5 1/2 ft. dia and

raised a mound of earth

1 1/2 ft. high 3 ft. base

elongated

80.13

thence to Dec. 14-15-22 + 23

growing good

Soil 3/4 Rat

Valley land

27  
T. 20 N. R. 22. E. Contd

Chains

North bet. Secs 14 & 15

Cor, 14° or 2 each

40.00

Set a round stone 18 x 16 x 14 ins  
1/2 ins. in the front for 1/4 Sec  
Cor, marked 1/4 on N & S facing  
pit 18 x 18 x 12 ins N & S. of stone  
3 1/2 ft. dia & raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft.  
over along side

60.00

Enter bad lands bet. 2 & 3 N.

80.00

Set a round stone 16 x 12 x 10 ins  
1/2 ins. in the front for Cor & Sec  
10-11-14 & 15 marked with  
2 notches on E. & 4 notches on  
S. edge. dug pit 18 x 18 x 12  
ins in each Sec 3 1/2 ft. dia  
and raised a mound of earth  
2 ft. high 4 1/2 ft. over along, d.  
Good in good soil 3<sup>rd</sup> Rate  
Super calling

## T. 20 N., R. 22 E., Creek

Stems

East on a contour line bet.  
Secs 11 + 14Abt.  $14^{\circ} 02'$  E of

Open Barren good land

10.00 Trace Bad land bet N. E. &amp; SW.

40.00 W. temporary  $\frac{1}{4}$  Sec. Cor.

80.13. Intersect N. + S. line 9 lbs

South of Cor. to Secs 11-12-13 &amp; 14

Thence S.  $89^{\circ} 56' W$ ,

On a true line bet. Secs

11 + 14 with Run SW.

40.07 Set a sand stone  $14 \times 10 \times 8$  ins9 ins, in the ground for  $\frac{1}{4}$  SecCor. marked  $\frac{1}{4}$  on N. facedry pit.  $18 \times 18 \times 12$  ins E & W ofStem.  $5\frac{1}{2}$  ft. dirt & raiseda mound of earth 11 ft. high  $3\frac{1}{2}$ 

ft. from alongside

29

BOOK 362

T. 20 N. R. 22 E. Ark

Chains

FD. 13, the Art. Secs 10-11-14 &amp; 15

Grazing good

Soil 3<sup>d</sup> grade

Sugar broken

North br. Sec 10 &amp; 11

Plt. 14° 02' East

Open broken bad lands

4000

Aka sand stow 16 x 12 x 10 ins  
12 ins. in the front for 1/4 Rec.Ar. marked 1/4 on N. face  
dry pits 18 x 18 x 12 in N. & S.of stow 5 1/2 ft. dia and  
round a mound of earth  
1 1/2 ft. high 3/4 ft. dia  
alongside



J. 20 N. R. 22 E. Contk

Choin

43.00 Enter Valley brs. E & W.

80.00 Set a round stone 16x12x18 in  
12 ins. in the ground for Cor &  
Secs 2-3-10 & 11 marked  
with 2 notches on E. & 5 notches  
on S. edge, dug pits 18x18x12  
ins. in each Sec 5 left, dist  
& raised a mound of earth  
2 ft. high 4 1/2 ft. doz along side  
Good freezing  
Sun 3° east  
Surface broken

---

East on a random line bet  
Secs. 2 & 11

Dist. 14' 02' Each

Over Valley

25.50 Cross work 1.50 chd work

## T. 20 N. R. 22 E. Cont

Chairs

Census N. N.

40.00 Let temporary  $\frac{1}{4}$  Sec. Cor.59.00 Enter bad lands, to N. 23  $\frac{1}{2}$  E.

80.12 Interest N. &amp; S. line 12 lks

S. of cor to Secs 1-2-11 &amp; 12

Thence down S, 89° 55' W,

on a true line bet Secs

2 &amp; 11 with some SW.

40.00 Let a good stone 16 x 14 x 10

in 12 ins. in the front for  $\frac{1}{4}$ Sec. Cor. marked  $\frac{1}{4}$  on N face

dry pits 18 x 18 x 12 ins E &amp; W

of stone 5  $\frac{1}{2}$  ft. dia. and

bore in a row of 10 sets

1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. dia. along side

80.12 the cor. to Secs, 2-3-10 &amp; 11

Grazing food

Jrd @ Rat

Surface colling

T. 2. N. R. 22 E. Cont

Notes

North on a <sup>truss</sup> line bet. Secs.  
21 & 22.

Sta 140 & 21 East

Over ceiling surface

33.00 Cross rods 1, on chain with  
Course 71.

46.00 Loha round ston 14 x 11 x 8 in.

9 in in diameter for 1/4 in

Or marked 1/4 on 71 face.

Deep pt. 18 x 18 x 12 in N of

ston 5 1/2 ft. dia & round

a round of vert 1 1/2 ft. high

3 1/2 ft. + on along side

80.80 L-shaped 5th Standard parallel N.

4.91 chain E. of Standard

Cor to Secs. 34 & 35, T. 21 N. R. 22

E. previously established by

me. When set a round ston

10 x 10 x 6 in. 6 in in dia

T. 20 N. R. 32 E. Conk,

Chornis

Orinus

found for Corb Sec. 2-3

marked with 2 notches on E &  
4 notches on W edge dug pit 18 x  
8 x 15 in. <sup>at</sup> N. E. & W. of stone, 5 1/2 ft  
diam, ~~and~~ <sup>and</sup> ~~is~~ <sup>is</sup> ~~in~~ <sup>in</sup> a mound  
of earth 2 ft high & 4 ft  
long along side

80.80 ~~The Corb Sec. 2-3-10-11~~  
Grazing food surface broken

Soil 3<sup>rd</sup> grade

Abundant Compression

Nov 10<sup>th</sup> 1882



J. 20 N. R. 22 E. Cont.

Chorus

I carefully examined the adjustment of my solar compass today particularly the latitude and leveling apparatus, and found them correct.

---

35

BOOK 362

T. 20 N. R. 22 E. Cont

Chairs

Now return to Cor. & Sics  
 34-33 & 34 on South Boundary  
 of the Township which is  
 a lava stone 10 x 6 in,  
 set firmly in ground,  
 properly marked, &  
 with pile & mound  
 of earth alongside

There I run N. to Sics 33 & 34  
 Var. 14° 02' East

Over calling surface

40.00 Let a sand stone 8 x 16 x 14 in  
 12 in, in diameter for 1/4 in.  
 Cor. marked 1/4 on N face dug  
 pit, 8 x 18 x 13 in N & S. of stone

J. A. M. R. 22 E. Cont.

Chairs

5 1/2 ft. ditch & raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft.  
long alongside

504 ✓ Put a sand stone 15 x 8 x 8 in  
10 in in the front for, Car t.

Secs 27-28-33 & 34

Mounded with 3 mounds on E. & 1  
mound on S. edge, deep pits by  
18 x 12 in in each Sec. & 1/2 ft.

ditch & raised a mound of  
earth 2 ft. high 4 1/2 ft long  
alongside. Sugar rolling  
press in fair soil 3 seats

Each on a rounder line 6 ft  
Secs. 27 & 34

Apr. 14 1892 Each  
on a line 3 in  
Let Campsey / 7 Sec. Car.

40.00

\$0.10

Interest N & S. line 18 lbs

S. 20 N. R. 22 E. Cont.

Acres

North of Cor. to Sec. 26-27-34 & 35

thence S 20° 53' W,

On a true line bet Secs

27 & 34 with some PA,

40.05 bet a Pondstone 18 x 6 x 6 ins

1 1/2 ins in depth for 1/4 Sec. Cor.,

marked 1/4 on N. face, dug

pts 18 x 18 x 12 ins E & W of stone 5/8

ft. dist & around a mound

of earth 1 1/2 ft. high 3 1/2 ft. dia

along side

So. 10 N. Cor. to Secs. 27-28-33 & 34

Graining pond

Soil 3<sup>rd</sup> Rate

Super selling



T. 20 N. R. 22 E. Cont.

Charris

North bet. Secs 27 &amp; 28

Dir.  $14^{\circ} 02'$  East

Over Valley land

40.00 Set a sand stone  $18 \times 14 \times 10$  ins

12 ins. in the front for Ar. Cr.

marked 14 on N. One dry pit

 $18 \times 18 \times 12$  ins N.W. of stone 5 ftft. dist & raised a mound of earth  $1\frac{1}{2}$  ft. high 3 ft long

along it.

50.00 Set a sand stone  $16 \times 12 \times 8$  ins

12 ins in the front for Ar &amp; Secs

21-22-27 &amp; 28 marked with

3 notches on E &amp; 2 notches on

S edge. dry pit  $18 \times 18 \times 12$  ins

in each Sec. 5 ft. dist &amp; raised a

mound of earth 2 ft high 4 ft long

along it.

Grazing field. Surface rolling  
Soil 25 & 35 cuts

## J. 20 N. R. 22 E. Cont

Areas

East macaondrow line bet

Secs. 22 &amp; 27

N. 14° 02' East

Over rolling surface

20.80 Cross dry wash 2.25 chas  
with Corner S. N.

37.50 Area abruptly

40.00 Let. Temporary 1/4 Sec. Cor.

43.00 Top of total land to N. 80° E,  
Coft. high61.50 Cross dry wash 2.25 chas with  
Corner N. N.

80.13 Intersect N &amp; S. line 15 lks N.

of line to Secs. 22-23-26 &amp; 27

thence down N. 89° 52' W on

a line line bet. Secs. 27 &amp; 27

with corner Sec

40.06 At a bond stone 12x18x4 in 9 in. in the  
front for 1/4 Sec. Our marker 1/4 on N from dry  
pat. 18x18x12 in E + W. Stone 5 1/2 ft. dist. r  
east a mound of calc 1 1/2 ft. high 3/4 ft  
over alongside80.13 In Cor to Secs. 21-22-27 & 28 <sup>Surface only</sup>  
ground food <sup>Said 0' center</sup>

J. 20 4. R. 22 E. Cont.

Chonis

North bet. Secs 21 &amp; 22

Nbr. 14. 0 21 East.

Over Valley Land

40.00

Set a round stone 18 x 16 x 12 ins 13  
ins, in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  on N. face due part  
18 x 18 x 12 ins N & S. of stone  $5\frac{1}{2}$   
ft. dist & raised a mound of  
earth 11 ft. high  $3\frac{1}{2}$  ft. base  
alongside

80.00

Set a round stone 13 x 10 x 6 ins  
9 ins, in the ground for cor. of Secs  
15-16-21 & 22 marked with  
3 notches on E & S. edges, due  
part 18 x 18 x 12 ins in each Sec  
 $5\frac{1}{2}$  ft. dist & raised a mound  
of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
alongside  
Spitzig found: surface rolling  
Soil 3' east

## T. 20 N. R. 22 E. Conk.

Chris

East on a roadrun line  
bet. Secs. 15 & 22

Cor. 14° 02' East

Over rolling Valley

40.00

Set temporary 1/4 Sec. Cor.

80.13

Intersect N. S. line 16 lbs N.

of Cor. to Secs. 14-15-22 &amp; 23

Thence S on N, 89° 53'

W,

On a true line bet

Secs 15 &amp; 22 with corner ea.

40.06

Set a round stone 16 x 14 x 12 ins

12 ins. in the ground for 1/4 Sec. Cor

marked 1/4 on N. face dug pile

18 x 18 x 12 ins E &amp; W of stone and

raised a mound of earth 1 1/2 ft

high 3/4 ft. to be always ch

80.13

The Cor. to Secs. 15-16-21 &amp; 22

Grazing food

Soil 3 oals

Surface rolling

J. 20 N. R. 22 E. Conk.

Chairs

North bet. Secs 15 & 16

Cor. 14° 52' East

Over rolling valley land

40.00

Set a round stone 16 x 14 x 17 in

18 in. in the ground for Sec

Cor. marked by a 24 in

dry pit 18 x 18 x 12 in N & S of stone

5 1/2 ft. dirt & raised a mound

of rock 11 1/2 ft high 3 1/2 ft. base

along side

56.00

Lean rolling valley

Enter two lands to. E & W.

71.00

Lean two lands. Enter low

rolling valley land

80.00

Set a round stone 18 x 14 x 10 in

18 in. in the ground for Sec

9-10-15 & 16 marked with

3 notches on E & 4 notches on

S. edges. dry pit 18 x 18 x 12 in

4.3

To 20 N. R. 22 E. Cont

Chairs

in each Sec. 5 1/2 ft. ditch and  
wind a mound of cotto 2 ft  
high 4 1/2 ft. from along road.

Grazing food

Soil 3<sup>rd</sup> grade  
Surface rolling

Eastern a condonal line bet.  
Secs 10 & 15

Alt. 140 or 2' each

Over low rolling valley

40.00

let temporary 1/4 Sec. Cont

66.00

Enter food lands. bet. N. 1/4 & S. E.

80.08

Intersect N & S. line 15 lks N.

of Cor & Secs 10-11-14 & 15

Thence down N 89° 54' W,

On a true line bet Secs 10 & 15

Mit Dam Va.

J. 20 N. R. 22. E. Cook

Chairs

40.04

Set a sand stone 16x10x8 vis  
12 vis. in the front for  $\frac{1}{4}$  Sec. Cook  
marked  $\frac{1}{4}$  on N. face, dug  
pit 18x18x12 vis E. & N. of stone  $5\frac{1}{2}$  ft  
& raised a mound of earth  $1\frac{1}{2}$

80.08

the Cor. & Secs 9-10-15 & 16  
Grazing food  
Soil 3<sup>rd</sup> Rat  
Surface rolling

North bet. Secs. 9 & 10

Secs. 14 & 02. Each

Over rolling valley

40.00

Set a sand stone 16x12x8 vis  
12 vis. in the front for  $\frac{1}{4}$  Sec  
Cor. marked  $\frac{1}{4}$  on N. face, dug  
pit 18x18x12 vis N. & S. of stone

## In 20 N. R. 22 E. Cont.

Chairs

5 1/2 ft. dia & round on  
mound of scatt. 11 ft. high  
3 ft. dia along side

60.00

Enter dry wash 8' dia wide,  
Come S.W.

79.00

Lean dry wash  
side, Come S.W.

80.00

Over low side bottom  
like sand stone 18 x 14 x 10  
ins, 12 ins. in the front for Cor.  
& Secs. 3-4-9 & 10 marked  
with 3 notches on E & 5 notches  
on S edge, dry pit 18 x 14 x 10  
ins. in each side 5 1/2 ft. dia &  
round - mound of scatt. 2 ft. high  
4 ft. dia along side  
Grazing fair. Surface well  
Soil 5' cat



J. 2<sup>d</sup> N. R. 3<sup>d</sup> E. Cont.

Chonis  
x

Eastern a roundan line bet  
Secs 3 & 10

Var.  $14^{\circ} 02'$  East

Over low rolling Valley

2,30 Euter day mark. Course S. W.

15.20 Iron day mark Course S. W.

46.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.14 Intersect N & S line 15 lks.

S. of cor. to Secs 2-3-10 & 11

thence run S,  $89^{\circ} 54' W$ ,

on a true line bet Secs

3 & 10 with a roundan,

40.07 Set a roundan 16 x 12 x 8 ins

12 ins. in the four ft  $\frac{1}{4}$  Sec

Cor. marked  $\frac{1}{4}$  on N. from

day pit 18 x 18 x 12 ins E & W

of stone 6 1/2 ft. dia & raised

around of cut 1 1/2 ft high

8 1/2 ft. on all sides

T. J. M. R. 72 E. Czech

Chorus

\$0.14

the Cer. to Sec. 3-4-9 & 10  
 Surface rolling  
 grazing feed  
 Soil & grade

Mark on a <sup>trap</sup> line bet. Secs 3 & 4  
 Dr 140 02. Each

Over rolling surface

40.00

Rebar & sand stone 16 x 14 x 10 ins  
 10 ins in the front for 1/4 sec. cur  
 marked 1/4 on N. face, day  
 pt. 18 x 18 x 12 ins N & S, of stone  
 5 1/2 ft. dist & orient a monument  
 of 1 1/2 ft high 3/4 ft dia  
 along side

\$0.90

Intersect 5th standard  
 parallel 4.57 chrs East of  
 Standard Cor. + Sec. 33 & 34

J. 20 N. R. 22 E. Cont

Chairs

Sp 21<sup>N</sup> R 22 E. previously  
 established by me when  
 I set a land stone 13 x 10 x 6 ins  
 9 ins. in the front for clearing  
 Cor & Sec 3 & 4, marked CC  
 with 3 notches on E & 3 notches  
 on W edge, dug pit 18 x 18 x 12  
 S. E. & W. of stone 5 1/2 ft. dia.  
 and raised a mound of soil  
 2 ft. high & 7 ft. dia. <sup>for always in</sup>  
 surface will be <sup>growing fair. Soil 3 1/2 ft.</sup>  
 Frank Fullerton  
 Nov. 11<sup>th</sup> 1882

49

BOOK 362

J. 20 N. R. 22 E. Cont.

Chorus

~~I carefully examined the  
adjustment of my Solar  
Compass today particularly  
the latitude & reversing  
apparatus & found them  
correct~~

J. D. N. R. 22 E. Cont.

Chains

I now return to Cor & Sics  
4-5-32 & 33 on the South  
Boundary of the Township  
which is a sandstone  
10 x 3 ins. firmly set  
in ground, properly  
marked, & with pits  
& mound of earth  
alongside,

Hence I am

North bet. Sics 32 & 33

W 14° 02' East

Over rolling surface

4000

Set a round stone 17 x 10 x 8 ins

13 ins. in the fur for  $\frac{1}{4}$  Sec

Cor. marked  $\frac{1}{4}$  on NW face

67

BOOK 362

J. 20 N. R. 22 E. Cont

Choirs

dry pits 18x18x12 in N + S  
 of Q1 on 5 1/2 ft. dirt + raised  
 a mound of earth 1 1/2 ft. high  
 3 1/2 ft. for along side.

So. 00

Let a Lava Stone 20x10x6 in  
 15 in in the front for CW  
 to Sec. 28-29-32 + 33

Marked with 4 notches on E  
 and 1 notch on S. 1/2 days  
 dry pits 18x18x12 in in each  
 S. 5 1/2 ft. dirt + raised on  
 mound of earth 2 ft. high 4 1/2  
 ft. for along side  
 Grazing food  
 Soil 35 grade  
 Surface rolling

J. Jr N. R. 22. E. Contk

Chairs

Each on a random line bet lines  
28 + 33

Bar.  $14^{\circ} 02'$  each

Over rolling surface

40.00 bet temporary  $\frac{1}{4}$  Sec. Cor.

80.08 Intersect N + S. line 15 ft

S. of cor + Secs 27-28-33 + 34

Thence S.  $89^{\circ} 54' N$ ,

on a true line bet. Secs

28 + 33 with S. corner.

40.04 Set a sand stone  $14 \times 10 \times 8$  ins

9 ins in the ground for  $\frac{1}{4}$  Sec

Cor. marked  $\frac{1}{4}$  on N. face

Aug pit  $18 \times 18 \times 12$  ins S + W of

stone  $5\frac{1}{2}$  ft. dia. & across a

mound of earth 19 ft. high

$3\frac{1}{2}$  ft. ~~cor~~ along side.

83  
J. D. N. R. 22 E. Cont

Chassis  
80.08

2th Cor, to Sec 28-29-32 & 33  
Surface rolling, freezing fair. Sec 3<sup>d</sup> into

North bet. Sec 28 + 29

Cor, 4<sup>th</sup> 52<sup>d</sup> East

Over rolling surface

40.00 Rha sand stone 10, 10, 8 ins  
to ins. in the front for  $\frac{1}{4}$  Sec  
Cor. mark  $\frac{1}{4}$  on W face

Aug pt. 18, 18, 12 ins N + S of  
Stem 5 $\frac{1}{2}$  ft. dist + round

a mound of earth 11 $\frac{1}{2}$  ft. high  
3 $\frac{1}{2}$  ft. dia along side

80.00 Rha Lava stone 20 x 8 x 8  
ins. 15 ins in the front of  
Cor to Sec 20 29 28 & 29

marked with 4 notches on  
E, & 2 notches on S. Edges  
Aug pt. 18 x 18 x 12 ins in



J. 21 N. R. 22 E. Cont

Chairs

each Sec 5 1/2 ft. dist and  
 raised a mound of earth 2  
 ft. high + 1/2 ft. tree along with  
 surface rolling. Grazing fair soil 3 trees

East on a random line bet  
 Secs 21 & 28

Abt. 14° 02' East

Over rolling surface

40.00 Int temporary 1/4 Sec cor.

80.17 Int cont N & S, line 13 lks

South of Cont Secs 21-22

27 & 28

Thena Saw S. 89° 54' N,

On a line bet Secs

21 & 28 with some trees

S. 20 N. R. 22 E. Creek

Chains

40.08 Let a Iowa stone  $18 \times 18 \times 9$  in  
 12 in. in the front for  $\frac{1}{4}$  Rec  
 As marked  $\frac{1}{4}$  on N. face dry  
 pits  $18 \times 18 \times 12$  in E & W of stone  
 $5\frac{1}{2}$  ft. dia & raised a mound  
 of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft  
 long alongside

So. 17

The Art Deco 20-21-28 & 29  
 Grozing good. Surface rolling  
 Soil 3' est

North beh, Dec 20 & 21

Ar. 140 0 21 5 oak

Over level surface

40.00. Let a Iowa stone  $19 \times 15 \times 6$  in  
 14 in. in the front for  $\frac{1}{4}$  Rec.  
 As marked  $\frac{1}{4}$  on W face  
 deep pits  $18 \times 18 \times 12$  in N & S  
 of stone  $5\frac{1}{2}$  ft. dia and

J. 20 N. R. 22 E. Crk.

Notes

Excavated a mound of earth  
 1 1/2 ft. high 3 1/2 ft. long along side  
 8000 Set a board stone 18 x 18 x 10 in  
 10 in. in the front for Cor & Sec  
 16-17-20 & 21 marked with  
 4 notches on E, & 3 notches on  
 S. edge. dug pits 18 x 18 x 12  
 in in each Sec 5 ft. dirt  
 and raised a mound of earth  
 2 ft. high 4 1/2 ft. long along side  
 No. 3 wing food  
 Soil 3 & 4  
 Surface level & volume

East on a random line bet Secs  
 16 & 21

Cor 14° 02' East

Open rolling surface

40.00 Set temporary 74 Sec. Cor

57

BOOK 362

T. 20 N., R. 22 E., Crab.

chains

79.88

Intersect N & S. line 18 lks  
South of Cr. & Secs. 15-16-21  
& 22

Thence I run S.  $89^{\circ}52'N$ ,  
on a true line bet Secs  
16 & 21 with some bal.

39.94

At a Lone Stone  $20 \times 10 \times 10$  ins  
15 lks in the road for  $\frac{1}{4}$  Sec  
Cr. marked  $\frac{1}{4}$  on N. face, dog  
pits  $18 \times 18 \times 12$  ins E. & W of stone  
 $5\frac{1}{2}$  ft. dist & around a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
over along side.

79.88

The Cr & Secs 16-17-20 & 21  
Sungue valley. Grazing fair and 3 rods

J. 25 N. R. 22 E. Cook

Chairs

North but Res. 16 + 17

Tr. 14° 02' E each

Open rolling surface

40.00 Lta sand str 12 x 12 x 8 in

8 in. in the front for 1/4 Res

Car. worked 1/4 on N face day

pit 18 x 18 x 12 in N x S. 2 at

5 1/2 ft dia & raised a mound

of earth 1 1/2 ft high 3 1/2 ft

long along side

80.00 Lta sand str 18 x 14 x 10 in

12 in. in the front for Car to

Res. 8-9-16 & 17 worked

with 4 notches on E. Sides

day pit 18 x 18 x 12 in. in back

dia. 5 1/2 ft dia, & raised a

mound of earth 2 ft high 4 1/2

ft. long along side

Surface rolling Sept 5<sup>th</sup> 05

judging fair

## T. 20 N., R. 22 E., Cont

Chairs

East on a pondrow line  
bet Secs 9 & 16

Br.  $124^{\circ} 02'$  East

Over rolling surface

4000 Sec Temporary  $\frac{1}{4}$  Sec. Cor.

80.13 Interest N & S. line 16 lks.  
N. of Cor. to Secs 9-10-15 & 16  
Thence S on N.  $89^{\circ} 53'$  N.

On a true line bet Secs

9 & 16 with some S & A

40.06 At a pond stone  $13 \times 10 \times 6$  ins  
9 ins in the pond for  $\frac{1}{4}$  sec Cor  
marked  $\frac{1}{4}$  on N. face dug  
pts  $18 \times 18 \times 17$  in E. W of stone  
 $5\frac{1}{2}$  ft. dist. & raised a  
mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base along side

80.13 The Cor. to Secs. 8-9-16 & 17  
Surface rolling, peeing from  
East 35 east

J. 20 N. R. 22 E. Cont

Chains

North bet. Secs. 8 & 9  
Cor.  $14^{\circ} 02'$  Each

One calling Surfan

- 46.50 Aka pond stone  $16 \times 12 \times 10$  ins  
12 ins. in the front for  $\frac{1}{4}$  No Cor.  
Marked  $\frac{1}{4}$  in N. face, dug  
pit  $18 \times 18 \times 12$  ins N & S. Jeton  
 $5\frac{1}{2}$  ft. dirt & corica a row  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
toe alongside.
- 57.80 Enter dug work course S. W.
- 62.80 Lean dug work course S. W.
- 72.20 Cross work  $1.50$  chrs wide  
Course S. W.
- 80.00 Aka pond stone  $16 \times 12 \times 8$  ins  
12 ins. in the front for Cor to Sec  
4-5-8 & 9 marked with  
4 notches on E. & 5 notches on  
S. edges. dug pit  $18 \times 18 \times 12$

## J. 20 N. R. 22 E. Cont

chain

ins. in each sec. 5 1/2 ft.  
 dist  $\nabla$  raised a mound  
 of earth 2 ft. high 4 1/2 ft. across  
 along side. Surface broken  
 soil brown. soil fair

Each on a rounded line  
 bet. Secs. 4 & 9  
 Dir.  $14^{\circ} 02'$  East

11.00 Cross mark 50 lks. wide  
 Corner S. N.

19.00 Cross mark 40 lks. wide  
 Corner S. N.

40.00 Set temporary 1/4 Sec. Cor.

7980 Intersect N + S. line 13  
 lks N. of curb Secs 3-4-9 & 10  
 When I run N.  $89^{\circ} 54' W$   
 on a true line bet Secs  
 4 & 9 with corner Sta



## T. 20 N. R. 22 E. Cont.

town

3990 Set a pond stone 16 x 8 x 8 in  
 12 in. in the front for  $\frac{1}{4}$  sec  
 Cr. marked  $\frac{1}{4}$  on N. face  
 dug pit 18 x 18 x 12 in E. & W  
 of stone 5' ft. dia & raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  
 3' ft. box along side

79.80 The Cor to Res. 4-5-8 & 9  
 Grazing good  
 Soil 3' pat  
 Surface rolling

---

North on a line bet. Res  
 4 & 5

Apr. 14<sup>o</sup> 021 East

Overlooking Valley

30.00 Goes north 1.20 chm. N. side  
 Crown S. N.

J. D. N. R. 22 E. Cont

Choirs  
40.00

Set a sand stone  $18 \times 10 \times 6$   
ins 12 ins. in the ground for  $\frac{1}{4}$  Sec  
On marked  $\frac{1}{4}$  on N face  
day pit  $18 \times 18 \times 12$  ins N & S  
of stone  $5\frac{1}{2}$  ft. dia and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
along side

80.38

Interest 5<sup>th</sup> Standard <sup>North</sup> Parallel  
4.23 choir E. of Ar 6  
Sec - 32 + 35 Apr 21  
N. R. 22 East previously  
established to me when  
Set a sand stone  $18 \times 18 \times 6$   
ins 12 ins in the ground  
for closing Ar 6 Res 4 + 5  
marked C.C. with 4 notches  
on E + 2 notches on W edge  
day pit  $18 \times 18 \times 12$  ins

To 20 N. R. 22 E. Cont.

Chocoma

S. E. & W. of stone 5 1/2 ft. dist  
and raised a mound of  
lath 2 ft. high 4 1/2 ft. tree  
alongside

Grains good

Soil 3<sup>rd</sup> grade

Supercoling John S. L. Thompson

Nov 11 1882

65 BOOK 362

T. 20 N. R. 22 E. Cont.

Choirs

I carefully examined today  
the adjustment of my solar  
compass particularly the  
latitude & bearing apparatus  
and found them correct.

T. 20 N., R. 22 E., Cont.

Coins

I now return to Cor to Lins  
5-6-31 + 32 on South  
Brandy of the Township  
Which is a sandstone  
12 x 10 ins, firmly set  
in ground, properly  
marked, + with pits  
+ mound of earth  
alongside.

When I saw  
North bet. Lins. 31 + 32  
Var. 14° 02' East

Over rolling surface  
40.00 Set a level stone 20 x 16 x 12  
ins 15 lbs in the front for 1/4

67

BOOK 362

J. L. N. R. 22 E. Cook

Chow

Sec. Cor, worked  $\frac{1}{4}$  on W.  
 face, dug pits  $18 \times 18 \times 12$  ins  
 N & S, of stone  $5\frac{1}{2}$  ft. dia  
 and raised a mound of  
 earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
 from along id

80.00

Set a round stone  $18 \times 16 \times 14$   
 ins.  $12$  ins. in the front for  
 Cor. & Sec. 29-30-31 & 32  
 Marked with 5 notches on  
 E, & 1 notch on S. edges  
 dug pit  $18 \times 18 \times 12$  ins. in  
 back Sec.  $5\frac{1}{2}$  ft. dia. and  
 raised a mound of earth  
 $2$  ft. high  $4\frac{1}{2}$  ft. from along id  
 grazing food  
 Soil 35 grade  
 Surface rolling

---

T. 20 N., R. 22 E., Cont

Cham

Each on a random line  
 bet. Secs. 29 + 32

Var. 14° 02' Each

Over rolling valley land

40.00 1st temporary 1/4 Sec Cor

80.10 Intersect N + S. line 16 lks

N. of cor. to Secs. 28-29-32 + 33

Thence down N. 89° 53' W.

on a true line bet Secs

29 + 32 with some SW.

40.05 2nd pond stone 17 x 11 x 9 ins

13 ins in the post for 1/4 Sec

Cor. marked 1/4 on N face, dug

pit 18 x 18 x 12 ins E + W of stone

5 1/2 ft. dia + raised a mound

of earth 14 ft. high 3 1/2 ft. from

along side

80.10 The Cor. to Secs 29-30-31 + 32

Frank Hollman

Survey rolling  
 for good soil 3<sup>rd</sup> etc. Nov 13<sup>th</sup> 1887

## T. 28 N., R. 22 E., Cont.

Chairs

West on a condrom line  
bet Secs 30 & 31

Dk. 140 02' East

Over low rolling valley

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

83.55 Intersect N. Brundage

of Township 16 lks. S. of  
Critt Secs 25-30-31 & 36  
prominently established by our  
thence  $\text{S. } 89^{\circ} 53' \text{ E.}$ 

On a true line bet Secs

30 &amp; 31 with some Dk.

43.55 Set a sand stone  $18 \times 16 \times 12$  in  
12 ins. in the joint for  $\frac{1}{4}$  Sec  
Cor. marked  $\frac{1}{4}$  on N face  
dry pits  $18 \times 18 \times 12$  in E & W  
of stone  $5\frac{1}{2}$  ft. dist & raised  
around of seats  $1\frac{1}{2}$  ft. high  
 $3\frac{1}{2}$  ft. base along side



## T. To N. R. 22 E. Cont

Chin

53.50 2<sup>nd</sup> Car of Dec. 29-30-31 & 32  
 approx. 100 yds. <sup>Dec 25 & 31</sup> with surface rolling  
 John Siler Composeman  
 Nov 10 1882

---

North bit, Dec. 29 &amp; 30

Chr. 14.02. East

Over rolling surface

- 1.50 Iron Valley and enter  
 broken bad lands, Dec. E & W.  
 6.00 Iron bad land Dec. E & W.  
 24.00 Cross wash 50 ft. wide Dec. W.  
 40.00 Hit a sand str. 18x14x10 in  
 12 in. in at front for 1/4 sec  
 An mark 5 ft. on N. face dug  
 pit 18x12x12 in N & S. of str  
 5 1/2 ft. dia. & raised a snow  
 of earth 1/2 ft. high 3 1/2 ft. base  
 along side.

T. 20 N. R. 22 E. Cont

Chairs.

60.00 Moss, Wash 4 Chms. er. d.  
Copper W.80.00 Lbs a Round Stone 18 x 14 x 10  
12 ins. in the front for  
Cart & Run 19-20-29 + 30  
Marked with 5 notches on E,  
+ 2 notches on S. edges  
Dug pit 18 x 18 x 12 ins. in each  
Sec. 3 1/2 ft. dia. & raised  
a mound of earth 2 ft. high  
4 1/2 ft. box alongside  
Surface rolling. Soil 3' at 20'Each on a random line  
Oct. Dec 20 + 29

W. 14° 02' Each

Over rolling surface  
40.00 Let temporary 1/4 Sec. C.

## T. 20 N. R. 22 E. Cont.

Chairs

80.13 Intersect N + S. line 15 Ak.  
N. of Cor & Pres. 20-21-28  
and 29

then down N,  $89^{\circ} 54' W$ ,  
on a true line bet Secs

20 + 29 with some wa.

40.06 Set a sand stone  $21 \times 15 \times 11$  in

15 in. in the front for  $\frac{1}{4}$  Sec

Cor. marked  $\frac{1}{4}$  on 2nd face dug  
pit  $18 \times 18 \times 12$  in E + W of stone

$5\frac{1}{2}$  ft. dirt & raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. over  
alongside

80.13 The Cor. & Pres 19-20-29 + 30  
Surface zoning. Spacing false Sec 3 + 4  
Spout Hollomon

Nov 13<sup>th</sup> 1882

T, 25 N, R, 22 E, Cont

Chowin

Went on a condorm line  
bet Secs. 19 + 30

Dr. 14° 02 East

Over level surface

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.79.00 Gross day work 5.28 chns.  
with Course S. 24 $\frac{1}{2}$ ° W.83.45 Intersect West boundary  
of Township 15 Nk. South  
of Cor & Secs. 19-24-25 + 30  
previously established by  
me.

Then I run S. 89° 54' E,

on a true line bet Secs

19 + 30 with Iron Sta.

43.45 Set a Iron Stake 12 x 10 x 6  
in, 8 in. in the front for  
 $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on  
N face day pts 18 x 18 x 12 in

S. 20 N. R. 24 E. Cook

Chow

E + N of ston 5 1/2 ft. ditch  
and raised a mound of  
earth 1 1/2 ft. high 3 1/2 ft  
dow along side

83245 The Cr. to Sec. 19-20-29 & 30  
Surf. exp. h. freezing fair, soil 2/53' water  
John E. Combsman  
Nov 13<sup>th</sup> 1882

North bet Sec 19 & 20

Sec 140 0 2' each

over rolling surface

40.00 Sec. Sand ston 22 & 18 & 5 in

16 in. in the front for 1/4 Sec. Sec.

marked 1/4 on N. bar, dry pit

8 & 18 & 12 in N + S. of ston 5 1/2

ft. ditch & raised a mound of

earth 1 1/2 ft. high 3 1/2 ft. bar

along side

75

J. W. N. R. 22, E Cont.

Chairs

- 47.00 Char. Diceys residence bus
- dur E. 5.00 Chas dict
- 50.00 Enter Valley
- 80.00 Put a pond thru 12 x 10 x 8 in
- 8 ins. in the front for Car &
- Sec. 17-18-99 & 20 marked
- with 5 notches on E, & 3 notches
- on S edges. dug pit 18 x 18 x 16
- in. in back Sec 5 1/2 ft. dia
- and raised a mound of dirt
- 2 ft. high 4 1/2 ft. dia along side
- Surface rolling & level
- Grazing food
- Soil 2<sup>5</sup> & 3<sup>5</sup> rate

East on a condour line bet.  
 Sec 17 & 20  
 Elev. 140 02' East

J. 20 N. R. 22 E. Cont.

Chains

Over rolling surface

40.00 dit temporary  $\frac{1}{4}$  Sec. Cur.

79.90 Interest N & S. line 18 lks

S. of Cur to Pres. 16-17-20 & 21

thence I run S.  $89^{\circ} 52' W$ ,

On a true line bet

Secs. 17 & 20 midpoint Pa

39.95 dit a Lava Stone  $15 \times 10 \times 6$  in

10 in. in the front for  $\frac{1}{4}$  Sec

As marked  $\frac{1}{4}$  on N. face, day

pt.  $18 \times 18 \times 12$  in E. W. of

Stone  $5\frac{1}{2}$  ft. dist and raised

a mound of earth  $1\frac{1}{2}$  ft. high

$3\frac{1}{2}$  ft. from along side

79.90 The Cur. to Pres. 17-18-19 & 20

Grazing food. Surface rolling

from  $25^{\circ}$  to  $35^{\circ}$  rate

Frank Hollman

Nov 13 1882

77

BLOCK 362

T. 20 N. R. 22 E. Cont

chain

West on a condorn line bet.  
Secs 18 + 19Var.  $140^{\circ} 02'$  East

On level surface

19.75 Cross dry wash 15.00 chain  
with corner S.

Ascend

40.00 bet temporary  $\frac{1}{4}$  Sec. Cor.56.00 Top of Mitten Peak 380 ft  
high bet. N. E. + S. W.

Descend

83.40 Intersect West Boundary  
of Township 18 lks south  
of Cor. to Secs. 13-18-19 + 24  
previously established by  
meThence I run on a true line  
 $S 89^{\circ} 52' E$  bet Secs. 18 + 19  
with Iron Pk.



T. 20 N. R. 22, E. Cont.

Chorus

43.40 Put a Lava stone  $15 \times 12 \times 6$  in  
 10 ins. in the front for  $1/4$  sec  
 Cr. mark  $1/4$  on the face of  
 pits  $18 \times 18 \times 12$  ins E & W. of stone  
 $5/8$  ft dia & raised a mound  
 of soil  $11$  ft. high  $3/4$  ft.  
 box alongside

83.40 the Cr. & pres. 17-18-19 & 21  
 Surface Level, rolling  
 and broken  
 Good grazing, Soil 3<sup>5</sup> rate

John Dew Compositor  
 Nov 13 1882

79

BOOK 362

J. N. N. R. 22 E. Creek

choirs

Walt bet. Secs. 17 + 18

Sec. 14 + 02 East

Overhead surface

30.00 Cross mark 2.00 chn sides  
Corner S. W.40.00 Set a round stone 20 x 10 x 6 ins  
15 ins in the front for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  on N. face dug  
pit 18 x 18 x 12 ins N + S. of stone  
5 1/2-ft dia., + raised a mound  
of earth 1 1/2 ft high 3 1/2-ft.  
dia. alongside80.00 Set a round stone 13 x 13 x 5 ins  
9 ins in the front for Cor. to  
Secs. 7-8-17 + 18 marked  
with 6 notch on E, + 4  
notch on S edge. dug pit  
18 x 18 x 12 ins. in each Sec.  
3 1/2-ft high dia., and raised

J. 20 N. R. 22 E. Cor.

shown

a series of cuts 2 ft. high  
 4 1/2 ft. for almond  
 grazing food  
 Soil 3<sup>rd</sup> R at  
 Sulphur rolling

---

East on a random line bet  
 Secs. 8 & 17

Var 14° 02' East

Over level surface

40.00 bet temporary 1/4 Sec Cor.

61.00 Cross rock 11.00 chas side

Course S. 12° W

79.78 Intersect N & S. line 10 lks

South of Cor to Secs. 8-9-16 & 17

Then I run S 89° 56' W

on a true line bet. Secs. 8 & 17

with some var.

81

BOOK 362

J. 20 N. R. 22 E. Cont

Chairs

39.89

Set a pond stone  $12 \times 10 \times 6$  in  
 8 in. in the front for  $\frac{1}{4}$  Rec. over,  
 marked  $\frac{1}{4}$  on N face dug  
 pits  $18 \times 18 \times 12$  in E & W of stone  
 $3\frac{1}{2}$  ft. deep & carried a row  
 of 1 cut  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
 bars along side

79.78

the Cor. to elev. 7-8-17 & 18  
 Grazing land. Surface rolling  
 Soil 3' grade  
 Frank Hollman

Nov. 13<sup>th</sup> 1882

## T. 20 N. R. 22 E. Cont.

Cross

Mark on a random line  
bet. Secs 7 & 18

W. 14° 02' East

Con level surface

40.00 lot temporary  $\frac{1}{4}$  Sec. 10

83.27 Interest West Boundary of  
Township 10 lks. south of  
Crs. to Secs. 7-12-13 & 18

previously established by me

thence to run S. 89° 56' E,

on a true line bet Secs

7 & 18 with corner 2a

43.27 lot a sandstone 16 x 16 x 6 in

11 in. in the front for  $\frac{1}{4}$  Sec

As marked  $\frac{1}{4}$  on N for day

pits 10 x 18 x 12 in E & W of stone

5 1/2 ft. ditch & raised a mound

of earth 11 ft. high 3 1/2 ft. base

along side

J. 20 N. R. 22 E. Cont

Chorus

83.27 Marc & Dec 7-8-17 & 18  
Sugar Dept + other, opening good. Soil 3' good  
John Lee Compressor  
Nov 13, 1882

---

North bet lines 7 & 8  
Var. 14' 0 2' East

Over level surface

4000 Set a Lora Stone 19 x 15 x 8 in  
14 in. in the front for 1/4 Riv.  
Cov. marked 1/4 on N face dry  
pit 18 x 18 x 12 in. N & S. of stone  
5 1/2 ft. dia. and raised a  
mound of earth 1 1/2 ft high  
3 1/2 ft. bro along side

J. 20 N. R. 22 E. Cont.

hours

80.00 Set a sand straw 12 x 12 x 10 in  
 8 in. in the front for C<sub>1</sub> & Sec  
 5-6-7 & 8 marked with  
 5 notches on E & S edge, dug  
 pit 18 x 18 x 12 in in each  
 Sec 5 1/2 ft. dist & raised  
 a mound of dirt 2 ft. high  
 4 1/2 ft. base along id  
 grazing food  
 Dred 35 grade  
 surface rolling

---

East on a random line bet  
 Secs 5 & 8

Vol 14" 0 2' Each

Over rolling surface

40.00 Set temporary 1/4 Sec. Cen.  
 72.50 Cross Wash 1.00 chn wide  
 Corner S.

## T. 20 N. R. 22 E. Cont

Choir

80.10

Intersect N + S. line 16 lks  
 N. of Cor. to Secs 4-5-8 + 9  
 Thence S and N, 89° 53' W,  
 on a true line bet Secs  
 5 + 8 with some 20

40.05

Set a pond stone 18 x 16 x 12 in  
 12 in. in the front for 1/4 Sec  
 Cor. marked 1/4 on N face  
 dug pits 18 x 18 x 12 in. E + W.  
 of stone 3 1/2 ft. dia. & raised  
 a mound of earth 1 1/2 ft. high  
 3 1/2 ft. box alongside

80.10

The Cor. to Secs. 5-6-7 + 8  
 Super survey. going far south 3 rods  
 Frank Hollman

Nov. 13<sup>th</sup> 1882



## T. 20 N. R. 22 E. Cont

Arms

Went on a random line  
bet Secs 6 + 7

Cor.  $14^{\circ} 02'$  East

Over rolling surface

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

83.20 Intersect N. Boundary of  
Township 13 Lk. N. of  
Cor & Sec. 1-6-7 + 12  
previously established by  
me

Then I saw N.  $89^{\circ} 54' E$ ,

on a true line bet. Secs  
6 + 7 with some SA.

43.20 Set a sand stone  $10 \times 10 \times 8$   
ins, 6 ins. in the post for  $\frac{1}{4}$   
Sec. Cor, marked  $\frac{1}{4}$  on N. fan  
day pit  $10 \times 10 \times 12$  ins E + W of  
stone  $5\frac{1}{2}$  ft. dia. + cor. a  
mound of earth 17 ft. high

87

T. 20 N. R. 72 E Cont

Chains

3 1/2 ft. for almyo. dr

8320 The Car. to Secs. 5-6-7 &amp; 8

Grazing food Surface rolling

Soil 35 cont

John Lee Compositor

Nov. 13<sup>th</sup> 1883North on a <sup>true</sup> line bet Secs.  
5 & 6

Dr. 141° 02' East

Over rolling surface

4900 Set a sound stone 15 x 10 x 8

in N. W. cor. in the front for

1/4 Sec. Car. marked 1/4 on

N. W. cor. Aug pits 18 x 18 x 12

in N. W. S. of stone 5 1/2 ft

J. To N. R. 22 E. Cont

Chairs

cut & raised a row of  
earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. long  
along side

So. 20

Intersect 6th Standard  
Parallel <sup>N</sup> 3.09 Chas. East  
of <sup>Standard</sup> Car to Res. - 31 & 32

Sp 21 N. R 22 E. previously  
Established by me when  
I set a Long straw  $20 \times 6 \times 6$  in  
15 ins. in the ground for Chairs  
Car to Res. 5-6

Marked A.C. with 5 notches  
on E. + 1 notch on W. edge  
dug pit  $18 \times 18 \times 12$  ins. <sup>S</sup> E. & W. of above  
 $5\frac{1}{2}$  ft. dia. & raised a row of  
earth 2 ft high  $4\frac{1}{2}$  ft. long along side

Sp 21 ground Surfacing  
Soil 3' grade

Spunk Hollman  
Nov. 13<sup>th</sup> 1882

J. 20. N, R, 22. E.

I carefully examined  
the adjustments of  
my compass today,  
particularly the lati-  
tude & reversing ap-  
paratus, & found  
them correct;

T. 20 N. R. 22. E.

### General Description,

The surface of this town-  
ship is comparatively  
level, being slightly  
rolling, with broken  
bad lands in S. E,  
& N. E. portions.  
The soil is 3<sup>rd</sup> rate  
and the grazing  
good.

Ry Roux Wash crosses  
the N. W. quarter of T.  
in a South-Westerly di-  
rection.

Chas. Nye's residence  
is on the N. W. quar-  
ter of Sec. 20,

---

91

For final oaths, see  
last, book (N<sup>o</sup> 17.)  
of Surrey,

U. S. Surveyor General's Office,

TUCSON, ARIZONA. April 19, 1883

The foregoing Field Notes of the Survey of the

Subdivision lines of Op.  
20 North, Range 22 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-  
ted by Frank Johnson

Deputy Surveyor, under his contract of the 29<sup>th</sup>  
day of July, 1882, having been

critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe  
are hereby approved.

J. M. Smith  
Surveyor General.