

P. 1

373

BOOK 373

373

F I E L D N O T E S
OF THE SURVEY OF THE
SUBDIVISION LINES
OF

Township 20 North, Range 28 East.

Gila and Salt River Meridian,
CALIFORNIA.

By W. R. Fitzgerald, D. S., under
Contract dated July 17, 1882.
Survey commenced Nov. 24, 1882.
Survey completed Nov. 27, 1882.

1A Township 20 N. Range 25 E
 BOOK 373 G. & C. R. Meridian.

6	121	5	55	4	61	3	41	2	20	1
119		116		84		60		39		18
7	114	8	82	9	58	10	37	11	17	12
111		109		79		57		36		15
18	107	17	76	16	55	15	34	14	14	13
105		103		75		52		33		12
19	101	20	73	21	51	22	31	23	9	24
99		97		71		49		29		7
30	94	29	69	28	47	27	26	26	5	25
92		91		67		46		25		8
31	88	32	64	33	43	34	22	35	1	36

For preliminary notes
 and description of
 instrument see
 Book 1 -

To S. A. 25 E. 2. & C. R. M.

From the con. to Secs. 1-2. 35 & 36
 on the N. 1/2 Sec. 1-2. there is a post
 in earth mound with - pits. I
 saw North. between Secs. 35 & 36,
 Pa. 14° 15' East.

Record,

40.00 Set post 3 ft. long 1/2 in. diam. 12
 ins. in the ground, with - marked
 stone for N. Sec. 1-2. with - marked 40 S. 1-2
 W. base dug pits 18 x 18 x 2 ins. N. 1/2 S.
 of post 5 ft. 7 in. dia. 3 and raised a
 mound of earth - 14 ft. high 3 ft
 base around post 4. 1/2 in. dia. 4
 ft. 1/2 in. dia.

Under 18 in. diam. S. 157° 10'. 20 ft. dia.
 set - marked 40 S. P. 5.

Under 20 in. diam. S. 177° E. 13 ft. dia.
 set - marked 40 S. P. 5.

80.00 Set post 4 ft. long 4 in. diam.
 12 in. in the ground with - marked
 stone for corner to Section's 25-26

Took R 25 E & S R. M

35 and 36 marked T. G. S. S. 2500
 N. E. R. 28 E. S. 36 S. E. S. 2500
 S. W. 1/2 bar Mt. forest with patches
 on S. and 1/4 E. sides. One
 pole 18 x 18 x 12 ins. in patch
 Sec. 5 1/2 ft. diam. and several
 smaller. 2 ft. high
 1 1/2 ft. diam. around forest.
 Juniper-like trees

Cedar 24 in diam. N. W. 1/2 Sec. 25 E. S. 36 S. T.

Cedar 30 in diam. N. E. 1/2 Sec. 25 E. S. 25 S. T.

Cedar 30 in diam. S. 27 W. 1/2 Sec. 25 E. S. 36 S. T.

Cedar 30 in diam. S. 37 E. 1/2 Sec. 25 E. S. 36 S. T.

Land P. 1/2 in

Soil 3rd. 1/2 in

Timber 1/2 P. and Cedar

Undergrowth - y. some with

Bunchgrass.

T20 N E 25 E 1/4 Sec 36

East on a rmain line
between Sec 25 & 36

Var. 4° 15' E

Ascend gradually in
scrub cedars

40.00

79.75

Set temporary 1/4 Sec Cor
Intersect East line of
40 lbs north of ^{recently cut across way by me,} Sec 25-36 - 30 + 31, from
which Cor E run

N 59° 43' W on a pine
line between Sec 25 & 36

Var 14° 18' E

39.89

Set post 3 ft long 3 in diam
12 in in the ground with
marked Stone for 1/4 Sec Cor
marked 1/4 E. on N face
aug pits 15 x 15 x 12 in E
& N of post 5 1/2 ft dia and
raised mound of earth
1 1/2 ft high 3 1/2 ft base

4
 201 R 25 E M 9 W

acuna post from white
 brass

Cedar 20 mi diam N 23 1/2 W
 27 lbs dist

A Cedar 14 mi diam S 71 E
 54 lbs dist

Both marked 14 S. B. T.

79.75 The Co to Chee 25-26-35 & 36

Lana rotunda

Sat. Era late

Smaller Cedar

Undergrowth same and

Bunch grass

T 20 N C 25 E L 7 C R M

North between Sec 25 & 26

Var 14° 15' E

Accura gradually in timber

10.00 Ridge bears N 15° W + @ 18° E

40.00 Set a post 3 ft long 3 mi
diam 12 mi in the ground
with marked stone for 1/4

Sec 3 or marked, 1/4 in 1/4
four dug pits 18 x 18 x 12 mi
N + E of post 5 1/2 ft dia

and raised mound of earth
1 1/2 ft high 3 1/2 ft tall around
post from which bears

A cedar 26 mi diam bears
N 75 1/4° W 26 like dia

A cedar 28 mi diam N 5 1/2° E
44 like dia

Both marked 1/4 S. R. T.

70.00 Set a post 4 ft long 4 mi
square 12 mi in the
ground with marked

T20 n R25 E L. @ RM

stone for Cor to Cue 23-
 24-25 & 26 marked T20
 n @ 24 on n. E. R25 E @
 25 on S. E. S26 on SW and
 S23 on N. W. face with 2
 notches on S and 1 notch
 on E edge dug pits 15x
 15x12 in each set
 5 1/2 ft apart and raised
 mound of earth 2 ft
 high 4 1/2 ft base around
 spot from which bears
 A Cedar 15 mi diam
 N. W. 72 lbs dist marked
 T20 n R25 E S23 B. T.
 A Cedar 14 mi diam
 N 10 1/4° E 107 lbs dist
 marked T20 n R25 E
 S24 B. T.
 A Cedar 25 mi diam
 S 77° W 19 lbs dist marked

Took R 25 E L & R M

Took R 25 E S 26 B.S.
 A cedar 26 in diam
 S 24 1/2° E 5 lbs dirt mark-
 ed. Took R 25 E S 24 B.S.
 Land rolling
 Soil 3rd rate
 Timber scrubby Cedar
 Good bunch grass

East on a random line
 between Cus 24 & 25
 in 14° 15' E

Quercus gradually in
 scrub cedar

40.00 Set temporary 1/4 Sec Cor
 80.11 Intersect East Ry of
 Sp 26 lbs north of Cor
 to Sec 24-25 - 19 1/4 30,
 from which Cor I run
 N 59° 57' West on a true

Book Art E 27 & R M

line between Sue 24 & 25
Bar $14^{\circ} 15' E$

40.06 Set a post 3 ft long 3 in
diam 12 in in the ground
with marked stone for 1/4
Sue bar marked 1/4 S on N
face aug pits $15 \times 15 \times 12$ in
E & W of post $5\frac{1}{2}$ ft
dist and raised mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft base around post from
which bears

A Cedar 16 in diam $N 74^{\circ} E$
107 lbs dist

A Cedar 12 in diam $S 71^{\circ} \frac{1}{3} E$
97 lbs dist

Both marked 1/4 S.B.T.

80.11 The bar to Sue 23-24-25
426

Sand rolling
Set 3rd gate

Took out E. L. + S. A. M.

Timber clear
 Good Bromegrass
 — — —

Route between Cuts 23 + 24
 Vec $14^{\circ} 15' E$

Ascending in scrub timber

10.00 Ridge bears $N 30^{\circ} W + E 35^{\circ} E$
 Descend

26.50 Low depression bears $N 26^{\circ} W$
 $and S 26^{\circ} E$

Ascend

40.00 Cut just 3/4 long 5 mi diam
 with marked stone 12 mi
 in the ground for 1/4 Cu
 Cu marked 1/4 S on
 N. face aug pits $15 \times 15 \times 2$
 mi N + S of just 5 1/2 ft
 dist and raised mound
 of earth 1 1/2 ft high 3 1/2 ft

T 20 N R 25 E 1 + @ R M

base around post from
which bears

A cedar 20 mi diam N 63° W
11 lbs dist

A cedar 20 mi diam S 4° E
9 lbs dist

Both marked 1/4 @ B. E.

80.00

Set a post 4 ft long 4 mi
square 12 mi in the ground
for Cor to Cus, 13-14-23 & 24
with marked stone marked

T 20 N @ 13 on N. E. @ 25 E

@ 24 on S. E. @ 23 on S. W.

@ 14 on N. W. face with

3 notches on S and 1 notch
on E edges dug pits 15 x

15 x 12 mi in each see

5 1/2 ft dist and raised

mound of earth 2 ft high

4 1/2 ft base around post
from which bears

T20 N R25 E S14 C10 M

A Cedar 15 mi diam N22W
61 lbs dist marked T20 N
R25 E S14 B. T.

A Cedar 16 mi diam N75 1/2 E
16 lbs dist marked T20 N R
25 E S13 B. T.

A Cedar 22 mi diam E45 1/2 E
25 lbs dist marked T20 N
R25 E S24 B. T.

A Cedar 22 mi diam E71 W
47 lbs dist marked T20 N
R25 E S23 B. T.

Lana white

Soil Bra rate

Timber Cedar

Undergrowth same and
Bun ch grass

Truck Co 25 E & L M C R M

East on a random line
between Sues 13 & 24
Var $14^{\circ} 15''$ E

21.50 Rec'd through timber
Cage bears 20° E & S of
Desund

40.00 Set temporary $\frac{1}{4}$ Sec Cor

80.29 Enter East Bay of Tr
15 like South of Cor to Sues
^{recently established by ang.}
13-15-19 & 24 from which
Cor Sprung

$S 89^{\circ} 52' W$ on a true line
between Sues 13 & 24
Var $14^{\circ} 15'$ East

40.15 Set post 3 ft long 3 mi
diam 12 mi in the
ground with marked
stone for $\frac{1}{4}$ Sec Corner
marked $\frac{1}{4}$ S on N. face
and pits $15 \times 15 \times 12$ mi.
E & W of post $5\frac{1}{2}$ ft dist

Trick 25 E. L. G. S. R. M.

and raised mound of
earth 1 1/2 ft high 3 1/2 ft
wide around post from
which bears

A Cedar 24 mi diam North
9 lbs dia

A Cedar 20 mi diam
25 1/2 lbs dia

Both marked 1/4 S. B. T.

80.29 Spr Cor to Cinc 13-14-23

724

Land rolling

Soil 3rd rate

Timber of Cedar

Vegetation Bunch grass

Topk West E 3rd R M

North between Dec 13 & 14
Var 14° 15' E

Record gradually

40.00 Set a Sand stone 16 x 14
x 10 mi 11 mi in the ground
for 1/4 Sec Cor marked
1/4 on W face aug hole
15 x 15 x 12 mi N & S of
stone 5 1/2 ft dirt and
raised mound of earth
1 1/2 ft high 3 1/2 ft base along-
side

80.00 Set a post 4 ft long 4 mi
square 12 mi in the
ground with marked stone
for Cor to Dec 11-12-13 &
14 marked Topk E 12 on
N.E. P 25 E @ 13 on S.E.
S 14 on S.W. ^{9th} @ 11 on N
W faces with 4 notches on
S and 1 notch on E edges

Book Case in RR

and raised mound of
earth 2 ft high $4\frac{1}{2}$ ft base
around post and pits 15 x 15
in in each one $5\frac{1}{2}$ ft
dia.

Land rollup

Soil Bra Gate

Vegetation Rumpus

Post on a random line
between C12 & 13

Var $14^{\circ} 15' E$

Record

1251 Cudge base N.E. & S.W.

Record

40.00 Sit uniform with C12

79.83 Entirely East by 7 ft
12 like North of C12 to C13
12-13 ^{recently established by me} from which C12
& C13

N $89^{\circ} 55' W$ on a true line

Town Co. 25 E. G. + S. R. M.

between Secs 12 + 13

Var 14° N E

39.92 Set a post 3 ft long 3 ins
diam 12 ins in the
ground with marked stone
for 4 Sec Cor marked 1/4
S on N face dug hole 15 x
15 x 12 ins to N of post
5 1/2 ft dia and raised a
mound of earth 1 1/2 ft high
3 1/2 ft dia around post

79.83 The Cor to Secs 11-12-13 + 14
Land rolling
Soil 3rd rate
Vegetation Bunchgrass

Trip to Res E. & S. M.

North between Dec 11 & 12
 Nov 14 - 15 @

Quandary

16.00 Gulch of the wide course
 N 10° E and around

25.00 Our place Dec 11

Descend

40.00 Set post 3 ft long 3 mi
 across 12 mi in the
 ground for 14 Dec 11
 with marked stone mark-
 ed in 1/4 on N face and pit
 15 x 15 x 2 mi N 10° E post
 5 1/2 ft high and around a
 mound of earth 1 1/2 ft high
 3 1/2 ft wide around post

80.00 Set a post 4 ft long 4 mi
 square 12 mi in the
 ground with marked
 stone for Dec to Dec
 1-2-11 & 12 marked

15
 Dec 1. 25 E G + S M

Dec 1 on s.e. 25 E
 S 12 on E. E. E 11 on S. N.
 9m S 2 on N. N. face with
 5 notches on E^{9m} notch
 on E edges and pits 15 x
 15 x 12 in each one
 5 1/2 ft dist and raised
 mound of earth 2 ft high
 4 1/2 ft tall around hole
 Landa colina
 Soil 3rd rate
 Vegetation. Bunchgrass

East on a random line
 between Dec 1 & 12
 December Mar 14° 15' E

18.20

Dry track like wide course
 N 10° E

Acuna

40.00

Set temporary 4 Dec Cor

Troop Act E & Am C & M

- 50.24 Intercept East Bay of Troop
 31 lbs weight of East to West
 1-6-7 + 12, ^{recently established by me,} some work
 for I run
 289° 47' N on a true line
 between Cues 1 & 2
 Has 14° 15' E
- 46.12 Cut a Post 3 ft long 3 in
 diam 12 in in the ground
 with marked stone for 14
 See for marked 14 I on
 N face dug hole 15 x 15 x 2
 in E + W of post 5 ft
 dist and raised mound
 of earth 1 1/2 ft high 3 1/2 ft
 base around post
- 50.24 The East to West 1-2-4 + 12
 Land rolling
 Soil 3rd rate
 Vegetation Bunchgrass

Feb 25 E I^m R M

North on a true line be-
tween Sur 1 + 2

Var 14° 15' E

Quarries

8.40 Low depression bears N.E.
+ S.W.

Mound

26.10 Spur bears E.W.

Quarries

33.10 Road bears N 5° E + S.W.

40.30 Cut a post 3 ft long 3 in
diam 12 in in the ground
with marked. Stone for
1/4 Sur on marked 1/4 E
on N face dug pits 15 x 15
x 12 in in N + E post
and 5 1/2 ft dist and raised
mound of earth 1 1/2 ft high
3 1/2 ft base around post

63.00 Gulch 5 lbs wide course
N.E.

T20 N R25 E 2nd S R M

Ascend

76.00 Spur bears @ 30° W

Descend

82.84 Intersect 5th Standard

Parallel North 4.15 chains

West of Standard Cor to

Sec 35 & 36 T21 N R25

E. ^{recently established by me,}
E. at which point E

Set a Sand stone 14 x 10 x

8 mi 9 mi mi the

ground for Glenside

Corner to Section 5, and

2 T20 N R25 E

marked E.C. with 1

notch on E and 5

notches on N edges and

raised mound of

stone along side

Land rolling

Soil 3rd rate

Good grazing

To R A 25 E G + @ R M

Carefully examined the adjustment of my solar
compass today particularly the latitude & horizon apparatus
found them correct H. R. Fitzgerald Nov 24 - 1852

Sec 25 E 2 Am C M

From the corner to Secs. 2-3 34 & 35
on S. Bdy. of Sp. within a post
in mound of earth, with - pits, from
North. between Secs. 34 & 35

24. 11° 15' East,

Ascending

10.00 Set post 3 4 in long 3 in. diam.
12 in. in the ground with -
marked stone for 44 S. on
marked 44 S. on W. face
pits 18 x 18 x 12 in. W. 4 in
post 5 1/2 in. dia & wood having
mound of earth - 1 1/2 in high
3 1/2 in. base around post.

8.00 Set post 4 1/2 in. long 4 in. diam.
12 in. in the ground - for
corner to Sections 26 27. 34 & 35
(with marked stone) marked
S. 20 N. S. 26 on N. E. N. 28 E. S. 35 on
S. E. S. 34 on S. W. S. 27 on S. W. face
with - 1 notch on S. and 2 on

20th Nov 1891 (C. 301) No. 11.

Edges, one side 18 x 18 x 12 ins
 in each side 3 ft in dia and
 paved round of each 2 ft
 high 1 1/2 ft base around
 feet

Lund Prisms

• Two 2nd. 1891

Two 2nd. 1891

Prism

Two 2nd. 1891

1

1

Trak R 25 E G. M. L. R. M

East on a random line
between Sec 20 & 35
Var $14^{\circ} 15' E$

Round in scrub timber

40.00 Set temporary 4 Sec Cor

79.59 Intersect N & S line,
27 Sec South of Cor to Sec 25
26-35 & 36 from which
Cor Sprung

$S 89^{\circ} 45' W$ on a true line
between Sec 26 & 35
Var $14^{\circ} 15' E$

39.95 Set a post 3 1/2 long 3 mi
diameter 12 mi in the ground
with marked stone for
1/4 Sec Cor marked 1/4 C
on N face and site 15 x
15 x 12 mi NW & E of post
5 1/2 ft dirt and raised
mound of earth 1 1/2 ft
high 3 1/2 ft base around

Tosh R 25 E L + P R M

post from which bears
A Cedar 16 mi diam N 57° W
91 lbs dirt

A Cedar 16 mi diam S 7° E
15 lbs dirt

Both marked for P. T.

79.89

The Cor to Sec 26-27-
34 + 35

Land polling

Soil 3rd rate

Timber Cedar

Vegetation bunch grass
— — —

North between Sec 26 + 27
Var 14° 15' E

Runa through scrub
timber

5.60

Ridge bears N 26° W +
S 26° E

Quand

40.00

Set post 3 ft long 3 ins

Tec N A 25 E L. + S R M

diam 12 mi in the ground
with marked stone for
1/4 Sec Cor marked 1/4
Sec N. face dug pits 15 x
15 x 12 mi N E S of post
5 ft dirt and raised a
mound of earth 1 1/2 ft
high 3 1/2 ft race around
post

58.40 Low depression bears N 15° E
& S 15° W

Around

80.00 Set a post 4 ft long 4 in
square 12 mi in the ground
with marked stone for Cor
to Sec 22-23-26 & 27
marked Tec N A 23 on N E
A 25 E A 26 on E. E. A 27 on
S. W. and S 22 on N W face
with 2 notches on S and
2 on East edges dug

T20 N Q25 E L. & L. R. M

pits 15 x 15 x 12 in each.
 See 5 1/2 ft dirt and raised
 mound of earth 2 ft high
 4 1/2 ft base around post
 from which bears

A Cedar 20 mi diam N 13° W
 8 lbs dirt marked T20 N
 Q25 E @ 22 B. T.

A Cedar 20 mi diam N 79° E
 37 lbs dirt marked T20 N
 Q25 E @ 23 B. C.

A Cedar 20 mi diam @ 64 1/2° E
 11 lbs dirt marked T20 N
 Q25 E @ 26 B. T.

A Cedar 20 mi diam
 @ 79° W 44 lbs dirt marked
 T20 N Q25 E @ 27 B. T.

Land rolling

Soil 3rd Gate

Timber Cedar

Vegetation Bunchgrass

Took to East E. & L. R. M.

East on a random line
between Sec 23rd and 26

Var $14^{\circ} 15' E$

Decend gradually in
scant celars

40.00 Cut temporary $\frac{1}{4}$ Sec Cor

79.74 Eptered at $\frac{1}{4}$ Sec line 13

the north of Cor to Sec 23

24-25 & 26 from which

Cor runs

N $89^{\circ} 54' W$ on a true

line between Sec 23 & 26

Var $14^{\circ} 15' E$

39.57 Set a post 3 ft long 3 in
diam 12 in in the ground

with marked stone $\frac{1}{4}$ Cor

Sec Cor marked $\frac{1}{4}$ Cor

N face dug pit $15 \times 15 \times 12$

in E & W of post $5\frac{1}{2}$

ft out and raised a

mound of earth $1\frac{1}{2}$ ft

T 20 N R 25 E G + C R M

high 3 1/2 ft base around
 Post from which bears
 A Cedar 24 in diam N 27 1/2° E
 10 lbs dist marked 74 C.R.M.
 A Cedar 1 in diam S 74° W
 29 lbs dist marked 74 C.R.M.

79.74 The Cor to Cui 22-23-26+

27

Land rolling

Soil 3rd rate

Timber Cedar

Undergrowth same and

Bunch grass

Tick A 25 E I + C. C. M

North between Sec 22 + 23
 Twp 14¹⁵ E

Acacia in Scrub timber

40.00 Set a post 3 ft long 3 in
 diam 12 in in the ground
 for 1/4 Sec Cor + admitted
 marked stone marked post
 1/4 Cor 1/2 face dug pits 15 x
 15 x 15 in N + S of post
 5 1/2 ft dia and raised
 mound of earth 1 1/2 ft
 high 3 1/2 ft base around
 post from which bears
 a cedar 15 in diam N 67 1/2° E
 35 lbs dia marked 1/4 S. R. T.
 A cedar 15 in diam S. W.
 17 lbs dia marked 1/4 S. R. T.

50.00 Set a post 4 ft long 4 in
 square 12 in in the ground
 with marked stone for
 Cor to Sec 14-15-22 + 23

T 20 N R 25 E G 4 S R M

marked T 20 N. @ 14 on N.E.
 R 25 E @ 23 on S. E. @ 22
 on S. W. & @ 15 on N. W. fa-
 ces with 3 notches, on S
 and 2 on E edges dug
 pits 15 x 15 x 12 in in
 each, on 5 1/2 ft dist and
 raised mound of earth
 2 ft high 4 1/2 ft base
 around post
 Land rolling
 Soil Ind rate
 Timber Cedar
 Vegetation Bunchgrass

T 20 N Q 25 E L + C A M

East on a random line
between Sec 14 + 23
Var $14^{\circ} 15' E$

Second gradually

40.00 Set temporary $1/4$ Sec Cor

79.91 Intersect N + E line 11 lbs

South of Cor to Sec 13-14
23 + 24 from which Cor
Draw

$S 89^{\circ} 55' W$ on a true line
between Sec 14 + 23

Var $14^{\circ} 15' E$

39.96 Set a post 3 ft long 3 in
diam 12 in in the ground
with marked stone for
 $1/4$ Sec Cor marked $1/4$ Sec
N face dug pit $15 \times 15 \times 12$
in E + W of post $5 \frac{1}{2}$ ft
dist and raised mound of
earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft base
around post

T20 N 25 E G + O R W

79.91 The Cor to Sec 14-15-23
+23

Land polluo
Soil 3rd rate
Vegetation Bunchgrass

North between Sec 14 + 15
Nac 14° 15' E

Ground gradually

20.50 Road to Emigrant Springs
bear 250° E & 0.50 N

40.00 Set a post 3 ft long 3 mi
diam 12 mi in the ground
with marked stone for 1/4 Sec
Cor marked 1/4 Cor N.
face aug pits 15 x 15 x 12
mi N & S of post. 5 1/2
ft dist and raised
mound of earth 1 1/2 ft

T20 N R25 E G + S R M

50.00

high 3 1/2 ft base, around post
 set a post 4 ft long 4 mi
 square 12 mi in the ground
 with marked stone for box
 to Sec 11-14-15 marked
 T20 N S11 on N. E. R20 E
 S14 on S. E. S15 on S. W.
 and S10 on N. W. face
 with 4 notches on S and
 2 on E edges dug pits
 15 x 15 x 12 mi mi each
 Sec 5 1/2 ft dist and raised
 mound of earth 2 ft high
 4 1/2 ft base around post
 Land rollins
 Soil 3rd Grade
 Vegetation Bunchgrass

To N 25 E G + S R M

East on a random line be-
tween Secs 11 + 14

Var $14^{\circ}15'$ E

Descending gradually

49.00 Set temporary $\frac{1}{4}$ Sec Cor

54.00 Gulch $\frac{1}{2}$ the wide course

Var 0° E

Ascend

61.60 Road bears N 20° E + S 20° W

80.05 Intersect N + S line 27

the South of Cor to Secs
11-12-13 + 14 from which
Cor runs

S $89^{\circ}45'$ W on a true line
between Secs 11 + 14

Var $14^{\circ}15'$ E

40.03 Set a post 3 ft long 3 in
diam 12 in in the ground
with marked stone for
 $\frac{1}{4}$ Sec Cor marked $\frac{1}{4}$ S
on N face aug pits 15x

T 30 N R 25 E 6 + @ @ @ M

15 x 12 mi E. + W. of post
5 1/2 ft dist and raised
mound of earth 1 1/2 ft
high 3 1/2 ft base around
post ^{to door}

50.05 The cor. 14-11-14 + 15

land rolling

Soil Bra rate

Timber Cedar

Vegetation Broomgrass

North between Cms 10 + 11

Var 14° 15' E

Ascending gradually

81.50 Ridge bears N 25° E W and

Soil E

Dune

40.00 Set a post 3 ft into 3 mi
diam 12 mi into the ground
with marked stone for

T 20 S. R 20 E. G. 4. SRM

4 One Cor marked 4 S
 on N face aug pits 15 x 15
 x 2 in N + E of post
 5 1/2 ft dist and raised
 a mound of earth 1 1/2
 ft high 3 1/2 ft base
 around post

80.00

Set a post 4 ft long 4 in
 square 12 in in the
 ground with marked
 stone for Cor to Cor 2-3
 15 x 15 marked 20 N E 2
 on N. E. E 25 E E 11 on
 E. E. 310 on S. W. and 3
 on N. W. face ^{5 - note on 3-4 map} aug pits
 15 x 15 x 2 in. In each
 pit 5 1/2 ft dist and
 raised mound of earth
 2 ft high 4 1/2 ft base
 around post
 Land rolling

Ted's A25 E G + C P 10

Soil Ex. rate
 Vegetation Bush grass
 — — —

Car on a sandstone
 line between Cms 25.
 N 14° 5' E

Successions

26.50 Dry Wash 3/4 mile wide
 course N 10° E

Round

40.00 Set, temporary for Cms Cor

54.00 Spur wash E.

Success

76.47 Road bears N 10° E ⁹¹⁰

S 10° W

79.79 Intersect N + S line 1700

North of Cor to Cms 1-2-11

& 12 from which Cor

Drunk

N 89° 53' W on a true

T20 N R 25 E G + RM

line between Sec 2 & 11
Tas 14° 15' E

39.90 Set a post 3 ft long 3 in
diam 12 in in the ground
with marked line for 1/4
Sec Cor marked 14° on
the face and pits 15 x 15 x
12 in E & W of post 5 1/2 ft
dial and round mound
of earth 1 1/2 ft high 3 1/2 ft
base around post

79.79 In Cor to Sec 2-3-10-11
Land rollies
Soil 3rd rate
Vegetation Bromegrass

T20 N R25 E S4 C. 2 N

North on a true line between
Cue 27 & 3

Var. 14 + 15 E

Round

30.00 Inside 5 1/2 ft wide corner
N E

Round

40.00 Set a post 3 1/2 ft from line
across 12 in. in the
ground with marked
stone for 1/4 in. low mark-
ed 1/2 in. on 1/2 face and
pile 15 x 15 x 12 in. 15 + 3
of post 5 1/2 ft over and
round corners of each
1 1/2 ft high 3 1/2 ft base
round post

5273 Corner 5th Standard
Parallel North 3.57 ch
West of standard corner
to Cue 34 + 35 T21 N.

Feb 20 1858 E. L. S. R. M.

recently established by me,
 Feb 25 E at which point I
 set a post 4 ft long 4 in
 square 12 in in the
 ground with marked
 stone for showing Cor 1
 and 2 and 3 marked to
 Feb 25 E on E. Cor
 E 1/2 m E 3 m N face
 with 2 notches in E
 and 4 on N face dug pit
 15 x 15 x 12 in S. E + N of
 post 5 1/2 ft out and raised
 mound of earth 2 1/2 high
 4 ft base around post
 Some rotting Soil 2nd rate
 Vegetation & Branch grass
 Carefully examined the ad-
 ments of my Solar Compass today
 particularly the latitude & reversing apparatus
 and found them correct

L. C. Capp. Companion No 24 1858

To N. 25 E. 2 + C. E. N.

From the cor. to Secs. 3-1-33734
on S. Ridge, a sp. which is a
post in a shell-mound with pits
from N. between Secs. 23 & 24
Va. 140 to East.

Descending

40.00

Set post 3 ft. long 3 in. diam.
12 in. in the ground with
marked stone for 64 Sec. Cor.
marked 1/2 on W. face dug pits
18x18x12 in. N. & S. of post 5 ft
to dist. and raised mound
of earth 1 1/2 ft. high 3 ft. in
low around post.

80.00

Set post 11 ft. long 4 in. square
12 in. in the ground for
with-marked stone for
corner to Sections 27-28-
33 & 34. marked T. 26 N. S. 27
and E. R. 28 E. S. 34 on S.E.
S. 33 on S.W. and S. 28 on N.W.

T. 20 N. R. 28 E. G. 7 S. R. 11.

with 1 notch on S. and 3 on E.
 edges. dia. posts $18 \times 18 \times 12$ ins w/
 each Sec. 5 1/2 ft. dia. and
 round around y. earth 2 ft.
 high 4 1/2 ft. base around post.

Land Rollin

Soil 3rd. 1874

Timber of Pine and Cedar
 Undergrowth of same
 and bunchgrass.

BOOK 378

1
P
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200

Town A 25 E G + C R M

East on a random line
between Sec 27 + 34
Var 14° 15' E

Quadrants

17.50 Low depression brace E + W
Acrid

40.00 Set temporary 1/4 Sec Cor

80.39 Intersect N 6 + S line 11 lbs
South of Cor to Sec 26-27
34 + 35 from which Cor
I run

S 89° 55' W on a true
line between Sec 27 + 34
Var 14° 15' E

4020 Set a post 3 ft long 3 in
diam 12 in in the
ground with marked
stone for 1/4 Sec Corner
marked 1/4 S on N face
dug pit 15 x 15 x 12 in
E + W of post 5 1/2 ft

T₂₅ N R 25 E S₁ + S₂ R M

disk and raised mound
of earth 1 1/2 ft high 3 1/2
ft base around post.

50.39 The Cor to Sec 27-25-33
+ 34

Land rolling

Soil 3rd rate

Vegetation Bunch grass

North between Sec 27 + 25

Var 157° 15' E

Desund gradually in
scrub timber

40.06

Set a post 3 ft long 3 in
diam 12 mi mi. The
ground with marked stone
for 1/4 Sec Cor marked 1/4
Sec N face ang pits 15 x 15
42 mi N + S of post 5 1/2
ft disk and raised mound

Top R 25 E G. + S R M

of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post

56.56 Low depression bears
N 21° E and S 21° W
around

50.00 Set a post 4 ft long 4 in
square 12 in into the
ground with marked
stone for Cor to Sec 21-22
27+28 marked Top N @ 22
on N. E. R 25 E @ 27 on S. E.
S 28 on S W and S 21 on
N W face with 2 notches
on S and 3 on E edges
dug pits $15 \times 15 \times 12$ in
in each sec $5\frac{1}{2}$ ft dist
and raised a mound
of earth 2 ft high $4\frac{1}{2}$ ft
base around post
Sand rolling

To N Q 25 E G & S A M

Soil 3rd rate

Scattering Timber of Cedar
Undergrowth same ^{and}
Bunchgrass

East on a random line
between Sec 22 & 27.

Var $14^{\circ} 15'$ E

Record gradually in
scattered Timber

40.00

79.85

Set temporary $\frac{1}{4}$ Sec Cor

Intersect N & E line 32.46

S. of Cor to Sec 22-23-26 & 27

from which Cor I run

$\text{S } 79^{\circ} 46'$ W on a true line be-
tween Sec 22 & 27

Var $14^{\circ} 15'$ E

39.94

Set a post 3 ft long 3 in
diam 12 in in the ground
with marked stone for

To N R 25 E G + S R M

1/4 Sec Cor marked 1/4 Cor N
 found pits 15 x 15 x 12 in
 E + N of post 5 1/2 ft dist and
 raised mound of earth 1 1/2 ft
 high 3 1/2 ft wide around post
 from which bears

A Cedar 12 in diam

N 27 1/2° E 61 lbs dist

A Cedar 14 in diam S 82° W
 32 lbs dist Both marked 1/4 S R M

79.55 The Cor to Secs 21-22-27+25

Land rolling

Soil 3rd rate

Timber of Cedar and Pine
 Undergrowth cane and
 Bunchgrass

T20 N R 25 E G + C R M

North between Cms 21 + 22
Var $14^{\circ} 15'$ E

Round gradually.

- 30.00 Leave timber & bear E & N
- 40.00 Set a post 8 ft long 3 mi diam
12 mi in the ground with
marked stone for $\frac{1}{4}$ Cms for
marked $\frac{1}{4}$ S on N face dug
pit $15 \times 15 \times 12$ mi N + S of post
 $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post
- 75.50 Ridge bears $N 10^{\circ} E$ + $S 10^{\circ} W$
Round
- 80.00 Set a post 4 ft long 4 mi
square 12 mi in the ground
with marked stone for Cms to
Cms 15-16-21 + 22 marked
T20 N @ 15 m N E R 25 E
@ 22 m S. E. @ 21 m @ N.

Geo. A. R. 25 E. Gr. S. Q. M.

and S 16 on N W face
with 3 notches on S and 3
on E edge dug pits 15 x 15 x
12 mi in each see 5 1/2 ft
dist and raised mound
of earth 2 ft high 4 1/2 ft base
around post.

Land rolling

Soil 3rd rate

Timber Cedar Yucca graminea
sage and Bunchgrass
~ ~ ~

East on a random line
between Sec 15 & 22

(or 14° 15' E)

Acacia gradually

- 22.20 Emigrant Spring road
back N 30° W and S 30° E
40.00 Out temporary 1/4 Sec Cor
41.25 Ridge back N 10° E and S 10° W

T 20 N R 25 E G 7 C R M

Second

49.40 Low depression bears $N 22^{\circ} E$
and $S 22^{\circ} W$ Second

58.60 Ridge bears $N 20^{\circ} E$ & $S 20^{\circ} W$

Second

79.94 Intersect N & S line 15
like north of Cor to Sec
14-15-22 & 23 from
which Cor & line

$N 59^{\circ} 54' W$ on a true line
between Sec 15 & 23

Var $14^{\circ} 15'$ East

39.97 Set a post 3 ft long
3 in diam 12 in
in the ground with
a marked line
for $\frac{1}{4}$ Sec corner
marked $\frac{1}{4}$ S on N
fall aug pits $15 \times$
 15×12 in 15×12

Took A 25 E G + SRM

of post 5 1/2 ft dist and
raised mound of
earth 1 1/2 ft high 3 1/2
ft base around post

79.94 The Cor to See 15-16

21722

Land rolling

Soil Bra rate

Timber Cedar

Undergrowth same

+ Blundgrass

To N Q 25 E G. + C K M

North between Cms 57.16
Var. $4^{\circ} 15' E$

Round gradually

35.50 Ridge bears N $32^{\circ} 30' E$
and S $32^{\circ} 30' W$

Round.

40.00 Set post 3 ft long 3 in diam
12 in in the ground with
marked stroke for $\frac{1}{4}$ E or
marked $\frac{1}{4}$ E in W face
and pile $15 \times 15 \times 12$ in N
S of post $5\frac{1}{2}$ ft dist and
raised mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post

57.60 Low depression bears N $45^{\circ} E$
and S $42^{\circ} W$

Round

60.50 Enter scattering timber
bears E. + W.

80.00 Set post 4 ft long 4 in

T 26 N R 25 E 9. + S R M

square 12 mi mi the ground
 with marked stone for
 Cor to Ches 9-10-15 + 16 mark-
 ed T 26 N R 25 E 10 mi N. E. R 25 E
 E 15 mi E. E. E 16 mi E. N. and
 E 9 mi N. N. base with 4
 notches on E and 3 on E
 edge and pits 15 x 15 x 12 mi
 in each the 5 1/2 ft dist and
 raised mound of earth
 2 ft high and 4 1/2 ft
 base around post
 from which bears

A cedar 15 mi diam
 E. E. 105 lbs dia; marked
 T 26 N R 25 E E 22 B. T.
 No other trees within limits
 Land rolling
 Soil 3rd state
 Timber Cedar + Pine
 Undergrowth of same + Grass

To N R 28 E G + C E M

East on a random line
between Sec 10^{SW} 15
Var $14^{\circ} 15' E$

ascending gradually

35.40 Ridge back N $20^{\circ} E$ & C 20' W
Diana

40.00 Set temporary $\frac{1}{4}$ Sec Cor

70.22 Intersect N + S line
21 lbs S. of Cor to Sec
10-11-14 & 15 from which
Cor I run

$S 89^{\circ} 51' W$ on a true line
between Sec 10 & 15
Var $14^{\circ} 15' E$

40.11 Set a post 3 ft long 8 in
diam 12 in in the
ground with a marked
stone for $\frac{1}{4}$ Sec Cor
marked $\frac{1}{4}$ Sec N face aug
bite $15 \times 15 \times 12$ in E + W
a post $5\frac{1}{2}$ ft dist and

Took Red E E + E E M

raised mound of earth
1 1/2 ft high 3 1/2 ft base
around post

80.22 The Cor to Cus 9-10-15+16

Land rolling

Soil Brate!

Vegetation Brunch grass

North between Cus 9 + 10
Var 14° 15' E

Found in scattering
timber

40.00 Cus a post 3 ft long 3 in
diam 12 in in the
ground with marked
stone for 1/4 Cus Cor marked
1/4 E on W face and
dug pits 15 x 15 x 12 in
N + S of post 5 1/2 ft dist
and raised mound of
earth 1 1/2 ft high 3 1/2

Iron Ore G + S R M

base around post

50.00

Set a post 3 ft long 3 in
diam set in the ground
for Co to Ore 3-4-9+10
with marked stone marked
post Fe N @ 3 m N.E. @ 25
E @ 10 m E.E @ 9 m E.W.
and @ 4 m N.W. face
with 5 notches on S and
3 on E edge, dug pits
5 x 5 x 2 in in each Co
5 1/2 ft dist and raised
mound of earth 2 ft high
4 1/2 base around post
Land level & rolling
@ Soil 2 + 3rd rate
Timber of Cedar
Undergrowth same
Good Brunk grass

Feb 25 E & S R M

East on a random line
between Cus 3 & 10
Var $14^{\circ} 15' E$

14.00 Run gradually
Edge bears N.E. & S.W.
Descent

40.00 Set temporary 1/4 Sec Cor
41.50 Spitch 5 lbs wide course
N.E.

Around

50.00 Spur bears S.W.
Descent

70.30 Enter cut N & S line 19 lbs
South of Cor to Cus 2-3-10 &
" from which Cor Cus
 $S 79^{\circ} 52' W$ on a true line
between Cus 3 & 10
Var $14^{\circ} 15' E$

40.15 Set a post 3 ft long 3 in
diam 12 in in the
ground with marked

To N A 25 E S + C R M

stone for $\frac{1}{4}$ Cu Cor marked
 $\frac{1}{4}$ S on N face and site
 17 x 17 x 12 in E + W of post
 5 $\frac{1}{2}$ ft dist and raised a
 mound of earth $\frac{1}{2}$ ft
 high 3 $\frac{1}{2}$ ft base around
 post

70.30 The Cor to Cu 3-4-9+10

Land rolling

Soil Bra rate

Vegetation Bunchgrass

I carefully examined the adjustment of my solar
 compass today particularly the latitude
 & evening apparatus found them correct
 W. R. Fitzgerald Nov 25 - 1852

North on a true line
 between Cu 3 + 4

(Var $14^{\circ} 15'$ E)

Quarrying

40.50 Set a post 3 ft long 3 in
 diam 12 in in the
 ground with marked
 stone for $\frac{1}{4}$ Cu Cor marked

T20 N R25 E S4 S R M

1/4 Sec W face dug pit
 15 x 15 x 12 mi N & S of
 post 5 1/2 ft dist and
 raised mound of earth
 1 1/2 ft high 3 1/2 ft base
 around post.

46.06 Post of Decent

Mound

82.61

Intersect the 5th Standard
 Parallel North at a point
 3.69 chains N. S. ^{stand} Cor to Sec
 34 & 33 T 21 N R 25 E ^{recently established by me} at
 which point E set a
 post 4 ft long 4 mi
 square 12 mi in the ground
 with marked stone for
 showing Cor to Sec 3 & 4
 T20 N R25 E. marked
 C.C. T20 N R25 E on S
 P3 on E and S 4 on W
 face with 3 notches on E

Desk R. 25. E. G. O. R. M

and 3 on W face dug pits
 15 x 15 x 12 in S. E. & W
 of post 5 1/2 ft dia and
 raised mound of earth 2
 ft high 4 1/2 ft base a
 round post

Land rolling

Soil 3rd rate

Vegetation Bruch grass

—————
 —————
 —————

Iron Ore Gr & S&M

Do not leave open

T 20 N R 25 E S 1 & 2 C M

From the Cor. to Sec. 32 & 33 ^{on S Ry of 20-} recently established

by me I run -

North between Sec 32 & 33

Var 14' 15" E

Round

40.00

Set a post 3 ft long 3 in
square 12 in in the ground
with marked stone for
1/4 Sec Cor marked 1/4 S
on W face aug hole 15 x 15
12 in N & S of post 5 1/2
ft dist and raised a
mound of earth 1 1/2 ft high
3 1/2 ft base around post

50.00

Set a post 4 ft long 4 in
square 12 in in the
ground with marked stone
for Cor to Sec 32-33-29 & 25
marked T 20 N S 28 on N E
R 25 E S 33 on S E S 32
on S W & S 29 on N W face
with 1 notch on S and

T20 N R25 E G + O R M

5 mounds on E edge dug
 pits 18 x 18 x 12 mi mi
 each set 5 1/2 ft apart +
 raised mound of earth
 2 ft high 4 1/2 ft base
 around post.
 Land rolling
 Soil 3rd rate
 Timber 1 mi Cedar
 Undergrowth same
 + Grass

Tran R 25 E G + C R M

East on a random line
between Sues 25 + 33

Var $14^{\circ} 15' E$

Around through scattering
timber

40.00 Set temporary $\frac{1}{4}$ SUE Cor

79.74 Intersect. W + C line

36 lbs north of Cor D SUE

27-28-33 + 34 from which
Cor D runs

N $89^{\circ} 45' W$ on a true line
between Sues 28 + 33

Var $14^{\circ} 15' E$

8987 Set a post 3 ft long 3 in

diam 12 in in the

ground with marked

stone for $\frac{1}{4}$ SUE Cor mark

ed $\frac{1}{4}$ S on N face dug

pit 15 x 15 x 12 in S E

+ W of post $5\frac{1}{2}$ ft dist

Track A 25 E. L. & G. R. M.

and raised mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post from
which bears

A cedar 19 in diam $S 75^{\circ} E$
26 lks dist

A cedar 20 in diam $S 64^{\circ} W$
20 lks dist

Both marked $\frac{1}{4}$ S. B. T.

7974 The Cor to Sec 28-29-32 r

33

Land rolling

Soil Bra Sate

Timber Cedar

Undergrowth some and

Brush grass

Took R 25 E N. + @ R M

North between Cues 25 + 29
Var $14^{\circ}15' E$

Round

25.80 Spur bears $840^{\circ} N +$

Second

40.00 Set a post 3 ft long 3 in
diam 12 ins in the
ground with marked
stone for $\frac{1}{4}$ Sec Co mark-
ed $\frac{1}{4}$ Sec N face dug
pit $15 \times 15 \times 12$ in. N +
E of post $5\frac{1}{2}$ ft dist
and raised mound
of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around
post

54.20 Gulch 10 ft wide course
N $55^{\circ} E$

Round and Center tim-
ber bears E. + N.

T20 N R25 E G + SRM

80.00 Set a post 4 ft long 4
 mi square 12 mi in
 the ground with mark-
 ed stone for Cor to Sec
 20-21-25+29 marked
 T20 N S 21 on N E.
 R 25 E S 25 on S E S 29
 on S N + S 20 on N N
 face with 2 notches on
 South and 4 on E
 edges dug pits 18 x 15
 x 12 mi in each sec.
 5 1/2 ft dist and raised
 mound of earth 2 ft
 high 4 1/2 ft base
 around post
 Land rolling
 Soil 3rd state
 Vegetation Bunchgrass

Transect R 25 E G. & S R M

East on a random line
between Sies 21 & 25

Var $14^{\circ} 15'$ E

Run through timber

40.00 Set temporary $\frac{1}{4}$ Sec
corner

79.53 Intersect N + S line 25
like north of Cor to Sies
21-22-27 & 25 from which
Cor S runs

N $59^{\circ} 45'$ W on a true line
between Sies 21 & 25

Var $14^{\circ} 15'$ E

39.77 Set a post 3 ft long 3
mi diam 12 mi in
the ground for $\frac{1}{4}$ sec
cor marked $\frac{1}{4}$ S on
N face with marked
stone dug pits $15 \times 15 \times$
12 mi E + W of post

To N R 25 E G + S R M

5 1/2 ft dist and raised
mound of earth 1 1/2 ft
high 3 1/2 ft base around
post from which
base

A cedar 20 mi diam

N 5° E 12 lbs dist

A cedar 16 mi diam

South 43 lbs dist

Both marked 1/4 C.R.S.

7953 The Cox to Cox 20-21
28 + 29

Land rolling

Soil 3rd rate

Timber Cedar

Undergrowth same *cut*

Bunch grass

T20 N Q25 E G + S R M

North between Q25 20 + 21
 Var $14^{\circ} 15'$ E

40.00 Set a post 3 ft long 3 in
 diam 12 in in the
 ground with marked
 stone for $\frac{1}{4}$ Sec Corner
 marked $\frac{1}{4}$ S on W
 face dug pits $15 \times 15 \times$
 12 in N + S of post
 $5\frac{1}{2}$ ft dist and raised
 mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base
 around post

52.30 Spur bears @ W.
 Demand

80.00 Set post 4 ft long 4 in
 square 12 in in the
 ground with marked
 stone for Cor to Q25 16-
 17-20 + 21 marked T20

To N. R 25 E G 7 SR W

S 16 on N. E. R 25 E S 21
 on S. E. S 20 - on S. W. and
 S 17 on N. W. face and 3
 notches on S + 4 on E
 edges dug pits 15 x 15 x
 12 mi in each S 5 1/2
 ft dist and raised a
 mound of earth 2 ft
 high 4 1/2 ft base
 around post

Land rolling

Soil 3rd rate

Vegetation Bunchgrass

Iron R 25 E G + S R M

East on a random line
between Sec 16 + 21

Var $14^{\circ} 15'$ E

Descending gradually

40.00 Set temporary $\frac{1}{4}$ Sect Cor

80.19 Intersect N + S line.

17 Mts South of Cor to Sec
15-16-21 + 22 from which
Cor runs

Set $9^{\circ} 53'$ N on a true
line between Sec 16 + 21

Var $14^{\circ} 15'$ E

40.10 Set a post 3 ft long

3 mi drain 12 mi
in the ground with

marked stone for $\frac{1}{4}$

Sec Cor marked $\frac{1}{4}$ S

on N face dug pits

$18 \times 18 \times 12$ lbs E + N

of post $5\frac{1}{2}$ ft dist and

To N A 25 E G + S R M

raised mound of earth
1 1/2 ft high 3 1/2 ft base
around post

80.19

The Cor to Sec 16-17-20 +
21

Land rolling

Soil 3rd rate

Vegetation Bunchgrass
- - -

North between Sec 16 + 17
Var 15° 14' E

.90

Ducuna through timber
Gulch 8 lks wide course
S. W.

Round

40.00

Set a post 3 ft long 3 in
diam 12 in in the
ground with marked
stone for 1/4 Sec Cor

T20 N Q28 E G + S R M

marked $\frac{1}{4}$ S on W face
 dug pit 15 x 15 x 12 in
 N + S of post 5 $\frac{1}{2}$ ft dist
 and raised mound of
 earth $1\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
 base around post
 from which bears.

A cedar 15 in diam

West 13 lbs dist

A cedar 16 in diam

N 63 $\frac{1}{3}$ ° E 84 lbs dist

Both marked $\frac{1}{4}$ S. B. T.

5000

Set a post 4 ft long 4
 in square 12 in
 in the ground with
 marked stone for cor
 to line 5-9-16 + 17 mark
 ed T20 N S9 on N. E.
 Q28 E S16 on S. E.
 S17 on S. W. and S

T20 N Q 25 E G. 7 C R M

on N. W. face with 4
notches on S and 4 on
east edges and pits
15 x 15 x 12 mi in each
See 5 1/2 ft dist and
paired mound of earth
2 ft high 4 1/2 ft base
around post from
which bears

A cedar 24 mi diam
N 36 1/2° E 51 lbs dist
marked T20 N Q 25 E S
9 B. T.

A cedar 18 mi diam
S 33° E 24 lbs dist
marked T20 N Q 25 E
P 16 B. T.

A cedar 20 mi diam
S 10 1/4° W 11 lbs dist mark-
ed T20 N Q 25 E S 17 B. T.

T20 N R25 E G. & S R M

A cedar 24 ins diam
N 45° W 32 lbs dist
marked T20 N R25 E
S. S. B. T.

Land rolling

Soil 3rd rate

Timber of cedar

Under growth same
and Bunch grass

East on a random
line between Sec 9 & 16
Var 14° 15' E

Round gradually in
timber

34.60 Ridge bears N 57° E &
S. 37 W.

Round

40.00 Set temporary 1/4 Sec Cor

T 20 N R 25 E G. S. R. M.

41.50 Low sag bars $N 52^{\circ} E$
 $\& S 52^{\circ} W$

Round

79.96 Intersect N & S line 10
 lbs north of Cor to Sec
 9-10-15 & 16 from which
 Cor S run

$N 59^{\circ} 56' W$ on a true
 line between Sec 9 & 16

Var $14^{\circ} 15' E$

39.95 I set a post 3 ft long 3
 in diam 12 in in
 the ground with mark-
 ed stone for $\frac{1}{4}$ Sec Cor
 marked $\frac{1}{4}$ S on N face
 dug pit 18 x 18 x 12 in
 E & W of post $5\frac{1}{2}$ ft
 dist and raised a
 mound of earth $1\frac{1}{2}$
 ft high $3\frac{1}{2}$ ft base

Tron R 25 E G + C R M

avonua post: from which
beare

A Cedar 14 mi diam
N 10° E 50 lbs dist

B Cedar 14 mi diam
S 2 1/2° W 29 lbs dist

Both marked 14 C.R.M.

79.96 The Cor to Cor 9-5-16

17

Land rolling
Soil 3rd rate

Timber Cedar

Undergrowth same
+ Bunch grass

T20 N R25 E Sec 5 & 9

North between Sec 5 & 9
Var $14^{\circ} 15' E$

40.00 Round over fallen timber
Set a post 3 ft long 3
mi diam 12 mi in the
ground with marked
stone for $\frac{1}{4}$ Sec Corner
marked $\frac{1}{4}$ S on N face
dig pits $15 \times 15 \times 12$ mi
N & S of post $5\frac{1}{2}$ ft
dist and raised a
mound of earth 11 ft
high $3\frac{1}{2}$ ft base around
post

80.00 Set a post 4 ft long
4 mi square 12 mi in
the ground with mark
ed stone for Cor to Sec
4-5-8 & 9 marked T
20 N S 4 on N. E R25 E

Test R25 E E + R M

S 9 on E. E. E. on N. W. ^{and}

S 5 on N. W. face with

5 notches on S and 4

on E edges dug pits

15 x 15 x 12 in in each

See 5 1/2 ft dist and

raised mound of earth

2 ft high 4 1/2 ft base

around post

Land rolling

Soil 3rd rate

Timber Cedar

Undergrowth same

and Bunch grass

T 20 N R 25 E Gr & R M

East on a random
line between Sec 4 & 9
Var $14^{\circ} 15' E$

Ground

200

Dry wash 6 lks wide
course N $20^{\circ} E$

Ground

40.00

Set temporary $\frac{1}{4}$ Sec Cor

79.51

Intersect N $\frac{1}{2}$ & S line
14 lks South of Cor to
Sec 3-4-9 & 10 from
which Cor & run
 $\text{S } 9^{\circ} 54' W$ on a true
line between Sec 4 & 9

Var $14^{\circ} 15' E$

99.91

Set a post $3\frac{1}{2}$ long 3 in
diam 12 in in the
ground for $\frac{1}{4}$ Sec Cor,
marked $\frac{1}{4}$ Sec N face
with a marked stone,

T20 N Q25 E G + S R 200

aug pits 18 x 15 x 12 in
E + W of post 5 1/2 ft
dist and raised a
mound of earth 1 1/2 ft
high 3 1/2 ft base around
post

79.81 The Cor to Sues 4-5-8+9
Land rolling
Soil 3rd rate
Vegetation Bunch grass
L. C. Caffr. complanatus var 27-1853

North on a true line
between Sues 4 + 5
Var 14° 15' E

Ascending

24.00 Spur bears 370° W

Descent

40.00 Set a post 3 ft long
3 in diam 12 in

Took R 25 E Gr S R M

in the ground with a
marked stone for $\frac{1}{4}$
the cor marked $\frac{1}{4}$ S m
At face aug pits 15 x 15
x 12 in N & S of post
5 $\frac{1}{2}$ ft dist and raised a
mound of earth $\frac{1}{2}$ ft high
3 $\frac{1}{2}$ ft base around post

47.00 Low sag bears N 70° E
and S 70° W

Around

56.70 Stage Road bears N 60° E
and S 60° W

67.00 Ridge bears N 30° E + S 80
W

Descend

83.25 Enter at 5th Standard
Parallel North at a
point 327 chains West
of Standard Corner

T₂₀ N R 25 E G + C R M

to Sec 32 + 33. T₂₁ N R 25
 E, ^{recently established by me} at which point I
 set a post 4 ft long 4
 in square 12 in in
 the ground with mark
 ed stone for closing
 corner to Sec 4 + 50 T₂₀
 N R 25 E marked G.C.
 T₂₀ N R 25 E on S. C 4
 on E and C 5 on N
 face with 2 notches on
 W and 4 on E face
 dug pits 15 x 15 x 12 in
 S, E, + N of post 5 1/2
 ft dist and raised
 a mound of earth
 2 ft high 4 1/2 ft base
 around post
 Sand rolling Soil
 3rd rate Vegetation
 Bunch grass

T 20 N. R 25 E. G. + SRM

From the Cor to Sec 5-6-
31 + 32 on S By which
is a post with earth
mound and pit from
North between Secs 31 + 32
Nas $14^{\circ} 15' E$

Ascend

40.00 Set a post 3 ft long 3 mi
away 12 mi in the
ground with marked
stone for $\frac{1}{4}$ sec cor marked
 $\frac{1}{4}$ S on N face aug pit
 $18 \times 18 \times 12$ in S + N of post
 $5\frac{1}{2}$ ft dist and raised
mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around
post

62.00 Spur bears S. $80^{\circ} W$
Descend

80.00 Set a post 4 ft long 4 mi

T20 N R25 E G4 SRM

square 12 mi in the ground
 for Cor to Cus 29-30-31
 + 32 marked T20 N S29 on
 N.E. R 28 E S 32 on S.E.
 S 31 on S.W. and S 30 on
 N.W. face with 1 notch on
 S. and 5 notches on E
 edges and pits 15 x 15 x
 12 mi. in each ev 5 1/2 ft
 dist and raised mound
 of earth 2 ft high 4 1/2 ft
 base ^{around post} and deposited a
 marked stone

Land mountainous

Soil 3rd rate

Timber Pine and Cedar

Undergrowth same +

Bunchgrass

90

BOOK 373

T 20 N R 25 E G. & R M

Tr 20 N R 25 E G & C R M

East on a parallel line
between Sec 29 & 32

Var $14^{\circ} 15' E$

Round gradually

40.00 Set temporary $\frac{1}{4}$ Sec Cor

65.20 Spur bears South

Second

80.42 Intersect N & S line

2 like E of Cor to Sec

25-29-32 & 33 from which
Cor runs

$\text{S} 9^{\circ} 40' W$ on a true
line between Sec 29 &
32

Var $14^{\circ} 15' E$

40.21 Set a post 3 ft long 3 mi
across 12 mi in the

ground with marked
stone for $\frac{1}{4}$ Sec Cor

marked $\frac{1}{4}$ S on N face

Track Res E to SRM

aug pits 15 x 15 x 12 mi E +
W of post 5 1/2 ft dist
and raised mound of
earth 1 1/2 ft high 3 1/2 ft
base around post

80.42 The Cor to Que 29-30-31

532

Land rolling

Soft Ero. State

Vegetation Bunchgrass

— — — W. R. Fitzgerald
Nov 27-1888

Went on a random line
between Que 30 & 31

(Var 14° 15' E)

Quena gradually

40.00 Old temporary 1/4 Que
Cor

77.36 Intersect West Ry of Ep
20 like North of Cor to

Trs N 25 E 40 O A M

Sus 25-36-30 and 31
 which is a sand stone
 16 x 10 x 6 mi 10 mi mi the
 ground marked with
 1 notch on S and 5
 notches on N edge
 with mound of stone
 along ^{recently established by river} edge - from which
 Cor S run
 N 59° 51' E on a true
 line between Sus 30 +
 31

Var 14° 15' E

37.36 Set a post 3 ft long 3
 mi diam 12 mi in
 the ground with a
 marked stone for 1/4 Sec
 Cor marked 1/4 S on
 a face and put 15 x 15
 x 12 mi S E + W of post

To N. R 25 E G + S R M

5 1/2 ft dirt and raised a mound of earth 1 1/2 ft high 3 1/2 ft base around post

7736 The Cox to Cui 29-30-31 and 32

Lana rollin's

Soil Soda salt

Vegetation Bunchgrass

L. C. Capp Comptroller
Mar 27-1882

North between Cui 29-30

Var 14° 15' E

19.50 Dune gradually
Gulch 1/4 the wide
course S. W.

Round.

40.00 Set a post 3 ft long 3 in
diam 12 in in the

Top 25 E & S E M

ground with marked
stone for 1/4 Sec corner
marked 1/4 Sec W
fall and split 15 x 15 x
12 mi N & S of post
5 1/2 ft dia and raised
mound of earth 1 1/2 ft
high 3 1/2 ft base around
post

45.00 Center timber bears E & W

65.10 Spur bears @ 55° W

Round

75.30 Gulch 6 lbs wide corner
N 55° E

Round

50.00 Set a post 4 ft long
4 mi square 12 mi
in the ground for
Cor to Sec 19-25-29
& 30 marked T20 N @ 20

T20 N R 25 E G. & S R M

m N. E. R 25 E S 29 m S E
 S 30 m N. and S 19 m N W
 face with 2 notches on S
 and 5 on E edges and
 deposited marked stone
 dug pits 15 x 15 x 12 in in
 back Sec 5 1/2 ft dist and
 raised mound of earth
 2 ft high 4 1/2 ft base
 around post from
 which bears

A cedar 22 mi diam
 @ 5 1/4 E 18 lbs dist
 marked T20 N R 25 E S
 20 B. I.

A cedar 20 mi diam @ 17 1/2 E
 84 lbs dist marked T20
 N R 25 E S 25 B. I.

A cedar 20 mi diam
 @ 69 W 31 lbs dist marked

T20 N R 28 E S 1 NB M

T20 N R 28 E S 30 B. T.
 A cedar 20 mi diam
 @ 10° W 24 lbs dist mark-
 ed T20 N R 28 E S 19 B. T.
 Land pollenig
 Soil 3rd rate
 Timber of Cedar
 Undergrowth same
 and Fine Bunchgrass
 — — —

East on a random
 line between Sec 20 & 29
 Var 14° 15' E

Quadrant gradually

2.20 Gulch 5 lbs wide course
 @ 55° W

Acuna

40.00 Set temporary 1/4 Sec Cor

80.31 Intersect N 1/4 S line

Test R 25 E G + S R M

13 lks N of Cor to Sec
20-21-25 & 29 from which
Cor I run

N 59° 54' W on a true
line between Sec 20 & 29
Cor 140 15' E

40.16 Set a post 3 ft long 3 in
diam 12 in in the
ground with marked
stone for 1/4 Sec Cor marked
1/4 S on N face and pits
15 x 15 x 12 in E & W of
post 5 1/2 ft dist and
raised mound of earth
1 1/2 ft high 3 1/2 ft base
around post

50.31 The Cor to Sec 19-20-29

+ 30

Land rollies
Oil 3rd rate

T25 N R 25 E S 1 & S 2 M

Vegetative Brink grass
 W. R. Fitzgerald Nov 27-1882

Went on a random
 line between Sec 19 + 30
 Var 14° 15' E

Found gradually

40.00 Int temporary 1/4 Cu
 Co

27.53 Entered West Ry of Tr
 17 like North of Co 5 Sec
 24-25-19 + 30 which
 is a post 4 ft long 4 in
 square 12 in in the
 ground & with marked
 time marked T25 N
 S 19 on N. E. R 25 E S
 30 on S. E. R 27 E. S 25
 on S. W. & S 24 on N W
 face with 2 notches on

To N R 25 E L. + S R M

Sand 4 on N edge and
 in mound of ^{recently established by me,} ~~stone~~
 from which Cor I run
 N 89° 53' E on a true
 line between Sur 19 + 30
 Var 14° 15' E

- 97.53 • Set a sand stone 16 x 13 x 10
 in 11 mi in the ground
 for 1/4 Sur Cor marked 1/4
 on N face and raised
 mound of stone above-
 side Cite impracticable
- 77.53 The Cor to Sur 19-20-29
 + 30

Sand rolling
 Soil 3rd rate
 Vegetation Bunchgrass
 S. C. Capps
 Nov 27-1852 ^{Compassman}

To N R 25 E G. & S R W

North between Dec 19 & 20
 Dec 14° 15' E

40.00 Round through timber
 Set a post 3 ft long 3
 in diam 12 in in the
 ground with marked
 stone for 1/4 Sec Cor mark-
 ed 1/4 Cor W face and
 pits 18 x 18 x 12 in N E of
 post 5 1/2 ft dist and
 raised mound of
 earth 1 1/2 ft high 3 1/2 ft
 base around post

65.50 Spur bear N 55° E
 Round

80.00 Set a post 4 ft long 4 in
 square 12 in in the
 ground with marked
 stone for Cor to Dec 17-
 18-19 & 20 marked T20

Took Res E G. & S. R. M.

N. 17 m N. E. Res E. 20 m
 S. E. 19 m N. W. and
 15 m N. W. face with
 barbed wire on S and 5 m
 to edge and 9 pits 15 x 5
 x 12 in in track on 5 1/2
 ft dist and raised a
 mound of earth 2 ft
 high 4 1/2 ft base around
 post

Land rolling

Soil 3rd rate

Timber cedar

Undergrowth same and

Bunchgrass

To N Q 25 E G + S Q M

East on a random line
between Dec 17 + 20
Var $14^{\circ} 15'$ E

15.40 Found in timber
Spur bears N. E.

40.00 Found gradually
set temporary $\frac{1}{4}$ Sec Cor.

77.50 Gulch S the wide course
S. W.

79.87 Intersect N + S line 15
the N of Cor to Dec 16-
17-20 + 21 from which
Cor S runs

N $89^{\circ} 54'$ W on a true
line between Dec 17 + 20
Var $14^{\circ} 15'$ E

39.94 Set a post 3 ft long 3 mi
again 12 mi in the
ground for $\frac{1}{4}$ Sec Cor
marked $\frac{1}{4}$ S on N face

Town R 25 E G + S. R M

and deposited marked
stone and pits 15 x 15 x 12
mi E & W of post 5 1/2
ft dist and raised a
mound of earth 1 1/2 ft
high 3 1/2 ft base around
post around post from
which bears a

Cedar 14 mi diam N 30 1/4 E
81 lbs dist

A Cedar 33 mi diam

N 23 1/4 W 93 lbs dist

Both marked 14 C. P. B. E.

79.87 The Cor to Sec 17-18-19 +
20

Land rolling

Soil 3rd state

Timber Cedar

Undergrowth same and

Brush grass W. R. Fitzgerald

Nov 27th 1882

T20 N R25 E S1 E SRM

Mark on a random line
between Sec 18 & 19
Var 14° 15' E

Ascending in scrub
timber

5.20 Gulch 10 lbs wide canal
S 51° W

Ascending

40.00 Set temporary 1/4 Sec Cor

77.96 Intersect West Br of
Tr of 11 lbs South of
Cor to Sec 13-15-19 &
24 which is a post
4 ft long 4 in square
in ground of earth
2 ft high 4 1/2 ft base,
post marked T20 N S15
on N. E. R25 E S19 on S. E.
R27 E S24 on S. E. &
S13 on N. W. face with

Tesh A25 E G + S R M

Notches on Sand 3 on
N. edge with pits in
each rec 5 1/2 ft dist
from which Cor. I runs
S 89° 55' E on a true
line between Dec. 15 + 19
Var 14° 15' E

- 37.96 Set a post 3 ft long 3 in
diam 12 in in the
ground with marked
stone for 1/4 Sec Cor
marked 1/4 S on N face
and pits 15 x 15 x 12 in
E + W of post 5 1/2 ft dist
and raised mound of
earth 1 1/2 ft high 3 1/2 ft
base around post from
which bears
A Cedar 22 mi diam N 64 1/4 W
24 lbs dist

To N R 25 E S 7 C R M

A cedar 15 mi diam S 35° E
15 lks dist.

77.96

Both marked 1/4 S. B. E.
The Cor to Ches 17-15-19
7 20

Land rolling
Soil 3rd rate
Timber Cedar
Undergrowth same
& Birch grass & 6 lapp Com-
pensation Nov 27 1852

North between Ches 17-15
Var 14° 15' E

5.50

Round gradually
Ketch 15 lks wide
Course S 50° W

40.00

Round
Set a post 3 ft long 3 mi
diam 12 mi in the

Tesk Q25 E G. & S R M

ground with marked
stone for $\frac{1}{4}$ Sec Cor
marked $\frac{1}{4}$ Sec. N face
dug pit 15 x 15 x 12 in
16. N & E of post 5 $\frac{1}{2}$ ft
dist and raised mound
of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
base around post

73.20 Spur bears N. E.

Discard

70.00 Set a post 4 ft long 4 in
square 12 in in the
ground with marked
stone for Cor to Sec 7-
5-17 & 18 marked Tesk
S on N. E. Q25 E S17
on S. E. S18 on S W & S7
on N W face with 4
notches on S and 5
on E edge dug pit

Track R 25 E G + R M

15 x 15 x 12 m² each
 on 5 1/2 ft dist and
 raised mound of
 earth 2 ft high 4 1/2
 ft base around post
 Land rolling
 Soil 3rd rate
 Vegetation Bunchgrass
 — — —

East on a random line
 between Sec 8 & 17
 Var 14°/15° E

Runa through timber

40.00 Sit temporary 1/4 Sec
 cor.

42.50 Ridge bears N. 70° E
 Dipend

75.50 Low sag bears N 30° E
 and S 30° W

T20 N R25 E S. 1 & S R M

79.78 Intersection N & E line 25
lks South of Cor to Sec
8-9-16 & 17 from which
Cor E line

$\text{B} 90^{\circ} 49' \frac{1}{2}$ on a true
line bet. Secs. 8 & 17

Var $14^{\circ} 15' \text{E}$

39.89 Sit a post 3 ft long 3 in
diam 12 in. in the
ground with marked
stone for $\frac{1}{4}$ Sec corner
marked $\frac{1}{4}$ Cor N face
and site $15 \times 15 \times 12$ in.
E & W of post $5 \frac{1}{2}$ ft dist
and raised mound of
earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft
base around post
from which bears
a Cedar 18 in N $13' \frac{1}{2}$
21 lks dist

To N. R 25 E. G. & S. R. M.

A cedar 14 mi. diam 83° E
30 lbs dia

79.78 Both marked 14 S. B. J.
The Co to Sus 7-5-17
7/15

Land rolling

Soil 3rd rate

Timber Cedar

Undergrowth same

and bunch grass

carefully examined the acquisition of my color camera
which I had purchased very low latitude & returning apparatus
from them correct Nov 27-1882 W. P. Fitzgerald

Went on a random line

bet. Sus 7 & 15

Var $14^{\circ} 15'$ E

Second in timber

17.70 Spoke 10 lbs wide course

S. W.

Round

21.40 Spur bears N. E.

To N R 25 E G. & S E M

Second

40.00 Set temporary 1/4 Sec Cor

49.50 Gulch 7 lks wide course
S. W.

Second

71.60 Spur bears S. W.

Second

78.25 Enter West By of
Twp. 14 lks South of Cor
to Sec 7-12-13 & 15
which is a post 4 ft long
4 mi square 12 mi in
the ground with marked
stone & mound of earth 2 ft
high 4 1/2 ft base around
post Post marked
To N @ 7 on N E R 25 E
S 15 on S. E. R. 27 E. S 13
on S. W. & S 12 on N W
face with # notches

Took A 25 E G. & C R M

on Sand 2 on N. Edge
 pits $15 \times 15 \times 12$ mi in
 each see $5\frac{1}{2}$ ft dist.
 Squaw Spring bears S 61° 31' W
 53.52 ch. dist
 from this Cor. Orms
 S 79° 54' E on a true
 line between see 7 + 15
 (Var 14° 15' E

35.25 Set a post 3 ft long 3 in
 diam 12 mi. in the
 ground with marked
 stone for $\frac{1}{4}$ Sec corner
 marked $\frac{1}{4}$ Sec N face
 dug pits $15 \times 15 \times 12$ mi
 E & W of post $5\frac{1}{2}$ ft
 dist and raised a
 mound of earth $\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base a
 round post from which

To N R 25 E G. + S R M

beats

A Cedar 18 mi diam N 24° E
56 lbs dist

A Cedar 14 mi diam South
31 lbs dist

Both marked 4 S. B. T.

75.25 The Cor to Cur 7-8-17 & 18

Lana rolling ~~in~~

Soil 3rd rate

Timber Cedar

Undergrowth same

and Brunchgrass

S. to Camp Nov 27 - 1882
Comptroller

North between Sec 7 & 8

Var 14° 15' E

Quand gradually

10.50 Gulch 15 lbs into course

S. W.

Quand

T20 N R 25 E G & S A M

- 21.00 Ridge brace N, E & S W
DeSena
- 40.00 Set a post 3 ft long 3 in
diam 12 in in the
ground with marked
stone for 1/4 sec Cor marked
1/4 S on N face dug pit
15 x 15 x 12 in N & S of post
5 1/2 ft dia and raised
mound of earth 1 1/2 ft high
3 1/2 ft base around post
- 75.20 Gulch 5 lbs wide course
S. W.
- 80.00 Set post 4 ft long 4 in
square 12 in in the
ground with marked
stone for Cor to Sec
5-6-7 & 8 marked
T20 N S 5 on N E R 25
E S 5 on S. E. S 7 on N

Trick R 25 E G + R M

4 S 6 m N W face with
5 notches on S and 5
on E edge aug pits
15 x 15 x 12 in each
see 5 1/2 ft dist and raised
mound of earth 2 ft high
4 1/2 ft ball around post

Land rolling

Soil 3rd rate

Vegetation Bunch grass

East on a random line
between S 5 & 8

Var 14° 15' E

Descending in Timber

4.60 Gulch 3 lks wide

Course S 70° W

Acres

25.00 Ridge bears N 30° E and

S 30° W

Top N R 25 E S + C R M

Quenda

40.00 Set temporary $\frac{1}{4}$ Sec Cor

44.00 Low depression bears
N 30° E & S 30° W

Quenda

63.00 Ridge bears N 30° E
& S 30° W

Quenda

70.00 Leave timber bears N 30° E
& S 30° W

80.20 Intersect N & S line 26 lbs
North of Cor to Sec 4-5
& 9 from which Cor
I run

N $89^{\circ} 49'$ W on a true
line between Sec 5 & 8
Var $14^{\circ} 15'$ E

40.20 Set post 3 ft long 3 ins
diam 12 ins in the
ground with marked

Tron 25 E Gr S & M

stone for 1/4 Sec Corner
 marked 1/4 S on N
 fall aug pit 18 x 15 x 12
 mi. E & W of post 5 1/2
 ft dist. and raised
 mound of earth 1 1/2 ft
 high 3 1/2 ft base around
 post from which bears
 a cedar 24 inches N 10° W
 34 lbs dist
 A cedar 20 mi diam
 S 8 1/4° W 17 lbs dist
 Both marked 1/4 S.R.T.

80.20
 @ Campbell's examine the
 composition of my notes
 compare them, particularly
 the latitude & distance apper-
 tance & from these find out
 the 12 degrees Mar 27-1872

The Cor to Sec 5-6-
 7 & 8
 Sand rolling
 Soil 3rd rate
 Timber of cedar
 Undergrowth same and
 Bunch grass

To N 25 E E - S E M

- Out on a random line
 between Sus 6 & 7
 Var $14^{\circ}15'$ E
 Around mi Timber
 17.00 Ridge bears N 70° E and
 S 50° W
 Around
 29.50 Stage road bears N. E.
 & S. W. mi gulch Course
 N. E.
 Around
 35.00 Ridge bears S. W. & N. E.
 & Around
 40.00 Set temporary $\frac{1}{4}$ Sec Cor
 53.00 Dry Gulch 70 lbs wide
 Course S W
 Around
 78.44 Enteract West By of Tr
 13 lbs North of Cor to
 Sus 1-6-7 & 12 which is

Took R 25 E G. & S R M

a sand stone $12 \times 12 \times 5$ mi
 5 mi in the ground with
 5 notches on Sand 1
 north edge and ~~raised~~
 mound of stone along-
 side from which Cor
 S run

N $89^{\circ} 54'$ E on a true
 line between Sec 6 & 7

Var $14^{\circ} 15'$ E

38.44 Set a post 3 ft long 3 ins
 diam 12 mi in the
 ground with marked
 stone for $\frac{1}{4}$ Sec Cor
 marked $\frac{1}{4}$ S on N face
 aug pits $18 \times 18 \times 12$ mi
 E & W of post $5\frac{1}{2}$ ft dia
 and raised mound
 of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around

Tr 20 N Q 25 E G + S R M

post from which bears
A Cedar 12 mi diam

N 61 1/2° W 14 lbs dist

A Cedar 18 mi diam

S 44° E 15 lbs dist

Both marked 1/4 S. B. E.

78.44 The Cor to Sec 5-6-7+8

Land rolling

Soil 3rd rate

Timber Cedar

Undergrowth same

and Bunchgrass

North on a true line
between Sec 5+6

Var 14° 15' E

Ascend in timber

10.00 Ridge bears N 70° E and

S 6° W

To N Q 25 E G + S R M

Quind

16.90 Stage road bears N 60° E
+ S 60° W

35.00 Low depression bears N 70° E
+ S 70° W

Round

40.00 Set a post 3 ft long 3 in
diam 12 mi in the
ground with marked
stone for 1/4 Sec Cor mark-
ed 1/4 S on W face dug
pits 15 x 15 x 12 mi N +
S of post 5 1/2 ft dist and
raised mound of earth
1 1/2 ft high 3 1/2 ft base
around post

74.00 Top of ridge bears N 70° E
and S 70° W

Quind

82.31 Interest 5th Standard

T20 N R25 E G & S. R. M

Parallel North at a
 point 3.15 chain West
 of Standard Cor to
 Sec 31 ^{recently established by survey} 32 T20 N R25 E,
 at which point I set
 a post 4 ft long 4 in
 square 12 in in the
 ground with marked
 stone for Closing Cor
 to Cus 5 & 6 T20 N
 R25 E marked C.C.
 T20 N R25 E on S. S 5 in
 E & S 6 on N face with
 5 notches on E and
 1 notch on N face
 dug pits 15 x 15 x 12
 in S. E. & N of post
 5 1/2 ft dia and raised
 a mound of earth
 2 ft high 4 1/2 ft base

Took R 25 E G + S R M

around post
Lana rolling
Soil 3rd Gate
Timber Cedar
Undergrowth same and
Brushgrass. I carefully ex-
amined the adjustments of my solar
compass today particularly the lat-
itude reversing apparatus and
found them correct.

J. C. Capp

Compassman
Nov 27-1882

General Description

This township is composed of high rolling ground interspersed with small valleys. The soil is of a sandy nature covered with a growth of scrub cedar and an abundant growth of nutritious grass which affords excellent grazing. The soil can be classed as 2nd & 3rd rate and will produce without irrigation.

The Old Stage road and known also as the Southern Overland Route runs through the N.E. portion of the Township. C. P. Owen has a claim

126

BOOK 373

in Sec 15 and a house
and corral near the
Boundary of Sec 13. - P 27 E.

For final notes
see Book 18.

U. S. Surveyor General's Office,

TUCSON, ARIZONA, May 17, 1883

The foregoing Field Notes of the Survey of the

Subdivision lines of
Township 20 North -
Range 28 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by W. R. Fitzgerald,

Deputy Surveyor, under his contract of the 17th

day of July, 1882, having been

critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.

W. P. Smith
Surveyor General.