

No-382

John L. Harris Deputy Surveyor.

T. 21 North R. 7 East
Gila & Salt River Meridian.

FIELD NOTES

OF BOOK 382

THE SUBDIVISION LINES OF

Township *21 North* Range *7 East*
Gila & Salt River Meridian.

BY

John L. Harris Deputy Surveyor.

under his Contract of *July 29* 1878

Survey Commenced *September 3, 1878*

Survey Completed *September 9, 1878*

No-382

Platted,

Copied for Washington, *J.R.F. a. b.*

Copied for Register,

382

Table showing the difference of latitude and departure in running 80 chains at any course from 1 to 60 minutes.

Minutes.	Lks.	Minutes.	Lks.	Minutes.	Lks.
1	2 $\frac{1}{2}$	21	49	41	95 $\frac{2}{3}$
2	4 $\frac{2}{3}$	22	51 $\frac{1}{3}$	42	98
3	7	23	53 $\frac{2}{3}$	43	100 $\frac{1}{3}$
4	9 $\frac{1}{2}$	24	56	44	102 $\frac{2}{3}$
5	11 $\frac{2}{3}$	25	58 $\frac{1}{3}$	45	105
6	14	26	60 $\frac{2}{3}$	46	107 $\frac{1}{3}$
7	16 $\frac{1}{3}$	27	63	47	109 $\frac{2}{3}$
8	18 $\frac{2}{3}$	28	65 $\frac{1}{3}$	48	112
9	21	29	67 $\frac{2}{3}$	49	114 $\frac{1}{3}$
10	23 $\frac{1}{3}$	30	70	50	116 $\frac{2}{3}$
11	25 $\frac{2}{3}$	31	72 $\frac{1}{3}$	51	119
12	28	32	74 $\frac{2}{3}$	52	121 $\frac{1}{3}$
13	30 $\frac{1}{3}$	33	77	53	123 $\frac{2}{3}$
14	32 $\frac{2}{3}$	34	79 $\frac{1}{3}$	54	126
15	35	35	81 $\frac{2}{3}$	55	128 $\frac{1}{3}$
16	37 $\frac{1}{3}$	36	84	56	130 $\frac{2}{3}$
17	39 $\frac{2}{3}$	37	86 $\frac{1}{3}$	57	133
18	42	38	88 $\frac{2}{3}$	58	135 $\frac{1}{3}$
19	44 $\frac{1}{3}$	39	91	59	137 $\frac{2}{3}$
20	46 $\frac{2}{3}$	40	93 $\frac{1}{3}$	60	140

Published by Edward Denny & Co., Printers and Stationers, San Francisco.

Table for Running on Slopes.

In the following table the first column shows the angle, the second, the number of links to be added to a chain on the slopes, to make one chain. horizontal measurement.

Angle.	Cor. in links.	Angle.	Cor. in links.	Angle.	Cor. in links.	Angle.	Cor. in links.
0		0		0		0	
4	0-24	11	1-88	18	5-14	25	10-54
5	0-38	12	2-24	19	5-76	26	11-26
6	0-55	13	2-63	20	6-42	27	12-24
7	0-76	14	3-06	21	7-11	28	13-37
8	0-98	15	3-53	22	7-85	29	14-34
9	1-24	16	4-02	23	8-64	30	15-47
10	1-55	17	4-56	24	9-47	35	22-07

Published by Edward Denny & Co., Stationers and Printers, San Francisco.

BOOK 382

Jno. L. Harris Deputy Surveyor.
T. *21 North* R. *7 East*
Gila & Salt River Meridian.

No-382

FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township *21 North* Range *7 East*
Gila & Salt River Meridian.

BY

Jno. L. Harris Deputy Surveyor.
under his Contract of *July 29* 1878
Survey Commenced *September 3, 1878*
Survey Completed *September 9, 1878*

Platted.

Copied for Washington,

Copied for Register,

Township *21 North* Range *7 East*
A Cila and Salt River Meridian.

BOOK 382

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

O.K.

1
1848

1848

1848
1848
1848

16

Preliminary Oaths of Assistants.

We, Richard Shrape
 and N. Van Alstine
 do solemnly swear that we will faithfully execute
 the duties of Chain Carriers; that we will level the
 chain upon uneven ground, and plumb the tally
 pins, whether by sticking or dropping the same;
 that we will report the true distance to all notable
 objects, and the true length of all lines that we as-
 sist in measuring, to the best of our skill and
 ability.

Richard Shrape
N. Van Alstine

Sworn to and subscribed before me, this 17th
 day of August, 1878.

John R. Farrell.
 Notary Public.



We, Wm. Anus Kolb, Hagman, & W. Surotegui
Frank Carpenter, Armeu, & D. B. Dodson, Petman
do solemnly swear that we will well and truly per-
form the duties of Hagman, Armeu and
Petman, respectively,

according to instructions given us, and to the best
of our skill and ability.

Wm. Anus ^{his} Kolb,

W. Surotegui
Frank Carpenter

D. B. Dodson

Sworn to and subscribed before me this 10th
day of August 18⁷⁸

John R. Farrell,
Notary Public



10

BOOK 382

Township

21 North

Range

7 East

Gila and Salt River

Meridian.

Chains

From the corner to Sections 35, 36, 1 and 2 on the South boundary I run.
North, between Sections 35 and 36.

Variation $15^{\circ}45'$ East.

As per E. Boundary.

- X 40.00 Set a post marked 142, 4 ft long, flattened
3 in. wide, 1 ft in the ground, and build a
mound of stones 2 ft high, as per in-
structions for 14 sec. cor. from which
a Pine, 20 in. dia. br. N. $10^{\circ}N$. 41 lbs. dist.
do. 24 " " " N. $75^{\circ}E$. 44 " "
- 43.00 Descend into cañon br. S. E.
- 51.00 Leave cañon br. S. E.
- X 80.00 Set a post, marked and notched, 4 ft
long, 3 in. sq. d. 1 ft in the ground, and
build mound of stones 2 ft high, as
per per instructions for cor. to secs. 25.
26. 35 and 36, from which
a Pine, 29 in. dia. br. N. $42^{\circ}E$. 8 lbs. dist.
do. 35 " " " N. $46^{\circ}N$. 22 " "
do. 31 " " " S. $75^{\circ}N$. 113 " "
do. 30 " " " S. $89^{\circ}E$. 30 " "

Land brown. Soil poor and stony.

Grass. Heavy Pine timber.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 25 and 36.

Variation $15^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.20 Intersect the E. boundary of the town
 ship 50 las. N. of cor. to secs. 25
 and 36. from which cor. I run

N. $89^{\circ}39'W$.

to true line between secs. 25 & 36.

var $15^{\circ}45'$ East.

40.10 Set apart, marked $\frac{1}{4}$ S. 4 ft long, flattened $\frac{3}{4}$ in.
 wide, 1 ft in the ground, drive charr'd stake
 and build mound of earth 2 ft high
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for $\frac{1}{4}$ sec. cor.
 from which

APine, 31 in. dia. br. South, 41 las. dist.

do. 32 " " " N. $70^{\circ}W$. 102 " "

80.20 Cor. to secs. 25, 26, 35 and 36.

Land rolling soil poor. Grass.
 Many Pine timber.
 some oak brush.

Township

21 North

Range

7 East

Gila and Salt River

Meridian.

Chains

North, between Sections 25 and 26.

Variation

15°45'

East.

40.00

Set a post, marked 14 S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drive a
charred stake and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions for
1/4 sec. cor. from which

A Pine 40 in. dia. brs. West. 28 lns. dist

do. 37 " " " N. 80° E. 53 " "

And enter little opening brs N.W. & N.E. and at

55.00

Leave same and enter timber again brs. N.W. & N.E.

80.00

Set a post, marked and notched, 4 ft long,
3 in. sq. d. 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, as per
instructions for cor. to secs. 23, 24, 25
and 26. from which

A Pine 20 in. dia. brs. S. 32° W. 77 lns. dist

do. 32 " " " N. 60° W. 56 " "

do. 30 " " " S. 85° E. 55 " "

do. 29 " " " N. 71° E. 124 " "

Land rolling. Some good soil in center.
Grass. Heavy Pine timber -

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains $\frac{1}{2}$ East, on a random line between Sections 24 and 25.

Variation $15^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect the E. boundary 20 lns. N. of
 cor. to secs. 24 and 25, from which cor.
 Run

N. $89^{\circ}51'$ W.

Continue line between secs. 24 & 25.
 var. $15^{\circ}45'$ East.

40.05 Set a post, marked 148.4 ft. long, flattened
 3 in. wide, 1 ft. in the ground, and build
 mound of stones 2 ft. high as per instruc-
 tions for $\frac{1}{4}$ sec. cor. from which
 a Pine, 20 in. dia. brs. S. 38° E. 15' lead to
 do. 24 " " " N. 44° W. 62 " "

80.10 Cor. to Secs. 23, 24, 25 and 26.

Land rolling. Some good soil.

Grass. Heavy Pine timber.

Township

21 North

Range

17 East

Gila and Salt River

Meridian.

Chains

X

North, between Sections 23 and 24.

Variation

15° 45'

East.

40.00 Set a post, marked 14 S. 14 ft. long, flattened
3 in. wide, 1 ft. in the ground, drive charred
stake and build mound a fourth of high
with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as
per instructions for 1/4 sec. cor. from which
a Pine, 26 in. dia. br. S. 65° E. 47 lvs. dist
do 30 " " " S. 54° W. 65 " "

80.00 Set a post, marked 8 notched, 4 ft. long,
3 in. sqd. 1 ft. in the ground, and build
mound of stones 2 ft. high, as per in-
structions for cor. to sec. 13, 14, 23 and
24, from which
a Pine, 30 in. dia. br. S. 45° W. 25 lvs. dist
do. 28 " " " N. 65° W. 29 " "
do. 29 " " " S. 84° E. 122 " "
do. 24 " " " N. 75° E. 138 " "

Land smooth rolling. Some good soil

Grass. Heavy Pine timber.

September 3, 1878.

Township 21 North Range 4 East
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation $15^{\circ}45'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.60.00 Descend into little flat with scattering
timber br. N. of N.

76.00 Ascend and enter heavy timber again.

80.23 Intersect the E. boundary 15 lvs. N.
of the cor. to secs. 13 and 24. from
which cor. DrewN. $89^{\circ}54'$ W.

Between line between secs. 13 & 24.

var. $15^{\circ}45'$ East.40.11 Set a post, marked by S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, and build
mound of stones 2 ft. high, as per in-
structions for $\frac{1}{4}$ sec. cor. from which
a Pine, 20 in. dia. br. N. 34° W. 41 lvs. distdo. 20 " " " S. $35\frac{1}{2}^{\circ}$ E. 97 " "

80.23 Cor. to secs. 13, 14, 23 and 24.

Land uneven. Mostly poor soil.
Some heavy timber. Grass.

Township

21 North

Range

7 East

Gila and Salt River

Meridian.

Chains

North, between Sections 13 and 14.

Variation

15°45'

East.

- 30.00 Enter opening br. E. 110. with scattering timber.
- 40.00 Set a post, marked 14 S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, drive charred stake
and build mound of earth 2 ft. high, with
pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-
structions for 14 sec. cor. from which
A Pine 30 in. dia. br. S. 59° E. 377 lbs. dist.
do. 31 " " " N. 81° E. 298 " "
- 50.00 Enter heavy timber br. N. W. and S. E.
- 80.00 Set a post, marked and notched, 4 ft. long,
3 in. sq. d., 1 ft. in the ground, drive charred
stake and build mound of earth 2 ft. high
with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per
instructions for cor. to secs. 11, 12, 13 and
14, from which
A Pine 25 in. dia. br. S. 40° W. 82 lbs. dist.
do. 23 " " " S. 72° E. 115 " "
do. 40 " " " N. 21° E. 108 " "
do. 26 " " " N. 40° W. 152 " "

Land uneven. Some good soil.
Grass. Some heavy Pine timber.

Township

21 North Range 7 East

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation $15^{\circ}45'$ East.

38.00 Leave heavy timber, enter opening bearing S.E. and N.W. with scattering timber.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

62.00 Leave opening, enter heavy timber

80.16 Intersect E. boundary 30 hrs. N. of cor. to sec. 12 & 13 from which cor. Run N. 89° 47' W.

On true line between sec. 12 & 13.

var $15^{\circ}45'$ East

40.08 Set post, marked 14 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive chanced stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. from which
 A Pine, 20 in. dia. br. N. 35° W. 1274 hrs. dist
 do. 32 " " " N. 54° E. 282 " "

80.16 Cor. to sec. 11, 12, 13 and 14.

Land level. Some good soil.

Grass. Some heavy Pine timber

Township

21 North

Range

7 E

Gila and Salt River

Meridian.

Chains

North, between Sections 11 and 12.

Variation

15° 45'

East.

- 40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive chared stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which
 A Pine, 20 in. dia. br. N. 56° E. 48 lvs. dist
 do. 30 " " " N. 46° W. 100 " "
- 50.13 A Pine 26 in dia.
- 52.70 The overland road brs. E. and W.
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive chared stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 1, 2, 11 and 12. from which
 A Pine, 28 in. dia. br. N. 69° E. 49 lvs. dist
 do. 29 " " " S. 20° E. 55 " "
 do. 30 " " " S. 84° W. 171 " "
 do. 25 " " " N. 38° W. 103 " "

Land broken Soil poor Heavy Pine timber
 Scattering oak trees. Oak brush and a
 shrub with sweet smelling flowers.

Township 21 North Range 7 E.
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation 15°45' East.

- 28.00 Dry rocky wash 25 lns. wide, br. S.
- 34.50 Another " " 15 " " " S.W.
- 40.00 Set temporary 1/4 sec. cor.
- 72.00 Dry gulch 50 lns. wide br. S.E.
- 80.35 Intersect E. boundary 44 lns. N. of cor. to sec. 1 & 12. from which cor. run

N. 89° 41' W.

On true line between sec. 1 & 12.
var 15°45' East.

- 40.17 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide. 1 ft in the ground, and build a mound of stones 2 ft high, as per instructions for 1/4 sec. cor. from which a Pine, 29 in. dia. br. N. 28° E. 82 lns. dist. do. 30 " " " S. 74° E. 106 " "
- 80.35 Cor. to sec. 1, 2, 11 and 12.

Land rough, broken and worthless.
Heavy Pine timber. Grass.
Scattering oak trees.
Oak brush and sweet smelling shrub.

Township

21 North

Range

7 East

Gila and Salt River

Meridian.

Chains

~~North, on a random line between Sections 1 and 2.~~

Variation

East.

The line between sections 1 & 2 cannot be run. In less than one half mile N. of cor. to secs. 1, 2, 11 and 12, it intersects the impassable and impracticable side of the Extreme E. end of the San Francisco mountains, bearing N.W.

The ground thereon is worthless, non-mineral and covered with great boulders; the timber is scattering and inaccessible.

Township 21 North Range 4 East
Gila and Salt River Meridian.

Chains North, between Sections 34 and 35.

Variation $15^{\circ}45'$ East.

- 26.70 A Pine 35 in. dia.
 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat
 tened 3 in. wide, 1 ft in the ground,
 and build mound of stones 2 ft
 high, as per instructions for $\frac{1}{4}$ sec.
 cor. from which
 A Pine, 29 in. dia. br. N. 84° E. 34 lvs. dist.
 do. 24 " " " S. 68° W. 46 " "
- 46.98 A Pine 26 in. dia.
 80.00 Set a post, marked and notched, 4 ft
 long, 3 in. sq. d. 1 ft in the ground, and
 build mound of stones 2 ft high,
 as per instructions for cor. to secs.
 26. 27. 34 and 35. from which
 A Pine, 24 in. dia. br. N. 70° E. 106 lvs. dist.
 do. 32 " " " S. 33° E. 35 " "
 do. 33 " " " S. 60° W. 123 " "
 do. 20 " " " N. 5° W. 69 " "

Hillocks. Soil stony and poor.
 Heavy Pine timber.
 Grass.

Township 21 North Range 4 East
Gila & Salt River Meridian.

Chains

East, on a random line between Sections 26 and 35.

Variation $15^{\circ}45'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.59 Intersect N. and S. line 20 lns. S. of
 cor. to secs. 25, 26, 35 and 36. from
 which cor. I run
 $S. 89^{\circ}51' W.$
 On true line between secs. 26 & 35.
 var $15^{\circ}45'$ East.
- 39.79 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat
 topped 3 in wide, 1 ft in the ground,
 drive charred stake and build a
 mound of earth 2 ft high, with
 pit 1 ft deep, 2 ft long, 1 ft wide
 as per instructions for $\frac{1}{4}$ sec. cor.
 from which
 Al. Pine, 37 in. dia. br. S. $45\frac{1}{2}^{\circ} E.$ 77 lns. dist.
 do 35 " " " N. $9^{\circ} W.$ 151 " "
- 79.59 Cor. to secs. 26, 27, 34 and 35.
 Land rolling. Some good soil.
 Grass. Heavy Pine timber.

Township 21 North Range 7 East
Gila Salt River Meridian.

Chains North, between Sections 26 and 27.
 Variation 15°45' East.

- 40.00 Set apart, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build a mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. from which
 a Pine, 25 in. dia. trs, S. 4° E. 32 hrs. dist
 do. 33 " " " N. 18° W. 91 " "
- 80.00 Set apart, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 22, 23, 26 and 27.
 from which
 A Pine, 24 in. dia. trs, N. 45° E. 35 hrs. dist
 do. 38 " " " S. 65° E. 62 " "
 do. 27 " " " S. 63° W. 89 " "
 do. 20 " " " N. 66½° W. 194 " "

Sand brown. Soil poor.
 Gravel. Heavy Pine timber.

Township 21 North Range 7 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 23 and 26.

Variation $15^{\circ}45'$ East.

- 39.00 Dry wash, 25 lbs. wide, 60 S. E.
- 40.00 Set temporary 74 sec. cor.
- 79.80 Intersect N. and S. line 50 lbs. S. of cor.
to secs. 23, 24, 25 and 26. from which
cor. I run
S. $89^{\circ}39'$ W.
On true line between secs. 23 & 26
run $15^{\circ}45'$ East
- 39.90 Set apart marked 74 S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground and build
mound of stones 2 ft. high, as per
instructions for 74 sec. cor.
from which
a Pine, 30 in. dia. 60 S. N. 80° W. 13 lbs. dist
do. 29 " " " South 50 " "
- 65.17 A Pine 32 in. dia.
- 79.80 The cor. to secs. 22, 23, 26 & 27.

Lundbrom u. Soil poor.

Grass. Heavy Pine timber.

BOOK 382 16

Township 21 North Range 4 East

BOOK 382
Meridian.

Gila and Salt River

Chains North, between Sections 22 and 23.

Variation $15^{\circ}45'$ East.

12.00 Descend into little cañon brs. E. of N. and run along in it.

27.50 Leave little cañon, brs. E. of N.

40.00 Set a post, marked 14 S. 4 flong, flat-topped 3 in. wide, 1 ft. in the ground, and build mound of stones 2 ft high as per instructions for 14 sec. cor. from which

A Pine, 33 in. dia. brs. N. 59° W. 47 lbs. dist.

do. 26 " " " S. 4° E. 91 " "

68.00 Dry wash 30 lbs wide, brs. S. E.

80.00 Set a post, marked and notched, 4 flong, 3 in. sqd. 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs. 14, 15, 22 and 23. from which

A Pine, 30 in. dia. brs. S. 85° W. 32 lbs. dist.

do. 33 " " " S. 1° E. 45 " "

do. 28 " " " N. 30° E. 96 " "

do. 34 " " " N. 71° W. 129 " "

Sand broken. Soil mostly poor.
Grass. Heavy Pine timber.

Township 21 North Range 4 East
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation $15^{\circ}45'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.10 Intersect N. and S. line 60 lvs. S. of cor.
to Secs. 13, 14, 23 and 24, from which
cor. Is run
S. $89^{\circ}34' W.$

On true line between secs. 14 & 23.

var. $15^{\circ}45'$ East.40.05 Set a post marked $\frac{1}{4}$ S. of blng. flat-
tened 3 in. wide, 1 ft. in the ground,
drill charred stake and build mound
a ft. high, with pit 1 ft. deep. 2
ft. long, 1 ft. wide, as per instructions for
 $\frac{1}{4}$ sec. cor. from whichA Pin, 32 in. dia. br. S. $77^{\circ} E.$ 322 lvs. dist.do. 35 " " " N. $10^{\circ} E.$ 207 " "

80.10 Cor. to Secs. 14, 15, 22 and 23.

Land uneven. Soil mostly poor; then
smooth and some good.Timber, scattering pine on E. half; heavy
pine on W. Grass.

September 4, 1878

Township 21 North Range 4 East

Gila and Salt River Meridian.

Chains North, between Sections 14 and 15.

Variation $15^{\circ}45'$ East.

- 15.00 Leave timber, E. & W. and enter opening
- 40.00 Set a post, marked 14 S. 4 ft long, flat
tined 3 in wide, 1 ft in the ground,
and build mound of stones 2 ft
high, as per instructions for 14 sec.
cor.
No trees near.
- 80.00 Set a post, marked and notched,
4 ft long, 3 in sqd. 1 ft in the ground,
and build mound of stones 2 ft
high, as per instructions for cor. to
secs. 10, 11, 14 and 15.
No trees near.
- Land mostly level.
- Soil stony and poor.
- Grass. But little timber.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 11 and 14.

Variation $15^{\circ}45'$ East.

- 30.00 Leave opening, enter heavy timber brs. N. & S.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
50.00 Cross space of 500 chs. with scattering timber.
41.00 Leave bottom or level ground, ascend
and run on high mesa brs. N. and S.
79.80 Intersect N. & S. line 177 lvs. S. of cor to
secs. 11, 12, 13 and 14, from which cor.
Issue
 $S. 89^{\circ}53' N.$
On true line between secs. 11 & 14.
var $15^{\circ}45'$ East
39.90 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
tined 3 in wide, 1 ft in the ground, and
build mound of stones 2 ft high, as
for instructions for $\frac{1}{4}$ sec. cor.
from which
A Pine, 32 in. dia. brs. N. $65^{\circ} E.$ 68 lvs. ditto
do. 27 " " " S. $56^{\circ} E.$ 65 " "
- 79.80 Cor. to Secs. 10, 11, 14 and 15.

Sand level, then broken.
Some good soil.
Grass, scattering timber.

BOOK 382
Township 21 North Range East 20
Gila and Salt River Meridian.

Chains North, between Sections 10 and 11.

Variation $15^{\circ}45'$ East.

In open ground—

- 32.50 The overland road b/w. N.W. and N of E.
40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat
tined 3 in wide, 1 ft in the ground,
and build mound a foot high,
as per instructions for $\frac{1}{4}$ sec cor.
from which
A Pine, 25 in. dia. b/w. S. 32° E. 193 lbs. dist.
do. 20 " " " S. 38° W. 323 " "
Cor. near point of scattering timber b/w N.E.
42.00 Ceniza with running water, 300 lbs wide,
b/w. E. and W.
80.00 Set a post, marked and notched, 4
ft long. 3 in sq. d. 1 ft in the ground
drive charred stake and build mound
a foot high with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for cor. to secs. 2, 3, 10 and 11.
No trees near.

Land level. Mostly poor. Some
good soil at Ceniza.
Grass. No timber.

Township 21 North Range 7 East

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 2 and 11.

Variation $15^{\circ}45'$ East.

- 40.00 Enter heavy timber brs. N. and S.
 40.00 Set temporary 74 sec. cor.
 50.00 Old Beale road brs. S.E. and runs into the
 overlaid road in sec. 11.
 79.89 Intersect N. and S. line 19 brs. S.
 a/cor. to secs. 1, 2, 11 and 12, from
 which cor. I run
 $S. 89^{\circ}52' W.$
 On true line between secs. 2 & 11,
 var $15^{\circ}45'$ East
- 39.94 Set a post, marked 74 S. 4 ft long,
 flattened 3 in. wide, 1 ft in the ground,
 and build mound of stones 2 ft high
 as per instructions for 74 sec. cor.
 from which
 a Pine, 40 in. dia brs, N. $3^{\circ} W.$ 72 brs. dist.
 do. 22 " " " S. $32^{\circ} E.$ 90 " "
- 79.89 Cor. to secs. 2, 3, 10 and 11.

Land mostly level. Soil poor.
 Mostly heavy Pine timber.
 Grass.

BOOK 382

Township 21 North Range 7 East

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation $15^{\circ}45'$ East.

- 16.00 Enter heavy timber brs N. a few.
- 38.50 Rocky wash, 50 lbs. wide, brs. S.E.
- 40.00 Set temporary 1/4 sec. cor.
- 41.00 Old Beale road brs. S.E.
- 79.56 Intersect N. boundary, 10 lbs. E. of cor. to secs. 2 and 3. from which cor. run S. $0^{\circ}4' E.$
 on true line between secs. 2 & 3.
 var $15^{\circ}45'$ East.
- 39.56 Cor. falls in insecure position by wash. Set 10 lbs E.
 Set a post, marked 1/4 S. 4 ft long, flattened 3 in wide, 4 ft in the ground, and in charred state and build around a fracture 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec c. cor. from which
- A Pine, 26 in. dia. brs. S. $60^{\circ} N.$ 62 lbs. set
 do 30 " " " N. $25^{\circ} N.$ 54 " "
- 79.56 The cor. to Secs. 2, 3, 10 and 11.
 Land uneven. Soil mostly poor.
 Mostly heavy Pine timber.
 Scattering oak trees & brush.

Township 21 North Range 7 East

Gila and Salt River Meridian.

Chains

North, between Sections 33 and 34.

Variation 15° 45' East.

- 40.00 Set a post marked 4x5. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive a charred stake and build mound of earth 2 ft high, with pits 1 ft deep 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. from which
- A Pine, 42 in dia. br. S. 43° W. 27 lbs. dit
do. 41 " " " N. 5° W. 23 " "
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to sec. 27, 28, 33 and 34, from which
- A Pine, 36 in dia. br. S. 50° W. 59 lbs. dit
do. 30 " " " N. 53° W. 110 " "
do. 29 " " " N. 10° E. 82 " "
do. 27 " " " S. 84° E. 41 " "

Land rolling. Some good soil on S. end. Grass.
Heavy Pine timber.

Township 21 North Range 14 East
Gila and Salt River Meridian.

Chains East, on a random line between Sections 27 and 34.

Variation $15^{\circ}45'$ East.

40.00 Set temporary 1/4 Sec. cor.

80.15 Intersect N. and S. line 18 lns. N. of
cor. to secs. 26, 27, 34 and 35, from
which cor. I run.

$N. 89^{\circ}52' W.$

On true line between secs. 27 & 34.
var. $15^{\circ}45'$ East

40.07 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in wide, 1 ft in the ground,
drill charred stake and build a
mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per in-
structions for 1/4 Sec. cor. from which
A. Pine, 36 in dia br. $N. 33^{\circ} W.$ 46 lns. dist
do. 32 " " $S. 14^{\circ} E.$ 144 " "

80.15 Cor. to secs. 27, 28, 33 and 34 of

Land broken hills, some good
soil, but mostly poor and
worthless. Grass.
Heavy Pine timber.

Township

21 North

Range

7 East

Gila and Salt River

Meridian.

Chains

North, between Sections 27 and 28.

Variation $15^{\circ}45'$ East.

40.00 Set a post marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. from which
 a Pair, 26 in. dia. brs, N. 40° W. 36 lvs. dist
 do. 27 " " " S. 24° E. 80 " "

80.00 Set a post marked and notched, 4 ft long, 3 in sqd. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs. 21, 22, 27 and 28. from which
 a Pair, 30 in. dia. brs, S. 18° E. 118 lvs. dist
 do. 24 " " " N. 30° W. 119 " "
 do. 20 " " " N. 46° E. 107 " "
 do. 23 " " " S. 9° W. 92 " "

Sand broken. Soil poor.

Grass. Heavy Pine timber.

Township 21 North Range 7 East
Gila Salt River Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation $15^{\circ}45'$ East.

- 40.00 Set temporary 1/4 sec. cor.
 69.00 Descend into little canon, br. N. E.
 73.50 Leave same br. N. E.
 80.10 Intersect N. and S. line 27 hrs N.
 of cor to secs. 22, 23, 26 and 27
 from which cor. Run
 N. $89^{\circ}49' W.$
 On true line between secs. 22 & 27.
 var $15^{\circ}45'$ East
- 40.05 Set a post, marked 1/4 S. 4 ft long, flat
 tened 3 in wide, 1 ft in the ground,
 and build mound of stones 2 ft
 high, as per instructions for 1/4 sec.
 cor. from which
 a Pine, 24 in dia. br. N. $52^{\circ} W.$ 30 lbs. dist.
 do. 35 " " " S. $84^{\circ} E.$ 84 " "
- 80.10 Cor to secs. 21, 22, 27 and 28.

Land broken and rolling.
 Soil poor. Grass.
 Heavy Pine timber.

Township 21 North Range 7 East
 Gula and Salt River Meridian.

Chains North, between Sections 21 and 22.

Variation $15^{\circ}45'$ East.

- 18.50 Dry wash, 25 lns. wide, to N.E.
- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground and build mound of stones 2 ft high as per instructions for $\frac{1}{4}$ sec. cor. from which
 a Pine, 37 in dia. to S. 48° E. 65 lns. dist
 do. 25 " " " N. 60° W. 150 " "
- 80.00 Set a post, marked and notched, 4 ft long 3 in. sq. d. 1 ft in the ground, drive a charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 15, 16, 21 and 22, from which
 a Pine, 29 in dia. to S. 18° W. 103 lns. dist
 do. 20 " " " S. 30° E. 193 " "
 do. 28 " " " N. 59° W. 300 " "
 None near in sec. 15.
 Cor. falls in edge of opening.
 Land level mostly. Some good soil.
 Grass. Heavy Pine timber.

Township 21 North Range 7 East

Gila and Salt River Meridian.

Chains East, on a random line between Sections 15 and 22.

Variation 15°45' East.

Line runs through open ground.

15.00 Enter heavy timber again, br. N.E. & S.W.

40.00 Set temporary 1/4 Sec. cor.

70.00 Dry wash, 30 lbs. wide, br. S.E.

80.12 Intersect N. and S. line 12 lbs. S. of cor. to Secs. 14, 15, 22 and 23, from which cor. Run

S. 89° 55' W.

On true line between Secs. 15 & 22.

var 15°45' East

40.06 Set a post, marked 1/4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for 1/4 Sec. cor. from which

a Pine, 31 in. dia. br. S. 45° E. 24 lbs. dia.

do 30 " " N. 59° W. 60 " "

80.12 Cor. to Secs. 15, 16, 21 and 22.

Land level. Some good soil
Grass. Mostly heavy Pine
timber.

September 5, 1848.

Township 21 North Range 27 East
Gila and Salt River Meridian.

Chains

North, between Sections 15 and 16.

Variation $15^{\circ}45'$ East.

- 20.00 In opening —
 40.00 Leave opening, enter heavy timber brs. E. & W.
 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft. long, flattened
 3 in. wide, $\frac{1}{2}$ ft. in the ground, and build mound
 of stones 2 ft. high, as per instructions for
 $\frac{1}{4}$ sec. cor. from which
 a Pine, 30 in. dia. brs. S. 61° E. 179 lbs. dist.
 do 30 " " N. 27° W 151 " "
 45.00 Leave heavy timber brs. N. E. & S. W. enter opening.
 53.40 The overland road brs. S. W. & N. E.
 53.50 The house at ranch known as "Flagstaff" brs.
 N. 10.00 chs. dist.
 60.00 At a distance of 250 lbs. N. the line of cultivated
 ground at "Flagstaff" commences, runs N
 about 10.00 chs. and brs. to the W. of
 such described line.
 80.00 Set a post, marked and notched, $\frac{1}{4}$ ft. long
 3 in. sq. d. $\frac{1}{2}$ ft. in the ground, and build mound
 of stones 2 ft. high, as per instructions
 for cor. to secs. 9, 10, 15 and 16.
 from which
 a Pine, 29 in. dia. brs. N. 57° E. 102 lbs. dist.
 do 28 " " " S. 85° E. 136 " "
 No other trees near.
 Land level. Some good soil. Grass
 Scattering timber.

BOOK 382 30

Township 21 North Range 7 East

Gela and Salt River Meridian.

Chains East, on a random line between Sections 10 and 15.

Variation $15^{\circ}45'$ East.

- 18.00 Enter scattering timber trs. N.E. & S.W.
- 19.50 The old road trs. N. of S.
- 33.00 Dry wash 25' wide, trs. S.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor., and leave scattering timber trs N.W. & S.E. and enter opening again.
- 80.08 Intersect N. and S. line 22' S. of cor. to secs. 10, 11, 14 and 15. from which cor. Dams $S. 89^{\circ}51' N.$
 On true line between secs. 10 & 15. var. $15^{\circ}45'$ East
- 40.04 Set a post, marked $\frac{1}{4}$ S. of flag, flattened 3" wide, 1 ft. in the ground, and build mound of stones 2 ft. high, as per instructions for $\frac{1}{4}$ sec. cor. from which
 a Pine, 20 in. dia. trs. S. $67^{\circ} N.$ 182' long dist
 do. 31 " " " S. $72^{\circ} E.$ 617 " "
- 80.08 Cor. to secs. 9, 10, 15 and 16.
 Land uneven. Mostly stony and poor soil. But little timber of value.

Township 21 North Range 7 East

Gila and Salt River Meridian.

Chains North, between Sections 9 and 10.

Variation $15^{\circ}45'$ East.

- 10.00 Ascend on high mesa, br. NW. $45^{\circ}E$.
- 40.00 Set a post, marked $14 S. 4 ft$ long, flattened $3 in$ wide, $1 ft$ in the ground, and build mound of stones $2 ft$ high, as per instructions, for $14 sec. cor.$ from which
 a Pine, $22 in$ dia. br. $S. 55^{\circ}E. 28$ lvs. dist.
 do. 23 " " " $S. 63^{\circ}W. 45$ " "
- 80.00 Set a post, marked and notched, $4 ft$ long, $3 in$ sq. d. $1 ft$ in the ground, and build mound of stones $2 ft$ high, as per instructions for cor. to Secs. 3, 4, 9 and 10. from which
 a Pine, $12 in$ dia. br. $N. 12^{\circ}W. 58$ lvs. dist.
 do. 26 " " " $N. 69^{\circ}E. 56$ " "
 do. 25 " " " $S. 23^{\circ}E. 111$ " "
 do. 32 " " " $S. 43^{\circ}W. 72$ " "

Land uneven. Soil stony and sporr.
 Grass. Scattering timber except
 immediately around section corner
 where it is heavy.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains East, on a random line between Sections 3 and 10.

Variation $15^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.824 Intersect the N. & S. line 70 lbs. S. of cor.
to secs. 2, 3, 10 and 11, from which conduct

$S. 89^{\circ}30' N.$

On true line between secs. 3 & 10.

var. $15^{\circ}45'$ East.

39.92 Set apart, marked $\frac{1}{4}$ S. 4 ft long, flat
tined 3 in wide, 1 ft in the ground,
driven charred stake and build mound
a fourth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions for $\frac{1}{4}$
sec. cor.

No trees near.

79.84 Cor. to Secs. 3, 4, 9 and 10.

Land, in opening, br., N. & S. Uneven.
Soil rocky, Poor.

Grass. Scattering trees.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains

North, on a random line between Sections 3 and 4.

Variation $15^{\circ}45'$ East.

40.00 Set temporary 1/4 sec. cor.

76.00 to Old Beale road 60 E. and 10.

79.80 Intersect the N. boundary 23 Ws. E.
 of the cor. to secs. 3 and 4, from
 which cor. Issue
 $S. 0^{\circ} 10' E.$

On true line between secs. 3 & 4.

var. $15^{\circ}45'$ East.

39.80 Set a post, marked 1/4 S. 4 ft long,
 flattened 3 in. wide, 1 ft in the ground,
 and build mound of stones 2 ft high,
 as per instructions for 1/4 sec. cor.
 from which

A Pine 3 7/8 in. dia. brs. $N. 49^{\circ} E.$ 3 1/2' lead out.
 No other trees near.

79.80 Cor. to secs. 3, 4, 9 and 10.

Land, open and uneven. Some good
 soil. Grass. A few trees.

Township

21 North

Range

7 East

Gila and Salt River

Meridian.

Chains

North, between Sections 32 and 33.

Variation

15° 45'

East.

5.47 A Pine 28 in. dia.

9.00 do. 29 " "

40.00 Set a post, marked 14 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, and build
mound of stones 2 ft high, as per in-
structions for 14 sec. cor. from which
A Pine, 35 in. dia. br. S. 12° E. 53 in. dist.
do. 24 " " " N. 18° W. 84 " "

50.00 Set a post, marked and notched, 4 ft
long, 3 in. sq. 1 ft in the ground, and
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for cor. to Secs. 28, 29, 32 and 33
from which
A Pine, 36 in. dia. br. N. 14° W. 49 in. dist.
do. 28 " " " N. 30° E. 137 " "
do. 27 " " " S. 50° E. 185 " "
do. 29 " " " S. 57 1/2° W. 190 " "

Land broken. Soil mostly poor.
Grass. Heavy Pine timber.
Scattered oak trees & brush.

Township

21 North

Range

7 East

Gila & Salt River

Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation

15°45'

East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.88 Intersect N. and S. line 17 hrs. S. of cor to Secs. 27, 28, 33 and 34, from which cor. I run S. 89° 53' W.
- Outline line between Secs. 28 & 33.
var. 15°45' East.
- 39.94 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-topped 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor. from which
- A. Pair. 35 in. dia. br. N. 65° W. 51 hrs. dist.
do. 30 " " " S. 47° E. 42 " "
- 79.88 Cor. to Secs. 28, 29, 32 & 33.
- Land rolling. Some good soil
Grass. Heavy Pine timber.

Township

21 North

Range

7 East

Gila and Salt River

Meridian.

Chains

North, between Sections 28 and 29.

Variation $15^{\circ}45'$ East.

40.00 Set a post, marked 14 S. 4 ft long, flat-topped 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which

@ Pine, 30 in dia br. N. 10° W. 137 lvs dist
do. 29 " " " N. 37° E. 82 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in sq d, 1 ft in the ground, and build mound of stone 2 ft high, as per instructions for cor. to Secs 20, 21, 28, and 29, from which

@ Pine, 29 in dia br. S. 63° W. 20 lvs dist.
do. 27 " " " N. 62° W. 132 " "
do. 25 " " " N. 35° E. 125 " "
do. 20 " " " S. 50° E. 105 " "

Land rolling. Mostly poor soil.

Grass. Heavy Pine Timber.

Township 21 North BOOK 382 Range 7 East
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 21 and 28.

Variation $15^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

58.00 Dry wash, 25 lbs. wide, brs. N. E.

80.06 Intersect N. and S. line 11 lbs. S. of
 cor. to secs. 21, 22, 27 and 28, from
 which cor. I run
 $S. 89^{\circ}05' 5'' W.$

On true line between secs. 21 & 28.
 var. $15^{\circ}45'$ East.

40.03 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
 flattened 3 in wide, 1 ft. in the ground,
 and build mound of stones 2 ft high,
 as per instructions for $\frac{1}{4}$ sec. cor.
 from which

A Pine, 40 in. dia. brs. $S. 14^{\circ} W.$ 25 lbs. dist.
 do. 30 " " " $N. 25^{\circ} W.$ 82 " "

80.06 Cor. to secs. 20, 21, 28 and 29.

Land rolling. Soil stony & poor.

Grass. Heavy Pine timber.

Township 21 North Range 7 East

Gila and Salt River Meridian.

Chains North, between Sections 20 and 21.

Variation $15^{\circ}45'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive a chisel stake and build mound a fourth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. from which

A Pine, 24 in dia. br. N. 8° W. 27 lvs. dist.

do: 29 " " " S. 29° E. 60 " "

57.50 The overland road br. E. and W.

80.00 Set a post, marked and notched, 4 ft long, 3 in sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions for cor. to Secs. 16, 17, 20 and 21. from which

A Pine, 12 in dia. br. S. 25° W. 13 lvs. dist.

do: 20 " " " N. 10° E. 23 " "

do: 20 " " " S. 45° E. 107 " "

do: 28 " " " N. 59° W. 205 " "

Land smooth. Soil poor.

Grass. Heavy Pine timber.

Township

21 North

Range

7 East

Gila & Salt River

Meridian.

Chains

East, on a random line between Sections 16 and 21.

Variation $15^{\circ}45'$ East.

- 20.00 Descend N. 25, and leave heavy timber.
- 32.00 Spring of water 800 lbs N.
- 33.20 The inland road br. S.W. & N.E.
- 40.00 Set temporary 1/4 sec. cor.
- 45.00 Enter timber br. N.E. and S.W.
- 70.00 Timber becomes scattering and then disappears.
- 80.14 Intersect N. and S. line 39 hrs. S. of
cor. to secs. 15, 16, 21 and 22. from
which cor. I run
S. $89^{\circ}43'$ N.
On true line between secs. 16 & 21.
var $15^{\circ}45'$ East.
- 40.07 Set a post, marked 1/4 S. 4 ft. long, flattened
3 in wide, 1 ft. in the ground, and
build mound of stones 2 ft high, as
per instructions for 1/4 sec. cor. from which
A Pine, 26 in. dia. br. S. 65° E. 309 lbs. dist.
do. 31 " " " S. 13° E. 427 " "
- 80.14 Cor. to secs. 16, 17, 20 and 21.

Land descending E. then level.

Some good soil. Grass. Some heavy
timber on W.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains North, between Sections 16 and 17.

Variation $15^{\circ}45'$ East.

40.00 Set apart, marked $\frac{1}{4}$ S. 4 ft long, flattened
 3 in wide, 1 ft in the ground, and build
 mound of stones 2 ft high, as per in-
 structions for $\frac{1}{4}$ sec. cor. from which
 a Pine, 30 in. dia. br. N. 58° W. 57 lbs. dist
 do. 31 " " " S. 32° E. 105 " "

80.00 Set apart, marked and notched, 4 ft
 long, 3 in. sq. d. 1 ft in the ground, and
 build mound of stones 2 ft high, as
 per instructions for cor. to Sec. 8, 9,
 16, and 17, from which
 a Pine, 21 in. dia. br. S. 75° E. 43 lbs. dist
 do. 25 " " " N. 52° E. 72 " "
 do. 28 " " " N. 80° W. 60 " "
 do. 32 " " " S. $6\frac{1}{2}^{\circ}$ W. 112 " "

Land descending N., high table.
 Soil poor. Grass.
 Heavy Pine timber.

September 6, 1878.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 9 and 16.

Variation $15^{\circ}45'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 50.00 Leave timber br. N. and S. enter opening.
 68.00 Ranch road br. N. & S.
 79.60 Intersect N. and S. line 41 lcs. N. of
 cor. to Secs. 9, 10, 15 and 16. from which
 cor. Run
 N. $89^{\circ}42'$ W.
 On line between sec. 9 & 16.
 var. $15^{\circ}45'$ East.
- 39.80 Set a post marked $\frac{1}{4}$ S. 4 ft long,
 flattened 3 in. wide, 1 ft in the ground,
 and build mound of stones 2 ft
 high, as per instructions for $\frac{1}{4}$ sec. cor.
 from which
 a line, 30 in dia. br. N. 45° E. 23 lcs. dist
 do. 26 " " " S. 39° W. 148 " "
- 79.60 Cor. to Secs. 8, 9, 16, and 17.

Land mostly level. Much good soil
 Grass. Heavy Pine timber on N.

Township 21 North Range 7 East

Gila and Salt River Meridian.

Chains North, between Sections 8 and 9.

Variation $15^{\circ}45'$ East.

- 38-30 A Pine 28 in dia.
- 40.00 Set a post, marked 4 S. 4 ft long, flattened 3 in wide, 4 ft in the ground, and build mound of stones 2 ft high, as per instructions for 14 sec. cor. from which
 A Pine, 40 in dia. br. S. $43^{\circ}E$. 18 lbs. sect
 do. 38 " " " West. 37 " "
- 80.00 Set a post, marked and notched, 4 ft long, 3 in sq. d. 4 ft in the ground, and build mound of stones 2 ft high as per instructions for cor. to secs 4, 5, 8 and 9. from which
 A Pine, 34 in dia. br. S. $87^{\circ}W$. 27 lbs. sect
 do. 31 " " " N. $79^{\circ}E$. 47 " "
 do. 30 " " " S. $80^{\circ}E$. 59 " "
 do. 22 " " " N. $52^{\circ}W$. 126 " "

Land rolling. Soil poor.
 Grass, Heavy Pine timber.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 4 and 9.

Variation $15^{\circ}45'$ East.

- 30.00 Leave timber br. N.W. $85^{\circ}E$, enter opening.
 40.00 Set temporary $1/4$ sec. cor.
 40.60 Ranch road br. E. of S. and N.W.
 45.00 Enter timber br. N.W. and S.E.
 79.80 Intersect N. $85^{\circ}S$ line 28 lbs. S. of cor.
 to Secs. 3, 4, 9 and 10, from which
 cor. Drive
 $S. 89^{\circ}48'W$.
 On true line between sec. 4 & 9.
 var. $15^{\circ}45'$ East.
- 39.90 Set apart marked $1/4$ S. 4 ft long, flattened
 3 in wide, 1 ft in the ground, drive charred
 stakes and built mound of earth 2
 ft high, with pits 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions for $1/4$ sec.
 cor. from which
 a Pin, 42 in. diam br. S. $34^{\circ}E$, 105 lbs. dist.
 do. 28 " " " N. $44^{\circ}E$, 300 " "
- 79.80 Cor. to Secs. 4, 5, 8 and 9.

Sandstone. Some good soil.
 Grass. Some good pine timber.

Township 21 North Range 7 East
Gila and Salt River Meridian.

- | Chains | North, on a random line between Sections 4 and 5. |
|--------|--|
| | Variation $15^{\circ}45'$ East. |
| 39.00 | Leave timber brs. S.E. and N.W. |
| 40.00 | Set temporary $\frac{1}{4}$ sec. cor. |
| 49.50 | Deep rocky gulch brs. S.E. & N.W. Descend into it. |
| 50.00 | A Sheep Pen in the bottom of the gulch. |
| 51.00 | Ascend out of the gulch brs. S.E. and N.W. From this point (51.00 chs.) McMillon's House brs. W. about 400 lbs. dist. There is a Spring of water just N. of the house. |
| 63.50 | Ranch road brs. NW. and S.E. |
| 79.92 | Intersect the N. boundary 16 lbs. N. of cor. to Secs. 4 and 5. from which cor. Run S. $0^{\circ}4'$ N. on true line between Secs. 4 & 5. var. $15^{\circ}45'$ East |
| 39.92 | Set a post, marked $\frac{1}{4}$ S. 4 ft. long. flat-topped 3 in wide. 4 ft in the ground, and build mounds of stones 2 ft high, as per instructions for $\frac{1}{4}$ sec. cor. from which a Pine 43 in dia. brs. N. 57° E. 13 lbs. dist. do. 10 " " " S. 18° W. 93 " " |
| 79.92 | Cor. to Secs. 4, 5, 8 and 9. Land, descending N. then level, and some good. Grass. Scattering Pine timber. |

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains North, between Sections 31 and 32.

Variation $15^{\circ}45'$ East.

- 40.00 Setapost, marked $\frac{1}{4}$ S. 4 ft. long, flattened
 3 in. wide, 1 ft. in the ground, drive charred
 stakes and build mound of earth 1 ft
 high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide,
 as per instructions for $\frac{1}{4}$ sec. cor.
 from which
 A Pine, 26 in. dia. br. S. $52\frac{1}{2}^{\circ}$ E. 92 lbs. dist.
 do. 27 " " " N. 40° W. 9 " "
- 54.80 A Pine, 26 in. dia.
- 80.00 Setapost, marked and notched, 4 ft. long
 3 in. sqd. 1 ft. in the ground and build
 mound of stones 2 ft. high, as per in-
 structions for cor. to secs. 29, 30, 31
 and 32. from which
 A Pine, 30 in. dia. br. N. 59° E. 38 lbs. dist.
 do. 24 " " " S. 75° E. 42 " "
 do. 30 " " " S. 23° W. 26 " "
 do. 20 " " " N. $14\frac{1}{2}^{\circ}$ W. 126 " "

Land rolling. Some good soil.
 Grass. Heavy Pine timber.

Township 21 North Range 7 East

Gila and Salt River Meridian.

Chains East, on a random line between Sections 29 and 32.

Variation $15^{\circ}45'$ East.40.00 Set temporary $\frac{1}{4}$ sec. cor.80.19 Intersect N. and E. line 37 lns. N. of
cor. to secs. 28, 29, 32 and 33 from
which cor. Run $N. 89^{\circ}44' W.$

On true line between secs. 29 & 32.

var. $15^{\circ}45'$ East.40.09 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat
tined 3 in. wide, 1 ft in the ground,
drill charred stave and build a
mound 4 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor. from which
A Pine, 26 in dia. br. N. $10^{\circ} W.$ 42 lns. dist.
do. 28 " " " S. $33^{\circ} E.$ 42 " "

80.19 Cor. to secs. 29, 30, 31 and 32.

Land rolling. Some good soil
Grass. Heavy Pine timber.

Township

21 North

Range

7 East

Gila and Salt River

Meridian.

Chains

West, on a random line between Sections 30 and 31.

Variation

15°45'

East.

440.00 Set temporary 1/4 sec. cor.
 79.80 Set sect W. boundary 44 ch. N.
 of cor. to secs. 30 and 31. from
 which cor. I run

N. 89°41' E.

On true line between secs. 30 & 31.

var. 15°45' E.

39.80 Set a post marked 1/4 S. 4 ft. long. flat-
 tened 3 in. wide. 1 ft. in the ground,
 driven charred stake and build mound
 of earth 2 ft. high, with pits 1 ft. deep, 2 ft.
 long, 1 ft. wide, as per instructions for
 1/4 sec. cor. from which

A Pine, 40 in. dia. br. S. 42° E. 40 lbs. dist.

do. 28 " " " N. 46° W. 48 " "

79.80 Cor. to secs. 29, 30, 31 and 32.

Land smooth rolling E., brown W.
 Some good soil. Grass.
 Heavy Pine timber.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains North, between Sections 29 and 30.

Variation $15^{\circ} 45'$ East.

- 36.28 A Pine 24 in. dia. br.
- 40.00 Set a post, marked "4 S. 4 ft long, flattened
 3 in wide, 1 ft in the ground, drive chanced
 stake and build mound of earth 2 ft
 high with pits 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions for "4 sec. cor.
 from which
 A Pine, 33 in. dia. br., N. 19° E. 32 lbs. dist
 do. 26 " " " S. $21\frac{1}{2}^{\circ}$ W. 90 " "
- 80.00 Set a post, marked "5 notched, 4 ft
 long, 3 in. sq. d., 1 ft in the ground,
 and build mound of stones 2 ft
 high, as per instructions for cor. to sec.
 19, 20, 29 and 30. from which
 A Pine, 28 in. dia. br., S. 34° W. 25 lbs. dist
 do. 36 " " " S. 30° E. 108 " "
 do. 40 " " " N. 7° W. 35 " "
 do. 38 " " " N. 8° E. 65 " "

Land rolling. Some good soil N,
 poor on the S. Grass.
 Heavy Pine timber.

Township 21 North Range 7 East
Gila and Salt River Meridian,

Chains

East, on a random line between Sections 20 and 29.

Variation $15^{\circ}45'$ East.

- 40.00 Set temporary 1/4 sec. cor.
80.25 Intersect N. and S. line 50 hrs. S of
cont. to secs. 20, 21, 28 and 29. from
which cor. done
 $S. 89^{\circ}39' N.$
Outline line between secs. 20 & 29
var $15^{\circ}45'$ East.
- 40.12 Set a post, marked 1/4 S. 4 ft. long,
flattened 3 in. wide, 1/2 in. the ground,
and build mound of stones 2 ft.
high, as per instructions for 1/4 sec.
cor. from which
A Pine, 21 in. dia. br. N. $72^{\circ} N.$ 18 hrs. dist.
do. 24 " " " S. $63\frac{1}{2}^{\circ} E.$ 40 " "
- 43.23 A Pine 24 in. dia.
80.25 Cor. to secs. 19, 20, 29 and 30.

Land rolling & broken.
Soil poor. Grass.
Heavy Pine timber.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation $15^{\circ}45'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.81 Intersect the W. boundary 12 hrs. S.
 of cor. to secs. 19 and 30, from which
 cor. Run
 $S. 89^{\circ}55' E.$
 Outline line between secs. 19 & 30.
 var. $15^{\circ}45'$ East
 39.81 Set a post marked $\frac{1}{4}$ S. 4 ft long, flat
 tined 3 in wide, 1 ft in the ground,
 drive charred stake and build mound
 a ft high, with pits 1 ft deep,
 4 ft long, 1 ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor. from which
 A Pine, 23 in dia. br. $S. 8^{\circ} W.$ 22 hrs. dist
 do. 32 " " " $S. 17^{\circ} E.$ 83 " "
 56.76 A Pine 18 in dia.
 56.80 do 24 " "
 79.81 Cor to Secs. 19, 20, 29 and 30.

Sand rolling and broken.
 Soil poor. Grass.
 Heavy Pine timber.

Township

21 North Range 7 East

Gila & Salt River

Meridian.

Chains

North, between Sections 19 and 20.

Variation $15^{\circ} 45'$ East.

- 40.00 Set a post, marked 14 S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, and
build mound of stone 2 ft. high, as
per instructions for 14 sec. cor. from which
a Pine, 25 in. dia. br. S. 64° W. 99 lbs. dist
do. 24 " " " N. 23° E. 101 " "
- 40.89 The overland road br. N. W., then turns and at
41.30 the same road br. N. E.
- 46.02 A Pine 28 in. dia.
- 46.32 The overland road again, br. N. W. & S. E.
- 62.72 A Pine 29 in. dia.
- 80.00 Set a post, marked and notched, 4 ft.
long, 3 in. sq. d. 1 ft. in the ground, and
build mound of stone 2 ft. high, as per
instructions for cor. to Secs. 17, 18, 19
and 20. from which
a Pine, 30 in. dia. br. N. 45° E. 26 lbs. dist
do. 31 " " " S. 58° E. 22 " "
do. 39 " " " S. 25° W. 20 " "
do. 36 " " " N. 47° W. 103 " "

Land rolling. Some good soil.
Grass. Heavy Pine timber.

Township

21 North

Range

7 East

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation

15°45'

East.

40.00 Set temporary 74 sec. cor.

80.16 Intersect A. and B. line 74 lns. N. of
the cor. to secs. 16, 17, 20 and 21, from
which cor. I run
N. 89°50' W.On true line between secs. 17 & 20
var. 15°45' East40.08 Set a post, marked 74 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, and build
around a post stones 2 ft high, as per in-
structions for 74 sec. cor. from which
a Pine, 31 in. dia. br. North 15 lns. dist.
do. 38 " " " West, 61 " "

80.16 Cor. to secs. 17, 18, 19 and 20.

Land rolling. Soil poor.

Grass. Heavy Pine timber.

September 7, 1878.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains

West, on a random line between Sections 18 and 19.

Variation $15^{\circ}45'$ East.

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 67.00 Descend N. E. & S. W.
 79.81 Intersect W. boundary 14 lvs. S. of
 cor. to secs. 18 and 19. from which
 cor. I run
 $S. 89^{\circ}54' E.$
 On true line between secs. 18 & 19
 var. $15^{\circ}45' E.$
- 8.58 A Pine 32 in. dia.
 39.81 Set post, marked $\frac{1}{4}$ S. 14 ft. long, flat-
 tened 3 in. wide, 1 ft. in the ground,
 drive charred stake and build mound
 of earth of the high with pits 1 ft. deep, 2
 ft. long, 1 ft. wide, as per instructions
 for $\frac{1}{4}$ sec. cor. from which
 A Pine, 38 in. dia. N. $55^{\circ} E.$ 44 lvs. dist.
 do. 47 " " " N. $65^{\circ} W.$ 80 " "
- 79.81 Cor. to secs 17, 18, 19 and 20.

Land descending W., then level and
 some good soil. Heavy Pine timber
 on line. There is a long opening in the
 timber to S. of line in sec. 19.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains North, between Sections 17 and 18.

Variation 15° 45' East.

40.00 Set a post, marked 14 S. 4 ft long, flat-
 tened 3 in. wide, 1 ft in the ground, and
 build mound of stone 2 ft high, as
 per instructions for 14 sec. cor.
 from which

A Pinc. 30 in. dia. br. East 14 lvs. dist

do. 29 " " " S. 83° W. 30 " "

Ascend —

80.00 Set a post, marked and notched, 4 ft long,
 3 in. sq. d. 1 ft in the ground, drive charred
 stake and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions for cor.
 to sec. 7, 8, 17 and 18. from which

A Pinc. 30 in. dia. br. N. 6° E. 105 lvs. dist

do. 33 " " " N. 38° W. 135 " "

do. 20 " " " S. 47° W. 184 " "

do. 36 " " " S. 56° E. 183 " "

Land ascending N, then high
 table land.

Soil poor. Grass.

Heavy Pine timber.

Township

21 North

Range

7 East

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation

15°45'

East.

40.00 Set temporary 74 sec. cor.

80.15 Intersect N. and S. line 18 lvs. S.
of cor. to secs. 8, 9, 16, and 17, from
which cor. I run
S. 89°52' W.

On true line between secs. 8 & 17.

var. 15°45' East

40.07 Set a post, marked 74 S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
and build mound of stones 2 ft high
as per instructions for 74 sec. cor.
from which

a Pine, 26 in. dia. br. S. 32° W. 87 lvs. dist.

do. 28 " " " N. 61° E. 25 " "

80.15 Cor. to secs. 7, 8, 17 and 18.

Land broken and poor.

Grass, Heavy Pine timber.

Township

21 North

Range

7 East

Gila and Salt River

Meridian.

Chains

West on a random line between Sections 7 and 18.

Variation $15^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.60 Intersect N. boundary 30 lbs. of
 cor. to secs. 7 and 18. from which cor.
 Iron

S. $89^{\circ}47'$ E.

On true line between secs. 7 and 18.

run $15^{\circ}45'$ East

12.82 A Pine 31 in. dia.

39.60 Set apart, marked $\frac{1}{4}$ S. it follows
 flattened 3 in wide, 1 ft. in the
 ground, and built around a stone
 2 ft high, as per instructions for $\frac{1}{4}$
 sec. cor. from which

A Pine, 30 in. dia. br. N. 12° E. 41 lbs. dist.do. 33 " " " S. 39° W. 84 " "

79.60 Cor. to secs. 7, 8, 17 and 18.

Land level. Soil stony and poor.

Grass. Heavy Pine timber.

Township

21 North

Range

7 East

Gila and Salt River

Meridian.

Chains

North, between Sections 7 and 8.

Variation $15^{\circ}45'$ East.

40.00

Set a post, marked $4\frac{1}{2}$ ft. long, flattened 3 in wide, 1 ft. in the ground, and build mound of stones 2 ft high, as per instructions for $7\frac{1}{2}$ sec. cor. from which

A Pair, 24 in. dia. br. N. 71° E. 577 lbs. dist
do. 12 " " " South 477 " "

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft. in the ground, and build mound of stones 2 ft high as per instructions for cor. to Secs. 5, 6, 7 and 8. from which

A Pair, 35 in. dia. br. N. 68° E. 141 lbs. dist
do. 3rd " " " S. 75° E. 126 " "
do. 26 " " " S. 73° W. 85 " "
do. 12 " " " N. 18° W. 130 " "

Land level. Soil stony & poor.

Grass. Heavy Pine timber.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation $15^{\circ}45'$ East.

- 35.00 Deep rocky ravine, 300 lns. wide, brn N.E.
 40.00 Set a post for temporary $\frac{1}{4}$ sec. cor.
 80.11 Intersect N. and S. line 13 lns. N.
 of cor. to secs. 4, 5, 8 and 9. from
 which cor. done
 $N. 89^{\circ}54' W.$
 On true line between secs. 5 & 8.
 var. $15^{\circ}45'$ East
 40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
 tened 3 in. wide, 1 ft in the ground,
 and build around a post 2 ft high,
 as per instructions for $\frac{1}{4}$ sec. cor.
 from which
 A Pine, 24 in. dia. br. N. $80^{\circ} E.$ 9 lns. dist.
 do. 25 " " " S. $40^{\circ} E.$ 18 " "
 40.28 A Pine 29 in. dia.
 80.11 Cor. to secs. 5, 6, 7 and 8.

Land rolling. Soil poor.

Grass. Heavy Pine timber.

Township 21 North Range 7 East
Gila and Salt River Meridian.

Chains

West, on a random line between Sections 6 and 7.

Variation $15^{\circ}45'$ East.

40.00 Set temporary 1/4 sec. cor.
79.84 Intersect the W. boundary 17 1/2 lvs. N. of
cor. to secs. 6 and 7, from which cor.
Inm

N. $89^{\circ}05'3''$ E.

On true line between secs. 6 & 7.
var. $15^{\circ}45'$ East

39.84 Set a post, marked 1/4 S. 1/4 flong,
flattened 3 in. wide, 1 ft in the ground,
drill charred stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2
flong, 1 ft wide, as per instructions
for 1/4 sec. cor. from which
A Pine 24 in. diam., North 54 lvs. dist.
do. 30 " " S. $45^{\circ}W$. 35 " "

79.84 Cor. to secs. 5, 6, 7 and 8.

Land level and rolling.
Soil stony and poor.
Grass. Many Pine timber.

BOOK 382
Township 21 North Range 7 East 60

Gila and Salt River BOOK 382 Meridian.

Chains North, on a random line between Sections 5 and 6.

Variation $15^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.97 Intersect the N. boundary 18 lns. N.
a cor. to secs. 5 and 6. from which
cor. I run

S. $0^{\circ}8' N.$

run line between secs. 5 & 6.
var. $15^{\circ}45'$ East

39.97 Set apart marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground
and build mound of stones 2 ft high,
as per instructions for $\frac{1}{4}$ sec. cor.
from which

A Pile, 12 in. dia brs. S. $73^{\circ} E.$ 26 lns. dist
do. 36 " " " N. $84^{\circ} W.$ 98 " "

79.97 Cor to secs. 5, 6, 7 and 8.

Land mostly level. Soil stony and
poor. Grass.

Henry Paie timber.

September 9, 1878

GENERAL DESCRIPTION.

Township 21 N. Range 7 E. of which the foregoing are the field notes of survey of the subdivision lines joins on the S. side of the extreme E. end of the San Francisco mountains. The N. E. cor. is to a large extent open ground or covered with only scattering Pine timber. In this part is considerable fine agricultural land, and a portion of this which I saw under cultivation had produced good crops of corn and vegetables without irrigation. The balance, or about $\frac{2}{3}$ of the township, is heavily covered with merchantable pine timber, of the best variety known in Arizona, standing heavy on the ground, and of great size and height. The timber is easily accessible, and the overland road runs through the township.

The lines were blazed, line trees notched, and bearing trees marked, in accordance with instructions.

John L. Harris
U.S. Deputy Surveyor.

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

December 30 1878.

The foregoing Field Notes of the Survey of the
Subdivision Lines of
Township 21 North
Range 7 East.

Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by John L. Harris,

Deputy Surveyor, under his contract of the

29th

day of July, 1878, having been

critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
are hereby approved.

John Masson,

Surveyor General.

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of.....

The Subdivision lines of
Township 21 N. Range 7
East. of the Gila and
Salt River Meridian

Showing the respective capacities in which they
acted.

Richard Shrope Chainman.

N. Van Alstine Chainman,
W. Suastegui }
Frank Carpenter } Axeman.

Am. Angus Koel. Flagman.



64
288
Final Oath of Assistants.

BOOK 382

We hereby certify that we assisted John L. Harris U. S. Deputy Surveyor, in surveying

The Subdivision Lewis and Clark Township 21 N. Range 7 East of the Gila and Salt River Meridian

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Richard Shrope Chainman.

N. Van Nette Chainman,

Frank Carpenter Axeman.

Wm. Amos ^{for} Kalb Flagman.

D. B. Doherty Pitman

Sworn to and subscribed before me, this 13th

day of November, 1878

John R. Farrell
Notary Public

Final Oath of Deputy Surveyor.

BOOK 382

I, *John L. Harris*

Deputy Surveyor, do solemnly swear that
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the *29th* day of *July*

187*2*, I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-Gener-
al, the Surveying Manual, and the laws of the
United States, surveyed all those portions of

The Salt River Lewis of
Town 7 N. Range 7
East of the Gila and Salt
River Meridian

as are repre-
sented in the foregoing Field Notes as having
been surveyed under my directions; and I do
further solemnly swear that all the corners of
said surveys have been established and perpet-
uated in strict accordance with the Surveying
Manual and printed instructions, and also in ac-
cordance with the additional requirements con-

66
tained in circular instructions from the U. S
Surveyor-General for Arizona, dated September
1, 1873, regarding the establishment of corner
boundaries of public surveys, and that the fore-
going are the true and original Field Notes of
such surveys.

John H. Marshall
Deputy Surveyor.

Sworn to and subscribed before me, this 13th
day of November 1873

John R. Farrell
Notary Public

BOOK 382

1466. part ls. 10² 11-21N 7E

1471 - " - 3010-21N 7E