

Indexed

~~Platted~~
~~copied~~

No-384
8

P. 1

Field Notes

OF THE SURVEY OF THE

Subdivision line

BOOK 384

-OF-

Township *21 N.* Range *15 W.*

Gila and Salt River Base and Meridian

ARIZONA.

By *C. D. Wheeler* D.S.

Under contract dated *Aug. 5* " 187*8*

Survey commenced *Nov. 25* " 187*8*

Survey completed *Nov. 28* " 187*8*

No-384

384

70.

1A

T. 21 N. R. 15 E. G & S. R. M.

INDEX DIAGRAM.

Township 21 N.

Range 15 E.
BOOK 384 **BOOK 384**

6	75	5	54	4	40	3	26	2	13	1
73	72		53		39		26		11	
7	70	8	52	9	38	10	24	11	10	12
69	68		51		38		23		9	
18	67	17	50	16	36	15	22	14	8	13
65	64		48		34		21		7	
19	63	20	47	21	33	22	21	23	6	24
62		60		46	31		18		4	
30	59	29	45	28	30	27	17	26	3	25
58		57		43		29		16		2
31	55	32	42	33	25	34	15	35	1	36

Gila and Salt River, Arizona.

ARIZONA.

B

No-384

Chel.

From the Standard Cor.
to Secs. 25 and 26
on the S. Boundary of the
township recently established
by me. I run
North bet. Secs. 25 & 26
Va. 1840 E.

Diomed

4000

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

8000

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for Cor, to Secs,
25.26. 25 & 26 marked T. 21 N. S. 25 on
N. E. R. 15 E. S. 26 on S. E, S, 25 on
S, W, and S, 26 on N, W, faces with / notch
on S, and / notch on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.
and raised a mound of earth 2 ft, high. $4\frac{1}{2}$ ft.
base. around post.

T.21 N. R. 15 E. G & S. T. M

Ch.

Land nearly level.
Soil 2 h. red
Very little grass
Little cottonwood timber

East on a random line bet.
Sec. 25 and 26

Var. 100 25' E.

Down nearly level ground
32.15 Little colored line 205 lbs.
wide Co. N. 47' N.

40.00 Set temporary 14 Sec. 25.

80.32 Intersect of E. Boundary
of the township 22 with N.
of 1st Cor. to Sec. 20. 30.
31 and 36 which was
regularly established by me
thru J. I saw N 89° 46' N.
on a true line bet. Sec.
25 and 36 with same as.

T21 N. R 15 E G & S 1 N M

Ch.

40.16

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on *N.* face, dug pits 18 x 18 x 12 ins. E. and W. of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

80.22

The Cor. to Secs. 25, 26, 25 & 26
 Surface level
 Soil 2rd. rate
 Very little grass
 Little Cottonwood timber

North of Secs. 25 and 26
 Var. 10' 25' E.

D mound

22.00

Little Colorado river 150 links
 wide to N. and

D mound gradually

40.11

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on *W.* face, dug pits 18 x 18 x 12 ins. N. and S. of post 5 $\frac{1}{2}$ ft. dist. and raised

T. 21 N. R. 15 E. G & S. R. M

Cho.

a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

78,04
80,00

Wash 20 links with Co. S. 200 ft.

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs, 20, 24, 25 & 26 marked T. 21 N. S. 24 on N. E. R. 15 E. S. 25 on S. E, S, 26 on S, W, and S, 20 on N, W, face, with 2 notch on S, and 1 notch on E. edges, dug pits 13 x 13 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.

Land level

Soil 2d. note

Over grass

East on a random line bet. Secs. 24 and 25

V. 100 00' E.

Over level land

Wash Co. S. 7.

1890

T. 21 N. R. 15 E G & S. 11 M

Ch

- 37.15 Wash Co. S. 7th.
- 39.85 Wash Co. S. 7th.
- 40.00 Set temporary 1/4 Sec. Cor.
- 44.90 Road to S. 8th 2nd 7th.
- 62.95 Wash Co. S. 8th 7th.
- 70.70 Wash Co. S. 8th 7th.
- 80.04 Intersect E. Boundary of
the township 13 lbs. of white
lin. to S. 24, 25 & 30
which was recently established
by me thru S. 24
S. 89° 54' N. on a true line
bet. S. 24 and 25 with
same var.
- 40.02 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for 1/4 Sec, Cor,
marked 1/4 S. on N. face, dug pits 18 x 18 x 12
ins. E. and W. of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.
- 80.04 The box to S. 24, 25 & 26

T. 21 N. R. 15 E G & S R M

Cho.

Surface level
Soil 4th rate
Poor grass

North pt. Sec. 20524

Var. 100 30° E.

Over level land

20,000

Wash Co. W.

40,000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ S. on N. face, dug pits 13 x 13 x 12 ins. N. and S. of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

42,47

Salt Lake road to Sec. 20524

80,000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 17, 14, 23 & 24 marked T. 21 N. R. 15 E. S. 18 on N. E. R. 15 E. S. 24 on S. E, S, 23 on S, W, and S, 17 on N, W, face; with ∞ notch on S, and / notch on E. edges, dug pits 13 x 13 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 ft.

T. 21 N. R. 15 E G & S. T. M

and raised a mound of earth 2 ft, high. $4\frac{1}{2}$ ft.
base. around post.

Surface level
Soil about 3rd. rate
Frying from some sage.

East on a random line bet.
Sec. 10 and 24

Our level land

40.00

Set temporary 14 Sec. line.

79.90

Entered E. Boundary of
the township 34 links S
of the Cor. to Sec. 10, 14, 23, & 24
which was recently estab-
lished by me. Since I
run S $89^{\circ}50'$ N. on a true
line bet. Sec. 10 and 24
with same va.

T.21 N. R. 15 E G & S T M

Chs.

29.95

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12 ins. E. and W. of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

79.90

The Cor. to Sec. 13, 14, 23 and 24
 Survey land
 Soil a foot 3rd rate
 West half grazing poor
 E. half grazing good

North bet. Sec. 13 and 14
 Var. 180° 30' E.

Over level land

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

T. 21 N. R. 15 E. G & S. M

Ch.

40.21 Begin to ascend gradually
 70.40 Enter gently rolling mesa
 81.10 Set a ~~four~~ stone $4 \times 10 \times 8$ ins, 9 ins. in
 the ground for Cor. to Secs, 11, 12, 13, 14 marked
 with 4 notch on S. and 7 notch on E. edges,
 dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft.
 dist. and raised a mound of earth 2 ft. high.
 4 1/2 ft. base. alongside.

Surface level and rolling
 Soil 3rd. rate
 Good grazing

East on a sand one line
 bet. Sec. 12 and 13.

Va. $130^{\circ} 35' E.$

Land rolling

33.0 Begin to descend
 8.35 Enter level bottom
 40.00 Set temporary 1/4 Sec. cor.

81.36 Distinct E. corner of
 the township 4 2 miles S.

T.21 N. R. 15 E. G & S R M

Ch.

of the Cor. to Sec. 7, 12, 13
and 18 which was recently
re-established by me. There is
a line bet. Sec. 7, 12 and 13
with same va.

40.13

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and N. of stone $5\frac{1}{2}$ ft. dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

80.26

The Cor. to Sec. 11, 12, 13 and 14
Surface rolling
Soil 2d. rate
Good grass

North bet. Sec. 11 and 12
Va. 18' 00" E.
Over gently rolling land

T. 21 N. R. 15 E. G. & S. R. M

Ch

4000

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone $5\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

8000

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 1, 2, 11 and 12, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 21 N. S. 1 on N. E. R. 15 E. S. 12 on S. E. S. 11 on S. W. and S. 2 on N. W. faces, with notch on S, and notch on E edges.

Land gently rolling
Soil 2d. rate

Good grass

East on a sand run line bet
S. 1 and 12

T. 21 N. R. 15 E. G & S R M

Ch.

- Va. 100 20' E.
- Ascending over rolling land
- 40.00 Set monument 14 Sec. Cor.
- 55.87 2nd Found gradually of
- 79.76 Eastern side E. Bound of
- of the township 14 lines
- of the Cor. to Sec
- 1, 6, 7 and 12 which was
- recently established by me
- thru a run of 1890 5 21 ft.
- on a true line bet. Sec.
- 1 and 12 with same as
- 39.88 **Set a post 3 ft. long 3 ins. diam with marked**
- stone, 12 ins, in the ground for 1/4 Sec, Cor,**
- marked 1/4 S. on N. face, dug pits 18 x 18 x 12**
- ins. E. and W. of post 5 1/2 ft. dist. and raised**
- a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around**
- post.**
- 79.76 The Cor. to Sec 1, 2, 11 and 12
- Land rolling
- Soil 3rd. rate, good grass

T. 21 N. R. 15 E. G. & S. R. M

Ch.

Went on a random line
bet Sec. 1 and 2
Va. 130° 30' E

12.50

Descending over rolling land

Draw Co. S. W. Sec. 1

22.27

Descend gradually

40.00

Set temporary 1/4 Sec. Cor.

80.12

Intersect V. L. Boundary
of the Township 1/4 mile
E. of the line to Sec. 1, 2,
35, and 36 which was
recently established by me.
thru of Draw Co. S. W. E.
on a true line bet Sec.

40.12

1 and 2 with same va.
Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
N. and S. of stone 5 1/2 ft. dist and raised
a mound of earth 1 1/2 ft. high 5 1/2 ft. diam over
it. In N. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N.
face

14

BOOK 384

T. 21. N. R. 15 E. G. & S. R. M.

Cha

80.120

The Cor. to Sec. 12, 35 and 36

Land gently rolling

Soil Fert. rate

Good grass

Carefully examined the
 instruments of my
 Solar Compass to day
 particularly the latitude and
 reversing apparatus
 and found them correct
 C. D. Wheeler Dec. 25th 1882

T. 21 N. R. 15 E. G. & S. 1. M.

Chs.

From the Standard Cor.
to Sect 34 and 35 on
the S. Boundary of the
township recently established
by me. I run
North abt. Sect. 34 and 35
W. $130^{\circ} 45' E.$

Cor level bottom land

4000

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

78.60

Sett Colorado river 115 lbs.
with Cor. S. $80^{\circ} N.$

8000

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for Cor, to Secs,
26.27. 34 100 marked T. 21 N. S. 26 on
N. E. R. 15 E. S. 25 on S. E. S. 34 on

T21 N. R 15 E G & S R M

Chs.

S, W, and S, 27 on N, W, faces, with 1 notch on S, and 2 notches on E. edges, dug pits 19 x 19 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft, high. 4 1/2 ft. base, around post.

Surface level bottom land
Soil 3rd. rate
Light grass

East on a random line
bet. Sec. 26. and 85
Va. 130 30' E.

Over nearly level land
40.00 Set temporary 14 Sec. cor.
58.00 Little Colorado river 260
feet wide to S. 70' N.

79.79 Intersect N. and S. line
22 miles S. of the cor.
to Sec. 25. 26. 25 5. 26
thence down S. 89° 51' N.
on a true line bet. Sec.

T. 21 N. R. 15 E. G & S R M

Cho.

26 and 25 with same val.

39.90

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on *N.* face, dug pits 18 x 18 x 12 ins. E. and W. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

79.79

The Cor. to Secs. 26, 27, 34 + 35
 Superior level bottom land
 Soil 3rd. rate
 Light grass

North pt. Secs. 26 and 27
 Va. 100 2500

Low level bottom land

40,000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on *W.* face, dug pits 18 x 18 x 12 ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

T. 21 N. R. 15 E G & S R M

Ch.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 22, 23, 26 & 27 marked T. 21 N. S. 20 on N. E. R. 15 E. S. 26 on S. E. S, 27 on S. W. and S, 22 on N. W. faces, with 2 notch 10 on S, and 2 notch 1 on E. edges, dug pits 13 x 13 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high. 4 1/2 ft. base. around post.

Surface level follows land

Soil 2h. rate

Some scrubby cottonwood timber

But little grass

East on a random line bet

Secs. 23 and 26

Var. 13.45' E

Over nearly level land

34.75 Lower timber

40.00 Sit. temporary 1/4 Sec. Cor.

66.52 Wash on Pt. 75' N.

T. 21 N. R. 15 E. G & S. R. M

Chs.

72.13 End of same with Co. S. 88° W.
 80.10 Intersect N. and S. line
 10 links S. of the Cor. to
 Sec. 23, 24, 25 and 26 thru
 Corn S. 89° 50' W. on a true
 line bet. Secs. 23 and 26
 with same va.

40.00 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor,
 marked $\frac{1}{4}$ S. on th face, dug pits 18 x 18 x 12
 ins. E. and W. of post 5 $\frac{1}{2}$ ft. dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around
 post.

80.10 The Cor. to Secs. 22, 23, 26 + 27
 Land mostly level
 First half in timber
 grass open
 Some sage brush and
 goldenrod
 Soil about 3rd. set

T. 21 N. R. 15 E. G & S. 1 M

Ch.

North lot Sec. 22 & 23

T. 13 N. 45 W.

30.00 Over nearly level land
 Mark 30' thick wide Co. S. N.
 And around

40.00 Set a post 8 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
 marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
 ins. N. and S. of post 5 $\frac{1}{2}$ ft. dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around
 post.

80.00 Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins, in the ground for Cor, to Secs,
 14, 15, 22 & 23 marked T. 21 N. S. 14 on
 N. E. R. / - 5 E. S. 23 on S. E, S, 22 on
 S, W, and S, 15 on N, W, faces with 3 notch
 on S, and 2 notch on E. edges, dug
 pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist.
 and raised a mound of earth 2 ft, high. 4 $\frac{1}{2}$ ft.
 base. around post.

Land nearly level,
 Soil Fert. rate.

T. 21 N. R. 15 E G & S R M

Little grass
Small sedge brush

East on a random line
bet. Secs. 14 and 20
Va. 130° 45' E,

Over level land

40.00 St. J. corner 14 Sec. Cor.

73.45 Rod Pro. N. 10° W.

80.21 Intersect N. and S. line
, 3 links S. of the Cor.

to Secs. 14, 20 and 24
thru S. run S. 89° 05' 40" W.

on a true line bet. Secs.
14 and 20 with same va.

40.10

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and W. of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft high 5 $\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W.
face.

T. 21 N. R. 15 E. G. & S. P. M

Cho.

80.21 The Cor. to Secs. 14, 15, 22 & 23

Land level

Soil 2nd. rate

Grazing good

North bet. Secs. 14 and 15

Ve. 10° 45' E.

Over level land

40,00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.N. and S. of stone $5\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft high $5\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

44.25

Road bet. N. N. and S. E.

80,00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 10, 11, 14 & 15 marked T. 21 N. R. 15 E. S. 11 on N. E. R. 15 E. S. 14 on S. E. S. 15 on S. W. and S. 10 on N. W. face; with 4 notch on S. and 2 notch on E. edges, dug

T. 21 N. R. 15 E. G & S R M

37.21
 pits 13 x 13 x 12 ins. in each Sec., 5½ ft. dist.
 and raised a mound of earth 2 ft. high. 4½ ft.
 base. around post.

Surface level
 Soil above 4th row
 Subject to overflow
 Greenwood and Sagituck

East on a random line bet.
 Secs. 11 and 14
 Va. 10° 45' E.

Over nearly level land.

37.21
 40.00
 79.92
 Begin to ascend gradually
 Set temporary 14 Sec. corner
 Intersect N. and S. line
 25 miles N. of the corner
 to Secs. 11, 12, 13 and 14
 then I run N. 89° 48' W.
 on a true line bet. Secs.
 11 and 14 with same var.

T21 N. R 15 E G & S. R. M

Chs

39.96

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

79.92

The Cor. to Sns. 10, 11, 14 and 15
 Sand gritty rolling
 Soil about 3rd. rate
 Good grazing some sage brush

North bet. Sns. 10 and 11
 Va. 13° 45' E.

39.00
 40.00

Over mostly level land
 Begin to V. ascend
 Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

T21 NR 15 E G & S R M

Che

80,00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 2, 3, 10 and 11 marked T. 21st. S. 2 on N. E. R. 15^e, S. 11 on S. E. S, 10 on S, W, and S, 8 on N, W, faces with 5 notch on S, and 2 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft, high. 4½ ft. base. around post.

South half almost level
 Soil Fert. red
 Good ground

East on a random line
 bet. Secs, 2 and 11

Var. 13° - 35° E.

Land pretty rolling

40,00 Set temporary 14 Sec. Cor.

70,00 Draw Cor. S. H. around

80.22 Double set N. and S. line
 40 ft. of the Cor. to Secs.

T. 21 N. R. 15 E. G. & S. E. M.

Chs.

11.2.11 and 12 thence I ran
 S. $89^{\circ}42'$ W. on a
 true line bet. Secs. 2 and 11.
 with same va.

40.11

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits $18 \times 18 \times 12$ ins.
 E. and W. of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $5\frac{1}{2}$ ft. base over
 it. In E. pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on St.
 face.

80.22

The Cor. to Secs. 3, 3, 10 & 11

Land rolling

Soil Exp. rate

Good grass

North on a random line
 bet. Secs. 2 and 3

$76^{\circ}19'05''$ E.

Over nearly level land

40.00

Set temp. mark $\frac{1}{4}$ Sec. Cor.

T21 N. R 15 E G & S R M

Che.

79.83

Set out N. Boundary
 of the township 52 links
 N. of the Cor. to Sw. 2. 3. 34 and 35 which was
 recently established by me.
 thence I run S 0° 38' N,
 on a true line to Sw.
 Land & with same ca.

39.83

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N. and S. of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base over
 it. In N. pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
 face.

79.80

The Cor. to Sw. 2. 3. 10 & 11
 Land nearly level
 Soil 3rd. Vert
 Good gauging
 John Mahon Comptroller
 Nov. 25th 1882

T. 21 N. R. 15 E. G & S. E. M

Ch.

From the ^{Standard} Cor. to Sec. 33 and
34 on the S. Boundary of the
township recently established
by me. A run
North bet. Sec. 33 and 34

Va. 184518,

Over nearly level land

40,00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N. and S. of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base over
it. In N. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

50.20 Road bet. N. 85° N.

78.30 Jo. S. Bank Mill Colorado
River Co N. and ~~set~~

Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins. in the ground for ^{Witness} Cor. to Secs,
27. 28. 33-34 marked N.C. T. 21 N.S. 27 on
N. E. R. 156. S. 34 on S. E. S, 33 on
S, W, and S, 28 on N, W, face, with / notch

T21 N. R 15 E G & S R M

Ch.
 on S, and S notch W on E. edges, dug
 pits 13 x 13 x 12 ins. in each Sec., 5½ ft. dist.
 and raised a mound of earth 2 ft, high. 4½ ft.
 base. around post.

8220

To N. Bank little Colorado
 River. Co. N.

Surface nearly level

Soil 3rd. rate

Very little grass

East on a random line
 bet. Sec. 27 and 28

Var. 13° 45' E

Counting from true point for Cor.
 East Bank little Colorado river

310

Set temporary 44 Sec. Cor.

4000

79.64

Entered N. and S. line

44 links N. of 4th N. or. to

Sec. 26. 27. 34 and 35 thence

to run N. 89° 41' W. on a true

T21 N. R 15 E G & S. M

Cho.

line bet Sec. 27 and 24 with
same var.

39,82

Set a post 3 ft. long 3 ins. diam with marked -
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on $\frac{1}{4}$ face, dug pits 18 x 18 x 12
ins. E and W. of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft, high. $3\frac{1}{2}$ ft. base. around
post.

79,64

The bet Sec. 27, 28. 33 & 34
Surprisingly level
Soil 2nd rate
Very little grass

North bet. Sec. 27 and 28
- Va. 100 45' E

220

Counting from this point for Cor.
North bank little Colorado
River bet. W.

39.00

Wash 24 links wide bet S. W.
Continues over level follows

T. 21 N. R. 15 E. G & S. E. N

Ch.

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on N. face, dug pits 13 x 13 x 12 ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 21 22 27 28 marked T. 21 N. S. 22 on N. E. R. 15 E. S. 27 on S. E. S. 28 on S. W. end S. 27 on N. W. face, with $\frac{1}{2}$ notch on S, and $\frac{3}{4}$ notch on E. edges, dug pits 13 x 13 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.

Sand nearly level

Soil 3rd. rot

Scattering groundwood and sagebrush

Little grass

East on a random line
bet. Secs. 22 and 27

T21 N. R. 15 E. G & S. 1 M

Chas.

Va. 18045 E.

5.50

Open level land
 little Colorado River 200 Chas wide
 Co. S. W.

40.00

79.85

Set temporary 1/4 Sec. Cor.
 between S. and S. line
 5/8 links N. of the
 Cor. to Secs. 22, 23, 26 & 27
 then I ran N. 89°
 85' W. on a true line bet.
 Sec. 22 and 27
 with same ca.

39.92

Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins. in the ground for 1/4 Sec. Cor,
 marked 1/4 S. on N. face, dug pits 18 x 18 x 12
 ins. E. and W. of post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
 post.

79.85

The Cor. to Secs. 22, 23, 26 & 27
 Land nearly level
 Soil ext. to 4th set

T. 21 N. R. 15 E. G & S. 1. M

Land nearly level
 Very little grass
 Soil under brush of greasewood
 and sage brush

North bet. Secs. 21 and 22
 Va. 120° 45' E.

Acres

40,000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12 ins. N. and S. of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

8,000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 5, 6, 21 & 22 marked T. 21 N. S. 16 on N. E. R. 15 E. S. 22 on S. E, S, 21 on S, W, and S, 16 on N, W, faces, with 3 notch on S, and 3 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$ ft. base. around post.

T21 N. R. 15 E. G & S. N

Chas

from which a cottonwood
8 ins. in diam. trs. $N. 84^{\circ} E.$
83 links dist. marked $S. 21 N.$
 $R. 15 E.$ $S. 15$ $Q. S.$

a cottonwood 12 ins. in diam.
trs. $S. 3^{\circ} 30' E.$ 123 links
dist. marked $S. 21 N.$ $R. 15 E.$
 $S. 22.$ $Q. S.$

a cottonwood 8 ins. in diam
trs. $N. 67^{\circ} W.$ 127 links dist.
marked $S. 21 N.$ $R. 15 E.$
 $S. 16$ $Q. S.$

No other trees within limits

Surface nearly level

Soil 2nd. to 3rd. cat

Some scattering cottonwood
timber, $N. 15$ $Q. S.$

Cast on a random line
bet. $S. 15$ and 22

T21 N. R. 15 E G & S. M

Var. 130° 45' E.

Ascend

40.00 Set temporary 14 Sec. Cor.
 79.92 Intersection of A. and S. line
 10 links N. of the Cor.
 to Sec. 14, 15, 22 & 23
 thence S. run N. 89° 56' W.
 on a true line bet Sec.
 15 and 22 with same

var.

3996 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor,
 marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
 ins. E. and W. of post 5 $\frac{1}{2}$ ft. dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base. around
 post.

19.92 The bog to Sec. 14, 15, 22 & 23
 Surface level
 Soil 3rd. rate
 Some grass

T21 N. R 15 E G & S M

Cha.

North to Sec. 15 and 16
 Va. 100 80° E.

Over level bottom land

4000

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12 ins. N. and S of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

8000

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs, 9, 10, 15 & 16 marked T. 21 N. S. 10 on N. E. R. 15 E. S. 15 on S. E, S, 16 on S, W, and S, 9 on N, W, faces with 4 notch on S, and 8 notch on E. edges, dug pits 13 x 13 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$ ft. base. around post.

Land perfectly level

Soil 2d. rate

Fair grass some sage brush

Water in post in wash on S. half.

T21 N. R 15 E G & S. N

Ch,

East on a random line
 bet. Sec. 10 and 15
 Var. $100^{\circ} 00''$

Over level land

40.00 Set temporary 1/4 Sec. Cor.

74.50 Road to A. H.

80.15 Enter at N. and S. line 34
 links S. of the Cor. to
 Secs. 10, 11, 14 and 15 - thence
 S. $89^{\circ} 45'$ N. on a true
 line bet. Sec. 10 and 15
 with same var.

40.08 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins. in the ground for 1/4 Sec. Cor.
 marked 1/4 S. on N. face, dug pits 18 x 18 x 12
 ins. E. and W. of post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
 post.

80.15 The Cor. to Sec. 9, 10, 15 & 16
 Land level
 Soil 3rd. rate

T21 N. R 15 E G & S T. M

Very little grass
 Plenty of sage brush

North bet. Sec. 9 and 10
 Va. 10' 35' E.

Ascend

39.00 Salt Lake Road bet. N. 50' W.
 and S. 51' E.

40.00 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor,
 marked $\frac{1}{4}$ S. on W. face, dug pits 18 x 18 x 12
 ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
 post.

80.00 Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins. in the ground for Cor, to Secs,
 3, 4, 9 and 10 marked T. 21 N. S. 3 on
 N. E. R. 15 E. S. 10 on S. E, S, 9 on
 S, W, and S, 4 on N, W, face, with σ notch
 ω on S, and ρ notch ω on E. edges, dug
 pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft.
 base. ground post.

T21 N. R 15 E G & S. M

Ches.
 Surface quartz rolling
 Soil 3rd. water
 Little grass

East on a rounded line bet. Sec.
 3 and 10

Va. 18° 30° E.

Over level land

20.00

Wash 11 links widey Co. S 20° V.

40.00

Set temporary 1/4 Sec. Cor.

62.00

around

80.40

I entered N. and S. line

16 links S. of the C. C.

to Sec. 3, 10 and 11.

thence I ran S. 59° $50'$ W. on

a true line bet. Sec.

3 and 10 with same or.

40.20

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pile 18 x 18 x 12 ins.
 E. and W. of stone $5\frac{1}{2}$ ft. dist and raised
 a mound of earth 14 ft. high $3\frac{1}{2}$ ft. base over

T. 21 N. R. 15 E. C & T. M

Chs.

11. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on N. face.

8040

The Cor. to Sec. 3, 4, 9, 10
 Surface level
 Soil 2d. to 4th rate
 No grass

North on a rounded line to
 Sec. 3 and 4

Va. 18° 35' E.

Over nearly level land

29.50

Wash 91 links wide Co. S. E.

4.00

St. temporary 14 Sec. Cor.

80.08

Entrance of Boundary of the
 Township 60 links N. of the
 Cor. to Sec. 3, 4, 33 & 34 which
 was recently set at the 2d by me
 then I ran S. 80° 34' W.
 on a true line to Sec.

T. 21 N. R. 15 E. G & S. M.

Che.

3 and 4 with- said

40.08

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12 ins. N. and S. of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

80.08

The Cor. to Secs. 3, 4, 9 and 10
 Surface gently rolling
 Soil 2nd. red
 No grass

I carefully examined the
 adjustments of my Solar
 Compass to-day particularly by
 the latitude and reversing
 apparatus and found them
 correct

C. D. Wheeler Nov. 27th 1852

T21 N. R 15 E C & S. M

Ch.

From the ^{Standard} 2nd Cor. to Sec. ~~40~~
 39 and 38 on the South
 Boundary of the township which
 was recently established by me
 I run North 1/2
 Sec. 32 and 33
 Val. 12' 30" E.

Over level land.

48.00

Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins. in the ground for 1/2 Sec. Cor,
 marked 1/2 S. on N face, dug pits 18 x 18 x 12
 ins. N. and S. of post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
 post.

43.05

Road No. A. 250 ft.

79.01

Road No. A. 390 ft.

80.00

Deposited a marked stone 12 ins. in the
 ground for Cor. to Secs. 28, 29, 32 & 33, dug pits
 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and
 raised a mound of earth 2 ft. high 4 1/2 ft. base
 over it. In S. E. pit drove a stake 2 ins. sq. 2
 ft. long 12 ins. in the ground marked T. 21 of.
 S. 25 on N.E. R. 15 E. S. 33 on S.E. S. 32

T21 N.R. 15 E. G & S. R. M

Ch.

on S. W. and S. 29 on N. W. faces, with
 1 notch on S, and 4 notches
 on E edges.

Land level

Soil sandy 4th rate

~~no grass~~

Water in pools in several
 places along line.

Cast on a random line
 bet. Secs. 25 and 30

Ve. 10° 30' E.

Over level land

28.95

West Bank Little Beland. River
 Co. N. 47° W. at this point.
 Set a post 3 ft. long 3 ins. dia.
 with marked stone 12 ins. in
 the ground for 114 S. N. G.
 marked N. G. 114 S. on N. face
 dug pits 18 x 18 x 12 ins.

T21 N. R 15 E G. & S. L. M

Ch.

E. and N. of post $5\frac{1}{2}$ ft.
dirt and raised a
mound of earth $1\frac{1}{2}$ ft.
high $2\frac{1}{2}$ ft. base around post.
Remainder of line in Basin

T21 N. R 15 E G & S. M

Ch-

North 10, Sec, 25 Aug 29
Val 180000

71.22 Our land land
Enter Little Colorado River
Co. S. 20° N. wood stumps N.E.

81.91 Same Little Colorado river Co. N.E.

4900 Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 19
ins. N. and S. of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
post.

47.20 from which is a cottonwood
tree in drain, Co. S. 20° N. ^{60 lbs. dist} marked
N 4 S. C. T.

A cottonwood tree in drain Co
S. 40° N. ^{40 lbs. dist} marked N 4 S. C. T.

47.20 Little Colorado river
220 links wide
Co. S. 70° N.

46

T. 21 N. R. 15 E. G & S. 1. M

Chs.

80,00

Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins, in the ground for Cor, to Secs,
 20, 21, 28 & 29 marked T. 21 N. S. 21 on
 N. E. R. 15 E. S. 28 on S. E, S, 29 on
 S, W, and S, 20 on N, W, faces, with 2 notch-
 es on S, and 4 notches on E. edges, dug
 pits 13 x 13 x 12 ins. in each Sec., 5 1/2 ft. dist.
 and raised a mound of earth 2 ft, high. 4 1/2 ft.
 base. around post.

Sand level

Soil 3rd. cut

Scattering sagebrush No grass

Part of a random line
 bet. Sec. 21 and 28

29. 13° 45' E.

Very nearly level land

40,00

Set temporary 1/4 Sec. cor.

79.76

Intersect N. and S.
 line 34 links S. of the
 cor. to Sec. 21. 22. 27 & 28

T.21 N. R. 15 E G & S I. M

Chs.

thru I run S. 89° 45' W.
over true line bet Sec
21 and 28 with same va

3988

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and W. of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft high 3 1/2 ft. base over
it. In E. pit drove a stake 2 ft long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N.
face.

79.76

The Cor. to Sec. 20, 21, 28 & 29
Land level
Soil ind. note
Scattering sagebrush No grass

North to Sec. 20 and 21
Va. 12° 45' E.

40.00

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
N. and S. of stone 5 1/2 feet dist each raised
a mound of earth 1 1/2 ft high 3 1/2 ft. base over
it. In N. pit drove a stake 2 ft long 2 ins

T. 21 N. R. 15 E G & S. 1 M

Chs.

it. In *A*. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on *A*. face.

80,00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs, 16, 17, 20 & 21 marked T. 21 *A*. S. 16 on N. E. R. 15 E. S. 21 on S. E, S, 20 on S, W, and S, 17 on N, W, face, with 3 notch *u* on S, and 4 notch *u* on E. edges, dug pits 13 x 13 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$ ft. base. ground post.

Surface nearly level

Soil Fert. rate

Scattering sage brush

East on a random line bet. Secs. 16 and 21

Vol. 18045-19

Ground nearly level land

Road 100 Ch. wide to S. W.

15,00

T.21 N.R 15 E G & S. M

Ch

40.00 Set temporary 1/4 Sec. Cor.
 59.00 Road 12 ch. wide to N. and S.
 79.65 Eastern end of N. and S. line 2/3
 miles S. of the Cor. to Sec.
 16, 17, 20 & 21 thence I ran
 S. 51° 51' W. on a true line
 bet. Secs 16 and 21
 with same var.

39.84 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for 1/4 Sec, Cor,
 marked 1/4 S. on N. face, dug pits 18 x 18 x 12
 ins. E. and W. of post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
 post.

79.65 The Cor. to Sec. 16, 17, 20, and 21
 Surface nearly level
 Soil 2nd. rate
 Some scattering sag stones
 Little gorges

T. 21 N. R. 15 E. G & S. 1. M

Drs.

North bet. Secs. 16 and 17
 Va. 120 45° E.

One nearly level land
 through timber

10.00

Leave timber and begin
 to mound

40.00

Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{2}$ Sec, Cor,
 marked $\frac{1}{2}$ S. on N. face, dug pits 13 x 13 x 12
 ins. N. and S. of post 5 $\frac{1}{2}$ ft. dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around
 post.

80.00

Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins, in the ground for Cor, to Secs,
 8, 9, 16 and 17 marked T. 21 N. S. 9 on
 N. E. R. 15 E. S. 16 on S. E, S, 17 on
 S, W, and S, 8 on N, W, faces, with 4 notch
 on S, and 4 notch on E. edges, dug
 pits 13 x 13 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist.
 and raised a mound of earth 2 ft, high. 4 $\frac{1}{2}$ ft.
 base. around post.

Surface nearly level

T.21 N. R. 15 E. G & S. N. M

Ch.

Soil 3rd. sat.
 Very little grass
 Some scattering sagebrush

East on a road one mile bet.
 Sec. 9 and 16

Va. 100° 45' E.

Over nearly level land

4000
 79.73

Set temporary 1/4 Sec. Cor.
 at point of N. and S. line
 20 links N. of the Cor.
 to Sec. 9, 10, 15 & 16.

Then I run N. 89° 49' W.
 on a true line bet. Sec.

9.86

9 and 16 with same va.
 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for 1/4 Sec. Cor.
 marked 1/4 S. on N. face, dug pits 18 x 18 x 12
 ins. E. and W. of post 5 1/2 ft. dist. and raised
 a mound of earth 1 1/2 ft. high. 3 1/2 ft. base. around
 post.

T.21 N. R. 15 E. G. & S. R. M

Obs.

79.73 The Cor. to Secs. 8, 9, 16 & 17
 Surface nearly level
 Soil 2^d rate
 Some grass brush

North bet. Secs. 8 and 9
 Va. 120° 45' E.

Ascending over nearly level land
 40.00 Set a post 3 ft. long 2 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
 marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
 ins. N. and S. of post 5 $\frac{1}{2}$ ft. dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft, high. 3 $\frac{1}{2}$ ft. base. around
 post.

80.00 Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins, in the ground for Cor, to Secs,
 4, 5, 8, 9 marked T. 21 ch. S. 4 on
 N. E. R. 15 E. S. 9 on S. E, S, 8 on
 S, W, and S, 5 on N, W, face; with 5 notch
 W on S, and 4 notch S on E. edges, dug
 pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist.
 and raised a mound of earth 2 ft, high. 4 $\frac{1}{2}$ ft.
 base. around post.

T21 N. R 15 E G & S 1 M

Chs.

Surface nearly level
 Soil 2nd. rate
 Some sagebrush
 Very little grass

East on a random line bet.
 Secs. 4 and 9

Var. $31^{\circ}45'$ E.

24.15 Road bet. N. 50' W. and S 50' E.

40.00 Set temporary 114 Sec. 114.

79.75 Intersect E. and S. line of
 Sec. 4. of the Cor. to Sec. 9.

2. 4. 9 and 10 then
 run S $59^{\circ}40'$ W. on a
 true line bet. Secs. 4 and 9
 with same var.

39.89

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{2}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E. and W. of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In E. pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked S on

T21 N. R 15 E G & S M

Chs.

sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on σ_2
face.

79.78 The Cor. to Sec. 4, 5, 8 & 9
Surface nearly level
Soil 3rd. Tract
very little grass

North on a random line bet.
Sec. 4 and 5

19.80 Road bet. S. W. $\frac{1}{4}$ S. E.
40.00 Set temporary 1/4 S. Cor.
80.19 Northwest σ_1 Boundary

of the township 24
blocks N. of the Cor.
to Sec. 4, 5, 22 and 23
which was recently established
by me. Then I ran
 $S 80^{\circ} 10' W.$ on a true
line bet. Sec. 4 and 5

T. 21 N. R. 15 E. G & S. 1 M

with same ca.

40.19 Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12 ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

80.19 The Cor. to Sec. 4, 5, 8 & 9
Surface nearly level
Soil 2d. to 4th rate
Very little grass
Some sagebrush
John Mahon Nov. 27th 1882

From the Standard Cor.
to Sec. 31 and 32
on the S. Boundary of
the township recently established
by me. I run North
1/4 Sec. 2 and 32
Va. 18000000

T21 N. R 15 E G & S M

Chas.

40,00

Set a *Trunk* stone, 20 x 19 x 4 ins., 10 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on N. face, dug pits 18 x 18 x 12 ins. N. and S. of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

60,00

Leave dry lake to E. and N. Surface contains very nearly level

80,00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 29, 30, 31 and 32 dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 2/4. S. 29 on N. E, R. 15 ES. 32 on S. E. S. 31 on S. W. and S. 30 on N. W. faces, with / notch on S, and 5 notch on E edges.

Surface nearly level
 No vegetation just 40 Chas.
 Some scattering sage-
 brush on lot 2, Chas.

T. 21 N. R. 15 E. G & S. 1 N.

Chas

East on a random line
 bet. Secs. 29 and 32

Var. $18^{\circ} 30' E.$

Ascend very gradually

40.00 Set temporary $1/4$ Sec. Cor.

42.25 Begin to descend gradually

70.03 Road bet. St. $20^{\circ} E$

79.70 Road bet. St. $22^{\circ} N.$

80.18 Enter bet. St. and S. line

13 links S. of the Cor.

to Secs. 28, 29, 32 and 33

thence I run $S. 89^{\circ} 54'$

$N.$ on a true line bet.

Secs. 29 and 32 with

same var.

40.09 Deposited a marked stone 12 ins. in the

ground for $1/4$ Sec. Cor. dug pits $18 \times 18 \times 12$ ins.

$E.$ and $N.$ of stone $5 1/2$ feet dist and raised

a mound of earth $1 1/2$ ft. high $3 1/2$ ft. base over

it. In $E.$ pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $1/4$ S. on $N.$ face.

T. 21 N. R. 15 E. G & S. M

Cho

80.18 The Cor. to Sec. 29. 20. 8/882

Surface nearly level

Soil about 3rd. rate

Some sage brush and greenwood

No grass
O. D. Wheeler. Nov. 28th 1882

Met on a random line

bet Sec. 30 and 31

N. 10° 30' E.

Descend gradually

750 Enter dry lake Co. N.E.

8200 Leave " " "

4000 Set temporary "4 Sec. Cor.

77.725 Enter cut N. Bound ary of
the township 20 links S.

of the Cor. to Sec. 20,
30. 31 and 36 which was
recently established by me
thru S. 89° 07' E.

T21 N.P. 15 F.C. & S.E.N

Ch.

on a true line bet
Sec. 30 and 31
with same Va.

3972

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

7972 The Co. to Sec. 29, 30, 31/32

Surface gently rolling
Soil Fert. water
Good grass
Some sage on N. half
John Mahan Nov. 28th 1882.

North bet. Sec. 29 and 30
Va. 18° 30' N

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over

T. 21 N. R. 15 E G & M

Ches.

a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on N. face.

8000

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 19, 20, 29, 30, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 21/04. S. 20 on N.E. R. 15 S. 29 on S.E. S. 30 on S.W. and S. 19 on N.W. faces, with 2 notch on S, and 5 notch on E edges.

Surfa nearly level
Soil sandy
Some Sage brush

East on a random line bet. Secs. 20 and 29 Va. 1 30 30' E.

4000

In ~~Ches.~~ ~~Dist.~~ Set temporary 1/4 S. Cor.

T21 N. R15 E G & S W

Chas

- 49.0 Salt Lake City Road to. $41^{\circ}00' N.$
 57.10 Little Colorado river to. $41^{\circ}50' N.$
 79.90 Intercut N. and S. line
 20 links S. of the Cor.
 to Sec. 20, 28 and 29
 thence I run $S. 89^{\circ}51' W.$
 on a true line to Sec
 20 and 29 with same in

39.95 Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E. and W. of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In E. pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on $W.$
 face.

79.90 The Cor. to Sec. 19, 20, 29 & 30

Sugar nearly level

Soil 3rd. rate

Some sag brush

C. D. Wheeler Nov. 28th 1872

T. 21 N. 15 E. C. & M

Chas.

Went on a random line
bet. Secs. 19 and 30
Va. 101 30' E.

Proceed gradually

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

43.27 Enter mound bet. A. and S.

79.93 Located old $\frac{1}{4}$ Sec. Boundary
of the township 48 Tunks
S. of the Cor. to Secs.
19 24. 25 and 30 which
was recently established
by me. Thence I run
S. 89° 39' E. on a true line
bet. Sec. 19 and 30
with sand ran.

39.93

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and W. of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W.
face.

T. 21 N. R. 15 E. G & S. 1. M

Chs.

7990 The Cor. to Secs. 19, 20, 29 and 30
 Surface nearly level
 Soil 3rd rate
 Good grass
 John Mahon Nov. 28th 1882

North pt. Secs. 19 and 20
 Va. 10th 20th E.

4000 Over nearly level land
 Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N. and S. of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In N. pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
 face.

4225 Enter level mesa

6275 Salt Lake road trs. Ct. 10th N.

8000 Set a post 4 ft. long 4 ins. square, with marked
 stone, 12 ins. in the ground for Cor. to Secs,
 17, 18, 19 & 20 marked T. 21 N. S. 17 on
 N. E. R. 10th E. S. 20 on S. E. S, 19 on
 S. W, and S, 18 on N, W, faces with ∞ notch
 on S and notch on E edges

T. 21 N. R. 15 E. G. & M

Chs.

on S, and 5 notches on E. edges, dug
 pits 13 x 13 x 12 ins. in each Sec., 5½ ft. dist.
 and raised a mound of earth 2 ft. high. 4½ ft.
 base. around post.

Land gently rolling
 Soil 2d. rate
 Good grass

East on a random line
 bet. Sec. 17 and 20
 Va. 13030' E.

Descend gradually

39.50 West Bank Little Colorado
 River Co. N. 40° W. S. temporary 14

41.20 East Bank Little Colorado
 River Co. N. 40° W.

45.00 Enter timber

80.10 Intersect N. and S. line
 31 miles N. of the Cor.
 to Secs. 14, 17, 20 & 21
 thence down N. 89° 47' W.

T. 21 N. R. 15 E. G & S. R. M.

Che.

on a true line bet. Sec. 17

17⁹⁴ 20 with same ca

40.06

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. ^{Return} Cor. marked $\frac{1}{4}$ S. on ^{the} N. face, dug pits 13 x 18 x 12 ins. E. and N. of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

80.13

The line to Sec. 17, 18, 19 and 20

Surface gently rolling

Soil 2nd rate

Very little grass

Some hollowed timber on E. half
O. D. Wheel ~~25~~ 25" 155

Met on a round out line
bet. Sec. 18 and 19

Va. 130 80° E.

Over rolling mesa

40.00

Set temporary 1/4 Sec. Cor.

43.50

Set 1/4 road to

N. 70° W.

T. 21 N. R. 15 E. C. & S. W. 1/4

Chs.

68.40 Road to C. E.
 79.40 Intersect N. boundary of the
 township 20 miles S. of the
 Co. to Sec. 13, 15, 19 and 24
 which was recently established
 by me, John Mahan
 S. $89^{\circ}51'E$. on a true
 line bet. Sec. 18 and 19
 with same va.

89.40 Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E. and W. of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In E. pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
 face.

79.40 The Co. to Sec. 17, 18, 19 & 20
 Surface pretty rolling
 Soil 3d. red
 Good grass
 John Mahan Comptroller
 Nov. 28th 1882

T. 21 N. R. 15 E. G & S. 1 N

Chs.
North bet. Secs. 17 and 18
Va. 13° 30' E.

A gradual descent
Descend abruptly into Bottom

20.00
40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone $5\frac{1}{2}$ ft. dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In Cr. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

48.90
60.20
64.20
80.00

Little Colorado river Co. N. 20° W.
Benton river Co. N. 25° E.
Leave Little Colorado river Co. N. 20° E.

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs, 7, 8, 17 and 18 marked T. 21 N. S. 8 on N. E. R. 15 E. S. 17 on S. E. S. 18 on S. W. and S. 7 on N. W. faces with 4 notch on S. and 5 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base around post.

T. 21 N. R. 15 E. G. & S. M.

Ch.

Surface gently rolling
 Soil 2nd. rate ✓
 Poor grass, some sage brush
 and greasewood brush
 Some cottonwood timber
 Water in river very salty

Exact on a random line
 bet. Sec. 8 and 17
 Va. 120° 30' W.

Over level bottom

11.45

Little Colorado river 2.30 Ch.
 wide by N. 55° W.

40.00

Set temporary 14 Sec. Cor.

56.00

Lean timber

80.00

Entered N. and S. line
 14 links N. of the Cor.
 to Secs. 16 and 17
 thence I run N. 89° 50' W.
 on a true line bet.
 Sec. 8 and 17 with same va.

T.21 N. R. 15 E. G & S. 1. M

Ch.

40.15

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on $\frac{1}{4}$ face, dug pits 18 x 18 x 12 ins. E. and W. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft, high. $3\frac{1}{2}$ ft. base. around post.

50.30

The Cor. to Sect. 7, 8, 17 and 18
 Surface gently rolling
 Soil Fert. rich
 Poor grass, some sagebrush
 and greenwood

Next on a random line
 bet. Sec. 7 and 18

20.10 201 E.

35.20

In own bottom
 Enter level mesa

40.00

Set temporary 1/4 Sec. Cor.

79.21

at point V. N. Boundary of
 the township 11 links E. of
 the Cor. to Sect. 7, 12,
 13 and 18 which was

T. 21 N. R. 15 E. C & M

Cho.

recently established by me,
thru Iron Pt. $89^{\circ} 55' E.$
on a true level bet.

Sec. 7 and 18 with same

89.21

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E. and W. of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

79.21

The Co. to Sec. 7, 8, 17 and 18
O. half in river bottom
Plenty of sage brush and greasewood
Considerable cottonwood timber
No grass. Soil 3rd. rate
Most half level mesa, good
grass. Soil about 3rd. rate
John Mahon Apr. 28th 1852

North bet. Sec. 7 and 8
 $Va. 13^{\circ} 30' E.$
Over level bottom

T. 21 N. R. 15 E. G & S. R. N

Che.

- 5.13 Ship ranch and Cabin to,
E. 139 links dist.
- 14.50 S. Bank of river to, 1.500 ft.
- 16.00 Low river to N. 500 ft.

40.00 Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ S. on N. face, dug pits ~~13 x 13 x 12~~ ~~ins. N. and S.~~ of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

from which a cottonwood
10 ins. in diam. to N. 39° N.
142 links dist marked $\frac{1}{4}$ S.
O. I. a cottonwood 10 ins,
in diam to S. $22^{\circ} 40' E.$
170 links dist marked $\frac{1}{4}$ S. O. I.

80.00 Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins, in the ground for Cor, to Secs,
56.75 8 marked T. 21 N. S. 5 on
N. E. R. 15. S. 8 on S. E, S, 7 on
S, W, and S, 6 on N, W, faces with notch
on S, and notch on E. edges, dug
pits 13 x 13 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.
and raised a mound of earth 2 ft, high. $4\frac{1}{2}$ ft.

T21 N. R. 15 T. 2 S. M

Chs.

base. around post.

from which a cottonwood
12 ins. in diam. to

N. 40° E. 96 links dist.

marked C. 21 N. R. 15 E. S.

S. W. C. a cottonwood 10 ins.
in diam. to S. 26° N. 129

links dist. marked S. 21 N.

R. 15 E. S. 7 W. T.

Surface level follows

Soil 3rd. rate

Very little grass

East on a random line bet.

Sws. 5 and 8

Va. 13° 45' E.

10.00

Leave timber and begin to clear

40.00

Set temporary by Sw. line.

79.58

Determine N. and S. line

8 links N. of the Cor.

to Sw. 4.5. 8 and 9

T21 N. R. 15 T. 6 & 7 N.

Ch.

thence I run N. 89° 57' W.
on a true line bet. Secs.
5 and 8 with same var.

39, 94

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor.
marked $\frac{1}{4}$ S. end face, dug pits 18 x 18 x 12
ins. E. and W. of post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around
post.

79.85

Sec. Cor. to Secs. 5, 6, 7 and 8
Surface gently rolling
Soil red. to 4th rate
Some sagebrush
O. D. Wheeler. Nov. 28th 1882.

Met on a random line
bet. Secs. 6 and 7

Var. 10° 45' E.

Dipend gradually

40.00

Set temporary $\frac{1}{4}$ Sec. Cor.

52.00

Cross little Colorado River
850 links wide bet. A. H.

T21 N. R. 15 T. C. & M

Cho.

79.59 Ascend gradually
 Enter at N. Boundary
 of the Township 15 links
 S. of the Cor. to Sec,
 1, 6, 7 and 12 which, was
 recently established by me.
 Thence I run S. 50° 54' E.
 on a true line to Sec,
 6 and 7 with same ca.

89.59 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
 marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
 ins. E. and W. of post 5 $\frac{1}{2}$ ft. dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around
 post.

79.59 The Cor. to Sec, 5, 6, 7 and 8
 Surface gently rolling
 Soil Sd. water
 Very little grass.
 Found sage brush
 Q. D. Wheeler Nov. 25th 1852

T. 21 N. R. 15 E. G & S. W. M.

Ch.

North on a random line
bet. Secs. 5 and 6

Val. 1345¹⁰

Accord -

9.00

Clear timber

40.00

Set temporary 14 Sec. Cor.

79.92

Established S. boundary
of the township

On the N. of the Cor. to

Sec. 5.6. 21 and 22 which
was recently established to run
thence S. 55° 14' W.

on a true line bet. Secs.
5 and 6 with same val.

89.92

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
ins. N. and S. of post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around
post.

79.92

Set Cor. to Secs. 5, 6, 7, & 8.

Surface gently rolling

Soil Fert. rate
 Very little grass
 Some sage brush

I carefully examined the
 adjustments of my Solar
 Compass today
 particularly the level
 and indexing apparatus
 and found them correct.

John Mahon
 Compassman
 Nov. 28th 1892

T. 21 N. R. 15 E. G & S. R. M

77

General Description

The Little Colorado River
 runs through the Township
 from the extreme S. E.
 to the S. W. parts
 and affords plenty of water
 which is very salty
 and alkali in summer.
 On each side of the
 river for a number
 of miles the country is
 very sandy and no grass,
 with some saginaw and
 plenty of greasewood.
 The River is lined with
 a heavy growth of
 cottonwood timber.
 In the S. W. part
 is a dry lake
 covering the greater part
 of Sec. 21
 It is void of any vegetation

T. 21 N. 15 E. G & S. R. M.

and subject to inundation
Soil adobe

The N.E. part of the
township is rolling and
sandy some grass
Two forks of the Salt Lake
road run through the T^h,
Soil about 2nd. rate

For final notes
see Book A-20

U. S. Surveyor General's Office,
Tucson, Arizona, July 21, 1883, ~~18~~

The foregoing Field Notes of the survey of the
Subdivision line of T₁. 21 North,
Range 15 East,

of the Gila and Salt River Base and Meridian, Arizona
executed by O. W. Wheeler
D. S., under his contract of the 5th day
August, 1882, having been critically
amined and the necessary corrections and explanati
made, the said Field Notes and the surveys they
scribe, are hereby approved.

W. P. Smith S. G.