

3.

No 415

BOOK 415

4-671

415

FIELD NOTES

GENERAL LAND OFFICE.

Subdivision

Township 22 N. R. 4. E.

No 415

Indexed Book 416.

126

Township 22N R. 4E

6	138	5	4	3	2	1
136	134					
7	131	8	9	10	11	12
129	128					
18	17	16	15	14	13	
19	20	21	22	23	24	
30	29	28	27	26	25	
31	32	33	34	35	36	

hams. Suts. T. 22 N. R. 4 E. (Cont)

on E. edges. and raised a
mound of stone 14 1/2 ft high
3 ft. base. along side from which
A pine. 26. ins. diam. No. N. 70° 05'
E 26 hrs. dist. marked T. 22 N
R. 4 E. S. 8. T. B. T.

A pine 6 ins. diam. No. S. 21° E.
96 hrs. dist. marked T. 22 N
R. 4 E. S. 17. T. B. T.

A pine 25 ins. diam. No. S. 58° 20'
W. 35 hrs. dist. marked T. 22
N. R. 4 E. S. 18. T. B. T.

A pine. 16 ins. diam. No. N. 10° 25'
W. 40 hrs. dist. marked T. 22 N
R. 4 E. S. 7. T. B. T.

Land, rolling
Soil, stony 2nd + 3rd rate.
Timber. Pine Ed scrub oak
Heavily timbered land. 80 chs.

chains. Subdivisions-

S. $89^{\circ}08' E$ on a random line

Wt. sec. 8 and 17.

\backslash a $16^{\circ}28' E$.

40.00 See temporary $\frac{1}{4}$ sec. cor.

80.20 Intersect. of rd. line 10

lts. N of cor. to sec. 8, 9, 16 &

17.

Thence I run.

N. $89^{\circ}04' W$ on a true line

Wt. sec. 8 & 17

\backslash a $16^{\circ}48' E$.

Over rolling land through
scattering pine timber

40.10 See a malpais stone

$17 \times 15 \times 15$ ins. 12 ins. in

the ground for $\frac{1}{4}$ sec. cor

marked $\frac{1}{4}$ on N face and

raised a mound of stone

$1\frac{1}{2}$ ft. high 3 ft. base

trans. T. 22 N. R. 4 E. (Cont.)

along side, from which
 Apine 24 ins. diam. No. 26°
 N. 62 Ws. dist. named 1/4 S. P. 3.
 Apine 8 ins. diam. No. 48° 5'
 N. 43 Ws. dist. named 1/4 S. P. 3.

0.00 Lean scattering timber and land
 enter open pass.

2.00 Lean open pass, enter
 scattering timber and land.

0.20 The cor-to secs. 7, 8, 17 and 18

Land, gently rolling,
 Soil, Tony 2nd + 3rd rate.
 Timm. - Pine Ed scrub clear.

N. 89° 42' W. on a random line
 for secs. 7 & 18.
 T a 16° 28' E

Chains. Subdivisions.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.60 Intersect W. Vdy of Sp.
16 lvs. N. of. cor to Secs. 7, 12,
13 + 18. which is a piece
property marked, and returned
as described in the field
notes furnished by the
Surveyor General.
Thence, S. 0.00.

S. $89^{\circ}49'E$ on a true line to
Secs. 7 Ed. 18.

Ta $16^{\circ}28'E$.

Over rolling land.

25.00 Clear scattering timbered land
inter. open grass.

40.60 Set a malpais. ston. $18 \times 16 \times$
8 ins. 12 ins. in the ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on
N. face, and raised a mound.

chains. T 22. N. R 4 E. (cont)

of stem $1\frac{1}{2}$ ft. high 3 ft.

Pass along side

Pits. impracticable

59.00 Clear open pass, enter
heavily timbered land.

10.60 Thru cor. to sec. 7. 8. 17 + 18

Land, rolling

Soil, Tony. 3rd rate.

Timber, pine

N $0^{\circ} 43' E$. Fr. sec. 7 & 8.

Ta $16^{\circ} 28' E$

Over mountainous land.

Ascend 250 ft.

22.00 Top of ascent.

Descend 200 ft.

32.00 Wire fence. across line.

Chains. Subdivisions.

- Course S. E. + N. W. Enter-
cultivated. Field contain-
ing about 30 acres.
- 34.00 Foot of descent
- 40.00 Set a malpais stone 20x20x
10 ins. 15 ins. in the ground
for 1/4 sec. cor. named 1/4 on
N. face, dug pits 18x18x12
ins N. E. of stone 5 1/2
ft. dist. had raise a
mound of earth 1 1/2 ft high
3 1/2 ft. base alongside
From this point Friends
tract house. W. N. 60° E. 10 chs.
dist.
- 51.00 Wire fence across line.
Course E + W. lean field
- 53.60 Road from Williams to
Spring Valley, Course N. W. + N. E.

chains. T. 22 N. R. 4 E. (cont)

8000 Set a sandstone 19x7x7
ins. 15 ins. in the ground.
for cor to sec. 5. 6. 7 & 8
marked with 5 notches on
S. and E. edges and raised a
mound of stone 2 ft. high
3 ft. base along side
from which

Apine 18 ins. diam. No. A 38° 16'
E 78 lbs. dist. marked T. 22 N.
R. 4 E. S. 5. T. 3.

Apine 14 ins. diam. No. A 87° 11' E
4 lbs. dist. marked T. 22
N. R. 4 E. S. 8. T. 3.

Apine 10 ins. diam. No. A 64° 38'
N. 62 lbs. dist. marked T.
22 N. R. 4 E. S. 7. T. 3.

Apine 25 ins. diam. No. A 45° 45'
N. 62 lbs. dist. marked T. 22 N.

Chains. *Sub-divisions*

R. & E. S. 6. T. 3. J.

Land. Mountains + rolling

Soil. 1st + 2nd rate

Timber. pine and scrub oak.

Heavily timbered or mountainous

land. 34 chs.

A. $89^{\circ}54'E$ on a standard line

W. sec. 5 E of 8

γ a $16^{\circ}28'E$

40.00 Set temporary 1/4 sec cor.

80.30 Intersect St E of S. line on

W. N. of cor to sec. 4. 5. 8 + 9.

Thence S. run.

A. $89^{\circ}45'N$ on a true line

W. sec. 5 E of 8.

γ a $16^{\circ}28'E$

Over riding poorly timbered

chains T. 22 N. R. 4 E. (cont.)

land

Descend 100 ft. to.

12.00 Ravine 10 ft. deep, Course S. W.

15.10 Road from Williams to

Spring Valley Course N. E.

18.10 Ravine 40 ft. deep, Course S. W.

38.40 Ravine 30 ft. deep, Course S. W.

40.10 Set a sandstone 18 x 16 x 8 ins

12 ins. in the ground for

14 sec. cor. marked 1/4 on N.

face and raised a mound

of stone 2 ft. high 3 ft

base along side from which

A pine 20 ins. diam. br. N. 88° 10' E

70 lbs. dist. named 1/4 S. B. S.

A pine 12 ins. diam. br. S. 43° 05' N.

92 lbs. dist. named 1/4 S. B. S.

41.00 Ravine 40 ft. deep, Course S. W.

57.00 Ravine 40 ft. deep, Course S. W.

Chains. Sub-divisions

- 69.00 Ravine 20 ft. deep course S.W.
 72.00 Ravine 10 ft. deep, Course S.W.
 80.30 The cor to secs. 5, 6, 7 + 8
 Land, Iron Ed. rolling
 Soil, stony 2nd + 3rd rate.
 Timbr, pine and scrub oak.
 Heavily timbered land. 80.30 chs
-

N. 89° 49' W on a random
 line. W sec. 6 Ed 7.

T a 16° 28' E

- 40.00 Set Temporary $\frac{1}{4}$ sec. Cor.
 81.54 Intersect N. Ely of Sp-
 28 W. N. of cor to secs 1, 6,
 7 Ed. 12. which is a post
 firmly set and properly
 marked and witnessed as
 described in the field notes.

chains T. 22 N. R. 4 E. (cont.)

Furnished by the Surveyor
General

Thema. Iowa

N 89° 59' W. in a true line

W. sec. 6 E. of T.

T a 16° 28' E.

Over broken mainly timbered
land.

Descend gradually 100 ft.

41.54 Set a malpais stone 16 x 12

x 12 ins. 11 ins. in the ground

for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ on
N face and raised a mound.

of stone 1 $\frac{1}{2}$ ft. high 3 ft.

base alongside. From which

Apine 13 ins. diam. No. N. 77° 18' E

18 lbs. dist. marked $\frac{1}{4}$ S. T. T.

Apine 14 ins. diam. No. S. 40° E 16

lbs. dist. marked $\frac{1}{4}$ S. T. T.

Chains Subdivisions

42.00	Round 50 ft. to.
44.60	Top of ascent.
48.60	Ravin. 10 ft. deep, course S.W.
53.30	Ravin 20 ft. deep, course S.W.
57.70	Ravin 30 ft. deep, course S.W.
64.00	Ravin 20 ft. deep, course S.W.
68.60	Ravin 20 ft. deep, course S.W.
74.40	Ravin 10 ft. deep, course S.W.
78.00	Ravin 10 ft. deep, course S.W.
81.54	The cor & secs 5, 6, 7 & 8.

Land. under Ed rolling

Soil, stony 3rd rate.

Timber? Pine.

Heavily timbered land. 81.54 Cha

$N. 0^{\circ} 43' E$ on a random line

W. sec. 5 & 6.

$Ta 16^{\circ} 28' E$

Chains. T. 22 N. R. 4 E (cont.)

40.00 Set temporary $\frac{1}{4}$ Sec. cor.
 82.78 Intersect St. Ely of Sp-
 $N 89^{\circ} 45' E$
 67.46 of cor to sec-
 5.6. 31 + 32. which is a
 post. firmly set and prop-
 erty marked and witnessed
 as described in the field
 notes. Furnished by the
 Surveyor General.

Three Iron

S. $0^{\circ} 14' N.$ on a true line bet
 sec. 5 + 6.

Ta $16^{\circ} 28' E$

Over mountainous heavily
 timbered land.

Descend. 300 ft. to

42.78 Set a malpais stone $18 \times$
 18×16 ins. 12 ins. in the
 ground for $\frac{1}{4}$ sec. cor marked

Chains - 7th divisions

1/4 on N. face and raised
a mound of stone 1 1/2 ft.
high. 2 ft. face along
side, 7 ins. wide.

An Oak 8 ins. diam. No. S. 61° E
63 yds. dist. named 1/4 S. B. S.

Apine 12 ins. diam. No. S. 46° 55'
N. 48 yds. dist. named 1/4 S. B. S.

50.00 Ravine 60 ft. deep, course S. N.

59.00 Ravine 40 ft. deep, course S. N.

65.00 Ravine 40 ft. deep, course S. N.

71.00 Ravine 15 ft. deep, course S. N.

75.00 Ravine 10 ft. deep, course S. N.

79.00 Ravine 10 ft. deep, course S. N.

82.78 The cor. to secs. 5, 6, 7 + 8.

Land rolling + Mountainous
Soil, July 2nd + 3rd date.
Timber, pine, oak + fir
Mountainous or heavily

Trans. S. 22 N. R. 4 E. (Cont)

timber land. 82.78. chs.
May 26, 1894.

General Description

This township is mountainous—
over the largest portion,
covered with excellent pine
timber.

Good grass grows in all
parts of the township.

There are several springs,
not held by settlers either
as homesteads or for store
purposes.

In the N. W. $\frac{1}{4}$ of sec 15 is a
large spring well improved
also a house and pasture.

142

BOOK 415

Claimed by W^m Donaldson
Charles E. Perkins
Compassman and
U.S. Deputy Surveyor

U. S. Surveyor-General's Office,

TUCSON, A. T., July 13 1895

The foregoing Field Notes of the Surveys of
the Subdivisions of
Tp. 22 N. R. 4 E.

Gila and Salt River Meridian
in Arizona executed by
F. W. Ouzy

U. S. Deputy Surveyor, under his contract dated
June 21st 1893
having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Geo. H. Manning
U. S. Surveyor-General
for the Territory of Arizona.