

No. 452

BOOK 452

*Subdivision*

4-671

**FIELD NOTES**

**GENERAL LAND OFFICE.**

452

*Township 23 N. R. 1 E.*

Indexed Book 452

BOOK 452

BOOK 452

64

Township 23N R. 1E

6	5	100	4	77	3	2	1	
			98	75				
7	127	8	96	9	72	10	11	12
125		123		94		70		
18	120	17	92	16	67	15	14	13
118		116		90		65		
19	114	20	87	21		22	23	24
112		110		85				
30	107	29	83	28		27	26	25
106		105		81				
31	102	32	79	33		34	35	36

## Subdivisions T. 23 N. R. 1 E. (cont)

chs. a Pine 6 ins. diam. hrs.  
 S.  $130^{\circ}$  W. 33 lbs. dist. market  
 T. 23 N. R. 1 E. S. 21 B.T.

a cedar 18 ins diam. hrs.  
 N.  $82^{\circ}$  W. 18 lbs. dist. market  
 T. 23 N. R. 1 E. S. 16 B.T.

Land, rolling

Soil, stony, 3rd rate.

No timber

Dense brush, 80 chs.

N.  $89^{\circ} 56'$  E. on a random line  
 bet. secs. 15 and 22.

Var.  $14^{\circ} 47'$  East.

40.00 Set Temporary 1/4 sec. cor.

79.85 Intersect N. and S. line 13 lbs.

S. of cor to secs. 14, 15, 22 and 23.

Thence I run

S.  $89^{\circ} 50'$  W. on a true line

## Subdivisions

chs bet. sec. 15 and 22.

Var.  $14^{\circ} 47'$  East.

over rolling land, through  
dense brush

23.00 Descend 100 feet.

35.00 Foot of descent.

39.92 a Kalpais rock in place  
 $2 \times 2 \times 3$  ft. above ground,  
which I mark with a  
cross (+) at exact cor. point  
for  $1/4$  sec. cor. with  $1/4$  on  
N. face, and raised a mound  
of stone  $1/2$  ft. high, 2 ft.  
base, alongside, from  
which

a cedar 10 ins. diam. hrs.

S.  $37^{\circ} 30' E$  61 lks. dist.

marked  $1/4$  S. S. T.

a cedar 14 ins. diam. hrs.

## T. 23 N. R. 1 E (cont)

chs. N.  $21^{\circ} 15'$  W. 87 lks. dist.

market  $1/4$  b. - B.T.

7985 The cor. to secs. 15, 16, 21 and 22 -

land, rolling.

Soil, stony, 3rd rate

No timber

Dense cedar and pine

bush, 79.85 chs.

N.  $0^{\circ} 2'$  W. bet. secs. 15 and 16.

Var.  $14^{\circ} 47'$  East.

over broken land, through  
dense bush.

ascend 70 ft.

7.00 Top of ascent.

Descent 60 ft.

10.00 Foot of descent.

20.00 ascend 100 ft.

32.00 Top of ascent.

## Sub-divisions

- chs  
40.00 Thence over rolling land.  
Set a limestone  $18 \times 14 \times 10$   
ins. 12 ins. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on W. face and raised  
a mound of stone  $1\frac{1}{2}$  ft  
high, 2 ft. base, alongside,  
from which  
a Pinon 10 ins. diam. - hrs.  
N.  $81^{\circ}$  W. 14 lbs. dist. marked  
 $\frac{1}{4}$  S. B.T.  
a Pinon 8 ins. diam. - hrs  
N.  $16^{\circ}$  E. 41 lbs. dist.  
marked  $\frac{1}{4}$  S. B.T.
- 80.00 Set a limestone  $20 \times 16 \times 10$   
ins 15 ins. in the ground  
for cor. to secs. 9, 10, 15 and  
16, marked with 4 notches  
on S. and 3 notches on

Tp. 23 N. R. 1 E. (cont.)

cho E. edges, and raised a  
mound of stone,  $1\frac{1}{2}$  ft  
high, 2 ft. base, alongside,  
from which

a cedar 8 ins diam. tree.

N.  $31^{\circ}15'$  E. 109 lks. dist.

marked T. 23 N. R. 1 E. S. 10 B.T.

a Pinon 10 ins. diam. tree

S.  $7^{\circ}$  E. 33 lks. dist. marked

T. 23 N. R. 1 E. S. 15 B.T.

a Pinon 7 ins. diam. tree

S.  $13^{\circ}30'$  W. 67 lks. dist.

marked T. 23 N. R. 1 E. S. 16 B.T.

a cedar 14 ins. diam. tree.

N.  $67^{\circ}30'$  W. 47 lks. dist.

marked T. 23 N. R. 1 E. S. 9 B.T.

Land rolling and broken.

Soil, stony, 3rd rate.

No timber.

## Subdivisions

chs. Dense cedar and piñon  
bush, 80 chs.

N.  $89^{\circ} 50'$  E. on a random line  
bet. secs 10 and 15.

Var.  $14^{\circ} 47'$  East

40.00 Set temporary  $1/4$  sec. cor.

79.90. Intersect N. and S. line 17 lbs.  
N. of cor. to secs. 10, 11, 14 and  
15.

Thence I run

S.  $89^{\circ} 57'$  W. on a true line  
bet. secs. 10 and 15.

Var.  $14^{\circ} 47'$  East.

over mountainous land,  
through dense brush.

Descent 100 ft. into Cataract  
creek.

10.00 Res. of creek (dry) course N.



## Sp. 23 N. R. 1 E. (cont)

- chs. ascent 250 ft.
- 16.50 Top of ridge, course N. and S.  
Descent 225 ft. into cañon,
- 19.80 Bottom of cañon, course N.W.  
ascent 350 ft.
- 26.00 Top of ascent  
Thence over rolling land.
- 39.95 Set a limestone 18 x 12 x 9 ins  
12 ins. in the ground for  
1/4 sec cor. marked 1/4 on  
N. face and raised a mound  
of stone 1/2 ft. high, 2 ft.  
base, alongside, from  
which  
a Pinon 8 ins. diam. hrs.  
N. 42° E. 32 lbs. dist. marked  
1/4 S. B. T.  
a Pinon 6 ins. diam. hrs.  
S. 45° W. 20 lbs. dist. marked

## Subdivisions

chs	1/4 S. B.T.
79.90	The cor. to secs. 9, 10, 15 and 16. Land, mountainous and rolling. Soil, rocky, 4 <sup>th</sup> rate Timber, some scattering pine on creek. mountainous or land covered with dense brush, 79.90 chs.
	No. 2 W. bet. secs. 9 and 10. Var. 14° 47' East over rolling land, through dense brush.
23.00	ascend 60 feet.
28.00	Top of ascent. Descent 100 ft.
33.00	Foot of descent, ascend 200 ft.
40.00	bet a limestone 17 x 14 x

Sp. 23 N. R. / E (cont)

chs. 9 ins. 12 ins. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$   
on W. face, and raised a  
mound of stone  $1\frac{1}{2}$  ft high,  
2 ft. base, alongside;  
from which

a Pinon 8 ins. diam. hrs.  
N.  $21^{\circ}30'$  E. 45 lks dist  
marked  $\frac{1}{4}$  S. B.T.

a Pinon 8 ins. diam. hrs.  
S.  $37^{\circ}45'$  W 21 lks. dist.  
marked  $\frac{1}{4}$  S. B.T.

42.00 Top of ascent  
Descent 50 ft.

51.00 Foot of descent  
ascent 150 ft.

55.00 Top of ascent.

80.00 Set a line stone  $18 \times 14 \times 10$   
ins. 12 ins. in the ground

## Subdivisions

- chs. for cor. to sec. 3, 4, 9 and 10, marked with 5 notches on S. and 3 notches on E. edges, and raised a mound of stone  $1\frac{1}{2}$  ft. high, 2 ft base alongside, from which
- a Pinon 8 ins. diam. hrs. N.  $33^{\circ}$  E. 42 lbs. dist. marked T. 23 N. R. 1 E. S. 3 B.T.
- a Pinon 10 ins. diam. hrs. S.  $67^{\circ}$   $45'$  E. 34 lbs. dist. marked T. 23 N. R. 1 E. S. 10 B.T.
- a Pinon 8 ins. diam. hrs. S.  $89^{\circ}$   $30'$  W. 24 lbs. dist. marked T. 23 N. R. 1 E. S. 9 B.T.
- a cedar 10 ins. diam. hrs. N.  $64^{\circ}$   $30'$  W. 45 lbs. dist. marked T. 23 N. R. 1 E. S. 4 B.T.

Sp. 23 N. R. 1 E (cont'd)

cho. Land, rolling and broken.  
Soil, rocky, 4<sup>th</sup> rate.  
No timber.  
Dense cedar and juniper brush 8000  
May 16<sup>th</sup> 1894.

N.  $89^{\circ}57'$  E. on a random line  
bet. secs. 3 and 10.

Var.  $14^{\circ}47'$  East.

40.00 Set temporary 1/4 sec. cor-

79.86 Intersect N. and S. line 14  
lbs. S of cor to secs, 2, 3,  
10 and 11.

Thence I run

S.  $89^{\circ}51'$  W. on a true line  
bet. secs. 3 and 10.

Var.  $14^{\circ}47'$  East.

over rolling land, through  
dense brush.

## Subdivisions

- chs  
21. 10 Descent 600 ft. into Cataract  
creek
- 39.93 Foot of descent.  
Set a malpais stone  $17 \times 12$   
 $\times 10$  ins. 12 ins. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on  
N. face and raised a  
mass of stone  $1\frac{1}{2}$  ft.  
high, 2 ft. base along-  
side, from which  
a Pine 16 ins. diam. has  
N.  $65^\circ$  W. 62 lbs. dist. marked  
 $\frac{1}{4}$  S. S.T.
- a Pine 16 ins. diam. has  
N.  $55^\circ$  E. 98 lbs. dist. marked  
 $\frac{1}{4}$  S. S.T.
- 40.96 a Pine 48 ins. diam. on  
line which I mark with  
2 notches on E. and W. sides

Sp. 23 N.R. 1 E. (contd)

chs.

+3.00 Res of creek, course N.

+4.00 ascent 400 ft.

62.00 Top of ascent.

Thence over broken rolling  
land.

79.86. The run to secs. 3, 4, 9 and 10.

Land, broken and mountainous.

Soil, rocky, + the rate.

Timber, some pine along creek  
mountainous, or land covered  
with dense brush, 79.86 chs.N. 0° 2' W. on a random line  
bet. secs. 3 and 4.

Var. 140 47' East.

40.00 Set temporary 14 sec. cor.

80.16 Intersect N. body of Sp. 15 lbs  
W. of cor. to secs. 3, 4, 33  
and 34, as hereinbefore described.

## Subdivisions

chs.

Thence I run

S  $0^{\circ} 04'$  W. on a true line  
bet. sec. 3 and 4.

Var. 14047' East.

over rolling land, through  
dense brush.

4016

Set a lime stone  $14 \times 12 \times 10$   
ins. 9 ins. in the groundfor  $1/4$  sec. cor. marked  $1/4$   
on W. face and raised amound of stone  $1/2$  ft. high.

2 ft. base alongside,

from which

a cedar 8 ins. diam. hrs.

N.  $22^{\circ} E$ . 83 lbs. dist. marked $1/4$  S. S.T.

a Pinon 9 ins. diam. hrs.

S.  $63^{\circ} W$ . 17 lbs. dist. marked $1/4$  S. S.T.



## Sp. 23 N.R. 1 E. (cont)

chs.	
46.00	Descend 350 ft. into cataract creek.
51.00	Bed of creek (dry) course N.W. ascend 400 ft.
60.00	Top of ascent.
73.00	ascend 100 ft.
76.00	Top of ascent.
80.16	The cor. to secs. 3, 4, 9 and 10. Land rolling and mountainous. Soil, rocky. $\frac{1}{2}$ rate. Timber, some pine along creek. mountainous, or land covered with dense brush, 80.16 chs.

From the cor. to secs. 4, 5,  
32 and 33, on the S. ldy of  
Sp. as hereinbefore described  
I run  
N.  $0^{\circ} 2'$  W. bet. secs. 32 and 33.

## Subdivisions

chs.

Tan. 140 47' East.

over rolling land, through  
dense brush.

ascend gradually 45 ft.

19.00

Top of ridge, course E. and W.  
descent 50 feet.

24.50

Foot of descent.

40.00

Set a malpais stone 20 x 16  
x 12 ins. 15 ins. in the  
ground for  $\frac{1}{4}$  sec. cor  
marker  $\frac{1}{4}$  on W. face, and  
raised a mound of stone  
 $1\frac{1}{2}$  ft high, 2 ft. base, along-  
side; from which  
a cedar 26 ins. diam.  
hrs. N. 65° W. 106 lbs. dist.  
marker  $\frac{1}{4}$  S. B.T.  
a cedar 30 ins. diam.  
hrs. S. 21° E. 113 lbs. dist.

Sp. 23 N. R. 1 E. (cont)

cho marked 1/4 S. B. T.

76.00 Leave brush.

80.00 Get a malpais stone 16 x 10 x  
9 ins. 11 ins. in the  
ground for cor. to sec.  
28, 29, 32 and 33, marked  
with 1 notch on S. and  
4 notches on E. edges, and  
raised a mound of stone  
1 1/2 ft. high, 2 ft. base,  
alongside. Pits imprac-  
ticable.

Lant, rolling.

Soil rocky, 30 & 4<sup>th</sup> rate.

No timber

Dense cedar and juniper  
brush, 76 cho.

N. 89° 58' E. on a random line

## Subdivisions

chs. bet. secos. 28 and 33.  
 Var.  $140^{\circ}47'$  East.

40.00 Bet temporary  $\frac{1}{4}$  sec. cor

79.85 Intersect the N. and S. line  
 15 lks. S. of cor. to secos.

27, 28, 33 and 34.

Thence I run

$389^{\circ}52'$  N. on a true line

bet secos. 28 and 33.

Var.  $140^{\circ}47'$  East.

over rolling land.

39.92. Bet. a mae pans stone  
 $17 \times 14 \times 11$  ins.  $12$  ins. in  
 the ground for  $\frac{1}{4}$  sec.

cor. marked  $\frac{1}{4}$  on N.  
 face, and raised a  
 mound of stone,  $1\frac{1}{2}$  ft.  
 high. 2 ft. base along-  
 side, Pits impracticable

Sp. 23 NR 1 E. (cont)

79.85 The cor. to sec. 28, 29, 32<sup>nd</sup> & 33-

land, rolling.

Soil, stony, 30<sup>th</sup> & 4<sup>th</sup> rate.

No timber, scattering  
cedar brush.

N. 00 2' W. bet. sec. 28 and 29-

Var. 140 47' East.

Over rolling land.

40.00 Set a malpais stone 19 x 16 x  
13 ins. 15 ins. in the

ground for 1/4 sec. cor.

marked 1/4 on W. face,

and raised a mound of

stone 1 1/2 ft high, 2 ft.

base, alongside, from

which

a cedar 6 ins diam bro.

S. 210 W. 32 lbs. dist. marked

## Subdivisions

- lbs  $\frac{1}{4}$  S. B.T.  
 a cedar 6 ins. diam. hrs  
 S  $83^{\circ}$  E. 37 lbs. dist.,  
 marked  $\frac{1}{4}$  S. B.T.
- 70.00 a Pine 16 ins. diam. on line  
 which I mark with 2  
 notches on N. and S. sides.
- 71.50 Descent 65 ft.
- 72.00 Enter dense brush.
- 80.00 Foot of descent.  
 Set a malpais stone  $22 \times$   
 $18 \times 14$  ins. 16 ins. in the  
 ground for cor. to sec.  
 20, 21, 28 and 29, marked  
 with 2 notches on S.  
 and 4 notches on E.  
 edges, and raised a  
 mound of stone  $1\frac{1}{2}$  ft  
 high, 2 ft. base, along.

Sp. 23 N R / E (contd)

chs. side; from which  
 a cedar 21 ins. diam.  
 hrs. N.  $11^{\circ}$  E. 18 lks dist. market  
 T. 23 N. R. / E. b. 21 B.T.  
 a cedar 24 ins. diam. hrs.  
 S  $82^{\circ}$  E. 28 lks dist. market  
 T. 23 N. R. / E. b. 28 B.T.  
 a cedar 12 ins. diam. hrs.  
 S  $11^{\circ}$  W. 18 lks. dist. market  
 T. 23 N. R. / E. b. 29 B.T.  
 a cedar 6 ins. diam. hrs.  
 N.  $52^{\circ}$  W. 84 lks. dist. market  
 T. 23 N. R. / E. b. 20 B.T.  
 Land, gently rolling.  
 Soil, rocky,  $3\frac{1}{4}$  rate.  
 No timber  
 Dense brush, 8 lks.

N.  $89^{\circ}$  S  $2^{\circ}$  E. on a random line

## Subdivisions

- cho. bet. sec. 21 and 28.  
Var.  $140^{\circ} 47'$  East.
- 40.00 bet. temporary  $\frac{1}{4}$  sec. cor.
- 79.83 Intersect the N. and S. line  $\frac{1}{4}$  sec. N. of cor. to sec. 21, 22, 27 and 28.  
Thence I run  
 $S 89^{\circ} 58' W.$  on a true line  
bet. sec. 21 and 28.  
Var.  $140^{\circ} 47'$  East.  
over ralling land.
- 39.91 Set a post 3 ft. long, 3 ins square, 12 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S. on N. face, dug pits  $18 \times 18 \times 12$  ins E and W. of post,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base,



## Sp 23 N. R. 1 E. (cont)

- chis- around post, from which  
a cedar 40 ins. diam. hrs.  
S. 27° 30' - W. 216 lbs. dist.  
marked 1/4 S. D.T.  
No other trees within limits
- 9.00 Enter dense brush
- 9.53 The cor. to secs. 20, 21, 28 and 29 -  
Land, gently rolling.  
Soil, stony, 2<sup>d</sup> and 3<sup>d</sup> rate.  
No timber -  
Dense cedar brush, 10.53 chs.

N. 0° 2' W. bet. secs. 20 and 21.

Var. 140 47' East.

over rolling land, through  
dense brush.

- 9.00 Leave dense brush -  
ascend gradually, 150 ft.
- 18.00 Top of ridge, course E. and W.

## Subdivisions

- chs descent 145 ft.
- 40.00 Set a malpais stone 18x  
14x 10 ins. 12 ins. in the  
ground for 1/4 sec. cor.  
marked 1/4 on W. face, and  
raised a mound of stone  
1 1/2 ft high, 2 ft. base,  
alongside, from which  
a cedar 10 ins. diam. has  
N. 31° E. 285 lbs. dist  
marked 1/4 S. B. T.  
No other trees within limits.
- 51.00 Foot of descent, small ravine,  
course E.  
ascent 100 ft.
- 63.00 Top of ascent.
- 80.00 Set a malpais stone 15x 10  
x 9 ins. 10 ins. in the ground  
for cor. to secs 16, 17, 20 and

2p 23 N-R. 1 E (cont)

cho. 21, marked with 3 notches  
on S. and 4 notches on E.  
edges, and raised a mound  
of stone,  $1\frac{1}{2}$  ft. high, 2 ft.  
base, alongside, from  
which

a cedar 12 ins. diam. hrs  
N.  $140^{\circ} 15'$  E. 212 lks. dist.

marked T. 23 S-R. 1 E. S. 16 B.T.

a cedar 6 ins. diam. hrs  
S.  $170^{\circ} 30'$  N. 130 lks. dist.

marked T. 23 N-R. 1 E S. 20 B.T.

a cedar 8 ins. diam. hrs.  
N.  $160^{\circ} 30'$  N. 180 lks. dist.

marked T. 23 N-R. 1 E S. 17 B.T.

No other trees within limits  
Lands, ralling.

Soil, stony, 3rd rate.

No timber.

## Subdivisions

chs. Dense brush, 9 chs.

May 17th, 1894.

at this cor. I take an observation on the Sun and find my instrument to be in perfect adjustment, and the variation to be  $14^{\circ} 47'$  East.

N.  $89^{\circ} 58' E$  on a random line bet. secs. 16 and 21.

Var.  $14^{\circ} 47'$  East.

40.00 Set temporary  $1/4$  sec. cor.

79.90 Intersect N and S. line 21 chs. S. of the cor. to secs. 15, 16, 21 and 22.

Thence I run

S.  $89^{\circ} 49' W$ . on a true line

## Sp. 29 NR, E. (cont)

Cho. bet. secs. 16 and 21.

Var. 14° 47' East.

Over rolling land, through  
dense brush.

39.95 Set a malpais rock 14 x 10 x  
10 ins. 9 ins. in the  
ground for 1/4 sec. cor -  
marked 1/4 on N. face, and  
raised a mound of stone  
1 1/2 ft high, 2 ft base,  
alongside; from which  
a Pinon 8 ins. diam. has  
N. 73° W. 19 lbs. dist. marked  
1/4 S. B.T.

a Pinon 9 ins. diam. has  
N. 70° 45' E. 21 lbs. dist.  
marked 1/4 S. B.T.

79.90 The cor. to secs. 16, 17, 20 and 21.  
Land, rolling.

## Subdivision

chs Bail stony, 3rd rate.

No timber.

Dense cedar and pine  
brush, 79. 90 chs.

N.  $0^{\circ} 2'$  W. Lot. sec. 16 and 17.

Tan:  $14^{\circ} 47'$  East.

Over broken land, through  
dense brush.

3.00 Descent 250 ft.

40.00 Foot of descent.

Set a malpais stone  $15 \times$

$11 \times 8$  ins. 10 ins. in the

ground for  $1/4$  sec. cor.

marked  $1/4$  on W. face,

and raised a mound

of stone  $1/2$  ft. high, 2 ft.

base, alongside, from

which

## Tp. 23 N. R. 1 E. (cont)

- chs. a cedar 18 ins. diam. hrs.  
S.  $45^{\circ}$  N. 2/3 lks. dist.  
marked 1/4 S. B.T.
- a cedar 6 ins. diam. hrs.  
S.  $31^{\circ} 30'$  E. 65 lks. dist.  
marked 1/4 S. B.T.
- 80.00 Set a limestone  $12 \times 10 \times 8$   
ins. 8 ins. in the ground  
for cor. to sec 8, 9, 16 & 17,  
marked with 4 notches on  
S and E. edges, and raised  
a mound of stone  $1\frac{1}{2}$   
ft. high, 2 ft. base, along-  
side, from which  
a cedar 8 ins. diam. hrs.  
N.  $73^{\circ} 30'$  E. 87 lks. dist.  
marked T. 23 N. R. 1 E. S. 9 B.T.
- a cedar 10 ins. diam. hrs.  
S.  $61^{\circ} 30'$  E. 125 lks. dist.

## Subdivisions

chs marked T. 23 N.R. 1 E. S. 16 S.T.

a cedar 9 ins. diam. - hrs  
S.  $71^{\circ}$  W. 200 lbs. dist.

marked T. 23 N.R. 1 E. S. 17 S.T.

a cedar 7 ins. diam. - hrs  
N.  $63^{\circ} 30'$  W. 201 lbs. dist.

marked T. 23 N.R. 1 E. S. 8 S.T.

Lands, rolling

Soil, stony, 3rd rate.

No timber.

Dense cedar and prairie brush,  
80 chs.N.  $59^{\circ} 49'$  E. on a random line  
bet. secs. 9 and 16.Var.  $14^{\circ} 47'$  East.40.00 Set temporary  $1/4$  sec. cor.79.80 Intersect the N. and S. line  
3 lbs. N. of cor. to secs. 9, 10



24-23 N-R/E. cont

chs. 15 and 16.

Thence I run

S. 89° 55' W. on a true line.

Let sec. 9 and 16.

Var. 14° 47' East.

over rolling land, through  
dense brush.

39.90 Get a lime stone 16 x 12 x 10  
ins. 11 ins in the ground  
for 1/4 sec. cor. marked 1/4  
on N. face, and raised a  
mass of stone 1/2 ft high,  
2 ft. base, alongside  
from which  
a Pinon 7 ins. diam. bro.  
S. 13° 30' W. 17 lbs. dist.  
marked 1/4 S. S. T.  
a cedar 8 ins. diam. bro.  
N. 61° 25' E. 23 lbs. dist.

## Subdivisions

chs. market  $\frac{1}{4}$  S. B.T.  
 79.80 The cor. to secs. 8, 9, 16 and 17.  
 Land, rolling.  
 Soil, rocky. 4th rate.  
 No timber  
 Dense brush, 79.80 chs.

N. 0° 2' W. bet. secs. 8 and 9  
 Var. 14° 47' East  
 over rolling land, through  
 dense brush.

40.00 Set a malpais stone  
 20 x 16 x 12 ins. 15 ins. in  
 the ground for  $\frac{1}{4}$  sec.  
 cor. market  $\frac{1}{4}$  on W.  
 face, and raised a  
 mound of stone  $1\frac{1}{2}$  ft.  
 high, 2 ft. base, alongside  
 from which

Sp. 23 NR 1 E. (cont)

cho. a cedar 8 ins. diam. hrs.  
S.  $73^{\circ}$  N. 86 lbs. dist. market  
 $\frac{1}{4}$  S. B.T.

a cedar 10 ins diam. hrs.  
N.  $67^{\circ} 30'$  E. 21 lbs. dist.  
market  $\frac{1}{4}$  S. B.T.

80.00 Set a limestone  $14 \times 9 \times 7$   
ins. 9 ins. in the ground  
for cor to sec. # 5, 8, and 9  
marked with 3 notches on  
S. and 4 notches on E.  
edges, and raised a  
mound of stone  $1\frac{1}{2}$  ft. high  
2 ft. base, alongside,  
from which

a Pinon 6 ins. diam hrs.  
N.  $51^{\circ}$  E. 32 lbs. dist.  
market T. 23 NR 1 E. S. 4 B.T.

a Pinon 6 ins. diam. hrs.

## Subdivisions

chs S.  $63^{\circ}45'$  E. 11 lks. dist. marked

T. 23 N. R. 1 E. S. 9 B.T.

a cedar 10 ins. diam. - hrs.

N.  $73^{\circ}30'$  W. 79 lks. dist.

marked T. 23 N. R. 1 E. S. 5 B.T.

a Pinon 6 ins. diam. hrs.

N.  $3^{\circ}33'$  W. 37 lks. dist.

marked T. 23 N. R. 1 E. S. 5 B.T.

Land, rolling.

Soil, stony, 4<sup>th</sup> rate.

No timber.

Dense cedar and pinon

bush, 80 chs.

N.  $89^{\circ}55'$  E. on a random line

bet. secs 4 and 9.

Var.  $140^{\circ}47'$  East

40.00 Set temporary 1/4 sec. cor.

79.80 Interest N. and S. line 21 lks

## Tf 23 N. R. 1 E. (Cont)

- cho. N. of cor. to secs. 3, 4, 9 and 10.  
Thence S run  
N.  $89^{\circ} 56'$  W. on a true line  
bet. secs. 4 and 9.  
Var.  $14^{\circ} 47'$  East.  
Over broken land, through  
dense brush.
- 1.00 Descent 150 ft.
- 8.00 Foot of descent  
ascend 150 ft.
- 12.00 Top of ascent.
- 25.00 Descent 300 ft.
- 38.00 Foot of descent.  
ascend 200 ft.
- 39.90 Set a line stone  $18 \times 14 \times 10$   
ins. 12 ins. in the ground  
for  $1/4$  sec. cor. marked  $1/4$   
on N. face, and raised a  
mound of stone  $1\frac{1}{2}$  ft.

## Subdivisions

chs high, 2 ft. base, along side  
 from which,  
 a Pine 8 ins diam, hrs.  
 S. 71° E. 60 lks. dist marked  
 1/4 S. B.T.

a Pine 12 ins. diam. hrs.  
 S. 20° W. 35 lks. dist. marked  
 1/4 S. B.T.

45.00 Top of ascent.

Thence over rolling land.

79.80 The cor. to secs. 4, 5, 8 and 9.  
 Land broken and rolling.  
 Soil, rocky, + the rate.  
 No timber.

Dense cedar and pinon  
 brush 79.80 chs.

N. 0° 2' W. on a random line  
 bet. secs. 4 and 5.

Sp. 23 N. R. 1 E. (cont)

chs.

Var.  $14^{\circ} 47'$  East,

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.11 Intersect N. bdy of the Sp.  
19  $\frac{1}{4}$  sec. N. of cor. to secs.

4, 5, 32, and 33, as herein-  
before described.

Thence I run

300.06' N. on a true line

bet. secs. 4 and 5.

Var.  $14^{\circ} 47'$  East:

over rolling land, through  
dense brush -

40.11 Set a lime stone  $17 \times 14 \times 11$   
ins. 12 ins. in the ground

for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$   
on N. face, and raised a  
mound of stone  $1\frac{1}{2}$  ft.

high, 2 ft. base, alongside  
from which

## Subdivisions

chs. a Pinon 10 ins diam. hrs.  
S.  $4^{\circ}$  E. 29 lbs. dist. marked  
1/4 b. B.T.

a Pinon 8 ins diam. hrs  
S.  $76^{\circ}$  W. 34 lbs. dist. marked  
1/4 b. B.T.

80.11 The cor. to secs. 45, 8 and 9-  
Lans, rolling.  
Soil, stony, 3rd rate.  
No timber  
Dense cedar and pinon  
brush, 80.11 chs.

From the cor. to secs. 5,  
6, 31 and 32, on S. bdy of  
Sp. as hereinbefore des-  
cribed

9 run

N.  $0^{\circ} 3' N.$  bet. secs. 31 and 32.



Sp. 23 N-R. 1 E. (cont)

- chs. Var. 140 47' East on  
 over mountainous land,  
 through dense brush.
- 5.00 ascent 250 ft.
- 2.00 Top of ascent  
 Descent 300 ft.
- 31.00 Foot of descent.  
 Thence over rolling land.
- 40.00 Set a malpais stone 15 x  
 10 x 9 ins. 10 ins. in the  
 ground for 1/4 sec. cor.  
 marked 1/4 on W. face,  
 and raised a mound of  
 stone 1 1/2 ft high, 2 ft-  
 base, alongside, from  
 which  
 a Pinon 12 ins. diam has  
 S. 65° E. 96 lks. dist. marked  
 1/4 S. B.T.

*Bituminous*

chs. a cedar 16 ins. diam.  
 bro. S 49° E. 93 lbs. dist.  
 marked 1/4 S. O.T.

80.00 Get a malpais stone 20 x  
 16 x 14 ins. 15 ins. in the  
 ground for ear. to see  
 29, 30, 31 and 32, marked  
 with 1 notch on S. and  
 5 notches on E. edges, and  
 raised a mound of stone  
 1 1/2 ft high, 2 ft base,  
 alongside, from which  
 a cedar 12 ins. diam. bro  
 N. 21° E. 97 lbs. dist. marked  
 T. 23 N. R. 1 E. S. 79 O.T.

a cedar 10 ins. diam.  
 bro. S. 35° 30' E. 102 lbs. dist  
 marked T. 23 N. R. 1 E. S. 32 O.T.

a Pinon 8 ins. diam. bro.

Sp. 23 N. R. 1 E. (cont.)

chs. S.  $27^{\circ} 30'$  W. 87 lks. dist  
 marker T. 23 N. R. 1 E. S. 31 B.T.  
 a cedar 8 ins. diam. bro.  
 N.  $17^{\circ} 30'$  W. 23 lks. dist.  
 marker T. 23 N. R. 1 E. S. 30 B.T.  
 Land, mountainous and rolling.  
 Soil, stony, 3rd rate.  
 No timber  
 mountainous, or land  
 covered with dense brush, 80 lks.

N.  $89^{\circ} 58'$  E. on a random line  
 bet. secs 29 and 32.

Var.  $140^{\circ} 47'$  East.

40.00 bet temporary  $\frac{1}{4}$  sec. cor.

79.85 Intersect N. and S line 70  
 lks. S. of cor. to secs. 28, 29  
 32 and 33.

Thence I run

See "105 A"  
 next page

"C"

## Subdivisions

chs. N.  $89^{\circ} 50'$  E. on a true line  
bet. sec. 30 and 31.

Var.  $14^{\circ} 47'$  East  
over rolling land, through  
dense brush.

38.46 Set a malpais stone  $16 \times$   
 $14 \times 14$  ins, 11 ins. in the  
ground for  $1/4$  sec. cor.  
marked  $1/4$  on N. face,  
and raised a mound  
of stone  $1\frac{1}{2}$  ft. high, 2 ft  
base alongside, from  
which

a cedar 5 ins. diam. br.  
S.  $71^{\circ}$  E. 43 lks. dist. marked  
 $1/4$  S. B.T.

a cedar 8 ins. diam br.  
N.  $83^{\circ} 15'$  W. 17 lks. dist.  
marked  $1/4$  S. B.T. <sup>107</sup> D

(see  $1/4$ )

"A"

S. 89° 49' W. on a true line  
bet secs. 29 and 32.

Var. 140 47' East.

Over calling land

39.92 Get a malpais stone 17x14

x 12 ins. 12 ins. in the  
ground for 1/4 sec. cor.

marker 1/4 an N. face, and  
raise a mound of stone  
1 1/2 ft. high, 2 ft base along  
side, Pits impracticable

47.50 Enter dense cedar and  
pinon undergrowth.

29.85 The cor to secs. 29, 30, 31 and 32.

Land, calling,

Soil, stony, 3<sup>d</sup> rate

No timber.

Dense cedar and pinon under-  
growth 32.35 chs

May 18, 1894 (over)

105B  
A

105 B.

BOOK 452

BOOK 452

106

"B"

89058' N. on a random line  
bet secos. 30 and 3-1.

Var. 14047' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.46 9 intersect the N. boundary  
of the township 19 lks.

N of cor to secs 25, 30,  
31, and 36, which is  
a stone, firmly set and  
properly marked and  
witnessed as described  
in the field notes  
furnished by the  
Surveyor General  
Thence run

(see "105 C")



Sp. 23 N. R. 1 E. Cont'd

8.46 The cor. to secs. 29, 30, 31 and 32.

Land, rolling-

Soil, stony, 3rd rate.

No timber

Dense cedar and prairie  
brush, 78.46chs.

N. 0° 3' W. bet. secs. 29 and 30.

Var. 14° 47' East.

Over rolling land, through  
dense brush

0.00 a malpais rock in place  
3 x 2 x 2 ft. above ground  
which I mark with a  
cross (+) at exact cor-  
point for 1/4 sec. cor.  
with 1/4 on W. face, and  
raised a mound of  
stone 1 1/2 ft high, 2 ft. base

## Subdivisions

- hrs. alongside, from which  
 a cedar 12 ins. diam. has  
 N. 45° E. 31 lks. dist. marked  
 1/4 B.B.T.
- a cedar 16 ins. diam. has  
 S. 79° E. 42 lks. dist.  
 marked 1/4 B.B.T.
- 42.00 Descend rock bluff, 50  
 ft. high.
- 43.00 Foot of bluff.  
 Leave dense brush.
- Thence through open flat.
- 79.00 Enter scattering brush.
- 80.00 Get a malpais stone 18x14  
 x 12 ins. 12 ins. in the ground  
 for car to see. 19, 20, 29 and  
 30, marked with 2 notches  
 on S. and 3 notches on E.  
 edges, and raised a



## T. 23 N. R. 1 E. (cont)

chs. mound of stone  $1\frac{1}{2}$  ft.  
high, 2 ft base, along side,  
from thence

a cedar 40 ins. diam.  
hrs. N.  $76^{\circ}$  E. 120 lks. dist.  
market T. 23 N. R. 1 E. S. 20 B.T.

a cedar 22 ins. diam. hrs.  
S.  $79^{\circ} 30'$  E. 102 lks. dist.  
market T. 23 N. R. 1 E. S. 29 B.T.

a cedar 25 ins. diam. hrs.  
N.  $72^{\circ}$  W. 220 lks. dist.

market T. 23 N. R. 1 E. S. 19 B.T.

No other trees within limits.

Land, rolling.

Soil, stony, 3<sup>d</sup> and 4<sup>th</sup> rate.

No timber.

Dense cedar and pinon  
bush, 43 chs.

## Subdivisions

- chs N.  $89^{\circ}49'E$  on a random line  
bet. secs. 20 and 29.  
Var.  $14^{\circ}47'$  East.
- 40.00 Get temporary  $\frac{1}{4}$  sec. cor.  
79.82 Intersect N. and S. line 16 chs.  
N. of cor. to secs. 20, 21, 28 and 29.  
Thence I run  
 $89^{\circ}54'W$ . on a true line  
bet. secs. 20 and 29.  
Var.  $14^{\circ}47'$  East.  
Over rolling land, through  
dense brush.
- 25.00 Leave brush and enter open  
park
- 39.91 Get a malpais stone  $14 \times 10 \times$   
10 ins. 9 ins. in the ground  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on  
N. face, and raised a mound  
of stone  $1\frac{1}{2}$  ft high 2 ft.

Sp. 23 N. R / E. (contd)

chs. base, alongside, from which  
a cedar 12 ins. diam. has  
S. 21° W. 285 lks. dist.  
marked 1/4 S.B.T.

a cedar 12 ins. diam. has.  
S. 73° 45' W. 273 lks. dist.  
marked 1/4 S.B.T.

45.00 Leave park and enter dense  
brush

76.00 Leave dense brush; enter  
scattering brush.

79.82 The son. to ves. 19, 20, 29 and  
30.

Lant. rolling.

Sail, stony, 35 and 4<sup>th</sup> rate.

No timber.

Dense cedar and pinon  
brush, 56 chs.

## Subdivisions

chs  $589^{\circ}50'N.$  on a random line  
bet. secs. 19 and 30

Var.  $14^{\circ}47'$  East.

40.00 Bit temporary  $1/4$  sec. cor.

78.49 Intersect the N. ldy of Tfr.

16 lks. S. of cor. to secs. 19,

24, 25 and 30, which is a

stone firmly set and prop-

erly marked and witnessed

as described in the field

note furnished by the

Surveyor General

Thence I run

$N. 89^{\circ}57' E.$  on a true line

bet. secs 19 and 30

Var.  $14^{\circ}47'$  East.

over rolling land, through

dense brush.

38.49 bet a malpais stone  $20 \times 16 \times$

2p. 23 N. R. 1 E (cont)

cho. 12 ins. 15 ins in the ground  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$   
on N. face, and raised a  
mound of stone  $1\frac{1}{2}$  ft.  
high, 2 ft base, alongside,  
from which  
a cedar 16 ins. diam. bro  
S.  $73^{\circ}$  E. 65 lbs. dist. marked  
 $\frac{1}{4}$  S. B.T.

a cedar 11 ins. diam. - bro.  
N.  $31^{\circ} 30'$  W. 107 lbs. dist.  
marked  $\frac{1}{4}$  S. B.T.

1.00 Leave dense brush.

78.49 The cor to secs. 19, 20, 29 and 30.

Land, rolling.

Soil, stony 3rd rate.

No timber

Dense cedar and pinon  
brush. 51 cho.

## Subdivisions

- chs. N.  $0^{\circ} 3'$  W. bet. sec. 19 and 20  
 Tan.  $14^{\circ} 47'$  East.  
 over broken land.
- 3.00 Enter dense brush -  
 ascent 100 ft.
- 38.00 Top of ascent.
- 40.00 Set a malpais stone  $17 \times$   
 $14 \times 11$  ins. 12 ins. in the  
 ground for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  on W. face  
 and raised a mound of  
 stone  $1\frac{1}{2}$  ft high, 2 ft  
 base, alongside; from  
 which  
 a cedar 12 ins. diam. has  
 N.  $87^{\circ}$  E. 48 lks. dist. marked  
 $\frac{1}{4}$  S. B. T.  
 a cedar 16 ins. diam. has  
 N.  $13^{\circ}$  W. 31 lks. dist.

Sp. 23 N. R. 1 E. (cont)

- marked  $1/4$  S. S. T.
- +8.00 Descent 150 ft.
- 71.00 Foot of descent.
- 80.00 Set a malpais stone  $18 \times 12 \times$   
 10 ins. 12 ins. in the ground  
 for cor. to secs. 17, 18, 19 and  
 20, marked with 3 notches  
 on S. and 5 notches on E.  
 edges, and raised a  
 mound of stone,  $1 1/2$  ft. high  
 2 ft. base, alongside; from  
 which  
 a cedar 13 ins. diam. hrs.  
 N.  $130^\circ$  E. 42 lbs. dist. marked  
 T. 23 N. R. 1 E. b. 17 S. T.
- a cedar 10 ins diam. hrs.  
 S.  $430^\circ 45'$  E. 132 lbs. dist.  
 marked T. 23 N. R. 1 E. b. 20 S. T.
- a cedar 8 ins. diam. - hrs.

## Subdivisions

chs S.  $77^{\circ} 15' W$ . 196 lks. dist  
 marked T. 23 N. R. 1 E. S. 19 B. T.  
 a cedar 18 ins. diam has  
 N.  $81^{\circ} 30' W$ . 102 lks. dist.  
 marked T. 23 N. R. 1 E. S. 18 B. T.  
 Land, broken and rolling.  
 Soil, stony, 3rd rate.  
 No timber  
 Dense cedar and pinon  
 brush, 77 chs.

N.  $89^{\circ} 54' E$ . on a random line  
 bet. secs. 17 and 20.

Var.  $14^{\circ} 47'$  East.

40.00 Set temporary  $1/4$  sec. cor.  
 79.87 Intersect N. and S. line 14  
 lks S. of cor. to secs. 16, 17,  
 20 and 21.

Thence I run



Sp. 23 N. R. 1 E. (cont)

cho.  $58^{\circ}48'N$ . on a true line  
bet. secs. 17 and 20.

Var.  $14^{\circ}47'$  East

over rolling land, through  
dense brush.

19.93 a malpais rock in place  
 $1\frac{1}{2} \times 1\frac{1}{2}$  ft. above ground  
which I mark with a  
cross (+) at exact cor-  
ner point for  $\frac{1}{4}$  sec. cor.  
with  $\frac{1}{4}$  markers on N. face  
and raised a mound of  
stone  $1\frac{1}{2}$  ft. high, 2 ft. base  
alongside, from which  
a cedar 16 ins. diam. has. N.  
 $17^{\circ}30' E$ . 63 lbs. dist. marked  
 $\frac{1}{4}$  S. S.T.

A Pine 8 ins. diam. has. N.  $9^{\circ}$   
 $45' W$ . 71 lbs. dist. marked

## Subdivisions

- chs.  $\frac{1}{4}$  S.E.T.
- 79.87. The cor. to secs 17, 18, 19 and 20.  
Land, rolling -  
Soil, stony, 3rd rate.  
No timber.  
Dense cedar and pinon  
brush, 79.87 chs.
- S.  $89^{\circ}57'$  W. on a random line  
bet. secs. 18 and 19.  
Var.  $14^{\circ}47'$  East
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
78.50 Intersect W. body of the Sp.  
13 chs. N. of cor. to secs.  
13, 18, 19 and 24, which is a  
stone firmly set and  
properly marked and mit.  
needed as described in the  
field notes furnished by

Sp. 23 N. R. 17. (cont.)

Chs. the Surveyor General

Thence from

N.  $89^{\circ}51'$  E. on a true line  
bet. sec. 18 and 19.

Var.  $14^{\circ}47'$  East.

over broken rolling land,  
through dense brush.

38.50 Set a malpais stone  $14 \times$   
 $12 \times 12$  ins. 9 ins. in the  
ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face, and  
raised a mound of stone  
 $\frac{1}{2}$  ft. high, 2 ft. base,  
alongside; from which  
a cedar 10 ins. diam. hrs.  
S.  $43^{\circ}$  E. 63 lks. dist. marked  
 $\frac{1}{4}$  S. B.T.

a cedar 20 ins. diam. hrs.  
N.  $35^{\circ}$  E. 107 lks. dist. marked

## Subdivisions

chs.	1/4 S. B.T.
59.00	ascend 100 feet.
65.00	Top of ascent. Descent 80 ft.
71.00	ascend 90 ft.
74.00	Top of ascent, and descent 100 ft.
78.50	Foot of descent. The cor. to secs. 17, 18, 19 and 20. Land, rolling and broken. Soil, rocky, + the rate. No timber Dense cedar and pinon brush, 78.50 chs.

N.  $0^{\circ} 3' W.$  bet. secs. 17 and 18.  
 Var.  $14^{\circ} 47'$  East  
 Over mountainous land,  
 through dense brush.  
 ascend 100 ft.

## Sp 23 N.R. / E. (cont)

- 0.00 Top of ascent.  
Descent 250 ft.
- 39.00 Foot of descent.  
Thence over rolling land.
- 40.00 a malpais rock in place  
2 x 2 x 1 1/2 ft above ground,  
which I mark with a  
cross at exact. cor. point  
for 1/4 sec. cor. with 1/4  
on W. face, and raised a  
mass of stone 1 1/2 ft high  
2 ft. base, alongside,  
from which  
a cedar 6 ins. diam. hrs.  
S. 88° W. 25 lks. dist.  
marked 1/4 S. O.T.
- a cedar 8 ins. diam. hrs.  
S. 62° E. 31 lks. dist. marked  
1/4 S. O.T.

## Subdivisions

chs.  
80.00

Set a malpais stone  $15 \times 11 \times 9$  ins. 10 ins. in the ground for cor. to sec-7, 8, 17 and 18, marked with 4 notches on S. and 5 notches on E. edges, and raised a mound of stone  $1\frac{1}{2}$  ft high 2 ft base, alongside, from which

a Pinon 10 ins. diam. hrs.  
N.  $45^{\circ} 30'$  E. 27 lbs. dist.  
marked T. 23 N. R. 1 E. S. 8 S.T.

a cedar 12 ins. diam. hrs.  
S.  $31^{\circ} 45'$  E. 17 lbs. dist. marked  
T. 23 N. R. 1 E. S. 17 S.T.

a cedar 10 ins. diam. hrs.  
S.  $45^{\circ} 30'$  N. 19 lbs. dist.  
marked T. 23 N. R. 1 E. S. 18 S.T.

a Pinon 8 ins. diam. hrs.

Sp. 23 N. R. 1 E. (cont)

chs. N.  $11^{\circ} 30'$  W. 113 lks. dist. marked

T. 23 N. R. 1 E. S. 7 B.T.

Land, mountains and rolling  
Soil, rocky, 4<sup>th</sup> rate.

No timber.

Dense cedar and pinon brush

80 chs.

N.  $89^{\circ} 48'$  E. on a random line  
bet. secs. 8 and 17.

Var.  $140^{\circ} 47'$  East.

40.00 Set temporary  $1/4$  sec. cor.

79.92 Intersect N. and S. line 15

lks. N. of cor. to sec.

8, 9, 16 and 17.

Thence I run

S.  $89^{\circ} 54'$  W. on a true line  
bet. secs. 8 and 17.

Var.  $140^{\circ} 47'$  East.

## Subdivisions

cho over rolling land, through dense brush.

39.96 Set a malpais stone  $16 \times 12 \times 9$  ins. 11 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face, and raised a mound of stone  $1\frac{1}{2}$  ft. high, 2 ft. base, alongside, from which

a cedar 10 ins. diam. brs. N.  $30^{\circ} 45'$  W. 17 lbs. dist. marked  $\frac{1}{4}$  S. B.T.

a cedar 18 ins. diam. brs. N.  $45^{\circ} 15'$  W. 107 lbs. dist. marked  $\frac{1}{4}$  S. B.T.

79.92 The cor. to sec. 7, 8, 17 and 18. Land, gently rolling. Soil, stony, 4<sup>th</sup> rate. No timber.



2p. 23 NR. 1 E. Contd

Dense cedar and pine  
brush, 79.92 chs.

S.  $89^{\circ}51' W.$  on a random line  
bet. secs. 7 and 18.

Var.  $14^{\circ}47'$  East.

0.00 Set temporary  $\frac{1}{4}$  sec. cor.

8.42 Intersect W. bdy of 2p. 11 lks  
S. of cor. to secs 7, 12, 13 and  
18, which is a stone firmly  
set and properly marked  
and witnessed as des-  
cribed in the field notes  
furnished by the Surveyor  
General

Thence I run

N.  $89^{\circ}56' E.$  on a true line  
bet. secs. 7 and 18.

Var.  $14^{\circ}47'$  East.

## Subdivisions

chs. over rolling land, through dense brush.

38.42 Set a malpais stone  $24 \times 20 \times 18$  ins. 16 ins. in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face, and raised a mound of stone  $1\frac{1}{2}$  ft high, 2 ft base, alongside, from which a Pinon 8 ins. diam. - brs N.  $69^{\circ}45'$  E. 41 lbs. dist.

marked  $\frac{1}{4}$  S. S. T.

a cedar 10 ins. diam.

brs. S.  $130^{\circ}30'$  W. 63 lbs. dist.

marked  $\frac{1}{4}$  S. S. T.

78.42 The cor. to secs. 7, 8, 17 and 18.

Land, rolling.

Soil, stony, 4<sup>th</sup> rate.

No timber.

2p 23 NR 1 E (cont'd)

cho. Dense cedar and juniper  
bush 78.42 cho.

N. 0° 3' W. bet. sees. 7 and 8.

Var. 140° 47' East.

Over rolling land, through  
dense bush.

to 0.00 Set a malpais stone, 7 x 14  
x 11 ins. 12 ins in the  
ground for 1/4 sec. cor.

marked 1/4 on W. face  
and raised a mound of  
stone 1 1/2 ft. high, 2 ft.  
base, alongside, from  
which

a cedar 10 ins diam  
br. S. 31° W. 61 lbs. dist  
marked 1/4 S. O. T.

## Subdivisions T. 23 N. R. 1 E. (cont.)

- lbs a cedar 8 ins. diam. hrs  
 S. 13° W. 104 lbs. dist.  
 marked 1/4 b. B.T.
- 80.00 Set a malpais stone  
 20 x 14 x 10 ins. 15 ins  
 in the ground for con-  
 to sec. 5, 6, 7 and 8,  
 marked with 5 notches  
 on S. and E. edges, and  
 raised a mound of stone  
 1 1/2 ft. high, 2 ft. base,  
 alongside, from which  
 a Pinon 6 ins. diam. hrs  
 N. 40° 30' E. 117 lbs. dist.  
 marked T. 23 N. R. 1 E. S. 5 B.T.
- a cedar 10 ins. diam. hrs  
 S. 43° 15' E. 120 lbs. dist.  
 marked T. 23 N. R. 1 E. b. 8 B.T.
- a cedar 8 ins. diam. hrs

*concluded 457*

BOOK 452