

Book No. 6 Compared

*Platted  
Specd  
Indexed*

*W. P. Fitzgerald* Deputy Surveyor.  
T. *24* N. R. *3* E.

Gila and Salt River Meridian.

# FIELD NOTES

OF *No. 475*

THE SUBDIVISION LINES OF

Township *24* N. Range *3* E.

Gila and Salt River Meridian.

**475**

BY **BOOK 475**

*W. P. Fitzgerald* Deputy Surveyor.

Under his Contract of *July 27<sup>th</sup>* 1882

Survey Commenced *January 27<sup>th</sup>* 1883

Survey Completed *February 3<sup>rd</sup>* 1883

*Platted,  
Copied for Washington,  
Copied for Register,*

Township No. 24 N. Range No. 3 E. Gila Salt-horn Meridian.

78 70 84.12  
0.90  
78.22

BOOK 475



TOWNSHIP PLOT  
 Meridian Line,  
 Base Line,  
 Standard Line,  
 Township Lines,  
 Section Lines,  
 Meander Lines,  
 Office Work.

BOOK 475

No. 475

W. R. Fitzgerald Deputy Surveyor.

T. 24 N. R. 3 E

Gila and Salt River Meridian.

FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township 24 N. Range 3 E.

Gila and Salt River Meridian.

BY

W. R. Fitzgerald Deputy Surveyor.

Under his Contract of July 27 1882

Survey Commenced Jan 27 1883

Survey Completed Feb 3 1883

Platted,  
Copied for Washington,  
Copied for Register,

1A

Index — BOOK 475

Township 24 North, Range 3 East,  
Gila and Salt River Base and Meridian.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
53		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	20	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Edward Denny & Co., Stationers & Printers, S. F., Cal.

Copyright Secured,

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

Township..... Range.....

..... Meridian.

Township.....Range.....

.....Meridian.

For Preliminary <sup>and description of Resp. used</sup> ~~Outline~~, see  
Book No 1

Survey made with Burt's Patent Improved Solar  
Compass, nearly new, and in first rate order. Made  
by Otto Tempel of Cassel  
Germany in 1881.

Before proceeding to subdivide this Tp., I made a  
change of 6<sup>5</sup> minutes in the latitude arc of my  
solar compass by subtracting same from  
the reading previously given, and at noon verified  
and corrected same by observation on the sun. I also  
further tested instrument by reversing.

10  
BOOK 475

1 Township

24 N

Range

3 E

(See previous page.)

Gila and Salt River Meridian.

Chains

S. E. Cabb

Compassman,

From the corner to Sections 35, 36, 1 and 2 on the South boundary,  
previously set by me. <sup>Drum</sup>  
North, between Sections 35 and 36

Variation 14° 28' East.

Descend.

4000 Set a sand stone 12 x 10 x 6 ins.,  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on  
face, and raised a mound of stone alongside. Pits  
impracticable.

80 00

Set a post 4 ft. long, 4 ins. square, with marked stone.  
12 ins. in the ground, for Cor. to Secs. 25, 20, 35 & 30  
marked T. 24 N. S. 25, on N. E., R. 3 E, S. 36  
on S. E., S. 35 on S. W., and S. 26 on N. W. face,  
with notch on S. and notch on E. edges;  
and raised a mound of stone 2 ft. high, 4 $\frac{1}{2}$  ft. base  
around post. Pits impracticable.

Top of Ridge, bears N. and descend. from which  
A Cedar 20 ins. diam, bears N. 20° W. 50 lks, dist,  
marked T. 24 N. R. 3 E. S., 26 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of yellow & nut pine & juniper  
Vegetation. grass & sage.

Township 24 N. Range 3 E.  
Gila and Salt River Meridian.

Chains East, on a random line between Sections 25 and 36.  
Variation  $71^{\circ} 51'$  East.

*Descend.*

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

53.00 Cross low Sag and ascend.

80.11 Intersect E. B. of Tp. 14 lks. N. of cor. to secs.  
*previously set by me.*

25.30.31 & 30 from which corner, I ran

N.  $89^{\circ} 54'$  W. on a true line, between sections 25 & 30

Variation  $14^{\circ} 51'$  East.

40.05 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.11 The corner to sections 25, 20, 35 & 30

Land mountainous

Soil  $3^{\text{rd}}$  rate

Timber of yellow & nut-pines & juniper

Vegetation. grass & sage.



Township 24 N. Range 3 E.

Gila and Salt River Meridian.

Chains

North, between Sections 23 and 24.

Variation 14' 51' East.

Descend.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.

from which

A Yellow Pine 18 ins diam. bears N. 30° E. 31 lks. dist. marked 1/4 S. B. T.

No other trees within limits.

57.00

Cross Canon, 60 lks. wide, Course N. 45° E. and ascend Tank Water in the Canon

80.00

Set a sand stone 24 x 10 x 4 ins. 18 ins. in the ground for Cor. to Secs. 13, 14, 23 & 24 marked with 3 notches on S. and 1 notch on E. edges and raised a mound of stone alongside. Pits impracticable.

from which

A Yellow Pine 12 ins diam. bears S. 30° W. 12 1/2 lks. dist. marked T. 24 N. R. 3 E. S., 23 B. T.

A Yellow Pine 24 ins diam. bears S. 20° E. 11 1/2 lks. dist. marked T. 24 N. R. 3 E. S., 24 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of yellow pine & juniper.

Vegetation. grass & sage.

Township 24 N Range 3 E  
Gila and Salt River Meridian.

Chains	East, on a random line between Sections 13 and 24. Variation $4^{\circ} 51'$ East.
	<i>Ascend.</i>
40.00	Set temporary $\frac{1}{2}$ Sec. Cor.
80.36	Intersect E. B. of Tp. 6 Tks. S. of cor. to secs. 13. 18. 19 & 24 from which corner, I run <i>previously set by me.</i> $S. 89^{\circ} 57' W.$ on a true line, between sections 13 & 24 Variation $14^{\circ} 51'$ East.
40.18	Set a Sand stone $14 \times 10 \times 4$ ins., 10 ins. in the ground, for $\frac{1}{2}$ Sec. Cor., marked $\frac{1}{2}$ on N. face, and raised a mound of stone alongside. Pits impracticable.
80.36	The corner to sections 13. 14. 23 & 24 Land mountainous Soil $3^{rd}$ rate Timber of Yellow pine & juniper. Vegetation. grass & sage.

Township

24 N

Range

3 E

Gila and Salt River Meridian.

Chains

North, between Sections 13 and 14.

Variation  $14^{\circ} 51'$  East.

Ascend. gradually.

40.00

Set a Sand stone  $20 \times 11 \times 5$  ins., 15 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, and raised a mound of stone alongside. Pits impracticable. on

Top of Spur, bears  $S. 8^{\circ} W.$  and descend.

57.00

Cross low Sag and ascend.

89.00

Set a Sand stone  $14 \times 10 \times 4$  ins. 10 ins. in the ground for Cor. to Secs. 11, 12, 13 & 14 marked with 4 notches on S. and 1 notch on E. edges and raised a mound of stone alongside. Pits impracticable.

from which

A Pine 12 ins, diam. bears  $N. 40^{\circ} E.$  6 1/2 kls. dist. marked T. 24 N. R. 3 E. S., 12 B. T.

A Pine 10 ins, diam. bears  $S. 80^{\circ} W.$  9 1/2 kls. dist. marked T. 24 N. R. 3 E. S., 14 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of yellow pine &amp; cedar.

Vegetation. grass &amp; sage.

Township 24 N Range 3 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 12 and 13. Variation 14° 51' East.

Ascend. over rolling surface along S. slope.

32.00 Top of Spur, bears N. S. and descend.

40.00 Set temporary 1/2 Sec. Cor.

79.81 Intersect E. B. of Tp. 13 1/2 m. S. of cor. to secs. previously set by me.

7.12. 13 & 14 from which corner, I run S. 89° 57' W. on a true line, between sections 12 & 13 Variation 14° 51' East.

39.90 Set a post 3 ft. long. 3 ins. diam. with marked stone 12 ins. in the ground, for 1/2 Sec. Cor., marked 1/2 S. on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.

On Ridge, bears and descend. from which

A Pine 10 ins. diam. bears N. 10° E. 37 1/2 m. dist. marked 1/2 S. B. T.

No other trees within limits.

79.81 The corner to sections 11. 12. 13 & 14

Land mountainous Soil 3rd rate

Timber of yellow pine & juniper Vegetation. grass & sage.

Township 24 N Range 3 E

Gila and Salt River Meridian.

Chains

North, between Sections 11 and 12.

Variation 14° 51' East.

Ascend. gradually

10.00 Top of Ridge, bears  $\text{N } 30^{\circ} \text{ W}$  and descend.

40.00 Set a sand stone 10 x 10 x 4 ins., 6 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on  $\text{W}$  face, and raised a mound of stone alongside. Pits impracticable.

1 Pine 10 ins, diam. bears  $\text{N } 30^{\circ} \text{ W}$  20 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

47.00 Cross low Sag and ascend.

80.00 Set a sand stone 14 x 11 x 8 ins. 10 ins. in the ground for Cor. to Secs. 1, 2, 11 & 12 marked with 6 notch on S. and 1 notch on E. edges and raised a mound of stone alongside. Pits impracticable.

from which  
1 Pine 13 ins, diam. bears  $\text{N } 18\frac{1}{2}^{\circ} \text{ W}$  90 lks. dist. marked T. 24 N. R. 3 E. S., 1 B. T.

1 Cedar 11 ins, diam, bears  $\text{N } 30^{\circ} \text{ W}$  1.40 lks, dist, marked T. 24 N. R. 3 E. S., 2 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of yellow pine & juniper.

Vegetation. grass & sedge.

Jan. 27. 1883

Township 24 N Range 3 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation  $14^{\circ} 51'$  East.

Ascend. along S. slope of high butte.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.58 Intersect E. B. of Tn. 47 lks. N. of cor. to secs. previously set by me.

1.6. 7 e 12 from which corner, I run

N.  $89^{\circ} 40' W$  on a true line, between sections 1 e 12Variation  $14^{\circ} 51'$  East.39.79 Set a Sand stone  $14 \times 10 \times 4$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, and raised a mound of stone alongside. Pits impracticable. from whichA Pine  $14$  ins, diam. bears N.  $10^{\circ} E$ . 37 lks. dist. marked  $\frac{1}{4}$  S. B. T.A Pine 10 ins, diam. bears S.  $44^{\circ} E$ . 50 lks. dist. marked  $\frac{1}{4}$  S. B. T.

79.58 The corner to sections 1, 2, 11 e 12

Land mountainous

Soil  $3^{\text{rd}}$  rate

Timber of yellow pine e juniper

Vegetation. grass e sage.

Township 24 N Range 3 E

Gila and Salt River Meridian.

Chains North, on a ~~true~~ <sup>true</sup> line between Sections 1 and 2.

Variation 14° 51' East.

Ascend. along W. slope of high butte.

40.00

Set a Sand stone 18' x 10' x 6 ins., 12 ins. in the ground, for 1/4 Sec. Cor., marked 1/2 on W. face, and raised a mound of stone alongside. Pits impracticable.

Top of Spur, bears N. 60° W. 8.60' E. from which a Pine 10 ins, diam. bears N. 42° E. 43 lks. dist. marked 1/4 S. B. T.

a Pine 12 ins, diam. bears S. 41° W. 42 lks. dist. marked 1/4 S. B. T.

Descend. over rough surface.

80.60

Intersect the 0<sup>th</sup> Standard Parallel North at a point 80. chs. West of the Standard Cor. to Secs. 35 and 30 T. 25 N. R. 3 E. at which point 1

Set a Sand stone 14 x 10 x 4 ins. 10 ins. in the ground for Closing Cor. to Secs. 1 and 2 marked C. C. with 1 notch on E. and 5 notches on W. edges and raised a mound of stone. alongside.

Pits impracticable. from which a Pine 10 ins, diam. bears S. 75° E. 60 lks. dist. marked T. 24 N. R. 3 E. S., 1 B. T.

Pine 12 ins, diam. bears S. 20° W. 68 lks. dist. marked T. 24 N. R. 3 E. S., 2 B. T. No other trees within limits.

Land mountainous  
Soil 30  
rate  
Timber of yellow pine & juniper.  
Vegetation. grasses & sage

Township 24 N. Range 3 E.

Gila and Salt River Meridian.

From the corner to sections, 2, 3, 34 & 35, <sup>as S. by A. J.</sup> previously set by me.Chains 2 North, between Sections 34 and 35.Variation 14° 48' East.

Over rolling land.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

55.00 Cross Road, bears, N.W. & S.E.

80 00 Set a post 4 ft. long, 4 ins. square, with marked stone.  
12 ins. in the ground, for Cor. to Secs. 26, 27, 34 & 35  
marked T. 24 N. S. 26, on N. E., R. 3 E., S. 35  
on S. E., S. 34 on S. W, and S. 27 on N. W. face,  
with 1 notch on S. and 2 notches on E. edges;  
and raised a mound of stone 2 ft. high,  $4\frac{1}{2}$  ft. base  
around post. Pits impracticable. from which

A Juniper 14 ins. diam. bears S.  $15^{\circ}$  E. 32 lks. dist.  
marked T. 24 N. R. 3 E. S., 35 B. T.

No other trees within limits.

Land mountainous &amp; rolling.

Soil 3<sup>rd</sup> rateTimber of out-pine & juniper.Vegetation. grass & sage



Township

24 N.

Range

3 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 26 and 35.

Variation

14° 51'

East.

*Ascend.*

3.00 Top of Ridge, bears N.W. &amp; S. E. and descend.

15.50 Cross low Sag and ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.67 Intersect N. &amp; S. line, 23 lks. S. of cor. to secs.

25, 26, 35 &amp; 36 from which corner, I run

S. 89° 50' W. on a true line between sections 20 &amp; 35

Variation

14° 51'

East

39.83 Set a Sand stone 10 x 10 x 0 ins., 0

ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, and raised a mound of stone alongside. Pits

impracticable.

from which

A Pine 10 ins, diam. bears N. 3° E. 8 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.

No other trees within limits.

79.67 The corner to sections 26, 27, 34 &amp; 35

Land mountainous

Soil 3<sup>rd</sup> rateTimber of yellow & nut pine & juniper.  
Vegetation. grass & sage.

Township 24 N Range 3 E  
 No. 475 Gila and Salt River Meridian.

Chains North, between Sections 26 and 27.  
 Variation 14° 51' East.

Ascend.

14.00 Top of Ridge, bears N. W. 2 S. S. and descend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.  
 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
 N. face, and raised a mound of stone  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base around post. Pits impracticable.

00.00 Cross low Sag and ascend.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone  
 12 ins. in the ground, for Cor. to Secs. 22 23 26  
 marked T. 24 N. S. 23, on N, E, R, 3 E, S. 20  
 on S, E, S, 24 on S. W, and S, 22 on N, W, face  
 with 2 notches on S, and 2 notches on E, edges,  
 dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post.

from which

A Yellow Pine 18 ins diam. bears N. 45° W. 26 lks. dist.  
 marked T. 24 N. R. 3 E. S., 22 B. T.

A Yellow Pine 10 ins diam. bears N. 37° E. 34 lks. dist.  
 marked T. 24 N. R. 3 E. S., 23 B. T.

A Yellow Pine 14 ins diam. bears S. 20° E. 60 lks. dist.  
 marked T. 24 N. R. 3 E. S., 26 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate Vegetation. grass & sage  
 Timber of Yellow pine & juniper.

Township 24 N Range 3 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 23 and 26.

Variation  $14^{\circ} 51'$  East.*Ascend.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.65.00 Top of Ridge, bears  $N. 10^{\circ} W. 2.10^{\circ} C$  and descend.

79.82 Intersect N. &amp; S. line. 47 lks. S, of cor. to secs.

~~23, 24, 25 & 26~~ from which corner, I run. $S. 89^{\circ} 40' W.$  on a true line between sections 23 & 26Variation  $14^{\circ} 51'$  East

39.91 Set a post 3 ft. long, 3 ins. diam. with marked stone  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.

79.82 The corner to sections 22, 23, 26 &amp; 27

Land mountainous

Soil  $3^{\circ}$  rate

Timber of yellow pine &amp; juniper.

Vegetation. grass &amp; sage.

Township

24 N Range 3 E

Gila and Salt River Meridian.

Chains

North, between Sections 22 and 23.

Variation  $11^{\circ} 51'$  East.

Descend. gradually.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post. from which

A Pine 14 ins, diam. bears  $N. 10^{\circ} E. 37$  lks. dist. marked  $\frac{1}{4}$  S. B. T.

No other trees within limits.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 14, 15, 22 & 23 marked T, 24 N. S. 14, on N, E, R, 3 E, S 23 on S, E, S, 22 on S. W, and S, 15 on N. W, face with 3 notches on S, and 2 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft, high,  $4\frac{1}{2}$  ft, base around post. from which

A Yellow Pine 20 ins diam. bears  $S. 40^{\circ} E. 14$  lks. dist. marked T, 24 N. R. 3 E. S., 23 B. T.

A Pine 12 ins, diam. bears  $S. 10^{\circ} W. 10$  lks. dist. marked T, 24 N. R. 3 E. S., 22 B. T.

No other trees within limits.

Soil 3<sup>rd</sup> rate

Timber of yellow pine &amp; juniper.

Vegetation grass &amp; sage

17

Township

24 N

Range

3 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation  $14^{\circ} 51'$  East.

Ascend. gradually.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

60.00 Cross Canon, 30 lks. wide, Course N.W. and ascend

79.98 Intersect N. & S. line, 19 lks. S. of cor. to secs.

13. 14. 23 & 24 from which corner, I run.

$S. 89^{\circ} 52' W.$  on a true line between sections 14 & 23

Variation  $14^{\circ} 51'$  East

39.99 Set a Sand stone  $14 \times 10 \times 4$  ins., 10

ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.

face, and raised a mound of stone alongside. Pits

impracticable. on top of Butte from which

A Pine 12 ins, diam. bears  $S. 30^{\circ} W.$  42 lks. dist.

marked  $\frac{1}{2}$  S. B. T.

No other trees within limits.

79.98 The corner to sections 14. 15. 22 & 23

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of yellow pine & cedar.

Vegetation: grass & sage.

Jan. 29. 1883

Township 24 N

Range 3 E

Gila and Salt River Meridian.

Chains

North, between Sections 14 and 15.

Variation 14° 51' East.

Ascend.

34.00 Top of Ridge, bears O. 2 W. and descend.

40.00 Set a Sand stone 14 x 10 x 4 ins., 10 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, and raised a mound of stone alongside. Pits impracticable. from which

A Pine 20 ins, diam. bears N 40° O. 33 lks. dist. marked 1/2 S. B. T. No other trees within limits.

75.00 Cross low Sag and ascend.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 10, 11, 14 & 15 marked T, 24 N, S, 11, on N, E, R, 3 E., S. 14 on S, E, S, 15 on S. W, and S, 10 on N, W, face with 4 notches on S, and 2 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft, dist., and raised a mound of earth 2 ft, high, 4 1/2 ft, base around post. from which

A Yellow Pine 20 ins diam. bears N 15° O. 90 lks. dist. marked T, 24 N, R, 3 E, S., 11 B. T.

A Yellow Pine 24 ins diam. bears O 40° W. 148 lks. dist. marked T, 24 N, R, 3 E, S., 15 B. T.

A Yellow Pine 30 ins diam. bears N 30° W. 60 lks. dist. marked T, 24 N, R, 3 E, S., 10 B. T.

Luna mountainous (w) other trees within limits

Soil 3<sup>rd</sup> rate

Timber of yellow pine & juniper.

Vegetation. grass & sage.

Township 24 N. Range 3 E.

Gila and Salt River Meridian.

Chains East, on a random line between Sections 11 and 14.

Variation  $14^{\circ} 51'$  East.

Ascend. along S. slope.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.52 Intersect N. & S. line, 35 lks. S. of cor. to secs. 11, 12, 13 & 14 from which corner, I run

$S. 89^{\circ} 45' W.$  on a true line between sections 11 & 14

Variation  $14^{\circ} 51'$  East

39.76 Set a Sand stone  $14 \times 4 \times 4$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, and raised a mound of stone alongside. Pits impracticable.

from which

A Pine 12 ins, diam. bears  $S. 30^{\circ} E. 37$  lks. dist. marked  $\frac{1}{4}$  S. B. T.

No other trees within limits.

79.52 The corner to sections 10, 11, 14 & 15

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of yellow pine & juniper.

Vegetation. grass & sage.

Township 24 N Range 3 E

Gila and Salt River Meridian.

Chains

North, between Sections 10 and 11.

Variation

14° 51'

East.

Descend. Very gradually.12.00 Cross low Sag and ascend.40.00 A Pine 8 ins, diam.which I marked  $\frac{1}{4}$  S.on W. face, for  $\frac{1}{4}$  sec. cor., dug pits, 18 x 18 x 12 ins.N. and S. of tree,  $5\frac{1}{2}$  ft. dist. and raised a mound  
of earth around tree.

from which

A Pine 10 ins, diam. bears S. 70° W. 44 lks. dist.marked  $\frac{1}{4}$  S. B. T.

No other trees within limits.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone

12 ins. in the ground, for Cor. to Secs. 2, 3, 10 & 11marked T, 24 N. S. 2, on N, E, R, & E., S. 11on S, E, S, 10 on S, W, and S, 3 on N, W, facewith 5 notches on S, and 2 notches on E. edges,dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist.,and raised a mound of earth 2 ft, high,  $4\frac{1}{2}$  ft. base

around post.

Land mountainous

Soil 3<sup>rd</sup> rateTimber of yellow pine & juniper.Vegetation. grass & sage.



Township 24 N Range 3 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 2 and 11.

Variation 14° 51' East.

Descend.

11.00 Cross low Sag and ascend.

40.00 Set temporary 1/4 Sec. Cor.

80.13 Intersect N. & S. line, 8 lks. N. of cor. to secs.

1, 2, 11 & 12 from which corner, I run

N. 89° 57' W. on a true line between sections 2 & 11

Variation 14° 51' East

40.06 Set a sand stone 11 x 10 x 4 ins., 8

ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N.

face, and raised a mound of stone alongside. Pits

impracticable.

from which

A Pine 12 ins. diam. bears S. 20° E. 22 lks. dist.  
marked 1/4 S. B. T.

No other trees within limits.

80.13 The corner to sections 2, 3, 10 & 11

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of. yellow pine & juniper.

Vegetation. grass & sage.

Ownership 24 N Range 3 E

Gila and Salt River Meridian.

Chains North, on a ~~random~~ <sup>true</sup> line between Sections 2 and 3.  
Variation 14° 51' East.

Descend. gradually.

32.00 Cross low Sag and ascend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post. from which

A Pine 20 ins. diam. bears N 20° E. 152 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

55.00 Top of Ridge, bears S. 70° E. & N. 70° W.

80.35 Intersect the 0<sup>th</sup> Standard Parallel North at a point 6.68 chs. <sup>East</sup> ~~East~~ of the Standard Cor. to Secs. 34 and 35 T. 25 N. R. 3 <sup>at which</sup> ~~at which~~ <sup>previously set by me.</sup>  
**point I**

Set a Sand stone 10 x 11 x 5 ins. 10 ins. in the ground for Closing Cor. to Secs. 2 and 3 marked C. C. with 2 notches on E. and 4 notch on W. edges and raised a mound of stone. alongside.

P. is im. racticable.

A Pine 10 ins. diam. bears S. 19 $\frac{1}{2}$ ° W. 48 lks. dist. from which marked T. 24 N. R. 3 E. S., 3 B. T. No other trees within limits.

Soil 3<sup>rd</sup> rate

Timber of nut-pine & cedar.  
Vegetation. grass & sage.

Township 24 N Range 3 E

Gila and Salt River Meridian.

From the corner to sections, 37, 38, 39, 34 <sup>or 31, 32, 33</sup> previously set by me.

Chains <sup>Iron</sup> North, between Sections 33 and 34.

Variation 14° 48' East.

Descend.

40.00 Set a Sand stone 15 x 12 x 3 ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, and raised a mound of stone alongside. Pits impracticable.

80.00 Set a Sand stone 12 x 8 x 6 ins. 4 ins. in the ground for Cor. to Secs. 27, 28, 33 & 34 marked with 1 notch on S. and 3 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

from which

Lane's Tank bears N. 45° E. from Sec. cor. 1100  
 Cabin bears N. 45° E. from Sec. cor. 1100

Land rolling.

Soil 3<sup>d</sup> rate

Vegetation grass & sage.

Township

24

N

Range

3

O

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation

14° 51'

East.

Descend.

12.48 Cross Road, bears, S. 50° E. x N. 50° W.

20.80 Cross low Sag and ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.88 Intersect N. &amp; S. line. 60 lks. S. of cor. to secs.

20.27, 34.00 from which corner, I run

S. 89° 39' W. on a true line between sections 27 &amp; 34

Variation

14° 51'

East

39.99 Set a Sand stone 12 x 12 x 6 ins., 8

ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.

face, and raised a mound of stone alongside.

Pits

impracticable.

79.88 The corner to sections 27, 28, 33 &amp; 34

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of nut pine &amp; juniper.

Vegetation. grass &amp; sage.

Township

24 N

Range

3 E

Gila and Salt River Meridian.

Chains

North, between Sections 27 and 28.

Variation

14° 51'

East.

Descend.

6.00 Cross Road, bears S. 45° E. &amp; N. 45° W.

12.00 Cross low Sag and ascend.

40.00 Set a sand stone 12 x 12 x 3 ins., 8  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W  
face, and raised a mound of stone alongside. Pits  
impracticable.

45.00 Top of Ridge, bears E. &amp; W. and descend.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone  
12 ins. in the ground, for Cor. to Secs. 21, 22, 27 & 28  
marked T. 24 N. S. 22, on N, E, R, & S. 27  
on S, E, S, 28 on S. W, and S, 21 on N, W, face  
with 2 notches on S, and 3 notches on E, edges,  
dug pits 18 x 18 x 12 ins, in each Sec., 5½ ft. dist.,  
and raised a mound of earth 2 ft. high, 4½ ft. base  
around post. from which

A Pine 10 ins, diam. bears N. 80° E. 18 lks. dist.  
marked T. 24 N. R. 3 E S., 22 B. T.

A Pine 7 ins, diam. bears N. 15° W. 14 lks. dist.  
marked T. 24 N. R. 3 E S., 21 B. T.

A Pine 7 ins, diam. bears S. 20° E. 29 lks. dist.  
marked T. 24 N. R. 3 E S., 27 B. T.

No other trees within limits.

Land mountainous

Soil

3<sup>rd</sup>

rate

Timber of oak &amp; yellow pine &amp; cedar.

Vegetation. grass &amp; sage.

Township 24 N. Range 3 E.  
Gila and Salt River Meridian.

Chains	East, on a random line between Sections 22 and 27.
	Variation <u>14° 51'</u> East.
	Descend. gradually along N. slope.
40.00	Set temporary $\frac{1}{4}$ Sec. Cor.
70.70	Cross low Sag and ascend.
80.21	Intersect N. & S. line. 18 kts. S. of cor. to secs. 22, 23, 26 & 27 from which corner, I run S. 89° 52' W. on a true line between sections 22 & 27 Variation <u>14° 51'</u> East
40.10	Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post $5\frac{1}{2}$ ft. dist., and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post. from which
	A Yellow Pine 10 ins diam. bears N. 51° E. 14 kts. dist. marked $\frac{1}{4}$ S. B. T.
	A Yellow Pine 10 ins diam. bears S. 14° W. 68 kts. dist. marked $\frac{1}{4}$ S. B. T.
80.21	The corner to sections 21, 22, 27 & 28 Land mountainous Soil <u>3<sup>rd</sup></u> rate Timber of yellow pine & juniper. Vegetation. grass & sage I carefully examined the adjustments of my solar compass to-day, particularly the latitude and revers- ing apparatus, and found them correct. Jan. 30. 1883

Township 24 N. Range 3 E.

Gila and Salt River Meridian.

Chains North, between Sections 21 and 22.

Variation 14° 51' East.

Descend.

40.00 Set a Sand stone 20 x 8 x 8 ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on face, and raised a mound of stone alongside. Pits impracticable.

from which  
A Pine 10 ins, diam. bears N. 50° W. 28 lks. dist.  
marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.00 Set a Sand stone 24 x 14 x 6 ins. 18 ins. in the ground for Cor. to Secs. 15, 10, 21 & 22 marked with 3 notches on S. and 3 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

from which  
A Pine 18 ins, diam. bears N. 38° W. 44 lks. dist.  
marked T. 24 N.R. 3 S., 10 B. T.  
A Pine 20 ins, diam. bears S. 50° E. 30 lks. dist.  
marked T. 24 N.R. 3 S., 22 B. T.  
No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of nut pine & juniper.  
Vegetation, grass & sage.

Township

24 N

Range

3 O

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation

14° 51'

East.

Ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

50.00 Top of Ridge, bears N. &amp; O, and descend.

00.00 Cross low Sag and ascend.

79.79 Intersect N. &amp; S. line. 11 lks. N, of cor. to secs.

14. 15. 22 from which corner, I run

N. 89° 55' W. on a true line between sections 15 &amp; 22

Variation

14° 51'

East

39.89 Set a Sand stone 20 x 10 x 4 ins., 15

ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N,  
face, and raised a mound of stone alongside. Pits

unpracticable.

77.79 The corner to sections 15. 16. 21 &amp; 22

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of nut pine &amp; juniper.

Vegetation. grass &amp; sage.



Township 24 N

Range 3 E

Gila and Salt River Meridian.

Chains

North, between Sections 15 and 16.

Variation 14° 51' East.

Ascend. gradually.

40.00

Set a sand stone 14 x 10 x 4 ins., 10 ins. in the ground, for 1/2 Sec. Cor., marked 1/2 on W. face, and raised a mound of stone alongside. Pits impracticable. from which

A Pine 12 ins, diam. bears N 75° W. 12 lks. dist. marked 1/2 S. B. T. No other trees within limits.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 9, 10, 15 & 16 marked T, 24 N, S, 10, on N, E, R, 3 E, S, 15 on S, E, S, 16 on S, W, and S, 9 on N, W, face with 4 notches on S, and 3 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base around post. from which

A Pine 12 ins, diam. bears S. 15° W. 10 lks. dist. marked T, 24 N, R, 3 E, S., 10 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of pine & juniper.

Vegetation. grass & sage.

Township 24 N Range 3 0

Gila and Salt River Meridian.

Chains East, on a random line between Sections 10 and 15.  
Variation 14° 51' East.

Ascend. gradually.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

45.00 Top of Ridge, bears N. & S. and descend.

63.00 Cross low Sag and ascend.

80.07 Intersect N. & S. line. 62 lks. N. of cor. to secs.

10, 11, 14 & 15 from which corner, I run

N. 89° 33' W. on a true line between sections 10 & 15

Variation 14° 51' East

44.03 Set a Sand stone 14 x 10 x 4 ins., 10

ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.

face, and raised a mound of stone alongside. Pits

impracticable.

80.07 The corner to sections 9, 10, 15 & 10

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of yellow pine & juniper.

Vegetation. grass & sage.

Township 24 N Range 3 E  
Gila and Salt River Meridian.

Chains

North, between Sections 9 and 10.

Variation

14° 51'

East.

*Ascend.*

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post. from which a Pine 20 ins. diam. bears S. 10° W. 89 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

70.00

Top of Ridge, bears E. & W. and descend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 3, 4, 9 & 10 marked T, 24 N.S. 3, on N, E, R, 3 E, S. 10 on S, E, S, 9 on S, W, and S, 4 on N, W, face with 5 notches on S, and 3 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft, high,  $4\frac{1}{2}$  ft. base around post.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of mul-pine & juniper.

Vegetation. grass & sage.

Township 24 N Range 3 E  
Gila and Salt River Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation 14° 51' East.Descend. gradually.37.50 Cross low Sag and ascend.40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.80.47 Intersect N. & S. line, 25 Ms. N of cor. to secs.2, 3, 10 & 11 from which corner, I runN. 89° 49' W. on a true line between sections 3 & 10.Variation 14° 51' East

40.23 Set a Sand stone 14 x 10 x 4 ins., 10  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N,  
face, and raised a mound of stone alongside. Pits  
impracticable.

80.47 The corner to sections 3, 4, 9 & 10Land mountainousSoil 3<sup>rd</sup> rateTimber of yellow pine & juniper.Vegetation. grass & sage.

Township 24 N. Range 3 E.

Gila and Salt River Meridian.

Chains <sup>true.</sup> North, on a ~~random~~ line between Sections 3 and 4.

Variation 14° 51' East.

Descend.

35.00 Cross Wash, 10 lks. wide, Course N. 80° W and ascend.

40.00 Set a post 3 ft. long. 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.04 Intersect the 6<sup>th</sup> Standard Parallel North at a point 0.95 chs. <sup>Just</sup> East of the standard Cor. to previously set by me. Secs. 33 and 34 T. 25 N.R. 3  $\frac{1}{4}$  at which

point I  
Set a Sand stone 14 x 10 x 6 ins. 10 ins. in the ground for Closing Cor. to Secs. 3 and 4 marked C. C. with 3 notches on E. and 3 notches on W. edges and raised a mound of stone. alongside.

Plus in, racticable.

from which

A Pine 20 ins, diam. bears N. 51° E. 3 lks. dist. marked T. 25 N.R. 3  $\frac{1}{4}$  S., 33 B. T.

No other trees within limits.

Land in-stainous

Soil 3<sup>rd</sup> rate

Timber of nut pine.

Vegetation. grass & sage. Jan. 31. 1883

Township

24 N

Range

3 E

Gila and Salt River Meridian.

From the corner to sections, 4, 5, 32 & 33 <sup>or S. By of P.</sup> previously set by me.

Chains

In North, between Sections 32 and 33.

Variation

D<sup>1</sup> 48'

East.

Descend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
W. face, and raised a mound of stone  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base around post. Pits impracticable.

61.00 Cross Wash, 20 lks. wide, Course N.W. and ascend.

80.00

Set a Sand stone  $15 \times 12 \times 10$  ins. 10 ins. in  
the ground for Cor. to Secs. 28, 29, 32 & 33 marked  
with 1 notch on S. and 4 notches on E. edges and  
raised a mound of stone alongside. Pits impracticable.

from which

A Yellow Pine 15 ins. diam: bears S. 30° E. 10 lks. dist.  
marked T. 24 N. R. 3 E. S., 33 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of Nut pine &amp; juniper.

Vegetation. grass &amp; sage.

E

Township 24 N. Range 3 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation 14° 51' East.

Ascend.

40.00 Set temporary 1/4 Sec. Cor.

111.93 Cross Road, bears, S. 60° E. & N. 60° W.

56.97 Cross Road, bears, N. 70° E. & S. 70° W.

59.00 Top of Spur, bears N. & S. and descend.

79.93 Intersect N. & S. line, 17 lks. N. of cor. to secs.

27. 28. 33 & 34 from which corner, I run

N. 89° 53' W. on a true line between sections 28 & 33

Variation 14° 51' East

39.90 Set a sand stone 12 x 8 x 6 ins., 8 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N. face, and raised a mound of stone alongside. Pits

impracticable.

79.93 The corner to sections 28. 29. 32 & 33

Land Mountainous.

Soil 3<sup>rd</sup> rate

Vegetation grass & sage.

ownship 24 N Range 3 E  
 Gila and Salt River Meridian.

Chains

North, between Sections 28 and 29.

Variation 14° 51' East.

Descend.

- 19.40 Cross Road, bears 0° E W.
- 34.75 Cross low Sag and ascend.
- 41.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.
- 53.00 Top of Ridge, bears N.W. & S. E and descend.
- 80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 20 21 28 29 marked T, 24 N. S. 21, on N, E, R, 3 E, S, 28 on S, E, S, 29 on S, W, and S, 30 on N, W, face with 2 notches on S, and 1 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft, high,  $4\frac{1}{2}$  ft, base around post.  
from which
- A Pine 10 ins, diam. bears S. 50° E 17 lks. dist. marked T. 24 N. R. 3 E. S., 28. B. T.
- A Pine 8 ins, diam. bears S. 55° W 21 lks. dist. marked T. 24 N. R. 3 E. S., 29 B. T.
- No other trees within limits.  
 Land mountainous
- Soil 3<sup>rd</sup> rate
- Timber of nut-pine & juniper
- Vegetation. grass & sage



Township 24 N. Range 3 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 21 and 28.

Variation  $14^{\circ} 51'$  East.*Ascend. gradually.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.40 Intersect N. &amp; S. line. 0 lks. S. of cor. to secs.

21, 22, 27 &amp; 28 from which corner, I run

 $88^{\circ} 57'$  W. on a true line between sections 21 & 28Variation  $14^{\circ} 51'$  East

40.23 Set a post 3 ft. long, 3 ins. diam, with marked stone

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. onN. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.40 The corner to sections 20, 21, 28 &amp; 29

Land mountainous

Soil 3<sup>d</sup> rate

Timber of nut pine &amp; juniper.

Vegetation. grass &amp; sage.

Township 24 N Range 3 E

Gila and Salt River Meridian.

Chains

North, between Sections 20 and 21.

Variation 14° 51' East.

Descend.

40.00 Set a post 3 ft. long, 3 ins. diam, with marked stone.  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
W. face, and raised a mound of stone  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base around post. Pits impracticable. from which

A Pine 15 ins, diam. bears S. 22° E 77 lks. dist.  
marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.00 Set a sand stone 24 x 15 x 15 ins. 18 ins. in  
the ground for Cor. to Secs. 16, 17, 20 & 21 marked  
with 3 notches on S. and 4 notches on E. edges and  
raised a mound of stone alongside. Pits impracticable.

from which

A Pine 15 ins, diam. bears S 87° E Plks. dist.  
marked T. 24 N. R. 3 E. S., 21 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of out pine & juniper.

Vegetation. grass & sage.

Township

24 N

Range

3 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 16 and 21.

Variation  $14^{\circ} 51'$  East.

Over rolling surface.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.39 Intersect N. & S. line, 42 lks. N. of cor. to secs.

15, 16, 21 & 22 from which corner, I run

N.  $89^{\circ} 42' W.$  on a true line between sections 10 & 21

Variation  $14^{\circ} 51'$  East

40.19 Set a Sand stone 20 x 10 x 5 ins., 75 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, and raised a mound of stone alongside. Pits impracticable. from which

A Pine 8 ins, diam. bears N.  $80^{\circ} E.$  43 lks. dist. marked  $\frac{1}{4}$  S. B. T.

A Pine 10 ins, diam. bears N.  $70^{\circ} W.$  42 lks. dist. marked  $\frac{1}{4}$  S. B. T.

80.39 The corner to sections 16, 17, 20 & 21

Land mountainous

Soil 3<sup>rd</sup> & 2<sup>nd</sup> rate

Timber of nut pine & juniper.

Vegetation. grass & sage.

Township 24 N Range 3 E  
Gila and Salt River Meridian.

Chains North, between Sections 16 and 17.  
Variation 14° 51' East.

Ascend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone  
12 ins. in the ground, for Cor. to Secs. 8, 9, 10 & 17  
marked T. 24 N. S. 9, on N, E, R, 3 E, S. 10  
on S, E, S, 17 on S. W, and S, 8 on N, W, face  
with 4 notches on S, and 4 notches on E, edges,  
dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
and raised a mound of earth 2 ft, high,  $4\frac{1}{2}$  ft, base  
around post.

from which

A Pine 12 ins, diam. bears N. 30° W. 54 lks. dist.  
marked T. 24 N. R. 3 E. S., 8 B. T.

A Pine 8 ins, diam. bears S. 80° E. 41 lks. dist.  
marked T. 24 N. R. 3 E. S., 10 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of nut pine & juniper.

Vegetation. Grass & Sage.

Township 24 N Range 3 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 9 and 16.  
Variation 14° 51' East.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.18 Intersect N. & S. line. 10 lks. N of cor. to secs.

9, 10, 15 & 16 from which corner, I run

N. 89° 56' W. on a true line between sections 9 & 16

Variation 14° 51' East

40.09 Set a lime stone 14 x 4 x 3 ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face, and raised a mound of stone alongside. Pits impracticable.

from which

A Pine 10 ins, diam. bears N. 30° E. 2 lks. dist. marked  $\frac{1}{4}$  S. B. T.

No other trees within limits.

80.18 The corner to sections 8, 9, 16 & 17

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of juniper.

Vegetation. grass & sage.

Township 24 N Range 3 E

Gila and Salt River Meridian.

Chains

North, between Sections 8 and 9.

Variation

 $14^{\circ} 51'$ 

East.

Ascend. gradually.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone, 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on W. face, and raised a mound of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post. Pits impracticable.

45.00

Top of Ridge, bears E. & W. and descend.

80.00

Set a post 4 ft. long, 4 ins. square with marked stone 12 ins. in the ground, for Cor. to Secs. 4, 5, 8 & 9 marked T, 24 N. S. 4 on N. E. R. 3 E. S. 9 on S. E. S. 8 on S. W. and S. 5 on N. W. face with 5 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land mountainous

Soil 3<sup>rd</sup> rateTimber of juniper.Vegetation. grass & sage.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Feb. 1. 1883

Township

24

N

Range

3

E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 4 and 9.

Variation  $14^{\circ} 51'$  East.

Along N. slope.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

77.96 Intersect N. &amp; S. line, 16 lks. S. of cor. to secs.

3, 4, 9 &amp; 10 from which corner, I run

S.  $89^{\circ} 53' W.$  on a true line between sections 4 & 9Variation  $14^{\circ} 51'$  East

39.98 Set a Sand stone  $14 \times 11 \times 4$  ins., 10  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, and raised a mound of stone alongside. Pits  
 impracticable. from which

A Pine 8 ins, diam. bears N.  $70^{\circ} E.$  82 lks. dist.  
 marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

77.96 The corner to sections 4, 5, 8 &amp; 9

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of juniper

Vegetation. grass &amp; sage.

Township 24 N Range 3 O

Gila and Salt River Meridian.

Chains North, on a ~~random~~ <sup>true.</sup> line between Sections 4 and 5.  
Variation 14° 51' East.

Descend. gradually.

35.00 Cross Wash, 18 lks. wide, Course N.W. and ascend.

40.00 Set a sand stone 14 x 10 x 7 ins., 10 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, and raised a mound of stone alongside. Pits impracticable. from which

A Pine 9 ins, diam. bears N. 17 1/2° E 75 lks. dist. marked 1/4 S. B. T. No other trees within limits.

80.85 Intersect the 6<sup>th</sup> Standard Parallel North at point: 0.48 chs. East of the Standard Cor. to previously set by me. Secs. 32 and 33 T. 25 N. R. 3 O, at which

point I

Set a sand stone 15 x 10 x 4 ins. 10 ins. in the ground for Closing Cor. to Secs.: 4 and 5 marked C. C. with 4 notches on E. and 3 notches on W. edges and raised a mound of stone. alongside.

Pits impracticable.

from which

A Cedar 10 ins, diam, bears S. 19 1/4° W. 51 lks, dist, marked T. 24 N. R. 3 O S., 5 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of nut-pine & cedar.

Vegetation. grass & sage.



BOOK 475  
Township 24 N Range 3 E

Gila and Salt River Meridian.

From the corner to sections, 5, 6, 31 & 32 <sup>on S. Range</sup> previously set by me.  
Chains *run* North, between Sections 31 and 32.

Variation  $141^{\circ} 48'$  East.

Ascend.

36.00 Top of Spur, bears  $O. 2^{\circ} W.$  and descend.  
40.00 Set a Sand stone  $14 \times 10 \times 6$  ins., 10  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on  $W.$   
face, and raised a mound of stone alongside. Pits  
impracticable.

80.00 Set a Sand stone  $15 \times 15 \times 8$  ins. 10 ins. in  
the ground for Cor. to Secs. 29, 30, 31 & 32 marked  
with | notch on S. and 5 notches on E. edges and  
raised a mound of stone alongside. Pits impracticable.

from which

A Pine 12 ins, diam. bears  $S. 50^{\circ} W.$  60 lks. dist.  
marked T. 24 N. R. 3 E. S., 31 B. T.

A Pine 10 ins, diam. bears  $N. 27^{\circ} W.$  42 lks. dist.  
marked T. 24 N. R. 3 E. S., 30 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of nut-pine & juniper.  
Vegetation. grass & sage.

Township 24 N. Range 30

Gila and Salt River Meridian.

Chains East, on a random line between Sections 29 and 32.  
Variation 14° 51' East.

Ascend.

24.00 Top of Ridge, bears N. & S. and descend.

40.00 - Set temporary  $\frac{1}{4}$  Sec. Cor.

60.00 Cross Wash, 20 lks. wide, Course N. & W. and ascend.

80.33 Intersert N. & S. line. 34 lks. S, of cor. to secs.

28.29.32.33 from which corner, I run

S 89° 45' W. on a true line between sections 29 & 32

Variation 14° 51' East

40.10 Set a post 3 ft. long. 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

~~face~~ face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post 5 ft. dist., and raised a mound of earth 1 ft.  
high, 3 ft. base around post.

80.33 The corner to sections 29. 30. 31 & 32

Land unimproved

Soil 3<sup>rd</sup> rate

Timber of nut pine & juniper.

Vegetation. grass & sage.

Township 24 N. Range 3 E.

Gila and Salt River Meridian.

Chains West, on a random line between Sections 30 and 31.  
Variation 14° 51' East.

Ascend. gradually.

30.00 Top of Spur, bears N. & S. and descend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

62.00 Cross low Sag and ascend.

78.19 Intersect W. B. of Tp. 63 lks. N. of cor. to secs.  
previously set by me.

25. 30. 31 & 32 from which corner, I run

N. 89° 33' on a true line, between sections 30 & 31

Variation 14° - 51' East.

38.19 Set a Sand stone 18" x 10 x 6 ins., 12  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
face, and raised a mound of stone alongside. Pits  
impracticable. from which

A Pine 5 ins; diam. bears S. 30° W. 32 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.

A Pine 9 ins, diam. bears N. 20 E 60 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.

78.19 The corner to sections 29. 30. 31 & 32.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of oak, pine & juniper.

Vegetation. grass & sage.

Township

24 N

Range

3 O

Gila and Salt River Meridian.

Chains

North, between Sections 29 and 30.

Variation  $14^{\circ} 51'$  East.

Descend.

30.65 Cross low Sag and ascend.  
 33.79 Cross Road, bears,  $S. 48^{\circ} E. \text{ \& } N. 40^{\circ} W.$   
 40.00 Set a Sand stone  $20 \times 18 \times 10$  ins., 15  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W.  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

48.00 Top of Spur, bears  $N. 45^{\circ} W. \text{ \& } S. 45^{\circ} E.$  and descend.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.  
 12 ins. in the ground, for Cor. to Secs. 19, 20, 29 & 30  
 marked T<sup>24</sup> N. S. 20, on N. E., R. 3 E., S. 29  
 on S. E., S. 30 on S. W, and S 19 on N. W. face,  
 with 2 notches on S. and 5 notches on E. edges;  
 and raised a mound of stone 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post. Pits impracticable.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of nut pine &amp; juniper.

Vegetation. grass &amp; sage.

Township 24 N. Range 3 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 20 and 29.

Variation  $14^{\circ} 51'$  East.

Ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

42.00 Top of Ridge, bears S. E. &amp; NW and descend.

80.05 Intersect N. &amp; S. line. 20 lks. N. of cor. to secs.

20. 21. 28 &amp; 29 from which corner, I run

N.  $89^{\circ} 51'$  W. on a true line between sections 20 & 29Variation  $14^{\circ} 51'$  East

40.02 Set a Sand stone  $14 \times 10 \times 4$  ins., 10  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

80.05 The corner to sections 19. 20. 29 &amp; 30

Land mountainous

Soil  $3^{\circ}$  rate

Timber of oak, pine &amp; juniper.

Vegetation. grass &amp; sage.

Township 24 N Range 3 0  
 Gila and Salt River Meridian.

Chains West, on a random line between Sections 19 and 30.  
 Variation 14° 51' East.

Descend.

37.00 Cross low Sag and ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

78.32 Intersect W. B. of Tp. 45 Nks. N. of cor. to secs.  
 previously set by me.  
 19. 24. 25. 30 from which corner, I run

N. 89° 41' E on a true line, between sections 19 & 30  
 Variation 14° 51' East.

35.32 Set a sand stone 18 x 10 x 3 ins., 12  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 line, and raised a mound of stone alongside. Pits  
 impracticable.

78.32 The corner to sections 19. 20. 29 & 30

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of oak pine & juniper.

Vegetation. grass & sage.

Township

24 N

Range

3 E

Gila and Salt River Meridian.

Chains

North, between Sections 19 and 20.

Variation

14° 51'

East.

Ascend.

30.00

Top of Ridge, bears N. 45° W. &amp; S. 45° E. and descend.

40.00

Set a post 3 ft. long. 3 ins. diam. with marked stone  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a ~~land~~ stone 15 x 10 x 8 ins. 10 ins. in  
 the ground for Cor. to Secs. 17, 18, 19 & 20 marked  
 with 3 notches on S. and 3 notches on E. edges and  
 raised a mound of stone alongside. Pits impracticable.

from which

A Pine 10 ins. diam. bears S. 30° E. 27 lks. dist.  
 marked T. 24 N. R. 3 E. S., 20 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of Nut pine &amp; juniper.

Vegetation. grass &amp; sage.

Feb. 2. 1883

Township 24 N Range 3 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 17 and 20.

Variation 14° 51' East.

Ascend. gradually.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.80 Intersect N. & S. line; 13 lks. S. of cor. to secs.

10.17.20  $\frac{1}{2}$  from which corner, I run

S. 89° 54' W. on a true line between sections 17 & 20

Variation 14° 51' East

39.93 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins.; E. and W. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.

high,  $3\frac{1}{2}$  ft. base around post.

from which

~~Set~~ Pine  $2\frac{1}{4}$  ins. diam. bears N 20° W. 34 lks. dist.

marked  $\frac{1}{4}$  S. B. T.

No other trees within limits.

79.80 The corner to sections 17, 18, 19 & 20

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of nut pine ~~and~~ juniper.

Vegetation. grass & sage.



Township

24 N

Range

3 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 18 and 19.

Variation  $14^{\circ} 51'$  East.

Descend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

43.00 Cross low Sag and ascend.

77.94 Intersect W. B. of Tp. 24 1/2 m. N. of cor. to secs.  
 previously set by me.  
 13.78 19 & 24 from which corner, I run

$N 89^{\circ} 50' E$  on a true line, between sections 18 & 19

Variation  $14^{\circ} 51'$  East.

37.94 Set a Sand stone 10 x 10 x 6 ins., 6  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

77.94 The corner to sections 17, 18, 19 & 20

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of mul. pine & juniper.

Vegetation. grass & sage.

Township

24 N.

Range

3 O.

Gila and Salt River Meridian.

Chains

North, between Sections 17 and 18.

Variation

14° 51'

East.

Over high rolling surface.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on

W. face, and raised a mound of stone 1 1/2 ft. high,

3 1/2 ft. base around post. Pits impracticable.

from which

A Pine 14 ins, diam. bears N. 38° E. 24 lks. dist.

marked 1/4 S. B. T. No other trees within limits.

80.00

Set a sand stone 24 x 12 x 6 ins. 18 ins. in

the ground for Cor. to Secs. 7, 8, 17 & 18 marked

with 4 notches on S. and 5 notches on E. edges and

raised a mound of stone alongside. Pits impracticable.

from which

A Pine 8 ins, diam. bears S. 10° E. 50 lks. dist.

marked T 24 N. R. 3 O. S., 17 B. T.

No other trees within limits.

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of nut pine & juniper.

Vegetation. grass & sage.

Township

24 N.

Range

3 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation  $14^{\circ} 51'$  East.*Ascend.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.48 Intersect N. &amp; S. line, 58 lks. S. of cor. to secs.

8, 9, 16, &amp; 17 from which corner, I run

S.  $89^{\circ} 35'$  W. on a true line between sections 8 & 17Variation  $14^{\circ} 51'$  East

39.74 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 i. s. in the ground, for  $\frac{1}{4}$ -Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

79.48 The corner to sections 7, 8, 17 &amp; 18

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of nut pine &amp; juniper.

Vegetation. grass &amp; sage.

Township 24 N Range 3 O  
 Gila and Salt River Meridian.

Chains West, on a random line between Sections 7 and 18.  
 Variation 14° 51' East.

Descend. gradually.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

49.00 Cross low Sag and ascend.

78.03 Intersect W. B. of Tp. 7 lks. S. of cor. to secs.  
7. 12. 13 & 18 from which corner, I run

89° 57' O on a true line, between sections 7 & 18  
 Variation 14° 51' East.

38.03 Set a post 3 ft. long. 3 ins. diam. with marked stone  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
N. face, dug pits; 18 x 18 x 12 ins., O. and W. of  
 post 5 ft. dist., and raised a mound of earth 1 ft.  
 high, 3 ft. base around post.

78.03 The corner to sections 7. 8. 17 & 18

Land mountainous  
 Soil 3<sup>rd</sup> rate

Timber of nut pine & juniper.  
 Vegetation. grass & sage.

Township

24 N.

Range

3 E.

Gila and Salt River Meridian.

Chains

North, between Sections 7 and 8.

Variation

14° 57'

East.

*Over rolling land.*

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

*from which*

1 Juniper 6 ins. diam. bears S. 87° W. 16 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 5, 6, 7 & 8 marked T. 24 N. S. 5- on N, E, R, 3 E. S. 8 on S, E, S, 7 on S. W, and S, 6 on N, W, face with 5 notches on S, and 5 notches on E, edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

*Land mountainous & rolling.*Soil 3<sup>rd</sup> rate

Timber of nut pine &amp; juniper.

Vegetation: grass &amp; sage.

Township 24 N. Range 3 0

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation 14° 51' East.

*Ascend. gradually.*

29.00 Top of Ridge, bears N. e S.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.73 Intersect N. & S. line, 30 lks. S. of cor. to secs.

45.8 & 9 from which corner, I run

~~39.8~~ 39.73 W. on a true line between sections 5 & 8

Variation 14° 51' East

39.80 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E and W of post 5  $\frac{1}{2}$  ft. dist., and raised a mound of earth 1  $\frac{1}{2}$  ft. high, 3  $\frac{1}{2}$  ft. base around post.

79.73 The corner to sections 5, 6, 7 & 8

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of nut pine & juniper

Vegetation. grasses & sage

Township

24 N.

Range

3 E.

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 6 and 7.

Variation

14° 51'

East.

*Descend.*

32.00 Cross low Sag and ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

77.68 Intersect W. B. of Tp. 38 lks. S. of cor. to secs.  
 previously set by me.  
 1. 6. 7 & 12 from which corner, I run  
 S. 89° 44' E. on a true line, between sections 6 & 7

Variation

14° 51'

East.

87.68 Set a Sand stone 12 x 10 x 3 ins., 8  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

77.68 The corner to sections 5, 6, 7 &amp; 8

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of mul. pine &amp; juniper.

Vegetation. grass &amp; sage.

Township 24 N. Range 30

Gila and Salt River Meridian.

Chains North, on a ~~random~~<sup>true</sup> line between Sections 5 and 6.  
Variation 14° 51' East.

Ascend. gradually.

30.00 Top of Ridge, bears N.W. & S. E.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.60 Intersect the 0<sup>th</sup> Standard Parallel North at a point 5.90 chs. <sup>West</sup> East of the Standard Cor. to Secs. 31 and 32 T. 25 N. R. 3 <sup>previously set by me.</sup> at which

point 1

Set a post, 4 ft. long, 4 ins. square, <sup>with marked stone</sup> 12 ins. in the ground, for <sup>clear</sup> Cor. to Secs. 5 and 6 marked

C.T. 24 N. R. 3 E., on S. S. 5 on E. and S. 6 on W. faces, with  $\frac{1}{2}$  notches on E. and 1 notch on W. faces, dug pits 18 x 18 x 12 ins. S. E. W. of post,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4  $\frac{1}{2}$  ft. base around post.

from which

A Pine 10 ins. diam. bears S. 30° W. 35 lks. dist. marked T. 24 N. R. 3 E. S., O B. T.

No other trees within limits.  
Land mountainous

Soil 3<sup>rd</sup> rate

Timber of nut pine & juniper.

Vegetation. grass & sage. Feb. 3. 1883

Compassman  
J. D. Cope



## GENERAL DESCRIPTION.

The land in this Township  
is generally mountainous.

Soil fertile

Vegetation consists of grass and  
sage.

Timber of white Yellow Pine,  
Juniper & Cedar.

The land in the Township is  
well adapted, to grazing.

For Fincal Cattle see Book No. 14

BOOK 475

U. S. Surveyor General's Office,

Tucson, Arizona, *Feb'y 25*, 1884

The foregoing Field Notes of the Survey of the

*Subdivision Lines of Township 24 North Range 3 East*

Of the Gila and Salt River Base and Meridian, Arizona, executed by *W. R. Fitzquald*

Deputy Surveyor, under his contract of the *27<sup>th</sup>* day of *July*, 1884, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved

*Royal Johnson*  
Surveyor General.