

No. 480.

BOOK 480

4-671

480

FIELD NOTES

GENERAL LAND OFFICE.

Subdivision

Township 24 N. R. 5. E.

128

Indexed Book 483.

BOOK 480

Township 24N R. 5E

6	149	5	4	3	2	1
147	145					
7	142	8	9	10	11	12
139	137					
18	134	17	16	15	14	13
130	129					
19	20	21	22	23	24	
30	29	28	27	26	25	
31	32	33	34	35	36	

No. 480.

BOOK 480129.

Subdivisions T24N.R5E.

hs. N 89° 47' E. on a random line between
17 and 20.

Var. 15° 38' East.

40.00 Set temporary 1/4 sec. cor.
09.90 Intersect N. and S. line 15 lbs.
N. of cor. to secs. 16, 17, 20 and 21.

Thence I run

S. 89° 53' W. on a true line
bet secs. 17 and 20.

Var. 15° 38' East.

Over rolling land.

ascend 60 ft.

14.00 Top of ascent, and descent
80 ft.

39.00 Foot of descent.

39.95 Set a limestone 15 x 10 x 8
no. 10 in. in the ground
for 1/4 sec. cor. marked 1/4
on N. face, dug pits 18 x 18

Subdivisions

chs. 112 vis. E. and W. of stone
 5 1/2 ft. dist. and raised
 a mound of stone, covered
 with earth, 1 1/2 ft high
 2 ft. base, along side.

76.00 Enter timber, descent
 60 ft. to

79.90 The car to sec. 17, 18, 19
 and 20.

Land, rolling.

Soil, stony. 30 rate.

Timber, pine.

Heavily timbered land

3.90 chs.

West on a true line

bet sec. 18 and 19.

Var. 150 38' East.

over rolling land.

T 24 N. R. 5 E. (cont'd)

- lbs. Descend 40 ft.
- 44.00 Foot of descent, small ravine, course S.W. ascent 60 ft.
- 7.00 Top of ascent.
- 24.00 Descend 150 ft.
- 40.00 Set a limestone $20 \times 14 \times 10$ vis. 15 vis. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, and raised a mound of stone $1\frac{1}{2}$ ft. high, 2 ft. base, alongside, from which
- a pine 16 vis. diam. has S. 79° W. 40 lbs. dist. marked $\frac{1}{4}$ S.B.T.
- a pine 20 vis. diam. has N. 63° W. 30 lbs. dist. marked $\frac{1}{4}$ S.B.T.

Subdivisions

chs.
44.00

Foot of descent.

Ravine, 5 ft. deep, course
N.W.

ascend 75 ft.

49.00

Top of ascent.

Descent 125 ft.

62.00

Foot of descent.

Ravine, 4 ft. deep, course
N.

66.65

Intersect W. ldy of the Sp.

14.70 chs N. of cor. to

secs. 13, 18, 19 and 24, as

hereinbefore described

I obliterate all marks

which refer to surveys
on the E.

at the point of intersection

I set a sandstone 20 x 16 x

15 ins. 15 ins. in the

T. 24 N. R. 5 E. (contd)

Chs. ground for closing con-
 tracts. 18 and 19, marked
 C. C. on E. face, with
 3 notches on N. and S.
 faces, and raised a
 mound of stone $1\frac{1}{2}$ ft.
 high, 2 ft base, alongside
 from which
 a pine 20 ins. diam. has
 N. $8^{\circ} 30'$ E. 10 lbs. dist.
 marked T. 24 N. R. 5 E. S. 18 B. T.
 a pine 14 ins. diam. has
 S. $53^{\circ} 15'$ E. 69 lbs. dist.
 marked T. 24 N. R. 5 E. S. 19 B. T.
 a pine 22 ins. diam. has
 S. $82^{\circ} 30'$ W. 77 lbs. dist.
 marked C. C. T. 24 N. R. 5 E. S. 18 & 19 B. T.
 Land, broken.
 Soil, stony, 3^d rate.

Subdivisions

Chs. N. $49^{\circ} E$. 18 lks. dist. marked
 T. 24 N. R. 5 E. S. 8 B.T.
 a pine 6 ins. diam. tree.
 S. $70^{\circ} 15' E$. 124 lks. dist.
 marked T. 24 N. R. 5 E. S. 17 B.T.
 a pine 6 ins. diam. tree.
 S. $20^{\circ} 30' W$. 120 lks. dist.
 marked T. 24 N. R. 5 E. S. 18 B.T.
 a pine 6 ins. diam. tree.
 N. $8^{\circ} 30' W$. 35 lks. dist.
 marked T. 24 N. R. 5 E. S. 7 B.T.
 Land, rolling top of mountain.
 Soil, rocky, 4 ft. rate.
 Timber, pine.
 mountainous or heavily
 timbered land, 90 lks.

N. $89^{\circ} 53' E$. on a random line

T. 24 N. R. 5 E. (contd)

lbs. bet. sec. 8 and 17-

Var. $15^{\circ} 35'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor

79.85 9 intersect N and S line 17

lbs. S. of cor. to sec. 8, 9, 16
and 17.

Thence I run

S. $89^{\circ} 46'$ W. on a true line

bet sec. 8 and 17-

Var. $15^{\circ} 38'$ East.

over rolling land, through
timber.

ascend gradually 100 ft.

15.00 Base of mountain, and
ascend 500 ft.

39.92 Set a sand stone $18 \times 10 \times 9$

ins. 12 ins. in the ground

for $\frac{1}{4}$ sec cor. marked

$\frac{1}{4}$ on N. face, and raised a

Subdivisions

- Chs. mounds of stone $1\frac{1}{2}$ ft high, 2 ft. base, along side, from which, a fir 12 ins. diam. hrs. N. 78° 15' E. 39 lbs dist. marked $\frac{1}{4}$ S.P.T.
- a fir 18 ins diam. hrs. N. 83° 30' W. 47 lbs dist. marked $\frac{1}{4}$ S.P.T.
- 56.00 Top of ascent.
- 79.85 The cor to sec. 7, 8, 17 and 18.
- Land, rolling and mountainous.
- Soil, rocky, 30 and 4th rate.
- Timber, pine, mountainous or heavily timbered land 79.85 Chs.

T. 24 N. R. 5 E. (cont'd)

chs.

West on a true line
bet. secs 7 and 18.

Var. $150^{\circ} 38'$ East.

over rolling top of moun-
tain, through timber.

Descent 45 ft.

6.00 Foot of descent, and ascent
40 ft.

23.00 Top of ascent and descent
400 ft.

40.00 Set a malpais stone 18×16
 $\times 15$ ins. 12 ins. in the
ground for $1/4$ sec. cor.

marked $1/4$ on N. face, and
raised a mound of stone

$1 1/2$ ft high, 2 ft. base,
alongside, from which
a pine 10 ins. diam. has

N. 81° E 53 lbs. dist. marked

Subdivisions

Chs.

1/4 E.B.T.

a pine 14 ins. diam. hrs.

S 61045' W. 67 chs. dist.

marked 1/4 E.B.T.

67.00 Foot of descent.

68.55 I intersect the W. body of the

Tp. 15.10 chs. N. of cor to

secs. 7, 12, 13 and 18, as

heretofore described

I obliterate all marks

which refer to surveys

on the E.

at point of intersection

I set a sand stone 20x

12x8 ins 15 ins. in the

ground for closing cor.

to secs. 7 and 18, marked

C.C. on E. with 2 notches

on N. and 4 notches on

T. 24 N. R. 5 E. (contd)

Shs.

S. face, and raised a
mound of stone $1\frac{1}{2}$ ft
high, 2 ft. base, alongside
from which

a pine 10 ins. diam. has

N. $25^{\circ} 15' E$ 73 lbs. dist.

marker T. 24 N. R. 5 E. S. 7 B.T.

a pine 8 ins. diam. has S.

$120^{\circ} 30' E$ 42 lbs dist. marker

T. 24 N. R. 5 E. S. 18 B.T.

a pine 10 ins. diam. has N. $54^{\circ} 0'$

$30' W$ 64 lbs dist. marker C.C.

T. 24 N. R. 5 E. S. 7 and 18 B.T.

Land, mountainous.

Soil, rocky, 3rd and 4th rate.

Timber, pine.

mountainous or heavily

timbered land, 68.55 chs.

June 11, 1874.

Subdivisions

6 hrs.	N. $0^{\circ} 3' W.$ bet. secs. 7 and 8. Var. $15^{\circ} 38'$ East. over mountainous land, through timber.
8.00	Descent 450 ft.
35.50	Foot of descent, ascend 125 ft.
40.00	Top of ascent, ridge course E and W. Get a malpais stone $14 \times 10 \times 10$ mis. gem in the ground for $\frac{1}{4}$ sec. con. marked $\frac{1}{4}$ on W. face, and raised a mound of stone $\frac{1}{2}$ ft high $\frac{1}{2}$ ft. base, along side. from which a fine 8 mis. diam. bur. N. $87^{\circ} 30' E.$ 39 lbs. met.

T. 24 N. R. 5 E. (cont'd)

- Shs. marker $\frac{1}{4}$ S.B.T.
 a pine 12 ins. diam. hrs.
 N. 55° E. 73 lks. dist.
 marker $\frac{1}{4}$ S.B.T.
 Descent 150 ft.
- 45.00 Foot of descent.
 Thence on rolling land.
 Leave heavy, enter scatter-
 ing timber
- 64.00 Small ravine, course
 N. W.
- 80.00 Set a malpais stone
 20 x 1 ft x 9 ins. 15 ins
 in the ground for cor-
 to sees. 5, 6, 7 and 8,
 marker with 5 notches
 on S. and E. edges, and
 raised a mound of stone
 1 1/2 ft high, 2 ft. base.

Subdivisions

chs.

alongside, from which
a pine 20 mis. diam. hrs.

N. $320^{\circ} 30'$ E. 76 chs. dist.

marked T. 24 N. R. 5 E. S. 10 B.T.

a pine 16 mis. diam. hrs.

N. $85^{\circ} 15'$ E. 35 chs. dist.

marked T. 24 N. R. 5 E. S. 5 B.T.

a pine 16 mis. diam. hrs.

S. $10^{\circ} 15'$ W. 20 chs. dist.

marked T. 24 N. R. 5 E. S. 7 B.T.

a pine 20 mis. diam. hrs.

N. $41^{\circ} 10'$ W. 85 chs. dist. marked

T. 24 N. R. 5 E. S. 6 B.T.

Land, mountains and
rolling.

Soil, rocky, 30 and 4th rate

Timber pine

Mountains or heavily

timbered land 45 chs.

T 24 N. R. 5 E. (contd)

Shs. N. $89^{\circ} 46'$ E. on a random line
bet secs. 5 and 8.

Var. $15^{\circ} 38'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.70. Intersect N and S. line

10 lbs. N. of cor to secs.

4, 5, 8 and 9-

Thence I run

S. $89^{\circ} 50'$ W. on a true line
bet. secs. 5 and 8.

Var. $15^{\circ} 38'$ East.

Over rolling land.

Descent gradually 65 ft

20.00 Foot of descent, ravine 3 ft. deep,
course N., & enter scattering pine timber

24.60 Ravine, 4 ft. deep, course N. E.,
and ascend 40 ft.

34.50 Top of ascent; line runs over
level land.

Subdivisions

Chs.

29.85.

Set a malpais stone

15 x 10 x 10 ins. 12 ins. on

the ground for $\frac{1}{4}$ sec. cor.marked $\frac{1}{4}$ on N. face,

and raised a mound of

stone $\frac{1}{2}$ ft high, 2 ft

base, along side, from

which

a pine 30 ins. diam. has

S. 49° 30' W. 31 lbs. dist.

marked $\frac{1}{4}$ S.B.T.

a pine 24 ins. diam. has

N. 63° 15' W. 215 lbs. dist.

marked $\frac{1}{4}$ S.B.T.

29.70.

The cor. to sec. 5, 6, 7 and

8.

Land, rolling,

Soil, stony, 30 rate.

Timber, scattering pine.

T. 24 N. R. 5 E. (cont'd)

Chs. West on a true line
bet secs. 6 and 7.

Var. $150^{\circ}38'$ East.

over rolling land.

Descent gradually 60 ft

9.00 Foot of descent.

14.00 Ravine, 30 ft. deep, course
N.

40.00 Set a sandstone $16 \times 14 \times 9$
mis. 11 mis. in the ground
for $\frac{1}{4}$ sec. cor. marker
 $\frac{1}{4}$ on N. face, and raised
a mound of stone $1\frac{1}{2}$
ft. high, 2 ft. base, along-
side, from which
a pinon 18 mis. diam. hrs.
S. $130^{\circ}15'$ E. 45 lbs. dist.
marker $\frac{1}{4}$ S.P.T.

Subdivision

Chs. a plan 18 in diam. by
 N. 41° 45' E. 178 chs. dist.
 marked 14 E.B.T.

68, 65 Intersect N. body of the
 Sp. 15.20 chs. N. of cor.
 to secs. 6, 7 and 12.
 as heretofore described
 I obliterate all marks
 which refer to surveys
 on the East.
 at point of intersection
 I set a malpais stone
 16 x 12 x 10 ins. 11 ins. in
 the ground for closing
 cor. to secs. 6 and 7,
 marks C.C. on E. with
 1 notch on N. and 5 notches
 on S. faces, and raised

T 24 N. R. 5 E. (contd)

Obs.

a mound of stone $1\frac{1}{2}$ ft.
high, 2 ft. base, along-
side, from which
a cedar 12 ins diam. hrs.

S. $52^{\circ} 15' E.$ 121 lbs. dist.

marked T 24 N. R. 5 E. S. 7 BT.

a cedar 18 ins. diam. hrs. S.

$79^{\circ} 10' E.$ 118 lbs. dist. marked

T. 24 N. R. 5 E. S. 7 BT.

a pine 20 ins diam. hrs. S $70^{\circ} 15'$

N. 237 lbs. dist. marked C. C.

T. 24 N. R. 5 E. S 6 and 9 BT.

Land, gently rolling

Soil, stony, 3rd rate.

Timber, scattering pine,
cedar and pinon

N. $5^{\circ} 3' W.$ bet. sec. 5 and 6.

Var. $15^{\circ} 38' East.$

Subdivisions

- Chs. Over rolling land.
- 19.00 Descent 75 ft.
- 40.00 Foot of descent.
- Set a malpais stone 20 x 16 x 16 ins. 15 ins in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone $1\frac{1}{2}$ ft high, 2 ft base, alongside, from which
- a pine 40 ins diam. has S. 67° 30' E. 41 lbs. dist. marked $\frac{1}{4}$ B.B.T.
- a pine 36 ins diam. has S. 82° W. 27 lbs. dist. marked $\frac{1}{4}$ B.B.T.
- 40.50 Ravine, 3 ft deep, course W. and road from Williams to Cedar Ranch, course E & W.

T. 24 N. R. 5 (East land)

Bhs. ascent 80 ft.

49.00 Top of ascent.

62.30 Intersect the Sixth Standard Parallel North at a point 13.00 ch. S 89° 08' E. of standard $\frac{1}{4}$ sec cor. on S. ldy of sec. 31, T. 25 N. R. 5 E. at which point I set a marble stone 14 x 10 x 10 ins. 9 ins. in the ground for closing cor. to secs. 5 and 6. marked c.c. on S with 5 notches on E and 1 notch on N. faces, and raised a mound of stone $1\frac{1}{2}$ ft high, 2 ft. base, alongside. Put to impracticable

Subdivisions

Chs.

Land, rolling

Soil, rocky, & st. soil.

Timber, pine.

June 12, 1874.

General Description

This township is rough broken and mountainous. The soil is rocky, and only produces grass. The southern portion of this township is covered with merchant-able pine timber.

There are two permanent settlers in this Tp. one in sec. 36 and one in sec. 78.

T. 24 N. R. 5 E. (contd)

Shs:

There is a fine case
of water in sec. 36,
and several good springs
at different points in
the Tp.

Charles E. Perkins
Compassman and
U.S. Deputy Surveyor

154
BOOK 480

U. S. Surveyor-General's Office,

TUCSON, A. T., July 13, 1895.

The foregoing Field Notes of the Surveys of
the Subdivisions of
Tp: 24 North R 5 E.

Gila and Salt River Meridian
in Arizona executed by
F. W. Oury

U. S. Deputy Surveyor, under his contract dated
June 21st 1893
having been critically examined, the necessary correc-
tions and explanations made, the said Field Notes and
the surveys they describe are hereby approved.

Levi A. Manning
U. S. Surveyor-General
for the Territory of Arizona.