

indexed  
dated

18

# Field Notes

BOOK 498

OF THE SURVEY OF THE

Sub. Division Lines

-OF- No. 498

Township 24 N. Range 16 E.

Gila and Salt River Base and Meridian

ARIZONA.

By O. D. Wheeler D.S.

Under contract dated Aug 5 1882

Survey commenced Oct. 31st 1882

Survey completed Oct. 31 1882

498

1A

# INDEX DIAGRAM.

Township 24 N. BOOK 498

Range 16 E

6	78	5	58	4	45	3	28	2	14	1
77	76	57	54	42	27	13				
7	75	8	55	9	40	10	26	11	14	12
73	72	54	39	25	11					
18	71	17	53	16	38	15	24	14	10	13
70	69	51	36	22	9					
19	67	20	50	21	35	22	21	23	8	24
66	65	49	34	20	7					
30	64	29	48	28	33	27	19	26	5	25
63	61	46	31	17	3					
31	60	32	45	33	30	34	16	35	1	36

Gila and Salt River, Arizona.

## ARIZONA.

No. 498

1B

BOOK 498

T 24 N. R 16 E

Chains

From the Cor to Sec 1, 2, 35  
and 36 on the South bound.  
of the township which was  
recently established by me  
I run

North bet Sec 35 & 36

$\text{TW } 13^{\circ} 35'$

Descend gradually

40.00 Deposited marked Stone

17 in in ground for  $\frac{1}{4}$  Sec  
Cor dug pits 18 x 18 x 17 inches  
N. & S. of post  $5\frac{1}{2}$  ft dist  
and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base over it in W drove  
a stake 2 ft long 2 in dg  
17 in in ground marked  
 $\frac{1}{4}$  S on 20 face

46.50 Cut d dry lake bro  $50^{\circ}$  W.



## T. 24. N. R. 16 E G. &amp; S R M

Chauss

75. 20  
80. leave dry lake bro S. W.  
Dep marked stone 12 ins  
in ground for cor to Sec's  
25, 26, 35 & 36 dug pits  
18 X 18 X 12 in each sec  
5 1/2 ft dia and raised,  
a mound of earth 2 ft  
high 4 1/2 ft base over it  
in S. E pit drove a stake  
riv sq 2 ft long 12 inches  
in ground marked  
S. 24 N., S. 25 on N. E  
R. 16 E S. 36 on S. E  
S. 35 on S. W. and S. 26 N. W.  
faces with 1 notch on  
S. & E edges.  
Land rolling  
Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate.  
good grass except on lake



## T. 24 N. R. 16 W. S. 1 &amp; 2 M

Chains

East on a random line  
bet Sec 25 & 36

$7\frac{1}{2}$  W  $13^{\circ} 35'$  E

Ascend gradually

8.90 Enter dry lake, bet S. 7<sup>th</sup> ~~20~~ ft

21.50 Leave dry lake bet S. 20<sup>th</sup> W.

Ascend

40.00 Set temporary 1<sup>14</sup> Sec  
Cor

80.32 Intersect E Bound of  
Township 40<sup>th</sup> S. of the Cor  
to Sec 25, 30, 31 & 36 which  
was recently re-established  
by me thence I run  
S.  $89^{\circ} 43'$  W on a true  
line bet Secs 25 & 36

with same  $7\frac{1}{2}$

40.17 Set marked stone <sup>12 ins in ground</sup> for  
1<sup>14</sup> Sec Cor dug pits 18x18x12  
ins E & W of stone  $5\frac{1}{2}$  ft

## T. 24 N. R. 16 E. G. &amp; S. R. M

## Lains

dist and raised, a  
 mound of earth  $1\frac{1}{2}$  ft  
 $3\frac{1}{2}$  ft base over it, in  
 E pit drove a stake  
 2 in sq 2 ft long 17 in  
 in ground marked 14  
 14<sup>th</sup> No. 200

80.34 the Cor to Sec's 25, 26, 35-  
 r 36

Land nearly level

East West of lake very good  
 grass, <sup>soil</sup> sandy & thick rate  
 no grass on lake  
 E of lake less grass and  
 more sand soil from  
 3<sup>rd</sup> to 4<sup>th</sup> rate.

---

## T.24 N. R. 16 F. C. S. R. M

## Chains

N. bet Secs 25, & 26

$\text{Wd } 13^{\circ} 35' \text{ E.}$

Ascend very gradually

14.00 Enter table land near  
by travel

40.00 Set a marked stone  
12 in in ground for  $\frac{1}{4}$  Sec  
Cor dug pits 18 X 18 X 12 in  
N. & S of stone.  $5\frac{1}{2}$  ft.  
dist and raised a  
mound of 7 rock.  $7\frac{1}{2}$   
ft. high.  $3\frac{1}{2}$  ft base  
over it in  $\frac{1}{4}$  pit  
drew a stake 2 ft long  
2 in sq in long in  
the ground marked  
 $\frac{1}{4}$  S on N. face

80.00 (over)



## T. 24 N. R. 16 E. G. &amp; S. R. M

Chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 23, 24, 25 & 26 dug pits 18 x 18 x 12 ins. in each Sec. 5½ ft. dist. and raised a mound of earth 2 ft. high 4½ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 N. 16 E. S. 24 on N. E., R. 16 E. S. 25 on S. E., S. 26 on S. W. and S. 23 on N. W. faces, with 2 notches on S, and 1 notch on E edges.

Surface mostly level

Very good grass

Soil 3rd rate.



## T. 24. N. R. 16 E G. &amp; S R M

Chains

*N bet Secs 23 & 24*  
*7a 13° 30' E*

*0 over level table land*

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

*N* and *S* of stone 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In *N* pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on *N* face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 13, 14, 23, 24, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 *N* S. 13 on N.E., R. 16<sup>E</sup> 24 on S.E. S. 23 on S.W. and S. 14 on N.W. faces, with 3 notches on S and 1 notch on E edges.

*Land nearly level*

*Grass good*

*Soil Sandy 3<sup>rd</sup> Rate*



## T. 24. N. R. 16 E. S. 1 &amp; 2 S. R. M

chains

East on a random  
line bet Secs 13 & 24  
Va  $130^{\circ} 35' E$

Over table land

40.00 Set temp  $\frac{1}{4}$  Sec Cor  
79.84 Intersect E Boundary  
Township 18. lds. S.  
of the Cor to Secs  
13 18 19 & 24 recently  
established by me  
thence I run S.  $89^{\circ}$   
52' W on a true line  
bet Secs 13 & 24  
with same Va

39.92 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins.  
E and W of stone 5  $\frac{1}{2}$  feet deep and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W

79.84 face. Cor 13, 14, 23, 24

T. 24. N. R. 16 E G. & S R M

Chassis

Land nearly level  
 Grass good  
 Soil Sandy & 3<sup>rd</sup> rate

At bet Secs 13 & 14

Pa 130 35' E.

Over table land

40.00

Set a Flint stone 15 x 9 x 6 ins., 10 ins. in the ground for  $\frac{1}{4}$  Sec, Cor marked  $\frac{1}{4}$  on W face, dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base alongside.

80.00

Set a Sand stone 14 x 8 x 5 ins, 9 ins. in the ground for Cor, to Secs, 11, 12, 13, 14 marked with 4 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. alongside.

Surface Rolling very good  
 grass Soil Sandy & 3<sup>rd</sup> rate

T.24 N. R.16 T<sup>W</sup> & S R M

Chains

East on a random line  
bet Secs 12 & 13

$\text{Va } 130^{\circ} 35'$

Descending Gradually

40.00 Set Temp "L Sec Cor

55.00 Enter valley bet S. 250<sup>th</sup>

79.48 Intersect E Bound of  
Township 10 S. of the  
Cor to Secs 7, 12, 13, 18  
recently established by  
me thence I run  
S  $89^{\circ} 56'$  Now a true  
line bet Secs 12 & 13  
with same  $\text{Va}$

39.74

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone  $5\frac{1}{2}$  feet dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

79.48 Cor to Secs 11, 12, 13 & 14



## T. 24 N. R. 16 E G. &amp; S R M

Chains

Surface Rolling  
 Very good grass  
 Soil Sandy 3<sup>rd</sup> Rate

N. bet Sec's 11 & 12  
 Va 130 r 35' E

Ascend very gradually

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 1, 2, 11, & 12, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 N S. 1 on N. E. R. 16 E S. 12 on S. E. S. 11 on S. W. and S. 2 on N. W. faces, with 5 notches on S, and 1 notch

## T. 24. N. R. 16 E. C. &amp; S. R. M

lines

E edges.

Surface gently rolling  
 Very good grass soil &  $\frac{1}{2}$   
 water

~~~~~  
 E on a random line  
 bet Secs 1 & 12  
 Va  $130^{\circ} 30'$  E.

Descend gradually

40.00 Set temp "4 Sec line

79.74 Intersect E bound to  
 township 5<sup>th</sup> S. of the line  
 to Secs. 1, 6, 7, 12 recent-  
 ly established by me  
 thence I run S.  $89^{\circ} 38' 40''$   
 on a true line bet Secs  
 1 & 12 with same Va

39.87 (over)

T.24. N. R. 16 E G. & S R M

Chairs

39.87

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5  $\frac{1}{2}$  feet dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

79.74

Cont To Secs. 1, 2, 11 & 12  
 Surface gently rolling  
 Good grass  
 Soil 3rd Rate

N. bet Secs 1 & 2  
 7 $\frac{1}{2}$  N 13 $^{\circ}$  30' E

Over rolling land, ascends.

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5  $\frac{1}{2}$  feet dist. and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.



## T. 24. N. R. 16. E. S. 30. R. M.

hauses

80<sup>26</sup> Intersect 6<sup>th</sup> Standard 28 lks  
 West of Standard 4<sup>th</sup> Sec Cor. as  
 pointed out by <sup>525<sup>th</sup> N. R. 16<sup>th</sup> E.</sup>  
 bound of of Sec 30<sup>th</sup> and at  
 point of intersection  
 set a Sand Stone 16x10x6  
 in 11 inches in ground for  
 closing cor. to Sec's 1 & 2  
 Marked C.O. with 1 notch  
 on east and five notches  
 on West edges. and raised  
 a mound of stone  
 alongside, pits impracticable  
 surfaces rolling  
 Good grass  
 Soil 3<sup>rd</sup> Rate

I carefully examined the  
 adjustments of my Solar  
 compass to day particularly  
 the latitude & versing ap-  
 paratus & found them correct

## T. 24. N. R. 16 E. G. &amp; S. R. M

Series

Q. D. Wheeler  
Oct 21<sup>st</sup> 1882.

From the cor to Secs  
2, 3 34 & 35 on the S  
bound of the Township  
which was recently  
established by me  
I run

N bet Secs 34 & 35  
N 130 20' E.

Travel land

21.00 N Fork Corn Creek 60 lks  
wide ~~Course~~ S 60° W as  
end very gradually

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
N and S of stone 5  $\frac{1}{2}$  feet dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

## T. 24. N. R. 16 E. S. 34 R M

Hairs

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 26, 27, 34, 35 dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 W S. 26 on N. E., R. 16 E S. 34 on S. E., S. 34 on S. W. and S. 27 on N. W. faces, with 1 notch on S, and 2 notch on E edges.

Surface Level  
 Good Grass  
 Soil 3<sup>rd</sup> Rate

Off side view 26 x 27

26 x 34

Ground very good

Hairs



## T.24 N. R. 16 E. G. &amp; S. R. M

Chain

on E edges

Surface nearly level

Very good grass

Soil 3<sup>rd</sup> rate.

E on a random line

bet Secs 23 &amp; 26

7a 13, 35' E

Ariseed very gradually

40.00 Set trip 1/4 Sec Cor

80.08 Intersect n &amp; s line

62 South of the Cor  
to Sec's 23 24 25 & 26thence Sumb.  $89^{\circ} 33'$ 

West on a true line

bet Secs 23 &amp; 26

with same 7a

variation

## T. 24 N. R. 16 E G. &amp; S R M

Linn

40.04

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

80.08

Car to Secs 22, 23, 26, 27  
 Surface nearly level  
 Grass very good  
 Soil Sandy 3<sup>rd</sup> rate

N. bit Secs 22 23

NW 13° 35' E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

## T.24 N. R.16 E G. &amp; S R M

Chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 14, 15, 22, 23 dug pits 18 x 18 x 12 ins. in each Sec. 5½ ft. dist. and raised a mound of earth 2 ft. high 4½ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 N S. 14 on N. E, R. 16 E S. 23 on S. E. S. 22 on S. W. and S. 15 on N. W. faces, with 3 notches on S, and 2 notch E on E edges.

First 35 chains nearly level last 45 chains more rolling  
 Very good grass  
 Soil Sandy & 3<sup>d</sup> rate.

East on a random line  
 bet Secs 14 & 23  
 Ya 13° 35' E  
 Descend very gradually



## T. 24 N. R. 16 E. G. &amp; S. R. M

Lains

40.00 Set temp 14 Sec cor  
 80.52 Intersect w & S line  
 45th S of the cor to Secs  
 14, 15, 22 & 23 thence S  
 run S 89° 41' W on a true  
 line but Secs 14 & 23  
 with same val

H. 0. 26

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 E and W of stone  $5\frac{1}{2}$  feet dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. In E pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
 face.

80.52 Cor to Secs 14, 15, 22, 23  
 Surface rolling gradual  
 descent First 60 or more  
 rolling than the last 20  
 which is nearly level  
 Good grass  
 Soil Sandy 3<sup>d</sup> rate

## T. 24 N. R. 16 E C &amp; S R M

Irrig

N bet Secs 14 &amp; 15

Va 13 35° E

Ascribed very gradually

40.00

Set a ~~red~~ stone, 14 x 8 x 5 ins., 9 ins.  
 in the ground for  $\frac{1}{2}$  Sec. Cor, marked  $\frac{1}{2}$  on  $\swarrow$   
 face, dug pile 18 x 18 x 12 ins. N and S  
 of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $4\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base. alongside.

80.00

Set a basalt stone 14 x 8 x 5 ins., 9 ins. in  
 the ground for Cor, to Secs, 10 11, 14, 15 marked  
 with 4 notches on S. and 2 notches on E. edges,  
 dug pile 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft.  
 dist. and raised a mound of earth 2 ft. high.  
 $4\frac{1}{2}$  ft. base. alongside.

Con on ridge brs W 20° E  
 S 20° W.

Surfaces gradually rolling  
 Grass good  
 Soil Sandy 3<sup>rd</sup> rate

---

## T. 24 N. R. 16 E. G. &amp; S. R. M

Dams

East on a random line  
bet Secs 11 & 14

70 13° 35' E

Descend very gradually

40.00 Set temp. 1/4 Sec Cor

80.40 Intersect N & S line

36 exs south of the Cor to  
Secs 10, 12, 13, 14 thence

I run 89° 45' on a true  
line bet Secs 11 & 14

with Dams 70

40.20

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 1/2 feet dist. and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on W  
face.

80.40

Cor to Secs 10 &  
14 & 15



## T. 24 N. R. 16 E. G. &amp; S. R. M

Chains

Surface rolling  
 Good grass Some Sage brush  
 Soil 3<sup>rd</sup> rate

N bet Secs 10 & 11  
 Va 130 35' E

Descend gradually

40.00

Set a basalt stone, 14 x 8 x 6 ins., 9 ins.  
 in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on W  
 face, dug pits 18 x 18 x 12 ins. N and S  
 of stone 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth  
 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base. alongside.

80.00

Deposited a marked stone 12 ins. in the  
 ground for Cor. to Secs. 2, 3, 10, 11, dug pits  
 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base  
 over it. In S. E. pit drove a stake 2 ins. sq. 2  
 ft. long 12 ins. in the ground marked T. 24 N  
 S. 2 on N.E. R. 16 E. S. 11 on S.E. S. 10  
 on S. W. and S. 3 on N. W. faces, with  
 5 notch  $\infty$  on S, and 2 notch  $\infty$   
 on E edges.

## T. 24. N. R. 16 E. G. &amp; S. R. M.

Chains

Surface rolling  
 Good Grass some Sage brush  
 Soil 3<sup>d</sup> rate.

E on a random line  
 bet Secs 2 & 11  
 Va 13° 30' E.

Descend gradually over  
 rolling land

40.00 Set Trip ¼ Sec Cor  
 80.18 Intersect N & S line  
 38 links S. of the Cor to  
 Secs 1, 2, 11 & 12 thence  
 I run S 89° 44' 20" W on  
 a true line bet Secs  
 2 & 11 with same va

40.09 Deposited a marked stone 12 ins. in the  
 ground for ¼ Sec. Cor. dug pits 18 x 18 x 12 ins.  
 E and W of stone 5½ feet dist and raised  
 a mound of earth 1½ ft. high 2½ ft. base over  
 it. In E pit drove a stake 2 ft. long 2 ins.

## T. 24 N. R. 16 E. G. &amp; S. R. M

Chains

12 In Ground marked  
 1/4 Sec on N. face

80.18 Cor to Sec's 2-3-10 & 11-  
 Surface gently rolling  
 Good grass  
 Soil 3<sup>rd</sup> rate.

~~None~~ <sup>with high</sup>  
 N. bet Secs 2 & 3  
 Va 13° 35' E.

Ascend gradually

40.00

Deposited a marked stone 12 ins. in the  
 ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.  
 N and S of stone 5 1/2 feet dist. and raised  
 a mound of earth 1 1/2 ft. high 3 1/2 ft. base over  
 it. In N pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked 1/4 S. on W  
 face.

80.76

Intersect 6<sup>th</sup> Stand.  
 Parallel N. 7 links W of  
 1/4 Stand <sup>regularly established by survey</sup> Cor and  
 at point of intersection



## T. 24. N. R. 16 E. C. &amp; S. R. M

Shurms

Set a jumper post 4 ft  
long 4 in sq with marked  
stone 12 in in the ground  
for closing bar to  
Secs 2 & 3 marked  
C. C. T. 24 N. R. 16 E. S.  
S. 2 on E. S. 3 on W  
with 2 notches on E  
and 4 notches on W  
& ~~also~~ dug pits 18 x 18 x 12  
in S. E. & west of post  
5 1/2 ft dist and raised  
a mound of earth 2  
4 1/2 ft base around  
post

Surface rolling

Good grass

Soil 3<sup>rd</sup> rate

John Mahone Comptroller

Oct. 21<sup>st</sup> 1882

## T.24. N. R. 16 E G. &amp; S R M

Chains

From the Cor to Sec's  
3, 4, 33 + 34 on the  
S bound of the  
township which  
was recently es-  
tablished by me  
I run

N bet Sec's 33 + 34  
Wa 130° 20' E

over level bottom land

40.00 ✓

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
N and S of stone 5  $\frac{1}{2}$  feet dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

70.00

begin to ascend  
gradually

## T. 24. N. R. 16 E. C. &amp; S. R. M

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 27, 28, 33, 34. Dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 N S. 27 on N. E., R. 16 E. S. 34 on S. E., S. 33 on S. W. and S. 28 on N. W. faces, with 1 notch on S. and 3 notches on E edges.

Most all of line level remainder gently rolling Good grass. Some Sage Soil 30 rate.

E on a random line bet  
Secs 27 & 34

W 13° 30' E.

Descend gradually

1500

Enter level valley



## T.24 N. R. 16 E. G. &amp; S. R. M

Claus

40.00 Set trap #4 Sec Cor  
 7982 Intersect N + S line  
 64 S. of the Cor to Sec's  
 26 27 34 + 35 thence  
 I run S. 89° 33' W. on  
 a true line bet Sec's  
 27 & 34

39.91

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 E and W of stone  $5\frac{1}{2}$  feet dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. In E pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
 face.

7982 Cor to Secs 27, 28  
 33 & 34

E 65 chs gravel heavy  
 growth of Sacatone grass  
 some Sage Soil 3<sup>rd</sup> rate W  
 15 chs gently rolling good  
 grass Soil Sandy 7 3<sup>rd</sup> rate

## T. 24. N. R. 16 E. G. &amp; S. R. M

Chains

U bet Secs 27 & 28  
 Va 130 30' E

Ascend very gradually

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. U and S of stone 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In U pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 21, 22, 27 & 28, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 U S. 22 on N.E. R. 16 S. 27 on S.E. S. 28 on S.W. and S. 21 on N.W. faces, with 2 notch  $\infty$  on S, and 3 notch  $\infty$  on E edges.

Surface rolling

Good Grass Soil Sandy 3rd rate

## T. 24. N. R. 16 E G. &amp; S R M

Lines

E. on a random line  
bet Secs 22 & 27  
Va 130° 35' E

Descend very gradually

40.00 Set temp  $\frac{1}{4}$  Sec Cor

50.00 Enter valley bet S  
35° W

79.54 Intersect N & S line  
15 lks S. of the Cor to  
Secs 22, 25, 26 & 27 thence  
I run S 89° 54' W on  
a true line bet Secs  
22 & 27 with same Va.

39.77 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone  $5\frac{1}{2}$  feet dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.



T.24. N. R. 16 E C. & S. 1 M

Survey

7954 Cor to Sec's 21, 22, 27  
 & 28.

Surface rolling  
 Good grass  
 Soil Sandy 3rd rate

N bet Secs 21 & 22  
 Va 13° 35' E.

Ascend very gradually

40.00

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 N and S of stone 5 $\frac{1}{2}$  feet dist and raised  
 a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{4}$  ft. base over  
 it. In N pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
 face.

80.00 (over)

## T. 24. N. R. 16 E G. &amp; S R M

Stakes

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 15 16 21 22 dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 N S. 15 on N. E., R. 16 S. 22 on S. E. S. 21 on S. W. and S. 16 on N. W. faces, with 3 notch  $\epsilon\sigma$  on S, and 3 notch  $\epsilon\sigma$  on E edges.

Surface Rolling  
Good grass  
Soil Sandy 3<sup>rd</sup> rate

East on a random line bet Secs 15 & 22

12.00 Ridge <sup>30 ft. high</sup>  $13^{\circ} 35' E$   
long  $30^{\circ} W$  &  $32 30^{\circ} E$   
 ~~$30^{\circ} E$~~

descend very gradually

## T. 24 N. R. 16 E G. &amp; S R M

40.00 Set temp  $\frac{1}{4}$  Sec Cor  
 79.74 Intersected  $n$  &  $s$  line  
 8 lks  $n$  of the Cor to  
 Secs 14, 15, 22, & 23 thence  
 I run  $N 89^{\circ} 57'$   $W$  on a  
 true line bet Secs 15  
 & 22 with same val

79.87

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits  $18 \times 18 \times 12$  ins.  
 $E$  and  $W$  of stone  $5\frac{1}{2}$  feet dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. In  $E$  pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $W$   
 face.

79.74 Cor to Secs 15, 16, 21 &  
 22

Soafael Rearing  
 Very little grass Some  
 Sage brush Soil 3<sup>rd</sup> rate

---



## T. 24 N. R. 16 E G. &amp; S R M

Chains

N bet Secs 15 &amp; 16

Wa 13° 35' E.

Descend very gradually

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

68.00 Draw <sup>wide hrs.</sup> 35° S. 50° W - 20 ft  
Ascend gradually

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs, 9, 10, 15 & 16 marked T. 24 N. S. 10 on N. E. R. 16 E S. 15 on S. E. S. 16 on S. W. and S. 9 on N. W. face, with 4 notch es on S, and 3 notch es on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. diam. around post.

T.24 N. R. 16 E G. &amp; S R M

Chances

Surface rolling  
 Very good grass  
 Soil Sandy 3<sup>d</sup> rate.

E on a random line  
 but Sec's 10 & 15  
 Va 13° 35' E

15.00 Descend very gradually  
 begin to ascend very  
 gradual

40.00 Set trip "4 Sec cor

80.06 Intersect N & S line  
 14 lks N. of cor to Sec's  
 10, 11, 14, & 15 thence  
 I run N. 89° 54' west on  
 a true line but Secs 10 &  
 15 with same va

## T. 24. N. R. 16 E G. &amp; S R M

Traces

40.03

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

80.06 Cor to Sec's 9, 10, 15  
x 16

Surface rolling  
good grass  
Soil Sandy 3<sup>d</sup> rate

N. bet Secs 9 & 10  
Va 13° 35' E

Ascend gradually  
15.00 top of Spur Crs S 50° W  
70 ft high



## T. 24. N. R. 16 E. G. &amp; S. T. M

diacuss

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. Wand -  $\frac{1}{2}$  of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base over it. In  $\frac{1}{4}$  N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $\frac{1}{4}$  W. face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 3, 4, 9 & 10, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 N. S. 3 on N.E. R. 16 & S. 10 on S.E. S. 9 on S.W. and S. 4 on N.W. faces, with 5 notches on S. and 3 notches on E. faces.

Surface rolling  
Soil Sandy 3<sup>rd</sup> rate  
Good grass

## T.24. N. R 16 E G. &amp; S R M

Lines

X E. on a random line  
bet Sec's 3 & 10

40.00 <sup>va 13° 30' E</sup>  
ascend over rolling land  
Set trap "s Sec cor

60.00 top of spur bro N. S.  
50 ft high

Descend gradually

79.62 Intersect n. & s line  
18 lks n of the cor to  
Sec's 2, 3, 10 & 11 thence  
I run 189° 52' w on a  
true line bet Sec's 3 &  
10. with same va.

39.81

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone  $5\frac{1}{2}$  feet dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on n  
face.

T.24 N. R. 16 E. G. & S. R. M

79.62 Cor to Secs 3-4-9  
7 10.

Surface gently rolling  
Good grass, some Sage  
Soil Sandy 3<sup>d</sup> rate

~~one line~~  
N, bet Secs 3 & 4

wa 13° 30' E.

Descend gradually

39.00 Wash 40 lks wide course  
S. W.

Ascend.

4000

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
N and S of stone 5 $\frac{1}{2}$  feet dist. and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.



## T. 24. N. R. 16 E G. &amp; S R M

James

81. 12 Intersect 6th Stand <sup>Parallel N-</sup>  
 42 lks E of <sup>Stand</sup> 14 Sec <sup>Cor</sup>  
 S. bound of Sec 33 <sup>merid. set by 91</sup>  
 T. 25 N. R. 16 E  
 at point of intersection set a basalt  
 stone. 16 x 10 x 6, 10  
 inches in ground.  
 marked <sup>cc. with</sup> 3 notches on  
 E & W edges. and raised  
 a mound of stone along-  
 side hits impracticable  
 Surface rolling  
 Very little grass  
 Soil very sandy &  
 from 3' to 4<sup>th</sup> rate.  
 I carefully examined  
 the adjustments of my  
 Solar compass to-day  
 particularly the latitude  
 & veering apparatus

## T. 24. N. R. 16 E. G. &amp; S. R. M

Cross

and found them correct  
 C. D. Wheeler Engineer  
 Oct. 23<sup>rd</sup> 1882

From the cor to Secs  
 4, 5, 32 & 33. on the S  
 bound of the township  
 which was recently  
 established by me  
 I run

N bet Secs 32 & 33  
 Va 130° 20' E.

Over level valley  
 began to ascend

20.00

40.00

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 N and S of stone  $5\frac{1}{2}$  feet dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. In N pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
 face.

## T. 24. N. R. 16 E G. &amp; S R-M

Shaws

80.00 Set Sand Stone 16  
 X 10 X 6, 10 ins in the  
 ground for Cor to Secs.  
 28, 29, 32 & 33, marked  
 with 4 notches Sand 4  
 notches on E edges, and  
 raised a mound  
 of stone along side.  
 Tits unpracticable.  
 Surface racing  
 Grazing moderate  
 Soil 3<sup>rd</sup> rate

E on a random level  
 but Secs 28, & 33

Va 13° 20' E

Descend gradually  
 wash. C South.

15.50

40.00

Set trap 1/4 Sec Cor



## T. 24 N. R. 16 E. G. &amp; S. R. M

Shaw's

80.20 Intersect N + S line  
 16 lks S of the Cor  
 to Secs. 27, 28, 33 +  
 34. thence I run S.  
 89° 53' W on a true  
 line bet Secs 28 +  
 33. with same Va

40.10 Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 E and W of stone 5 $\frac{1}{2}$  feet dist. and raised  
 a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
 it. In E pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
 face.

80.20 Cor to Secs. 28, 29  
 32 + 33.

Surface rolling  
 Grass good  
 Soil 3<sup>d</sup> rate

## T.24 N. R. 16 E G. &amp; S R M

Acres

N. bet Secs 28 & 29  
 Va 13° 20'

over nearly level land

40.00 Set Stone 14 x 12 x 10  
 9 in in ground for 1/4  
 Sec Cor marked 1/4 on  
 W. face and raised  
 a mound of stone  
 alongside pits impracticable

42.00 began to ascend

4927 Enter rolling mesa

80.00 Set a Sand stone 20 x 20  
 x 4 in 15 in in the ground  
 for Sec Cor. to Secs  
 20, 21, 28, & 29 marked  
 with 2 notches on S  
 & 4 notches in E  
 Edges pits impracticable  
 Surface rolling  
 Little grass Soil 3 feet

T 24. N. R 16 E G. &amp; S R M

Lands

⊗ on a random line  
but Sec 21 & 28  
Va  $130^{\circ} 35' E$ .

Ascend gradually

5.00 Ascend more abrupt

9.00 Set temp 46 Sec Cor

9.88 Intersect N & S

line 40 lks n of  
the Cor to Secs 21  
22 27 & 28 thence

Draw N.  $89^{\circ} 33' W$

on a true line bet  
Secs 21 & 28 with  
same Va

39.94

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits  $18 \times 18 \times 12$  ins.

E and W of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 in  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.



## T. 24 N. R. 10 E. C. &amp; S. 11 M.

## Chains

on top of ridge hrs  
N. W. & S. E.

79.88 Cor to Sec's. 20 & 21  
28 & 29

Surface rolling

Grass good

Soil sandy 3<sup>d</sup> rate

---

N bet Sec's 20 &  
21

Var  $13^{\circ} 35' E$ .

Descend gradually

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

T. 24. N. R. 16 E G. & S R M

No. 498

Acres

0.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 16 & 21. <sup>20</sup> 2<sup>1</sup>/<sub>2</sub> dug pits 15 x 15 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T, 24 N S. 16 on N.E., R 16 E S. 21 on S.E., S. 20 on S.W. and S. 17 on N.W. faces with 3 notch 20 on S, and 4 notch 20 on E edges.

Surface: First 20 chains rather rough & not much grass last 60 very good grass  
Soil Sandy 3<sup>rd</sup> rate

E on a sandstone line bet Secs 16 & 21.

Va 130 35' E

10.00

Set trap 1/4 Sec Cor

## T. 24. N. R. 16 E G. &amp; S R M

80. 12 Intersect N & S line  
 16 lks N of the Cor to  
 Secs. 15, 16 21 & 22  
 thence I run N 89° 53' 1/2  
 Won a true line bet  
 Sec's 16 & 21 with  
 same va

40. 06 Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 E and W of stone 5  $\frac{1}{2}$  feet dist. and raised  
 a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over  
 it. In E pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
 face.

80. 12 Cor to Sec's 16, 17  
 20 & 21.  
 Surface greatly rolling  
 good grass  
 Soil Sandy 3<sup>d</sup> rate



## T. 24 N. R. 16 E. G. &amp; S. R. M

Chairs

N bet Sec's 16 & 17  
 Va 13° 35' E.

Descend gradually

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 5 $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

61.25

wash 35 lks wide  
 course S. W.  
 Ascend

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 8, 9 16 & 17 dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 N S. 9 on N. E., R 16 E S. 16 on S. E., S. 17 on S. W. and S. 8 on N. W. faces, with 4 notches on S, and 4 notches on E edges.

54

T. 24. N. R. 16 E. G. & S. R. M.

charms

Surface Slightly rolling  
 Good grass  
 Soil Sandy 3<sup>rd</sup> rate.

---

E on a random line  
 but Secs. 9 & 16  
 7<sup>th</sup> 13° 35' E

Descend gradually

9.00 W 35 EKS wide course  
 E. W

4.00 Set trap 1/4 Sec  
 Cor

4.50 Top of Spur on S.W.  
 40 ft high  
 Descend

10.30 Intersect N & S  
 line 25 EKS So of  
 the Cor to 9, 10, 15  
 & 16 thence I run  
 S. 89° 49' W on a  
 true line but Secs

## T. 24 N. R. 16 E. C. &amp; S. R. M

9 & 16 with same Va

40. 18

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

8036

Cor to Sec 8 & 9

& 16 & 17

Surface rolling  
light grass scattering  
Sage brush Soil  
3<sup>d</sup> rate

W bit Secs 8 & 9

Va 13° 35' 18"

Descend gradually



Shaw

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. W and S. of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In W pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

15.50

Wash 35 lks wide  
Course S.  $40^{\circ}$  W

Ascend gradually

0.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 4, 5, 8 & 9, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 N. S. 4 on N. E. R. 16 E. S. 9 on S. E. S. 8 on S. W. and S. 9 on N. W. faces, with 5 notch  $\infty$  on S, and 4 notch  $\infty$  on E edges.

Surface rolling  
Good grass  
Soil Sandy 3<sup>rd</sup> rate

## T24 N. R 16 E C. &amp; S R M

Chains

on a random  
line bet Secs 4  
& 9

7a  $13^{\circ} 35' E$

Secs and gradually

21.50 Wash 35 lks wide

Course A.  $48^{\circ} W$ .

40.00 Set temp "S Sec  
Cor

79.80 Intersect 7a & A  
line 40 lks South

of Cor to Sec 3 4

9 & 10 thence I

run A  $89^{\circ} 43' W$

on a true line

bet Secs 4 & 9

with the same

variation

## T. 24 N. R. 16 E. C. &amp; S. R. M

99.90

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

99.80

Cor to Sec's 4, 5  
 8 9 9  
 Surface rolling  
 good grass  
 Soil 3<sup>d</sup> rate

~~one time eye~~  
 N bet Sec's 4 & 5  
 Va 130 35' E

Ascend gradually

10.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. W and S of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In W pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.



## T. 24 N. R. 16 E. S. 1 &amp; S. R. M

8140 Intersected 6<sup>th</sup> Stand.  
 73. MKs 8. of <sup>5-5-11-8-16-2</sup> "4 Sec  
 Cor on I Bound  
 of Sec 32 <sup>5-5-11-8-16-2</sup> at Point  
 of intersection Set  
 a Sandstone 15 x 3 x 7  
 10 in in ground  
 for closing con to  
 Sec's 4 & 5 marked  
 C. C. <sup>with</sup> 4 notches on E  
 on 2 notches on W  
 Edges dug pits 18 x  
 18 x 12 S. E & W of  
 Stone 5 1/2 ft dist  
 and raised a mound  
 of earth 2 ft high  
 4 1/2 ft base, ~~over~~  
 it alongside  
 Surface ralling  
 Good grass some Sage  
 Soil Sandy 3<sup>rd</sup> roll

T.24 N. R.16 E. C. &amp; S. R. M

Shanna

John Mahone  
Oct. 23<sup>d</sup> 1882

From the cor to Sec  
5 6 31 + 32 on the S  
bound of the Township  
which was recently  
established by me

I run

N bet Sec 31 + 32 -

To  $13^{\circ} 20' E$

Over nearly level land  
begin to ascend  
Set a charact Stone  
for  $14 \times 12 \times 10$  in  
in the ground for  $1/4$   
Sec cor marked  $1/4$   
Sec on W. face  
and raised a mid  
of stone alongside  
fits impracticable

37.00  
40.00

## T. 24 N. R. 16 E. C &amp; S R M

Chaus

80.00

Deposited a marked stone 18 inches in  
ground for Cor. to Secs. 29, 30, 31, 32. Stones  
18 x 18 x 12 ins. in each Sec. 29, 30, 31, 32. A  
raised mound of earth 2 ft. high 4 1/2 ft. base  
each side. S E pit 2 feet a side 2 ins sq. 2  
ft. long 12 ins in the ground marked T. 24 N  
S. 29 on N. E. R. 16 E. S. 32 on S. E. S. 21  
on S. W. and S. 30 on N. W. faces, with  
1 notch on S, and 5 notch 20  
on E edges.

Land <sup>gently</sup> gradually rolling  
Good grass, some Sage  
brush

Soil 3<sup>rd</sup> rate

E on a random line  
bet Secs 29 & 32  
Va 13° 20' E.

Over rolling table land  
Descending

40.00 Set trap 1/4 Sec.  
Cor.



6<sup>w</sup>  
BOOK 498  
T.24 N. R 16 E G. & S R M

Chains

14.00 Descend from mesa  
19.76 Intersect  $n$  &  $s$  line  
53 links South of the Cor  
to Secs 28 29 32 & 33  
Chain I run  $S. 89^{\circ} 38'$   
 $W$  on a true line bet  
Secs 29 & 32 with same  
Va

39.88 Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits  $18 \times 18 \times 12$  ins.  
 $E$  and  $W$  of stone  $5\frac{1}{2}$  feet dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In  $E$  pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $n$   
face.

49.76 Cor to Secs 29, 30, 31  
& 32  
Surface rolling  
Poor grass  
Soil 3<sup>d</sup> rate.

O. D. Wheeler  
Oct. 24<sup>th</sup> 1885.

## T. 24 N. R. 16 E. G. &amp; S. R. M

Lines

K

W on a random  
line bet. Secs 30 & 31  
Va  $13^{\circ} 20' E$ .

40.00 Over racing land descending  
Set temp  $\frac{1}{4}$  Sec cor

79.10 Intersect w bound  
of township 67 lks  
N of the cor to Secs  
25, 26, 30 & 31 which was  
recently established by  
me thence I run  $N 89^{\circ} 31'$

to on a true line bet  
Secs 30 & 31, with same val

39.10

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits  $18 \times 18 \times 12$  ins.  
E and W of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

79.10

Cor to Secs 29-30 31  
& 32.

Jno. Mahone's Commission  
Oct. 24 / 82

## T. 24 N. R. 16 E. C. &amp; S. R. M

Measures

Surface gently rolling  
 Good grass  
 Soil 3<sup>rd</sup> rate.

N bet Secs 29. & 30  
 70' 130' 20' E.

Over rolling land de  
 scending

40.00

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

W and S of stone 5 $\frac{1}{2}$  feet dist and raised  
 a mound of earth 1 $\frac{1}{2}$  ft. high 2 $\frac{1}{2}$  ft. base over  
 it. In W pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
 face.

80.00

Deposited a marked stone 12 ins. in the  
 ground for Cor. to Secs. 19, 29, 30 dug pits  
 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$  ft. dist. and  
 raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base  
 over it. In S E. pit drove a stake 2 ins. sq. 2  
 ft. long 12 ins. in the ground marked T. 24 N  
 S. 20 on N.E. R. 16 E S. 29 on S.E. S. 30  
 on S.W. and S. 19 on N.W. faces, with  
 2 notches on S, and 5 notches



## T. 24 N. R. 16 E. &amp; S. R. M

Chains

on E Edges.

Surface gently rolling  
Good grass Soil 3<sup>d</sup> rate.

---

 E on a random line  
 but Secs 20 & 29  
 $70^{\circ} 13' 27''$  E.

Ascend gradually

40.00 Set trap 1/4 Sec  
Car80.18 Intersect N & S line  
15 lks S of the Car to  
Secs. 20, 21, 28, & 29 thence  
Run S.  $89^{\circ} 54'$  W on  
a true line bet Secs  
20, & 29 with same  $70^{\circ}$ 40.09 Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.E and W of stone 5 1/2 feet dist and raised  
a mound of earth 1 1/2 ft. high 5 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on W  
face.

## T. 24 N. R. 16 E. C &amp; S. R. M

Trains

80.18 Car to Sec's 19, 20, 29  
& 30.

Surface gently rolling  
Good grass  
Soil 3<sup>d</sup> rate

C. D. Wheeler  
Oct 27<sup>th</sup>/82

W on a random line  
bet Secs 19 & 30  
Ta 130° 27' E.

Very gradual descent.

40.00 Sub. temp 14 Sec Cor

74.00 Enter Swampy flat on S. W

79.48 Intersect W bound of  
township 45 lks W of  
the cor to Secs 24, 25  
19 & 30 which was  
recently established  
by me thence I run  
S. 89° 41' on a true line

## T24 N. R 16 E. &amp; S R M

Chaus

bet. Secs 19 & 30  
with same Co.

3948 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

7948 cor to Secs 19, 20, 29  
& 30

Surface rolling  
Grass, Good  
Soil 3<sup>d</sup> rate

- Jno Mahone

Oct. 24 1882

W bet Secs 19 & 20

70 13° 27' E

Descend gradually

9.00 wash 25 lks wide  
Cos A. 40° 1'



## T. 24 N. R. 16 E. C. &amp; S. M.

*Acacia*

40.00

Set a post 3 ft. long 2 ins. diam. in the ground  
 close to Sec. 17, 18, 19 & 20;  
 marked 17 on W. face, 18 on N. face,  
 19 on S. face, 20 on E. face. Raised  
 a mound of earth 12 ft. high 4 1/2 ft. base around  
 post.

80.00

Deposited a marked stone 12 ins. in the  
 ground for Sec. to Secs. 17, 18, 19 & 20, dug pits  
 15 x 15 x 12 ins. in each Sec. 5 ft. dist. and  
 raised a mound of earth 2 ft. high 4 1/2 ft. base  
 over it. In S. E. pit drove a stake 2 ins. sq. 2  
 ft. long 12 ins. in the ground marked T. 24 N.  
 S. 17 on N. E., R. 16 E. S. 20 on S. E., S. 19  
 on S. W., and S. 18 on N. W. faces, with  
 3 notch 20 on S., and 5 notch 20  
 on E. edges.

Surface rolling  
 Good grass  
 Soil 3<sup>d</sup> rate

## T. 24 N. R. 16 E. G. &amp; S. R. M.

Claims

E on a random line  
bet Secs 17 & 20

Val  $12^{\circ} 35' E$

Descend gradual

40.00 Set trap 1/4 Sec cor

50.00 wash 35 lbs wide Course

S.  $25^{\circ} W$

80.02 Intersect W & S line

68 lbs S of the cor to

Secs 16, 17, 20, & 21 thence

I run S.  $89^{\circ} 31' W$  on

a true line bet Secs

17 & 20 with same Val

40.01

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over

it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1/2 S. on N

face.

80.02 Cor to Secs 17 18 19 & 20.

70.

BOOK 498

T. 24 N. R. 16 E. G &amp; S. R. M

Chains

Surface rolling  
 Good grass  
 Soil 3<sup>rd</sup> rate

W on a random line  
 bet Secs 18 & 19

W at  $13^{\circ} 35' E$

Described gradual

40.00

set temp 14 Sec Cor.

79.83

Intersect to bound  
 of the township 12  
 lks S of the cor to  
 Secs 13, 18, 19 & 24 which  
 was recently established  
 by me thence I run  
 S.  $89^{\circ} 55' E$  on a  
 true line bet Secs  
 18 & 19 with same  
 Va

## T. 24 N. R. 16 E. G. &amp; S. R. M

Aucis

39.83

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone  $\frac{1}{4}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $1\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

79.83

Cor to Secs 17, 18 1982  
 Surface rolling  
~~Over~~ grass  
 Soil 30 rate

Jno Mahone Oct 34<sup>th</sup>/82

W bet Secs 17 & 18

Va 13° 35' E.

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. W and S of stone  $\frac{1}{4}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $1\frac{1}{2}$  ft. base over it. In W pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.



Lands

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 7, 8, 17 & 18, dug pits 18 x 18 x 12 ins. in each Sec. 5 ft. dist. and raised a mound of dirt 2 ft. high 12 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 S. 8 on N. E. R. 16 & S. 17 on S. E. S. 18 on S. W. and S. 7 on N. W. faces, with 4 notch es on S, and 5 notch es on E edges.

Surface rolling  
poor grass, some Sage brush  
Soil 3<sup>d</sup> 4<sup>th</sup> rate

E on a random line  
bet Secs 8 & 17

WA 130 35' E

40.00 Set trip 74 Sec  
Cor

45.20 wash 30 MKO ends,  
Course S. 5° W

Claims

79.74 Intersect N & S line  
17 lks South of the Cor  
to Secs 8, 9, 16 & 17 thence  
I run S 89° 53' W on  
a true line bet Secs  
8 & 17 with camera

3987

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 12 x 12 ins.  
E and W of stone  $3\frac{1}{2}$  feet dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

79.74 Cor to Secs 7, 8, 17, & 18  
Surface rolling  
poor grass  
Soil 3<sup>rd</sup> 4<sup>th</sup> rate

O. D. Wheeler

Oct. 24<sup>th</sup> / 1882

74

BOOK 498

T. 24. N. R. 16 E. G. & S. R. M.

Leaves

W on a random line  
bet Secs 7 & 18.

$\text{wa } 130^{\circ} 35' \text{ E}$

Descend gradually

40.00

Set trip 1/4 Sec Cor

80.22

Intersect W bound  
of the township 30 lbs  
N of the cor to Secs. 7, 12  
13 & 18. which was re-  
cently established by  
me thence I run  
 $\text{W } 89^{\circ} 47' \text{ E}$  on a true  
line bet Secs 7 & 18  
with same wa

40.22

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone 5 1/2 feet dist. and raised  
a mound of earth 1 1/2 ft. high 5 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on W  
face.

## T. 24. N. R. 16 E. C. &amp; S. R. M.

Lands

80.22 Cor to Sec's 7, 8, 17 &amp; 18.

Surface rolling  
light grass, some sage brush  
Soil 30 rate

John Mahon Comp's min  
Oct. 24<sup>th</sup> 1882.

---

W bet Sec's 7 & 8

NW 13° 35' E.

Ascend gradually

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. W and S of stone 5  $\frac{1}{2}$  feet dia. and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In W pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 5, 6, 7 & 8, dug pits 18 x 18 x 12 ins. in each Sec. 5  $\frac{1}{2}$  ft. dia. and raised a mound of earth 2 ft. high 4  $\frac{1}{2}$  ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 24 S. 5 on N.E., S. 6 on S.E., S. 7 on S. W. and S. 8 on N. W. faces, with



## T.24 N. R. 16 E G &amp; S R M

Linas

5 notches  $\tau$   $\theta$   $\tau$  5 notches  
on E edges

Surface rolling

poor grass, some sage brush

Soil 3 $\frac{1}{2}$  rate

E on a random line  
bet Secs 5 & 8

$\theta$   $13^{\circ} 35' E$

40.00 Set trap 1/4 Sec cor

70.00 top of spur gro n.e.  
 $\tau$   $\theta$   $\tau$  35 ft high

7992 Intersect  $\theta$   $\tau$   $\theta$  line

46 lks  $\theta$  of the  $\theta$   $\tau$   $\theta$   
Secs 4, 5, 8,  $\tau$  9 thence

I run S.  $89^{\circ} 40' W$

on a true line bet  
Secs 5 & 8 with same  
 $\theta$   $\tau$   $\theta$

## T. 24. N. R. 16 E G. &amp; S R M

Chains

3996

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. day pit 18 x 18 x 12 ins. E and W of stone  $\frac{1}{2}$  ft.  $\frac{1}{2}$  ft. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $2\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

79.92

Cor to Secs 5, 6, 7 & 8  
Surface rolling  
Good grass, some Sage  
Soil 3<sup>rd</sup> rate

O. D. Wheeler Oct 24/82

W on a random line  
bet Secs 6 & 7

Wa  $130^{\circ} 35' E$ .

40.00

80.40

Set trunk  $\frac{1}{4}$  Sec Cor  
Intersect W bound  
of township 15 lks  
N of the Cor to Secs.  
1, 6, 7, & 12 which was  
recently established  
by me thru Iowa

Chances

N 89° 54' E on a  
true line NW Secs  
6 & 7 with same  
wa

40.40

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pit 12 x 18 x 12 ins.  
E and W of stone  $\frac{1}{4}$  ft. 1 ft. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $2\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face  
The Cor. to Secs - 5 - 6 - 7 - 8 -

80.40

surface rolling  
very little grass some Sage brush  
Soil Sandy 3<sup>rd</sup> rate

~~N on true line~~  
N on true line Secs 5 & 6.

wa 130 35' E

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins.  
N and S of stone  $\frac{1}{4}$  ft. 1 ft. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $2\frac{1}{2}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

T. 24 N. R. 16 E. G. &amp; S. R. M.

Aucus

81.68 Intersect 6<sup>th</sup> Stand Parallel N  
 110 lks E of the <sup>blaine 1/4 Sec</sup> 14<sup>th</sup> Sec  
 cor on S bound of  
 Sec 31 <sup>525 N. R. 16 E</sup> which was  
 recently established  
 by me at point of  
 intersection Set a  
 post 4 ft long 4 in dia  
 with marked stone  
 12 in in ground  
 for closing cor to  
 Sec's 5 & 6 marked  
 C. C. 524 N. R. 16 E on S. 25 on E + 36 on W. faces -  
 with 5 notches on E  
 and 1 notch on W  
 edges. Carefully ex-  
 amined my Solar Com-  
 pass to day particularly  
 the latitude & versing  
 aparatus & found them  
 to be correct

Jno Mahons Compsmin  
 Oct 24 / 82



## T. 24 N. R. 16 E. G. &amp; S. R. M

This township has a gently rolling surface except in the extreme northern part where it is slightly broken good grass in many parts & scattering Sage brush all over the township in the southwest part is a swampy place where water stands portions of the grass found no springs or timber soil is very sandy and in some points drifts into hills will average about 4<sup>th</sup> rate. Some water holes or ponds in Secs 3, 4 8 & 9.

---

BOOK 498

For ~~Final~~ Oatles  
see book No. 20.

BOOK 498

U. S. Surveyor General's Office,  
Tucson, Arizona, *July 21,* , 1883

The foregoing Field Notes of the survey of the

*Subdivision Lines of Township*

*24 North, Range 16 E,*

of the Gila and Salt River Base and Meridian, Arizona,  
executed by *O. D. Wheeler*,

D. S., under his contract of the *5<sup>th</sup>* day of

*August*, 1882, having been critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe, are hereby approved.

*J. W. Robinson*

Surveyor General.