

No. 504

BOOK 504

4-671

504

FIELD NOTES

GENERAL LAND OFFICE.

*Subdivision*

*Township 25 N. R. 5. E.*

*Indexed Book 002*

128

Township 25N R. 5E

6	1455	4	3	2	1
143	141				
7	1398	9	10	11	12
137	135				
18	13217	16	15	14	13
131	129				
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

No. 504

BOOK 504 129.

Subs T. 25 N.R. 5 East (C.F.D.)

hs. N. 89° 47' E. on a random line  
bet secs. 17 and 20.

Var. 14° 30' East.

41.00 Set temporary 1/4 sec. cor.

80.01 Intersect N. and S line 1/4 sec  
N of cor to secs. 16, 17, 20 and 21.

Thence I run

S. 89° 52' W. on a true line  
bet. secs. 17 and 20.

Var. 14° 30' East.

Over rolling land, through  
scattering brush.

9.00 Ranvie, 20 ft. deep, course  
N.W.

16.00 Enter dense brush.

40.00 Set a malpais stone 16 x  
12 x 10 ins. 11 ins. in the  
ground for 1/4 sec. cor.  
marked 1/4 on N. face, and

## Subdivisions

chs. raised a mound of  
stone  $1\frac{1}{2}$  ft high, 3 ft  
base, alongside, from  
which  
a pinon 10 mis. diam. br.  
N.  $70^{\circ} 10'$  E. 41 chs. dist.  
marked  $\frac{1}{4}$  S.B.T.  
a pinon 6 mis. diam.  
br. S  $16^{\circ} 22'$  W. 11 chs. dist  
marked  $\frac{1}{4}$  S.B.T.

80.01 The cor. to sec. 17, 18, 19  
and 20.

Land, rolling  
Soil, stony, 3d rate.  
No timber, cedar and  
pinon brush.

Land covered with dense  
brush 66.01 chs.



## T. 25 N. R. 5 E. (cont)

- dis. S. 89° 53' W. on a random line  
 bet. secs. 18 and 19.  
 Var. 14° 30' East.
- 40.00 Set temporary 1/4 sec. cor  
 80.53 Intersect W. body of sp. 6 lbs.  
 S of cor to secs. 13, 18, 19  
 and 24.  
 Thence I run  
 N. 89° 56' E. on a true line  
 bet. secs. 18 and 19.  
 Var. 14° 30' East.
- can calling land, through  
 dense brush.
- 40.53 Set a red under stone  
 10 x 16 x 11 ins. 11 ins. in the  
 ground for 1/4 sec. cor. marked  
 1/4 on N. face, and raised  
 a mound of stone 1 1/2 ft.  
 high, 3 ft base, alongside.

## Subarcticus

cho.

Saw which

a pineson 8 ins diam

No. S 49° 16' W. 27 lks. dist.

marked 1/4 S.P.T.

a cedar 8 ins. diam cho.

N. 79° 21' W. 29 lks. dist.

marked 1/4 S.P.T.

80.53

The cor to secs. 17, 18, 19

and 20.

Land, rolling

Soil, stony. 35 rate

No timber, cedar and  
pineson brush.Land, covered with dense  
brush. 80.53 cho.

June 26, 1894.

N. 00 3' W. bet. secs. 17 and 18.

Var. 144 30' East

T. 25 N. R. 5 E. (cont)

- ch<sub>2</sub> Over rolling land, covered with dense brush.
- 40.00 Set a malpais stone 20 x 14 x 12 ins. 15 ins. in the ground for 1/4 sec. cor. marked 1/4 on W. face, and raised a mound of stone 1 1/2 ft. high, 3 ft. base, along side, from which a pinion 10 ins. diam. has S. 52° 54' E. 27 lbs. dist. marked 1/4 S.B.T.
- a pinion 16 ins. diam. has S. 41° 46' W. 37 lbs. dist. marked 1/4 S.B.T.
- 80.00 Set a malpais stone 20 x 18 x 12 ins. 15 ins. in the ground for cor. to sec. 7, 8, 17 and 18, marked with 4



## Subdivisions

- chs. notches on S. and 5  
notches on E. edges,  
and raised a mound  
of stone 2 ft. high, 3 ft.  
base, alongside, from  
which
- a pinon 8 ins diam. tree.  
S. 52° 12' E. 228 lbs. dist.  
marked T. 25 N. R. 5 E. S. 17 B.T.
  - a pinon 4 ins diam.  
tree S. 20, 8' W. 85 lbs.  
dist. marked T. 25 N. R. 5 E. S.  
18 B.T.
  - a pinon 8 ins. diam. tree  
S. 70 30' W. 106 lbs. dist.  
marked T. 25 N. R. 5 E. S. 18 B.T.
  - cedar 8 ins. diam tree  
N. 53° 24' W. 37 lbs. dist.  
marked T. 25 N. R. 5 E. S. 7 B.T.



T. 25 N. R. 5 East (cont.)

chs. Land, rolling.  
Soil, stony, 3' rate.  
No timber, cedar and prairie  
brush.  
Land covered with dense  
brush, 80 chs.

N. 89° 52' E. on a random line  
bet. sec. 8 and 17.

Var. 14° 30' East.

40.00 Set temporary 1/4 sec. cor.

80.12 Intersect N. and S. line 14  
chs. N. of cor. to sec. 8, 9, 16  
and 17.

Thence I run

S. 89° 58' W. on a true line  
bet. sec. 8 and 17.

Var. 14° 30' East.

over rolling land, through

## Subdivisions

- chs. scattering brush.
- 40.06 Set a malpais stone 16  
x 16 x 14 ins. 11 ins. in  
the ground for 1/4 sec.  
cor. marked 1/4 on N.  
face, and raised a  
marker of stone 1 1/2 ft.  
high, 3 ft base, along-  
side. Pits impracticable
- 69.00 Enter dense brush,  
ascend 200 ft.
- 80.12 The cor to sees 7, 8, 17 and  
18
- Land rolling  
Soil, stony, 30 rate  
No timber, cedar and  
juniper brush.
- Land, covered with dense  
brush, 11.12 chs.

T. 25 N. R. 5 E. (cont)

chs S.  $89^{\circ}56'$  W. on a random line  
bet secs. 7 and 18.

Var.  $140^{\circ}30'$  East.

40.00 Get temporary 14 sec. cor

80.42 9th sec. W. body of 2<sup>nd</sup> - 17  
lbs S of cor to secs. 7, 12,  
13 and 18.

thence I run

S.  $89^{\circ}57'$  E. on a true line  
bet secs. 7 and 18.

Var.  $140^{\circ}30'$  East.

over broken rolling land,  
covered with dense brush.  
ascend 100 ft.

8.00 Top of ascent ridge, hrs.  
N. and S. Descend 150 ft.

16.00 Foot of descent, thence  
over rolling land.

40.42 Get a malpais stone 16 x 14 x



## Subdivisions

- chs. 0 vis. 11 vis. in the ground  
for 1/4 sec. cor marked  
1/4 on N. face, and raised  
a mound of stone 2 ft.  
high, 3 ft base, alongside  
from which  
a pinon 12 vis. drain. hrs.  
S 31° 12' W, 31 chs. dist.  
marked 1/4 S.B.T.
- a pinon 20 vis. drain.  
hrs. S 85° 01' E, 53 chs. dist.  
marked 1/4 S.B.T.
- 61.00 Descend 150 ft.
- 63.00 Foot of descent, leave  
dense brush, enter scat.  
tering brush
- 80.42 The cor. to secs 7, 8, 17 and  
18.  
Land, rolling and broken



## T. 25 N. R. 5 E. (cont.)

chs. Soil, stony, 3rd rate.  
 No timber, cedar and pinon  
 brush.  
 Land, covered with dense  
 brush, 63 chs.

N.  $00^{\circ} 3' W$  bet. sec. 7 and 8.

Var.  $14^{\circ} 30'$  East.

over rolling land, through  
 scattering brush

36.24 Road bet E. and W.

40.00 Set a pinon post, 3 ft.  
 long, 4 ins square with  
 marked stone, 12 ins in the  
 ground for  $1/4$  sec. cor.  
 marked  $1/4$  B on W. face,  
 dug pits  $18 \times 18 \times 12$  ins. N. and  
 S. of post,  $5 \frac{1}{2}$  ft. dist. and  
 raised a mound of stone

## Subdivisions

chs. cones with earth 3 ft.  
high,  $4\frac{1}{2}$  ft. base, around  
post, from which  
a cedar 10 ins. diam.  
hrs. S  $26^{\circ}$  58' W. 49 lks. dist  
marked 4 B.T.

No other trees within limits

80.00 Set a malpais stone  $14 \times$   
 $10 \times 10$  ins. 10 ins. in the  
ground for cor to sea  
5, 6, 7 and 8, marked with  
5 notches on S and E  
edges, and raised a mound  
of stone  $1\frac{1}{2}$  ft high, 3 ft.  
base, alongside, from  
which  
a pinon 10 ins. diam  
hrs. N.  $80^{\circ}$  11' W. 147 lks. dist.  
marked T. 25 NR 5 E S. 6 B.T.

T. 25 N. R. 5 E. (cont)

lbs. a pinon 8 ins. diam. lbs.  
N. 20° 10' W. 121 lbs dist.

marked T. 25 N. R. 5 E. S. 6 B.T.

a pinon 8 ins. diam. lbs.  
N. 42° 41' W. 112 lbs dist.

marked T. 25 N. R. 5 E. S. 6 B.T.

a cedar 10 ins. diam lbs  
N. 80° 30' W. 200 lbs dist.

marked T. 25 N. R. 5 E. S. 6 B.T.

Land, rolling.

Soil, stony, 3<sup>d</sup> rate.

No timber, cedar and  
pinon brush.

Note - From this cor Hill's  
ranch house and tank  
of water bear. S 39° 56' W.  
about 7/8 of a mile distant.

N. 89° 58' E. on a random line



## Subdivisions

chs.

bet. secs. 5 and 8.

Var.  $140^{\circ}30'$  East.

40.00

Get temporary  $\frac{1}{4}$  sec. cor.

50.03

Intersect N. and S. line

7 chs. S. of cor. to secs  
4, 5, 8 and 9.

Thence I run

S.  $89^{\circ}55'$  W. on a true line

bet. secs. 5 and 8.

Var.  $140^{\circ}30'$  East.over rolling land, through  
dense brush.

40.02

Get a malpais stone  $14 \times$  $12 \times 10$  ins. 10 ins in theground for  $\frac{1}{4}$  sec. cor.marked  $\frac{1}{4}$  on N. face,and raised a mound  
of stone  $1\frac{1}{2}$  ft high,  
3 ft base, alongside.



T. 25 N. R. 5 E. (cont)

chs. from which  
 a piñon 8 ins. diam. has  
 N.  $31^{\circ} 19'$  W. 39 lbs dist.  
 marked  $\frac{1}{4}$  S.B.T.

a cedar 8 ins. diam. has  
 S.  $44^{\circ} 39'$  W. 59 lbs dist.  
 marked  $\frac{1}{4}$  S.B.T.

51.00 Leave dense brush, enter  
 scattering brush.

80.03 The cor to secs. 5, 6, 7 and 8.

Land, rolling

Soil, stony, 3<sup>d</sup> rate.

N. timber, cedar and piñon  
 brush.

Land, covered with dense  
 brush, 51 chs.

N.  $89^{\circ} 57'$  W. on a random line  
 bet secs. 6 and 7.

## Subdivisions

Lhs.

Var.  $140^{\circ} 30'$  East.40.00 Get temporary  $\frac{1}{4}$  sec. cor.80.32 Get intersect N. hdy of sp.  
7 lks. N. of cor. To sec.  
1, 6, 7 and 12.

Thence I run

East on a true line

bet sec. 6 and 7.

Var.  $140^{\circ} 30'$  East.Over level land, through  
scattering brush.40.32 Get a malpais stone  
 $14 \times 9 \times 8$  ins. 10 ins. in  
the ground for  $\frac{1}{4}$  sec.  
cor. mark  $\frac{1}{4}$  on N. face,  
and raise a mound  
of stone 2 ft high, 3 ft.  
base, alongside. Pits  
unpracticable

T. 25 N. R. 5 E. (cont)

cho  
80.32 The cor to sees 5, 6, 7 and P.

Land, level.

Soil, stony, 3<sup>d</sup> rate.

No timber, cedar and pinon  
bush.

N. 0° 3' W. on a random line  
bet. sees 5 and 6.

Var. 14° 30' East.

40.00 Set temporary 14 sec. cor.

80.03 Intersect N body of Sp. 4  
lks. E. of cor. to sees. 5, 6,  
31 and 32.

Thence I run

S. 0° 5' E. on a true line  
bet. sees. 5 and 6.

Var. 14° 30' East.

Over level land, through  
scattering bush.

## Subdivisions

chs

40.03

Get a red cedar stone  
 14 x 10 x 10 ins. 10 ins in  
 the ground for 1/4 sec.  
 cor. marked 1/4 on W.  
 face, and raised a  
 mound of stone 1 1/2 ft.  
 high, 3 ft base, along-  
 side, from which  
 a cedar 8 ins diam. tree.  
 S. 23° W. 250 lbs. dist.  
 marked 1/4 S.P.T.

a cedar 8 ins. diam  
 tree. S. 7° 09' W. 245 lbs.  
 dist. marked 1/4 S.P.T.

80.03

The cor to sec 5, 6, 7  
 and 8.

Land, level,

Soil, stony, 3<sup>rd</sup> rate.

No timber, cedar and



T. 25 N. R. 5 E. (cont)

chs. pinon brush.

June 27, 1894.

### General Description

This township in the Southern part is rough and broken, containing some pine timber. The Northern part is more level.

The whole tp. is covered with cedar and pinon brush, but produces excellent grass during the rainy season.

There is a small spring near the center of the township, improved and used for stock

Intro. T. 25 N. R. 5 E. (concluded)

chs purposes by Babbitt  
Bros.

a small tank of  
water in sec. 7 is held  
by Still who has  
built a house near  
it, and uses the water  
for sheep.

Charles E. Perkins

Compassman <sup>and</sup>

U.S. Deputy Surveyor

No. 504

BOOK

149  
504

U. S. Surveyor-General's Office,

TUCSON, A. T. July 13, 1895

The foregoing Field Notes of the Surveys of  
the Subdivisions of  
Tp: 25 N. R. 5 E

Gila and Salt River Meridian  
in Arizona executed by  
F. W. Oury

U. S. Deputy Surveyor, under his contract dated  
June 21<sup>st</sup> 1893  
having been critically examined, the necessary correc-  
tions and explanations made, the said Field Notes and  
the surveys they describe are hereby approved.

Geo. H. Manning  
U. S. Surveyor-General  
for the Territory of Arizona.