

T. 25 N. R. 6 E.

2

No. 506

BOOK 506

4-671

506

FIELD NOTES  
GENERAL LAND OFFICE.

*Subdivision*

*Township 25 N. R. 6. E.*

64

Indexed Book 505

Township 25N R. 6E

6	5	104	4823	2	1
			102	80	
7	8	101	97810	11	12
127	126	99	77		
18	123	17	96167415	14	13
120	118	94	72		
19	114	20	91217022	23	24
112	110	88	68		
30	108	29	86286527	26	25
			65		
31	105	32	8433	34	35
				35	36

## Subdivisions T. 25 N. R. 6 E. (ctd)

Obs.  $\angle 67^{\circ}$  W. 33 chs. dit.

marked  $\frac{1}{4}$  S.B.T.

90.58 The cor. to secs. 27, 28, 33  
and 34.

Land, rolling

Soil, stony, 3<sup>d</sup> rate

Timber, pine; cedar and  
pinon brush.

Land covered with dense  
brush 90.58 chs.

N. 0<sup>o</sup> 2' W. bet. secs. 27 and 28.

Var.  $14^{\circ} 39'$  East.

over rolling land.

8.00 Enter dense brush

40.00 Get a malpais stone  $23 \times$

$12 \times 8$  ins. 16 ins. in the

ground for  $\frac{1}{4}$  sec. cor.

marked  $\frac{1}{4}$  on W. face and

## Subdivisions T.25 N. R.

- Chs. raised a mound of stone  $1\frac{1}{2}$  ft. high, 3 ft. base, alongside, from which
- a pinon 8 mis. diam. brs.  $\beta$  49° 40' E. 85 lbs. dist. marked  $\frac{1}{4}$  S.B.T.
- a pinon 16 mis. diam. brs.  $\beta$  26° 17' W. 63 lbs. dist. marked  $\frac{1}{4}$  S.B.T.
- 53.10 Descent 300 ft. from mesa brs E. and W.
- 62.00 A spring of fresh water bears W. about  $\frac{1}{4}$  mile dist.
- 76.00 Leave dense brush, enter open hillside
- 80.00 Get a malpais stone 12 x 10 x 8 mis. 8 mis. in the



## 6 East. (continued)

Chs. ground for cor to see.  
 21, 22, 27 and 28, marked with  
 2 matches on 3 and 3 matches  
 on E. edges, and raised a  
 mound of stone 2 ft. high,  
 3 ft. base, alongside.

Pita impracticable.

Note - This cor is on N.  
 slope of edge of mesa,  
 about 300 ft. below last see.  
 cor.

Land, rolling and mountainous

Soil, stony. 35 rate.

no timber. cedar and  
 piñon brush.

Survey Trust 76.00 Chs

## Subdivisions

- Chs. N.  $89^{\circ}58'$  E. on a random line  
bet. secs. 22 and 27.  
Var.  $14^{\circ}39'$  East.
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor  
80.16 9 intersect N. and S. line  
14 chs. S. of cor to secs.  
22, 23, 26 and 27.  
Thence I run  
S  $89^{\circ}52'$  W. on a true line  
bet. secs. 22 and 27.  
Var.  $14^{\circ}39'$  East.  
over mountainous land,  
through dense brush.  
Ascent 300 ft.
- 31.00 Top of ascent descent  
150 ft.
- 40.08 Set a sandstone  $16 \times 14 \times$   
12 ins. 11 ins. in the  
ground for  $\frac{1}{4}$  sec. cor

## T25 N.R. 6 E. (cont'd)

- 0 hrs. marker  $\frac{1}{4}$  on N. face  
 and raised a mound of  
 stone  $1\frac{1}{2}$  ft high, 3 ft  
 base, alongside. from  
 which  
 cedar 6 in. diam. hrs.  
 N.  $16^{\circ} 22'$  W. 10 lbs. dist.  
 marker  $\frac{1}{4}$  S.B.T.  
 a pinon 11 in. diam. hrs.  
 S  $23^{\circ} 28'$  W. 42 lbs. dist.  
 marker  $\frac{1}{4}$  S.B.T.
- 47.00 Foot of descent, wash  
 6 ft. deep, course N. ascent  
 150 ft.
- 63.00 Top of ridge, hrs. N. and S.  
 Leave dense brush, and  
 descent 200 ft. to
- 80.16 The car. to nos. 21, 22, 27  
 and 28.



## Subdivisions

chs. Low mountainous  
Soil, stony, 4<sup>th</sup> rate.  
No timber, cedar and  
piñon brush  
mountainous land, or  
land covered with dense  
brush 80.16 chs.

N. 0° 2' W. bet. secs. 21 and 22

Var. 14° 39' East.

over mountainous land,  
through scattering brush  
Descent 200 ft to

21.75 Foot of descent, ravine  
40 ft. deep, course N. 80°  
W. Thence over rolling  
land.

25.96. S. W. cor. of Closser Meyers  
house, on line



## T25 N.R. 6 E (contd)

- lks.  
38.00 Ravine 20 ft. deep, course  
N. 46° E.
- 39.00 Clastermeyers pasture fence  
bears E and W.
- 40.00 Get a malpais stone 20  
x 14 x 10 ins. 15 ins. in the  
ground for 1/4 sec. car.  
marker. 1/4 on W. face, and  
raised a mound of stone  
1/2 ft. high, 3 ft. base,  
along side, from which  
a pinon 6 ins. diam. brs.  
S. 75° 18' E. 88 lbs. dist.  
marker 1/4 E.S.T.
- a pinon 6 ins. diam. brs.  
N. 86° 39' E. 74 lbs. dist.  
marker 1/4 E.S.T.
- 75.00 Leave scattering brush
- 80.00 Get a malpais stone

## Subdivisions

Chs. 10 x 10 vis. 10 vis. in the  
ground for cor. to sec.  
15, 16, 21 and 22, marked  
with 3 notches on S and  
E. edges, dug pits 18 x 18 x 12 vis.  
in each sec. 5 1/2 ft. dist. and raised a  
mound of earth 2 ft. high, 4 ft.  
base, alongside.

Land, mountainous and  
rolling.

Soil, stony, 3 rd rate.

No timber; cedar and  
pinon brush

mountainous land, 21.75 chs

N. 89° 52' E. on a random line  
bet. sec. 15 and 22,

Var. 14° 39' East.

40.00 Set temporary 1/4 sec cor.

T. 25 N. R. 6 E. (contd)

Chs.

80.12

Intersect N and S line "

Ch. N of cor to sec. 14, 15,

22 and 23.

Thence I run

S.  $89^{\circ}57'$  W. on a true line

bet. sec. 15 and 22,

Tan.  $14^{\circ}39'$  East

over rolling land.

28.00

wash, 6 ft. deep, course

N.  $49^{\circ}$  E.

34.00

Enter scattering brush.

37.00

Leave scattering brush.

40.00

Set a sand stone  $12 \times 10 \times 9$   
 ins. 9 ins in the ground  
 for  $\frac{1}{4}$  sec. cor. marker  $\frac{1}{4}$   
 on N. face, and raise a  
 mound of stone  $1\frac{1}{2}$   
 ft high, 3 ft base,  
 along side. Into unpro-



## Subdivisions

- chs. treable.
- 51.30 Road from Flagstaff to  
Grant canon hrs. N. 72°  
W. and S. 72° E.
- 80.12 the cor to secs. 15, 16, 21  
and 22.  
Land, gently rolling.  
Soil, stony. 2<sup>d</sup> and 3<sup>d</sup> rate  
No timber, cedar and  
pinon brush.
- 
- N. 002' W. bet. secs. 15 and 16.  
Var. 14' 39' East.  
One rolling land, through  
scattering brush.
- 1350 Road from Flagstaff to  
Grant canon hrs. N. 70° W  
and S. 70° E.
- 40.00 Set a malpais stone 12 x  
10 x 6 ins. 8 ins in the



## T. 25 N. R. 6 E. (contd)

- Obs. ground for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  on  $\frac{3}{4}$  W. face,  
 dug pits  $18 \times 16 \times 12$  ins. N.  
 and S. of stone  $5\frac{1}{2}$  ft. dist  
 and raised a mound of  
 earth 3 ft. high,  $4\frac{1}{2}$  ft. base  
 alongside, from which  
 a cedar  $1\frac{1}{4}$  ins. diam. tree,  
 S. 88° 58' E. 286 lbs. dist.  
 marked  $\frac{1}{4}$  EBT.
- No other trees within limits.
- 52.00 Wash, 6 ft. deep, course  
 N. 30° E
- 66.00 Same wash, course N. 30° W.
- 74.00 Enter dense brush.
- 77.00 Leave dense brush, and  
 descends 50 ft to
- 80.00 Set a malpais stone  $22 \times$   
 $20 \times 11$  ins. 16 ins. in the

## Subdivisions

Chs.

ground for con. to sec. 9,  
 10, 15 and 16, marked with  
 + notches on S and 3  
 notches on E. edge, and  
 raised a mound of stone  
 1 1/2 ft high, 3 ft. base,  
 alongside, from which  
 a pinon 16 ins. diam. has  
 S 20° 14' E. 260 lbs. dit.  
 marked T. 25 N. R. 6 E. S. 15 BT  
 a pinon 13 ins. diam. has  
 S 130° 11' E. 259 lbs. dit.  
 marked T. 25 N. R. 6 E. S. 15 BT  
 a pinon 15 ins. diam. has  
 S 80° 28' W. 272 lbs. dit.  
 marked T. 25 N. R. 6 E. S. 16 BT.  
 a cedar 6 ins. diam. has  
 S. 90° 28' W. 266 lbs. dit.  
 marked T. 25 N. R. 6 E. S. 16 BT.

T. 25 N. R. 6 E (contd)

Chs. Sand, level.  
 Soil, 1st rate,  
 No timber; cedar and pinon  
 brush  
 Sand, covered with dense  
 brush. 3 chs.

N.  $89^{\circ}57' E$ . on a random line  
 bet. secs. 10 and 15.

Var.  $14^{\circ}39'$  East.

40.00 Bet Temporary 1/4 sec. cor.  
 79.97 Intersect N. and S. line 3.  
 lbs. S of cor to secs. 10, 11, 14  
 and 15.

Thence down

S  $89^{\circ}56' W$ . on a true line  
 bet secs. 10 and 15.

Var.  $14^{\circ}39'$  East.

over rolling sand

## Subdivisions

Chs.

12.00

Wash, 14 ft. deep, course

N.  $37^{\circ}$  E.

39.96

Set a malpais stone 14  
 x 12 x 12 ins. 10 ins. in the  
 ground for 94 sec. cor, mark  
 at 14 on N. face, and  
 raised a mound of stone  
 1 1/2 ft. high, 3 ft. base,  
 alongside. Pits unprac-  
 ticable.

79.97

The cor. to secs. 9, 10, 15 and  
 16.

Land rolling.

Soil, stony, 35 rate.

No timber.

N.  $002^{\circ}$  W. bet. secs. 9 and 10.Var.  $14039^{\circ}$  East.

Over rolling land.



## T. 25 N. R. 6 E. (cont'd)

Chs.	
10.00	wash, 6 ft. deep, course E.
40.00	Set a malpais stone 16 x 14 x 10 ins. 11 ins. in the ground for $\frac{1}{4}$ sec. cor. marker $\frac{1}{4}$ on W. face, and raise a mound of stone $1\frac{1}{2}$ ft. high, 3 ft. base along side.
	Pits impracticable
56.00	Wash, 10 ft. deep, course N. 20° E.
	ascend 60 ft. to
60.00	Top of ridge, bet. E. and W.
67.00	Descend 150 ft. to
80.00	Set a malpais stone 20 x 16 x 10 ins. 15 ins. in the ground for cor. to secs. 3, 4, 9 and 10, marker with 5 notches on S. and 3 notches on E. edges, and raise a

## Subdivisions

Chs. mounds of stone  $1\frac{1}{2}$  ft.  
high, 3 ft. base, along-  
side. Pits impracticable.  
Land, rolling.  
Soil, stony, 3<sup>rd</sup> rate.  
No timber.

$\approx 89^{\circ}56'$  E. on a random line  
bet. secs. 3 and 10.

Var.  $14^{\circ}39'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.00 Intersect N and S. line 9  
lks N. of cor to secs. 2, 3  
10 and 11.

thence I run  
west on a true line  
bet. secs. 3 and 10.

Var.  $14^{\circ}39'$  East.

over broken rolling land

## T 25 N. R. 6 E. (cont'd)

- She. covered with dense brush  
 Descend 100 ft. to  
 9.00 set of ravine, 40 ft. deep  
 course S 51° E.  
 ascend 100 ft  
 17.00 Top of ascent, thence over  
 rolling land.  
 23.00 Leave dense brush, enter  
 open prairie.  
 40.00 a flat lime stone in  
 place, I marked with a  
 cross (+) at exact cor.  
 point for  $\frac{1}{4}$  sec. cor. and  
 $\frac{1}{4}$  on N of cor., and raised  
 a mound of stone  $1\frac{1}{2}$  ft.  
 high, 3 ft. base, alongside  
 Pits impracticable.  
 81.00 The cor. to sec. 3, 4, 9 and  
 10.



## Subdivisions

chs. Land, rolling and broken.  
Soil stony, 3 rd rate.  
No timber, cedar and  
juniper brush.  
Land, covered with dense  
brush, 23 chs.

N.  $0^{\circ} 2' N.$  on a random line  
bet. secs. 3 and 4

Var. 14039' East.

40.00 Set temporary 1/4 sec. cor

80.06 Intersect N. boundary of  
township. 20 lks. E of  
cor to secs 3, 4, 33 and 34.

thence I run

S.  $0^{\circ} 11' E.$  on a true line  
bet. secs. 3 and 4

Var. 14039' East.

over rolling land.



## T. 25 N. R. 5 E. (contd)

- 29.00 Ascent 150 ft. to  
 40.06 Top of ridge by E. and W.  
 A flat limestone in  
 place, 9 maces with  
 a cross<sup>(4)</sup> at exact cor-  
 point for  $\frac{1}{4}$  sec. cor.  
 with  $\frac{1}{4}$  on W. of cross,  
 and raised a mound of  
 stone  $1\frac{1}{2}$  ft. high, 3 ft.  
 base, along side. Pits  
 impracticable.  
 Descent 100 ft.  
 72.00 Foot of descent, wash  
 6 ft. deep, course N. W.  
 Ascent 50 ft. to  
 80.06 The cor to sec. 3, 4, 9 and 10.  
 Land, rolling and broken.  
 Soil stony, 4th rate.  
 No timber

July 3, 1897.

## Subdivisions

Chs. From the cor to sec  
28, 29, 32 and 33 on the  
auxiliary base

From

S.  $00^{\circ} 2' E.$  on a random line  
bet. sec. 32 and 33.

Var. 140.89' East.

4000 Set temporary 1/4 sec. cor.

90.65 Intersect the S. boundary  
of the 7p. 4.72 chs.  $S 89^{\circ} 21' E.$  of  
Standard cor to sec 32 and  
33. This closing being in  
excess of 3 chs. as per  
my special instructions  
I set a malpais stone  
22 x 18 x 12 ins. 16 ins. in  
the ground for closing  
cor to sec. 32 and 33,  
marked C.C. on N. face.

No. 506

BOOK 506 PV.

T. 25 N. R. 6 E. (cont'd)

Chs. with 4 notches on E. and  
.2 notches on N. face, and  
raised a mound of stone  
1 1/2 ft. high, 3 ft. base, along-  
side. Pits impracticable  
thence 9 mm

N. 0° 2' W. on a true line  
bet sec. 32 and 33.

Var. 140 39 East.

even railing broken east  
through scattering brush  
and timber.

50.65 Set a malpais stone 20 x  
16 x 13 ins. 5 ins. in the  
ground for 1/4 sec. cov.  
marked 14 on N. face, and  
raised a mound of stone  
1 1/2 ft. high, 3 ft. base,  
alongside. Pits impracticable



## Subdivisions

Chs.	cable.
74.80	Ravine 35 ft. deep, course N. 7° E.
86.00	Same ravine, course N. 22° W.
90.65	The car to secs. 28, 29, 32 and 33. Lands, rolling and broken Soil, stony, 30 rate. Timber, pine, cedar and pinon brush.
	N. 0° 2 W. bet. secs. 28 and 29. Var. 14° 39' East. over rolling lands, through scattering brush and timber.
40.00	Set a malpais stone 24 x 10 x 8 ins. 18 ins. in



T. 25 N.R. 6 E. (contd)

chs.

the ground for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  on W. face,  
 and raised a mound of  
 stone  $1\frac{1}{2}$  ft. high, 3 ft.  
 base, alongside. from  
 which

a pinion 10 ins. diam. hrs.  
 S. 720 04' E. 236 chs. dist.  
 marked  $\frac{1}{4}$  E.P.T.

a pinion 12 ins. diam. hrs.  
 S. 690 21' E. 1236 chs. dist.  
 marked  $\frac{1}{4}$  E.P.T.

80.00

Set a malpais stone  $20 \times 14 \times 9$   
 ins 15 ins. in the ground  
 for cor to sec. 20, 21, 28 and  
 29, marked with 2 notches  
 on S. and 4 notches on E. edges,  
 and raised a mound of stone  
 $1\frac{1}{2}$  ft. high, 3 ft. base, along-

## Subdivisions

Lhs. side. Pits impracticable  
 Land, rolling.  
 Soil, stony, 3rd rate.  
 Timber, pine, cedar and  
 juniper brush.

S. 89° 58' E. on a random line  
 bet. secs. 21 and 28.

Var. 140° 39' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.16 Intersect N. and S. line  
 20 lbs. N. of cor. to secs.  
 21, 22, 27 and 28.

Thence S. run

N. 89° 49' W. on a true line  
 bet. secs. 21 and 28.

Var. 140° 39' East.

Over mountainous land  
 ascent 150 ft.

## T 25 N. R. 6 E. (cont'd)

- Chs.  
5.00 Enter dense brush
- 12.00 Top of ridge, big. N. and S.  
and descent 200 ft.
- 25.80 Clostermeyers pipe line from  
spring to house bears N and S
- 31.00 Foot of descent, ravine 40 ft.  
deep, course N.
- 32.20 Log fence bears N and S, thence  
over broken land.
- 39.40 Ravine 20 ft. deep, course  
N. 47° E. ascent 500 ft.
- 40.08 Set a malpais stone 10 x 10  
x 8 ins. 6 ins. in the ground  
for 1/4 sec. cor. marked 14 on  
N. face, and raised a  
mound of stone 1 1/2 ft high,  
3 ft base, alongside.  
from which  
a pinon 12 ins. diam. has



## Subdivisions

- 6hs. N. 87° 11' W. 13 chs. dit.  
 marked 74 S.B.T.  
 a prairie 11 mi. diam. bro.  
 S. 16° 04' W. 40 chs. dit.  
 marked 74 S.B.T.
- 71.00 Top of ascent, thence over  
 rolling top of mesa  
 Leave dense brush, enter  
 scattering brush.
- 80.16 The car. to secs. 20, 21, 28  
 and 29.  
 Lands, mountainous.  
 Soil, stony, 35. rate.  
 Timber, pine, cedar and  
 prairie brush.  
 mountainous land, or land  
 covered with dense brush  
 71 chs.



## T 25 N. R. 6 E. (contd)

Obs. N.  $0^{\circ} 2'$  W bet. sees 20 and 21.

Var.  $14^{\circ} 39'$  East.

over rolling land, through scattering brush.

40.00 Set a malpais stone  $27 \times$

$8 \times 6$  ins. 21 ins. in the

ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face, and

raised a mound of stone  $1\frac{1}{2}$  ft. high, 3 ft. base,

alongside, from which a pinon 12 ins. diam. has

N.  $7^{\circ} 14'$  W. 31 lbs. dist.

marked  $\frac{1}{4}$  I.B.T.

a cedar 10 ins. diam. has

N.  $65^{\circ} 43'$  E. 43 lbs. dist.

marked  $\frac{1}{4}$  I.B.T.

Enter dense brush, and descent 500 ft. from

## Subdivisions

- Chs. mesa, bears E. and W.
- 49.60 Road bears N.  $15^{\circ}$  E. and S.  $85^{\circ}$  W.
- 57.10 Same road bears N.  $22^{\circ}$  W.  
and S.  $22^{\circ}$  E.
- 66.10 Ravine 80 ft. deep, course  
N.  $43^{\circ}$  E.
- 79.30 Road bears N.  $35^{\circ}$  E.
- 80.00 a malpais stone in  
place,  $2\frac{1}{2} \times 2 \times 1$  ft. above  
ground & marked with  
a cross (+) at exact cor-  
ner point for cor. to secs. 16,  
17, 20 and 21, with 3 notches  
on S. and 4 notches on E.  
edges, and raised a mound  
of stone  $1\frac{1}{2}$  ft. high, 3 ft.  
base, alongside, from  
which  
a pinion 11 ins. diam. has

T. 25 N. R. 6 E. (contd)

Chs. N.  $47^{\circ} 28'$  E. 93 lks. dist.  
 marked T. 25 N. R. 6 E. S. 16 B.T.  
 a pine 22 ins diam. hrs.  
 S.  $34^{\circ} 0'$  E. 134 lks. dist. marked  
 T. 25 N. R. 6 E. S. 21 B.T.  
 a cedar 12 ins. diam. hrs.  
 S.  $61^{\circ} 33'$  W. 181 lks. dist.  
 marked T. 25 N. R. 6 E. S. 20 B.T.  
 a cedar 6 ins. diam hrs.  
 N.  $70^{\circ} 32'$  W. 178 lks. dist.  
 marked T. 25 N. R. 6 E. S. 17 B.T.  
 From this cor. Hull Spring  
 bears. S.  $30^{\circ} 46'$  W. 5.15 chs.  
 dist.

Hull's House hrs. N.  $15^{\circ}$   
 W. about 20 chs. dist.

Land, rolling and mountainous

Soil, stony, 3rd rate



## Subdivisions

Chs. No timber, cedar and  
 pine brush.  
 Mountainous land, or land  
 covered with dense brush  
 40 chs.

S.  $89^{\circ}49'$  E. on a random line  
 bet. secs. 16 and 21.

Var.  $14^{\circ}39'$  East.

40.00 Set Temporary  $\frac{1}{4}$  sec. cor.

80.30 Enter sec. N. and S. line 17  
 chs. S. of cor. to secs. 15,  
 16, 21 and 22.

Thence Run

N.  $89^{\circ}56'$  W. on a true line  
 bet. secs. 16 and 21.

Var.  $14^{\circ}39'$  East.

over rolling land.

7.00 wash 3 ft. deep, course



T. 25 N. R. 6 E. (contd)

- |        |  |
|--------|--|
| 0 hrs. | N. 23° E.  |
| 7.50   | Enter dense birch and<br>ascend 200 ft.  |
| 25.00  | Top of ascent and<br>descend 50 ft. to   |
| 31.00  | Foot of descent ravine<br>6 ft. deep, course N. and<br>ascend 40 ft.   |
| 40.15  | A malpais rock in<br>place 3 x 2 x 1 ft. above<br>ground, 9 marked with<br>a cross (+) at exact cor-<br>ner for 1/4 sec. cor.<br>with 1/4 on N. of cross,<br>and raised a mound of<br>stone 1 1/2 ft high, 3 ft.<br>base, alongside, from<br>which<br>a pinon 10 ins diam. has |

## Subdivisions

6 hrs. N.  $46^{\circ} 41'$  East, 8 chs. dist.  
marked  $\frac{1}{4}$  E.P.T.

a cedar 8 ins. diam. hrs.

S.  $76^{\circ} 11'$  W., 9 chs. dist.

marked  $\frac{1}{4}$  E.P.T.

57.00 Top of ascent, thence over  
mountainous N. slope of

80.00 <sup>meas. to</sup> Road. Trs. N.  $30^{\circ}$  E.

59.30 The car to sees. 16, 17, 20 and

21.

Land, mountainous and rolling

Soil, stony, 3 or 4 rate.

No timber, cedar and juniper  
bunch.

mountainous or heavily  
timbered land, 71.80 chs.

N.  $0^{\circ} 2'$  W. bet. sees. 16 and 17

Var.  $140 39'$  East.

## T. 25 N. R. 6 E. (contd)

- chs. over mountainous land,  
covered with dense brush.  
Succent 150 ft.
- 12.00 Road bears NW. and S. E.
- 16.20 Wash, 10 ft. deep, course  
N. 23° E. Leave dense brush
- 19.20 Road from Grant cañon  
to Flagstaff, bears E.  
and W. Stage station  
bes. E. about 3 chs. dist.
- 20.00 Grant cañon stage com-  
pany's barn and stables.
- 25.60 Wash, 6 ft. deep, course  
N. 31° E.
- 33.60 Road from Grant cañon  
to Flagstaff bes. N. 22° E.  
and S. 22° W.
- 40.00 Set a malpais stone 24x  
15x12 ins. 18 ins. in the

## Subdivisions

- Chs. ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face,  
and raised a mound of  
stone  $1\frac{1}{2}$  ft. high, 3 ft.  
base, along side, from  
which  
a cedar  $1\frac{1}{2}$  ins. diam. has  
 $S. 51^{\circ} 00' E.$ , 64 lbs. dist.  
marked  $\frac{1}{4}$  S.O.T  
No other trees within limits
- 40.00 Foot of descent; wash  
4 ft. deep, course E.  
ascends 100 ft to
- 50.00 Top of ascent, thence  
over rolling land to
- 80.00 Set a malpais stone  
 $24 \times 17 \times 12$  ins.  $18$  ins. in  
the ground for cor to  
secs. 8, 9, 16 and 17, marked



T. 25 N. R. 6 E. (cont'd)

Shs. with 4 notches on S. and E. edges, and raised a mound of stone  $1\frac{1}{2}$  ft. high, 3 ft. base, along side. Pits impracticable. Lands, mountainous and rolling. Soil, stony, 3d rate. No timber; cedar and pinon bush. Mountainous or heavily timbered land 50 chs.

S.  $89^{\circ} 56'$  E. on a random line bet. secs. 9 and 16.

Var.  $14^{\circ} 39'$  East.

40.00 Set temporary 1/4 sec. cor.

50.02 Intersect N. and S. line

10 chs. S. of cor. to secs. 9, 10

## Subdivisions

Chs.

15 and 16.

Thence from

west on a true line

bet. secs. 9 and 16.

Tan.  $140^{\circ} 39'$  East.

over open rolling land.

9.00 wash, 4 ft. deep, course

N.  $45^{\circ}$  E.

40.01

Set a malpani stone 16

 $\times 12 \times 10$  ins. 12 ins. in theground for  $\frac{1}{4}$  sec. cor.marked  $\frac{1}{4}$  on N face, and

raised a mound of stone

 $1\frac{1}{2}$  ft. high 3 ft. base,alongside. Pits imprac-  
ticable.

73.75

Road from Grant canon  
to Flagstaff bet. Kans. S.

80.02

The cor. to secs. 9, 9.16 and

T. 25 N. R. 6 E. (contd)

Shs.

17.

Land, gently rolling.

Soil, stony, 3rd rate.

No timber.

N. 0° 2' W. bet secs. 5 and 9.

Var. 14° 39' East.

over level open prairie

40.00 Set a malpais stone 10 x

10 x 10 ins. 6 ins. in the

ground for 1/4 sec. cor.

marker 1/4 on W. face and

raise a mound of stone

1/2 ft. high, 3 ft. base,

along side. Pits imprac-

ticable.

80.00 Set a malpais stone 24 x

17 x 12 ins. 1 P. ins. in the

ground for cor to sec. 4 S. E.



## Subdivisions

chs. and 9, marked with 5  
notches on S. and 4  
notches on E. edge and  
raised a mound of  
stone  $1\frac{1}{2}$  ft. high 3 ft  
base, alongside. Pits  
impracticable  
Lans, rolling.  
Soil, stony, 35 rate.  
No timber.

East on a random line  
let sec. 4 and 9,

Var.  $141^{\circ} 39'$  East.

40.00 Get temporary  $\frac{1}{4}$  sec cor

79.96 intersect N. and S. line

14 lbs. N. of cor to sec.

3, 4, 9 and 10

Three S. run

## T. 25 N. R. 6 E. (contd)

Shs)

N.  $89^{\circ} 54'$  W. on a true line  
bet secs. 4 and 9.

Var. 14039' East.

Over ralling land.

39.98

Set a malpais stone  $10 \times$   
 $10 \times 8$  ins. 6 ins. in the  
ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face,  
and raised a mound of  
stone  $1\frac{1}{2}$  ft. high, 3 ft.  
base, alongside. Pits  
impracticable

71.93

Road from Grant Canon  
to Flagstaff bears N. and S

79.96

The cor. to secs. 4, 5, 8 and 9.  
Land, ralling.

Soil, stony, 3rd rate

No timber

## Subdivisions

- Chs. N.  $0^{\circ} 2' W$ . on a random line  
bet. secs. 4 and 5.  
Var.  $14^{\circ} 39'$  East.
- 40.00 Set Temporary  $\frac{1}{4}$  sec. cor.  
80.10 Intersect N. boundary of  
Sp. 17 lks. E. of cor. to  
secs. 4, 5, 32 and 33.  
Thence I run  
 $5.0009'$  E. on a true line  
bet. secs 4 and 5.  
Var.  $14^{\circ} 39'$  East.
- 38.00 Road from Grant canon  
to Flagstaff course N.  
 $7^{\circ} W$ . and S.  $7^{\circ} E$ .
- 40.10 Set a malpais stone 12  
 $\times 9 \times 9$  ins. 8 ins. in the  
ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on W face,  
and raised a mound



T. 25 N. R. 6 E. (contd)

- Chs. of earth  $1\frac{1}{2}$  ft. high, 3 ft. base, alongside. Pits impracticable.
- 50.00 ascent 100 ft.
- 68.00 Top of ascent, thence over land
- 80.10 The cor to secs. 4, 5, 8 and 9.
- Land, rolling.
- Sail, stony, 3rd rate.
- No timber.

July 5, 1894.

---

From the cor to secs. 29, 30, 31 and 32, on auxiliary base

8 mm

S.  $0^{\circ} 3'$  E. on a random line bet secs. 31 and 32.

## Subdivisions

chs.

Var.  $140^{\circ}39'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 90.18 Enter tract S. boundary  
 of Township 5.57 chs.  $S89^{\circ}45'E$   
 of standard cor. to secs  
 31 and 32. This closing  
 being in excess of 3  
 chains as per my  
 special instructions I  
 set a malpais stone  
 $12 \times 12 \times 8$  ins. 8 ins. in the  
 ground for closing cor.  
 to secs. 31 and 32, marked  
 c.c. on N. face, with 5  
 notches on E. and 1 notch  
 on W. face, and raised  
 a mound of stone  $1\frac{1}{2}$   
 ft. high, 3 ft. base along-  
 side. Pits impracticable

T-25 N. R. 6 E. (contd)

- Chs. Thence I run  
 N. 0° 3' W. on a true line  
 bet secs. 31 and 32.  
 Var. 14039' East.  
 Over rolling land, through  
 scattering brush.
- 43.14 Cedar 12 in. diam. on line  
 9 marks with 2 notches  
 on N. and S. sides
- 50.18 Set a sand stone 13 x 12 x 6  
 in. 9 in. in the ground  
 for 1/4 sec. cor. marker  
 1/4 on W. face, and raised  
 a mound of stone 1 1/2 ft.  
 high, 3 ft. base, along side.  
 Site impracticable.
- 90.18 The cor. to secs. 29, 30, 31 and 32.  
 Land, rolling.  
 Soil, stony, 3rd rate.



## Subdivisions

Obs. no timber, cedar and  
prison brush.

N. 0° 3' W. bet. sec. 29 and 30.

Var. 14° 39' East

over open rolling mesa  
land.

40.00 Get a malpais stone  
18 x 18 x 12 ins. 12 ins.  
in the ground for 1/4  
sec. cor. marked 1/4 on W.  
face, and raised a mound  
of stone 1 1/2 ft high, 3 ft.  
base, along side. Pits.  
impracticable.

59.50 Enter dense brush

69.50 Leave dense brush,  
enter scattering brush.

80.00 Get a malpais stone

T. 25 N. R. 6 E. (contd)

Chs.

14 x 12 x 10 mis. 10 mis. in  
 the ground for cor to  
 secs. 19, 20, 29 and 30 marked  
 with 2 notches on S.  
 and 5 notches on E.  
 edges, and raised a  
 mound of stone 2 ft. high,  
 3 ft. base, alongside, from  
 which

a cedar 12 mis. diam. has  
 N.  $72^{\circ} 07'$  E. 304 lbs. dist.  
 marked T. 25 N. R. 6 E. S. 20 S.T.

a pinon 6 mis. diam. has N.  
 $86^{\circ} 42'$  E. 275 lbs. dist.  
 marked T. 25 N. R. 6 E. S. 20 S.T.

No other trees within limits  
 Land, calling.

Sail, stony, 35 rate.

No timber, cedar and pinon

## Subdivisions

chs.

brush

Land covered with dense  
brush 10 chs.

---

S. 89° 58' E. on a random line  
bet. secs. 20 and 29.

Var. 14° 39' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.92 Intersect N. and S. line

12 chs. S. of cor. to secs  
20, 21, 28 and 29.

Thence run

S. 89° 57' W. on a true line  
bet. secs. 20 and 29.

Var. 14° 39' East.

Over rolling land, through  
scattering brush.

37.00 Run in 20 ft. deep course N.

39.00 Enter dense brush



## T. 25 N. R. 6 E. (contd)

Chs.

39.91

Set a malpais stone 16.5  
 12 x 12 ins 4 ins. in the  
 ground for  $\frac{1}{4}$  sec. cor.  
 marked  $\frac{1}{4}$  on N. face,  
 and raised, a mound  
 of stone  $\frac{1}{2}$  ft. high 3  
 ft. base, alongside  
 from which

a pinon 24 ins. diam. has  
 S.  $85^{\circ} 13' E.$  91 chs. dist.  
 marked  $\frac{1}{4}$  B.P.T.

a pinon 26 ins. diam.  
 has. N.  $20^{\circ} 03' E.$  115 chs.  
 dist. marked  $\frac{1}{4}$  B.P.T.

73.00

Leave dense brush, enter  
 scattering brush.

79.92

The cor. to secs. 19, 20, 29, and

30

Land, rolling.

## Subdivisions

chs. Soil, stony, 3rd rate.  
 no timber, cedar and  
 spirea brush  
 Land covered with dense  
 brush, 34 chs

N.  $89^{\circ} 58' W.$  on a random line  
 bet. secs. 19 and 30.

Var.  $14^{\circ} 39'$  East

40.00 Get temporary  $1/4$  sec. cor.

87.02 Intersect N. boundary of  
 Tp. 30 chs. N. of cor to secs.  
 19, 24, 25 and 30.

Thence I run

N.  $89^{\circ} 49' E.$  on a true line  
 bet. secs. 19 and 30.

Var.  $14^{\circ} 39'$  East.

over rolling land.

2.00 Enter dense brush.

## T 25 N. R. 6 E. (contd)

- 6 hrs.  
21.00 ascends abruptly 400 ft to  
27.00 Top of ascent, edge of mesa  
hrs. N. E. and S. W. Leave  
dense brush. Thence over  
rolling land, through scat-  
tering brush.
- 47.12 Set a malpais stone 12 x  
10 x 9 ins. 8 ins. in the  
ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face, and  
raised a mound of stone  
 $1\frac{1}{2}$  ft high, 3 ft. base,  
alongside. Pite. imprac-  
ticable
- 29.00 Enter dense brush.  
30.00 Set of ramine, 6 ft. deep,  
course N.  $14^{\circ}$  E.  
A pine 24 ins. diam. on  
line 9 marked with 2



## Subdivisions

bhs. notches on E. and W. sides.

87.12 The cor to secs. 19, 20, 29  
and 30.

Land, mountainous and  
rolling.

Soil, stony, 3rd rate.

No timber, cedar and  
pinon brush.

Mountainous land, or land  
covered with dense brush.  
25 chs.

N.  $0^{\circ} 3' W.$  bet. secs. 19 and 20

Var.  $14^{\circ} 39'$  East.

over rolling mesa land.

8.00 Enter scattering pine  
timber

40.00 Get a malpuri stone  
 $16 \times 14 \times 10$  vis. 11 vis. 11

## T 25 N. R. 6 E. (contd)

Obs.

the ground for  $\frac{3}{4}$  sec. cor.  
marked 14 on N. face and  
raised a mound of stone  
 $1\frac{1}{2}$  ft. high, 2 ft. base,  
alongside. Pits imprac-  
ticable

marked 14 S.O.T.

46.00

Descend abruptly 500 ft.  
from mesa, hrs. E. and W.  
over rocky ledges.

47.50

Center of prehistoric ruin  
about 200 ft long and 50 ft.  
wide, hrs. E. and W.

Line descends over rolling rocky ridges.

54.00

Two small springs of fresh  
water, hrs. W. about 50 yds. dist.

72.00

Road, bears N.W. and S.E.

## Subdivisions

Chs.  
73.00

a small spring of fresh water on line.

73.50

ravine 50 ft. deep, course N. 10° W.

Stream of fresh water course N. 10° W.

a large spring of fresh water bears S. 61° E about 4 chs. distant

77.00

Same ravine 50 ft. deep, course N. 30° E.

Same stream fresh water course N. 30° E.

80.00

a malpais rock in place 3 x 3 1/2 x 1/2 ft. above ground 9 marked with a cross (+) at exact cor. point for cor.

to sees. 17, 18, 19 and 20, with 3 notches on S. and S



## T. 25 N. R. 6 E. (cont'd)

Chs. notches on E. of cross, and  
 raised a mound of stone  $1\frac{1}{2}$   
 ft high, 3 ft. base, along side.  
 from which  
 a pinon 12 ins diam. hrs.  
 N.  $86^{\circ} 34'$  E. 68 lbs. dist.

marked T. 25 N. R. 6 E. S. 17 - D.T.

a pinon 11 ins diam. hrs.  
 S.  $42^{\circ} 38'$  E. 16 lbs. dist. marked

T. 25 N. R. 6 E. S. 20 - D.T.

a pinon 11 ins diam. hrs.  
 S.  $66^{\circ} 39'$  W. 18 lbs. dist.

marked T. 25 N. R. 6 E. S. 19 - D.T.

a cedar 10 ins diam. hrs. N.  $64^{\circ}$   
 $08'$  W. 29 lbs. dist. marked T. 25

N. R. 6 E. S. 18 - D.T.

This cor. about 400 ft.  
 below top of mesa.

Land, rolling and mountain

## Subdivisions

Chs.

ans

Soil, stony, 3rd rate.  
 Timber, pine, cedar, spruce,  
 aspen, walnut and willow  
 undergrowth.  
 Montanais land, 34 Chs

July 6, 1894.

N.  $89^{\circ} 57'$  E. on a random line  
 bet. secs. 17 and 20.

Var.  $140^{\circ} 39'$  East.

40.00 Set Temporary 14 sec cor

80.24 Intersect N. and S. line 27

Chs. S. of cor to secs. 16,

17, 20 and 21.

Thence I run

S.  $89^{\circ} 45'$  W. on a true line

T. 25 N. R. 6 E. (Lanudo)

Chs. bet. sec. 17 and 20.

Var.  $14^{\circ} 39'$  East.over mountainous land, covered  
with dense brush and scattering  
pine timberascend along mountainous  
N. slope of mesa, 300 ft.36.00 Top of ascent, descends grad-  
ually, 300 ft.40.12 Set a malpais stone 10-  
12 x 9 ins. 11 ins. in the ground  
for 14 sec. cor. marked 14 on  
N. face, and raised a  
mound of stone  $1\frac{1}{2}$  ft high,  
3 ft. base, along side, from  
whicha person 8 ins. diam. has. S.  
 $79^{\circ} 11' 24''$  63 chs dist marked  
14 b.s.t.



## Subdivisions.

- Chs. a cedar 6 ins. diam. tree  
N. 51° 03' E. 15 lbs dist.  
marked 14 S.B.T.
- 74.00 Ravine 50 ft. deep, course N.
- 80.24 The cor. to secs. 17, 18, 19 and  
20.  
Land, mountainous  
Soil, rocky, & th. rate.  
No timber, cedar and pinon  
bush.  
mountainous or heavily  
timbered land 80, 24 chs.
- 
- S. 89° 49' W. on a random line  
bet. secs. 18 and 19.  
Var. 14° 39' East.
- 40.00 Set temporary 1/4 sec. cor.
- 87.16 Intersect W. boundary  
of Township. 20 lbs. S. of

## T. 25 N. R. 6 E. (contd)

- 0.00 cor to sec. 13, 16, 19 and 24  
thence I run  
N.  $89^{\circ}58'$  E. on a true line  
bet. sec. 18 and 19.  
Var.  $14^{\circ}39'$  East.  
over broken rolling land  
Descent 100 ft. to
- 17.00 Foot of descent, wash, 10 ft.  
deep, course N.  $20^{\circ}E$ .
- 26.00 Thence over broken land, cov-  
ered with dense undergrowth of cedars.  
Wash 6 ft. deep, course N.  $11^{\circ}E$ .
- 37.00 Road, hrs. N.  $40^{\circ}E$ . and S  $40^{\circ}N$ .
- 47.16 Set a malpais stone 18 x  
14 x 12 ins. 12 ins. in the  
ground for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N face, and raised a

## Subdivisions

- chs. marks of stone  $1\frac{1}{2}$  ft. high, 2 ft. base, alongside from which a pinion 6 mis. diam. has S.  $23^{\circ} 05'$  W. 21 chs. dist. marks 14 S.B.T.
- a pinion 6 mis. diam. has N.  $31^{\circ} 07'$  E. 29 chs. dist. marks 14 S.B.T.
- 52.00 Top of ascent and descend 200 ft.
- 83.00 Road has. N. and S.
- 87.16 The cor. to secs 17, 18, 19 and 20.  
Land rolling  
Soil, stony, 4<sup>th</sup> rate.  
No timber, cedar and



T. 25 N.R. 6 E. (contd)

Chs. prairie brush.

Dense undergrowth 70.16 chs.

N.  $0^{\circ}3'$  W. bet. sec. 17 and 18.Var.  $14^{\circ}39'$  East.over broken foot of N.  
slope of mesa, through  
brush, descends 100 ft.

18.00 Road course E + W

Note - From this point the  
A 1. Cattle company's ranch  
house has S.  $30^{\circ}38'$  W. about  
10 chs. dist., the A 1 cattle  
co's watering troughs has  
W. about 2 chs. dist., a large  
spring of fresh water has

## Subdivisions

- Obs. S 55° 42' E. about 1/2 mile,  
distant, from which the  
water is piped to  
troughs, which br. E. about  
1/4 mile dist.
- 20.00 Foot of descent, thence over  
rolling land.
- 27.60 Road, br. N 70° E. and S.  
70° W.
- 36.30 Wash, 3 ft. deep, course  
N 30° E.
- 40.00 Set a malpais stone 12  
x 10 x 8 ins. 8 ins. in the  
ground for 1/4 sec. cm.  
marked 1/4 on W face, and  
raise a marker of stone  
1 1/2 ft high, 3 ft. base,  
alongside, from which  
a cedar 7 ins. diam. has

T. 25 N. R. 6 E. (contd)

Obs. S.  $47^{\circ}17'$  W. 73 chs. dist.  
marked  $\frac{1}{4}$  S.B.T.

no other trees within limits.

80.00 Set a macpuri stone  $18 \times 14$   
 $\times 14$  ins. 12 ins. in the ground  
for cor to sees. 7, 8, 17 and 18,  
marked with 4 notches on  
S. and 5 notches on E.

edges, and raised a  
mound of stone  $1\frac{1}{2}$  ft.  
high, 3 ft. base, along side.  
Site impracticable

Land, gently rolling.

Soil, stony, 38 and 4<sup>th</sup> rate.  
No timber; cedar and pine  
bush.



## Subdivisions

Chs. N 89° 45' E. on a random line  
bet. secs. 8 and 17.

Var. 140° 39' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. and S. line

30 chs. N. of cor. to sec. 8, 9,  
16 and 17.

thence S. run

S 89° 58' W. on a true line  
bet secs. 8 and 17.

Var. 140° 39' East.

over rolling land

40.00 Set a malpais stone

14 x 14 x 10 ins. 11 ins. in

the ground for  $\frac{1}{4}$  sec. cor

marked  $\frac{1}{4}$  on N. face, and

raised a mound of stone

1 1/2 ft high, 3 ft base

alongside Pit in proc.

## T25 N.R. 6 E. (contd)

Chs. treable.

80.00 Sheer. to secs. 7, 8, 17, and 18.  
Land, nearly level.  
Soil stony, 30 ft. rate  
No timber.

§. 89° 58' W. on a random line  
bet. secs. 7 and 18.

Var. 14° 39' East.

40.00 Set temporary 1/4 sec. cor.

86.90 Intersect W. boundary of  
Township 10 lbs. S. of cor.  
to secs. 7, 12, 13 and 18.

Thence I run

§. 89° 58' E. on a true line  
bet. secs. 7 and 18.

Var. 14° 39' East.

over broken rolling land  
through, scattering brush

## Subdivisions T. 25 N. R. 6 E. (ctd)

- |       |  |
|-------|--|
| 6.00  | Enter dense brush.   |
| 43.00 | Wash, 4 ft. deep, course N. W.   |
| 46.90 | Get a malpais stone 12x12<br>x 10 mis. 8 mis. in the ground<br>for 74 sec. cor marked 74 on<br>N. face, and raised a<br>mound of stone 1/2 ft<br>high, 3 ft. base, along-<br>side, from which<br>a pinion 10 mis diam. bro.<br>S 66° 03' E. 72 lbs dist.<br>marked 74 S.O.T.<br>a cedar 10 mis. diam. bro.<br>N. 73° 01' W. 41 lbs dist.<br>marked 74 S.O.T. |
| 54.50 | Wash, 4 ft. deep, course<br>N 27° E.   |
| 59.00 | Leave dense brush, enter<br>scattering brush   |



Concluded Book 507

BOOK 506