

2. 47.

Recd Nov 28<sup>th</sup> 1891.

Sent to Comm: G.L.O.  
Feb. 6<sup>th</sup> 1892.

Approved March 18. 1892

No. 515

BOOK 515 / 15

515

4-671

# FIELD NOTES

~~GENERAL LAND OFFICE~~

of the survey  
of the

Subdivision Lines of  
Township 26 N. Range 19 E.  
Surveyed by John C. Smith  
U. S. Dep. Sur  
Under his contract No 16  
Dated Nov. 1<sup>st</sup> 1890  
Survey commenced July 20<sup>th</sup>  
completed " 22. 1891

Subdivisions T 26 N  
R 19 E

collected  
Platt

No. 515

4-674.

Township **26 N** R. **19 E., G & S R B & M.**

BOOK 515

BOOK 515

	107	107	81	81					
6	109	109	83	83	4		3		2
	111	111	85	85					1
	113	113	87	87			61	59	
			89	88			63	62	
			92	90			66	64	
7		8	92	9			66	10	
			94				68		11
			96	94			68		12
			98	96			70	71	
			98	98			72	73	
18		17	100	100	16		74	75	15
			102	103			77	77	14
			104	105			79	79	13
19		20			21				23
									24
30		29			28				26
									25
31		32			33				35
									36

CHAINS. Subdivisions T. <sup>6</sup>28 N R. 19 E.

Thence I run east on a new down  
line through south  $\frac{1}{2}$  of  
sec. 3.

Pa.  $13^{\circ}$  E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08 Intersect n. and s. line 6<sup>0</sup> links

south of  $\frac{1}{16}$  sec. cor. Thence  
I run  $089^{\circ} 57' N$ . on a true  
line through south  $\frac{1}{2}$  of  
sec. 3.

Pa.  $13^{\circ}$  E.

Over level surface

19.00 Trail bears N. E. and S. W.

29.02 Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. ... E... and  
... W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In... E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked...  $\frac{1}{16}$  S, on... N... face,

AINS Subdivisions T. 26 N R. 19 E.

- 28.10 Trail bears  $N. 80^{\circ} E.$  and  $S. 80^{\circ} W.$
- 30.87 Trail bears N. E. and S. W.
- 40.04 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. ...E. and ...W... of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on...N...face,
- 47.25 Enter field and mark course  
SW.
- 51.67 Leave field bears N.E. and SW.
- 52.00 Leave mark course SW.
- 60.06 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. ...E. and ...W... of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on...N...face,
- 60.90 Trail bears  $N. 80^{\circ} E.$  and  $S. 80^{\circ} W.$
- 61.10 " " N. and S.
- 69.00 Mark 3 chs. with course south.
- 80.08 To  $\frac{1}{16}$  sec. cor.  
Surface level.

CHAINS

Subdivisions T. 26 N

R. 19 E.

Soil 1st. rate.

Good grass.

Some brush.

Transect A continued 200' 2' E. lat.  
 Sta. 3 and 4.

61.00 Euter wash corner West.

61.42 " field " E. and W.

63.50 Scar " " " "

64.50 " wash " West.

74.16 Trail tran. N. 80° E. and 280° W.

80.00

Set a sandstone 28...X...12...X...4...ins. 2.1...  
 ins. in the ground for Cor. to Secs 7, 4, 9 and 10...  
 marked with 5...notches on S. and 3...notches on E.  
 edges, dug pits 18X10X12 ins. in each Sec. 5 1-2 ft.  
 dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
 base, alongside.

Surface gently rolling.

Soil 1st rate.

Grass fair.

CHAINS. Subdivisions T. 26 N R. 19 E.

Third I run past on a random  
line bet. Secs. 3 and 10.

Ya. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08 Intersect N. and S. line 12... lks. 22.27<sup>th</sup> of Cor. to  
Secs. 7, 2, 10, and 11. Thence, I run 71.89° 5' 6" <sup>th</sup>  
on a true line bet. Secs. 3, and 10.

Ya. 13° E.

Our level surface.

20.02

Deposited a marked stone 12 ins. in the ground,  
for 116... Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on N. face,

32.58

Trail bears N. E. and S. W.

40.04

Deposited a marked stone 12 ins. in the ground,  
for 114... Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 114 S, on N. face,

CHAINS, Subdivisions T. 26 N R. 19 E.

50.90 Trail bears N. E. and S. W.

60.06 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. d. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

80.08 To cor. to Sec. 34, 9 and 10

Surface level.

Soil 1st. cult.

Grass short.

Some white sage.

Thru 1 run  $100^{\circ} 2' E$  lot

Sec. 9 and 10

74.  $13^{\circ} E$ .

Over level surface.

3.40 Trail bears N. W. and S. E.

12.39 Trail bears N. W. and S. E.

## CHAINS Subdivisions T. 26 N R. 19 E.

20.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on W. face,

Then I run east on a random line through north  $\frac{1}{2}$  of sec. 10.  
 $\gamma_a. 13^\circ E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.00

Intersect N. and S. line 12  
 links north of  $\frac{1}{16}$  sec. cor.  
 Then I run  $\gamma. 89^\circ 55' N.$   
 on a true line through  
 north  $\frac{1}{2}$  of sec. 10.  
 $\gamma_a. 13^\circ E.$

Our line surface  
 60 Hagon road bears  $\gamma. E.$  and  $S. W.$



HAINS, Subdivisions T. 26 N R. 19 E.

20.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

40.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

48.00 Trail bears N. E. and S. W.

60.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

71.70 Trail bears N. W. and S. E.

74.87 Trail bears N. W. and S. E.  
7.00 " " NE and SW.  
80.00 116 AC. COR.

Surface level.  
Ditch 1st. rate.  
Grass. short.

CHAINS. Subdivisions T. 26 N R. 19 E.

Thru A continued 20" 2' E.  
lat. Sec. 9 and 10.

25.00

Trail bears N. E. and S. W.

40.00

Deposited a marked stake 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. .... N, and S, of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4....S, on...W...face,

Thru A run east on  
a road on line through  
middle of sec. 10.  
Pa. 130E.

20.00

Set temporary 1-16 Sec. Cor.

40:00.....

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.96

Intersect N. and S. line 10 lines  
north of 1/4 sec. cor. Thru  
A run N. 89° 56' W. on a  
true line through middle  
of sec. 10

CHAINS. Subdivisions T. 26 N R. 19 E.

Ta. 130 E.

Over hrf surface

19.94 Road bears N.E. and S.W.

19.79 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 18 ins. in the ground, marked 116 S, on N. face,

19.98 Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 18 ins. in the ground, marked 114 S, on N. face,

19.44 Trail bears N. W. and S. E.

19.97 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

60.73 Trail bears N. W. and S. E.

67.80 Trail bears N. E. and S. W.

79.96 The 114 sec. cor.

CHAINS. Subdivisions T. 26 N R. 19 E.

Surface level.  
Soil 1st. rate.  
Good grass.  
Some brush.

Thence I continue  $20^{\circ} 2' E$ .  
Set Sta. 9 and 10.

50.00

Trail bears N. E. and S. W.

60.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pit 18X18X12 ins. N. and S. of corner 5-1-2 ft. dist. and raised a mound of earth 1-2 ft. high, 3-1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on W. face,

Thence I run east on a  
random line. Through  
south  $\frac{1}{2}$  of sec. 10.  
 $20^{\circ} 13' E$ .

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

CHAINS, Subdivisions T. 26 N R. 19 E.

80.00 Intersect N. and S. line 15 miles  
north of 116 sec. cor. then  
I run N. 89° 54' W. on a  
true line through south  
1/2 of sec. 10.  
70. 13° E.

Over level surface

20.00 Deposited a marked stone 12 ins. in the ground,  
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. deep, and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on N. face,

36.40 Road bears N. E. and S. W.

40.00 Deposited a marked stone 12 ins. in the ground,  
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. deep, and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on N. face,

46.63 Trail bears N. W. and S. E.

60.00 Deposited a marked stone 12 ins. in the ground  
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. deep, and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on N. face,

70.

FOOK 515

CHAINS Subdivisions T. 26 N R. 19 E.

80.00

Sta 416 sec. cor.

Surface level.

Soil med. rich.

Good grass.

Some white sage.

Thru 1 continuous 200' E. lat.

Sta. 9 and 10.

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 9, 10, 15 and 16, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 26 N. S. 10 on N. E.

R. 19 E. S. 15 on S. E.

S. 16 on S. W. and

S. 9 on N. W. faces, with 4 notches on

S. and 3 notches on E. edges.

Surface level.

Soil 1st. rich

Grass short.

Some white sage.

CHAINS. Subdivisions T. 26 N R. 19 E.

Thence I run east on a  
random line bet. Secs. 10  
and 15,

$\gamma$ a.  $13^{\circ}$  E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.02

Intersect N. and S. line  $16$  lks. north of Cor. to  
Secs.  $10$ ,  $14$  and  $15$ . Thence I run  $77.890$   $53'$   $71''$   
on a true line bet. Secs.  $10$  and  $15$ .

$\gamma$ a.  $13^{\circ}$  E.

Over level surface

20.00

Deposited a marked stone 12 ins. in the ground,  
for  $16$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $16$  S, on N. face,

33.25

Trail bears N. W. and S. E.

40.01

Deposited a marked stone 12 ins. in the ground,  
for  $14$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $14$  S, on N. face,

CHAINS. Subdivisions T<sup>26</sup>N R<sup>19</sup>E.

5430 Road bears N.E. and S.W.

60.01

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. .... E. and W. .... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In... E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on... N... face,

7960

Trail bears N. E. and S. W.

80.02

The cor. to Sec. 9, 10, 15 and 16

Surface level

Soil 2nd rate

Some sags.

Good grass.

Thru S. by S. 0° 2' E. lat.

Sec. 15 and 16.

Va. 13° E.

1.00

Trail bears N. E. and S. W.

20.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. .... N. and S. .... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In... N. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on... W... face,



FOCK 515

73

CHAINS, Subdivisions T. 26 N R. 19 E.

Then I run east on a random  
line through north 1/2 of sec. 15  
74. 130 E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.92 Abstract N. end of line 11 links  
north of 1/16 sec. cor. Then  
I run N. 89° 55' W. on a  
true line through north 1/2  
of sec. 15.  
74. 130 E.

On level surface

79.20 Trail bears N. W. and S. E.

19.98 Set a sandstone 12 X 10 X 8 ins., 8 ins.  
in the ground, for 1/16 Sec. Cor., marked 1/16 on N...  
face, dug pits 18x18x12 ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3-1-2 ft. base, alongside,

## CHAINS. Subdivisions T. 26. N R. 19. E.

3996

Deposited a marked stone 12 ins. in the ground, for 116...Sec. Cor., dug pits 18X18X12 ins....E. and W....of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 18 ins. in the ground, marked 116...S, on....N...face,

5994

Deposited a marked stone 12 ins. in the ground, for 116...Sec. Cor., dug pits 18X18X12 ins....E...and W...of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 18 ins. in the ground, marked 116...S, on....N...face,

7000

Road from N.E. and SW.

7992

Site 116 sec. cor.

Surface level.

Soil 2nd rate

Good grass.

Some brush.

Thru I continued S. 00 2' E.  
Set out 15 aug 16

3320

Wagon road from N.E.  
and SW.

## CHAINS. Subdivisions T. 26 N R. 19 E.

40.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pit's 18X18X12 ins. N. and S. of corner 5 1-2 f. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on W. face,

Thence I run east on a random line through middle of sec. 15.  
 Va. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7998 Intersect N. and S. line 14 links north of  $\frac{1}{4}$  sec. cor. Thence I run N. 89° 54' W. on a true line through middle of sec. 15.  
 Va. 13° E.

Over level surface

5.30 Trail bears N. W. and S. E.

76.

POOK 515

CHAINS Subdivisions T. 26 N R. 19 E.

20.00

Set a sandstone 12 X 12 X 6 ins., 8 ins. in the ground, for 116 Sec. Cor., marked 116 on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

3999

Set a sandstone 10 X 14 X 12 ins., 11 ins. in the ground, for 114 Sec. Cor., marked 114 on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

44.50

Trail bears N. W. and S. E.

5998

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18x18x12 ins., E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N... face,

7998

The 14 sec. cor.

Surface level

Well 2nd rate,

Good grass.

Some sage.

CHAINS, Subdivisions T. 26 N R. 19 E.

Thence I continue S. 00° 2' E. 66.

Sec. 15 and 16.

60.00

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on W. face,

Thence I run east on a  
random line through south  
1/2 of sec. 15.

7a. 130° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.97

Subtract N. and S. lines 17 links  
north of 1/16 sec. cor. Thence  
I run N. 89° 53' E. on a  
true line through south  
1/2 of sec. 15.

7a. 130° E.

CHAINS Subdivisions T. 26. N R. 19. E.

Over level surface.

8.70

Trail bears N. W. and S. E.

19.99

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

39.98

Set a sandstone 14 X 12 X 3 ins., 9 ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

59.97

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

79.97

Sta 116 sec. cor.

Surface level.

Oil Brd. rate.

Good grass.

Some sage.

AINS. Subdivisions T. 26 N R. 19 E.

Thence I continue  $20^{\circ} 2' E$ .

bet. Secs. 15 and 16.

80.00

Set a sandstone  $30 \times 20 \times 18$  ins., 22 ins. in the ground for Cor. to Secs. 15, 16, 21 and 22 marked with 3 notches on S. and 3 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface level.

and 1st rail.

Grass short.

Some sage.

---

Thence I run east on a random line bet. Secs. 15 and 22  $74.13^{\circ} E$ .

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.96

Intersect N. and S. line 24 lks. north of Cor. to Secs. 14, 15, 22 and 23 Thence I run  $77.89^{\circ} 51' W$  on a true line bet. Secs. 15 and 22.

$74.13^{\circ} E$ .

80.

BOOK 515

CHAINS. Subdivisions T. 26 N R. 19 E.

1999

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. d., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on N. face,

3998

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. d., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on N. face,

5997

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. d., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on N. face,

7996

The Cor. to Sec. 15, 16, 21 and 22

Surface surf.

Dirt and water.

Good grass.

White sage.

---



CHAINS. Subdivisions T. 26 N R. 19 E.

From the cor. to secs. 4, 5,  
32 and 33 on the north  
boundary of the township  
I run S. 0° 2' E. for 100.  
4 and 5.

Pa. 13° E.

Over level surface

Trail bears N. W. and S. E.

20.00 Set a sandstone  $11 \times 8 \times 6$  ins., 7 ins.  
in the ground, for 1-6 Sec. Cor., marked  $116$  on W...  
face, dug pits  $18 \times 18 \times 18$  ins., N... and S... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Then I run east on a  
random line through north  
1/2 of sec. 4.

Pa. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. lines

82

BOOK 515

CHAINS. Subdivisions T. 26 N R. 19 E.

8 links south of 1/16 sec. cor.  
Then I run S. 89° 57' W.  
on a true line through  
north 1/2 of sec. 4.  
70.130 E.

Over level surface.

5.00 Trail bears N. and S.

20.00 Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 f. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N. face,

34.00 Trail bears N. E. and S. W.

37.50 Enter field bears N. E. and S. W.

39.60 Trail bears N. and S.

40.00 Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 f. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N. face,

42.44 Leave field bears N. E. and S. W.

CHAINS. Subdivisions T. 26 N R. 19 E.

60.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 f. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on N. face,

80.00

The  $\frac{1}{6}$  sec. cor.

Surface short.

Dirig 1st. rate,

Grass short,

White sage.

---

Thence I continued  $200^{\circ} 2' E$ .

bet. secs. 4 and 5.

40.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 f. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on W. face,

Thence I run east on a random line through middle of sec. 4.

84.

BOOK 515

CHAINS. Subdivisions T. 26 N R. 19 E.

70, 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.90 Instruct N. and S. lines at 14 sec. cor. then I run west on a true line through middle of sec. 4.

70, 13° E.

Our level surface

245 Trail bears N. E. and S. W.

8.70 Trail bears N. E. and S. W.

19.98 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18x18x12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

39.95 Set a sandstone 17 X 16 X 12 ins., 11 ins. in the ground, for 114 Sec. Cor., marked 114 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

23.

CHAINS. Subdivisions T. 26 N R. 19 E.

57.43 Trail bears N. E. and S. W.

59.92 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18x18x12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

79.90 The 1/4 sec. cor.

Surface level.

Soil 1st. rate.

Grass short.

Some say.

---

Thence I continue on 21 st.

bet. Sec. 4 and 5.

60.00

Set a sandstone  $\frac{1}{16}$  x 8 x 6 ins., 7 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on W. face, dug pits 18x18x12 ins. N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Thence I run east on a random line through south 1/2 of sec. 4.

56

BOOK 515

CHAINS. Subdivisions T. 26 N R. 19 E.

Ya. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.90 Intersect n. end of line 9 links  
north of 1/16 sec. cor. then  
a run n. 89° 56' W. on a  
true line through south 1/2  
of sec. 4.

Ya. 13° E.

Over level surface

18.00 Trail bears N. E. and S. W.

79.98 Set a sandstone 8 X 8 X 8 ins., 5 ins.  
in the ground, for 1/16 Sec. Cor., marked 1/16 on N...  
face, dug pits 18x18x12 ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

21.15 Trail bears n. and s.

39.95 Set a sandstone 10 X 10 X 6 ins., 7 ins.  
in the ground, for 1/16 Sec. Cor., marked 1/16 on N...  
face, dug pits 18x18x12 ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

46.30 Trail bears N. and S.

59.92 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

74.38 Trail bears N. E. and S. W.

79.90 The  $\frac{1}{16}$  sec. cor.  
 Surface level  
 Soil 1st. rate  
 Good grass.

---

Thence I continue  $40^{\circ} 2' E$ .  
 bet. sec. 4 and 5.

67.00 Trail bears N. E. and S. W.

80.00 Set a sandstone 12 X 9 X 8 ins. in the ground for Cor. to Secs. 4, 5, 8 and 9 marked with 5 notches on S. and 4 notches on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface level  
 Soil 1st. rate, Good grass

---

88

CHAINS Subdivisions T 26 N R 19 E

Thence I run east on a radium  
line bet. sec. 4 and 9.  
7a. 13° E

- 20.00 Set temporary 1-16 Sec. Cor.
- 40.00.....Set temporary 1-4 Sec. Cor.
- 60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. line... 5 lks. north of Cor. to  
Secs. 3, 4, 9, and 10... Thence I run 71.89° 58' 76"  
on a true line bet. Secs. 4 and 9.  
7a. 13° E.

Over level surface

- 2.70 Trail bears N. W. and S. E.
- 10.95 Trail bears N. W. and S. E.
- 15.10 Trail bears N. and S.

20.00 Deposited a marked stone 12 ins. in the ground,  
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. d't., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on N. face,

- 22.05 Trail bears N. E. and S. W.



Subdivisions T. 26 N R. 19 E.

32.00 Enter field and mark course SW

34.30 " " " " " "

40.00 Set a sandstone 14 X 12 X 3 ins., 9 ins. in the ground, for 1/4 Sec. Cor., marked 14 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 f. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

43.05 Trail bars N. and S.

46.30 " " N.E. and SW,

60.00 Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins., E. and W. of corner 5 1-2 f. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

80.00 The cor. to sub. 3, 4, 9 and 10

Surface level.

Soil 1st. note.

Good grass: July 21<sup>st</sup>

Found I run  $20^{\circ} 2' E$ , 1st.  
 sub. 8 and 9.

To 13 $^{\circ} E$ .

CHAINS. Subdivisions T. 26 N R. 19 E.

Over level surface

20.00

Set a sandstone  $12 \times 10 \times 6$  ins.,  $8$  ins. in the ground, for  $1/16$  Sec. Cor., marked  $1/16$  on  $W.$  face, dug pits  $18 \times 18 \times 12$  ins.,  $N.$  and  $S.$  of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Then I run east on a random line through north  $1/2$  of sec. 9.

Pa.  $13^{\circ} E.$ 

20.00

Set temporary 1-16 Sec. Cor.,

40.00

Set temporary 1-16 Sec. Cor.,

60.00

Set temporary 1-16 Sec. Cor.,

80.00

Intersect  $N.$  and  $S.$  line 7 links north of  $1/16$  Sec. cor. then I run  $N. 89^{\circ} 57' W.$  on a true line through north  $1/2$  of sec. 9.

Pa.  $13^{\circ} E.$ 

Over level surface

CHAINS. Subdivisions T<sup>26</sup> N R<sup>19</sup> E.

20.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. .... E. and ..W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In ..E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on...N...face,

38.00 Trail bears N. E. and S. W.

40.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. .... E. and ..W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In ..E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on...N...face,

43.32 Trail bears n. and s.

49.50 Wash <sup>300</sup> lks. wide course, SW,

60.00 Set a sandstone 16 X 10 X 4 ins., 11 ins. in the ground, for 116 Sec. Cor., marked 116 on...N...face, dug pits 18x18x12 ins. E. and...W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

80.00 The 116 sec. cor.

Surface level,

Soil 1st. rate,

Grass short.

CHAINS, Subdivisions T. 24 N R. 19 E.

Third I continue S. 002° E.

Set, Sec. 9.

40.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. d. l., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on W. face,

Third I run east on a random line through middle of sec. 9.

20.00

Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

80.00

Set temporary 1-16 Sec. Cor.

80.05 Instruct N. and S. line 11 lines north of  $\frac{1}{4}$  sec. cor. then I run N. 89° 55' W. on a true line through middle of sec. 9.

N. 13° E.

Our true surface

CHAINS. Subdivisions T. 26 N R. 19 E.

6.10 Trail bears N. E. and S. W.

20.01 Deposited a marked stone 12 ins. in the ground, for <sup>116</sup> Sec. Cor., dug pits 18X18X12 ins. <sup>E.</sup> and <sup>W.</sup> of corner 5 1-2 f. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In <sup>E.</sup> pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>116</sup> S, on <sup>N.</sup> face,

40.02 Deposited a marked stone 12 ins. in the ground, for <sup>114</sup> Sec. Cor., dug pits 18X18X12 ins. <sup>E.</sup> and <sup>W.</sup> of corner 5 1-2 f. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In <sup>E.</sup> pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>114</sup> S, on <sup>N.</sup> face,

44.95 Trail bears N. and S.

57.30 Wash St. Chs. mill course south.

60.03 Deposited a marked stone 12 ins. in the ground, for <sup>116</sup> Sec. Cor., dug pits 18X18X12 ins. <sup>E.</sup> and <sup>W.</sup> of corner 5 1-2 f. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In <sup>E.</sup> pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>116</sup> S, on <sup>N.</sup> face,

80.05 On <sup>14</sup> Sec. cor.

Surface level.

Soil 1st. rate.

Good grass. Some brush.

CHAINS. Subdivisions T. 26 N R. 19 E.

Thence I continued S. 0° 2' E. bet.

Sec. 9.

60.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pit 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on W. face,

Thence I run east on a random line through south  $\frac{1}{2}$  of sec. 9.

Pa. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.00

Instruct W. and S. line at  $\frac{1}{16}$  sec. cor. thence I run west on a true line through south  $\frac{1}{2}$  of sec. 9.

Pa. 13° E.

Subdivisions T. 26 N R. 19 E

*Over level surface*

958 Trail bears N. E. and S. W.

20.00 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pit 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

9885 Trail bears N. E. and S. W.

40.00 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pit 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

49.50 Trail bears N. E. and S. W.

6.54 Trail bears N. E. and S. W.

9.01 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pit 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

4.00 Wash. 400 lbs. wide course, SW.

9.01 1/16 sec. cor.

96

BOOK 515

CHAINS. Subdivisions T. 26 N R. 19 E.

Surface level,  
 Soil 1st. rate,  
 Good grass.

---

Thence I continue S. 00 2' E.  
 bet. Sec. 8 and 9.

74.00

Wash. 300 lks. wide course, SW.

80.00

Set a sandstone 24 X 20 X 2 ins. 18  
 ins. in the ground for Cor. to Secs. 8, 9, 16 and 17,  
 marked with 4 notches on S. and 4 notches on E.  
 edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.  
 dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
 base, alongside.

Surface level and walling  
 Soil 1st. rate.  
 Good grass.

---

Thence I run east on  
 a random line bet. Sec.  
 9 and 16

74. 13° E.



CHAINS. Subdivisions T. 26 N

R. 19 E

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08

Intersect N. and S. line. 6...lks north of Cor. to Secs. 9, 10, 15 and 16. Thence I run  $77^{\circ} 59' 57''$  on a true line bet. Secs. 9...and...16.

$\gamma_a 130^{\circ} E$ .

Over level surface

20.02

Deposited a marked stone 12 ins. in the ground, for  $\frac{116}{16}$  Sec. Cor., dug pits 18X18X12 ins....E...and W....of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{116}{16}$  S, on...N...face,

40.04

Deposited a marked stone 12 ins. in the ground, for  $\frac{114}{16}$  Sec. Cor., dug pits 18X18X12 ins....E...and W....of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{114}{16}$  S, on...N...face,

57.70

Trail bears N. E. and S. W.

59.95

Trail bears N. E. and S. W.

60.06

Set a sandstone  $24 \times 16 \times 12$  ins.,  $18$  ins. in the ground, for  $\frac{116}{16}$  Sec. Cor., marked  $\frac{116}{16}$  on...N...face, dug pits 18x18x12 ins.,...E...and...W....of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

98

CHAINS Subdivisions T. 26 N R. 19 E.

7142 Trail bears N. E. and S. W.

8008 The cor. to Sec. 8, 9, 16 and 17  
Surface level,  
Soil 1st. nat.  
Good grass.

---

Thence I run S. 110° 2' E.  
bet. Sec. 16 and 17.  
Ta. 13° E.

Over level surface.

.40 Trail bears N. E. and S. W.

20.00 Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. N. and  
S. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on W. face,

Thence I run east on a  
random line through  
north  $\frac{1}{2}$  of sec. 16.  
Ta. 13° E.

CHAINS. Subdivisions T. 26 N R. 19 E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08 Abstract n. and s. line 5 links south of 1/16 sec. cor. then I run S. 89° 58' W. on a true line through north 1/2 of sec. 16. 7  
7a. 13° E.

Over level surface

9.58 Trail bears N. E. and S. W.

20.02 Set a sandstone 14 X 12 X 3 ins., 9 ins. in the ground, for 1/16 Sec. Cor., marked 116 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

40.04 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

41.60 Trail bears n. and s.

100-

CHAINS. Subdivisions T. 26 N R. 19 E.

6006

Set a sandstone 9.....X 8.....X 7.....ins., 6.....ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N... face, dug pits 18x18x12 ins., E...and...W...of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

65.24

Trail bears N. E. and S. W.

78.90

Trail bears N. E. and S. W.

80.08

The 1/16 sec. cor.

Surface level.

Soil 1st. rate,

Good grass.

Thence I continue S. 00 2' E  
bet. Sec. 16 and 17

20.05

Trail bears N. E. and S. W.

40.00

Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18x18x12 ins., N...and...S...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on W...face,

Thence I run east on a  
random line through

CHAINS. Subdivisions T. 26 N R. 19 E.

middle of sec. 16.

7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. line 10 lines

south of 1/4 sec. cor. thru  
S. line S. 89° 56' W. on a tree  
line through middle of  
sec. 16

7a. 13° E.

Over level surface.

5.06 Wagon road bears N.E. and S.W.

20.00 Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N. face,

20.04 Trail bears N. E. and S. W.

38.15 Trail bears N. and S.

CHAINS. Subdivisions T. 26 N R. 19 E

40.90

Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on N. face,

60.00

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

74.24

Trail bears N. E. and S. W.

80.00

Sta 1/4 sec. cor.

Surface level.

Soil 1st. rate.

Good grass

Thence I continue S. 0° 2' E.  
1st. Sec. 16 and 17.

55.65

Trail bears N. E. and S. W.

60.00

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on W. face,

CHAINS: Subdivisions T. 26 N R. 19 E.

Since I run east on a  
random line through  
south  $\frac{1}{2}$  of sec. 16.  
Ya.  $13^{\circ} E$ .

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.02 Intersect N. and S. line 12  
links south of 1/16 sec. cor.  
thence I run  $S. 89^{\circ} 55' W$ ,  
on a true line through south  
 $\frac{1}{2}$  of sec. 16.  
Ya.  $13^{\circ} E$ ,

Over level surface

20.00 Set a sandstone  $12 \times 12 \times 4$  ins.  $\dots$   $8$  ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on  $N$ ...  
face, dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

29.00 Wagon road from N.E. and S.W.

35.00 Wagon road from N.E. and S.W.

CHAINS Subdivisions T. 26 N R. 19 E.

4001

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

6001

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

8002

Thru 1/16 Sec. Cor.

Surface level.

Soil 1st rate.

Good grass.

Some brush.

Thence I continue S, 002' E. lat.

Dec. 16 aug 17.

80.00

Set a sandstone 16 X 14 X 3 ins. in the ground for Cor. to Secs. 16, 17, 20 and 21 marked with 3 notches on S. and 4 notches on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.



Surface level,  
 Soil 1st. rate,  
 Good grass,  
 Some brush

---

Thence I run east on a random line bet. Secs. 16 and 21.  
 Fa. 130° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. line. 13... lks South of Cor. to Secs. 15, 16, 21 and 22 Thence I run 289° 54' 24" on a true line bet. Secs. 16 and 21.

Fa. 130° E.

Over level surface.

20.00 Deposited a marked stone 12 ins. in the ground, for 16... Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 16... S, on N... face,

106.

CHAINS. Subdivisions T. 26 N

R. 19 E

40.00

Deposited a marked stone 12 ins. in the ground, for <sup>114</sup> Sec. Cor., dug pit 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>114</sup> S, on N. face.

40.35 Wagon road from N.E. and S.W.

60.00

Deposited a marked stone 12 ins. in the ground, for <sup>116</sup> Sec. Cor., dug pit 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>116</sup> S, on N. face.

80.00

The Cor. to Sec. 16, 17, 20, and 21  
Surface level.  
Dirt 1st. valt,  
Good grass,  
Some brush.

---

CHAINS: Subdivisions T. 26 N R. 19 E.

From 1st cor. to Secs. 5, 6, 31 and  
32 on the north boundary of the  
township I run  $S. 70^{\circ} 3' E.$  bet.  
Secs. 5 and 6.

$\gamma_a. 13^{\circ} E.$

Over gently rolling surface.

20.00

Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pit 18X18X12 ins. .... N. and  
... S. ... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on W. face,

Thence I run east on a  
random line through north  
 $\frac{1}{2}$  of sec. 5.

$\gamma_a. 13^{\circ} E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.96

Intersect N. and S. line 7 links  
south of  $\frac{1}{16}$  sec. cor.

108.

BOOK 515

CHAINS. Subdivisions T. 26 N R. 19 E.

Line I run S 89° 57' W.  
on a true line through  
north 1/2 of sec. 5,  
7a. 13° E.

Over gently rolling surface.

1999

Deposited a marked stone 12 ins. in the ground,  
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/6 S, on N. face,

3998

Deposited a marked stone 12 ins. in the ground,  
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/6 S, on N. face,

5997

Deposited a marked stone 12 ins. in the ground,  
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/6 S, on N. face,

7996

Thi 1/6 sec. cor.

Surface gently rolling.

Soil <sup>st</sup> rate.

Good grass.

Thence I continued  $2.00^{\circ} 3' E.$   
 Set. Sta. 5 aug 6,

40.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked S, on W. face,

Thence I run east on a random line through middle of sec. 5.

$70.13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7998 Intersect N. and S. line 11 lines south of  $\frac{1}{4}$  ac. cor. Thence I run  $289^{\circ} 55' 74.$

CHAINS Subdivisions T. 24 N R. 19 E.

on a true line through  
middle of sec. 5,  
7a. 13<sup>0</sup>E.

Over gently rolling surface.

19.99

Deposited a marked stone 12 ins. in the ground,  
for 116 Sec. Cor., dug pits 18X18X12 ins. ... E... and  
... W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on ... N... face.

39.99

Deposited a marked stone 12 ins. in the ground,  
for 114 Sec. Cor., dug pits 18X18X12 ins. ... E... and  
... W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 114 S, on ... N... face.

59.98

Deposited a marked stone 12 ins. in the ground,  
for 116 Sec. Cor., dug pits 18X18X12 ins. ... E... and  
... W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on ... N... face.

79.98

Sta 146 sec. cor.

Surface gently rolling.

Soil 1st rate. Good grass.

CHAINS. Subdivisions T. 26 N

R. 19 E.

Thence I continue S.  $0^{\circ} 3' E$ .

Set sec. 5 and 6.

60.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. .... N. and S. .... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on W. face,

Thence I run east on a  
random line through south  
 $\frac{1}{2}$  of sec. 5.

$\gamma_a 13^{\circ} E$ .

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.92

Inhibit N. and S. line 15  
links south of  $\frac{1}{16}$  sec.  
cor thence I run  $0.89^{\circ}$   
54' N. on a true line through  
south  $\frac{1}{2}$  of sec. 5.  
 $\gamma_a 13^{\circ} E$ .

Over gently rolling surface.

1998

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. ... E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on ... N. face.

3996

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. ... E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on ... N. face.

5994

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. ... E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on ... N. face.

7992

The 116 sec. cor.

Surface gently rolling.

Soil <sup>105</sup> rate.

Good grass.

Some brush.



CHAINS Subdivisions T. 26 N R. 19 E.

Thru 1 continues S. 00 3' E.  
 bet. sec. 5 and 6.

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 5, 6, 7 and 8, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 26 N. S. 5 on N. E.

R. 19 E. S. 8 on S. E.

S. 7 on S, W, and

S. 6 on N. W. faces, with 5 notches on

S. and 5 notches on E. edges.

Surface gently rolling.

Soil 1<sup>st</sup> rate.

Good grass.

Some brush.

Thru 1 run east on a random line bet. sec. 5 and 8.  
 Yd. 130 E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

CHAINS

Subdivisions T. 26 N.

R. 19 E.

80.02

Intersect N. and S. line 14... lks. south of Cor. 16  
Secs. 4, 5, 8 and 9... Thence I run 589° 54' 16"  
on a true line bet. Secs. 5 and 8

70. 13° E.

Over gently rolling surface.

1898

Trail bears N. E. and S. W.

20.00

Deposited a marked stone 12 ins. in the ground,  
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on N. face.

40.01

Deposited a marked stone 12 ins. in the ground,  
for 114 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 114 S, on N. face.

60.01

Deposited a marked stone 12 ins. in the ground,  
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on N. face.

80.02

5th cor. to Secs. 5, 6, 7 and 8

Surface gently rolling.

ECCCK 515

CHAINS. Subdivisions T. 26 N

R. 19 E.

Soil / <sup>st</sup> rate.

Good grass.

Some brush.

---

July 22nd 1891

Subdivisions T.....N R.....E

## General Description

The northern part of this township is first class land, and there is also some good land in the southern part.

Grass is good and there is considerable white sage which stock will eat when grass is poor.

The wagon road to Holbrook and Heams passes through the township.

No water.

John C. Smith  
U. S. S.

Final Oaths for Surveys.

LIST OF NAMES.

BOOK 515 \_\_\_\_\_

A List of the Names of Individuals employed by

*John C. Smith* U. S. Deputy Surveyor to  
assist in running, measuring and marking the lines and  
corners described in the foregoing Field Notes of the survey of  
the Exterior and Subdivisional lines of Tps. 26  
N. R. 19 E. Tps. 27 N. Rs. 15. 16. 17. 18 19 and 20 E  
Tps. 28 N. Rs. 16. 17. ~~18~~ 19 and 20 E. and  
Tps. 29 N. Rs. 15. 16. 18 and 19 E. and a portion  
of the 7th. Standard Meridian, ~~7th and 8th~~ ~~Range~~ ~~Range~~  
of the principal base and meridian in the Territory of Arizona,  
showing the respective capacities in which they acted.

*Wm E. Packer*, Chairman

*Hilario Sauster* "

*Leandro Pedraza Arman*

*Antonio Adilloslayman*

*Ja E. Heuter*, Compassman

Final Oaths of Assistants.

BCOK 515

We hereby certify that we assisted

John C. Smith

all those parts or portions  
U. S. Deputy Surveyor, in surveying  
the Exterior and Subdivisional lines of Tps. 26<sup>n</sup>.

Rs. 14<sup>e</sup>. Tps. 27<sup>n</sup>. Rs. 15, 16, 17, 18, 19 and 20<sup>e</sup>.

Tps. 28<sup>n</sup>. Rs. 16, 17, 18, 19 and 20<sup>e</sup>. Tps. 29<sup>n</sup>.

Rs. 15, 16, 18 and 19<sup>e</sup>. and a portion of  
the 7<sup>th</sup> Standard Parallel.

of the principal base and meridian in the Territory of Arizona,  
as are represented in the foregoing field notes as having been  
surveyed by him and under his direction; and that said Survey  
has been in all respects, to the best of our knowledge and belief,  
well and faithfully surveyed, and the corner monuments es-  
tablished according to the instructions furnished by the U. S.  
Surveyor-General for Arizona.

Wm. E. Packer  
Philario Sanchez  
Lindro Bedillas  
Antonio Bedillas  
S. E. Ventura

Subscribed and sworn to before me this 22<sup>nd</sup>

day of

July

1891

John C. Smith

Notary Public.  
U. S. Dep't. Sur.

Final Oath of U. S. Deputy Surveyor.

19

BOOK 515

I John B. Smith

United States Deputy Surveyor, do solemnly swear that in pursuance of instructions received from Royal H.

Johnson U. S. Surveyor General for Ari-

zona bearing date of the 10<sup>th</sup> day of November

1880. I have well, faithfully, and truly, in my own proper person and in strict conformity, with the instructions furnish-

ed by the U. S. Surveyor General for Arizona, the surveying manual and the laws of the United States surveyed the all those parts or portions of

and subdivision lines of Tpo. 26 N.

R. 19 E. Tpo. 27 N. R's 15, 16, 17, 18, 19 and 20 E

Tpo. 28 N. R's. 16, 17, 18, 19 and 20. Tpo. 29 N

R's. 15, 16, 18 and 19 E. and the 7<sup>th</sup> stand-

th. through R's 16, 18 and 19 E

of the principal base and meridian in the Territory of Ari-

zona, as are represented in the foregoing field notes as having

been surveyed by me and under my direction; and I do further

solemnly swear that all the corners of the said survey have been

established and perpetuated in strict accordance with the survey-

ing manual, printed instructions, the special written instruc-

tions of the U. S. Surveyor General for Arizona, and in the

119A

specific manner described in the field notes, and that the fore<sup>70-</sup>  
ing are the true field notes of such survey, and should any  
fraud be detected I will suffer the penalty of perjury under  
the provisions of an Act of Congress approved August 8, 1846.

*John C. Smith*  
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this *First*  
day of *December* 18*91*

*Rapal Johnson*  
Notary Public.  
*U.S. Surveyor General*

BOOK 515



# Final Oath of Assistants.

We hereby certify that we assisted John  
C. Smith U. S. Deputy Surveyor, in  
 surveying the Exterior and Subdivisions  
lines of Tps. 26 N. R. 19 E. Tps. 27 N.  
Rs. 15, 16, 17, 18, 19 and 20 E. and Tps. 28 N. Rs.  
16, 17, 18, 19 and 20 E. Tps. 29 N. Rs. 15, 16, 18  
and 19 E. and a portion of the 7th Stand  
and North.

and that said Survey has been in all respects, to  
 the best of our knowledge and belief, well and  
 faithfully executed, and the boundary monuments  
 planted according to the instructions furnished by  
 the Surveyor-General.

E. A. Foutz Chairman.  
Stiles & Morrison Flagman and  
 Chairman,  
A. J. Spencer Chairman and  
 Axeman.

Witnesses.  
John C. Smith  
Stiles & Morrison Antonio Magu <sup>for</sup> Chairman Flagman

Sworn to and subscribed before me, this 22<sup>nd</sup>  
 day of July, 1891  
John C. Smith  
 U. S. Deft. Sur.

BOOK 515  
121

## List of Names.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of the Edwin and Distribution Lines of Tps. 26 N. R. 14 E. Tps. 27 N. Rs. 15, 16, 17, 18 19 and 20 E. Tps. 28 N. Rs. 16, 17, 18, 19 and 20 E. Tps. 29 N. Rs. 15, 16, 18 and 19 E and a portion of the 7th Standard north

Showing the respective capacities in which they acted.

E. A. Frost ..... Chainman.

Walter D. Morrison ..... Chainman, r  
Flagman,  
Chainman and  
Axeman.

A. J. Spurr ..... Chainman  
Flagman.

Andrew Maguire ..... Chainman  
Flagman.

U. S. Surveyor-General's Office,

TUCSON, A. T., *Feb. 6<sup>th</sup>* 1882

The foregoing Field Notes of the Surveys of  
*Subdivisions T 26. N. R. 19*  
*E. of the*

*Gila and Salt River Meridian*  
in *Arizona* executed by

*John B. Smith*

U. S. Deputy Surveyor, under his contract dated  
*November 1<sup>st</sup> 1890*

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

*Raper & Johnson*

U. S. Surveyor-General  
for the Territory of Arizona.