

46.

Subdivisions T. 26 N. R. 19 E.

Recd Nov 25th 1891.

*Copies and corrected
filings*

Sent to Comr G.L.O.

Feb. 6th 1892.

Copies prepared

March. 18. 1892

516

No. 516

BOOK 516

4-671

FIELD NOTES

GENERAL LAND OFFICE

of the survey
of the

Subdivision Lines of
Township 26 N. Range 19 E.
Surveyed by John C. Smith
U.S. Dep. Sur.

Under his contract N. 16
Dated Nov. 1. 1890

Survey commenced July 20. 1891
completed " 22. 1891

BOOK 516

No. 516

Survey commenced July 20
completed . 22

1A

BOOK 516

4-674.

Township 26 N., R. 19 E. G & S. R. B & M.

			54	27	1	
			54	27	1	1
			36	29	3	31
6	5	4	36	302	5	5
			58	32	7	7
				34	9	10
				36	11	12
7	8	9	10	37	11	12
				39	14	14
				40	16	16
				42	18	18
				45	20	19
18	17	16	15	47	22	13
				49	22	22
				51	24	25
				52		
19	20	21	22	23	24	
30	29	28	27	26	25	
31	32	33	34	35	36	

986b5m9-01

For preliminary plats see Books
1 and 12.

CHAINS. Subdivisions T. 26 N R. 19 E.

From the cor. to sec. 1, 2, 35
and 36 on the north boundary
of the township I run $0.0^{\circ}1E$.
Set Sec. 1 and 2.

$\gamma a. 13^{\circ}E.$

Over level surface

5.10 Trail bears N.E. and S.W.

17.64 Road from N.E. and S.W.

20.00

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. N... and
S... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N... face,

Thence I run east on
a road on line through
north $\frac{1}{2}$ of sec. 1.

$\gamma a. 13^{\circ}E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

CHAINS. Subdivisions T. 26. N. R. 19. E.

8008 Inhibit east boundary of township 4 miles south of 1/16 sec. cor, then I run S. 89° 58' W. on a true line through north 1/2 of sec. 12.
7a, 13° E.

Round gradually.

2002

Set a sandstone 18 X 12 X 5 ins., 12 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5-1-2 ft. dist., and raised a mound of earth 1-1-2 ft. high, 3-1-2 ft. base, alongside,

4004

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins., E. and W. of corner 5-1-2 ft. dist., and raised a mound of earth 1-1-2 ft. high, 3-1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

5717

Trail from N. and S.

6006

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins., E. and W. of corner 5-1-2 ft. dist., and raised a mound of earth 1-1-2 ft. high, 3-1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

CHAINS. Subdivisions T. 26. N

R. 19. E.

8408 Tm 1/6 Sec. cor.

Surface gently rolling.

Soil 1st rate.

Grass fair.

Thru S continued S. 0011 E. bet:

Secs. 1 and 2.

40.00

Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dia. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on W. face,

Thru S run east on a random line through middle of sec. 1.

90. 15° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.12

Intermit east. boundary of

CHAINS. Subdivisions T. 26 N

R. 19 E.

Township 10 lines south of
 1/4 sec. cor. 1 line I run
 S. 89° 54' 71" in a true
 line through middle of
 sec. 1.

Pa. 13° E.

Over somewhat Broken surface

20.03

Set a sandstone 30 X 18 X 4 ins. 22
 ins. in the ground, for 116 Sec. Cor., marked 116 on
 N. face, and raised a mound of stone 1 1-2 ft. high,
 2 ft. base, alongside. Pits impracticable.

40.06

Deposited a marked stone 12 ins. in the ground,
 for 1/4 Sec. Cor., dug pits 18x18x12 ins. E. and
 W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 1/4 S, on N. face,

60.09

Set a sandstone 16 X 8 X 5 ins. 11 ins.
 in the ground, for 116 Sec. Cor., marked 116 on N.
 i.e. dug pits 18x18x12 ins. E. and W. of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

66.00

Trail from N. end of

71.00

" " N. 10° E. and S. 10° W.

CHAINS. Subdivisions T. 26 N R. 19 E.

80.12 Sta 14 sec. cor.

Surface rough and rolling
 Soil 3rd rate
 Good grass.

Thence I continue S 0° 1' E. 1st.
 Sec. 1 and 2.

60.00

Deposited a marked stone 12 ins. in the ground,
 for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. N...and
 ...S...of corner 5 1-2 ft. d... and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{1}{16}$ S, on W... face,

Thence I run east on a
 random line through
 south $\frac{1}{2}$ of sec. 1.
 Pa. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.04

Intersect east boundary of

CHAINS Subdivisions T. 26 N R. 19 E.

Township 9 miles south of
 116 sec. cor. thru 1
 run S. 89° 56' W. on a true
 line through south 1/2
 of sec. 11.
 Pa. 13° E.

From rolling surface.

2401

Deposited a marked stone 12 ins. in the ground,
 for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
 W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.
 In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 116 S, on N. face,

4002

Deposited a marked stone 12 ins. in the ground,
 for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
 W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.
 In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 116 S, on N. face,

6003

Deposited a marked stone 12 ins. in the ground,
 for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
 W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.
 In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 116 S, on N. face,

CHAINS. Subdivisions T. 26 N R. 19 E.

61.40 Trail bears N. W. and S. E.

74.31 Trail bears N. E. and S. W.

80.04 1/16 mi. corr.

Surface rolling
Soil 3rd rate
Good grass.

Thence I continue S. 0° 11' E.

Lat. Sec. 1 and 2.

80.00

Set a sandstone 16 X 14 X 2 1/2 ins. 11 ins. in the ground for Cor. to Secs. 12, 11 and 12 marked with 5 notches on S. and 1 notch on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil 1st rate.

Good grass.

Thence I run east on a
random line lat. S. 100.1 and 12
79. 130 E.

f.

CHAINS, Subdivisions T. 26. N. - R. 17. E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

8008 Intersect east boundary of township at the cor. to Sec. 1, 6, 7 and 12. There I now met on a line line to the Sec. 1 and 12.

Pa. 130 E.

Over rolling and rough surface.

2002

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. ... E. and ... W. of corner 5 1-2 ft. dia. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116.S, on ... N. face,

4014

Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. ... E. and ... W. of corner 5 1-2 ft. dia. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114.S, on ... N. face,

CHAINS Subdivisions T. 26 N R. 19 E.

5/34

Trail bears N. W. and S. E.

6.06

Set a sandstone 11 X 8 X 6 ins. 7 in.
 in the ground, for 1/16 Sec. Cor., marked 1/16 on N...
 face, dug pits 18x18x12 ins. E. and W. of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

8.08

5th Cor. to Sec 12. 11 and 12

Surface rolling and broken

Soil 2nd rate

Good grass.

Thru S. 1/4, 1/16 Sec. 12
 Sec. 11 and 12,

Pa. 13° E.

Over level surface

4.48

Trail bears N. W. and S. E.

20.00

Deposited a marked stone 12 ins. in the ground,
 for 1/16 Sec. Cor., dug pits 18x18x12 ins. N... and
 S... of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 1/16 S. S. on W... face,

CHAINS. Subdivisions T. 26 N R. 19 E.

Thence I run east on a
random line through
north $\frac{1}{2}$ of sec. 12,
 $\gamma_a. 13^\circ E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Enter east boundary
of Township 7 lines: south
of $\frac{1}{16}$ sec. cor. Thence
I run $S. 89^\circ 57' W.$ on a
true line through north
 $\frac{1}{2}$ of sec. 12,
 $\gamma_a. 13^\circ E.$

Over gently rolling surface.

20.00 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pit 18X18X12 ins. ... E... and
W... of corner 5 1-2 ft. deep, and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N... face,

40.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

42.76

Trail bears N. W. and S. E.

54.20

Trail bears N. W. and S. E.

60.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

80.00

Sta 1/16 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

*Thence I continued 200' E.
bet. nos. 11 and 12*

CHAINS. Subdivisions T. 26 N R. 19 E.

40.00

Deposited a marked stone, 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pit 18" X 18" X 12 ins. N. and S. of corner 5 1-2 ft. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on W. face,

Then I ran east on a random line through middle of sec. 12.
Ta. 1300.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.90 Intersect east boundary of township 10 lines south of $\frac{1}{4}$ sec. cor. Then I run S. 89° 56' W. on a true line through middle of sec. 12.
Ta. 1300.

Over level surface

HANS Subdivisions T. 26 N R. 19 E.

9.98 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. d. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

3.30 Trail bears N. W. and S. E.

9.95 Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. d. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N. face,

56.00 Trail bears N. W. and S. E.

9.92 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. d. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

79.90 The 114 sec. cor.

Surface level.
Soil 1st. rate
Good grass.

CHAINS. Subdivisions T. 26. N - R. 19. E.

Thence I continue $90^{\circ} 1' E$,
 bet. sec. 11 and 12.

60.00

Deposited a marked stone 12 ins. in the ground,
 for $\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. N. and
 S. of corner 5 1-2 ft. deep, and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{1}{16}$ S, on W. face,

Thence I run east on
 a random line through
 south $\frac{1}{2}$ of sec. 12 -
 Pa. $13^{\circ} E$.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.92 Intersect east boundary
 of township 5 miles south
 of $\frac{1}{16}$ sec. cor. Thence
 I run $0.89^{\circ} 58' W$. on
 a true line through
 south $\frac{1}{2}$ of sec. 12.

CHAINS. Subdivisions T. 26 N R. 19 E.

70. 13° E.

Over level surface

19.98

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N... face,

27.85

Trail bears N. W. and S. E.

39.96

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N... face,

59.94

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N... face,

79.92

On 116 S. E. cor.

Surface level
Only 1st. rail
Good grass.

CHAINS. Subdivisions T. 26 N R. 19 E. C.

Then I continue 0.001' E.
Set Secs. 11 and 12

80.00

Set a sandstone 14 X 13 X 8 ins. 9
ins. in the ground for Cor. to Secs 11, 12, 13 and 14
marked with 4 notches on S. and 1 notch on E.
edges, dug pins 18X18X12 ins. in each Sec. 5 1-2 ft.
dist. and raised a mound of earth 2 ft. high, 4 1-2
base, alongside.

Surface level.

Soil 1st. rot.

Good grass.

Some brush.

Then I run east on
a random line Set.

Sec. 12 and 13.

Pa. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

7996

Intersect east boundary
of township 14 lines

AINS. Subdivisions T. 26 N R. 19 E.

South of cor. to Ave. 7.12.13 and
 18 then I run S 89° 54' W
 on a true line bet. Ave.
 12 and 13.

To 13° E.

Over long surface

9.87

Trail bears N. W. and S. E.

9.99

Deposited a marked stone 12 ins. in the ground,
 for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
 W. of corner 5 1-2 f. and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 110 S, on N. face,

9.98

Deposited a marked stone 12 ins. in the ground,
 for 114 Sec. Cor., dug pits 18X18X12 ins. E. and
 W. of corner 5 1-2 f. and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 114 S, on N. face,

9.97

Deposited a marked stone 12 ins. in the ground,
 for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
 W. of corner 5 1-2 f. and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 116 S, on N. face,

CHAINS. Subdivisions T. 26. N. R. 19. E.

79.96 Sta. cor. to Secs. 11, 12, 13 and 14

. Surface level.

Soil 1st. rate.

Grass short.

Thence I run $0.0011^{\circ} E$.

bet. Secs. 13 and 14

Ta. $13^{\circ} E$.

Over level surface

20.00

Deposited a marked stone 12 ins. in the ground, for $1/16$ Sec. Cor., dug pits 18" 18" X 12 ins. N... and S... of corner 5 1-2 ft. deep, and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In N... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $1/16$ S, on... W... face,Thence I run east on a random line through north $1/2$ of sec. 13. Ta. $13^{\circ} E$.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

AINS, Subdivisions T. 26 N R. 19 E.

60.00 Set temporary 1-16 Sec. Cor.
 80.00 Intersect east boundary
 of Township 9 miles
 south of $\frac{1}{16}$ sec. cor. then
 run $0.89^{\circ} 56' N$. on a
 line lying through north
 $\frac{1}{2}$ of sec. 13.

$74.13^{\circ} E$

Over level surface

2.65 Trail bears N. W. and S. E.

20.00 Deposited a marked stone 12 ins. in the ground,
 for $\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. E. and
 W. of corner 5 1-2 ft. deep, and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

40.00 Deposited a marked stone 12 ins. in the ground,
 for $\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. E. and
 W. of corner 5 1-2 ft. deep, and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

CHAINS Subdivisions T. 26. N R. 19. E.

60.00

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. ... E. and
W. ... of corner 5 1-2 ft. ... and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. ... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked ... S, on ... N. ... face,

80.00

The $\frac{1}{16}$ sec. cor.

Surface level.

Drill 2nd. rate.

Good grass.

Thence I continue 0.0011 E.
bet. Secs. 13 and 14

40.00

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. ... N. and
S. ... of corner 5 1-2 ft. ... and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. ... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked ... S, on ... W. ... face,

Thence I run east on
a random line through
middle of sec. 13.
To 13 E.

CHAINS. Subdivisions T. 26. N R. 19. E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7998 Intersect East boundary of township 15 miles south of 1/4 sec. cor. then I run S. 89° 54' W. on a true line through middle of sec. 13
9a. 13° E.

Your level surface

19.99 Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. ... E. and ... W. of corner 5 1-2 ft. high, and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on ... N. face,

39.99 Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. ... E. and ... W. of corner 5 1-2 ft. high, and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on ... N. face,

CHAINS Subdivisions T. 26. N R. 19. E

5898

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

7998

The 1/4 sec. cor.
Surface level.
Drill 2nd rate.
Grass short,
Some brush.

Thence I continue S. 0° 1' E.
bet. Sec. 13 and 14.

60.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on W. face,

Thence I run east on a
random line through
south 1/2 of Sec. 13

CHAINS. Subdivisions T. 26 N R. 19 E.

74. 130 E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7996 Intersect east boundary of township 8 miles south of 116 sec. cor. thence I run S. 89° 57' W. on a true line through south 1/2 of sec. 13.

74. 130 E.

Over level surface.

1999 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pit 18X18X12 ins. E. and W. of corner 5 1-2 ft. high, and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

Trail bears N. E. and S. W.

2400 3998 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pit 18X18X12 ins. E. and W. of corner 5 1-2 ft. high, and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

CHAINS. Subdivisions T. 26 N R. 19 E.

59.97

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

79.90 5th $\frac{1}{16}$ sec. cor.

Surface level.

Dirt 2nd rail.

Some brush.

Grass short.

Thence I continue 200' E, 51' W,
13 and 14.

80.00

Set a sandstone $14 \times 12 \times 3$ ins. 9×9 ins. in the ground for Cor. to Secs. 13, 14, 23 and 24 marked with 3 notches on S. and 1 notch on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface level.

Dirt 1st rail.

Grass short.

Some white sayl.

Subdivisions T. 26. N R. 19. E.

Then I run east on a
random line bet.
Sec. 13 and 24.
74. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 -Set temporary 1-16 Sec. Cor.

8.12 Intersect east boundary of
township 15 miles south
of cor. to sec. 13, 18, 19 and 24
Then I run S. 89° 54' W.
on a true line
bet. sec. 13 and 24.
74. 13° E.

Over level surface.

40 Trail bears N. E. and S. W.

20.03 Deposited a marked stone 12 ins. in the ground,
for 1116 Sec. Cor., dug pit 18X18X12 ins. E... and
W... of corner 5 1-2 ft. and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1116 S, on N... face.

CHAINS Subdivisions T. 26 N R. 19 E.

40.96

Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N. face,

47.00

Trail bears N. E. and S. W.

60.09

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

80.12

The cor. to sec. 13, 14, 23 and 24

Surface level.

Soil 2 in. red.

Grass short.

Some white sage.

Subdivisions T. 26 N R. 19 E.

From the cor. to sec. 2334
and 35 on the north
boundary of the township
I run $S. 00^{\circ} 11' E.$ 1st sec.
2 and 3.

$\gamma a. 13^{\circ} E.$

Over level surface

33 Trail bears N. E. and S. W.

20.00 Set a sandstone $13 \times 12 \times 10$ ins. 8 ins.
in the ground, for $1/6$ Sec. Cor., marked $1/6$ on W...
face, dug pits $12 \times 18 \times 12$ ins., N. and S. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

Then I run east on a random
line through north $1/2$ of
Sec. 2.

$\gamma a. 13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect n. and S. line 8 lines

CHAINS Subdivisions T. 26 N R. 19 E.

south of $\frac{1}{16}$ sec. cor. shown
I run S. 89° 57' W. on a
true line through north $\frac{1}{2}$
of sec. 2.

70.13° E.

Over level surface

1.50 Enter field from N. W. and S. E.
2.00 Road from N. E. and S. W.
6.50 Leave " " " "

6.80 Trail bears N. E. and S. W.

20.00

Set a sandstone $28 \times 14 \times 4$ ins., 21 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N... face, dug pits $18 \times 18 \times 12$ ins. E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

24.00

Enter wash 3, Chs. with
course nearly west.

40.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N... face,

and leave wash.

BOOK 516

Subdivisions T. 26. N

R. 19. E.

53.20

Trail bears N. E. and S. W.

60.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

79.00

Trail bears 77.10° E and 8.10° W.

80.00

The 46 sec. cor.

Surface level.

Dist 1st. rail.

Grass short.

Thru I continuing 20° 1' E.

bet. Sec. 2 and 3.

21.50

Enter field bears E. and N.

22.00

Trail bears N. W. and S. E.

28.60

" " E. and N.

30.00

Start field bears E. and N.

33.35

Enter " " " "

36.00

Wash. 22.2 lks. wide course, S.W.

CHAINS. Subdivisions T. 26. N R. 19. E.

40.00

Set a sandstone $24 \times 18 \times 12$ ins., 18 ins. in the ground, for $1/4$ Sec. Cor., marked $1/4$ on $W.$ face, dug pits $13 \times 18 \times 12$ ins., $N.$ and $S.$ of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Then I run east on a random line through middle of sec. 2.

$\gamma a. 13^\circ E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.04

Intersect $N.$ and $S.$ line 10 links south of $1/4$ sec. cor. Then I run $S. 89^\circ 56' W.$ on a true line through middle of sec. 2.

$\gamma a. 13^\circ E.$

Over gently rolling surface.

532

Trail bears

N. E. and S. W.

CHAINS Subdivisions T. 26 N R. 19 E.

2001

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. deep, and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

21.85 Hayon road bears N.E. and S.W.

23.74 Trail bears N. 80° W. and S 80° E.

4002

Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. deep, and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N. face,

5140 Trail bears N. W. and S. E.

6003

7240 Trail bears N. E. and S. W.

7550 Trail bears N. and S. and
8004 *lyles field bears N. S.
of the 114 sec. cor.*

Surface gently rolling.

Soil ^{1st} rate.

Grass fair.

Some brush.

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. deep, and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

CHAINS, Subdivisions T. 26 N R. 19 E.

Thence S. continued $0.0^{\circ} 1' E$,
bet. sec. 2 and 3,
41.00 Leave fire bars E. and W.
44.30 Trail bars. N.E. and S.W.

60.00

Departed a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18X18X12 ins.N. and
...S.of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S. on W. face.

Thence S. run east on a
random line through south
 $\frac{1}{2}$ of SEC. 2.
7^a. $13^{\circ} E$.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.92

Intersect N. and S. line
13 links south of 116
SEC. COR. Thence S. run
 $0.890 54' W$. on a tree

CHAINS. Subdivisions T. 26 N R. 19 E.

line through south 1/2 of
Sec. 2.

Pa. 13° E.

Over gently rolling surface.

998 Deposited a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S, on N. face,

2455 Trail bears N. E. and S. W.

3336 Trail bears N. W. and S. E.

9996 Deposited a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S, on N. face,

2.00 Hagon road from N.E. and S.W.

9994 Deposited a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S, on N. face,

CHAINS, Subdivisions T. 26 N R. 19 E.

79.92

Sta 416 sec. corr.

Surface gently rolling.

R. 19

Soil 1st rate.

Grass fair.

Thence I continue S. 0° 1' E.
 Sta. Secs. 7 and 8.

80.00

Set a sandstone 12 X 8 X 6 ins. ins. in the ground for Cor. to Secs. 7, 8, 10 and 11 marked with 5 notches on S. and 2 notches on E. edges, dug pits 18X18X12 ins. in each Sec. 7 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface level.

Soil 1st rate

Grass short

Thence I run east over
 a random line bet.
 Secs. 7 and 11.

To. 13th E.

CHAINS. Subdivisions T. 26 N R. 19 E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.92 Intersect N. and S. line... 15... lks. south of Cor. to Secs. 2, 11 and 12... Thence I run 289° 54' W on a true line bet. Secs. 7 and 11...

7a. 130° E.

Our level surface.

0.80 Trail bears N. W. and S. E.

19.98 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

25.80 Trail bears N. and S.

39.96 Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N. face,

59.90 Road bears 71 E. and SW.

CHAINS Subdivisions T. 26. N R. 19. E.

5994

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. ... E. and ... W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on ... N. face,

79.92

The Cor. to Secs. 23, 10 and 11

Surface level.

Dist. 1st. rate.

Good grass

Some brush

Thence I run S. 0° 11' E. to

Sec. 10 and 11

Pa. 13° E.

17.10
20.00

Over level surface.
Road bears N. E. and S. W.

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. ... N. and ... S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on ... W. face,

CHAINS. Subdivisions T. 26 N R. 19 E.

Thence I run east on a
random line through north
1/2 of sec. 11.

7a. 130° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. line 12

lines south of 1/16 sec.

Cor. Thence I run S. 89° 55' W.
on a true line through
north 1/2 of sec. 11.

7a. 130° E.

Over level surface.

20.00 Deposited a marked stone 12 ins. in the ground,
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked O.S. on N. face,

25.30 Trail trans. N. and S.

CHAINS. Subdivisions T. 26 N. R. 19 E.

40.00

Deposited a marked stone 12 ins. in the ground,
for 776 Sec. Cor., dug pits 18X18X12 ins. ... E... and
... W... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 776 S, on ... N... face,

60.00

Deposited a marked stone 12 ins. in the ground,
for 776 Sec. Cor., dug pits 18X18X12 ins. ... E... and
... W... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 776 S, on ... N... face,

80.00

The 216 sec. cor.

Surface level,
Smt 1st. mat.

Good grass.

Some brush.

Thence I continue S. 0° 1' E.
bet. secs. 10 and 11.

40.00

Deposited a marked stone 12 ins. in the ground,
for 774 Sec. Cor., dug pits 18X18X12 ins. ... N... and
... S... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 774 S, on ... W... face,

Subdivisions T. 26 N R. 19 E.

Then I run east on a
random line through
middle of sec. 11.
7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.14 Subtract N. and S. lines 16
lines south of 1/4 sec.
Cor. Then I run S. 89° 53' W.
on a true line through
middle of sec. 11.
7a. 13° E.

Over level surface.

24.13 Deposited a marked stone 12 ins. in the ground,
for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked S, on N. face,

23.95 Trail from N. and S.

CHAINS. Subdivisions T. 26 N R. 17 E.

40.07

Deposited a marked stone 12 ins. in the ground, for ¹¹⁴ Sec. Cor., dug pits 18X18X12 ins. ... E. ... and ... W. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¹¹⁴ S, on ... N. ... face,

60.01

Deposited a marked stone 12 ins. in the ground, for ¹¹⁶ Sec. Cor., dug pits 18X18X12 ins. ... E. ... and ... W. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¹¹⁶ S, on ... N. ... face,

80.14

The ¹¹⁴ sec. cor.

Surface level.

Soil 1st. rate.

Good grass.

Some brush.

Then I continued 0.00 N.E.

Set. pce. 10 and 11.

60.00

Deposited a marked stone 12 ins. in the ground, for ¹¹⁶ Sec. Cor., dug pits 18X18X12 ins. ... N. ... and ... S. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¹¹⁶ S, on ... W. ... face,

CHAINS. Subdivisions T. 26 N R. 19 E.

Thence I run east on a random
line through south $\frac{1}{2}$ of
sec. 11.

Ta. 13^oE.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.12 Intersect n. and s. line
11 links south of 416
p.c. cor. Thence I run
S. $89^{\circ}55'$ W. on a true
line through south $\frac{1}{2}$ of
sec. 11.

Ta. 13^oE.

Over level surface

20.43 Deposited a marked stone 12 ins. in the ground,
for 416 Sec. Cor., dug pits 18X18X12 ins. ...E...and
...W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 416 S, on N... face,

28.37 Trail from N. and S.

40.06

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E...and W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N...face,

60.09

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E...and W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N...face,

80.12

The $\frac{1}{16}$ sec. cor.

Surface level.

Soil 1st. rate.

Grass short.

Some brush.

Thence S. continues 200' E.
bet. Sec. 10 and 11

BOOK 516

CHAINS Subdivisions T. 26 N R. 19 E

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 1, 11, 14 and 15, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 26 N. S. 11 on N. E.

R. 19 E. S. 14 on S. E.

S. 15 on S, W, and

S. 10 on N. W. faces, with 4 notches on

S. and 2 notches on E. edges.

Surface level.

Soil 1st. rate.

Grass short.

Some brush.

Then I run east on a
wand down line to sec.

11 and 14.

70, 130 E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

CHAINS. Subdivisions T. 26 N R. 19 E.

8008

Intersect N. and S. line 17...lks. ^{South} of Cor. to
Secs. 11, 12, 13 and 14. Thence I run $0.89^{\circ} 53' 11''$
on a true line bet. Secs. 11...and...14

Pa. 13° E.

Over level surface

2002

Deposited a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18X18X12 ins. ...E...and
W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E...pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S, on N ...face,

3050

Trail from N. and S.

4004

Deposited a marked stone 12 ins. in the ground,
for 114 Sec. Cor., dug pits 18X18X12 ins. ...E...and
W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E...pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 114 S, on N ...face,

6006

Deposited a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18X18X12 ins. ...E...and
W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E...pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S, on N ...face,

8008

The cor. to Secs. 10, 11, 14 and 15 -
Surface level.

BOOK 516

CHAINS. Subdivisions T. 26 N R. 19 E.

Soil 1st. rate,

Grass short.

Down bush. July 20th 1891.

Thence I run S. 00° 11' E. 144.00

14 and 15

70. 13° E. -

Over level surface.

20.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on W. face,

Thence I run east on a random line through north 1/2 of sec. 14.

70. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

CHAINS, Subdivisions T. 26 N

R. 19 E.

7996

Intersect N. and S. lines 14 links
south of 1/16 sec. cor. thence
I run S. 89° 54' W. m. a
true line through north 1/2
of sec. 14.

Ta. 13° E.

Over level surface

1999

Deposited a marked stone 12 ins. in the ground,
for 1/16 Sec. Cor., dug pits 18X18X12 ins. ... E. and
... W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/16 S, on ... N. face.

3062

Trail lines. N and S.

3998

Set a sandstone 20 X 14 X 2 ins. in
the ground, for 1/16 Sec. Cor., marked 1/16 on ... N.
face, dug pits 18x18x12 ins., E. and W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

5997

Deposited a marked stone 12 ins. in the ground,
for 1/16 Sec. Cor., dug pits 18X18X12 ins. ... E. and
... W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/16 S, on ... N. face.

CHAINS. Subdivisions T. 26 N R. 19 E.

79.96

5th 1/16 sec. cor.
Surface level,
Dug 1st. note,
Grass short,
Some brush.

Then I continued S. 00 1' E. 1/4.
Sec. 14 and 15.

40.00

Deposited a marked stone 12 ins. in the ground,
for ~~14~~ Sec. Cor., dug pits 18X18X12 ins. N...and
S...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In N... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked ~~14~~ S, on...W...face,

Then I run east on a
random line through
middle of sec. 14.
To 73° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

CHAINS. Subdivisions T. 26 N R. 19 E.

8a12 Intersect N. and S. line of
links south of 14 sec. cor.
thence 1 mile S. 89° 57' W.
on a true line through
middle of sec. 14.

9a. 13° E.

Over large surface

2a. 03

Deposited a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S, on N. face.

3a. 04

Trail Run N. and S.

4a. 06

Set a sandstone 21" X 14" X 3" ins., 15" ins.
in the ground, for 14 Sec. Cor., marked 14 on N. face,
dug pits 18x18x12 ins., E. and W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

6a. 09

Deposited a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S, on N. face.

CHAINS. Subdivisions T. 26. N

R. 19. E.

8m12

The 1/4 sec. cor.

Surface level

Soil 1st. rate

Good grass

Some brush.

Thence I continued S. 11° E. 1/2
Sec. 14 and 15.

5H40

Trail bears N. W. and S. E.

60.00

Deposited a marked stone 12 ins. in the ground,
for 1/16 Sec. Cor., dug pits 18X18X12 ins. N. and
S. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/16 S, on W. face,

Thence I run east on a random
line through south 1/2 of sec.
14.

74.13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

CHAINS. Subdivisions T. 26 N

R. 17 E.

60.00 Set temporary 1-16 Sec. Cor.

8020 Instruct N. and S. line 12 links
south of the oc. cor. then S. 89°
55' W. on a true line through
south 1/2 of sec. 14.
Pa. 13^e.

Over level surface

20.05

Deposited a marked stone 12 ins. in the ground,
for ¹¹⁶ Sec. Cor., dug pits 18x18x12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked ¹¹⁶ S, on N. face.

29.15

Trail bears N. and S.

44.11

Set a sandstone 29 X 14 X 3 ins. ¹¹⁶ ins.
in the ground, for ¹¹⁶ Sec. Cor., marked ¹¹⁶ on N.
face, dug pits 18x18x12 ins. E. and W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

60.15

Deposited a marked stone 12 ins. in the ground,
for ¹¹⁶ Sec. Cor., dug pits 18x18x12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked ¹¹⁶ S, on N. face.

CHAINS. Subdivisions T. 26. N

R. 19. E.

62.20 Trail bears N. W. and S. E.

70.20 The 1/6 sec. cor.

Surface level

Soil 1. st. rate.

Grass short.

Some brush.

Thence I continue S. 0011 E. Set
Secs. 14 and 15.

62.43 Trail bears N. W. and S. E.

70.00 Trail bears N. W. and S. E.

74.10 Trail bears N. W. and S. E.

80.00 Set a sandstone... 16... X... 12... X... 4... ins.,...
ins. in the ground for Cor. to Secs. 14, 15, 22 and 23...
marked with... 3... notches on S. and... 2... notches on E.
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.
base, alongside.

Surface level

Soil 2nd rate

Good grass.

Some white sage brush.

CHAINS. Subdivisions T. 26 N

R. 19 E.

Then I run east on a random
line bet. Secs. 14 and 23
79.13° E.

20.00 Set temporary 1-16 Sec. Cor.,

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.,

84.12

Intersect N. and S. line 15 miles south of Cor. to
Secs. 14, 23 and 24. Then I run S. 89° 54' W.
on a true line bet. Secs. 14 and 23.

79.13° E.

Over level surface

20.13

Deposited a marked stone 12 ins. in the ground,
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/16 S, on N. face.

31.67

Trail bears 77. and E.

40.06

Deposited a marked stone 12 ins. in the ground,
for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/4 S, on N. face.

HOOK 516

Subdivisions T. 26 N R. 19 E

Deposited a marked stone 12 ins. in the ground, for 1116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1116 S. on N. face,

00,09

Trail bears N. W. and S. E.

1,30

Trail bears N. W. and S. E.

2,40

Trail bears N. W. and S. E.

5,70

Trail bears N. W. and S. E.

9,74

11,12


The cor. to Sec. 14, 15, 22. and 20

Surface level

Soil 1st rate.

Good grass.

Some white sage.



From the cor. to S.W. 34, 30
 and 34 on the north
 boundary of the township
 I run S. 0° 2' E. bet.
 S.W. 3 and 4.
 7a. 13° E.

Over gently rolling surface.

20.00

Deposited a marked stone 12 ins. in the ground,
 for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. N. and
 S. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.
 In N. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked ~~116~~ S, on W. face,

Then I run east on a
 random line through
 north 1/2 of sec. 3,
 7a. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

7990

Intersect N. and O. line

CHAINS. Subdivisions T. 26 N. R. 19 E.

9 lines south of 116 sec.
 cor. thence I run S 89° 56' W
 on a true line through north
 1/2 of sec. 3.

7a. 13° E.

Over level surface

2.30

Trail bears N. W. and S. E.

1999

Deposited a marked stone 12 ins. in the ground,
 for 116..Sec. Cor., dug pits 18X18X12 ins....E...and
 ..W...of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E...pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 116..S, on...N...face,

39.98

Deposited a marked stone 12 ins. in the ground,
 for 116..Sec. Cor., dug pits 18X18X12 ins....E...and
 ..W...of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E...pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 116..S, on...N...face,

59.97

Set a sandstone 13 X 8 X 7 ins. 8 ins.
 in the ground, for 116..Sec. Cor., marked 116..on...N...
 face, dug pits 18x18x12 ins....E...and...W...of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

67.50

Trail bears N. and S.

CHAINS Subdivisions T. 26 N

R. 19 E.

70.30 Trail bears N. and E.

79.96 Sta 1/16 sec. cor.

Surface level.

Soil 1st, rate.

Grass short.

Some white sage.

Thence I continue S. 00 21 E.
bet. sta. 3 and 4

30.68 Trail bears E. and N

38.50 Trail bears N. E. and S. W.

40.00

Deposited a marked stone 12 ins. in the ground,
for 1/4 Sec. Cor., dug pits 18X18X12 ins. N. and
S. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/4 S, on W. face.

Thence I run east on
a random line through
middle of sec. 3,
Ta. 13 E

CHAINS. Subdivisions T. 26. N R. 19. E.

20.00	Set temporary 1-16 Sec. Cor.
40.00	Set temporary 1-4 Sec. Cor.
60.00	Set temporary 1-16 Sec. Cor.
80.00	Intersect N. and S. lines 12 lines south of 1/4 sec. Cor. then I run 0.890 5-5' N. on a true line through middle of sec. 3, 70. 13° E.
2.16 370	Over level surface Leaving field bears N. and S. Wash. 300 lks. wide course, SW.
9.15	Trail bears N. E. and S. W.
19.80	Trail bears N. E. and S. W.
20.00	Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,
40.00	Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on N. face,

58.

BOOK 516

CHAINS. Subdivisions T. 26 N R. 19 E.

60.00 Set a sandstone ¹³ X ⁸ X ⁵ ins., ⁸ ins. in the ground, for ^{1/16} Sec. Cor., marked ^{1/16} on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

60.75 Trail bears N. 10° E. and S. 10° W.

63.00 Wash ²⁰⁰ lks. wide course, south

69.30 Trail bears N. and S.

77.95 Trail bears N. E. and S. W.

80.00 The 114 sec. cor.

Surface level.
Soil 1st. note
Grass short.
Some white sage

Then I continue S. 0° 2' W.

bet. sec. 3 and 4

87.30 Trail bears N. E. and S. W.

60.00 Set a sandstone ¹³ X ¹⁰ X ⁴ ins., ⁸ ins. in the ground, for ^{1/16} Sec. Cor., marked ^{1/16} on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

U. S. Surveyor-General's Office,

TUCSON, A. T., *Feb 6th* 1882

The foregoing Field Notes of the Surveys of
*Subdivisions of T^h 26. N.
 R 19. E. of the*

Gila and Salt River Meridian
 in *Arizona* executed by
John B. Smith

U. S. Deputy Surveyor, under his contract dated
November 2^d 1890

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Raepe & Johnson
 U. S. Surveyor-General
 for the Territory of Arizona.