

Book No. 17

*Platted  
Copied  
T. 20 N  
R. 29 E  
Gila and Salt River Meridian*

*Frank Hollman* Deputy Surveyor.

T. 20 N R. 29 E

Gila and Salt River Meridian.

BOOK 525

# FIELD NOTES

OF

*No. 525*

THE SUBDIVISION LINES OF

Township *20 N* Range *29 E*

Gila and Salt River Meridian.

BY

*Frank Hollman* Deputy Surveyor.

Under his Contract of *July 31<sup>st</sup>* 188*2*

Survey Commenced *April 10<sup>th</sup>* 188*3*

Survey Completed *April 17<sup>th</sup>* 188*3*

525

*Platted,  
Copied for Washington,  
Copied for Register,*

*No. 475*

Edward Denny & Co., Stationers & Printers, S. F. Cal.

Copyright Secured.

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress at Washington, D. C., in the year 1880.

BOOK 525

*Frank Tollman* Deputy Surveyor.

T. *20 N.* R. *29 E.*

Gila and Salt River Meridian.

## FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township *20 N.* Range *29 E.*

Gila and Salt River Meridian.

BY

*Frank Tollman* Deputy Surveyor.

Under his Contract of *July 31<sup>st</sup>* 188*2*

Survey Commenced *April 10<sup>th</sup>* 188*3*

Survey Completed *April 17<sup>th</sup>* 188*3*

*Platted,  
Copied for Washington,  
Copied for Register,*

Edward Denny & Co., Stationers & Printers, S. F. Cal.

*Copyright Secured,*

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress  
at Washington, D. C., in the year 1880.

1A

## BOOK 525

Township *26 North*, Range *29 East*,  
*Gila and Salt River Basins* Meridian.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
53		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Edward Denny & Co., Stationers & Printers, S. F., Cal.

*Copyright Secured.*

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress  
 at Washington, D. C., in the year 1880.

Township.....Range.....

Meridian.

1 B

BOOK 525

Township 26 N Range 29 E

Gila and Salt River Meridian.

Chains

rec'd by me

From the corner to Sections 35, 36, 1 and 2 on the South boundary, I run, North, between Sections 35 and 36

Variation 14° 30' East.

Ascend gradually.

4400

Set a <sup>Post</sup> 3 ft. long 3 ins diam, with marked stone 12 ins in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.

from which

A Yellow Pine 13 ins diam. bears N 44° E 108 lks. dist. marked 1/4 S. B. T.

No other trees within limits.

80.00

Set a Sand stone 20 x 18 x 4 ins. 10 ins. in the ground for Cor. to Secs. 25, 26, 35 & 36 marked with | notch on S. and | notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high, 4 1/2 ft. base. alongside.

A Yellow Pine 28 ins diam. bears S 87° E 53 lks. dist. marked T 26 N. R. 29 E, S., 30 B. T.

A Yellow Pine 30 ins diam. bears N 62° E 72 lks. dist. marked T 26 N. R. 29 E, S., 25 B. T.

No other trees within limits.

Land rolling.

Soil 3<sup>rd</sup> rate

Timber of Yellow & Nut pine & Oak.  
Vegetation. grass.

Township 20 N Range 29 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 25 and 36.  
Variation 14° 30' East.

Ascend gradually.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.23 Intersect E. B. of Tp. 18 lks. S. of cor. to secs.  
*newly set by me*  
25.30.31 & 30 from which corner, I run

S. 89° 52' W on a true line, between sections 25 & 30  
Variation 14° 30' East.

40.11 Set a Sand stone 24 x 10 x 0 ins., 18  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
face, and raised a mound of stone alongside. Pits  
impracticable. from which

1 Yellow Pine 34 ins diam. bears S. 45° W. 53 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.

2 Yellow Pine 31 ins diam. bears N. 38° W. 87 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.

80.23 The corner to sections 25. 20. 35 & 30  
Land rolling.

Soil 3<sup>rd</sup> rate

Timber of Oak, & Nut Pine.

Vegetation. Grass.

Township

26 N.

Range

29 E.

Gila and Salt River Meridian.

Chains

North, between Sections 25 and 26.

Variation

14° 30'

East.

Ascend gradually.

40.00

Set a Sand stone 16 x 12 x 4 ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits 18 x 18 x 12 ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

from which

A Yellow Pine 28 ins diam. bears  $S. 65^{\circ} W.$  1.62 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

54.00

An Oak 22 ins. diam.

80.00

Set a post 4 ft. long. 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 23, 24, 25 & 26 marked T. 26 N. S. 24, on N, E, R. 29 E., S. 26 on S, E, S, 26 on S, W, and S, 23 on N, W, face with 2 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

from which

A Yellow Pine 24 ins diam. bears  $N. 30^{\circ} E.$  18 lks. dist. marked T. 26 N. R. 29 E. S., 24 B. T.

A Yellow Pine 16 ins diam. bears  $N. 55^{\circ} W.$  90 lks. dist. marked T. 26 N. R. 29 E. S., 23 B. T.

No other trees within limits.

Land mountainous

Soil

3<sup>rd</sup>

rate Vegetation.

Timber of

Yellow Pine grass.

Township

20

N

Range

29

E

Gila and Salt River Meridian.

Chairs

East, on a random line between Sections 24 and 25.

Variation

14° 30'

East.

Descend gradually

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.80.00 Intersect E. B. of Tp. 9 Wks. N. of cor. to secs.  
renewed set by me

19. 24. 25 &amp; 30 from which corner, I run

N. 89° 56' W. on a true line, between sections 24 &amp; 20

Variation

14° 30'

East.

40.03 Set a post 3 ft. long, 3 ins. diam. with mark a stone  
Rings in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face,  
dug pits 18 x 18 x 12 ins., E and W. of Post  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base around post. from whichA Yellow Pine 34 ins diam. bears S. 58° E 78 Wks. dist.  
marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.00

The corner to sections 23. 24. 25 &amp; 20

Land rolling.

Soil 3<sup>rd</sup> rate

Timber of Yellow &amp; Nut pine &amp; oak.

Vegetation. grass.



Chains

North, between Sections 23 and 24.

Variation 14° 30' East.

Over rolling land.

40.00

Set a sand stone 18 x 14 x 0 ins., 12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, and raised a mound of stone alongside. Pits impracticable.

from which

1 Yellow Pine 20 ins diam. bears N 50° E. 144 lks. dist. marked 1/4 S. B. T.

1 Yellow Pine 24 ins diam. bears S 26 1/4° W. 40 lks. dist. marked 1/4 S. B. T.

72.00

1 Yellow Pine 28 ins diam.

80.00

Set a sand stone 20 x 10 x 5 ins. 15 ins. in the ground for Cor. to Secs. 13, 14, 23 & 24 marked with 3 notches on S. and 1 notch on E. edges and raised a mound of stone alongside. Pits impracticable.

1 Yellow Pine 28 ins diam. bears N. 10° W. 100 lks. dist. marked T. 26 N. R. 29 E. S., 14 B. T.

1 Yellow Pine 8 ins diam. bears S. 30° E. 12 lks. dist. marked T. 26 N. R. 29 E. S., 24 B. T.

No other trees within limits.

Land rolling.

Soil 3<sup>rd</sup> rate

Vegetation grass

Heavy timber of yellow pine.

Township

20

N

Range

29

E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation

14° 30'

East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.40 Intersect E. B. of Tp. 24 lks. N. of cor. to secs.

13. 18. 19. 24 from which corner, I run

N. 89° 00' W. on a true line, between sections 13 &amp; 24

Variation

14° 30'

East.

40.22 Set a Sand stone 16 x 10 x 4 ins., 10

ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.

face, and raised a mound of stone alongside. Pits

impracticable.

from which

A Pine 14 ins, diam. bears S. 10° E. 148 lks. dist.

marked  $\frac{1}{4}$  S. B. T.

No other trees within limits.

80.45 The corner to sections 13. 14. 23 &amp; 24

Land rolling.

Soil 2<sup>nd</sup> paten

Timber of mill &amp; yellow pine &amp; oak.

Vegetation. grass.

Township 26 N. Range 29 E.

Gila and Salt River Meridian.

Chains North, between Sections 13 and 14.

Variation 14° 30' East.

Over rolling land.

40.00 Set a sand stone 10 x 8 x 4 ins., 10 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside.

from which

A Yellow Pine 30 ins diam. bears N. 35° E. 22 lks. dist. marked 1/4 S. B. T. No other trees within limits.

80.00 Set a post 4 ft. long, 4 ins. square, 24 ins. in the ground, for Cor. to Secs. 11, 12, 13 & 14 marked T. 26 N. S. 12 on N. E., R. 29 E., S. 13 on S. E., S. 14 on S. W., and S. 11 on N. W. faces, with 4 notches on S. and 1 notch on E. edges, from which

A Yellow Pine 20 ins diam. bears S. 27° W. 21 lks. dist. marked T. 26 N. R. 29 E., S. 14 B. T.

A Yellow Pine 35 ins diam. bears N. 22° W. 7 1/2 lks. dist. marked T. 26 N. R. 29 E., S. 11 B. T.

A Yellow Pine 19 ins diam. bears N. 30° E. 37 lks. dist. marked T. 26 N. R. 29 E., S. 12 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation grass.

Heavy timber of Yellow pine.

Township

26 N.

Range

29 E.

8

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation

14° 30'

East.

Over rolling land.

40.00

Set temporary  $\frac{1}{4}$  Sec. Cor.

80.12

Intersect E. B. of Tp. 10 lks. S. of cor. to secs.  
newly set by me  
7. 12. 13 & 18 from which corner, I run

S. 89° 03' W. on a true line, between sections 12 &amp; 13

Variation 14° 30' East.

40.00

Set a sand stone  $14 \times 12 \times 4$  ins., 10 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face,  
dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.

from which

a Yellow Pine 28 ins diam. bears S. 23° W. 54 lks. dist.  
marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.12

The corner to sections 11. 12. 13 &amp; 14

Land rolling.

Soil 3<sup>rd</sup> rate

Timber of pine

Vegetation. grass.

Township 20 N. BOOK 525  
Range 29 E.

Gila and Salt River Meridian.

Chains

North, between Sections 11 and 12.

Variation 14° 30' East.*Over rolling land.*

40.00

Set a Sand stone  $14 \times 10 \times 4$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on *SW* face, dug pits  $18 \times 18 \times 12$  ins., *N* and *S*. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

from which

An Oak 19 ins. diam. bears  $N. 10^\circ W.$  27 lks. dist.marked  $\frac{1}{4}$  S. B. T.

No other trees within limits.

80.00

An Oak 24 ins. diam. which I marked T. 26 N. S. 1, on N. E. R. 29 E. S. 12 on S. E. S. 11, on S. W. and S. 2 on N. W. faces, with 5 notches on S. and 1 notch on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth around tree, for cor. to secs.

from which

A Yellow Pine 12 ins diam. bears  $S. 40^\circ W.$  70 lks. dist. marked T. 26 N. R. 29 E. S., 11 B. T.

An Oak 24 ins. diam. bears  $S. 30^\circ E.$  23 lks. dist. marked T. 26 N. R. 29 E. S., 12 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rateTimber of pine & oak.Vegetation. grass

Township 20 N Range 29 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation  $14^{\circ} 30'$  East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.76.00 Cross Road, bears,  $N. 50^{\circ} W.$  &  $S. 60^{\circ} E.$ 79.90 Intersect E. B. of Tp. 40 lks. S. of cor. to secs.  
1. 6. 7 & 12 <sup>vicinity set by me</sup> from which corner, I run $S. 89^{\circ} 43' W.$  on a true line, between sections 1 & 12Variation  $14^{\circ} 30'$  East.39.98 Set a sand stone  $14 \times 8 \times 7$  ins., 10 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face,  
dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.

from which

A Yellow Pine 24 ins diam. bears  $S. 53^{\circ} W.$  60 lks. dist.  
marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

79.96 The corner to sections 1, 2, 11 &amp; 12

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of Yellow pine.

Vegetation. grass.

Township

26 N.

Range

29 E.

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 1 and 2.

Variation  $14^{\circ} 30'$  East.

Ascend gradually.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.41.14 Cross Road, bears, N.  $53^{\circ}$  W. & S.  $53^{\circ}$  E.80.13 Intersect ~~N. B. of Tp. 8~~ <sup>N. B. of Tp. 8</sup> ~~W. of cor. to secs.~~ <sup>W. of cor. to secs.</sup>

1.2.35 &amp; 30 from which corner, I run

S.  $3^{\circ}$  W. on a true line, between sections 1 & 2Variation  $14^{\circ} 30'$  East.

40.13 Set a sand stone  $18 \times 9 \times 4$  ins., 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

from which

A Yellow Pine 40 ins diam. bears N.  $43^{\circ}$  E. 30 kts. dist.marked  $\frac{1}{4}$  S. B. T.

No other trees within limits.

80.13 The corner to sections 1.2.11 &amp; 12

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of yellow pine &amp; oak.

Vegetation. Grass.

W. O. Childs, Compassman.

April 10<sup>th</sup> 1882.

Township

26 N

Range

29 E

Gila and Salt River Meridian.

Chains

From the cor to cor 2 3.2 x ans 35 in 8' long Township  
 recalled by me. *Down*  
 North, between Sections 34 and 35.

Variation 14° 30' East.

Ascend.

40.00

Set a post 2-3 ft. long, 3 in. diam. with marked stone 12 in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, dug pits 18 x 18 x 12 ins., N. and S. of ~~stone~~ 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.

from which

An Oak 18 ins. diam. bears S. 60° E. 1.38 kls. dist. marked 1/4 S. B. T.

A Pine 10 ins. diam. bears N. 50° W. .86 kls. dist. marked 1/4 S. B. T.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 26, 27, 34 & 35 - marked T. 26 N. S. 26, on N, E, R, 29 E., S. 35 - on S, E, S, 34 on S. W, and S, 27 on N, W, face with 1 notch on S, and 2 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base around post.

from which

A Yellow Pine 26 ins diam. bears N. 45 1/4° W. 25 kls. dist. marked T. 26 N. R. 29 E. S., 27 B. T.

A Yellow Pine 32 ins diam. bears N. 54° E. 1.3 kls. dist. marked T. 26 N. R. 29 E. S., 26 B. T.

A Yellow Pine 36 ins diam. bears S. 17 1/4° W. 1.39 kls. dist. marked T. 26 N. R. 29 E. S., 34 B. T.

No other trees within limits.

rate

Soil

Vegetation  
 Heavy timber of Yellow pine.



Township 20 NRange 29 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 26 and 35.

Variation 14° 30' East.*Over rolling land.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.82 Intersect N. &amp; S. line, 36 lks. N. of cor. to secs.

26, 26, 35, 36 from which corner, I runN.  $89^{\circ} 45' W.$  on a true line between sections 26 & 35Variation 14° 30' East

3991 Set a Sand stone 20 x 14 x 4 ins., 15 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base alongside.

*from which*

A Yellow Pine 22 ins diam. bears N.  $17^{\circ} W.$  20 lks. dist. marked  $\frac{1}{4}$  S. B. T.

An Oak 16 ins. diam. bears S.  $5\frac{1}{4}^{\circ} W.$  98 lks. dist. marked  $\frac{1}{4}$  S. B. T.

79.82 The corner to sections 26, 27, 34 & 35

*Land rolling.**Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate**Timber of pine & oak.**Vegetation. grass.*

Township

26 N

Range

29 E

Gila and Salt River Meridian.

Chains

North, between Sections 26 and 27.

Variation  $14^{\circ} 30'$  East.

Over rolling land.

40.00 A Burr Oak *Hicoria* which I marked  $\frac{1}{2}$  S. on W. face, for  $\frac{1}{4}$  sec. cor., dug pits, 18 x 18 x 12 ins.

N. and S. of tree,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth around tree. from which

A Yellow Pine 30 ins diam. bears N.  $75^{\circ}$  E. 121 kls. dist. marked  $\frac{1}{2}$  S. B. T.

A Pine 20 ins. diam. bears N.  $30^{\circ}$  W. 80 kls. dist. marked  $\frac{1}{2}$  S. B. T.

20.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 22, 23, 26 & 27 marked T. 26 N. S. 23, on N, E, R, 29 E; S. 26 on S, E, S, 27 on S, W, and S, 22 on N, W, face with 2 notches on S, and 2 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

from which

A Yellow Pine 10 ins diam. bears S.  $85^{\circ}$  E. 83 kls. dist. marked T. 26 N. R. 29 E. S., 26 B. T.

A Yellow Pine 18 ins diam. bears N.  $86^{\circ}$  E. 36 kls. dist. marked T. 26 N. R. 29 E. S., 23 B. T.

No other trees within limits.

Land rolling.

Soil  $2^{\text{nd}}$  rate Heavy timber of pine.

Vegetation grass

Township 26 N. Range 29 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 23 and 26.

Variation  $14^{\circ} 30'$  East.*Over rolling land.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.96 Intersect N. &amp; S. line, 21 lks. N. of cor. to secs.

23, 24, 25, 26 from which corner, I run

N.  $89^{\circ} 51'$  W. on a true line between sections 23 & 26Variation  $14^{\circ} 30'$  East39.98 Set a Sand stone  $16 \times 12 \times 4$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, and raised a mound of stone alongside. Pits

impracticable.

*from which*A Yellow Pine 24 ins diam. bears S.  $20^{\circ}$  E. 15 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

79.96 The corner to sections 22, 23, 26 &amp; 27

Land rolling.

Soil 3<sup>rd</sup> run

Timber of pine,

Vegetation. grass.

Township

20 N

Range

29 E

Gila and Salt River Meridian.

Chains

North, between Sections 22 and 23.

Variation

14° 30'

East.

Over rolling land.

40.00

Set a ~~lost~~ 3 ft. long <sup>3</sup>/<sub>4</sub> in. dia. with marked ~~stone~~ <sup>stone</sup> in the ground, for <sup>1</sup>/<sub>4</sub> Sec. Cor., marked ~~S~~ on <sup>W</sup> face, dug pits 18 x 18 x 12 ins., <sup>N</sup> and <sup>S</sup> of ~~5~~ <sup>5 1/2</sup> ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base ~~around~~ <sup>around</sup> ~~feet~~.

from which

A Pine 10 ins, diam. bears N 25 1/2° E. 40 lks. dist.  
marked 1/4 S. B. T.

A Pine 8 ins, diam. bears N. 30° W. 60 lks. dist.  
marked 1/4 S. B. T.

80.00

Set a Sand stone 20 x 10 x 4 ins. 15 ins. in the ground for Cor. to Secs. 14, 15, 22 & 23 marked with 3 notches on S. and 2 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

from which

A Yellow Pine 36 ins diam. bears N. 45° E. 82 lks. dist.  
marked T. 26 N. R. 29 E. S., 14 B. T.

A Yellow Pine 40 ins diam. bears S. 10° E. 12 lks. dist.  
marked T. 26 N. R. 29 E. S., 23 B. T.

A Pine 10 ins, diam. bears S. 30° W. 92 lks. dist.  
marked T. 26 N. R. 29 E. S., 22 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rate Heavy timber of pine.

Vegetation grass.

Township

26 N

Range

29 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 14 and 23.

Variation  $14^{\circ} 30'$  East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.11 Intersect N. &amp; S. line, 4 lks. S. of cor. to secs.

13, 14, 23 &amp; 24 from which corner, I run

89.58' W. on a true line between sections 14 &amp; 23

Variation  $14^{\circ} 30'$  East

40.05 Set a Sand stone  $24 \times 10 \times 3$  ins., 18 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N face, and raised a mound of stone alongside. Pits impracticable.

from which

A Yellow Pine 40 ins diam. bears S.  $11^{\circ}$  E. .62 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.11 The corner to sections 14, 15, 22 &amp; 23

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of pine.

Vegetation. Grass.

Township 26 N Range 29 E

Gila and Salt River Meridian.

Chains North, between Sections 14 and 15.

Variation 14° 30' East.*Over rolling land.*

40.00 Set a Sand stone  $14 \times 12 \times 4$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

from which

A Pine 15 ins, diam. bears N.  $50^\circ$  E. 1.10 kts. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.00 Set a Sand stone  $20 \times 10 \times 8$  ins. 15 ins. in the ground for Cor. to Secs. 10. 11. 14 & 15 marked with 4 notches on S. and 2 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.

from which

A Yellow Pine 30 ins diam. bears N.  $70^\circ$  W. .52 kts. dist. marked T. 26 N. R. 29 E, S., 10 B. T.

A Yellow Pine 15 ins diam. bears S.  $30^\circ$  E. .80 kts. dist. marked T. 26 N. R. 29 E, S., 14 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of pine.

Vegetation. grass.

Township 26 N. Range 29 E.

Gila and Salt River Meridian.

Chains East, on a random line between Sections 11 and 14.  
Variation  $14^{\circ} 30'$  East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.89 Intersect N. &amp; S. line, 28 lks. N. of cor. to secs.

11, 12, 13 &amp; 14 from which corner, I run

N.  $89^{\circ} 48' W.$  on a true line between sections 11 & 14Variation  $14^{\circ} 30'$  East

39.94 Set a sand stone  $10 \times 10 \times 4$  ins., 10 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face,  
dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.

from which

A Yellow Pine 40 ins diam. bears  $S. 22^{\circ} W.$  22 lks. dist.  
marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

79.89 The corner to sections 10, 11, 14 &amp; 15

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of pine &amp; oak.

Vegetation. grass.

Township

20 N.

Range

29 E.

Gila and Salt River Meridian.

Chains

North, between Sections 10 and 11.

Variation

14° 30'

East.

Over rolling land.

40.00

Set a Sand stone  $16 \times 10 \times 8$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside.

80.00

Set a Sand stone  $30 \times 14 \times 6$  ins. 22 ins. in the ground for Cor. to Secs. 2, 3, 10 & 11 marked with 5 notches on S. and 2 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.

from which

A Yellow Pine 40 ins diam. bears N  $45^{\circ}$  E. 120 kts. dist. marked T 20 N. R. 29 E. S., 2 B. T.

A Yellow Pine 20 ins diam. bears S  $48\frac{1}{2}^{\circ}$  W. 20 kts. dist. marked T 20 N. R. 29 E. S., 10 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of pine.

Vegetation. Grass.



Township 20 N Range 29 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 2 and 11.

Variation  $14^{\circ} 30'$  East.*Over rolling land.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.71 Intersect N. &amp; S. line, 18 lks. S. of cor. to secs.

1.2 11 &amp; 12 from which corner, I run

 $S. 89^{\circ} 52' W.$  on a true line between sections 2 & 11Variation  $14^{\circ} 30'$  East39.86- Set a sand stone  $14 \times 8 \times 8$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $5\frac{1}{2}$  ft. base alongside.

from which

A Yellow Pine 10 ins diam. bears  $S. 15^{\circ} W.$  14 lks. dist. marked  $\frac{1}{4}$  S. B. T.A Pine 8 ins, diam. bears  $S. 50^{\circ} E.$  80 lks. dist. marked  $\frac{1}{4}$  S. B. T.

79.71 The corner to sections 2, 3, 10 &amp; 11

*Land rolling.*Soil.  $2^{\text{nd}}$  rateTimber of *pine.*Vegetation. *grass,*

Township 20 N Range 29 E

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation 14° 30' East.*Ascend.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.80.22 Intersect N. B. of Tp. 40 lks. E. of cor. to secs.  
2, 3, 34 & 35 <sup>vicinity set - by mls</sup> from which corner, I run

S. 17' E. on a true line, between sections 2 &amp; 3

Variation 14° 30' East.40.22 Set a sand stone 12 x 8 x 6 ins., 8 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  on W. face,  
dug pits 18 x 18 x 12 ins., N. and S. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.

from which

A Yellow Pine 12 ins diam. bears N. 10° E. 24 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.A Pine 8 ins, diam. bears N. 30° W. 70 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.

80.22 The corner to sections 2, 3, 10 &amp; 11

Land rolling.

Soil 2<sup>nd</sup>Timber of yellow pine.Vegetation. grass.

I carefully examined the adjustments of my solar  
compass to-day, particularly the latitude and revers-  
ing apparatus, and found them correct.

W. O. Childs Compassman

April 11<sup>th</sup> 1883

Township 20 N. Range 29 E.

Gila and Salt River Meridian.

From the cor to sec 3, 4, 33 and 34 on the  
 South boundary of Township recently set by me  
 Chains Iron North, between Sections 33 and 34.

Variation 14° 30' East.

Over rolling land.

40.00 Set a post 3 ft. long, 3 ins. diam 24 ins. in the ground,  
 for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face; from which  
 A Yellow Pine 30 ins diam. bears N. 30° W. 100 lks. dist.  
 marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

20.00 Set a post 4 ft. long, 4 ins. square, with marked stone  
 12 ins. in the ground, for Cor. to Secs. 27, 28, 33 & 34  
 marked T. 26 N. S. 27, on N, E, R, 29 E., S. 34  
 on S, E, S, 33 on S, W, and S, 28 on N, W, face  
 with 1 notch on S, and 3 notches on E, edges,  
 dug pits 18 x 18 x 12 ins, in each Sec., 5  $\frac{1}{2}$  ft, dist.,  
 and raised a mound of earth 2 ft, high, 4  $\frac{1}{2}$  ft, base  
 around post.

from which

An Oak 15 ins. diam. bears N. 56° W. 30 lks. dist.  
 marked T. 26 N. R. 29 E. S., 28 B. T.

An Oak 16 ins. diam. bears S. 80  $\frac{1}{2}$ ° E. 74 lks. dist.  
 marked T. 26 N. R. 29 E. S., 34 B. T.

No other trees within limits.

Land. rolling.

Soil 2<sup>nd</sup> rate

Timber of Nut-pine &amp; oak.

Vegetation. grass.

Township 20 N. Range 29 E.

No. 475

Gila and Salt River Meridian.

Chains East, on a random line between Sections 27 and 34.  
Variation 14° 30' East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.42 Intersect N. & S. line, 11 lks. N. of cor. to secs.

26.27.34.36 from which corner, I run

N. 89° 55' W. on a true line between sections 27 & 34  
Variation 14° 30' East

40.21 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

A Yellow Pine  $3\frac{1}{2}$  ins diam. bears N. 30 $\frac{1}{4}$ ° E  $1.3\frac{1}{4}$  lks. dist.  
marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.42 The corner to sections 27. 28. 33 & 34

Land rolling.

Soil 2<sup>nd</sup> rate.

Timber of fine.

Vegetation. grass.

Township

26 N.

Range

29 E.

Gila and Salt River Meridian.

Chains

North, between Sections 27 and 28.

Variation

11° 30'

East.

*Over rolling land.*

110.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

*from which*

A Yellow Pine 24 ins diam. bears S.  $20\frac{1}{2}^{\circ}$  W. 257ks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.00

Set a sand stone 21 x 12 x 3 ins. 16 ins. in the ground for Cor. to Secs. 21. 22. 27. 28 marked with 2 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.

*from which*

A Yellow Pine 36 ins diam. bears S.  $60\frac{1}{2}^{\circ}$  W. 144ks. dist. marked T. 26 N. R. 29 E. S., 28 B. T.

A Pine 10 ins, diam. bears N.  $30^{\circ}$  E. 84ks. dist. marked T. 26 N. R. 29 E. S., 22 B. T.

*No other trees within limits.**Land rolling.*Soil 2<sup>nd</sup> rate

Timber of yellow pine &amp; oak.

Vegetation. grass.

Township 26 N. Range 29 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation 14° 30' East.

Ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.19 Intersect N. & S. line, 42 lks. S. of cor. to secs.

22, 23, 26 & 27 from which corner, I run

S. 89° 42' W. on a true line between sections 22 & 27

Variation 14° 30' East

40.09 Set a Sand stone  $14 \times 10 \times 8$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside. from which

A Yellow Pine 13 ins diam. bears N. 38 $\frac{1}{2}$ ° E. 1.75 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.19 The corner to sections 21, 22, 27 & 28

Land rolling.

Soil 2<sup>o</sup> 2<sup>o</sup> rare

Timber of Yerne.

Vegetation. grass.

Township

26 N.

Range

29 E.

Gila and Salt River Meridian.

Chains

North, between Sections 21 and 22.

Variation 14° 30' East.

Ascend gradually.

40.00

Set a Sand stone 18 x 12 x 8 ins., 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits 18 x 18 x 12 ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

from which

An Oak 12 ins. diam. bears N. 80° E. 10 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.00

Set a Sand stone 24 x 12 x 4 ins. 18 ins. in the ground for Cor. to Secs. 15, 16, 21 & 22 marked with 3 notches on S. and 3 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

from which

A Yellow Pine 30 ins diam. bears N. 33 $\frac{1}{4}$ ° W. 1.00 lks. dist. marked T. 26 N. R. 29 E. S., 16 B. T.

A Yellow Pine 30 ins diam. bears N. 5 $\frac{1}{2}$ ° E. .63 lks. dist. marked T. 26 N. R. 29 E. S., 15 B. T.

A Yellow Pine 40 ins diam. bears S. 21° W. .50 lks. dist. marked T. 26 N. R. 29 E. S., 21 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation grass.

Heavy timber of pine.

Township

20 N

Range

29 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation

14° 30'

East.

Over rolling land.

40.00

Set temporary  $\frac{1}{4}$  Sec. Cor.

79.92

Intersect N. & S. line, 10 lks. S. of cor. to secs.  
14, 15, 22 & 23 from which corner, I run

S. 89° 56' W. on a true line between sections 15 &amp; 22

Variation

14° 30'

East

39.90

Set a Sand stone 14 x 10 x 5 ins., 10 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face,  
dug pits 18 x 18 x 12 ins., E and W. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.

from which

A Yellow Pine 15 ins diam. bears S. 63° W. 1.22 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.A Pine 8 ins, diam. bears N. 38° E. .96 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.

79.92

The corner to sections 15, 16, 21 &amp; 22

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of yellow pine.

Vegetation.

grass.



Township 20 N.

Range 29 E

Gila and Salt River Meridian.

Chains North, between Sections 15 and 16.

Variation 14° 30' East.

Over rolling land.

40.00 Set a Sand stone 20 x 11 x 4 ins., 16 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside.

from which A Yellow Pine 24 ins diam. bears N. 53° E. 19 lks. dist. marked 1/4 S. B. T. No other trees within limits.

80.00 Set a Sand stone 24 x 10 x 4 ins. 18 ins. in the ground for Cor. to Secs. 9, 10, 15 & 16 marked with 4 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high, 4 1/2 ft. base. alongside.

from which A Yellow Pine 48 ins diam. bears N. 10° W. 42 lks. dist. marked T. 26 N. R. 29 E. S., 9 B. T.

A Yellow Pine 30 ins diam. bears N. 44 1/2° E. 66 lks. dist. marked T. 26 N. R. 29 E. S., 10 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of yellow pine.

Vegetation. Grass.

Township 20 N. Range 29 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 10 and 15.  
Variation  $14^{\circ} 30'$  East.

*Over rolling land.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.79.74 Intersect N. & S. line, 21 lks. N. of cor. to secs.  
10. 11. 14 & 15 from which corner, I runN.  $89^{\circ} 5'$  W. on a true line between sections 10 & 15  
Variation  $14^{\circ} 30'$  East39.87 Set a sand stone  $10 \times 10 \times 14$  ins., 10 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face,  
dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.from which  
An Oak 15 ins. diam. bears N.  $24^{\circ}$  E. 28 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.A Pine 10 ins. diam. bears N.  $50^{\circ}$  W. 96 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.79.74 The corner to sections 9. 10. 15 & 10  
Land. rolling.Soil 3<sup>rd</sup> rate

Timber of yewie &amp; oak.

Vegetation. grass.

Township

20 N

Range

29 0

Gila and Salt River Meridian.

Chains

North, between Sections 9 and 10.

Variation  $14^{\circ} 30'$  East.*Ascend.*

40.00

Set a post 3 ft. long. 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

from which

A Yellow Pine 25 ins diam. bears N.  $27^{\circ}$  E. 120ks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.00

Set a sand stone 24 x 12 x 4 ins. 18 ins. in the ground for Cor. to Secs. 9, 11, 9 & 10 marked with 5 notches on S. and 3 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

A Yellow Pine 20 ins diam. bears N.  $50^{\circ}$  E. <sup>from which</sup> 67 lks. dist. marked T. 26 N. R. 29 E. S., 3 B. T.

A Yellow Pine 30 ins diam. bears N.  $25^{\circ}$  W. 66 lks. dist. marked T. 26 N. R. 29 E. S., 4 B. T.

No other trees within limits.

Lana rolling.

Soil 2<sup>nd</sup> Pat.

Timber of yellow pine.

Vegetation. grass.

Township 20 N. Range 29 E.  
Gila and Salt River Meridian.

Chains East, on a random line between Sections 3 and 10.  
Variation 14° 30' East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.87 Intersect N. & S. line, 11 lks. N. of cor. to secs.  
2, 3, 10 & 11 from which corner, I run

N. 89° 55' W. on a true line between sections 3 & 10  
Variation 14° 30' East

39.93 Set a Sand stone 24 x 14 x 4 ins., 18 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face,  
dug pits 18 x 18 x 12 ins., E. and W. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base on each side. from which

A Yellow Pine 48 ins diam. bears S. 32° W. .60 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.

A Yellow Pine 12 ins diam. bears N. 10° E. .20 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.

79.87 The corner to sections 3, 4, 9 & 10  
Land rolling.

Soil 2<sup>nd</sup> rate

Timber of pine

Vegetation. grass.

Township

26 N.

Range

29 E.

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 3 and 4.

Variation  $14^{\circ} 30'$  East.

Ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.88 Intersect N.B. of Tp. 22 lks. E. of cor. to secs.  
 3, 4, 33 & 34 from which corner, I run  
 S. 9' E., on a true line, between sections 3 & 4  
 Variation  $14^{\circ} 30'$  East.

39.88 Set a post 3 ft. long. 3 ins. diam. with marked stone  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 W. face, dug pits, 18 x 18 x 12 ins., N and S. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post. from which  
 a Yellow Pine 20 ins diam. bears S.  $30^{\circ}$  W. 45 lks. dist.  
 marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

79.88 The corner to sections 3, 4, 9 &amp; 10

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of pine.

Vegetation. grass.

April 12<sup>th</sup> 1883.

W. O. Schless, Landman.

Township

20 N.

Range

29 E

Gila and Salt River Meridian.

Chains

From the cor to sec 4.5 - 52 433 on S. B. by 5 ft  
 recently set by me, I run  
 North, between Sections 32 and 33.

Variation 114° 30' East.

Over rolling land.

40.00 Set a Sand stone 28 x 8 x 6 ins., 21  
 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W  
 face, and raised a mound of stone alongside. Pits

impracticable. from which

A Yellow Pine 30 ins diam. bears S. 75° W. 113 lks. dist.  
 marked 1/4 S. B. T.

A Yellow Pine 24 ins diam. bears N. 25 1/2° E. 27 lks. dist.  
 marked 1/4 S. B. T.

80.00 Set a Sand stone 10 x 12 x 5 ins. 10 ins.  
 in the ground for Cor. to Secs. 28. 29. 32 & 33 marked  
 with 1 notch on S. and 4 notches on E. edges.  
 dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and  
 raised a mound of earth 2 ft. high, 4 1/2 ft. base. alongside.

A Yellow Pine 33 ins diam. bears S. 56 1/4° E. 339 lks. dist.  
 marked T. 26 N. R. 29 E. S., 33 B. T. from which

A Yellow Pine 40 ins diam. bears S. 9 1/4° W. 217 lks. dist.  
 marked T. 26 N. R. 29 E. S., 32 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of yellow pine.

Vegetation. grass

Township

20 N.

Range

29 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation  $14^{\circ} 30'$  East.*Ascend.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.64 Intersect N. &amp; S. line, 7 lks. N. of cor. to secs.

27, 28, 33 &amp; 34 from which corner, I run

N. 89.57 W. on a true line between sections 28 &amp; 33

Variation  $14^{\circ} 30'$  East

39.82 Set a post 3 ft. long, 3 ins. diam. with marked stone  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 N. face, dug pits, 18 x 18 x 12 ins., E and W of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post. from which  
 a Yellow Pine 24 ins diam. bears N. 00  $\frac{1}{2}$  W. 14 lks. dist.  
 marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

49.04 The corner to sections 28, 29, 32 &amp; 33

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of yellow pine.

Vegetation. Grass.

Township, 26 N Range 29 E

Gila and Salt River Meridian.

Chains

North, between Sections 28 and 29.

Variation

14° 30'

East.

Ascend.

40.00

Set a Sand stone 15 x 8 x 4 ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits 18 x 18 x 12 ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

from which

A Pine 14 ins, diam. bears N. 52° W. 93 lks. dist. marked  $\frac{1}{4}$  S. B. T.

A Pine 13 ins, diam. bears N. 49° E. 66 lks. dist. marked  $\frac{1}{4}$  S. B. T.

30.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 20, 21, 28 & 29 marked T, 26 N.S. 21, on N, E, R, 29 E, S. 28 on S, E, S, 29 on S, W, and S, 20 on N, W, face with 2 notches on S, and 4 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft, high,  $4\frac{1}{2}$  ft, base around post.

from which

A Yellow Pine 20 ins diam. bears N. 67° E. 40 lks. dist. marked T, 26 N.R. 29 E, S., 21 B. T.

No other trees within limits.

Land rolling.

Soil 3<sup>rd</sup> run

Timber of pine.

Vegetation. grass.



Township 26 N. Range 29 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 21 and 28.

Variation  $14^{\circ} 30'$  East.

Ascend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.01 Intersect N. &amp; S. line, 15 lks. N. of cor. to secs.

21, 22, 27 &amp; 28 from which corner, I run

 $N. 89^{\circ} 54' W.$  on a true line between sections 21 & 28.Variation  $14^{\circ} 30'$  East

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post. from which

A Pine 12 ins. diam. bears  $N. 20\frac{1}{2}^{\circ} E.$  50 lks. dist.  
 marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.01 The corner to sections 20, 21, 28 &amp; 29

Land rolling.

Soil 3<sup>rd</sup> rate

Timber of pine.

Vegetation. grass.

April 17<sup>th</sup> 1883

W. O. Childs, Comptroller.

Township 26 N. Range 29 E.

Gila and Salt River Meridian.

Chains

North, between Sections 20 and 21.

Variation 14° 30' East.

*Ascend. Gradually*

40.00 Set a Sand stone 20 x 12 x 3 ins., 15 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base alongside.

*from which*

A Yellow Pine 34 ins diam. bears S. 25° E. 21 lks. dist. marked  $\frac{1}{2}$  S. B. T. *No other trees within limits.*

80.00 Set a Sand stone 20 x 10 x 4 ins. 15 ins. in the ground for Cor. to Secs. 16. 17. 20 & 21 marked with 3 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$  ft. base alongside.

*from which*

A Yellow Pine 10 ins diam. bears N. 17 $\frac{1}{4}$ ° E. 40 lks. dist. marked T. 26 N. R. 29 E. S., 16 B. T.

A Yellow Pine 20 ins diam. bears S. 45 $\frac{1}{2}$ ° E. 87 lks. dist. marked T. 26 N. R. 29 E. S., 21 B. T.

A Yellow Pine 18 ins diam. bears S. 35° W. 27 lks. dist. marked T. 26 N. R. 29 E. S., 20 B. T.

*No other trees within limits.*

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of pine.

Vegetation. grass.

Township 20 N. Range 29 E.

Gila and Salt River Meridian.

- Chains East, on a random line between Sections 16 and 21.  
Variation  $14^{\circ} 30'$  East.
- Ascend.*
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 80.01 Intersect N. & S. line, 32 lks. N. of cor. to secs. 15, 16, 21, 22 from which corner, I run N.  $89^{\circ} 46' W.$  on a true line between sections 16 & 21  
Variation  $14^{\circ} 30'$  East
- 40.00 Set a Sand stone  $24 \times 14 \times 6$  ins., 18 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside. from which
- A Yellow Pine 24 ins diam. bears S.  $79^{\circ} E.$  63 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.
- 80.01 The corner to sections 16, 17, 20 & 21  
La... rolling.  
Soil 2<sup>nd</sup> rate  
Timber of pine.  
Vegetation. grass.

Township

20 N.

Range

19 E.

Gila and Salt River Meridian.

Chains

North, between Sections 16 and 17.

Variation

14° 30'

East.

Ascend. very gradually.

37.00

A Yellow Pine 30 ins diam.

42.00

Set a Sand stone 10 x 8 x 6 ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, and raised a mound of stone alongside. Pits impracticable. from which

A Yellow Pine 36 ins diam. bears N. 15° W. 47 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

30.00

Set a Sand stone 14 x 12 x 8 ins. 10 ins. in the ground for Cor. to Secs. 8. 9. 10 & 17 marked with 4 notches on S. and 4 notches on E. edges, & pits 18 x 18 x 12 ins. in each Sec., 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4  $\frac{1}{2}$  ft. base. alongside.

A Yellow Pine 48 ins diam. bears S. 10  $\frac{1}{2}$ ° W. 129 lks. dist. marked T. 26 N. R. 29 E. S., 17 B. T. from which

A Yellow Pine 12 ins diam. bears N. 20° E. 80 lks. dist. marked T. 26 N. R. 29 E. S., 9 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> - rare

Timber of pine.

Vegetation. grass.

Township

20 N

Range

29 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 9 and 16.

Variation  $14^{\circ} 30'$  East.*Over rolling land.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.79.90 Intersect N. & S. line, 13 lks. S. of cor. to secs.  
9, 10, 15 & 16 from which corner, I run $S. 89^{\circ} 54' W.$  on a true line between sections 9 & 16  
Variation  $14^{\circ} 30'$  East39.95 Set a sand stone  $16 \times 10 \times 4$  ins., 10 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face,  
dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.

from which

A Yellow Pine 48 ins diam. bears  $N. 10^{\circ} W.$  144 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.A Yellow Pine 13 ins diam. bears  $N. 38^{\circ} E.$  150 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.

79.90 The corner to sections 8, 9, 16 &amp; 17

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of yellow pine.

Vegetation. grass.

Township

20 N

Range

29 E

Gila and Salt River Meridian.

Chains

North, between Sections 8 and 9.

Variation  $14^{\circ} 30'$  East.

Over rolling land.

40.00 Set a Sand stone  $15 \times 12 \times 5$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits  $18 \times 18 \times 12$  ins., N and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

from which

A Yellow Pine 36 ins diam. bears  $N. 20^{\circ} E.$  20 lks. dist. marked  $\frac{1}{4}$  S. B. T.

A Yellow Pine 28 ins diam. bears  $N. 30^{\circ} W.$  96 lks. dist. marked  $\frac{1}{4}$  S. B. T.

80.00

Set a Sand stone  $18 \times 10 \times 4$  ins. 12 ins. in the ground for Cor. to Secs. 4, 5, 8 & 9 marked with 5 notches on S. and 4 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.

A Yellow Pine 15 ins diam. bears  $S. 15^{\circ} E.$  1.12 lks. dist. from which marked T. 26 N. R. 29 E. S. 9 B. T.

A Yellow Pine 12 ins diam. bears  $N. 22^{\circ} W.$  159 lks. dist. marked T. 26 N. R. 29 E. S. 5 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rate.

Timber of yellow pine.

Vegetation. grass.

Township

26

N

BOOK 525

Range

29

E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 4 and 9.

Variation  $14^{\circ} 30'$  East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.19 Intersect N. &amp; S. line, 22 lks. N. of cor. to secs.

S. H. 9 &amp; 10 from which corner, I run

N.  $89^{\circ} 51'$  W. on a true line between sections 4 & 9Variation  $14^{\circ} 30'$  East

Post

40.09 Set a 3 ft. long, 3 ins. diam. with marked stem 12 in.

in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N. face,dug pits 18 x 18 x 12 ins., E. and W. of ~~stone~~ <sup>Post</sup>  $\frac{1}{2}$ ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$ ft. base ~~around~~ <sup>around Post</sup> from whichA Yellow Pine 48 ins diam. bears  $S. 45^{\circ} E.$  14 lks. dist.marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.19 The corner to sections 4, 5, 8 &amp; 9

Land. rolling.

Soil  $2^{\circ}$  rate

Timber of pine.

Vegetation. grass.

Township 20 N Range 29 E

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 4 and 5.

Variation  $14^{\circ} 30'$  East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.80.30 Intersect N. B. of Tp. 13 lks. W. of cor. to secs.  
*recently set by me*  
H. 5. 32 & 33, from which corner, I runS.  $6'$  W. on a true line, between sections 4 & 5  
Variation  $14^{\circ} 30'$  East.40.30 Set a Sand stone  $24 \times 12 \times 3$  ins.,  $1\frac{1}{2}$  ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face,  
dug pits  $18 \times 18 \times 12$  ins., N. and S. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.from which  
A Yellow Pine  $35$  ins diam. bears  $N. 45^{\circ} E.$  .33 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.A Yellow Pine  $10$  ins diam. bears  $S. 22^{\circ} W.$  1.59 lks. dist.  
marked  $\frac{1}{4}$  S. B. T.

80.30 The corner to sections H. 5. 8 &amp; 9

Land rolling.

Soil  $2^{\text{nd}}$  rateTimber of *Yew*.Vegetation. *grass*.I carefully examined the adjustments of my solar  
compass to-day, particularly the latitude and revers-  
ing apparatus, and found them correct.W. O. Childs, Comptroller  
April 18<sup>th</sup> 1883.



Township

26 N.

Range

29 E

Gila and Salt River Meridian.

Chains

From the cor. trees S. 6. 31. 432 on on the  
South River Rk. results set against same.  
North, between Sections 31 and 32.

Variation  $14^{\circ} 30'$  East.

Ascend gradually.

40.00

Set a Sand stone  $24 \times 12 \times 8$  ins., 18 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W.

face, and raised a mound of stone alongside. Pits

impracticable.

from which

A Yellow Pine 22 ins diam. bears  $N. 22^{\circ} E.$  117 lks. dist. marked  $\frac{1}{4}$  S. B. T.A Pine 10 ins, diam. bears  $S. 30^{\circ} W.$  72 lks. dist. marked  $\frac{1}{4}$  S. B. T.

80.00

Set a Sand stone  $24 \times 14 \times 4$  ins. 18 ins. in the ground for Cor. to Secs. 29, 30, 31 & 32 marked with | notch on S. and 5 notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.A Yellow Pine 35 ins diam. bears  $N. 21\frac{1}{2}^{\circ} E.$  56 lks. dist. marked T. 26 N. R. 29 E. S., 29 B. T. from whichA Yellow Pine 20 ins diam. bears  $S. 20\frac{1}{4}^{\circ} W.$  147 lks. dist. marked T. 26 N. R. 29 E. S., 31 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of pine.

Vegetation. Grass.

Township

20 N.

Range

29 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation  $14^{\circ} 30'$  East.*Ascend.*40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

80.30 Intersect N. &amp; S. line, 148 lks. S. of cor. to secs.

28, 29, 32, 33 from which corner, I run

S.  $89^{\circ} 39'$  W. on a true line between sections 29 & 32Variation  $14^{\circ} 30'$  East.

40.16

Set a Sand stone  $24 \times 16 \times 2$  ins., 18 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N. face, and raised a mound of stone alongside. Pits impracticable.

from which

A Yellow Pine 20 ins diam. bears S.  $45\frac{1}{4}^{\circ}$  E., 6 lks. dist. marked  $\frac{1}{2}$  S. B. T. No other trees within limits.

80.30

The corner to sections 29, 30, 31 &amp; 32

Lana rolling.

Soil 2<sup>nd</sup> rate

Timber of pine.

Vegetation. Grass.

Township

26 N

Range

29 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 30 and 31.

Variation  $14^{\circ} 30'$  East.

Descend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.79.64 Intersect *W. B. of Tp. 10* *1/2* *W. of cor. to secs.*  
*resulted by me,*  
26.30.31 & 30 from which corner, I run $N. 89^{\circ} 63' E.$  on a true line, between sections 30 & 31Variation  $14^{\circ} 30'$  East.39.64 Set a post 3 ft. long. 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post. from whichA Pine 10 ins, diam. bears  $N. 20\frac{1}{2}^{\circ} W.$  140 kts. dist.  
marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

79.64 The corner to sections 29. 30. 31 &amp; 32

Land rolling.

Soil 3<sup>rd</sup> rate

Timber of pine.

Vegetation. grass.

Township

20 N

Range

29 E

Gila and Salt River Meridian.

Chains

North, between Sections 29 and 30.

Variation

14° 30'

East.

Over rolling land.

40.00 A Nut-Pine 2 ins. diam. which I marked  $\frac{1}{2}$  S. on W. face, for  $\frac{1}{2}$  sec. cor., dug pits, 18 x 18 x 12 ins.

N. and S. of tree,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth around tree. from which

A Pine 14 ins. diam. bears S.  $10\frac{1}{2}$ ° W.  $7\frac{1}{2}$  lks. dist. marked  $\frac{1}{2}$  S. B. T. No other trees within limits.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 19, 20, 29, & 30 marked T, 26 N. S., 20, on N, E, R, 29 E., S., 29 on S, E, S, 30 on S, W, and S, 19 on N, W, face with 2 notches on S, and 6 notches on E, edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post. from which

A Yellow Pine 33 ins diam. bears S.  $54$ ° E. 20 lks. dist. marked T, 26 N. R. 29 E., S., 29 B. T.

A Pine 10 ins. diam. bears N.  $60$ ° W. 7 lks. dist. marked T, 26 N. R. 29 E., S., 19 B. T.

No other trees within limits.

Land rolling.

Soil good rate

Timber of Pine.

Vegetation. grass.

Township

26 N

Range

29 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 20 and 29.

Variation

14° 30'

East.

*Ascend.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.44 Intersect N. &amp; S. line, 28 lks. S. of cor. to secs.

20, 21, 28 &amp; 29 from which corner, I run

S. 89° 48' W. on a true line between sections 20 &amp; 29

Variation

14° 30'

East

40.22 Set a Sand stone 22 x 12 x 6 ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base alongside.

from which

A Yellow Pine 22 ins diam. bears S. 60° W. 72 lks. dist. marked  $\frac{1}{4}$  S. B. T.

A Yellow Pine 24 ins diam. bears N. 1 $\frac{1}{2}$ ° E. 80 lks. dist. marked  $\frac{1}{4}$  S. B. T.

80.44 The corner to sections 19, 20, 29 &amp; 30

Lana rolling.

Soil 2<sup>nd</sup> rate

Timber of pine.

Vegetation. grass.

Township 20 N Range 29 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation  $14^{\circ} 30'$  East.

Descend.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.40 Intersect W. B. of Tp. 8 lks. S. of cor. to secs.  
*recently set by me*  
19, 24, 25 & 30 from which corner, I run

$S. 89^{\circ} 57' E.$  on a true line, between sections 19 & 30

Variation  $14^{\circ} 30'$  East.

39.40 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E and W. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.

high,  $3\frac{1}{2}$  ft. base around post.

from which

A Pine 10 ins. diam. bears  $N. 38^{\circ} E.$   $\frac{1}{2}$  lks. dist.

marked  $\frac{1}{4}$  S. B. T.

No other trees within limits.

79.40 The corner to sections 19, 20, 29 & 30

Land rolling.

Soil  $3^{rd}$  rate

Timber of *pine*.

Vegetation. *grass.*

April 16<sup>th</sup> 1883.

Township 20 N Range 29 E

Gila and Salt River Meridian.

Chains

North, between Sections 19 and 20.

Variation 14° 30' East.

Ascend gradually.

40.00

Set a Sand stone 10 x 8 x 4 ins., 10 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W. face, dug pits 18 x 18 x 12 ins., N and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base, alongside.

from which

A Yellow Pine 34 ins diam, bears N. 16° E. 176 lks. dist. marked  $\frac{1}{2}$  S. B. T. No other trees within limits.

80.00

Set a Sand stone 28 x 10 x 4 ins. 21 ins. in the ground for Cor. to Secs. 17, 18, 19, 20 marked with 3 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5½ ft. dist. and raised a mound of earth 2 ft. high, 4½ ft. base, alongside.

from which

A Pine 12 ins, diam. bears N. 62° E. 81 lks. dist. marked T. 26 N. R. 29 E. S., 17 B. T.

A Pine 13 ins, diam. bears N. ½° W. 27 lks. dist. marked T. 26 N. R. 29 E. S., 18 B. T.

No other trees within limits.

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of pine.

Vegetation. grass.

Township 20 N Range 29 E  
 Gila and Salt River Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation  $14^{\circ} 30'$  East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.87 Intersect N. & S. line, 14 lks. N. of cor. to secs.

16, 17, 20 & 21 from which corner, I run

N.  $89^{\circ} 54' W.$  on a true line between sections 17 & 20

Variation  $14^{\circ} 30'$  East

39.93

Set a sand stone  $28 \times 14 \times 5$  ins., 21 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E and W. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

from which

A Pine 14 ins. diam. bears N.  $10\frac{3}{4}^{\circ} E.$  90 lks. dist.

marked  $\frac{1}{4}$  S. B. T.

No other trees within limits.

79.87

The corner to sections 17, 18, 19 & 20

Land rolling.

Soil  $2^{\text{nd}}$  rate

Timber of pine.

Vegetation. grass.



Township 20 N.

Range 29 E

Gila and Salt River Meridian.

Chains West, on a random line between Sections 18 and 19.  
Variation 14° 30' East.

Descend gradually.

13.00 Head of Ravine, Course S. 40° W. and ascend

40.00 Set temporary 1/4 Sec. Cor.

79.17 Intersect W. B. of Tp. 43 lks. S. of cor. to secs.  
~~for recently set by me~~  
13. 18. 19 & 20 from which corner, I run

S. 89° 42' E. on a true line, between sections 18 & 19  
Variation 14° 30' East.

39.17 Set a post 3 ft. long. 3 ins. diam. with marked stone  
12 i. s. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft.  
high, 3 1/2 ft. base around post. from which

A Pine 14 ins, diam. bears N. 30 1/2° W. 24 lks. dist.  
marked 1/4 S. B. T. No other trees within limits.

79.17 The corner to sections 17. 18. 19 & 20

Land rolling.

Soil 3<sup>rd</sup> rate

Timber of Nut & yellow pine.

Vegetation. Grass.

Township

26 N.

Range

29 E.

Gila and Salt River Meridian.

Chains

North, between Sections 17 and 18.

Variation

14° 30'

East.

Ascend gradually.

4000 Set a Sand stone 16 x 12 x 8 ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits 18 x 18 x 12 ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base. alongside.

from which

A Yellow Pine 15 ins diam. bears S.  $15\frac{1}{2}^{\circ}$  E. 22 lks. dist. marked  $\frac{1}{4}$  S. B. T.

A Yellow Pine 14 ins diam. bears N.  $10^{\circ}$  W. 84 lks. dist. marked  $\frac{1}{4}$  S. B. T.

80.00

Set a Sand stone 20 x 12 x 4 ins. 15 ins. in the ground for Cor. to Secs. 7, 8, 17, 18 marked with 4 notches on S. and 5 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base. alongside.

from which

A Yellow Pine 30 ins diam. bears S.  $25^{\circ}$  W. 83 lks. dist. marked T. 26 N. R. 29 E. S., 18 B. T.

A Yellow Pine 40 ins diam. bears S.  $10^{\circ}$  E. 39 lks. dist. marked T. 26 N. R. 29 E. S., 17 B. T.

A Yellow Pine 35 ins diam. bears N.  $25^{\circ}$  E. 50 lks. dist. marked T. 26 N. R. 29 E. S., 9 B. T.

No other trees within limits.

Land rolling.

Soil 3<sup>rd</sup> rate Heavy timber of pine.

Vegetation Grass.

Township

26 N

BOOK 525

Range

29 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation  $14^{\circ} 30'$  East.*Ascend.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.20 Intersect N. &amp; S. line, 51 lks. N. of cor. to secs.

S. 9. 10 &amp; 17 from which corner, I run

N. 89° 38' W. on a true line between sections 8 &amp; 17

Variation  $14^{\circ} 30'$  East

40.12 Set a sand stone  $24 \times 9 \times 0$  ins., 18 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face,  
dug pits  $18 \times 18 \times 12$  ins., E, and W. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.

from which

A Yellow Pine 13 ins diam. bears N. 30° W., 86 lks. dist.  
marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.20 The corner to sections 7, 8, 17 &amp; 18

Land rolling.

Soil 2<sup>nd</sup> class

Timber of pine.

Vegetation. grass.

Township

20 N.

Range

29 E.

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 7 and 18.

Variation

14° 30'

East.

Descend gradually.

38.00 Head of Ravine, Course S. W. and ascend

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.38 Intersect W. B. of Tp. 7 Nks. S. of cor. to secs.

7, 12, 13 &amp; 18 from which corner, 1 run

S. 89° 57' E. on a true line, between sections 7 &amp; 18

Variation. 14° 30' East.

39.38 Set a Sand stone 16 x 12 x 6 ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits 18 x 18 x 12 ins., E. and W. of stone 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base alongside.

from which

A Yellow Pine 20 ins diam. bears N. 50° E. 130 Nks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

79.38 The corner to sections 7, 8, 17 &amp; 18

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of pine.

Vegetation. Grass.

Township

20 N

Range

29 E

Gila and Salt River Meridian.

Chains

North, between Sections 7 and 8.

Variation  $14^{\circ} 30'$  East.Descend. *very gradually.*

40.00

Set a *Sand* stone  $14 \times 12 \times 5$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits  $18 \times 18 \times 12$  ins., N and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

*from which*

A Pine  $14$  ins. diam. bears N.  $38^{\circ}$  E. 120 kts. dist. marked  $\frac{1}{4}$  S. B. T. *No other trees within limits.*

20.00

Set a post 4 ft. long. 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 5, 6, 7 & 8 marked T. 26 N. S. 5, on N, E, R. 29 E., S. 8 on S, E, S, 7 on S, W, and S, 6 on N, W, face with 5 notches on S, and 5 notches on E, edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

*from which*

A Yellow Pine 48 ins diam. bears S.  $15^{\circ}$  W. 72 kts. dist. marked T. 26 N. R. 29 E. S., 7 B. T.

A Yellow Pine 36 ins diam. bears N.  $22\frac{1}{2}^{\circ}$  W. 149 kts. dist. marked T. 26 N. R. 29 E. S., 6 B. T.

*No other trees within limits.*

Land rolling.

Soil 2<sup>nd</sup> rateTimber of *pine.*Vegetation. *grass.*

Township

26 N

Range

29 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 5 and 8.

Variation  $14^{\circ} 30'$  East.*Over rolling land.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.43 Intersect N. &amp; S. line, 33 lks. N. of cor. to secs.

4.5, 8 &amp; 9 from which corner, I run

N.  $89^{\circ} 40' W.$  on a true line between sections 5 & 8Variation  $14^{\circ} 30'$  East

40.21 Set a Sand stone  $15 \times 10 \times 3$  ins., 10 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

*from which*

A Yellow Pine 20 ins diam. bears  $S 20^{\circ} W.$  .52 lks. dist. marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

80.43 The corner to sections 5, 6, 7 &amp; 8

*Land rolling.*Soil 2<sup>nd</sup> rateTimber of *pine.*Vegetation. *grass.*

Township 20 N Range 29 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 6 and 7.

Variation  $14^{\circ} 30'$  East.

Over rolling land.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.80 Intersect W. B. of Tp. 10 Wks. N. of cor. to secs.  
<sup>recently set by me</sup>  
16.7 & 12 from which corner, I run

$N. 89^{\circ} 53' E.$  on a true line, between sections 6 & 7  
 Variation  $14^{\circ} 30'$  East.

39.80 Set a Sand stone, 20 x 12 x 6 ins., 10  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, and raised a mound of stone alongside. Pits  
 impracticable. from which

A Yellow Pine 48 ins diam. bears N. 35^{\circ} E. 7 blks. dist.  
 marked  $\frac{1}{4}$  S. B. T. No other trees within limits.

79.80 The corner to sections 5. 6. 7 & 8

Land rolling.

Soil 2<sup>nd</sup> rate

Timber of pine.

Vegetation. grass.

Township 26 N

Range 29 E

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 5 and 6.

Variation 14° 30' East.

Ascend.

40.00 Set temporary 1/2 Sec. Cor.

79.77 Intersect N. B. of Tp. 5 lks. W. of cor. to secs. 5, 6, 31 & 32 <sup>recently set by me</sup> from which corner, I run S. 2' W. on a true line, between sections 5 & 6.

Variation 14° 30' East.

89.77 Set a sand stone 14 x 8 x 4 ins., 10 ins. in the ground, for 1/2 Sec. Cor., marked 1/2 on W. face, dug pits 18 x 18 x 12 ins., N. and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside.

79.77 The corner to sections 5, 6, 7 & 8

Land mountainous

Soil 3<sup>rd</sup> rate

Timber of Yellow pine.

Vegetation. grass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

April 17<sup>th</sup> 1883.

W. O. Childs, Compassman.



## GENERAL DESCRIPTION.

This Township is of high rolling surface, gently sloping to the south west.

There is not any regular water courses or washes that could be mapped, as the surface has the appearance of rolling prairie.

The Timber in this Township is principally Yellow Pine and of good quality.

Soil is 2<sup>nd</sup> & 3<sup>rd</sup> rate.

The grazing is good.

For final notes  
see book No. 18.

BOOK 525

U. S. Surveyor General's Office,

Tucson, Arizona, Nov. 6, 1883

The foregoing Field Notes of the Survey of the

Subdivision Lines of Tp.  
26 North Range 29 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Frank Follman

Deputy Surveyor, under his contract of the 31<sup>st</sup>

day of July, 1882 having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

J. W. Robinson  
Surveyor General.