

"J."

Subdivision Lines

Fract T. 27N., R4E.

Lewis Wolfrey D.S.

BOOK 528

4-671

FIELD NOTES
GENERAL LAND OFFICE.

528

No. 528

528

No. 528

BOOK 528

1

Field Notes
of the survey of
Subdivisions
of
Tract T. 27, N. R. 4, E.
of the
Gila and Salt River Meridian
in the
Territory of Arizona
as surveyed by
Lewis Hefley,
U. S. Dep. Suris.
under his
Contract no. 72,
dated June 13, 1900.

Survey commenced Sept. 21, 1900.

Survey completed Sept. 23, 1900

2

BOOK 528

(4-674.)

Frac^d Township 27 North, R. 4, E.

6	20	5	16	4	12	3	8	2	4	1
24		22		18		14		10		6
7		8		9		10		11		12
18		17		16		15		14		13
19		20		21		22		23		24
30		29		28		27		26		25
31		32		33		34		35		36

For preliminary catho see
Book "B" T. 29 N., R. 4, E.

Subdivisions T. 27 N R 4 E ⁴

chains

Sept 21 7 A. M. b. m. t. I lay off
 $35^{\circ}44'$ N on lat. arc and
 $3^{\circ}47'$ N on decl. arc and
 determined the true
 Meridian with the solar
 at the cor. to sec 1, 2, 35 +
 36 Tps. 27 + 28 N R 4 E.
 Thence I run,
 $S 0^{\circ}1'$ E bet. sec. 1 + 2
 Level

Dense Cedar + piñon

10. 00

Desend gently.

40. 00

Set a limestone $15 \times 11 \times 8$
 ins. \times 10 ins. in ground
 for $\frac{1}{4}$ sec cor. bet. sec
 1 + 2 marked $\frac{1}{4}$ S on
 W. face. from which
 a piñon 7 in diam. brs.
 $S 73^{\circ}45'$ E 33 lbs. dish
 marked $\frac{1}{4}$ S 1. B. T.

Subdivisions T. 27 N R. 4 E.

chs.

a piñon 7 ins. in diam. brs. N $29^{\circ} 15'$ W 11 lks dist marked $\frac{1}{4}$ S 2 B.T.

Descend gently.

51.00

Enter dense cedar & piñon, fire swept standing & fallen with live cedar & piñon scattering.

Level

80.00

Set a limestone $36 \times 16 \times 10$ ins. 30 ins. in ground for cor to recs 1, 2, 11 & 12 marked with 5 grooves on S & 1 on E. edges; from which a cedar 9 ins in diam brs N. $17^{\circ} 45'$ E 213 lks dist marked T. 27 N R. 4 E S 1 B.T. A piñon 8 ins diam brs N $47^{\circ} 45'$ W 191 lks dist, marked

chs.

T 27 N R 4 E S 2 B. J.

A cedar 9 in diam. brs
S 15° 30' W. 214 lks dist marked

T. 27 N R 4 E S 11. 1 B. J.

A piñon 7 ins diam brs S 13° 45' E
321 lks dist, marked

T 27. N R 4 E. S 12 B. J.

soil rocky & worthless
Formation volcanic lime

character mountainous

89.83 chs. Heavy timber dense brush

89.83 chs. mountainous character

N 89° 58' E on a random
line bet secs 1 & 12

40.00

Set a temporary 1/4 sec cor.

80.00

Intersect E bdy at 5 lks
S of cor to secs 1, 6, 7 & 12

Thence I run

S. 89° 56' W on a true
line bet secs 1 & 12

Subdivisions

chs.	
30.00	Level + slightly rolling Dense cedar + piñon Dense cedar + piñon fire swept standing + fallen with some live, + descend gradual- ly
40.00	Set a sandstone 20x16 x3 - ins. 14 ins. in ground for 1/4 sec. cor bet secs 1 + 12 marked 1/4 S on N. face, from which a piñon 7 ins diam brs. N 3° W 103 lbs dist marked 1/4 S 1. B. T. no other trees in limits
43.00	Dense burnt cedar + piñon standing + fallen + scattering live trees.
56.00	Level - Rocky.

T 27 N R 4 E.

chs.
80.00 The corofsecs 1, 2, 11, & 12
Soil 4th rate.
Formation volcanic line
character, mountain-
ous 81.03 chs. Heavy
timber Dense brush
81.03 chs. mountainous
character.

S. 0° 1' E. bet secs 2 & 3
Descend gently.

Dense cedar & pinon.
10.00 Dense cedar & pinon fire
swept standing & fallen
and descend gradually -
Rolling ground.

40.00 Set a limestone 16x7x7
ins. 18 ins in ground
for 1/4 sec cor bet secs
2 & 3. marked 1/4 S. on W

Chs. face. Dug pits 18X18X12 ins
N & S of stone 3 ft dist
and raised mound of
earth 3 1/2 ft base 1 1/2 ft
high W of cor.

80.00 Set a sandstone 30X16X5
ins. 12 ins. in ground
for cor of sec. 2, 3, 10 & 11
marked with 5 grooves
on S & 2 on E edges:

from which,
a piñon 7 ins. diam brs S 18° 45'
E. 63 lbs dist marked
T 27 N. R 4 E S 11. T B J.

A piñon 6 ins. diam. brs
S 14° 15' W. 132 lbs dist.
marked

T. 27 N. R 4 E S. 10 T B J.

A piñon 9 ins. diam
brs N 30° 15' E. 272

T. 27 N R 4 E.

BOOK 528

10

lks dist. marked
T 27 N. R 4 E S 2 T 3. T.
No other trees of size
in limits soil & thrate
Formation Volcanic lime
Character mountainous
84.67 chs. heavy timber
dense brush.
84.67 chs. mountainous
character.

N 89° 58 E on a random
line bet secs. 2 + 11.

40.00 Set a temporary ~~cor~~ con.

80.00 Intersect N. & S. line
5 lks S. of cor to secs 1, 2, 11
& 12

Thence I run.

S 89° 56' W on true line
bet secs 2 + 11.

3 Subdivisions

- chs. Level - Rocky
Dense cedar & piñon
fire swept standing &
fallen with scattering
live trees.
- 20.00 open park.
- 40.00 Set a limestone 16×14
 $\times 10$ ins. 11 ins in ground
for $\frac{1}{4}$ sec cor. bit sec.
2 + 11 marked $\frac{1}{4}$ on S on
N face. Raised a mound
of stone 2 ft base $1\frac{1}{2}$ ft
high N. of cor. Pits
impracticable
Slightly rolling ground.
- 58.00 Dense cedar & piñon
fire swept fallen &
standing with scat-
tering live trees.

S. 27 N R 4 E.

chs.

80.00

The cor of secs 2, 3, 10 + 11
 Soil 4th rate.
 formation volcanic lime
 Character mountainous
 38.00 chs. open ground
 42.00 chs. heavy timber
 Dense brush.
 80.00 chs. mountainous
 character.

S. 0° 2' E. bet secs 3 + 4
 level - rocky

Dense cedar + piñon
 standing + fallen, with
 live + prickly Oak +
 other brush.

9.00 Dense fire swept cedar
 + piñon and
 descend gradually

11.00

Cross drawer. S. W by

- Chs. nearly level
 Dense cedar & piñon stand-
 ing & fallen with live
 pinyon oak & other brush
- 9.00 Dense fire swept
 cedar & piñon &
 descend gradually
- 15.00 Cross drawer
- 40.00 Set a limestone 16X
 10X5 in 12 ins in ground
 for $\frac{1}{4}$ sec cor bet secs
 3 & 4 marked $\frac{1}{4}$ S on
 W face. Dug pits.
 18X18X12 ins. N & S of
 stone 3 ft dist & raise
 a mound of earth
 3 $\frac{1}{2}$ ft base $\frac{1}{2}$ ft
 high W of cor.
- 60.00 Descend gently

T 27 NR 4 E.

BOOK 528

14

chs.
0.00 Set a limestone 18X13
X5 ins. 12 ins in ground
for cor. secs 3, 4, 9 & 10
marked with 5 grooves
on S & 3 on E edges.

Raised a mound of
stone 2 ft base 1 1/2 ft
high W of cor. Pits
impracticable.

Soil 4th rate.

Formation Volcanic lime

Character mountainous

80.00 chs Heavy Timber

Dense brush.

80.00 chs. mountainous
Character.

N 890 58 E on a random
line bet secs 3 & 10

chs.
40.00 Set a temporary $\frac{1}{4}$ sec.
cor.

80.00 Intersect N + S line 5
lks N of cor to secs 2,
3, 10 + 11.

Thence I run,

W on a true line bet
secs 3 + 10.

Level

Dense cedar and pinon
fire swept standing +
fallen + scattering live
trees.

40.00 Set a limestone $14 \times 10 \times 7$
ins. 10 ins. in ground
for $\frac{1}{4}$ sec. cor. bet
secs. 3 + 10 marked
 $\frac{1}{4}$ S on N face, + raised
a mound of stone
2 ft base $1\frac{1}{2}$ ft

T 27 N R 4 E.

chs.	high N. of cor.
	Pits impracticable.
	Ascend gradually
57.00	North end of low volcanic ridge. malapai formation & descend gradually
61.00	ascend gradually - rocky
68.00	Level - rocky
74.00	Descend gradually - rocky.
80.00	The cor to secs. 3, 4, 9 & 10
	Soil 4th rate
	Formation Volcanic lime
	Character Mountainous
80.00 chs.	Heavy timber
	Dense brush.
80.00 chs.	mountainous
	character

S 0° 3' E. bet secs 4 & 5
Open Park - nearly level

40.00 Set a cedar post 3 ft long 3 ins. sq 24 ins in ground for $\frac{1}{4}$ sec. cor bet secs 4 & 5 marked $\frac{1}{4}$ S 5 $\frac{1}{4}$ ON W + S 4 ON E faces. Dug pits 18 x 18 x 12 ins. N. & S of Post 3 ft dist & raised mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high W of cor nearly level.

80.00 Set a limestone 16 x 10 x 6 ins. 8 ins in ground for cor sec 4, 5, 8 & 9 marked with 5 notches on S + 4 on E edges. Raised a md. of stone 2 ft base $1\frac{1}{2}$ ft high. W of cor. Pits impracticable.

chs. Soil 3rd rate.
 Formation Volcanic line
 character mountainous
 80.00 chs open ground
 80.00 chs. mountain-
 ous character.

N. $89^{\circ} 58' E$ on a ran-
 dom line bet secs 4 & 9.

40.00 Set a temporary $\frac{1}{4}$ sec cor

80.00 Intersect N. & S line 5 lks

N of cor to secs 3, 4, 9 & 10

Thence I run

N. on a true line bet
 secs 4 & 9.

level.

Dense cedar & piñon
 fire swept standing
 & fallen prickly oak
 & other live brush. rocky

40.00 Set a limestone 17x
 12 x 4 ins 12 ins in
 ground for 1/4 sec cor
 bet secs 4 + 9 marked
 1/4 S on N face. Raised
 a mud of stone 2 ft
 base 1 1/2 ft high
 N of cor. Pits im-
 practicable. +

Descend gently rocky

48.10 Cross Automobile
 road from Flagstaff
 to Grand Cañon bis
 N + S.

55.00 Open park - Rocky

80.00 The cor to secs 4, 5, 8
 + 9! Soil 4th rate

Formation Volcanic line
 Character Mountain-
 ous.

T. 27N R4E.

BOOK 528

28

25.00 chs Open Park
55.00 chs. Dense Brush
heavy timber.
80.00 chs. Mountainous
character.

S. 0° 3' E bet sec. 5 & 6
Level.

Dense cedar & piñon.

40.00

Set a limestone 20 x
10 x 4 ins 14 ins in
ground for $\frac{1}{4}$ sec cor.
bet secs 5 & 6 marked
 $\frac{1}{4}$ S on W face, from which
a Piñon 8 ins diam
trs S 40° 50' E 23 lks
dist marked $\frac{1}{4}$ S 5 B. T.
a piñon 8 ins diam.
trs N. 17° 15' W. 62 lks
dist marked $\frac{1}{4}$ S 6 B. T.

cls.

- level + slightly rolling
- 67.00 Descend gently.
- 73.20 Cross drawer Wly +
Ascend gently.
- 80.00 Set a limestone 15x
10x8 ins, 10 ins. in ground
for cor bet secs 5, 6, 7 + 8
marked with 5 grooves on
S + E edges from which
a piñon 7 ins diam bet
N 12° 15' W 32 lks dist
marked T 27 N R 4 E S 6 B. J.
- a Piñon 12 ins in diam
bet S. 22° W. 6 lks dist
marked T. 27 N R 4 E S 7
B. J.
- a Piñon 5 ins diam
bet N 49° E 10 lks dist
marked T 27 N R 4 E S
5 B. J.

chs.

a piñon 7 ins diam
 brs S 64° 30' E 58 lks
 dist marked,
 T. 27 N R 4 E S 8. B. Y.
 Soil 4th rate.

Formation Volcanic lime
 Character mountainous
 81.91 chs. Heavy Timber
 Dense brush. 81.91 chs
 mountainous character.

N 89° 58' E on a random
 line bet secs 6 & 8.

+0.00 Set a temporary 1/4 sec cor

80.20 Intersect N & S line
 14 lks N of cor to secs

~~5, 6, 7, 8, 9~~ 4, 5, 8, & 9

Thence I run

S 89° 56' W on a true
 line bet secs 5 & 8

Subdivisions

- chs. Level - Open ground
- 14.20 Dense cedar + piñon
Rolling ground
- 28.00 Ascend rapidly along
Nly rocky slope - Volcanic
formation Malpais
rock
- 37.00 Top of ridge bet N + S
and Descend rapidly
- 40.10 Set a sandstone 16x10x8
ins 8 ins in ground
for $\frac{1}{4}$ sec cor. bet
secs. 5 + 8 marked
 $\frac{1}{4}$ S on north face;
from which
a Piñon 5 ins. diam
bet. N 63° W 26 lbs
dist marked $\frac{1}{4}$ S 5 B.S.
a Piñon 8 ins. diam
bet. S 74° 15' W. 30 lbs

T. 27 N R 4 E.

- chs. dist marked 44 & 8 B. J
- Descend rapidly
- 43.00 Leave Volcanic rock
and descend gradually
- 55.00 Level - slightly rolling
- 60.00 Along rocky N¹/₂ line break
- 63.00 Descend gradually
- Rolling ground
- 80.20 The cor to secs 5, 6, 7 + 8
Soil 4th rate.
- Formation Volcanic line
Character mountainous
- 14.20 chs open ground
- 66.56 chs heavy timber dense
bush
- 80.76 chs mountainous character
- ~~80.80~~
- S. 89° 5-8' W on a random
line bet secs 6 + 7.

40.00	Set a temporary $\frac{1}{4}$ sec cor.
76.90	Intersect W bdy 3 lbs N of cor to secs 1, 6, 7 + 12. Thence I run N $89^{\circ} 57' E$ on a true line bet secs 6 + 7 Descend gently. Dense cedar + piñon
20.00	Descend abruptly.
21.00	Open drawer $8\frac{1}{2}$ and Ascend gradually
32.00	Level - rocky enter dense cedar + piñon
36.90	Set a limestone 16 x 14 x 7 ins 8 ins in ground for $\frac{1}{4}$ sec cor bet secs 6 + 7 marked $\frac{1}{4}$ S on N face; from which a piñon 5 ins in diam brs N 42°

J27 N R 4 E.

BOOK 528

26

15' E 41 lks dist marked
1/4 S 6 B.T.

A piñon 9 ins diam.
brs S 31° 45' W 52 lks
dist marked 1/4 S 7 B.T.

47.00

Descend gently

69.00

Cross open draw wes-
terly and,

Ascend gently - Enter
cedar and piñon.

76.90

The cor to secs 5, 6, 7 & 8
Soil 4th rate.

Formation, Volcanic Lime
character, mountainous

16.00 chs open ground

61.83 chs heavy timber
Dense Brush.

77.83 chs mountainous
character.

Sept 22.

General Description

The grass is poor except in pines and openings.

The elevation is about 7000 ft.

The formation is volcanic lime which was flooded and when cool broken into rough and jagged rocks.

The soil is volcanic ash and decayed vegetation, thin except in washes.

Excepting in small portions the whole

T. 27 N R 4 E.

BOOK 528

28

is covered with heavy timber and dense brush.

I describe some of this Township as open ground, and open park, meaning that it is free from timber but mountainous character.

There is no water
Little or no signs
of mineral.

The mag. decl. as determined
by solar observations corrected as per
table p. 100 of manual is $7.13^{\circ} 10' E$.

J. W. Halley
U.S. Geol. Surveyor

BOOK 528

For final caths see
Book "J." T. 277, R. 4, E.

List of Names.

BOOK 29
528

A List of the Names of the Individuals
employed by Lewis Wolfley
U. S. Deputy Surveyor, to assist in running, meas-
uring and marking the lines and corners described
in the foregoing Field Notes of the survey of the
Extensions and Subdivisions of Fractional
Tps. 27 N. Rs. 4-5 & 6 E. - Tps. 28 N. Rs. 4-
5 & Fractional 6 E. - Tps. 29 N. Rs. 4-
& Fractional 5 & 6 E. Contract
No 72 to Lewis Wolfley

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, showing the respective
capacities in which they acted.

Ed Helm Chainman.
R. F. Walker Chainman.
O. E. Sowers Master & Monodman
Chainman.
J. M. Bower Apex Monodman
Chainman.
D. E. Douglas Axeman.
John Mark Axeman.
J. L. Carter Plasmann.

Final Oath of Assistants.

We hereby certify that we assisted Swiss
Wolfe U. S. Deputy Surveyor, in
 surveying all those parts or portions of the Ex-
tensions and Sub-divisions of Fractional
Ips 27 N. Rs 4-5 + 6 E. - Ips 28 N.
Rs 4-5 + Fractional 6 E. - Ips 29
N. Rs 4 + Fractional 5 + 6 E.

of the Gila and Salt River Base and Meridian, in
 the Territory of Arizona, as are represented in the
 foregoing field notes as having been surveyed by him
 and under his direction; and that said Survey has
 been in all respects, to the best of our knowledge
 and belief, well and faithfully surveyed, and the
 corner monuments established according to the
 instructions furnished by the United States Surveyor
 General for Arizona.

Ed Helms Chainman.

Chainman.

O. E. Sawyer Muler Monument Chainman.

Wm. Dewson Axe + Monument Chainman.

John Marks Axeman.

Axeman.

J. L. Barber Flagman.

Flagman.

Sworn to and subscribed before me, this 1st

day of November, 1890

J. B. Woodward
 Notary Public.

[SEAL.]

My Commission expires
Dec 5th 1902.

List of Names.

BOOK 528

31

A List of the Names of the Individuals
employed by Lewis Wolfley

U. S. Deputy Surveyor, to assist in running, meas-
uring and marking the lines and corners described

in the foregoing Field Notes of the survey of the

^{Extens. and subdivisions}
Extens. of Fractional Tr. 282.

Rs 4-5 & 6 E. Tr. 282. Rs 4-

5 & Fractional 6 E. Tr. 292.

Rs 4 & Fractional 5 & 6 E -

Contract No. 72 to Lewis

Wolfley

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, showing the respective
capacities in which they acted.

Ed. Nelson Chainman.

B. F. Walker Chainman.

O. E. Sowers ^{Marker & Monumentman}
Chainman.

J. M. Bowers ^{Axe & Monumentman}
Chainman.

D. C. Douglas Axeman.

John Marks Axeman.

J. L. Carter Flagman.

Final Oath of Assistants.

We hereby certify that we assisted Lewis
Woelfel U. S. Deputy Surveyor, in
 surveying all those parts or portions of the Ex-
tensions and Subdivision of Fractional
Tps 27 N. R. 4 - 5 & 6 E. Tps 28 N.
R. 4 - 5 & Fractional 6 E. Tps
29 N. R. 4 & Fractional 5 & 6 E.

of the Gila and Salt River Base and Meridian, in
 the Territory of Arizona, as are represented in the
 foregoing field notes as having been surveyed by him
 and under his direction; and that said Survey has
 been in all respects, to the best of our knowledge
 and belief, well and faithfully surveyed, and the
 corner monuments established according to the
 instructions furnished by the United States Surveyor
 General for Arizona.

.....
Ed. Helms Chainman.
 Chainman.
 Walter M. Moundman
 Chainman.
 Moundman
 Chainman.
 Axeman.
 D. C. Douglas Axeman.
 J. L. Gardner Flagman.

Sworn to and subscribed before me, this 20th
 day of October, 1890

.....
Lewis Woelfel
 Notary Public.
 U.S. Deputy Surveyor

[SEAL.]

List of Names.

BOOK 528 33

A List of the Names of the Individuals
 employed by Lewis Wolfley
 U. S. Deputy Surveyor, to assist in running, meas-
 uring and marking the lines and corners described
 in the foregoing Field Notes of the survey of the
 Exterior and Sub-divisions of
 Fractional Tps. 27 N., Rs. 45 + 6 E.
 Tps. 28 N., Rs. 4 + 5 + Fractional 6 E.
 Tps. 29 N., Rs. 4 + Fractional 5 + 6 E.
 Contract No. 72 to Lewis
 Wolfley

of the Gila and Salt River Base and Meridian, in
 the Territory of Arizona, showing the respective
 capacities in which they acted.

Ed Helm Chainman.

B. F. Walker Chainman.

O. E. Dowers ^{maker & Meridian} Chainman.

J. M. Dowers ^{or &} Meridian Chainman.

D. C. Douglas Axeman.

John Marks Axeman.

J. L. Carter Flagman.

34

BOOK 528

Final Oath of Assistants.

We hereby certify that we assisted Lewis
Wolfe U. S. Deputy Surveyor, in
 surveying all those parts or portions of the Ex-
tensions and Subdivisions of Fractional
Tps. 27 N. Rs. 4-5 & 6 E. Tps. 28 N.
Rs. 4-5 & Fractional 6 E. Tps.
29 N. Rs. 4 & Fractional 5 & 6 E.

of the Gila and Salt River Base and Meridian, in
 the Territory of Arizona, as are represented in the
 foregoing field notes as having been surveyed by him
 and under his direction; and that said Survey has
 been in all respects, to the best of our knowledge
 and belief, well and faithfully surveyed, and the
 corner monuments established according to the
 instructions furnished by the United States Surveyor
 General for Arizona.

X B. F. Walker Chainman.

..... Chainman.

..... Chainman.

..... Chainman.

..... Axeman.

..... Axeman.

..... Flagman.

Sworn to and subscribed before me, this 24
 day of November, 189

Gilbert D. Gray

Notary Public.

[SEAL.]

Final Oath of U. S. Deputy Surveyor.

I,

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract received from Royal A. Johnson, United States Surveyor-General for Arizona, bearing date of the day of

..... 189..... I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the.....

.....

.....

.....

.....

.....

.....

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Manual of printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific

3
manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

.....
U. S. Deputy Surveyor.

Sworn to and subscribed before me this.....

day of....., 189.....
.....

Final Oath of U. S. Deputy Surveyor.

I,

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract received from Royal A. Johnson, United States Surveyor-General for Arizona, bearing date of the.....day of

.....189...., I have well, faithfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Manual of Surveying Instructions, and the laws of the United States, surveyed all those parts or portions of the.....

.....

.....

.....

.....

.....

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Manual of printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific

3
manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

.....
U. S. Deputy Surveyor.

Sworn to and subscribed before me this
day of, 189.....
.....

Final Oath of U. S. Deputy Surveyor. 35

I, Levi Walley

U. S. Deputy Surveyor, do solemnly swear that in

pursuance of a contract received from GeorgeChrist Johnson, United States Surveyor-General for Ari-zona, bearing date of the 13th day ofJune 1890 I have well, faith-

fully, and truly, in my own proper person, and in

strict conformity with the instructions furnished by

the United States Surveyor-General for Arizona,

the Manual of Surveying Instructions, and the

laws of the United States, surveyed all those parts

or portions of the Exteriors and Subdivisionsof Fractional Tps 27 N. Rs 4-5 & 6 E.Tps 28 N. Rs 4-5 & Fractional 6 E.Tps 29 N. Rs 4 & Fractional 5 &6 E.

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Manual of printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific

36 manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

Lewis Moepler
U. S. Deputy Surveyor

BOOK 528

Sworn to and subscribed before me this ^{1st}...

day of November, 189 ~~189~~ 1900

J. B. Woodward
Notary Public

My Commission expires Dec 5
1902

Sworn to and subscribed before me this 20 day December 1900.

George Christ
U.S. Surveyor General
for Arizona

No. 528

BOOK 528

37

A P P R O V A L.

OFFICE OF THE UNITED STATES SURVEYOR GENERAL

Tucson, Arizona.

March 1st 1901.

The foregoing field notes of the survey of Tract # 272. P + E
Area of Salt River Meridian
executed by Lewis Wolfley D.S.
under his contract No. 12, dated June 1st
_____, 1900, having been critically
examined, and the necessary corrections
and explanations made, the said field
notes, and the surveys they describe,
are hereby approved.

George Christ

U.S. Surveyor General for Arizona