

1000
Completed 20th 1896.
Copied
Platted

Sent to Genl G.L.O. Feb 6th 1892
Approved March 18 1892

No. 535 BOOK 535

535


4-671

FIELD NOTES

GENERAL LAND OFFICE
of the Survey
of the

Subdivision lines of
Township 27 N. Range 17 E.
Surveyed by John C. Smith
U.S. Deputy Surveyor.
Under his Contract No 16
Dated Nov-1st 1890.
Survey commenced May 12th 1891.
" Completed May 23rd 1891.

Township 27N R. 17E



No. 535

303

BOOK 535

CHAINS.

Subdivisions T. 27 N

R. 17 E

S. 89° 50' N. on a random
line through north 1/2
Sec. 6.

7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.65 Infront Post. Boundary
of township 15 miles south
of 1/16 sec. cor. there
a run N. 89° 56' E. on
a true line through
north 1/2 sec. 6.

7a. 13° E.

Over gently rolling surface.

4.75
13.50 Wash. 3 lks. wide course, south
Trail bears N. E. and S. W.

194

CHAINS. Subdivisions T. 27 N R. 17 E

18.85

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N... face,

31.85

Wash ³⁰ lks. wide course, S.E.

38.00

Edin field team N and S

38.65

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N... face,

42.75

Span field team N & S

57.70

Trail bears N. E. and S. W.

58.20

Wash ³⁰ lks. wide course, S.E.

58.65

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N... face,

75.50

Trail bears N. E. and S. W.

78.65

The 1/16 Sec. Cor. N & S

BOOK 535

3087

CHAINS. Subdivisions T. 23. N R. 17. E.

Surface gently rolling.

Soil ~~2nd~~ rate.

Good grass.

May. 23rd 1891

Subdivisions T. 27 N. R. 17 E.

General Description

This township contains nearly all gently rolling land, and for the most part is covered with a ~~good~~ growth of sand grass, which seeds twice a year, and is equal to oats.

The soil averages 2nd. rate and is very sandy -

There are no valleys in this township, but some rickings which are occupied during harvest time -

No permanent water is found, but there

No. 535

BOOK 535₃₀₇

Subdivisions T. 27 N. R. 17 E.

is considerably fault water
in the fig washes
after rains.

There are scattering
cottonwood trees in the
northern part

John C. Smith
U.S. D. Surveyor.

Original notes are Book 47

U. S. Surveyor-General's Office,

TUCSON, A. T.,

Feb. 6 1882

The foregoing Field Notes of the Surveys of
 Subdivisions of T. 27. N. R
 17 East of the

Gila and Salt River Meridian
 in the Territory of Arizona executed by
 John B. Smith

U. S. Deputy Surveyor, under his contract dated
 November 1st 1890

having been critically examined, the necessary correc-
 tions and explanations made, the said Field Notes and
 the surveys they describe are hereby approved.

Rayce Johnson

U. S. Surveyor-General
 for the Territory of Arizona.