

Recd. Sept 24th 1891
Copies
Platted

241

Sent to Genl. H. L. O. Feb. 6th 1892

Approved March 1892

No. 539

BOOK 539

539

4-671

FIELD NOTES

GENERAL LAND OFFICE
of the Survey

of the
Subdivision lines of
Township 27 N. Range 17 E.
Surveyed by John C. Smith
U.S. Deputy Surveyor
Under his contract No 16.
Dated Nov 1st 1890.
Survey commenced May 12 1891
" Completed May 23rd 1891

Township 27N R. 17E

6	2905	4	3	2	1	
288	287					
7	2748	9	10	11	12	
272	271					
18	25917	16	15	14	13	
257	256					
19	244	20	21	22	23	24
243						
30	29	28	27	26	25	
31	32	33	34	35	36	

CHAINS. Subdivisions T. 27 N R. 17 E.

Third I run N. 89° 44' E. on
a true line bet. Dec. 19^{and} 30
To 13° E.

over small sand hills

8.80

Trail bears N. E. and S. W.

19.00

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

39.00

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{4}$ S, on N. face,

59.00

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

79.00

The cor. to SW. 19. 22 29 and 30

CHAINS. Subdivisions T. 27 N. R. 17 E.

Surface rolling sand hills

Drif. 3rd row

Grid grab. May. 20th 1891

No. 3' N. lat. SW.

19 and 20.

Pa. 13° E.

over small sand hills

20.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on W. face,

Found I run N. 89° 50' E.

on a random line

through south $\frac{1}{2}$ sec. 20.

Pa. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

HAINS Subdivisions T. 27 N. R. 17 E.

80.20 Subtract N. and S. line 15 links
south of $\frac{1}{16}$ sec. cor.
then I run S. $89^{\circ}44'N$.
on a true line through
south $\frac{1}{2}$ sec. EA.

To. $13^{\circ} E$.

over small sand hills

20.05 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

34.25 Trail from N. $10^{\circ} E$ and S. $10^{\circ} W$.

40.10 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

53.00 Trail from N. W. and S. E.

60.15 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

CHAINS. Subdivisions T. 27 N. R. 17 E.

8020 1/4 sec. cor.

Surface small sand hills
 Soil 3rd. rate
 Good Grass

Thence I run S. 89° 50' W. on
 a random line through
 south 1/2 sec. 19.

7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.10 Instruct West. Boundary. of
 Township 18 miles north
 of 1/16 sec. cor. Thence
 I run N. 89° 42' E. on
 a true line through south
 1/2 sec. 19.

7a. 13° E.

CHAINS

Subdivisions T. 27 N. R. 17 E.

over small sand hills.

18.00 Trail bears N. E. and S. W.

19.10 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

39.10 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

59.10 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

79.10 5th $\frac{1}{16}$ sec. cor.

Surface rolling sand hills

Soil 3rd. rate.

Good Grass

CHAINS. Subdivisions T. 27 N. R. 17 E.

Thence I continue $n. 0^{\circ} 31' 44''$
 bet. Sec. 19 and 20.

40.00

Deposited a marked stone 12 ins. in the ground,
 for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. N. and
 S. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{1}{4}$ S, on W. face,

Thence I run $n. 89^{\circ} 50' E.$
 on a random line
 through middle section 20.
 $74. 13^{\circ} E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.32 Intersect $n.$ and $s.$ line ¹⁰/₁ South
 of $\frac{1}{4}$ sec. cor. Thence I run
 $s. 89^{\circ} 46' N.$ on a true line
 through middle sec. 20.
 $74. 13^{\circ} E.$

Over gently rolling surface.

Subdivisions T. 27 N. R. 17 E.

20.08 Deposited a marked stone 12 ins. in the ground for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

26.25 Trail bears N. E. and S. W.

40.16 Set a sandstone $9 \times 8 \times 7$ ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

624
6024 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

80.32 The $\frac{1}{4}$ sec. cor.

Surface gently rolling.

Soil $2\frac{1}{2}$ rate,

Good grass.

CHAINS. Subdivisions T. 27 N. R. 17 E.

Thence I run S. 89° 50' W.
on a random line
through middle Oct. 19
79. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.95 Intersect West Boundary of Township 10 miles north of 1/4 sec. cor. Thence I run S. 89° 46' E. on a tree line through middle Oct. 19.
79. 13° E.

Over gently rolling surface.

1895

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S. on N. face.

24.80

Trail bears N. E. and S. W.

CHAINS. Subdivisions T 27 N - R 17 E.

38.95

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on N. face,

58.95

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

78.95

The $\frac{1}{4}$ oil. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Thomas J. Crutcher N. O. 3. H.

Feb. Dec. 19 and 20.

60.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on W. face,

CHAINS.

Subdivisions T. 27 N

R. 17 E.

Thence I run $n. 89^{\circ} 40' E.$ on
a random line through
north $\frac{1}{2}$ sec. 20.
 $74.10^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.40 Set back $n.$ and $s.$ line 21
links south of $\frac{1}{16}$ sec. cor.,
thence I run $S. 89^{\circ} 41' N.$
on a true line through
north $\frac{1}{2}$ sec. 20.
 $74.10^{\circ} E.$

Over gently rolling surface.

20.10

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. $E.$ and
 $W.$ of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In $E.$ pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on $N.$ face,

22.00

Trail bears $N. E.$ and $S. W.$

CHAINS Subdivisions T. 27 N. R. 17 E.

40.20

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{6}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{6}$ S, on N. face,

60.30

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{6}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{6}$ S, on N. face,

80.40

See 1/6 sec. cor.

Surface gently rolling.

Soil 1st rate.

Good grass.

*Then I run 2,890.50' N,
on a random line through
north 1/2 sec. 19,
74.13° E*

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

CHA.NS. Subdivisions T 27 N R 17 E

79.08 Subtract West Boundary of
township 16. Line north
of $\frac{1}{16}$ sec. cor. thru S
from N. $89^{\circ} 43'$ E on a
true line through North $\frac{1}{2}$
Sec. 19.
79. 10° E

Over gently rolling surface.

14.08

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 8X18X12 ins. E...and
W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N... face,

33.13

Trail bears N. E. and S. W.

39.08

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E...and
W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N... face,

59.08

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E...and
W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N... face,

HANS

Subdivisions T 27 N R 17 E

79.08

The 1/16 sec cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Thru S corner 77.00 3' H.

Set. sec 19 and 20

80.00

Set a sandstone 13 X 8 X 5 ins. 8 ins. in the ground for Cor. to Secs. 17, 18 and 20 marked with 3 notches on S. and 5 notches on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil 2nd rate.

Good grass.

CHAINS.

Subdivisions T. 27 N R. 17 E.

77.890 50' E. on a random line

Feb. Secs. 17 and 20

74.13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.20

Intersect N. and S. line ^{1.4} lks. ^{south} of Cor. to
 Secs. ^{16, 17, 20 and 21} Thence I run ^{77.89.44' N.}
 on a true line bet. Secs. ¹⁷ and ²⁰

74.13° E.

over Surface gently rolling.

14.50

Trail bears N. E. and S. W.

20.05

Deposited a marked stone 12 ins. in the ground,
 for ¹¹⁶ Sec. Cor., dug pits 18X18X12 ins. ... E. ... and
 ... W. ... of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked ¹¹⁶ S, on ... N. ... face,

40.10

Deposited a marked stone 12 ins. in the ground,
 for ¹¹⁴ Sec. Cor., dug pits 18X18X12 ins. ... E. ... and
 ... W. ... of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked ¹¹⁴ S, on ... N. ... face,

Subdivisions T. 27 N. R. 17 E.

0.15 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and N. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

50.20 Section nos. 17, 18, 19 and 20

Surface gently rolling.

Soil 2nd rate.

Good grass.

There I run S 89° 00' N. on a random line bet. nos. 18 and 19.

74.13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.00 Inhabit not boundary of township, 11 links north of cor. to nos. 13, 18, 19 and 24.

CHAINS. Subdivisions T. 27 N. R. 17 E.

Chain I run $77.89^{\circ} 45' E$,
 on a true line between
 Secs. 18 and 19.
 $72.10^{\circ} E$

Over gently rolling surface.

16.90 Trail bears north and south

19.00 Set a sandstone $16 \times 8 \times 4$ ins. 11 ins.
 in the ground, for $1/6$ Sec. Cor., marked $1/6$ on N.
 face, dug pits $18 \times 18 \times 12$ ins. E. and W. of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

36.25 Trail bears N. E. and S. W.

39.00 Set a sandstone $18 \times 16 \times 4$ ins. 12 ins.
 in the ground, for $1/4$ Sec. Cor., marked $1/4$ on N.
 face, dug pits $18 \times 18 \times 12$ ins. E. and W. of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

40.25 Trail bears N. W. and S. E.

48.00 " " " " "

56.00 " " " " "

Subdivisions T. 27 N. R. 17 E.

79.00 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

19.00

The cor. to SW. 17. 18. 19 and 20

Surface gently rolling.

Soil 2nd rate.

Good grass,

may 21st 1891

N. 0° 3' H. bet. SW. 17 and 18
74. 13' E.

2.62

Trail runs E. and W.

20.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on W. face,

Thru d run N. 89° 50' E,
on a random line
through South $\frac{1}{2}$ sec. 17

CHAINS Subdivisions T. 27 N R. 17 E

Pa. 13° E.

20.00 Set temporary 1-16 Sec. Cor.40.00 Set temporary 1-16 Sec. Cor.60.00 Set temporary 1-16 Sec. Cor.

80.36 Intersect n. and s. line 24 links
south of $\frac{1}{16}$ sec. corner here
I run S. 89° 40' W. on a
true line through south
 $\frac{1}{2}$ sec. 17.

Pa. 13° E.

Over gently rolling surface.

6.00 Trail from north and south

8.07 " " " " " "

20.09

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face.

40.18

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face.

HAWKS Subdivisions T. 27 N. R. 17 E.

So. 27 Set a sandstone $18 \times 18 \times 3$ ins., 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N. face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

So. 36 The $\frac{1}{16}$ sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Thence I run S. $89^{\circ} 50'$ E. on a random line through south $\frac{1}{2}$ sec. 18.

79.10° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.10 Indirect mark boundary of township 17 lines north of $\frac{1}{16}$ sec. cor. Thence I run N. $89^{\circ} 43'$ E. on a true

CHAINS. Subdivisions T 27 N R 17 E

line through south 1/2 sec. 18
79.10°

Over gently rolling surface;

19.10

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

37.00

Trail bears N. E. and S. W;

39.10

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

57.35

Trail bears N. E. and S. W;

59.10

Set a sandstone 10 X 10 X 8 ins. 7 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

70.00

Trail bears N. E. and S. W.

79.10

The 1/16 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

POOK 539

Subdivisions T. 27 N. R. 17 E.

Thence I continue $77.00^{\circ} 30'$ N. set.

Sec. 17 and 18

40.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on W. face.

Thence I run $77.89^{\circ} 51'$ E. on a random line through middle sec. 17

79.13° E.

20.00 Set temporary 1-16 Sec. Cor.,

40.00.....Set temporary 1-4 Sec. Cor.,

60.00 Set temporary 1-16 Sec. Cor.,

80.40 Intersect. N. and S. line 30 links south of $\frac{1}{4}$ Sec. Cor. Thence I run $88^{\circ} 27'$ N. on a true line through middle sec. 17 79.13° E.

CHAINS. Subdivisions T. 2ⁿ N. R. 17. E. C

Over gently rolling surface.

9.00 Trail bears north and south

20.10 Set a sandstone $14 \times 12 \times 3$ ins., 9 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N... face, dug pits $18 \times 18 \times 12$ ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

40.20 Set a sandstone $14 \times 12 \times 3$ ins., 9 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N... face, dug pits $18 \times 18 \times 12$ ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

60.30 Set a sandstone $12 \times 12 \times 4$ ins., 8 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N... face, dug pits $18 \times 18 \times 12$ ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

90.40 The $\frac{1}{4}$ sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

HANS. Subdivisions T. 27 N R. 17 E.

$P. 89^{\circ} 50' N$, on a random line
 through middle sec. 18.
 $4\frac{1}{2} 13^{\circ} E$

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.12 Infront West Boundary
 of Township 7 links north
 of $\frac{1}{4}$ sec. cor. thence I
 run $N. 89^{\circ} 47' E$. on a
 true line through middle sec.
 18.
 $7\frac{1}{2} 13^{\circ} E$

Over gently rolling surface,

19.12 Deposited a marked stone 12 ins. in the ground,
 for $\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. E and
 W of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{1}{16} S$, on N face,

3200 Trail bears N. E. and S. W.

CHAINS. Subdivisions T. 27 N. R. 17 E.

39.12

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on N. face,

39.50

Trail bears north and south

59.12

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{6}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{6}$ S, on N. face,

63.25

Trail bears N. E. and S. W.

79.12

The $\frac{1}{4}$ sec. cor.

Surface gently rolling.

Soil $\frac{2}{4}$ rate.

Good grass.

There is contained

7.00 3' H. feet 200, 17 and 18.

60.00

Set a sandstone 18 X 14 X 2 ins., 12 ins. in the ground, for $\frac{1}{6}$ Sec. Cor., marked $\frac{1}{6}$ on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

CHAINS

Subdivisions T. 27 N. R. 17 E.

Thence I run $74^{\circ} 50' E.$ on
a random line
through north $\frac{1}{2}$ sec. 17.
 $74.13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.25 Abstract N. and S. line 28
links south of $\frac{1}{16}$ sec. cor.
Thence I run $289^{\circ} 38' W.$
on a true line through
north $\frac{1}{2}$ sec. 17.
 $74.13^{\circ} E.$

Over gently rolling surface.

7.90 Trail bears N. E. and S. W.

8.90 Trail bears north and south

12.07 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked S, on N. face,

CHAINS Subdivisions T. 27 N. R. 17 E.

40.14

Set a sandstone ²⁰X ¹⁸X ³ ins., ¹⁰ ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

60.21

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N... face,

81.28

The $\frac{1}{16}$ sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Then I run S 89° 50' W.
 on a random line through
 north $\frac{1}{2}$ sec. 18.
 7910° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

CHAINS Subdivisions T. 27 N. R. 17 E.

79.20 Subdiv. West. Boundary of ^{township} $\frac{1}{16}$ X $\frac{1}{16}$ links north of $\frac{1}{16}$ sec. cor. thence I run N. 140° 44' E. on a true line through north $\frac{1}{2}$ sec. 18. Ta. N° E.

Over gently rolling surface.

320 Trail bears N. E. and S. W.

19.20 Set a sandstone $18 \times 13 \times 4$ ins., 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N face, dug pits $18 \times 18 \times 12$ ins. E and W of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside.

36.45 Trail bears N. E. and S. W.

39.20 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N face,

59.20 Set a sandstone $14 \times 9 \times 8$ ins., 9 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N face, dug pits $18 \times 18 \times 12$ ins. E and W of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

CHAINS Subdivisions T. 24 N. R. 17 E. C.

68.85

Trail bears N. E. and S. W.

79.20

The 1/16 sec. cor.

Surface gently rolling.

Soil ^{2nd} rate.

Good grass.

Thence I continue N. 00 3' W.
bet. sec. 17 and 18

63.10

Trail bears N. E. and S. W.

73.20

Trail bears N. E. and S. W.

30.00

Set a sandstone ¹⁴ X ¹² X ⁸ ins. ⁹
ins. in the ground for Cor. to Secs. ^{7, 8, 12, and 18}
marked with ⁴ notches on S. and ⁴ notches on E.
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.
base, alongside.

Surface gently rolling.

Soil ^{2nd} rate.

Good grass.

CHAINS Subdivisions T. 27 N. R. 17 E.

N. 89° 50' E. on a random
line bet. sec. 16 and 17
79.13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.12 Intersect N. and S. line 20 links
south of cor to sec. 8, 9, 16 and
17 then I run S. 89° 41' W.
on a true line bet. sec. 16
and 17.
79.13° E.

Over gently rolling surface.

7.00 Trail bears N. E. and S. W.

20.03 Set a sandstone 14 X 10 X 4 ins. 9 ins.
in the ground, for 1/16 Sec. Cor., marked 1/16 on N...
face, dug pits 18x18x12 ins., E... and W... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

40.06 Set a sandstone 16 X 12 X 3 ins. 11 ins.
in the ground, for 1/4 Sec. Cor., marked 1/4 on N...
face, dug pits 18x18x12 ins., E... and W... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

CHAINS Subdivisions T. 27 N. R. 17 E.

56.00 Edbi cornfield bears N.E. ²⁴⁹ S.W.

60.09

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

61.00 Leaver cornfield bears N. and O,

67.60

Trail bears N. E. and S. W.

80.12

The cor. to sec. 7. 8. 17 and 18

Surface gently rolling.

Soil 2nd rate.

Good grass.

D. 89° 50' H. on a random
line bet. sec. 7 and 18.
Ta. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.00

Subsist. Mast. Boundary

No. 539

BOOK 539

273

HAINS Subdivisions T. 27 N. R. 17 E.

of Township 18 lines north
of cor. to sec. 7, 12, 13
and 18. Hence I run
N. 89° 42' E. on a true
line bet. sec. 7 and 18.
To 18° E.

Over gently rolling surface.

19.00

Set a sandstone 10 X 8 X 7 ins. 7 ins.
in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N...
face, dug pits 18x18x12 ins., E. and W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

38.75

Trail bears N. E. and S. W.

39.00

Set a sandstone 13 X 8 X 9 ins. 8 ins.
in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N...
face, dug pits 18x18x12 ins., E. and W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

59.00

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E... and
W... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S. on N... face,

CHAINS. Subdivisions T. 27 N R. 17 E.

76.25-

Trail bears N. E. and S. W.

79.00

1/4 cor. to div. 7, 8, 17 and 18

Surface gently rolling.

Soil 2nd rate.

Good grass.

71.00 3' N. bet. div. 7 and 8
79.10° E.

Over gently rolling surface.

59.5

Trail bears N. E. and S. W.

20.00

Set a sandstone 12 X 12 X 5 ins. 8 ins.
in the ground, for 1/16 Sec. Cor., marked 7/16 on W.
face, dug pits 18x18x12 ins., N. and S. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

Thru I run 77.89° 50' E.
on a random line
through south 1/2 sec. 8
79.13° E.

20.00

Set temporary 1-16 Sec. Cor.

HAINS Subdivisions T. 27 N. R. 17 E.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.98 Introduct N and S line
24 lines south of $\frac{1}{16}$ sec.
cor. thru S run
S. $89^{\circ}40'$ N. on a true
line through south $\frac{1}{2}$ sec.
8.

To. 13° E.

Over gently rolling surface.

7.76 Trail bears N. E. and S. W.

20.00 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E... and
...W... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on... N... face,

37.00 Enter corn field from N. W. r. S. E.

39.99 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E... and
...W... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on... N... face,

CHAINS. Subdivisions T. 27 N. R. 17. E.

40.70 Saw cornfield here. NW and SE,

5332 Trail bears N. E. and S. W.

59.98

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

75.15

Trail bears N. E. and S. W.

79.98 The $\frac{1}{16}$ sec cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Thence I run S 89° 50' N.
on a random line through
south $\frac{1}{2}$ sec. 7.
Ta. 10° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

CHAIN Subdivisions T. 27 N. R. 17 E.

7880 Inhibit that Boundary
 of township. 11 miles north
 of $\frac{1}{16}$ sec. cor. thence
 run $N. 89^{\circ} 45' E.$ on
 a true line through
 south $\frac{1}{2}$ sec. 7.
 $N. 10^{\circ} E.$

Over gently rolling surface.

1880 Deposited a marked stone 12 ins. in the ground
 for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. or
 ...W... of corner 5 1-2 ft. dist., and raised a mound
 of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
 In E. pit drove a stake 2 ft. long, 2 ins. square
 12 ins. in the ground, marked $\frac{1}{16}$ S, on...N...face,

36.80 Trail bears N. E. and S. W.

3880 Set a sandstone $12 \times 10 \times 5$ ins. 8 ins.
 in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on...N...
 face, dug pits 18x18x12 ins., E. and...W... of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

4375 Eutin field bears N.E. and SW.

46.75 Trav. " " " " "

CHAINS, Subdivisions T. 27 N R. 17 E.

5880

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

7880

The $\frac{1}{16}$ sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Thence I continue $77.0^{\circ}3'N$.
 bet. Sec 7 and 8.

40.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on W. face,

Thence I run $77.89^{\circ}50'E$.
 on a random line
 through middle sec. 8,
 $77.13^{\circ}E$.

CHAINS Subdivisions T. 27 N. R. 17 E.

20.00	Set temporary 1-16 Sec. Cor.
40.00.....	Set temporary 1-4 Sec. Cor.
60.00	Set temporary 1-16 Sec. Cor.
8024	Subdiv. N. and S. line 20 lines south of 1/6 sec. cor. then I run S. 89° 41' W. on a true line through middle sec. 8. Ta. 13° E.
	Over gently rolling surface.
1.16	Trail bears N. and S.
20.06	Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,
37.50	Trail bears N. E. and S. W.
40.12	Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on N. face,

CHAINS. Subdivisions T 27 N R. 17 E.

55.25 Trail bears N. E. and S. W.

60.18 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E...and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on...N...face,

69.00 Trail from N. and S.

80.24 The $\frac{1}{4}$ sec. cor.

Surface gently rolling.

Soil 1st rate, and 2nd.

Good grass.

Thence I run S. 89° 50' N.
on a random line
through middle sec. 7.
Va. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.80 Intersect West Boundary

CHAINS Subdivisions T 27 N R 17 E

of the township 8 lines north
 of 1/4 sec. cor. then
 I run $77.89^{\circ} 47' E.$ on
 a true line through
 middle sec. 7.
 $7a. 13^{\circ} E.$

Over gently rolling surface.

7.00 Trail bears N.E. and SW.

18.80 Deposited a marked stone 12 ins. in the ground,
 for 1/16 Sec. Cor., dug pits 18X18X12 ins. E..... and
 W..... of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.
 In E..... pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 1/16...S, on N..... face,

29.30 E. of field bears N.E. and SW.

32.30 Same " " " "

38.80 Set a sandstone 15 X 15 X 3 ins., 10 ins.
 in the ground, for 1/4 Sec. Cor., marked 1/4 on N...
 face, dug pits 18x18x12 ins., E... and W... of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

39.50 Trail bears N. E. and S. W.

51.50 Trail bears N. E. and S. W.

57.60 Trail bears N. E. and S. W.

CHAINS. Subdivisions T. 27 N R. 17 E.

5880

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18x18x12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

7880

The $\frac{1}{4}$ sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

May, 22nd 1891

Thence I continue 77.0°
3' ft. bet. Secs. 7 and 8.

60.00

Set a sandstone $\frac{1}{16}$ X $\frac{1}{16}$ X $\frac{3}{4}$ ins. $\frac{1}{16}$ ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Thence I run $77.89^\circ 50' E$
on a random line
through north $\frac{1}{2}$ sec. 8,
Ta. $13^\circ E$.

20.00

Set temporary 1-16 Sec. Cor.

Subdivisions T 27 N R 17 E

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.22 Infront N and S. line 20
links south of $\frac{1}{16}$ sec.
cor. Hence I run
S. $89^{\circ}41'$ N. on a flat line
through north $\frac{1}{2}$ sec. 8.
71.3° E.

Over gently rolling surface.

20.05 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

21.30 Trail bears N. E. and S. W.

39.70 Trail bears N. E. and S. W.

40.00 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

CHAINS.

Subdivisions T. 27 N

R. 17 E.

56.00

Wash... 10... lks. wide course, *SW.*

60.16

Set a sandstone ¹³ X ¹² X ⁴ ins. ⁸ ins.
 in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on... N...
 face, dug pits 18x18x12 ins., E... and W... of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

80.22

The $\frac{1}{16}$ sec. cor.

Surface gently rolling.

Soil 2nd rate,

Good grass.

Thence I run S. 89° 50' 20".
 on a random line
 through north $\frac{1}{2}$ sec. 7.
 Ta. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

78.69

Abstract West Boundary
 of township - 5 links north
 of $\frac{1}{16}$ sec. cor.

CHAINS. Subdivisions T. 27 N. R. 17 E.

Thence I run $N. 89^{\circ} 48' E.$
 on a true line through
 north $\frac{1}{2}$ sec. 7.
 $N. 13^{\circ} E.$

Over gently rolling surface.

18.69 Deposited a marked stone 12 ins. in the ground,
 for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. $E.$ and
 ... $W.$... of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In $E.$ pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{1}{16}$... $S.$, on ... $N.$... face,

24.20 Trail bears N. E. and S. W.

31.40 Trail bears N. E. and S. W.

36.60 Trail bears $N.$ and $S.$

37.35 Wash...20...lks. wide course, south

38.69 Deposited a marked stone 12 ins. in the ground,
 for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. $E.$ and
 ... $W.$... of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In $E.$... pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{1}{16}$... $S.$, on ... $N.$... face,

53.00 Enter field from $N.$ and $S.$

CHAINS.

Subdivisions T 27 N R. 17 E

58.69

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

63.35

Span field from N. and S.

66.00

Trail bears N. E. and S. W.

78.69

The $\frac{1}{16}$ Sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Then I continue

N. 0° 3' W. bet. Secs. 7 and 8

62.60

Trail bears N. E. and S. W.

80.00

Set a sandstone 12 X 12 X 4 ins. 8 ins. in the ground for Cor. to Secs. 5, 6, 7 and 8 marked with 5 notches on S. and 5 notches on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Subdivisions T 27 N R 17 E

77.89° 50' E. on a random
line bet. nos. 5 and 8.

74.10° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.04 Intersect N. and S. line 15 lks south of Cor. to
Secs. 4, 5, 8 and 9..... Thence I run 289° 44' N.
on a true line bet. Secs. 5 and 8

72.13° E.

Over gently rolling surface.

7.00 Trail bears N. E. and S. W.

20.01 Set a sandstone 14 X 12 X 3 ins. 9 ins.
in the ground, for 1/16 Sec. Cor., marked 1/16 on N...
face, dug pits 18x18x12 ins. E. and W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

32.70 Trail bears N. E. and S. W.

40.02 Deposited a marked stone 12 ins. in the ground
for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/4 S. on N. face,

CHAINS.

Subdivisions T. 27 N. R. 17 E.

56.80

Trail bears N. E. and S. W.

60.03

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

63.80

Trail bears N. E. and S. W.

68.00 E. of cornfield bears N. W. + S. E.

79.00 Same " " " " "

80.04 To cor. to divs. 56.7 and 8

Surface gently rolling.

Soil 2nd rate.

Grass fair.

Thence I run $S. 89^{\circ} 50' W.$
 on a random line
 bet. divs. 6 and 7.
 $\frac{7}{16}$ 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

CHAINS: Subdivisions T. 27 N. R. 17 E.

2890 Intersect West Boundary
of township at Cor.
to secs. 1, 6, 7 and 12
Thence I run $27.89^{\circ} 50' E.$
on a true line bet.
secs. 6 and 7.
 $79.13^{\circ} E.$

Over gently rolling surface.

333 Trail bears N. E. and S. W.

890 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. ^{E.} and
...W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on...N...face,

3000 Wash...30...lks. wide course, SE.

3890 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. ^{E.} and
...W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{4}$ S, on...N...face,

4100 Trail bears N. W. and S. E.

58.90

Deposited a marked stone 12 ins. in the ground, for ~~the~~ Sec. Cor., dug pits 18X18X12 ins. ~~and~~ and ~~the~~ of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ~~the~~ pit drove a stake ~~16~~ long, 2 ins. square, 12 ins. in the ground, marked ~~16~~ S, on ~~the~~ face,

64.30

Trail bears N. W. and S. E.

75.75

Trail bears N. and S.

78.90

The cor. to secs. 5, 6, 7 and 8

Surface gently rolling.

Soil 2nd rate.

Grass fair.

N. 0° 3' N. on a random line bet. s. 10. 5 and 6 Va. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.95

Intersect ~~with~~ boundary of township ~~at~~ at ~~the~~ Cor. to Secs. 5, 6, 31 and 32

CHAINS. Subdivisions T. 27 N R. 17 E.

Thence I run $20^{\circ} 3'$ E. on
a true line bet. nos.
5 and 6.

$7\frac{1}{2}$ a. 13° E.

Over gently rolling surface.

19.95

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. N... and
...S... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on...W...face,

3.45

Trail bears N. E. and S. W.

32.80 Enter cornfield from N.W. and S.E.

5.30 Leave " " " "

39.95

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{4}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. N... and
...S... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{4}$ S, on...W...face,

42.50

Trail bears N. E. and S. W.

44.30

Trail bears N. E. and S. W.

CHAINS. Subdivisions T 27 N R 17 E

59.95 Set a sandstone $15 \times 15 \times 2\frac{1}{2}$ ins., 10 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on ...W. face, dug pits $18 \times 18 \times 12$ ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

73.40 Trail bears N. E. and S. W.

77.77 Trail bears N. E. and S. W.

79.95 1st cor. to sec. 5, 6, 7 and 8

Surface gently rolling.

Soil 2nd rate.

Good grass.

N. 89° 50' E. on a random
line through south $\frac{1}{2}$ sec,
from $\frac{1}{16}$ sec. cor.
Ta. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.95 Inset N and S line 7
links south of $\frac{1}{16}$

CHAINS: Subdivisions T. 27 N. R. 17 E.

sec. cor. Thru S run
 S. 89° 47' W. on a true
 line through south 1/2
 sec. 5.

Pa. 130 E.

Over gently rolling surface.

10.00 Wash.....lks. wide course, S.E.
 19.90 Trail bears N. and S.

19.99 Set a sandstone ¹⁵X¹⁵X³ ins., ¹⁰ins.
 in the ground, for 1/16 Sec. Cor., marked 1/16 on N...
 face, dug pits 18x18x12 ins., E. and W. of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

22.95 Trail bears N. and S.
 28.00 Enter field bears N. W. & S. E.

33.00 Leave " " " "

39.98 Set a sandstone ¹⁶X¹⁴X^{2 1/2} ins., ¹¹ins.
 in the ground, for 1/16 Sec. Cor., marked 1/16 on N...
 face, dug pits 18x18x12 ins., E. and W. of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

4320 Trail bears N. E. and S. W.

47.00 Enter field bears N.W. and S.E.

CHAINS.

Subdivisions T 27 N. B 17 E.

49.60

Trail field bears. NW. and SE.

58.85

Trail bears N. E. and S. W.

59.96

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5-1-2 ft. dist., and raised a mound of earth 1-1-2 ft. high, 3-1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

75.05

Trail bears N and S.

79.95

Etc $\frac{1}{16}$ sec. cor.

Surface gently rolling.

Soil 2nd Late.

Good grass.

89° 50' N. on a random line through south $\frac{1}{2}$ sec. 6, from $\frac{1}{16}$ sec. cor. Va. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

CHAINS

Subdivisions T. 27 N R. 17 E

78.75 Abstract West Boundary of
Township 7 lines South
of $\frac{1}{16}$ sec. cor. thence
I run $71.89^{\circ} 53' E.$ on
a true line through south
 $\frac{1}{2}$ sec. 6.

$79.13^{\circ} E.$

Over gently rolling surface.

5.10 Trail bears N. E. and S. W.

18.75 Set a sandstone $10 \times 6 \times 7$ ins., 7 ins.
in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N...
face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

21.00 Road from N.W. and S.E.

27.70 Wash 100 lks. wide course, S.E.

28.20 Trail bears N. E. and S. W.

38.75 Set a sandstone $14 \times 12 \times 9$ ins., 9 ins.
in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N...
face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

51.50 Trail bears N. E. and S. W.

CHAINS. Subdivisions T. 27 N. R. 17 E.

51.75 Trail bears N. E. and S. W.

58.75 Set a sandstone $10 \times 10 \times 6$ ins. 7 ins. in the ground, for $1/16$ Sec. Cor., marked $1/16$ on N. face, dug pits $18 \times 18 \times 12$ ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

75.40 Trail bears N. and S.

78.75 The $1/16$ sec. cor.

Surface gently rolling.

Soil 2^{nd} rate.

Good grass.

N. $89^{\circ}50'$ E. on a
random line through
middle sec. 5. from $1/4$ sec. cor.
Ta. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.86 Abstract N. and S. line
12 links south of $1/4$

CHAINS: Subdivisions T. 27 N. R. 17 E.

sec. cor. then I run
 S. 89° 45' W. on a true
 line through middle sec. 5.
 To 13° E.

Over gently rolling surface.

9.00 Wash ⁵⁰.....lks. wide course, S.E.

16.65 Trail bears N. E. and S. W.

19.96 Set a sandstone ¹²X ¹¹X ⁹ins., ⁸ins.
 in the ground, for ^{1/16} Sec. Cor., marked ^{1/16} on N.
 face, dug pits 18x18x12 ins., E. and W. of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

20.01 Trail bears N. E. and S. W.

33.70 " " " " "

37.00 " " " " "

39.93 Deposited a marked stone 12 ins. in the ground,
 for ^{1/4} Sec. Cor., dug pits 18X18X12 ins. E. and
 W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked ^{1/4} S, on N. face,

CHAINS.

Subdivisions T 27 N R 17 E

59.89

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and re sed a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

67.00

Trail bears N. E. and S. W.

72.50

Trail bears N. E. and S. W.

79.86

The $\frac{1}{4}$ sec. cor.

Surface gently rolling.

Soil ^{2nd} rate.

Good grass.

0.89.50 ft. on a random line through middle sec. 6 from $\frac{1}{4}$ sec. cor. 7a. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00.....

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

78.68

Entrant. West Boundary

CHAINS.

Subdivisions T. 27 N. R. 17 E.

of township 17 lines south
of 1/4 sec. cor. then
run N 89° 55' E. on
a true line through
middle sec. 6.

Pa. 13° E.

Over gently rolling surface.

260 Wash...40...lks. wide course, N.E.

18.78

Deposited a marked stone 12 ins. in the ground,
for 1/16 Sec. Cor., dug pits 18X18X12 ins. ...E...and
...W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ...E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/16 S, on ...N...face,

27.40 Trail bears N. E. and S. W.

32.85 Wash...20...lks. wide course, N.E.

38.78

Deposited a marked stone 12 ins. in the ground,
for 1/4 Sec. Cor., dug pits 18X18X12 ins. ...E...and
...W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ...E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/4 S, on ...N...face,

41.00 Trail bears north and south

CHAINS. Subdivisions T. 27 N R. 17 E.

58.78

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. ...E...and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$...S, on...N...face,

78.68 The $\frac{1}{4}$ sec. sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

N. $89^{\circ} 50' E$, on a random
line through north $\frac{1}{2}$
sec. 5. from $\frac{1}{16}$ sec. cor.
Ta. $13^{\circ} E$.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.88 Intersect N. and S. line
17 links south of $\frac{1}{16}$
sec. cor. then I run

D. 89° 43' N. on a true line
through north 1/2 sec. 5.
Tq. 13° E.

Over gently rolling surface.

.25- Trail bears N. E. and S. W.

11.05- Trail bears N. E. and S. W.

13.00 Trail bears N. E. and S. W.

16.25- Wash...⁵⁰ lks. wide course, south

19.97 Set a sandstone ²⁰ X ²⁰ X ³ ins., ⁵ ins.
in the ground, for ^{1/16} Sec. Cor., marked ^{1/16} on... N...
face, dug pits 18x18x12 ins., E. and... W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

27.20 Trail bears N. E. and S. W.

28.20 Trail bears N. E. and S. W.

39.94 Set a sandstone ⁸ X ⁸ X ⁸ ins., ⁵ ins.
in the ground, for ^{1/16} Sec. Cor., marked ^{1/16} on... N...
face, dug pits 18x18x12 ins., E. and... W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

55.50 Trail bears N. E.
and S. W.

CHAINS. Subdivisions T. 27 N R. 17 E

5991

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake $\frac{1}{16}$ long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S; on N. face,

63.75-

Trail bears N. E. and S. W.

68.75-

Trail bears N. E. and S. W.

77.15-

Trail bears N. E. and S. W.

79.85

The $\frac{1}{16}$ sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

U. S. Surveyor-General's Office,

TUCSON, A. T., *Feb 6th* 188*7*

The foregoing Field Notes of the Surveys of
Subdivisions, T. 27. N. R. 17E.
 of the

Gila and Salt River Meridian
 in *the Territory of Arizona* executed by
John B. Smith

U. S. Deputy Surveyor, under his contract dated
November 1st 18*90*

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Royal A. Johnson
 U. S. Surveyor-General
 for the Territory of Arizona.