

R. 1. S. 23. W. 3. E.

Recd Nov 19/91

10

Spanish
Concession
Platted Feb 6th 1892

Approved March 18. 1892

38.

BOOK 541

No. 541

4-671

541

Subdivisions T. 27 N

FIELD NOTES

~~GENERAL LAND OFFICE~~

of the survey

of the

Subdivision Lines of

Township 27 N, Range 12 E

Surveyed by John C. Smith

U. S. Dep. Sur.

Under his Contract No 16

Dated Nov. 13th 1890

Survey commenced July 2 1891

completed " 20 1891

1A Township No. 27 N.

Range No. 186 E. R. R. B. Mer.

BOOK 541

6	5	4	3	2	1
7	8	9	10	11	12
					33
					31
18	17	16	15	14	31 19 13
					29
					27
				57	25
				58	25
				56	23
19	20	21	22	55	23 21 24
				54	21
				52	19
				51	19
				50	17
				49	17
				48	15
30	29	28	27	47	14 13 25
				46	12
				45	12
				44	10
				43	10
				42	8
				41	7
				39	5
31	32	33	34	38	5 30
				37	3
				36	3
				35	1

CHA'NS Subdivisions T. 27 N R. 18 E.

From the cor. to sec. 1, 2,
35 and 36, on the south
boundary of the township
I run $71^{\circ} 0' 1''$ bet. sec.
35 and 36.

Ya. 13° E.

Over gently rolling surface.

4.50

Trail bears N. E. and S. W.

20.00

Deposited a marked stone 12 ins. in the ground,
for $1/16$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. N... and
S... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $1/16$ S, on W... face,

Then I run east on a
random line through south $1/2$
sec. 36.

Ya. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

CHAINS Subdivisions T. 27. N R. 18. E.

79.96 Subtract east boundary of
Township. 6 links south of
1/6 sec. cor. - then I run
D. $89^{\circ} 57' N.$ on a true
line through south 1/2
of sec. 36.

Ya. $13^{\circ} E.$

Over gently rolling surface.

19.99

Deposited a marked stone 12 ins. in the ground,
for 1/6 Sec. Cor., dug pits 18X18X12 ins. ... E. ... and
... W. ... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. ... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/6 S, on N. ... face,

39.98

Deposited a marked stone 12 ins. in the ground,
for 1/6 Sec. Cor., dug pits 18X18X12 ins. ... E. ... and
... W. ... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. ... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/6 S, on N. ... face,

58.15

Trail bears N. E. and S. W.

59.97

Deposited a marked stone 12 ins. in the ground,
for 1/6 Sec. Cor., dug pits 18X18X12 ins. ... E. ... and
... W. ... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. ... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/6 S, on N. ... face.

CHAINS. Subdivisions T.27... N R.18... E.

7996 Sta 116 Sec. Cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

Truss I contains 71.0° 1' W. lat.
 Sec. 35 and 36.

40.00

Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. N... and S... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on W... face,

Truss I run east on a random line through middle of Sec. 36.

Ya. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

CHAINS. Subdivisions T. 27 N. R. 18 E.

80.04 Intract east. Boundary of township 9 lines south of 1/4 sec. cor. then I run S. 89° 56' W. on a true line through middle SIC. 36.
 Ya. 13° E.

Over gently rolling surface.

20.01 Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

21.00 Trail bears N. E. and S. W.

40.02 Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on N. face,

60.03 Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

CHAINS. Subdivisions T.27..N R.18...E.

80.04 *Thru 14 N. cor.*

Surface gently rolling.

Soil ^{2nd} rate.

Good grass.

Some brush.

*Thru I continue 77.00 N.H. Set.**Ans. 35 and 36.*

60.00

Deposited a marked stone 12 ins. in the ground, for...¹¹⁶...Sec. Cor., dug pits 18X18X12 ins...N...and ...S...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked...¹¹⁶...S, on...W...face,

*Thru I run east on a
random line through north
1/2 sec. 36.*

74. 13' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

CHAINS Subdivisions T. 27 N. R. 18 E.

80.12 Abstract east boundary of township
5 miles south of 1/6 sec. cor
thence 1 mi. S. 89° 58' N. on
a flat line through north
1/2 M. 16.

70. 13° E.

Over gently rolling surface.

20.23

Deposited a marked stone 12 ins. in the ground,
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/6 S, on N. face,

37.10

Trail bears N. E. and S. W.

40.06

Deposited a marked stone 12 ins. in the ground,
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/6 S, on N. face,

60.09

Deposited a marked stone 12 ins. in the ground,
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/6 S, on N. face,

CHAINS. Subdivisions T. 27 N R. 18 E.

80.12

Sta 116 Mc Cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

Thence I continued N. 0° 11' W.

Sts. 115, 35 and 36.

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs ^{25, 26, 35 and 36}, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit dove a stake 2 ins. square, 2 ft. long 12 ins. in the ground marked

T. 27 N. S. 25 on N. E.

R. 18 E. S. 36 on S. E.

S. 35 on S. W. and

S. 26 on N. W. faces, with notch on

S. and notch on E. edges.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

8

CHAINS. Subdivisions T. 27 N R. 18 E.

Thru I run east on a random
line bet. MS. 25 and 36.

γ_a 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.16 Abstract east boundary of township
10 miles south of cor. to
MS. 25, 30, 31 and 36, thru
I run $289^\circ 56'$ N. on a
true line bet. MS. 25 and 36.

γ_a 13° E.

Over gently rolling surface.

81.5 Trail bears N. E. and S. W.

22.04

Deposited a marked stone 12 ins. in the ground,
for γ_a Sec. Cor., dug pits 18X18X12 ins. γ_a and
 γ_w of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In γ_a pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked γ_a S, on γ_a N face,

22.80

Trail bears N. E. and S. W.

CHAINS. Subdivisions T. 27 N R. 18 E.

4008

Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on N face,

4960

Trail bears N. E. and S. W.

6012

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N face,

7270

Trail bears N. E. and S. W.

8016

5th cor. to sec. 25, 26, 35 and 36

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

CHAINS. Subdivisions T. 27. N R. 18. E.

Chain I run 77,001' ft. lat. sec.
25 and 26.

70. 13° E.

Over gently rolling surface.

4.00 Trail bears N. E. and S. W.

9.85 Trail bears N. E. and S. W.

11.60 Trail bears N. E. and S. W.

20.00 Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on W. face,

Chain I run east in a random
line through south 1/2 sec. 25
70. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.20 Intersect east boundary of Township
12 links south of 1/6 sec. cor.

CHAINS. Subdivisions T. 27 N. R. 18 E.

From I run S. 89° 55' W. on a
 flat line through south 12
 sec. 25.

To 130 E.

Over gently rolling surface.

16.25 Trail bears N. E. and S. W.

20.15 Deposited a marked stone 12 ins. in the ground,
 for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
 W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 116 S. on N. face,

24.50 Trail bears N. E. and S. W.

33.20 Trail bears N. E. and S. W.

40.10 Deposited a marked stone 12 ins. in the ground,
 for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
 W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 116 S. on N. face,

46.75 Trail bears N. E. and S. W.

59.25 Trail bears N. E. and S. W.

CHAINS. Subdivisions T. 27 N R. 18 E.

60.15

Deposited a marked stone 12 ins. in the ground, for 6 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 6 S, on N face,

6490

Trail bears N. E. and S. W.

79,30

Trail bears N. E. and S. W.

8020

Sta 416 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

Third 1 contains 17.0" 1" H.

Sta. 415 25 and 26:

2060

Trail bears N. E. and S. W.

40.00

Deposited a marked stone 12 ins. in the ground, for 4 Sec. Cor., dug pits 18X18X12 ins. N and S of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 4 S, on W face,

CHAINS. Subdivisions T. 27. N. R. 18. E.

Then I run east on a random
line through middle sec. 25.
7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08 Intrant east boundary of
Township 10 links south of
44 sec. cor. Then I run
S. 89° 56' W. on a hat line
through middle sec. 25.
7a. 13° E.

Over gently rolling surface.

190 Trail bears N. E. and S. W.

20.02 Deposited a marked stone 12 ins. in the ground,
for 1/4 Sec. Cor., dug pits 18X18X12 ins. E....and
W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/4 S, on...N...face,

24.10 Trail bears N. E. and S. W.

26.80 Trail bears N. E. and S. W.

CHAINS. Subdivisions T. 27 N R. 18 E.

40.04

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on N. face,

45.95

Trail bears N. E. and S. W.

54.50

Trail bears N. E. and S. W.

60.06

Set a sandstone $24 \times 16 \times 7$ ins., 18 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{6}$ on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

76.92

Trail bears N. and S.

80.08

The $\frac{1}{4}$ sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

Thence I continue N. 0° 1' W.
 bet. 25 and 26.

CHAINS, Subdivisions T. 27 N R. 18 E.

60.00 Set a sandstone $14 \times 12 \times 3$ ins., 9 ins. in the ground, for $1/16$ Sec. Cor., marked $1/16$ on W face, dug pits $18 \times 18 \times 12$ ins., N and S of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Thence I run east on a random line through north $1/2$ sec. 25.

$79.13^\circ E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Subtract east boundary of Township 9 miles south of $1/16$ sec. cor. Thence I run $S. 89^\circ 56' W.$ on a true line through north $1/2$ sec. 25.

$79.13^\circ E.$

Over gently rolling surface.

370 Trail bears N. E. and S. W.

CHAINS. Subdivisions T. 27 N R. 18 E.

795- Trail bears N. E. and S. W.

20.00 Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on N. face,

25.60 Trail bears N. E. and S. W.

40.00 Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on N. face,60.00 Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on N. face,

75.58 Trail bears N. and S.

80.00 In ~~116~~ sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

CHAINS Subdivisions T. 27 N R. 18 E

Thence I continue 77.00 N.
Set. Secs. 25 and 26

80.00

Set a sandstone. 14 X 12 X 11 ins. 9
ins. in the ground for Cor. to Secs. 23, 24, 25 and 26
marked with 2 notches on S. and 1 notch on E.
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.
base, alongside.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

Thence I run east on a random
line Set. Secs. 24 and 25.
7a. 13' E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.08

Intersect east boundary of town-
ship. 7 links south of Cor.
to Secs. 19, 24, 25, and 30. Thence

18

CHAINS. Subdivisions T...27..N R...18...E.

I run S 89° 57' N. on a front
line bet. lots 24 and 25.
70.13° E.

Over gently rolling surface.

2002

Deposited a marked stone 12 ins. in the ground,
for ¹¹⁶ Sec. Cor., dug pits 18X18X12 ins. E... and
W... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked ¹¹⁶ S, on N... face,

4404

Deposited a marked stone 12 ins. in the ground,
for ¹¹⁴ Sec. Cor., dug pits 18X18X12 ins. E... and
W... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked ¹¹⁴ S, on N... face,

6006

Deposited a marked stone 12 ins. in the ground,
for ¹¹⁶ Sec. Cor., dug pits 18X18X12 ins. E... and
W... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked ¹¹⁶ S, on N... face,

7410

Trail bears N. and S.

8008

The cor. to lots 23, 24, 25 and 26.

Surface gently rolling.

Soil 2nd rate.

Good grass.

CHAINS. Subdivisions T. 27 N R. 18 E.

Thence I run 71.00° W. 1/4 Sec.
23 and 24.

To 13° E.

Over gently rolling surface.

20.00

Deposited a marked stone 12 ins. in the ground,
for $1/16$ Sec. Cor., dug pits 18X18X12 ins. N, and
S, of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $1/16$ S, on W face,

Thence I run east on a rail-
road line through south $1/2$
Sec. 24.

To 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.00

Enter at east boundary of
Township 13 lines south of
 $1/16$ sec. cor. Thence I run
 $89^{\circ} 54'$ W. on a rail line

CHAINS. Subdivisions T. 27 N R. 18 E

Through south 1/2 sec. 24
7a 13° E.

Over gently rolling surface.

17.80

Trail bears N. W. and S. E.

20.00

Set a sandstone... 18... X... 12... X... 5... ins... 12...
ins. in the ground, for 116... Sec. Cor., marked 116... on
..N... face, and raised a mound of stone 1 1-2 ft. high
2 ft. base, alongside. Pits impracticable.

40.00

Deposited a marked stone 12 ins. in the ground,
for 116... Sec. Cor., dug pits 18X18X12 ins... E... and
..W... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In... E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116... S, on... N... face,

60.00

Deposited a marked stone 12 ins. in the ground,
for 116... Sec. Cor., dug pits 18X18X12 ins... E... and
..W... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In... E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116... S, on... N... face,

73.50

Trail bears N. and S.

80.00

The 116. Sec. Cor
Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

CHAINS. Subdivisions T. 27 N R. 18 E.

Thru S continues $71^{\circ} 0' 1''$ N.

Set ans, 23 and 24.

40.00 Deposited a marked stone 12 ins. in the ground, for $1/4$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $1/4$ S, on W. face,

Thru S run east on a random line through middle of sec. 24.
 $71^{\circ} 13' E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Set out east. boundary of Township 10 little south of $1/4$ sec. cor. Thru S run $89^{\circ} 56' 7''$ on a true line through middle sec. 24.
 $71^{\circ} 13' E.$

Over gently rolling surface.

CHAINS. Subdivisions T. 2-7 N R. 1-8 E.

20.00	<p>Set a sandstone ¹⁴ X ¹⁰ X ⁵ ins., ⁹ ins. in the ground, for ¹⁶ Sec. Cor., marked ¹⁶ on ^N face, dug pits 18x18x12 ins., ^E and ^W of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,</p>
40.00	<p>Deposited a marked stone 12 ins. in the ground, for ⁴ Sec. Cor., dug pits 18X18X12 ins. ^E and ^W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.</p> <p>In ^E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ⁴ S, on ^N face,</p>
60.00	<p>Deposited a marked stone 12 ins. in the ground, for ⁶ Sec. Cor., dug pits 18X18X12 ins. ^E and ^W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.</p> <p>In ^E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ⁶ S, on ^N face,</p>
7230	Trail bears N. and O.
80.00	⁵ / ₁₆ 14 M. cor.
	Surface gently rolling.
	Soil ²²⁵ rate.
	Good grass.
	Some brush.

CHAINS. Subdivisions T. 27... N R. 18... E.

Then I continued $71^{\circ} 11'$ S. E. S. 23 and 24.

60.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on W. face,

Then I run east on a random line through north $\frac{1}{2}$ sec. 24.
Pa. $13^{\circ} E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

7992 Abstract east boundary of township 6 miles south of $\frac{1}{16}$ sec. cor. Then I run $S. 89^{\circ} 57' 71''$ on a true line through north $\frac{1}{2}$ sec. 24.
Pa. $13^{\circ} E.$

Over gently rolling surface.

CHAINS. Subdivisions T. 27 N R. 18 E.

1998

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

3996

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

5994

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

7330

Trail from N. and S.

9992

The 116 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

CHAINS, Subdivisions T. 27 N R. 18 E.

Then I continue No 114. Set
MCS, 23 and 24.

78.60 Trail bears N. E. and S. W.

80.00 Deposited a marked stone 12 ins. in the ground,
for Cor. to Secs. 13, 14, 23 and 24, dug pits 18X18X12
ins. in each Sec., 5 1-2 ft. dist., and raised a mound of
earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long
12 ins. in the ground marked

T. 27... N. S. 13... on N. E.

R. 18... E. S. 24... on S. E.

S. 23... on S. W. and

S. 14... on N. W. faces, with... notches on
S. and... notches on E. edges.

Surface gently rolling.

Soil 2nd/₄ rate.

Good grass.

Some brush.

Then I run section a random
line Set. MCS 13 and 24.
74. 130 E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

CHAINS. Subdivisions T. 27 N R. 18 E.

8008. Interior east. boundary of township
 5 miles north of cor. to
 SACS. 1318. 19 and 24 Thence I
 run $n. 89^{\circ} 58' 21''$ on a true
 line bet. SACS. 13 and 24
 $79. 13^{\circ} 8'$

Over gently rolling surface.

2002

Deposited a marked stone 12 ins. in the ground,
 for $\frac{116}{4}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{116}{6}$ S, on N. face,

4004

Deposited a marked stone 12 ins. in the ground,
 for $\frac{114}{4}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{114}{4}$ S, on N. face,

6006

Deposited a marked stone 12 ins. in the ground,
 for $\frac{116}{6}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{116}{6}$ S, on N. face,

CHA'NS. Subdivisions T. 27 N R. 18 E.

- 77.45 Trail bears N. W. and S. E.
- 78.70 Trail bears N. E. and S. W.
- 80.08 The cor. To sec. 13 14, 23. and 24
- Surface gently rolling.
- Soil 2nd rate.
- Good grass.
-

Then I run N. 0° 1' H. S. E.
 Sec. 13 and 14.
 To 13° E.

Over gently rolling surface.

- 11.20 Trail bears N. W. and S. E.

20.00 Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. N... and S... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on W... face,

Then I run east on a
 random line through south
 1/2 sec. 13.

CHAINS, Subdivisions T. 27 N R. 18 E.

7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7992 Substant' east boundary of home
ship, 8 lines south of 1/16
S.E. cor. Thru I run 2.89° 57' N
on a true line through south
1/2 dis. 13.

7a. 13° E.

Over gently rolling surface.

1998 Deposited a marked stone 12 ins. in the ground,
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/16 S, on N. face,

3460 Trail bears N. E. and S. W.

3996 Deposited a marked stone 12 ins. in the ground,
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/16 S, on N. face,

CHAINS. Subdivisions T. 27 N R. 18 E.

5994 Set a sandstone ¹³X ¹³X ⁶ins. ⁸ins. in the ground, for ¹⁶Sec. Cor., marked ¹⁶on ^N... face, dug pits 18x18x12 ins., ^E... and ^W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

5992 The ¹⁶ sec. cor.

Surface gently rolling.

Soil ^{2nd} rate.

Good grass.

There I continued N. 10' 11" W.
Set. sur. 13 aug 14.

40.00 Set a sandstone ¹¹X ⁸X ⁶ins. ⁷ins. in the ground, for ¹⁴Sec. Cor., marked ¹⁴on ^W... face, dug pits 18x18x12 ins., ^N... and ^S... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

There I was east on a random line through middle sec. 13.

7m 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

CHAINS Subdivisions T. 27. N R. 18. E.

8208 Abstract east boundary of town
Ship. 5 links north of 1/4
ac. cor. then I run N 89° 58'
W. on a tree line through
middle ac. 13.

15.00 Surface gently rolling. ^{Fig. 13° E.}
Trail bears N. E. and S. W.

2002 Set a sandstone 17... X 14... X 4... ins., 11... ins.
in the ground, for 1/6 Sec. Cor., marked 1/6 on N...
face, dug pits 18x18x12 ins., E... and W... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

40.04 Deposited a marked stone 12 ins. in the ground,
for 1/4 Sec. Cor., dug pits 18X18X12 ins. E... and
W... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/4 S, on N... face,

60.06 Set a sandstone 13... X 9... X 5... ins., 8... ins.]
in the ground, for 1/6 Sec. Cor., marked 1/6 on N...
face, dug pits 18x18x12 ins., E... and W... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

8008 The 1/4 ac. cor.

Surface gently rolling.

CHAINS. Subdivisions T. 27 N. R. 18 E.

Soil ^{2nd} rate.

Good grass.

Thence I continue n. 0° 11' H. bet. Secs. 13 and 14.

51.00 Trail bears E. and H.

60.00 Set a sandstone ¹⁵... X ¹²... X ³... ins., ¹⁰... ins. in the ground, for ¹/₆ Sec. Cor., marked ¹⁶... on ^{W.} face, dug pits 18x18x12 ins., ^{N.}... and ^{S.}... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Thence I run east on a road or line through north ¹/₂ sec. 13.

To 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08 Intersect. east boundary of township at cor to ¹/₁₆ sec. Thence I run

CHAINS. Subdivisions T. 27 N R. 18 E.

rest on a fruiting
through north $\frac{1}{2}$ of sec. 13,
by 13rd E.

Over gently rolling surface.

2012

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18x18x12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake $\frac{1}{2}$ ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

4004

Set a sandstone $12 \times 12 \times 4$ ins., ⁸ ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

6006

Set a sandstone $12 \times 10 \times 7$ ins., ⁸ ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

8008

The $\frac{1}{16}$ sec. cor.

Surface gently rolling.

Soil 2^{nd} rate.

Good grass.

CHAINS. Subdivisions. T. 27. N. R. 18. E.

Thence I continue 71.00' N. bet. SWS.

13 and 14.

80.00

Set a sandstone 16...X...11...X...8...ins., 11...
ins. in the ground for Cor. to Secs. 11, 12, 13 and 14...
marked with 4...notches on S. and...notches on E.
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.
base, alongside.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Thence I run east on a railroad
line bet. SWS. 12 and 13.

79. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.00

Intersect east... boundary of township... 3...lks.
south of Cor. to Secs. 7, 12, 13 and 18-

Thence I run S 89° 59' W. on
a true line bet. SWS. 12 and 13

34.

CHAINS. Subdivisions T. 27 N R. 18 E.

Yd. 13° E.

1777 rough surface

20.00 Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18x18x12 ins. ~~E~~ and ~~W~~ of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
 In ~~E~~ pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on ~~N~~ face,

40.00 Set a sandstone ¹⁵ X ¹⁴ X ³ ins., ¹⁰ ins. in the ground, for ~~114~~ Sec. Cor., marked ~~114~~ on ~~N~~ face, dug pits 18x18x12 ins., ~~E~~ and ~~W~~ of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

60.00 Set a sandstone ¹⁴ X ¹³ X ⁹ ins., ⁹ ins. in the ground, for ~~116~~ Sec. Cor., marked ~~116~~ on ~~N~~ face, dug pits 18x18x12 ins., ~~E~~ and ~~W~~ of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

80.00 The cor. To stns. 11, 12, 13 and 14.
 Surface rough.
 Soil ^{2nd} rate.
 Good grass. (Sts. 1 and 12 mountainous)

CHAINS. Subdivisions T. 27 N. R. 18 E.

From the cor. to sec. 23 34 and 35
on the south boundary of the
township I run $74^{\circ} 1' N$.

Set: sec. 34 and 35.

$74.130^{\circ} E$.

Over gently rolling surface.

20.00

Set a sandstone $20 \times 12 \times 2\frac{1}{2}$ ins., 15 ins.
in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on W...
face, dug pits $18 \times 18 \times 12$ ins., N... and S... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

Then I run east on a
random line through south $\frac{1}{2}$
sec. 35.

$74.130^{\circ} E$.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

8208

Intersect N and S line. 11 links
south of $\frac{1}{16}$ sec. cor. then
I run S. $89^{\circ} 55' N$ on a
true line through south $\frac{1}{2}$

CHAINS. Subdivisions T. 27 N

R. 18 E.

SEC. 35.

74. 13' E.

Over gently rolling surface.

2002

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

4004

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

6006

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

8008

T^h 1/16 SEC. 35.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

CHAINS, Subdivisions T. 27. N. R. 18. E.

Then I continued $n. 0^{\circ} 1' N.$ to
 Sec. 34 and 35.

40.00

Set a sandstone $12 \times 12 \times 4$ ins., 8 ins.
 in the ground, for $1/4$ Sec. Cor., marked $1/4$ on $W.$
 face, dug pits $18 \times 18 \times 12$ ins., $N.$ and $S.$ of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

Then I run east on a
 random line through middle
 Sec. 35.

$Pa. 13^{\circ} E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

8208

Intersect $n.$ and $s.$ lines
 9 units south of $1/4$
 Sec. cor. Then I run
 $S. 89^{\circ} 56' N.$ on a true line
 through middle of Sec. 35.
 $Pa. 13^{\circ} E.$

Over gently rolling surface.

CHAINS. Subdivisions T. 27 N R. 18 E.

2002

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

4004

Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N. face,

49.10

Trail bears N. E. and S. W.

6006

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

69.60

Trail bears N. E. and S. W.

80.08

5th 1/4 sec. 104.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

CHAINS. Subdivisions T. 27 N. R. 18 E.

Thence I continue $77.00 \pm N.$

Set. sec. 34 and 35

51.20 Trail bears N. E. and S. W.

56.60 Trail bears N. E. and S. W.

60.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits $18 \times 18 \times 12$ ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on W. face,

Thence I may cast on a random line through north $1/2$ sec. 35.

$74.13^\circ E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.12 Intersect N. and S. line 12
links south of 116 sec.
cor. Thence I may set $89.55^\circ N.$
on a true line through

north 1/2 sec. 35.

79. 13° C.

Over gently rolling surface.

2003

Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. ~~E~~ and ~~W~~ of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ~~E~~ pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on ~~N~~ face,

2105

Trail bears N. E. and S. W.

4006

Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. ~~E~~ and ~~W~~ of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ~~E~~ pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on ~~N~~ face,

6009

Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. ~~E~~ and ~~W~~ of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ~~E~~ pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on ~~N~~ face,

6480

Trail bears N. E. and S. W.

7320

Trail bears N. E. and S. W.

8012

5th 116 sec. cor.

CHAINS, Subdivisions T. 27 N R. 18 E

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

Chain I continued 71.0° 11' N.

bet. sec. 34 and 35.

6520

Trail bears N. E. and S. W.

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 26, 27, 34 and 35, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 27 N. S. 26 on N. E.

R. 18 E. S. 35 on S. E.

S. 34 on S. W. and

S. 27 on N. W. faces, with.....notches on

S. and.....notches on E. edges.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

CHAINS. Subdivisions T. 27 N. - R. 18 E.

Thence I now run in a random
line bet. Secs. 26 and 35.

7a. 130° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

8008

Intersect N. and S. line...4...lks. south of Cor. to
Secs. 25, 26, 35 and 36. Thence I run...89° 58' N.
on a true line bet. Secs. 26 and 35.

7a. 130° E.

Over gently rolling surface.

.20 Trail bears N. E. and S. W.

9.00 Trail bears N. E. and S. W.

2002

Deposited a marked stone 12 ins. in the ground,
for...Sec. Cor., dug pits 18X18X12 ins. E.... and
W.... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked...S, on...N...face,

2450 Trail bears N. E. and S. W.

28.60 Trail bears N. E. and S. W.

CHAINS. Subdivisions T. 27 N R. 18 E.

4204

Deposited a marked stone 12 ins. in the ground, for ///4 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ///4 S, on N face,

4390

Trail bears N. E. and S. W.

6006

Deposited a marked stone 12 ins. in the ground, for ///6 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ///6 S, on N face,

8008

The cor. to sec. 26, 27, 34 and 35

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

*Line 1 run N. 0° 1' W.
bet. sec. 26 and 27.
70. 13° E.*

Over gently rolling surface.

CHAINS. Subdivisions T. 27 N R. 18 E.

20.00

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked S, on W. face,

Then I run east on a random line through south 1/2 sec. 27.

74. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.16

Abstract N. and S. line 10 links south of 1/16 sec. cor.

Then I run S. 89° 56' 74. on a true line through south 1/2 sec. 26.

74. 13° E.

Over gently rolling surface.

CHAINS. Subdivisions T. 27 N R. 18 E.

2004 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

4008 Set a sandstone 14 X 12 X 5 ins., 9 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

6012 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

8016 The $\frac{1}{16}$ ac. cont.

Surface gently rolling.

Soil $\frac{2018}{2}$ rate.

Good grass.

Some brush.

Then I continued N. 0° 11' H.
bet. secs. 26 and 27.

CHAINS. Subdivisions T. 27 N

R. 18 E.

40.00

Deposited a marked stone 12 ins. in the ground; for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square; 12 ins. in the ground, marked $\frac{1}{4}$ S, on W. face,

Then I run east on a
random line through
middle sec. 26.

70. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.12

Intersect N. and S. line
14 links south of $\frac{1}{4}$
sec. cor. Then I run
S. 89° 54' W. on a true
line through middle
sec. 26.

70. 13° E.

Over gently rolling surface.

CHAINS. Subdivisions T. 27 'N' R. 18 'E.

20.03

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

4006

Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N. face,

60.09

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

80.12

The 114 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Then I continue n. 0' 1" N.
 Feb. sec. 26 and 27.

CHAINS. Subdivisions T. 27 N R. 18 E.

60.00 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on W. face,

Then I run east on a random line through north $\frac{1}{2}$ sec. 26.

79. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

8012 Intersect N. and S. line.
8 lines south of $\frac{1}{16}$ sec. cor. Then I run 0.89° 57' N. on a true line through north $\frac{1}{2}$ sec. 26.
79. 13° E.

Over gently rolling surface.

CHAINS. Subdivisions T. 27 N. R. 18 E.

2003

* Set a sandstone ¹⁶ X ⁸ X ⁶ ins., ¹¹ ins. in the ground, for ¹¹⁶ Sec. Cor., marked ¹¹⁶ on ¹¹⁶ N. face, dug pits 18x18x12 ins. ¹¹⁶ E. and ¹¹⁶ W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside.

4006

Deposited a marked stone 12 ins. in the ground, for ¹¹⁶ Sec. Cor., dug pits 18X18X12 ins. ¹¹⁶ E. and ¹¹⁶ W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In ¹¹⁶ pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¹¹⁶ S, on ¹¹⁶ N. face,

6009

Deposited a marked stone 12 ins. in the ground, for ¹¹⁶ Sec. Cor., dug pits 18X18X12 ins. ¹¹⁶ E. and ¹¹⁶ W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In ¹¹⁶ pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¹¹⁶ S, on ¹¹⁶ N. face,

8012

The ¹¹⁶ Sec. Cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

Then I continue N. 00 11 St.
Set ¹¹⁶ 26 and 27

CHAINS, Subdivisions T. 27 N. R. 18 E.

80.00

Set a sandstone...¹⁴X...¹⁰X...⁶ ins., ⁹.....
 ins. in the ground for Cor. to Secs. 22, 23, 26 and 27
 marked with...².....notches on S. and...².....notches on E.
 edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.
 dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.
 base, alongside.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

Then I run east on
 a random line bet. S. W.
 23 and 26.

Ya. 130° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.00

Intersect N. and S. line ⁵ lks. ^{South} of Cor. to
 Secs. 23, 24, 25 and 26 Thence I run 289° 58' W.
 on a true line bet. Secs. 23 and 26.

Ya. 130° E.

Over gently rolling surface.

CHAINS. Subdivisions T. 27 N R. 18 E

20.00

Deposited a marked stone 12 ins. in the ground, for $\frac{11}{16}$ Sec. Cor., dug pits 18X18X12 ins. E.... and W.... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E.... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{11}{16}$... S, on... N... face,

40.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. E.... and W.... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E.... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$... S, on... N... face,

60.00

Set a sandstone $\frac{14}{16}$ X $\frac{12}{16}$ X $\frac{10}{16}$ ins. $\frac{9}{16}$ ins. in the ground, for $\frac{11}{16}$ Sec. Cor., marked $\frac{11}{16}$ on... N... face, dug pits 18x18x12 ins. E.... and W.... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

7063

Trail bears N. E. and S. W.

80.00

The cor to secs 22, 23, 26 and 27

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

July 2nd 1891

Chain I run 71.0' 1' N. 64'

secs, 22 and 23,

CHAINS. Subdivisions T. 27. N R. 18. E.

70. 130 E.

Over gently rolling surface.

20.00 Set a sandstone 18 X 12 X 4 ins., 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on W... face, dug pits 18x18x12 ins., N... and S... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Then I run east on a random line through south $\frac{1}{2}$ sec. 23.

70. 130 E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08 Intersect N. and S. lines 15 links south of $\frac{1}{16}$ sec. cor. Then I run $S. 89^{\circ} 54' W.$ on a true line through south $\frac{1}{2}$ sec. 23.

70. 130 E.

Over gently rolling surface.

CHAINS. Subdivisions T. 27 N R. 18 E.

2902 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

4904 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

4820 Trail bears N. E. and S. W.

6906 Set a sandstone $14 \times 13 \times 5$ ins., 9 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

8008 5th $\frac{1}{16}$ sec. cor.
Surface gently rolling.

Soil 2^{nd} rate.

Good grass.

Some brush.

CHAINS. Subdivisions T. 27. N R. 18. E.

Then I continued $n. 0^{\circ} 1' H.$
 bet. secs. 22 and 23.

40.00

Deposited a marked stone 12 ins. in the ground,
 for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. $N.$ and
 $S.$ of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In $N.$ pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{1}{4}$ S, on $W.$ face,

Then I run east on a
 random line through mid-
 dle of sec. 23.
 $\gamma a. 13^{\circ} E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.12

Intersect $n.$ and $S.$ line 4
 units south of $\frac{1}{4}$ sec.
 cor. Then I run $S. 89^{\circ} 58'$
 $W.$ on a true line through
 middle sec. 23.
 $\gamma a. 13^{\circ} E.$

CHAINS. Subdivisions T. 27 N. R. 18 E.

Over gently rolling surface.

2003 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{6}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked S. on N. face.

3520 Trail bears N. E. and S. W.

4006 Set a sandstone $\frac{1}{4}$ X $\frac{1}{10}$ X $\frac{1}{4}$ ins., $\frac{9}{10}$ ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

6009 Set a sandstone $\frac{1}{6}$ X $\frac{1}{12}$ X $\frac{3}{4}$ ins., $\frac{1}{10}$ ins. in the ground, for $\frac{1}{6}$ Sec. Cor., marked $\frac{1}{6}$ on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

8012 The $\frac{1}{4}$ sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

Thence I continue N. 0° 11' W.
bet. secs. 22 and 23

CHAINS, Subdivisions T.27... N R.18...E.

60.00

Set a sandstone 1.8 X 1.2 X .4 ins., 1.2 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Then I run east on a random line through north 1/2 sec. 23.

Pa. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

7996 Intersect n. and s. line 7 lines south of 1/16 sec. cor., then I run S. 89° 57' W. on a true line through north 1/2 of sec. 23.

Pa. 13° E.

Over gently rolling surface.

18.50

Trail bears N. E. and S. W.

CHAINS. Subdivisions T. 27 N R. 18 E.

1999

Set a sandstone $18 \times 16 \times 12$ ins., 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N... face, dug pits $18 \times 18 \times 12$ ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

3998

Set a sandstone $16 \times 14 \times 3$ ins., 11 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N... face, dug pits $18 \times 18 \times 12$ ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

5997

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins., E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In $\frac{1}{16}$ pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N... face,

9996

Sta $\frac{1}{16}$ Sec. Cor.

Surface gently rolling.

Soil 2^{nd} rate.

Good grass.

Shew I containing $77.0^\circ 11' 4''$.
Set sec. 22 and 23.

80.00

Set a sandstone $24 \times 14 \times 5$ ins., 18 ins. in the ground for Cor. to Secs. $14, 15, 22$ and 23 marked with 3 notches on S. and 2 notches on E. edges, and raised a mound of stone 1 1-2 ft. high, 2 ft. base, alongside. Pits impracticable.

5-8

CHAINS. Subdivisions T. 27 N R. 18 E.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

Thence I run east on a random line bet. Secs. 14 and 23, Pa. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

5008 Intersect N. and S. line 1.1...lks south of Cor. to Secs 13, 14, 23, and 24. Thence I run 289° 55' W. on a true line bet. Secs 14 and 23. Pa. 13° E.

Over gently rolling surface.

2002 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins....E...and ...N...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked...1/16 S, on...N...face,

CHAINS Subdivisions T. 27 N R. 18 E.

4004 Set a sandstone 16 X 7 X 5 ins. 11 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

6006 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{6}$ Sec. Cor., dug pits 18X18X12 ins., E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{6}$ S, on N... face,

8008 The Cor. to 0105, 14, 15, 22 and 23.

Surface gently rolling, and broken

Soil 2nd rate.

Good grass.

BOOK 541

U. S. Surveyor-General's Office,

TUCSON, A. T., Feb. 6th 1882

The foregoing Field Notes of the Surveys of
Subdivisions T 77. N. R. 18 E.
of the

Gila and Salt River Meridian

in Territory of Arizona executed by

John C. Smith

U. S. Deputy Surveyor, under his contract dated

November 1st 1878

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Rapael Johnson

U. S. Surveyor-General
for the Territory of Arizona.