

8  
Subdivisions T. 27

Recd Nov 19<sup>th</sup> 1890  
Copied Sent to Camp G. L. O.  
United Feb 6<sup>th</sup> 1892.

Approved March 1892

40

BOOK 543

543

No. 543

4-671

# FIELD NOTES

~~GENERAL LAND OFFICE~~  
of the survey  
of the

Subdivision Lines of  
Township 27 N. Range 18 E  
Surveyed by John C. Smith  
U. S. Dep. Sur  
Under his Contract No 16  
Dated Nov. 1<sup>st</sup> 1890  
Survey commenced July 2  
completed August 1891

14

Township No. 27 N. Range No. 186 E. SRBRM Mer.

ok  
42.

BOOK 543

			152				
6		5	147	150	3	2	1
				145			
			145	145			
			142	143			
7		8	142	141	10	11	12
			140	137			
			138	137			
			137	135			
18		17	135	133	15	14	13
			132	131			
			131	128			
			129	127			
			126	125	22	23	24
19		20	126	125			
			124	123			
			122	120			
			178	180			
			176	177			
30	175	173	173	172	28	27	25
			169	167			
			167	166			
			165	165			
			163	162			
31	160	161	158	158	33	34	35
			156	155			
			154				

True Meridian

No. 543

BOOK 543 120

CHAINS. Subdivisions T. 27 N R. 18 E.

Thence I continue N, 0° 2' W.

bet. secs. 28 and 29

62.25 Trail bears N. E. and S. W.

68.00 Trail bears N. E. and S. W.

80.00 Set a sandstone 10 X 10 X 8 ins. 7  
ins. in the ground for Cor. to Secs. 20, 21, 28 and 29.  
marked with 2 notches on S. and 4 notches on E.  
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.  
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
base, alongside.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Thence I run East on a  
random line bet. secs. 21 and 28  
7/8. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

## CHAINS. Subdivisions T. 27 N R. 18 E

80.00

Intersect N. and S. line... 20... yds. *South* of Cor. to  
 Secs. 21, 22, 27 and 28 Thence I run *2.89° 51' N*  
 on a true line bet. Secs. 21... and 28.

*70. 13° E.*

Over gently rolling surface.

20.00

Set a sandstone *19* X *16* X *4* ins. *14* ins.  
 in the ground, for *116* Sec. Cor., marked *116* on *N*  
 face, dug pits 18x18x12 ins., *E* and *W* of stone  
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
 high, 3 1-2 ft. base, alongside,

40.00

Deposited a marked stone 12 ins. in the ground,  
 for *114* Sec. Cor., dug pits 18X18X12 ins. *E* and  
*W* of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In *E* pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked *114* S, on *N* face,

40140

Trail bears N. E. and S. W.

5132

Trail bears N. and S.

60.00

Deposited a marked stone 12 ins. in the ground,  
 for *116* Sec. Cor., dug pits 18X18X12 ins. *E* and  
*W* of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In *E* pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked *116* S, on *N* face,

80.00

*The cor. to Secs. 21, 21, 28 and 29.*

Surface gently rolling.

CHAINS. Subdivisions T. 27 N. R. 18 E.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

July 4<sup>th</sup> 1891

Thence I run  $71.0^{\circ}$  2' H. lat.  
Sics. 20 and 21.

 $79.13^{\circ}$  E.

Over gently rolling surface.

2.50 Trail bears N. E. and S. W.

20.00 Deposited a marked stone 12 ins. in the ground,  
for  $1/6$  Sec. Cor., dug pits 18X18X12 ins. N. and  
S. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $1/6$  S, on W. face,

Thence I run east on a  
random line through  
south  $1/2$  of sec. 21.  
 $79.13^{\circ}$  E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

CHAINS. Subdivisions T...27. N R...18. E

7992 Intersect N. and S. lines  
 16 links south of 1/16  
 sec. cor. where I run  
 S. 89° 53' W. on a true  
 line through south 1/2  
 of sec. 21.  
 Pa. 130 E.

Over gently rolling surface,

560 Trail bears N. E. and S. W.

1998 Deposited a marked stone 12 ins. in the ground,  
 for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 1/16 S, on N. face,

39.96 Deposited a marked stone 12 ins. in the ground,  
 for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 1/16 S, on N. face,

46.20 Trail bears N. E. and S. W.

MAINS, Subdivisions T. 27 N R. 18 E.

5994 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. .... E. and ... W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on ... N. face,

6,00 Trail bears N. E. and S. W.

992 The 1/16 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Then I continue N. 1/2 N.

645, sec. 20 aug 21.

2004 Trail bears N. E. and S. W.

40.00 Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. .... N. and ... S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... N. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on ... W. face,

## CHAINS, Subdivisions T. 27 N R. 18 E

Then I run east on a  
random line through middle  
of sec. 21.  
79. 130 E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

8/16 <sup>18X12</sup> Anticut n. and on line 11 links  
south of 1/16 sec. cor.  
Then I run S. 89° 55' W.  
on a true line through  
middle of sec. 21  
79. 130 E.

Over gently rolling surface.

2004

Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N. face,



## HAINSSubdivisions T. 27 N R. 18 E.

4118 Deposited a marked stone 12 ins. in the ground, for <sup>114</sup> Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~114~~ S, on N. face.

4125 Trail bears N. E. and S. W.

4330 Trail bears N. E. and S. W.

6012 Deposited a marked stone 12 ins. in the ground, for <sup>116</sup> Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on N. face.

6830 Trail bears N. E. and S. W.

8016 The 44 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

---

Thence I continue N. 00 2' W.  
 lat. sec. 20 and 21.

## CHAINS. Subdivisions T. 27 N R. 18 E

60.00 Set a sandstone  $16 \times 10 \times 4$  ins.,  $11$  ins. in the ground, for  $1/16$  Sec. Cor., marked  $1/16$  on W. face, dug pits  $18 \times 18 \times 12$  ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Then I run east on a random line through north  $1/2$  of sec. 21.

Pa.  $13^\circ E$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.96 Intersect N. and S. lines 20 links south of  $1/16$  sec. cor. Then I run S.  $89^\circ 51' W.$  on a true line through north  $1/2$  of sec. 21.

Pa.  $13^\circ E$

Over gently rolling surface.

## HAINS, Subdivisions T. 27 N R. 18 E.

1994  
Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

36.70 Trail bears *N. and S.*

1998  
Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

53.5 Trail bears N. E. and S. W.

1997  
Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

7996 *The 116 sec corr.*

Surface gently rolling.

Soil *2<sup>nd</sup>* rate.

Good grass.

Some brush.

CHAINS. Subdivisions T. 27 N R. 18 E.

Thence I continue N. 0° 2' W.  
bet. S16S. 20 and 21

80.00  
80.00

Set a sandstone 16...X...11...X...7...ins. 11...  
ins. in the ground for Cor. to Secs. 16, 17, 20 and 21  
marked with 3...notches on S. and 4...notches on E.  
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.  
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
base, alongside.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Thence I run east on a  
random line bet. S16S. 16 and 21  
79. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08

Intersect N. and S. line 15 Hrs. south of Cor. to  
Secs. 15, 16, 21 and 22 Thence I run S. 89° 54' W.  
on a true line bet. Secs. 16 and 21.

79. 13° E.

CHAINS. Subdivisions T. 27 N. R. 18 E.

Over gently rolling surface.

20.02  
Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18x18x12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on N. face,

173  
Trail bears N. E. and S. W.

20.04  
Set a sandstone  $\frac{1}{3}$  X  $\frac{1}{8}$  X  $\frac{1}{5}$  ins.,  $\frac{1}{8}$  ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

20.06  
Set a sandstone  $\frac{1}{1}$  X  $\frac{1}{8}$  X  $\frac{1}{6}$  ins.,  $\frac{1}{7}$  ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., marked  $\frac{1}{6}$  on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

20.08  
The cor. to S.W. 16.17. 20 Aug 21

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

CHAINS, Subdivisions T. 27. N R. 18. E.

Thence I run  $71.0^{\circ} 2' N$ .

ft. 16 and 17.

 $\text{Pa. } 13^{\circ} E$ .

Over gently rolling surface.

4.00

over flat.

20.00

Deposited a marked stone 12 ins. in the ground; for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. ... N. and ... S. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In ... N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on ... W. face,Thence I run east in a  
random line through  
south  $\frac{1}{2}$  of sec. 16  
 $\text{Pa. } 13^{\circ} E$ .

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.14

Intersect, N. and S. line  
19 lines south of  $\frac{1}{16}$   
sec. cor. then I run

CHAINS, Subdivisions T. 27 N R. 18 E.

0.89° 52' N. on a true line  
 through south 1/2 of sec.  
 16.

1/4 130° E.

Over gently rolling surface.

20.01 Set a sandstone 12 X 12 X 8 ins., 8 ins.  
 in the ground, for 1/16 Sec. Cor., marked 1/16 on face, dug pits 18x18x12 ins., E and W of stone  
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
 high, 3 1-2 ft. base, alongside,

25.30 Trail bears N and S.

34.90 Trail bears N. E. and S. W.

40.02 Set a sandstone 10 X 10 X 7 ins., 7 ins.  
 in the ground, for 1/16 Sec. Cor., marked 1/16 on face, dug pits 18x18x12 ins., E and W of stone  
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
 high, 3 1-2 ft. base, alongside,

60.03 Set a sandstone 10 X 10 X 10 ins., 7 ins.  
 in the ground, for 1/16 Sec. Cor., marked 1/16 on face, dug pits 18x18x12 ins., E and W of stone  
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
 high, 3 1-2 ft. base, alongside,

80.04 The 1/16 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

CHAINS. Subdivisions T. 27 N R. 18 E.

Thence I continue  $N. 0^{\circ} 2' H.$

Set sec. 16 and 17

30.00 Leave flat from E. and N.

40.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on W. face,

Thence I run east on a random line through middle of sec. 16.

$Ta. 13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00.....N. Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.84 Intersect N. and S. line 18 links south of  $\frac{1}{4}$  sec. cor. Thence I run  $S 89^{\circ} 52' H.$  on a true line through middle of sec. 16



CHAINS Subdivisions: T. 27 N R. 18 E

No. 13 E.

Over gently rolling surface.

1996 Deposited a marked stone 12 ins. in the ground, for  $\frac{11}{6}$  Sec. Cor., dug pits 18x18x12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{11}{6}$  S, on N. face,

32.70

† Trail bears N. E. and S. W.

39.92

Set a sandstone  $\frac{13}{4}$  X  $\frac{9}{4}$  X  $\frac{5}{4}$  ins.  $\frac{8}{4}$  ins. in the ground, for  $\frac{14}{4}$  Sec. Cor., marked  $\frac{14}{4}$  on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

59.88

Set a sandstone  $\frac{20}{6}$  X  $\frac{11}{6}$  X  $\frac{4}{6}$  ins.  $\frac{15}{6}$  ins. in the ground, for  $\frac{11}{6}$  Sec. Cor., marked  $\frac{11}{6}$  on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

79.84

The  $\frac{14}{4}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

CHAINS. Subdivisions T. 27 N R. 18 E.

Thence I continue N. 0° 2' W.  
Set. Sec. 16 and 17.

60.00

Set a sandstone 11 X 11 X 9 ins., 7 ins. in the ground, for 1/6 Sec. Cor., marked 1/6 on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Thence I run east on a random line through north 1/2 of sec. 16.  
Ta. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.80

Intersect N. and S. line 12 lines north of 1/6 sec. cor. Thence I run S. 89° 55' W. on a true line through north 1/2 of sec. 16.  
Ta. 13° E.

Over gently rolling surface.

## CHAINS. Subdivisions T. 27. N R. 18. E.

9.40

Trail bears N. E. and S. W.

1495

Set a sandstone <sup>12</sup> X <sup>10</sup> X <sup>6</sup> ins. <sup>8</sup> ins. in the ground, for <sup>1/6</sup> Sec. Cor., marked <sup>1/6</sup> on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

3990

Set a sandstone <sup>14</sup> X <sup>10</sup> X <sup>4</sup> ins. <sup>9</sup> ins. in the ground, for <sup>1/6</sup> Sec. Cor., marked <sup>1/6</sup> on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

59.85

Deposited a marked stone 12 ins. in the ground, for <sup>1/6</sup> Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>1/6</sup> S, on N... face,

73.90

Trail bears N. E. and S. W.

79.80

The 1/6 Sec. Cor.

Surface gently rolling.

Soil <sup>2nd</sup> rate.

Good grass.

Some brush.

CHAINS. Subdivisions T. 27. N R. 18. E.

Thence I continue N. 0° 2' E.  
bet. S.W. 16. and 17.

80.00

Set a sandstone 24 X 12 X 3 ins. 18  
ins. in the ground for Cor. to Secs. 8, 9, 16 and 17  
marked with 4 notches on S. and 4 notches on E.  
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.  
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
base, alongside.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Thence I run east on a  
random line bet. S.W. 9 and 16  
79. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.84

Intersect N. and S. line 1.4 lks. south of Cor. to  
Secs. 9, 10, 15 and 16 Thence I run 89° 56' N  
on a true line bet. Secs. 9 and 16

79. 13° E.

CHAINS. Subdivisions T. 27. N. R. 18. E.

730 Trail bears N. E. and S. W.

1996 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18x18x12 ins. ... E. ... and W. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. ... face,

7992 Set a sandstone <sup>13</sup> X <sup>11</sup> X <sup>3</sup> ins., <sup>8</sup> ins. in the ground, for 114 Sec. Cor., marked 114 on N. ... face, dug pits 18x18x12 ins., E. ... and W. ... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

4470 Trail bears N. E. and S. W.

5988 Set a sandstone <sup>29</sup> X <sup>13</sup> X <sup>3</sup> ins., <sup>15</sup> ins. in the ground, for 116 Sec. Cor., marked 116 on N. ... face, dug pits 18x18x12 ins., E. ... and W. ... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

7984 The cor. to sec. 8, 9, 16 and 17

Surface gently rolling.

Soil <sup>2nd</sup> rate.

Good grass.

Some brush.

July 6<sup>th</sup> 1891

Thence A run N. 0° 2' W. bet. sec. 8 and 9.

## CHAINS. Subdivisions T. 27 N R. 18 E.

79. 13° E.

Over gently rolling surface.

20.00

Set a sandstone 8 X 8 X 8 ins., 5 ins.  
in the ground, for 1/6 Sec. Cor., marked 1/6 on W.  
face, dug pits 18x18x12 ins., N. and S. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Then I run east on a random  
line through south 1/2 of sec. 9,  
79. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.00

Intersect. n. and s. line 11  
lines south of 1/16 sec. 107.  
Then I run S. 89° 55' W.  
on a true line through south  
1/2 of sec. 9.  
79. 13° E.

Over gently rolling surface.

110

Trail bears N. and S.

## CHAINS, Subdivisions T. 27 N R. 18 E.

20.00	Set a sandstone <sup>11</sup> X <sup>8</sup> X <sup>6</sup> ins., <sup>7</sup> ins. in the ground, for <sup>116</sup> Sec. Cor., marked <sup>116</sup> on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,
40.00	Set a sandstone <sup>13</sup> X <sup>10</sup> X <sup>10</sup> ins., <sup>8</sup> ins. in the ground, for <sup>116</sup> Sec. Cor., marked <sup>116</sup> on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,
42.00	Trail bears N. E. and S. W.
60.00	Set a sandstone <sup>35</sup> X <sup>20</sup> X <sup>10</sup> ins., <sup>26</sup> ins. in the ground, for <sup>116</sup> Sec. Cor., marked <sup>116</sup> on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,
80.00	The <sup>116</sup> sec. cor. Surface gently rolling. Soil <sup>2<sup>nd</sup></sup> rate. Good grass. Some brush.
30.00	There is contour 71.0" 2' H. bet. sec. 8 and 9. Trail bears N. E. and S. W.

## CHAINS. Subdivisions T. 27. N R. 18. E.

40.00

Set a sandstone  $14 \times 12 \times 8$  ins.,  $9$  ins. in the ground, for  $1/4$  Sec. Cor., marked  $1/4$  on  $W.$  face, dug pits  $18 \times 18 \times 12$  ins.  $N.$  and  $S.$  of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Then I run east on a random line through middle of sec. 9.

$\gamma_a. 13^\circ E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.16

Intersect  $N.$  and  $S.$  line 14 links south of  $1/4$  sec cor. Then I run  $S. 89^\circ 54' W.$  on a true line through middle of sec. 9.

$\gamma_a. 13^\circ E.$

Over gently rolling surface.

20.04

Deposited a marked stone 12 ins. in the ground, for  $1/16$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.  $E.$  and  $W.$  of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $E.$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $1/16 S.$  on  $N.$  face,



CHAINS Subdivisions T. 27. N R. 18. E

26.22

Trail bears N. E. and S. W.

4208

Deposited a marked stone 12 ins. in the ground, for <sup>114</sup> Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>114</sup> S, on N. face,

6012

Set a sandstone <sup>12</sup> X <sup>10</sup> X <sup>5</sup> ins. <sup>8</sup> ins. in the ground, for <sup>116</sup> Sec. Cor., marked <sup>116</sup> on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

7300

Trail bears N. E. and S. W.

8116

The 14 sec. 117

Surface gently rolling.

Soil <sup>2nd</sup> rate.

Good grass.

Some brush.

---

Then I continue N. 11° 2' N.  
Set dis. 8 aug 9.

## CHAINS. Subdivisions T. 27 N R. 18 E.

60.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. N. and W. S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on W. face,

Then I run east on a random line through north  $\frac{1}{2}$  of sec. 9.  
 $\frac{1}{4}$  13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

81124 Intersect N. and S. line  
 9 links south of  $\frac{1}{16}$  sec.  
 cor. Then I run S. 89° 56' W.  
 on a true line through north  
 $\frac{1}{2}$  of sec. 9.  
 $\frac{1}{4}$  13° E.

Over gently rolling surface.

11311

Trail bears N. E. and S. W.

## CHAINS: Subdivisions T. 27 N. R. 18 E.

21.06

Set a sandstone <sup>N</sup> X 12 X 4 ins. <sup>10</sup> ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside.

21.09

Trail bears N. W. and S. E.

44.12

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

60.18

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

80.24

The 116 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

---

CHAINS, Subdivisions T. 27 N R. 18 E.

Then I continue N. 0° 2' W.  
 lat. 111. 8 and 9.

80.00

Deposited a marked stone 12 ins. in the ground,  
 for Cor. to Secs. 4, 5, 8 and 9, dug pits 18X18X12  
 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of  
 earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long  
 12 ins. in the ground, marked

T. 27 N. S. 4 on N. E.

R. 18 E. S. 9 on S. E.

S. 8 on S, W, and

S. 5 on N. W. faces, with 5 notches on  
 S. and 4 notches on E. edges.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Then I run east on  
 a random line lat. 111.  
 4 and 9.

No. 13 E.

20.00

Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

CHAINS: Subdivisions T. 27 N R. 18 E

60.00 Set temporary 1-16 Sec. Cor.

8A16 Intersect N. and S. line <sup>10</sup> lks south of Cor. to Secs. 3, 4, 9 and 10. Thence I run <sup>2.89' 56' 27"</sup> on a true line bet. Secs. 4 and 9.

Pa. 13° E.

Over gently rolling surface.

2 1104 Set a sandstone <sup>13</sup> X <sup>10</sup> X <sup>4</sup> ins. <sup>8</sup> in the ground, for <sup>116</sup> Sec. Cor., marked <sup>116</sup> on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

3825 Trail bears N. W. and S. E.

4008 Deposited a marked stone 12 ins. in the ground, for <sup>116</sup> Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>116</sup> S, on N. face,

6A12 Deposited a marked stone 12 ins. in the ground, for <sup>116</sup> Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>116</sup> S, on N. face,

6 8A16 The cor. to Secs. 4, 5, 8 and 9

Surface gently rolling.  
Soil 2<sup>nd</sup> rate.  
Good grass.  
Some brush.

## CHAINS. Subdivisions T. 27. N R. 18. E.

Chain I run  $N. 0^{\circ} 2' N.$  on a  
random line bet. SWS. 4. and 5  
by  $13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.90 Substit' north boundary of  
township 8 links west of the  
cor. to SWS. 4. 5. 32 and 33.

Chain I run  $S. 0^{\circ} 1' E.$  on a  
true line bet. SWS. 4 and 5  
by  $13^{\circ} E.$

Over gently rolling surface.

1990

Deposited a marked stone 12 ins. in the ground,  
for  $115$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.  $N.$  and  
 $S.$  of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $N.$  pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $115$  S, on  $W.$  face,

3990

Deposited a marked stone 12 ins. in the ground,  
for  $114$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.  $N.$  and  
 $S.$  of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $N.$  pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $114$  S, on  $W.$  face,

CHAINS. Subdivisions T. 27 N

R. 18 E.

42.70

Wash. #. 2. . . lks. wide course, *OK.*

48.50

Trail bears N. W. and S. E.

50.00

Trail bears N. W. and S. E.

59.90

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. N. . . and S. . . of corner 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base over it.

In N. . . pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on W. . . face,

79.90

To the cor. to secs 4, 5, 8 and 9

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

East on a random line through south 1/2 of sec. 4 from 1/16 sec. cor.

7a. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

## CHAINS. Subdivisions T. 27 N R. 18 E.

80.16 Subdiv. N. and S. line 5 links  
south of 1/16 sec. cor. There  
is now S. 89° 58' N. on a  
true line through south 1/2 of  
sec. H.

79.130 E

Over gently rolling surface.

20.04

Set a sandstone 20 X 16 X 8 ins., 15 ins.  
in the ground, for 1/16 Sec. Cor., marked 1/16 on N...  
face, dug pits 18x18x12 ins. E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

33.15

Trail bears N. E. and S. W.

40.08

Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E... and  
W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N... face,

60.12

Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E... and  
W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N... face,



## CHAINS. Subdivisions T. 27... N R. 18... E.

63.00 Trail bears N. and S.

69.80 Trail bears N. W. and S. E.

80.16 The 1/16 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

East on a random line through  
middle of sec. 4. from  
1/4 sec. cor.

by 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.04 Intersect N. and S. line  
at 1/4 sec. cor. then I  
run west on a true line  
through middle of sec. 4.

157

CHAINS. Subdivisions T. 27 N. R. 18 E.

Pa. 13<sup>0</sup>E.

Over gently rolling surface.

7.90 Wash.....lks. wide course, N. W.

14.70 Trail bears N. E. and S. W.

18.90 Trail bears N. W. and S. E.

20.01 Set a sandstone 13 X 10 X 4 ins., 8 ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

40.02 Set a sandstone 13 X 10 X 4 ins., 8 ins. in the ground, for 114 Sec. Cor., marked 114 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

58.20 Trail bears N. E. and S. W.

60.03 Set a sandstone 13 X 11 X 5 ins., 8 ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

63.05 Trail bears N. E. and S. W.

71.70 Trail bears N. E. and S. W.

78.00 Wash.....lks. wide course, SW.

80.04 5th 114 Sec. Cor.

CHAINS, Subdivisions T. 27 N R. 18 E.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

East on a random line  
through north 1/2 of sec. 4  
from 1/16 sec. cor.  
to 13<sup>th</sup> E.

20.00 \*Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Extract N. and S. line 7  
links south of 1/16 sec. cor.  
then I run S. 89° 57' W. on  
a new <sup>line</sup> through north 1/2 of  
sec. 4.

to 13<sup>th</sup> E.

Over gently rolling surface.

153

CHAINS, Subdivisions T 27 N R. 18 E.

20.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

40.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

47.95

Trail bears N, E. and S. W.

49.01

Trail bears N, E. and S. W.

53.80

Wash. 20 lks. wide course, SW.

58.20

Trail bears N, E. and S. W.

60.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

80.00

TH 116 SIC. COT.

Surface gently rolling.

Soil 2 <sup>mi</sup> rate.

Good grass.

Some brush.

July 7<sup>th</sup> 1891

From 1<sup>st</sup> cor. to S.W. 5.6, 31  
and 32 on 1<sup>st</sup> south  
boundary of 1<sup>st</sup> Township  
I run  $71^{\circ} 0' 3''$  N. bet. S.W.  
31 and 32.

$74.13^{\circ}$  E.

In breaks of wash.

Wash.....<sup>10</sup>lks. wide course, *OK* course

Set a sandstone <sup>14</sup>X <sup>10</sup>X <sup>4</sup>...ins., <sup>9</sup>...ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on *W.*...  
face, dug pits  $18 \times 18 \times 12$  ins., *N.*...and *S.*...of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside, *Third,*

Over gently rolling surface.

.10  
20.00

CHAINS. Subdivisions T.27. N R.18.E.

Thence I run east on a random line through south 1/2 of sec. 32. Pa. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Antisocial N. and S. line 6 links south of 1/16 sec. cor. Thence I run S. 89° 57' W. on a true line through south 1/2 of sec. 32. Pa. 13° E.

Over gently rolling surface.

50 Trail bears N. E. and S. W.

13.00 Coal croppings bear N. and S.

20.00 Set a sandstone 13 X 11 X 4 ins., 8 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

## CHAINS Subdivisions T. 27 N. R. 18 E.

40.00

Set a sandstone 12 X 12 X 4 ins., 8 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

52.90

Trail bears N. W. and S. E.

60.00

Set a sandstone 12 X 9 X 5 ins., 8 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

80.00

*Sta 1/16 Sec. Cor.*

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

*Then I now met on a random line through south 1/2 of sec. 31.*

*70. 130° E.*

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

CHAINS. Subdivisions T. 27 N R. 18 E.

79.10 Extract west boundary of town-  
ship 5 lines north of 116 ac.  
cor. Then L run 77.89" 58'  
E. on a true line through  
south 1/2 of sec - 31.  
Pa. 13° E.

Over gently rolling surface.

19.10 Set a sandstone 13 X 10 X 4 ins., 8 ins.  
in the ground, for 116 Sec. Cor., marked 116 on N...  
face, dug pits 18x18x12 ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

39.10 Deposited a marked stone 12 ins. in the ground,  
for 116 Sec. Cor., dug pits 18X18X12 ins., E... and  
W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on N... face,

59.10 Deposited a marked stone 12 ins. in the ground,  
for 116 Sec. Cor., dug pits 18X18X12 ins., E... and  
W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on N... face,

79.10 The 116 ac. cor.



CHAINS. Subdivisions T. 27 N R. 18 E.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Thence I continue N. 0° 3' W.

Set. Secs. 31 and 32.

40.00

Set a sandstone 11 X 8 X 6 ins., 7 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Thence I run east on a random line through middle of sec. 32.

N. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7992 Intersect N. and S. line at 1/4 sec. cor. Thence I run

## CHAINS. Subdivisions T.27 N

R. 18 E.

rest on a trail line through  
middle of, sec. 32,  
T<sub>4</sub>. 13<sup>0</sup>E.

Over gently rolling surface.

1998

Set a sandstone 14 X 12 X 3 ins., 9 ins.  
in the ground, for 1/6 Sec. Cor., marked 1/6 on N.  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

29.00 Coal croppings bear. N.E. and S.W.

3996

Set a sandstone 14 X 12 X 3 ins., 9 ins.  
in the ground, for 1/4 Sec. Cor., marked 1/4 on N.  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

5994

Set a sandstone 14 X 12 X 3 ins., 9 ins.  
in the ground, for 1/6 Sec. Cor., marked 1/6 on N.  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

6280

Trail bears N. W. and S. E.

7992

The 14 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

## CHAINS Subdivisions T. 27 N R. 18 E

Thence I run west on a  
random line through middle  
of sec. 31.

$\gamma_a. 13^\circ E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.00 Intersect west boundary of  
township 9. line north of  
1/4 sec. cor. Thence I run  
 $\gamma. 89^\circ 56' E.$  on a true line  
through middle of sec. 31.  
 $\gamma_a. 13^\circ E.$

Over gently rolling surface.

19.00 Deposited a marked stone 12 ins. in the ground,  
for ~~1/16~~ Sec. Cor., dug pits 18X18X12 ins. E....and  
..W...of corner 5 1-2 ft. dist., and raised a mound of  
earth 1-1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~1/16~~ S, on N...face,

## CHAINS. Subdivisions T. 27. N R. 18. E.

39.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on N. face,

59.00

Set a sandstone 20 X 15 X 10 ins., 15 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., marked  $\frac{1}{6}$  on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

79.00

The 1/4 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Thence I continued 79.00 3' H.

bet. sec 31 and 32.

60.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on W. face,

## CHAINS, Subdivisions T. 27. N R. 18. E.

Thence I run east on a random  
line through north  $\frac{1}{2}$  of sec. 32.  
Ta. 13<sup>0</sup>E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Subtract N. and S. line 5 miles  
south of  $\frac{1}{16}$  sec. cor. thence  
I run S.  $89^{\circ}58'$  W. on a  
true line through north  
 $\frac{1}{2}$  of sec. 32.  
Ta. 13<sup>0</sup>E.

Over gently rolling surface.

3.50 Coal crop signs near N.E. and S.W.

20.00 Set a sandstone  $14 \times 12 \times 3$  ins., 9 ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N...  
face, dug pits  $18 \times 18 \times 12$  ins. E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

40.00 Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on N... face,

CHAINS. Subdivisions T. 27 N

R. 18 E.

60.00

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 15X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

70.40

Trail bears N. W. and S. E.

80.00

*The 1/16 sec. cor.*

Surface gently rolling,

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

*These I now rest on a  
random line through north  
1/2 of sec. 31.*

*To. 13<sup>th</sup> E.*

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.00

*Intersect west boundary of*

CHAINS. Subdivisions T. 27 N R. 18 E.

township 7 miles north  
of 1/6 sec. cor. Thence  
I run N. 89° 57' E. on a  
true line through north  
1/2 of sec. 31.  
7a. 13° E.

Over gently rolling surface.

19.00  
Deposited a marked stone 12 ins. in the ground,  
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. d. t., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/6 S, on N. face,

39.00  
Deposited a marked stone 12 ins. in the ground,  
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. d. t., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/6 S, on N. face,

59.00  
Deposited a marked stone 12 ins. in the ground,  
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. d. t., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/6 S, on N. face,

165

CHAINS. Subdivisions T. 27 N R. 18 E.

79.00 *5th 1/16 sec. corr.*

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

*Thence I continue N. 11° 3' W.*

*bet. Secs 31 and 32*

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs *29, 30, 31 and 32*, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 27 N. S. 29 on N. E.

R. 18 E. S. 32 on S. E.

S. 31 on S. W, and

S. 30 on N. W. faces, with notches on

S. and notches on E. edges.

Surface gently rolling.

Soil 2<sup>nd</sup> rate. *and 3<sup>rd</sup>.*

Good grass.



PLAINS. Subdivisions T. 27. N R., 18. E.

Thence I run east on a random  
line bet. secs. 29. and 32.

To.  $13^{\circ}$  E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.96 Intersect N. and S. line 1.0... lks. south of Cor. to  
Secs. 28, 29, 32 and 33 Thence I run  $S. 89^{\circ} 56' 11''$   
on a true line bet. Secs. 29... and 32...

To.  $13^{\circ}$  E.

Over gently rolling surface.

79.99 Deposited a marked stone 12 ins. in the ground,  
for  $1/16$  Sec. Cor., dug pits 18X18X12 ins. ... E... and  
... W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $1/16$  S, on  $N$  face,

79.98 Deposited a marked stone 12 ins. in the ground,  
for  $1/4$  Sec. Cor., dug pits 18X18X12 ins. ... E... and  
... W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $1/4$  S, on  $N$  face,

CHAINS Subdivisions T. 27 N R. 18 E.

5997 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

7460 Trail bears N. W. and S. E.

7496 To the cor. 15 0115. 29. 30. 31 and 32.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

There I may meet on a mound on line bet. 29. 30. 31 and 32.  
30. and 31.  
7a. 13° 6.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7888 Antitrust west boundary

CHAINS, Subdivisions T. 27. N R. 18. E.

of Township. at cor 10  
 S.W. 25, 30, 31 and 36. Thence  
 I run east on a true  
 line bet. S.W. 30 and 31,  
 79.13° E.

Over gently rolling surface.

1888 Deposited a marked stone 12 ins. in the ground,  
 for 116...Sec. Cor., dug pits 18X18X12 ins....E...and  
 ...W...of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ...E... pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 116...S, on...N...face,

5888 Deposited a marked stone 12 ins. in the ground,  
 for 114...Sec. Cor., dug pits 18X18X12 ins....E...and  
 ...W...of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ...E... pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 114...S, on...N...face,

4620 Trail bears N. E. and S. W.

5650 Trail bears N. E. and S. W.

5888 Deposited a marked stone 12 ins. in the ground,  
 for 116...Sec. Cor., dug pits 18X18X12 ins....E...and  
 ...W...of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ...E... pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 116...S, on...N...face,

CHAINS, Subdivisions T. 27. N

R. 18. E.

7888 The corr. to sec. 29, 30, 31 and 32

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass, some fox tail.

Then I run N. 0° 3' W. for  
secs. 29 and 30.

Pa. 130<sup>e</sup>.

Over gently rolling surface.

112 Trail bears N. W. and S. E.

1150 Trail bears N. E. and S. W.

20.00

Deposited a marked stone 12 ins. in the ground,  
for 116 Sec. Cor., dug pits 18X18X12 ins. N. and  
S. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S. on W. face,

Then I run east on a  
random line through south 1/2  
of sec. 29.

Pa. 130<sup>e</sup>.

## CHAINS. Subdivisions T. 27. N R. 18. E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. line 6 links

south of  $\frac{1}{16}$  sec. cor. Then  
I run S.  $89^{\circ} 57'$  N. 111 a  
true line through south  
 $\frac{1}{2}$  of sec. 29.  
7d.  $13^{\circ} E.$

Over gently rolling surface.

380 Trail bears N. and S.

20.00 Set a sandstone  $32 \times 13 \times 3$  ins.,  $24$  ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N...  
face, dug pits  $18 \times 18 \times 12$  ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

40.00 Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins., E... and  
W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on N... face.

5965 Trail bears N. E. and S. W.

## CHAINS. Subdivisions T. 27 N R. 18 E.

60.00 Set a sandstone  $13 \times 19 \times 4$  ins.  $8$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft high, 3 1-2 ft. base, alongside,

80.00

*The  $\frac{1}{16}$  sec. cor.*

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

*Then I run west on a  
random line through south  
 $\frac{1}{2}$  of sec. 31.*

*70. 13° E.*

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

*78.75 Intersect west boundary of  
township at  $\frac{1}{16}$  sec. cor.  
Then I run east on a*

CHAINS, Subdivisions T27 N R. 18 E.

Trail lies through south  
 1/2 of sec. 30.  
 90° 13' E.

Over gently rolling surface.

18.75 Deposited a marked stone 12 ins. in the ground,  
 for 116 Sec. Cor., dug pits 18X18X12 ins...E...and  
 ..W...of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 116 S. on...N...face.

38.75 Deposited a marked stone 12 ins. in the ground,  
 for 116 Sec. Cor., dug pits 18X18X12 ins...E...and  
 ..W...of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 116 S. on...N...face.

58.75 Deposited a marked stone 12 ins. in the ground,  
 for 116 Sec. Cor., dug pits 18X18X12 ins...E...and  
 ..W...of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 116 S. on...N...face.

69.45 Trail bears N. W. and S. E.

78.75 Tra 1/16 sec. cor.

Surface gently rolling.

## CHAINS Subdivisions T. 27 N R. 18 E.

Soil 2<sup>nd</sup> rate.

Good grass.

Then I continue N. on 3' W.  
bet. secs. 29 and 30.

40.00

Set a sandstone 15 X 16 X 2 ins., 12 ins.  
in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face,  
dug pits 18x18x12 ins., N. and S. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Then I run east on a  
random line through  
middle of sec. 29.  
Ta. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.92

Intersect N. and S. line 10  
links south of 1/4 sec. cor.  
Then I run S. 89° 56' W.  
on a true line through



CHAINS. Subdivisions T. 27 N R. 18 E.

middle of sec. 29.

74. 13° E.

Over gently rolling surface.

9.20

Trail bears N. W. and S. E.

19.98

Set a sandstone <sup>13</sup> X <sup>10</sup> X <sup>4</sup> ins., <sup>8</sup> ins. in the ground, for <sup>116</sup> Sec. Cor., marked <sup>116</sup> on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

26.50

Trail bears N. E. and S. W.

32.05

Trail bears N. E. and S. W.

39.96

Set a sandstone <sup>14</sup> X <sup>8</sup> X <sup>7</sup> ins., <sup>7</sup> ins. in the ground, for <sup>114</sup> Sec. Cor., marked <sup>114</sup> on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

59.94

Deposited a marked stone 12 ins. in the ground, for <sup>116</sup> Sec. Cor., dug pits 18X18X12 ins., E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>116</sup> S, on N... face,

74.92

To the 14 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

CHAINS. Subdivisions T. 27 N R. 18 E.

Then I run west on a random line through middle of sec. 30.

Pa. 130° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.70 Intersect West boundary of Township at 1/4 sec. cor. Then I run east on a true line through middle of sec. 30.

Pa. 130° E.

Over gently rolling surface.

1870

Set a sandstone 16 X 14 X 8 ins., in the ground, for 1/4 Sec. Cor., marked 1/4 S. on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

34,10

Trail bears N. E. and S. W.

## CHAINS. Subdivisions T. 27. N R. 18. E.

38,70

Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. ...E...and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on ...N...face,

58,70

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. ...E...and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on ...N...face,

60,90

Trail bears N. W. and S. E.

78,70

The 114 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Thence I continue n. 70° 3' W.

to the sec. 29 and 30.

60.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. ...N...and ...S...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ...N...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on ...W...face,

CHAINS. Subdivisions T.27 N

R.18 E.

Then I run east on a  
random line through north  
1/2 of sec. 29,  
Ta. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. line 7  
links south of 1/16 sec.  
cor. Then I run S 89° 57' W.  
on a true line through  
north 1/2 of sec. 29,  
Ta. 13° E.

Over gently rolling surface.

3.40 Trail bears N. W. and S. E.

15.00 Trail bears N. W. and S. E.

20.00

Set a sandstone 16 X 14 X 10 ins., 11 ins.  
in the ground, for 1/16 Sec. Cor., marked 116 on N...  
face, dug pits 18x18x12 ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

## CHAINS. Subdivisions T. 27 N R. 18 E.

23.00 Trail bears N. W. and S. E.

24.85 Trail bears N. E. and S. W.

40.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N... face,

60.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N... face,

67.85 Trail bears N. E. and S. W.

80.00 The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Then I run west on a  
random line through north

CHAINS. Subdivisions T. 27 N

R. 18 E.

 $\frac{1}{2}$  of sec. 30.Pa.  $13^{\circ}$  E

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

9880 Enter out west boundary of Township 8 little north of  $\frac{1}{16}$  sec. cor. Then I run  $N. 89^{\circ} 57' E.$  on a true line through north  $\frac{1}{2}$  of sec. 30  
Pa.  $13^{\circ}$  E.

Over gently rolling surface.

1880

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins.  $E.$  and  $W.$  of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $E.$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S. on  $N.$  face,

3880

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins.  $E.$  and  $W.$  of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $E.$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S. on  $N.$  face,

## CHAINS Subdivisions T. 27 N R. 18 E.

56.30 Trail bears N. W. and S. E.

58.80 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins.  $E$  and  $W$  of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In  $E$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on  $N$  face,78.80 The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Thence a continuous  $N. 10^\circ$   
 3' N. 1/4. Secs. 29 and 30.

80.00 Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 18, 20, 29 and 30, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 27 N. S. 20 on N. E.

R. 18 E. S. 29 on S. E.

S. 30 on S. W, and

S. 19 on N. W. faces, with 2 notches on S. and 2 notches on E. edges.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

BOOK 548

181

U. S. Surveyor-General's Office,

TUCSON, A. T., Feb 6<sup>th</sup> 1882

The foregoing Field Notes of the Surveys of  
Subdivision T 77. N. R. 18 E.  
of the

Gila and Salt River Meridian  
in Arizona executed by

John B. Smith  
U. S. Deputy Surveyor, under his contract dated  
November 1<sup>st</sup> 1890

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Raphael Johnson

U. S. Surveyor-General  
for the Territory of Arizona.