

1A

Recd Nov 19/91.

Copy of
Compend Sent to Comm. G.L.O
Dated Feb. 6th 1892.

Approved March 18 1892

Subdivisions T. 27 N
R. 18 E

41.

BOOK 544

No 544

544

4-671

FIELD NOTES

~~GENERAL LAND OFFICE~~

of the survey
of the

Subdivision Lines of
Township 27 N. Range 18 E.

Surveyed by John C. Smith
U.S. Dep. Sur.

Under his contract 70916.

Dated Nov. 1st 1890

Survey commenced July 21 1891
completed 20 1891

1A

Township No. _____

Range No. _____

BOOK 544

Mer. _____

1B

Book 543.

243	241				
6 239 232 235		4	3	2	1
226	224				
220	219				
216	218	214			
7 220 224 228		9	10	11	12
218	220	216			
214	216	212			
210	211	208			
18 206 207 204	17	16	15	14	13
202	203	200			
198	199	196			
194	195	192			
19 200 192 188	20	21	22	23	24
186	188	185			
182	184	181			
30	29	28	27	26	25
31	32	33	34	35	30

No. 544 BOOK 544 181

CHAINS. Subdivisions T...27...N R...18...E.

Thence I run east on a random
line bet. secs. 28 and 29,
7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.96 Intersect N. and S. line...12...lks. south of Cor. to
Secs. 20, 21, 28 and 29. Thence I run...89° 55' 44"
on a true line bet. Secs. 20 and 29.

7a. 13° E.

Over gently rolling surface.

3.25 Trail bears N. E. and S. W.

7.40 Trail bears N. E. and S. W.

17.00 Trail bears N. W. and S. E.

19.99 Deposited a marked stone 12 ins. in the ground,
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/6 S, on N. face,

27.70 Trail bears N. E. and S. W.

CHAINS Subdivisions T. 27 N R. 18 E

3998

Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. ... E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on N. face,

3997

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. ... E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

3996 The cor. 16 Secs. 19, 20, 29 and 30

Surface gently rolling.

Soil 2nd rate.

Good grass.

Some brush.

There I run west on a random line 1st. Secs. 19 and 30, T. 13" E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

CHAINS Subdivisions T 27 N R 18 E

60.00 Set temporary 1-16 Sec. Cor.

78.60 Instruct west boundary of townships of cor. in 2115, 19, 24, 25 and 30 show I run east on a true line bit. cor. 19 and 30. Pa. 13° E.

Over gently rolling surface.

8.60 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

38.60 Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N. face,

40.10 Trail bears N. and S.

58.60 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

184

BOOK 544

CHAINS. Subdivisions T 27 N R 18 E

78.60 Take cor. to sec. 19, 20, 29 and 30

Surface gently rolling.

Soil ^{good} rate.

Good grass.

July 8th 1891

Then I run $71.0^{\circ} 3' W$, 54 ft.

Sec. 19 and 20.

$7^{\circ} 13' E$.

Over gently rolling surface.

20.00

Deposited a marked stone 12 ins. in the ground, for $71.0^{\circ} 3' W$ Sec. Cor., dug pits 18X18X12 ins. N and S of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $71.0^{\circ} 3' W$, on W face,

Then I run east on a random line through south $1/2$ of sec. 20.

$7^{\circ} 13' E$.

CHAINS Subdivisions T. 27 N R. 18 E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersection N. and S. line 11 links

south of 1/16 sec. cor. thence

S. and S. 89° 55' W. on a

true line through south 1/2

of sec. 20.

Pa. 13° E.

Over gently rolling surface.

.05 Trail bears N. E. and S. W.

7.50 Trail bears N. E. and S. W.

20.00 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. ... E. ... and ... W. ... of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on ... N ... face,

38.00 Trail bears N. W. and S. E.

CHAINS. Subdivisions T. 27 N R. 18 E.

40.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

60.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

80.00

The 116 Sec. Cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

181.00
182.00

Then I run west on a
random line through south
1/2 of sec. 19.

To. 13th E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

CHAINS Subdivisions T. 27 N R. 18 E

60.00 Set temporary 1-16 Sec. Cor.

78.60 Set out west boundary of township at $\frac{1}{16}$ sec. cor. thence I run east on a true line through south $\frac{1}{2}$ of sec. 19.

Pa. 13° E.

Over gently rolling surface.

18.60 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. ... E... and ... W... of corner 5 1-2 ft. d. t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on ... N... face,

38.60 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. ... E... and ... W... of corner 5 1-2 ft. d. t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on ... N... face,

56.12 Trail bears N. W. and S. E.

58.60 - Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. ... E... and ... W... of corner 5 1-2 ft. d. t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on ... N... face,

CHAINS. Subdivisions T. 27 N

R. 18 E

7860

Tth 46 sec. cor.

Surface gently rolling,

Soil 2nd rate.

Good grass.

Thence I continue 71.0" 3' H.
 1st. sec. 19 and 20.
 over land country.

40.00

Deposited a marked stone 12 ins. in the ground,
 for 4th Sec. Cor., dug pits 18X18X12 ins. N...and
 S...of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N...pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 4th S, on W...face,

Thence I run east on a
 random line through
 middle of sec. 20.
 Pa. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

HAINS Subdivisions T. 27 N R. 18 E.

19.96 Intract N. and S. line 14
links south of 14 sec.
Cor. 1 thru 2 now
D. 89° 54' N. on a true
line through middle of
sec. 20.

99. 13° E.

Over gently rolling surface.

19.99 Deposited a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S, on N. face,

39.98 Deposited a marked stone 12 ins. in the ground,
for 114 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 114 S, on N. face,

48.75 Trail bears N. W. and S. E.

59.97 Deposited a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S, on N. face,

CHAINS. Subdivisions T. 27 N. R. 18 E.

7996 1/4 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Thru, I run west on a
random line through mid-
dle of sec. 19.
7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor,

40.00.....Set temporary 1-4 Sec. Cor,

60.00 Set temporary 1-16 Sec. Cor,

7861 Subcut west boundary
of township 3 lines north
of 1/4 sec. cor. thru
I run n. 89° 59' E. on
a true line through
middle of sec. 19.
7a. 13° E.

CHAINS. Subdivisions T. 27 N. R. 18 E.

Over gently rolling surface.

1861
Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N... face,

7861
Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N... face,

4240 Trail bears north and SE.

7861
Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N... face,

7861 The 114 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

CHAINS. Subdivisions T. 27 R. 18 E.

Thence I continue $71^{\circ} 03' N$,
 Lat. SCS. 19 and 20.

60.00

Deposited a marked stone 12 ins. in the ground,
 for $\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. N ...and
 ... S ... of corner 5 1-2 ft. deep, and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N ... pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{1}{16}$ S, on W ... face;

Thence I run east on a
 random line through north
 $\frac{1}{2}$ of sec. 20.

$\gamma a. 13^{\circ} E$

20.00

Set temporary 1-16 Sec. Cor.,

40.00

Set temporary 1-16 Sec. Cor.,

60.00

Set temporary 1-16 Sec. Cor.,

80.00

Abstract M and S line 9
 lines south of $\frac{1}{16}$ sec.
 cor. Thence I run $S. 89^{\circ} 56' N$
 on a true line through
 north $\frac{1}{2}$ of sec. 20
 $\gamma a. 13^{\circ} E$.

CHAINS. Subdivisions T. 27 N R. 18 E.

Over gently rolling surface.

20.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. $\frac{1}{16}$ E. and $\frac{1}{16}$ W. of corner 5 1-2 ft. d., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In $\frac{1}{16}$ E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on $\frac{1}{16}$ N. face,

40.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. $\frac{1}{16}$ E. and $\frac{1}{16}$ W. of corner 5 1-2 ft. d., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In $\frac{1}{16}$ E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on $\frac{1}{16}$ N. face,

60.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. $\frac{1}{16}$ E. and $\frac{1}{16}$ W. of corner 5 1-2 ft. d., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In $\frac{1}{16}$ E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on $\frac{1}{16}$ N. face,

60.05

Trail bears N. W. and S. E.

80.00

$\frac{1}{16}$ sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

194

BOOK 544

CHAINS. Subdivisions T. 27 N R. 18 E

Thing I was met on a
random line through north
 $\frac{1}{2}$ of sec. 19.

Pa. $13^{\circ} E$.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7860 Intersect west boundary
of township 5 miles north
of $\frac{1}{16}$ sec. cor. thing
I was $N. 89^{\circ} 58' E$. on
a true line through
north $\frac{1}{2}$ of sec. 19.

Pa. $13^{\circ} E$.

Over gently rolling surface.

1860

Deposited a marked stone 12 ins. in the ground
for $\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. E . and
 W . of corner 5 1-2 ft. deep, and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E . pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked S , on N . face,

CHAINS. Subdivisions T. 27 N R. 18 E.

3340

Trail bears N. W. and S. E.

3570

Trail bears N. W. and S.

3860

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. ...E... and ...W... of corner 5 1-2 ft. d... and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ...E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on ...N... face,

5860

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. ...E... and ...W... of corner 5 1-2 ft. d..., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ...E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on ...N... face,

4860

5th 1/16 M. cor.

Surface gently rolling.

Soil ^{good} rate.

Good grass.

Thence I continue 77.00 3' N.
 Sub. Div. 19 Aug 20th.

CHAINS. Subdivisions T. 27 N R. 18 E

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 17, 18, 19 and 20, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 27... N. S. 17... on N. E.

R. 18... E. S. 20... on S. E.

S. 19... on S, W, and

S. 18... on N. W. faces, with 3 notches on

S. and 5 notches on E. edges.

Surface gently rolling. and level

Soil 1st rate. and 2nd

Good grass.

Thence I run east on a
random line bet. Secs. 17 and 20
79. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.04

Intersect N. and S. line. 1.0 mls. south of Cor. 18
Secs. 16, 17, 20 and 21 Thence I run S. 89° 56' W
on a true line bet. Secs. 17 and 20

79. 13° E.

CHAINS: Subdivisions T. 27. N. R. 18. E.

Over gently rolling surface.

20.01 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. d. t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N... face,

40.02 Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. d. t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N... face,

60.03 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. d. t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N... face,

6.85 Trail bears N. W. and S. E.

80.04 5th cor. to corr. 17, 18, 19 Aug 20

Surface gently rolling.

Soil 2 inch rate.

Good grass.

CHAINS Subdivisions T. 27

R. 18 E.

Thence I run west on a
quadrant line bet. secs.
18 and 19.
7a. $13^{\circ} E$.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7863 Introduce west boundary
of township at Cor.
to secs. 13, 18, 19 and 24
Thence I run east on a
true line bet. secs. 18 and 19.
7a. $13^{\circ} E$.

over level surface

1650 Trail bears N. W. and S. E.

1863 Deposited a marked stone 12 ins. in the ground
for 116 Sec. Cor., dug pits 18X18X12 ins. ... E... and
... W... of corner 5 1-2 ft. dia., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In... E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S, on... N... face,

3000 Trail bears N. W. and S. E.

CHAINS. Subdivisions T. 27 N R. 18 E.

3863

Deposited a marked stone 12 ins. in the ground, for ~~14~~ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~14~~ S, on N. face,

5863

Deposited a marked stone 12 ins. in the ground, for ~~16~~ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~16~~ S, on N. face,

7863

The cor. to sec. 17, 18, 19 and 20

Surface gently rolling and level.

Soil $\frac{1}{2}$ rate.

Good grass.

When I run 77.00 3' H.

bet. Secs. 17 and 18.

74.1300.

1777. level surface.

560

Trail bears N. W. and S. E.

CHAINS Subdivisions T. 27 N R. 18 E

20.00 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on W. face,

Then I run east on a
random line through south
 $\frac{1}{2}$ of sec. 17.
7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08 Instruct N. and S. line at
 $\frac{1}{16}$ sec. cor. Show I
run west on a true
line through south $\frac{1}{2}$
of sec. 17.
7a. 13° E.

Over gently rolling surface.

CHAINS. Subdivisions T. 27 N R. 18 E.

2002

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. d. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on ... N. ... face,

4004

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. d. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on ... N. ... face,

6006

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. d. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on ... N. ... face,

8008

5th 116 ac. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

202

BOOK 544

CHAINS, Subdivisions T. 27 N. R. 18 E.

Thence I run west on a
random line through
south $\frac{1}{2}$ of sec. 18.
Ta. $13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.65 Extract west boundary
of township 5 links north
of $\frac{1}{16}$ sec. cor. Thence
I run $77.89^{\circ} 58' E.$ on a
true line through south $\frac{1}{2}$ of
sec. 18.

Ta. $13^{\circ} E.$

over land corner by

15.65

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. E... and
W... of corner - 5.1-2 ft. deep, and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N... face,

CHAINS Subdivisions T. 27 N R. 18 E.

25.17

Trail bears N. and S.

38.65

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. ...E...and ...W...of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on...N...face,

58.65

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. ...E...and ...W...of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on...N...face,

69.25

Trail bears N. W. and S. E.

78.65

To the 116 sec. cor.

Surface level.

Soil 2nd rate.

Good grass.

Thence I continue N. 0° 3' W.
Tot. Sec. 17 Aug 18

204

CHAINS Subdivisions T. 27 N R. 18 E

40.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on W. face,

Then I run east on a random line through middle of sec. 17.
Pa. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.12 In front N. and S. line 6 links south of $\frac{1}{4}$ sec. cor. then S. 89° 57' W. on a true line through middle of sec. 17.
Pa. 13° E.

Over gently rolling surface.

CHAINS. Subdivisions T. 27 N R. 18 E.

20.03

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

36.75

Trail bears N. W. and S. E.

39.05

Trail bears N. E. and S. W.

40.16

Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N. face,

45.00

Trail bears N. E. and S. W.

60.09

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

80.12

The 1/4 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

CHAINS Subdivisions T. 27 N R. 18 E.

Then I run west on a
random line through middle
of sec. 18.

70. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.69 Intercept west boundary
of township 8 miles north
of 1/4 sec. cor then I
run N. 89° 57' E. on a
true line through
middle of sec. 18.

70. 15° E.

over level surface

1869

Deposited a marked stone 12 ins. in the ground;
for 116...Sec. Cor., dug pits 18X18X12 ins. ...E...and
...W...of corner 5 1-2 ft. d.t., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ...E...pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116.S, on...N...for

CHAINS. SUBDIVISIONS T. 27 N R. 18 E.

2000 Trail bears N. and S.

3869 Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N. face,

5200 Trail bears N. W. and S. E.

5869 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

7869 The 14 sec. cor.

Surface gently rolling. and level

Soil 2nd rate.

Good grass.

Thence I continue N. 0° 3' W.
 bet. S. 17 and 18

CHAINS. Subdivisions T. 27 N R. 18 E C

60.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on W. face,

Thence I run east on a
random line through north
 $\frac{1}{2}$ of sec. 17
70. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.16

Entrant: N. and S. line
at $\frac{1}{16}$ sec. cor. Thence
I run west on a
true line through north
 $\frac{1}{2}$ of sec. 17.
70. 13° E.

Over gently rolling surface.

CHAINS. Subdivisions T. 27 N R. 18 E.

1990. Trail bears N. W. and S. E.

2004 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

28.10 Trail bears N. E. and S. W.

37.25 Trail bears N. E. and S. W.

4008 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

48.00 Trail bears N. W. and S. E.

60.12 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

80.16 The 116 Sec. Cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

CHAINS. Subdivisions T. 27 N R. 18 E.

Then I run west on a
random line through
north 1/2 of sec. 18.
Pa. 130° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.70 Abstract west boundary of
township 12 miles north of
1/16 sec. cor. Then I
run N. 89° 55' E. on a true
line through north 1/2 of
sec. 18.
Pa. 130° E.

14.40 Trail bears N. and S.

18.70 Deposited a marked stone, 12 ins. in the ground,
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/16 S, on N. 1/16.

CHAINS. Subdivisions T. 27 N R. 18 E.

38.70

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

4.30

Trail bears N. W. and S. E.

58.70

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

78.70

The 116 sec. cor.

Surface level

Soil 2nd rate.

Good grass.

Things I can times
N. of 3rd N. 1st.
Dec. 17 and 18.

CHAINS. Subdivisions T. 27 N. R. 18 E.

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 7, 8, 17, and 18, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 27 N. S. 8 on N. E.

R. 18 E. S. 17 on S. E.

S. 18 on S. W. and

S. 7 on N. W. faces, with 4 notches on

S. and 4 notches on E. edges.

Surface mostly level

Soil 1st. rate

Good grass.

Some greasewood brush

Thing I run east on a random line bet. Secs. 8 and 17 74.13° E. 30

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.00

Intersect N. and S. line 7 1/2 lks north of Cor. 15 Secs. 8, 9, 16 and 17 Thence I run 71.89° S 7' 1/2 on a true line bet. Secs. 8 and 17

CHAINS Subdivisions T. 27 N R. 18 E.

Ya. 1906.

- 19.15 Trail bears N. E. and S. W.
- 20.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E...and W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N...face,
- 23.25 Trail bears N. and S.
- 30.00 Trail bears N. E. and S. W.
- 34.50 Trail bears N. E. and S. W.
- 40.00 Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E...and W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N...face,
- 60.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E...and W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.
In E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N...face,
- 64.25 Trail bears N. W. and S. E.*
- 80.00 The cor to nos. 7, 8, 17 and 18.

214

BOOK 544

CHAINS Subdivisions T. 27 N. R. 48 E. C

Surface gently rolling.

Soil 2nd rate.

Good grass.

Think I must visit on a
random line bet. Secs. 7 and 18.
Ya. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7870 Intersect west boundary of
Township 4 miles north of
Cor. to Secs. 7, 12, 13 and 18
Think I must N. 89° 58' E. on
a true line bet. Secs. 7 and 18
Ya. 13° E.

our level country

8.65 Trail bears N. E. and S. W.

11.30 Wash.....lks. wide course, OH.

HAIN'S Subdivisions T. 27 N * R. 18 E.

1870

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

29.15

Trail bears N. E. and S. W.

29.40

Trail bears N. W. and S. E.

8.70

Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N face,

8.70

Deposited a marked stone 12 ins. in the ground, for 115 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 115 S, on N face,

1870

The cor. to S. 15. 7. 8. 17 and 18

Surface gently rolling.

Soil 2nd rate, some 1st rate,

Good grass.

Some brush.

July 9th 1891

CHAINS. Subdivisions T. 27 N R. 18 E.

Thence I run $n. 00^{\circ} 3' W.$

Tot. acs. 7 and 8.

 $\gamma a. 13^{\circ} E.$

Over level surface

20.00

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pit 18X18X12 ins. N. and S. of corner 5 1-2 ft. deep, and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on W. face,Thence I run east on a random line through south $\frac{1}{2}$ of ac. 8. $\gamma g. 13^{\circ} L.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.88

Intersect n. and s. line 9
links north of $\frac{1}{16}$ sec.
cor thence I run $n. 89^{\circ} 56' W.$
on a true line through

CHAINS. Subdivisions T. 27 N

R. 18 E.

south 1/2 of ac. 8.

74. 130 E.

over bad country.

7.25 Trail bears N. E. and S. W.

6.90 Trail bears N. E. and S. W.

9.97 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. deep, and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

31.20 Trail bears N. W. and S. E.

79.94 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. deep, and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

59.91 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. deep, and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

75.00 Trail bears N. W. and S. E.

218

BOOK 544

CHAINS. Subdivisions T. 27 N R. 18 E.

79.88 The 1/16 sec. cor.

Surface S.W.S.

Soil 1st rate.

Good grass.

Some brush.

Thence I run west on a
random line through south
1/2 of sec. 7.

Pa. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.69 Antient west boundary of
township 5 miles north of
1/16 sec. cor. Thence I run
N. 89° 58' E, on a true line
through south 1/2 of sec. 7.

Pa. 13° E.

CHAINS. Subdivisions T. 27 N R. 18 E.

Over level surface.

1.40

Wash. ⁶⁰ lks. wide course, South

7.60

Trail bears N. W. and S. E.

8.69

Deposited a marked stone 12 ins. in the ground, for ¹¹⁶ Sec. Cor., dug pits 18X18X12 ins. ^{E.} and ^{W.} of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ^{E.} pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¹¹⁶ S, on ^{N.} face,

34.20

Wash. ⁶⁰ lks. wide course, S. H.

38.69

Deposited a marked stone 12 ins. in the ground, for ¹¹⁶ Sec. Cor., dug pits 18X18X12 ins. ^{E.} and ^{W.} of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ^{E.} pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¹¹⁶ S, on ^{N.} face,

57.70

Trail bears N. E. and S. W.

58.69

Deposited a marked stone 12 ins. in the ground, for ¹¹⁶ Sec. Cor., dug pits 18X18X12 ins. ^{E.} and ^{W.} of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ^{E.} pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ¹¹⁶ S, on ^{N.} face,

78.69

T. 27 N Sec. Cor.

Surface level.

CHAINS. Subdivisions T. 27 N R. 18 E.

Soil / ^{of} rate.

Grass fair.

Some brush.

Then I continue n. on 3' H.
Set. Sec. 7 and 8.

28.70

Trail bears N. W. and S. E.

40.00

Deposited a marked stone 12 ins. in the ground,
for 1/4 Sec. Cor., dug pits 18X18X12 ins. ... N. and
S. ... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/4 S, on W. face,

Then I run out on a
random line through middle
of sec. 8.

79. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

89.94

Intersect n. and S. line

CHAINS. Subdivisions T. 27 N R. 18 E.

12 links north of $\frac{1}{4}$ sec.
 cor. thru I run $n. 89^{\circ} 55' 77''$
 on a true line through
 middle of sec. 8.
 $\gamma. 13^{\circ} E.$

Over hief country.

28.01

Deposited a marked stone 12 ins. in the ground,
 for $\frac{116}{116}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. E. and
 ... W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{116}{116}$ S, on N. face,

38.40

Trail bears N. W. ind. E.

44.02

Deposited a marked stone 12 ins. in the ground,
 for $\frac{114}{114}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. E. and
 .. W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{114}{114}$ S, on N. face,

60.03

Deposited a marked stone 12 ins. in the ground,
 for $\frac{116}{116}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins. E. and
 .. W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked $\frac{116}{116}$ S, on N. face,

CHAINS, Subdivisions T. 27 N

R. 18 E.

80.04 The 1/4 sec. cor.

Surface line

Soil 2nd rate.

Grass fair.

Some brush.

Thence I run west on a
random line through middle
of sec. 7.

7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.55 Intersect west boundary of
Township at 1/4 sec. cor.

Thence I run east on
a true line through middle
of sec. 7.

7a. 13° E.

CHAINS Subdivisions T. 27 N R. 18 E

Over land country.

4.90 Trail bears N. W. and S. E.

10.50 Wash...5"....lks. wide course, *D.W.* (water sep.)18.55 Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on N... face,38.55 Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on N... face,51.20 Wash...5"....lks. wide course, *D.W.*58.55 Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on N... face,

72.00 Trail bears N. W. and S. E.

76.50 Trail bears N. E. and S. W.

78.55 *5th 1/4 sec. cor.*

CHAINS. Subdivisions T. 27 N R. 18 E.

Surface gently rolling, *and hilly*

Soil *1st* rate.

Grass fair.

Some brush.

Thence I continue N. 0° 3' W.
Set. sec. 7 and 8.

41.90 Trail bears N. E. and S. W.

46.50 Wash ⁵⁰.....lks. wide course, *West.*

60.00

Deposited a marked stone 12 ins. in the ground, for *1/16* Sec. Cor., dug pits 18X18X12 ins. N...and S...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked *1/16* S, on...W...face,

Thence I run east on a random line through north 1/2 of sec. 8.
To 1.3° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

CHAINS: Subdivisions T. 27 N R. 18 E

60.00 Set temporary 1-16 Sec. Cor.

79.96 Set stake N. and S. dist. 12 links
north of $\frac{1}{16}$ sec. cor. then I
run 77.89° 55' N. on a true
line through north $\frac{1}{2}$ of sec. 8.
70.13°.

Over brief country.

999 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. ... E. ... and
... W. ... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on ... N. ... face,

998 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. ... E. ... and
... W. ... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on ... N. ... face,

49.10 Trail bears N. W. and S. E.

52.00 Wash ... 5" lks. wide course, ON.

CHAINS: Subdivisions T. 27 N R. 18 E.

59.97

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

79.96

5th $\frac{1}{16}$ sec. cor.

Surface level

Soil 1st rate

Down ground wood brush

Grass poor.

Thru. I run west on a
random line through
north $\frac{1}{2}$ of sec. 7.
Pa. 13" E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

98.52

Intersect west boundary
of township at $\frac{1}{16}$ sec.

CHAINS: Subdivisions T. 27 N R. 18 E.

cont. thru I run just on a
 trail line through north
 1/2 of sec. 7,
 74. 13° E.

over level country.

9.11 Trail bears N. and S.

18.52

Deposited a marked stone 12 ins. in the ground,
 for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 116 S, on N. face,

19.00

Wash. 50 lks. wide course, cont.

18.52

Deposited a marked stone 12 ins. in the ground,
 for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 116 S, on N. face,

18.00

Trail bears N. W. and S. E.

18.52

Deposited a marked stone 12 ins. in the ground,
 for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 116 S, on N. face,

CHAINS. Subdivisions T. 27 N

R. 18 E. C

78.52 5th 1/16 M. COR.

Surface level

Dirt 10th rate.

Grass poor

Some brush.

Thru 1 corner N. 0° 3' W.

Set nos. 7 and 8.

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 5, 6, 7, and 8, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 27 N. S. 5 on N. E.

R. 18 E. S. 8 on S. E.

S. 7 on S. W. and

S. 6 on N. W. faces, with 5 notches on

S. and 5 notches on E. edges.

Surface level.

Dirt 10th rate.

Grass road brush.

Grass poor.

CHAINS, Subdivisions T. 27 N R. 18 E.

Thence I run east on a
 random line bet. S. 5 and 8.
 70. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. line 15 lks north of Cor. to
 Secs. 4, 5, 8 and 9. Thence I run 71.89° 54' 21".
 on a true line bet. Secs. 5 and 8.

70. 13° E.

over level surface.

20.00 Deposited a marked stone 12 ins. in the ground,
 for 116 Sec. Cor., dug pits 18X18X12 ins. E. and
 W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 116 S, on N. face,

71.95 Trail bears N. E. and S. W.

40.00 Deposited a marked stone 12 ins. in the ground,
 for 114 Sec. Cor., dug pits 18X18X12 ins. E. and
 W. of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 114 S, on N. face,

CHAINS. Subdivisions T. 27 N R. 18 E

41.80 Trail bears N. E. and S. W.

42.50 Wash. 50...lks. wide course, etc.

5890 Trail bears N. W. and S. E.

60.00

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. ... E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In... E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked, 1/6... S, on... N... face,

80.00

The cor., 16 ans. 5, 6, 7 and 8

Surface level

Soil 1st. rate

Greenwood brush

Grass prairie

Then I run west on a random line bet. nos. 6 and 7. 70. 13" E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

CHAINS. Subdivisions T. 27 N R. 18 E.

7860 Intersect west boundary
of township 9 miles north
of cor. to sec. 1, 6, 7 and 12
Thru S. mer. $N. 89^{\circ} 56' E.$
on a true line bet
sec. 6 and 7.
 $\gamma = 13^{\circ} E.$

Our level country.

8.43 Trail bears N. and S.

1860 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{6}$ Sec. Cor., dug pits 18X18X12 ins. $E.$ and
 $W.$ of corner 5 1-2 ft. deep, and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In $E.$ pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{6}$ S, on $N.$ face,

3600 Wash. 125 lks. wide course, $SW.$

860 Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. $E.$ and
 $W.$ of corner 5 1-2 ft. deep, and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In $E.$ pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{4}$ S, on $N.$ face,

420 Trail bears N. W. and S. E.

CHAINS. Subdivisions T. 27 N R. 18 E. C

48.20

Trail bears N. W. and S. E.

58.60

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. ... E... and ... W... of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on ... N... face,

78.60

The cor. to nos. 5, 6, 7 and 8

Surf. level.

Dirt 1st and 2nd rate.

Greenwood brush,

Grass poor.

Think I run N. 10° 3' W.
on a random line
1st. nos. 5 and 6
A Va. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.90 Set back north boundary
of township 15 links west

CHAINS. Subdivisions T. 27 N R. 18 E.

of The cor. to S.W. 5.6.31 and
32 Thence I run S. 00 3' E.
on a true line bet. S.W.
5 and 6.

7a. 130 E.

Over level country.

1990 Set a sandstone 17... X 12... X... 4... ins., 11... ins.
in the ground, for 116 Sec. Cor., marked 116 on... W...
face, dug pits 18x18x12 ins., N... and... S... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

1990 Deposited a marked stone 12 ins. in the ground,
for 114 Sec. Cor., dug pits 18X18X12 ins. N... and
S... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 114 S, on... W... face,

50.10 Trail bears N. W. and S. E.

54.50 Wash 69... lks. wide course, S. W.

59.90 Deposited a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18X18X12 ins. N... and
S... of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S, on... W... face,

CHAINS. Subdivisions T. 27. N. R. 18. E.

99.90 The cor. to svs. 5, 6, 7 and 8
 Surface level.
 Soil pt. rats;
 Greasewood brush.
 Grass poor.

East on a random line
 through south $\frac{1}{2}$ of sec. 5
 from $\frac{1}{16}$ sec. cor.
 Pa. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

99.92 Estimate N. and S. line
 14 links north of
 $\frac{1}{16}$ sec. cor. Then I run
 N. $89^{\circ}54'$ W. on a true line
 through south $\frac{1}{2}$ of sec. 5.
 Pa. 13° E.

CHAINS. Subdivisions T. 27 N R. 18 E.

Over level country.

12.15 Trail bears N. E. and S. W.

15.15 Wash.....lks. wide course, SW.

19.95 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins....E....and ..W....of corner 5 1-2 ft. d... and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on...N...face,

39.96 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins....E....and ..W....of corner 5 1-2 ft. d... and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on...N...face,

59.94 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins....E....and ..W....of corner 5 1-2 ft. d... and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on...N...face,

79.92 The 116 sec. cor.

Surface level.

Soil 1st. rate.

Greasewood brush.

Some Grass.

CHAINS. Subdivisions 1.27 IN R. 18 E.

Then I run west on a random
line through south $1/2$ of
sec. 6.

$7a. 13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.54 Abstract west boundary of
township 10 links north of
 $1/6$ sec. cor. Then I run
 $N. 89^{\circ} 56' E.$ on a true line
through south $1/2$ of sec. 6.
 $7a. 13^{\circ} E.$

Over land country.

1.50 Enter field trans. N.W. and S.E.

3.35 Trail trans. N.E. and S.W.

12.40 Leave field trans. N.W. and S.E.

CHAINS. Subdivisions T. 27 N R. 18 E.

1854

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

2480

Trail bears N. W. and S. E.

2545

Trail bears N. W. and S. E.

3854

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

5000

Wash 15" lks. wide course, SW.

5854

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

7854

The 116 sec. cor.

Surface level.

Soil 1st. soil.

Greasewood brush

Grass poor.

CHAINS. Subdivisions T. 27 N R. 18 E.

East on a random line through
middle of sec. 5, from 1/4 sec. cor.
7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08 Intersect W. and S. line 15
links north of 1/4 sec. cor.
Then I run N. 89° 54' W. on
a true line through middle of
sec. 5.
7a. 13° E.

Our land country.

138

Trail bears N. W. and S. E.

21.02

Deposited a marked stone 12 ins. in the ground,
for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 f. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/4 S, on N. face,

CHAINS. Subdivisions T. 27 N R. 18 E.

40.04

Deposited a marked stone 12 ins. in the ground, for 114...Sec. Cor., dug pits 18X18X12 ins....E...and W...of corner 5 1-2 ft. d... and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked...114...S, on...N...face,

58.25

Trail bears N. E. and S. W.

60.06

In marsh H. 00 the creek course S.W. Therefore I set the cor. 45 1/2 mi. south

77.7

Deposited a marked stone 12 ins. in the ground, for 116...Sec. Cor., dug pits 18X18X12 ins....E...and W...of corner 5 1-2 ft. d... and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked...116...S, on...N...face,

80.08

The 114 sec. cor.
Surface level.
Soil 1st rate,
Grassland. Good,
Grass fair.

Thence I run west on a meadow line through middle of sec. 6. from 114 sec. cor.

CHAINS. Subdivisions T. 27. N R. 18. E.

Ya. 13° E.

20.00 Set temporary 1-16 Sec. Cor.,

40.00.....Set temporary 1-4 Sec. Cor.,

60.00 Set temporary 1-16 Sec. Cor.,

78.48 ~~Intersect~~ west boundary of
township 15 links north
of 14 sec. cor. then I run
N. 89° 54' E. on a true line
through middle of sec. 6,
Ya. 13° E.

Own land country.

9.15 Trail bears N. W. and S. E.

18.48 Set a sandstone 12 X 10 X 4 ins. 8 ins.
in the ground, for 1/16 Sec. Cor., marked 1/16 on N. face,
dug pits 18x18x2 ins. E. and W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

20.10 Trail bears N. E. and S. W.,

22.85 Trail bears N. W. and S. E.

CHAINS. Subdivisions T. 27 N R. 18 E.

38.48

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. $\frac{1}{4}$ and $\frac{1}{2}$ of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In $\frac{1}{4}$ pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on $\frac{1}{2}$ face,

4600

Trail bears N. W. and S. E.

58.48

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. $\frac{1}{4}$ and $\frac{1}{2}$ of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In $\frac{1}{4}$ pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on $\frac{1}{2}$ face,

65.75

Trail bears N. W. and S. E.

78.48

The $\frac{1}{4}$ Sec. Cor.

Surface level

Soil wet water

Grass very thick

Grass poor

East on a random line through
north-42 of sec. 5 from $\frac{1}{16}$ sec. cor.
90.130 E.

20.00

Set temporary I-16 Sec. Cor.

CHAINS. Subdivisions T. 27 N. R. 18 E.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08 Intersect n. and s. line 16 l.
north of $\frac{1}{16}$ sec. cor. Show 1
run $71.89^{\circ} 53' 44''$ on a true line
through north $\frac{1}{2}$ of sec. 5.
71.13 $\frac{1}{2}$ E.

Over land country

2002

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pit 18X18X12 ins. E. and
W. of corner 5 1-2 f. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face.

32.75

Trail bears N. W. and S. E.

40.04

Deposited a marked stone 12 ins. in the ground,
for $\frac{1}{16}$ Sec. Cor., dug pit 18X18X12 ins. E. and
W. of corner 5 1-2 f. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face.

45.05

Trail bears N. E. and S. W.

47.20

Wash. 100 lks. wide course, SW.

CHAINS. Subdivisions T. 27 N R. 18 E.

60.06

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{16}$ S, on N. face,

80.98 The $\frac{1}{16}$ sec. cor.

Surf on level

Spit 1st. water

Quarrying track

Grass four.

There is now a nest on a
random line through north
 $\frac{1}{2}$ of sec. 6.

Pa. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.53 Intimate nest boundary of
township + 8 miles north of
 $\frac{1}{16}$ sec. cor. There is now

CHAINS. Subdivisions T, 27 N R. 18 E

n. 89° 52' E. on a true line
through north 1/2 of sec. 6
7a. 13 E.

Over level surface

358 Enter field bear. n. n. and s. e.
1030 Same " " " " "

1853 Set a sandstone 12 X 11 X 6 ins. 8 ins.
in the ground, for 116 Sec. Cor., marked 116 on N...
face, dug pits 18x18x12 ins. E. and W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

25.48 Trail bears N. W. and S. E.

35.28 Trail bears N. E. and S. W.

38.53 Deposited a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18x18x12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S, on N. face,

52.18 Trail bears N. W. and S. E. and

Enter field bear. n. n. and s. e.

CHAINS Subdivisions T. 27 N R. 18 E.

58.53

Set a sandstone 18 X 12 X 10 ins., 12 ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

61.18

Lean field from W. and S.

68.68

Euler " " " "

69.68

Leaver " " " "

78.53

On 116 sec. cor.

Surface level.

Drill 1st rate.

Greasewood brush.

Some Grass.

Subdivisions T. 27. N

R. 18. E.

General Description

The greater part of this township is good land and gently rolling.

A splendid growth of grass is found except in the N. W. corner.

Secs. 1, 2, 3, 10, 11 and 12 are mountainous; a high flat topped butte covering them.

There is a ~~spring~~ of water in a wash in the western part of sec. 7. and a very small spring in the S.E. 1/4 of the S.E. 1/4 of sec. 32.

A large vein of coal is in Secs. 28, 32 and 33 about 10 ft. thick.

John C. Smith
W. S. D. S. Cunningham

July 10th 1891

For final notes see
book 47.

BOOK 544

248

U. S. Surveyor-General's Office,

TUCSON, A. T., Feb 6th 1880

The foregoing Field Notes of the Surveys of
Subdivisions of T. 27 N. R. 18 E.
of the

..... Gila and Salt River Meridian
in Arizona

..... executed by
John B. Smith
U. S. Deputy Surveyor, under his contract dated
November 2nd 1870

.....
having been critically examined, the necessary correc-
tions and explanations made, the said Field Notes and
the surveys they describe are hereby approved.

.....
Rapel & Johnson
U. S. Surveyor-General
for the Territory of Arizona.