

No. 1

SUBDIVISIONS

T. 28 N. R. 1 E.

GIRAND

BOOK 550

4-671

550

FIELD NOTES
GENERAL LAND OFFICE.

No. 550

- Field Notes -

Of the survey of the
Subdivision of Township
No. 28 North Range No
One East of the Gila
and Salt River Base
and Meridian, in the
Territory of Arizona, as
surveyed by James B.
Girard, U.S. Deputy
Surveyor. Under his con-
tract No. 74 Dated June
13th 1900

Survey commenced Oct 27th 1900

Survey completed Nov 4th 1900

2
Names and duties of Assistants

John A. Raudall	Chairman
Wm H. Lockridge	Chairman
Amos Adams	Moundman
E. D. Stafford	Moundman
Chas Wolf	Arman
Russell Stone	Arman
P. W. Lattimer	Flagman.

BOOK 549 \leftarrow Index.

BOOK 550 T. 28 N. R. 1 E. BOOK 550

6	75	5	57-8-9	4	45-6	3	31-2-3	2	17-18-19	1
74	73		56-7			44		30-1		16-17
7	72	8	55-6	9	43	10	29-30	11	14-15	12
71	70		54-5			41-2		28-9		12-13-14
18	69	17	53-4	16	40-1	15	26-7-8	14	11-12	13
68	67		52-3			39-40		25-6		10-11
19	66	20	51-2	21	38-9	22	24-5	23	9-10	24
64	63		50-51			37-8		23-4		7-8-9
30	62	29	48-9-50	28	35-6	27	21-2-3	26	6-7	25
61		60		47-8		34-5		20-21		4-5-6
31	59-60	32	46-7	33	33-4	34	19-20	35	34	36

Subdivision of Sp. 25 N. R. 1 E.

Chains.

Oct 27th 1900 at 8^h a.m. l.m.t.
 I set off $12^{\circ} 44'$ for my decl and
 $54^{\circ} 17'$ for my co latitude and
 determine a true meridian with
 the solar at the cor of secs

1.2.35 + 36, on the South boundary
 Long. $112^{\circ} 13' 27''$ 77° Var. $14^{\circ} 44''$
 of the Township. Hence I run.

$N 0^{\circ} 1' W$ between secs 35 + 36
 through dense brush

27.80

Cross road, curve $N. 30^{\circ} E$.

40.00

Set a limestone $24 \times 12 \times 3$ ins. sup-
 ported by mound of stone for $\frac{1}{4}$ sec
 cor, marked $\frac{1}{4}$ on N . face.

round a mound of stone 2 ft base
 $1\frac{1}{2}$ ft high N . of corner, pits im-
 practicable.

41.60

Cross road, W West.

80.00

Set a limestone $24 \times 12 \times 3$ ins. 14
 ins in ground for cor of secs
 25.26.35 + 36 marked with 1 notch
 on S and E edges, dug pits 18

2

4.

BOOK 550

Subdivision of Tp 28 N, R. 1 E.

Chains

18x12 ins in each sec 5 1/2 ft
 dist and raised a mound of
 earth 4 ft base 2 ft high W
 of corner. A cedar tree 10 ins in
 dia here, S 64° 08' W. 291 links
 marked T. 28. N. R. 1 E. S. 35 D. 7.

Land Hilly -

Soil rocky & gravelly 3-4% rate.

No Timber.

Dense undergrowth of chick brush
 80.00 chains.

N 89° 45' E on a random line
 between Sec 25 + 36

40.00 Set temp 1/4 sec cor.

80.00 Intersect E bdy of Tp at
 the cor of sec 25.30.31 + 36
 which is a cedar post 3 ft
 above ground, and supported by
 mound of stone, marked

Subdivision of Sp. 28 N, R. 1 E.

Chains.

T. 28 N. S. 30 on N. E.

R. 2. E. 531 on S. E.

T 28 N S 25 on N. W.

R 1 E S 36 on S. W. face.

with 5 grooves on N and 1 on
S edges. pits 24 X 18 X 12 ins in
each sec 5 1/2 ft dist and mound
of earth 4 ft base 2 ft high
N. of cor.

Thence I run S 89° 45' W
on a true line between secs
25 + 36. through dense brush

40 00 Set a limestone 18 X 10 X 3 ins 11 ins
in the ground for 1/4 sec cor. marked
1/4 on N face. dug pits 18 X 18 X 12 ins
E. + W. of cor 3 ft dist and
raised a mound of earth 3 1/2 ft
base 1 1/2 ft high N. of corner.

51.40 Cross road. be N 20° E.

80.00 The cor of sec 25, 26, 35 + 36

2
6

BOOK 550

Subdivision of Sp. 28 N. R. 1. E.

Chains.

Land rolling,

Soil gravelly & rocky 3rd & 4th rate.

Timber Cedar & Pine.

Heavily timbered lands 24 chains.

Dense undergrowth of chesnut

80.00 chains.

10.00

N. 0° 1' W between sec 25 & 26
through dense brush
Enter timber.

34.50

Leave timber

40.00

Set a limestone 24 x 6 x 4 ins.

supported by mound of stone

for 1/4 sec cor. marked 1/4

on W. face, raised a mound of

stone 3 ft base 1/2 ft high W of

cor. pits impracticable

43.00

Enter timber.

80.00

Set a limestone 20 x 10 x 4 ins

supported by mound of stone

for cor of sec 23, 24, 25 & 26

Subdivision of Sp. 28 N. R. 1 E.

Chains.

marked with 2 notches on S and
1 notch on E edges. raised a
mound of stone 2 ft base $1\frac{1}{2}$ ft
high N. of corner. pits impracticable.

A Pinon tree 12 ins in dia. brs $S 65^{\circ} E$
162 links, marked J. 28. N. R. 1 E S 25 B. T.

A Pinon tree 10 ins in dia. brs $S 64^{\circ} 30'$
N. 59 links marked J. 28 N. R. 1 E. S 26 B. T.

A Pinon tree 12 ins in dia. brs $N 41^{\circ} 42' E$
31 links dist. marked J. 28 N. R. 1 E S 24 B. T.

A Pinon tree 16 ins in dia. brs $N 33^{\circ} 04' W$
183 links dist. marked J. 28 N. R. 1 E S 23 B. T.

Land Kelly.

Soil rocky 4th rate.

Timber, Cedar & Pinon.

Heavily timbered land 57.50 chains.

Dense undergrowth of chies
and buck brush 80 chns

$N 89^{\circ} 45' E$ on a random

8 Subdivision of Tp 28 N R 1 E,

Chains.

- line between sec 24 & 25,
- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 79.95 Intersect E boundary of
Tp. 27 lines N. of the
cor of sec 19, 24, 25 & 30,
~~which~~ is a rock in place.
Hence I run $S 89^{\circ} 57' W$
on a true line between sec
24 & 25, through dense brush
- 39.975 Set a limestone $20 \times 6 \times 3$ ins
12 ins in the ground for $\frac{1}{4}$
sec, cor, marked $\frac{1}{4}$ on N
four dug pits $18 \times 18 \times 12$ ins
E & W of cor 3 ft dist and
raised a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N. of cor
- 61.30 Cross road. N $15^{\circ} W$,
- 79.95 The cor of sec 23, 24, 25 & 26
Land lilly.
Soil gravelly & rocky $3\frac{1}{2}$ & $4\frac{1}{2}$ rods
Timber cedar & pinon.

Subdivision of Sp. 28 N. R. 1 E.

Chains.

Heavily timbered lands 79.95

Chains.

Dense undergrowth of chin brush

79.95. chas.

18.00

N 0° 1' W between sees 23 & 24
through dense brush
Leave Timber.

40.00

Set a limestone 16 x 6 x 6 ins.
10 ins in ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on W. face, dug pits
18 x 18 x 12 ins N. + S. of cor 3 ft
and raised a mound of earth
3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high N. of cor.

47.20

Cross road, course N. 35° W.

80.00

Set a limestone 20 x 12 x 3 ins.
12 ins in the ground for cor of
sees 13, 14, 23 & 24 marked with
3 notches on S and 1 on E edges,
dug pits 18 x 18 x 12 ins in each sec
5 $\frac{1}{2}$ ft dist and raised a mound

Subdivision of Tp. 28 N., R. 1 E.

Chains.

of each 4 ft base 2 ft high
W^o of cor.

Land rolling.

Soil gravelly loam 2nd & 3rd rate.

Timbr. Cedar & Pine.

Heavily timbered lands 18 chains.

Dense undergrowth of chies and

buck brush 80.00 chains

N 89° 57' E on a random
line between sec 13 & 24

40.00 Set temp 1/4 sec cor.

79.94 Intersect E. boundary of Tp.

4. links South of the cor
of sec 13, 18, 19 & 24. which
is a cedar post, with mound
and pits. Thence I run

S 89° 55' W on a true line
between sec 13 & 24 through
dense brush

24.84 Cross road N. 40° W.

39.97 Set a limistm 22 x 6 x 4 ins

Subdivision of Tp. 28 N. R. 1 E.

Chains.

14 ins in the ground for 1/4 sec
cor. marked 1/4 on N face
Dug pits 18x18x12 ins E+W
of cor 3 ft dia and raised
a mound of earth 3 1/2 ft base
1 1/2 ft high N. of corner.

40.74 Cross road, course N. 10° W.

79.94 The cor of sec 13, 14, 23 + 24.
Land rolling & level

Soil gravelly & rocky 2nd 3rd & 4th nets.
No timber.

Dense undergrowth of chin quack
79.94 chains.

N 0° 1' W between Secs 13 + 14
through dense brush
40.00 Set a limestone 16x15x3 ins. 10
ins in the ground for 1/4 sec cor
marked 1/4 on N face. Dug pits
18x18x12 ins N. & S. of cor 3 ft dia
and raised a mound of earth

2
12

BOOK 550

Subdivision of Sp. 28 N. R. 1 E.

Chains

3½ ft base 1½ ft high N of corner.

59.00 Ents timber

76.00 Leaf Timber

80.00 Set a limestone 24 x 6 x 4 ins

18 ins in ground for cor of sec

11, 12, 13 & 14, marked with 4

notches on S, and 1 on E. dug

pits 18 x 18 x 12 ins in each sec

5½ ft dist and raised a mound

of earth 4 ft base 2 ft high

N. of corner.

Land rolling.

Soil gravelly & rocky 3rd & 4th sec.

Timber Cedar & Pine.

Heavily timbered land 17 chas.

Dense undergrowth of chis

bush 80.00 Chains.

N. 89° 55' E. on a random

Subdivision of Tp. 28 N., R. 1 E.

Chains.

- line between Secs 12 + 13
- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 79.89 Intersect E boundary of
^{23 lks. S. of} Township. the cor of sec
 7.12.13 + 18, which is a limestone
 10x10-5 ins above ground. 4 notches on
 S. 2 on N. with mound & pits.
 Hence I run S $89^{\circ}45'W$
 on a true line between sec
 12 + 13.
- 14.89 Enter Timber.
- 39.945 Set a cedar post 6x4 ins 5 ft
 long 2 $\frac{1}{2}$ ft in ground for $\frac{1}{4}$ sec
 cor. marked $\frac{1}{4}$ S 12 on N from 13
 on S. A Cedar tree 14 ins in dia
 on N, 120 lks dist. marked $\frac{1}{4}$ S
 12 B.T. Another 3 ft in dia on
 S. 37 lks, marked $\frac{1}{4}$ S 13 B.T.
- 56.89 Leave Timber.
- 60.89 Enter Timber

Subdivision of Sp. 28 N. R. 1 E.

Chains.

75.89 Clear timber

79.89 The Cor of secs 11, 12, 13 + 14
Land Lilly.Soil gravelly & rocky 3rd & 4th rate.
Timber Cedar & Piron.

Heavily timbered lands 57 Chns.

Dense undergrowth of chics
and buck brush 79.89 Chains.8.00 N 0° 1' W between Secs 11 + 12
through dense brush
Bottom of mesa butte 100 ft
high

11.50 Top of same

15.10 Begin descent.

17.20 Bottom.

18.00 Center Timber.

30.00 Clear Timber

40.00 Set a limestone 18 x 6 x 4 ins
12 ins in ground for 1/4 sec cor.
marked 1/4 on N face. dug

Subdivision of T. 28 N. R. 1 E. ¹⁵

Chains.

pits 18x18x12 ins N. & S. of
cor 3 ft dist and raised a
mound of earth 3 1/2 ft base
1 1/2 ft high. W of cor

47.00 Center timber

68.00 Leave timber.

80.00 Set a limestone 20x8x5 ins
12 ins in the ground for cor of
sec 1. 2. 11 & 12 marked with
5 notches on S and 1 on E
edges. dug pits 18x18x12 ins
in each sec 5 1/2 ft dist and
raised a mound of earth 4
ft base 2 ft high N. of cor.
Land rolling & mountainous
Soil gravelly & rocky 3rd & 4th rate.
Timber cedar & Pinon.

Heavily timbered land 33 chains,

Mountainous land 9.20 chains

Dense undergrowth of chis brush 80 chns

Subdivision of Tp 28 N R. 1 E.

Chains,

- N. $89^{\circ}45' E$ on a random line between secs 1+12
- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 80.11 Intersect E boundary of Tp 44 lines N. of the cor of secs 1, 6, 7+12 which is a cedar post 5 ins square $2\frac{1}{2}$ ft above ground, with mound of stone around it
- Thence I run N $89^{\circ}56' W$ on a true line between secs 1+12 through dense brush
- 40.055 Set a limestone $20 \times 12 \times 8$ ins 5 ins in ground and supports by mound of stone for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N. line, raised a mound of stone 2 ft base $1\frac{1}{2}$ ft high N of cor. pits impracticable. A cedar tree 12 ins in dia br S $16^{\circ}48' E$ 112 links

Subdivision of Tp. 28 N. R. 1 E.

Chains

marked $\frac{1}{4}$ S 12 BT. another 12 ins
in dia tra N $30^{\circ} 28' E$. 48 lines -
marked $\frac{1}{4}$ S, 1 BT.

60.11 Cross road course S $40^{\circ} W$.

72.11 Leave timber.

80.11 The cor of sec 1, 2, 11 & 12.

Land mountainous

Soil rocky 4th rate.

Timber Cedar + Pinon

Heavily timbered land 72.11 chains

Mountainous land 80.11 chains.

Dense undergrowth of buck brush 80.11 ch

N $0^{\circ} 1' W$ between Secs 1 + 2
through dense timber

9.00 Enter timber

21.00 Leave timber.

40.00 Set a limestone $24 \times 6 \times 6$ ins. sup-
ported by mound of stone for
 $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ or West.
raised a mound of stone 2 ft base

Subdivision of Sp. 28 N. R. 1 E.

Chains.

1/2 ft high W. of corner pits impracticable. A Pinon tree 8 ins in dia. brs S $43^{\circ}30'$ W 17 links dist. marked 1/4 L. 2 B.T.

A Pinon tree 10 ins in dia brs S. $32^{\circ}30'$ E. 124 chains. marked 1/4 L. 1 B.T.

43.00 Enter timber

70.30 Limestone bluff 50 ft high.

79.53 Intersect 7th Standard Parallel ^{North}

2.08 chains West of S.C. of Sec 35 + 36 which is a limestone 20x14x4 ins above ground marked and witnessed as described by the Surveyor General. Set a limestone 30x12x5 ins. 12 ins in ground and supported by mound of stone for closing corner of sec 1 + 2. marked C.C. on S. with 5 notches on W. and 1 notch on E. edge

Subdivision of Sp. 28 N, 10, 1 E. ¹⁹

Chains.

Raised mound of stone 2 ft base $1\frac{1}{2}$ ft high S. of corner pits impracticable

Land rolling & mountains

Soil gravelly & rocky 3rd & 4th rates.

Timber Cedar & Pinon. -

Nearly timbered lands 49.30 chrs

Mountains land 16 chs.

Dense undergrowth of chico & buck
bush 79.53 chs.

Oct 28th 1900

Oct 29th 1900 at 8^h a.m. l.m.t.

I set off $13^{\circ}24'30''$ on my dial
arc and $54^{\circ}14'$ for my co-latitude
and determine a true Meridian
with the solar at the cor. of
sua 2.3.34 & 35 on the South side
of the Sp. Thence I run

N. $0^{\circ}1'W$ between sur 34 & 35
through dense brush

40.00 To a limestone 26x8x4 ins. 15 ins in
ground for $\frac{1}{4}$ sec cor marked

Subdivision of $\frac{1}{4}$ Sec. 28 N., R. 1 E.

Chains

$\frac{1}{4}$ on N face dug pits 18x18x
12 ins N & S. of cor 3 ft dist
and raised a mound of earth
3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high N. of cor.

80.00

Set a limestone 20x4x4 ins.
8 ins in ground and supported
by mound of stone for cor of
secs 26, 27, 34 & 35 marked with
2 notches on E and 1 on South,
raised a mound of stone 2 ft
base 1 $\frac{1}{2}$ ft high N. of cor.
pits impracticable.

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of chies.

Brush 80.00 chains.

N 89° 45' E on a random
line between Secs 26 & 35

Subdivision of Sp. 2 & N. R. 1 E.

Chains.

- 40.00 Set trap $\frac{1}{4}$ sec. cor.
- 79.92 Intersect N. & S. line at the
cor. of secs 25, 26, 35 & 36 Thence
I run S $89^{\circ} 45'$ W on a true
line between secs 26 & 35.
through dense brush
- 37.72 Cross road, br N 45° W.
- 39.96 At a limestone $30 \times 8 \times 3$ ins. supports
by mound of stone for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. face. raised a
mound of stone 2 ft base $1\frac{1}{2}$ ft
high N. of cor. pits impracticable
- 42.42 Cross road, br North.
- 79.92 The cor of secs 26, 27, 34 & 35
Land level.
Soil gravelly & rocky 3rd & 4th rate,
No Timber.
Dense undergrowth of Chio
brush 79.92 chains.
- N $0^{\circ} 1' W$ between secs 26 & 27

Subdivision of Sp. 2 & N. R. 1 E.

- Chaus. through dense brush
14.60 Cross Santa Fe and Grand
Canon RR. Course of which
is $N 5^{\circ} 53' E$.
- 40.00 Set a pine stake $3\frac{1}{2}$ ft long
 4×3 ins. 2 ft in ground for $\frac{1}{4}$
sec cor. marked $\frac{1}{4}$ S 27 on W
26 on E. dug pits $18 \times 18 \times 12$ ins
N. & S. of cor 3 ft dist and raised
a mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N. of cor.
- 80.00 Set a limestone $20 \times 10 \times 3$ ins
12 ins in ground for cor of acres
22, 23, 26 + 27 marked with 2
notches on S. & E. edges. dug pits
 $18 \times 18 \times 12$ ins in each sec $5\frac{1}{2}$ ft
dist and raised a mound of
earth 4 ft base 2 ft high
N. of corner.
- Land rolling.
Soil gravelly + loam 2nd + 3rd rate

Subdivision of Sp. 28 N. R. 1 E.

Chains.

No Timber

Dense undergrowth of chico brush
80.00 chains.N $89^{\circ}45'E$ on a random line
between secs 23 & 2640.00 Set temp $\frac{1}{4}$ sec cor.79.86 Intersect N. & S. line. 16 chains
N. of the cor of secs 23, 24, 25 & 26Thence I run S $89^{\circ}52'N$ on
a true line between secs 23 & 26
through dense brush

18.86 Lion timber.

39.93 Set a limestone $20 \times 7 \times 8$ ins. 12 ins
in ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$
on N face. dug pits $18 \times 18 \times 12$ ins
E. & W. of cor 3 ft dist and raised
a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$
ft high N. of corner.71.06 Cross road. $\text{br } N 30^{\circ} W$.72.16 Cross road. $N 5^{\circ} E$.

Subdivision of Tr. 28 N., R. 1 E.

Chains

73.01 Cross Santa Fe & Grand Canyon
R.R. course of which is $N50^{\circ}$
 $53'E$.

79.86 The cor of sec 22, 23, 26 & 27.
Land rolling.
Soil gravelly & rocky 3rd & 4th cuts.
Timber Cedar & Pine.
Heavily timbered land 18.86 chains
Dense undergrowth of chips wood,
79.86 chains.

$N 0^{\circ} 1' W$ between sec 22 & 23
through dense brush

40.00 Set a limestone $20 \times 8 \times 4$ ins. 12 ins
in ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$
on N face, dug pits $18 \times 18 \times 12$ ins
N & S. of cor 3 ft dist and raised
a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$
ft high N of corner.

80.00 Set a limestone $20 \times 6 \times 3$ ins.
12 ins in the ground for cor of

Subdivision of T_p. 28 N. R. 1 E.

Chains.

secs 14, 15, 22 & 23 marked
with 3 notches on S & 2 notches on
E edge. dug pits 18 x 18 x 12 ins
in each sec 5 1/2 ft dist and raised
a mound of earth 4 ft base
2 ft high N. of corner.

Land rolling.

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of chic
brush 80.00 chains

N. 89° 52' E on a random
line between secs 14 & 23,

40.00 Set temp 1/4 sec cor.

79.80 Intersect N. & S. line 4th links
S. of the cor of secs 13, 14, 23 & 24

Thence I run S 89° 50' W on
a true line between sec 14 & 23
through dense brush

39.90 Set a limestone 20 x 12 x 5 ins

Subdivision of Tp. 28 N., R. 1 E.

Chains.

- 12 ins in ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N. face dug pits
 $18 \times 18 \times 12$ ins E. & W. of cor 3 ft
dirt and raised a mound of earth
 $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N of cor.
- 41.80 Cross road $N 17^\circ E$
- 42.88 Cross Santa Fe & Grand
Canon R.R. course of which
is $N 17^\circ 30' E$.
- 79.80 The cor of secs 14, 15, 22 & 23

Land rolling.

Soil gravelly & rocky $2 \approx 3 \approx 4$ feet.

No Timber.

Dense undergrowth of chis

bush 79.80 chains.

- $N 0^\circ 1' N$ betw'n secs 14 & 15
through dense brush
- 40.00 Set a limestone $18 \times 10 \times 4$ ins
partly in ground and supported
by mound of stone for $\frac{1}{4}$

Subdivision of Tp. 28 N. R. 1 E. ²⁷

Chains.

see cor. marked $\frac{1}{4}$ on N. face, raised a mound of stone 2 ft base $1\frac{1}{2}$ ft high N. of corner pits impracticable.

80.00

Set a limestone $20 \times 4 \times 5$ ins 12 ins in the ground for cor of sec 10. 11. 14 & 15, marked with 4 notches on S. 2 on E. edges, raised a mound of stone 2 ft base $1\frac{1}{2}$ ft high N. of corner pits impracticable.

A cedar tree 14 ins in dia. brs N $38^{\circ}24'$ W. 181 links, marked J 28. N. R. 1 E. S 10. B. T. A cedar tree 12 ins in dia. brs S $64^{\circ}22'$ E. 89 links dist, marked J 28, N. R. 1 E. S 14 B. T. A cedar tree 20 ins in dia brs $569^{\circ}22'$ W 123 links dist, marked J 28 N. R. 1 E. S 15 B. T.

Land rolling.

Subdivision of T. 28 N., R. 1 E.

Chains.

Soil rocky 4th rate.

No Timber.

Dense undergrowth of chies
bush 80.00 chains.N 89° 50' E on a random
line between secs 11 + 14

40.00 Set temp 1/4 sec cor.

79.77 Intersect N. & S. line 17 lines

N. of the cor of secs 11, 12,

13 + 14. Thence I run

S 89° 57' W on a true line

between secs 11 + 14

through dense brush

39.885 Set a limestone 20 x 8 x 6 ins

12 ins in the ground for 1/4 sec

cor. marked 1/4 on N face

dug pits 18 x 18 x 12 ins E and

W. of cor 3 ft dist and raised

a mound of earth 3 1/2 ft base

1 1/2 ft high N. of corner

Subdivision of T₂₈N, R₁E,

- 46.42 Cross road Course N 10° W
- 49.99 Cross Santa Fe & Grand
Canon RR. course of which
is N 17° 30' E
- 79.77 The cor of sec 10, 11, 14 & N-
Land rolling.
Soil gravelly loam and rocky
2nd 3rd & 4th rate.
Scattering cedar timber -
Dense undergrowth of chico
bush 79.77 chains,

- 40.00 N 0° 1' W between sec 10 & 11
through dense brush
Set a limestone 16 x 6 x 4 ins
10 ins in the ground for 1/4 sec
corner marked 1/4 on W face
dug pits 18 x 18 x 12 ins N. & S. of
corner 3 ft dist and raised a
mound of earth 3 1/2 ft base
1 1/2 ft high W. of corner.

Subdivision of Tp. 28 N. R. 1 E.

Chains.

80.00 Set a limestone $18 \times 8 \times 3$ ins
 12 ins in the ground for cor of
 sec 2, 3, 10 + 11. marked with
 5 notches on A and 2 on B, edge
 dug pits $18 \times 18 \times 12$ ins in each
 sec $5\frac{1}{2}$ ft dia and raised
 a mound of earth 4 ft base
 2 ft high N. of corner.

Land rolling

Soil, gravelly loam & rocky $2\frac{1}{2}$ - $4\frac{1}{2}$ ft

No Timber.

Dense undergrowth of chips
 brush 80.00 chains.

N $89^{\circ} 57' E$ on a random
 line between sec 2 + 11

40.00 Set temp $\frac{1}{4}$ sec cor,

79.78 Intersect N. & S. line, 70 links
 S. of the cor of sec 12, 11 + 12
 Thence run S $89^{\circ} 48' W$

Subdivision of T. 28 N., R. 1 E.

Chains.

on a true line between secs
2 + 11 through dense brush

39.89

Set a limestone 20 x 7 x 6 ins
12 ins in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. face, dug pits
18 x 18 x 12 ins E. & W. of cor. 3 ft
dist and raised a mound of
earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
N of corner.

45.48

Cross road

46.60

Cross. Santa Fe and Grand
Cañon R.R. course of which is N $4^{\circ} 09' 10''$

79.78

The cor of sec 2, 3, 10 + 11
Land level.

Soil loam & gravelly 2nd & 3rd rate
No Timber

Dense undergrowth of Chid
brush 79.78.

N $0^{\circ} 1' 11''$ between secs. 2 + 3.

Subdivision of Tp 28 N R. 1 E.

Chains through dense brush
 40.00 Set a limestone $18 \times 6 \times 4$ ins
 10 ins in the ground for $\frac{1}{4}$ sec
 corner. marked $\frac{1}{4}$ on W face
 dug pits $18 \times 18 \times 12$ ins N. & S.
 of cor 3 ft dist and raised a
 mound of earth $3\frac{1}{2}$ ft base
 $1\frac{1}{2}$ ft high N of corner.

79.67 Intersect 7th Standard Parallel ^{with}
 1.71 Chains N. of Standard Cor
 of sec 34 & 35 which is a
 limestone $10 \times 6 \times 4$ ins above
 ground marked and witnessed
 as described by the Surveyor
 General. Set a limestone $20 \times 6 \times$
 6 ins 12 ins in the ground for
 closing corner of sec 2 & 3
 marked C C on S. with 2 notches
 on E & 4 on W edges. raised a
 mound of stone 2 ft base $1\frac{1}{2}$ ft
 high South of Cor. pits impracticable

Subdivision of Tp. 28 N, R. 1 E,

No. 550

Chains:

Land rolling.

Soil gravelly & rocky 3rd & 4th rate,

No Timber.

Dense undergrowth of Chic
brush 79.67 chains, X

From the cor of sec 3, 4, 33

& 34 on the South Side of

the Tp. I run N 0° 2' W. between

secs 33 & 34 through dense
brush.

40.00

Set a limestone 16 x 8 x 4 ins

10 ins in the ground for $\frac{1}{4}$ sec cor

marked $\frac{1}{4}$ on W. face dug pits

18 x 18 x 12 ins N. & S. of cor 3 ft dia

and raised a mound of earth

3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high N. of cor.

80.00

Set a limestone 20 x 10 x 4 ins 12 ins

in the ground for cor of sec 27, 28,

33 & 34, marked with 1 notch on

S. end & notches on E. edge. dug

Subdivision of Sp. 28 N. R. 1 E.

Chains

pits 18 X 18 X 12 ins in each sec

Land level.

Soil gravelly loam 2nd & 3rd cots.

No Timber.

Dense undergrowth of chies
bush 80.00 chains

N 89° 45' E on a random line
between secs. 27 & 34

40.00 Set temp 1/4 sec corner.

80.03 Intersect N. & S. line 18 links
N. of the cor of secs 26, 27, 34 & 35
thence I run S 89° 53' W

1.39 Cross Santa Fe & Grand Cañon
R.R. Course of which is N. 5° 53' E
on a true line between secs 27 & 34
through dense brush

40.015 Set a limestone 16 X 8 X 3 ins
10 ins in the ground for 1/4 sec
corner, marked 1/4 on N. face,
dug pits 18 X 18 X 12 ins E. & W.

Subdivision of Sp. 28 N, R. 1 E.

Chains.

of cor 3 ft dist and raised a mound of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N. of corner.

80.03 The cor of sec 27, 28, 33 & 34
Land locl

Soil gravelly 3rd rate.

No Timber.

Dense undergrowth of china
brush 80.03 chains.

40.00 N $0^{\circ} 2' W$ between sec 27 & 28
through dense brush
Set a limestone $16 \times 8 \times 4$ ins. 10

ins in ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. face, dug pits
 $18 \times 18 \times 12$ ins N. & S. of cor 3 ft
dist and raised a mound
of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
N. of corner.)

80.00 Set a limestone $20 \times 10 \times 8$ ins,
partly in ground and supported

Subdivision of Tp. 28 N, R. 1 E,

by mound of stone for cor of
secs 21, 22, 27 & 28, raised a
mound of stone 2 ft base $\frac{1}{2}$
ft high $\frac{1}{2}$ of corner stone marked
with 2 notches on S. 3 notches on E. edges.
A Pinon tree 12 ins in dia. tra
N $66^{\circ}45'$ W 100 chas marked
T. 28 N, R. 1 E, S 21 B.T. A Pinon tree
8 ins in dia. tra S $32^{\circ}22'$ W, 73
chuo dist marked T. 28 N, R. 1 E,
S 28 B.T. A Pinon tree 10 ins in dia
tra S. $42^{\circ}27'$ E, 221 chuo dist
marked T. 28. N R. 1 E. S 27 B.T.,
A cedar tree 5 ins in dia. tra N. 72°
38' E. 150 chuo. marked T. 28. N. R. 1
E. S. 22 B.T.

Land rolling.

Soil gravelly & rocky 3rd & 4th note
Scattering timber cedar & Pinon
Dense undergrowth of chuo brush
80,00 chuo.

Subdivision of $\frac{1}{4}$ Sec. 28 N., R. 1 E.

Chains,

- N $89^{\circ}53'$ E on a random line between sec 22 + 27.
- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 49.97 Intersect N. + S. line. 4 links N of the cor of sections 22, 23, 26 + 27. Thence I run. S $89^{\circ}55'$ W on a true line between sections 22 + 27. through dense ~~brush~~ ^{brush}
- 39.985 Set a limestone $15 \times 10 \times 5$ ins 10 ins in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N. face. raised a mound of stone 2 ft base $1\frac{1}{2}$ ft high N. of corner. A pinon tree 20 ins in dia base S $45^{\circ}50'$ E. 82 links dist. marked $\frac{1}{4}$ S 27 B.S.
- A pinon tree 10 ins in dia base N $57^{\circ}15'$ E 42 links dist. marked $\frac{1}{4}$ S 22 B.S.
- 79.97 The cor of sec 21, 22, 27 + 28. Land hilly + mountainous

Subdivision of T₂₈ N, R, 1 E.

Chains

Soil. rocky + ¹/₂ rate.

Timber Cedar + Piñon

Mountainous land covered with
timber and dense undergrowth
of chis brush 79.97 Chains

3,00

N 0° 2' W between Secs 21 & 22
through dense brush
Summit of Howards Hill.

38.35

Leave Timber.

38,00

Bottom of N slope of Howard
Hills.

40,00

Set a limestone 20 x 8 x 3 ins
12 ins in the ground for ¹/₄ sec. cor.
marked ¹/₄ on N. face dug pits
18 x 18 x 12 ins N. & S. of cor. 3 ft dist
and raised a mound of earth
3 ¹/₂ ft base 1 ¹/₂ ft high N. of cor
A cedar tree 12 ins in dia tra
S 74° 00' W. 1.41 chains dist marked
¹/₄ S 21 B. T.

Subdivision of Tp. 2 S. R. 1 E.

Chains.
 80.00 Set a limestone $20 \times 10 \times 4$ ins
 12 ins in the ground for cor of
 sec. 15, 16, 21 & 22 marked
 with 3 notches on S. & E.
 Edges, 28 N on N. E. 1 E.
 on S. E. side dug pits
 $18 \times 18 \times 12$ ins in each sec
 $5\frac{1}{2}$ ft dist and raised a
 mound of earth 4 ft base
 2 ft high N. of cor.
 Land rolling & mountainous
 Soil gravelly & rocky 3 & 4th rate,
 Timber Cedar & Pine 35 chains,
 Mountain land 38 chains,
 Dense undergrowth of
 Chic bush 80.00 chains.

N $89^{\circ} 5.5' E$ on a random
 line between sec 15 & 22

40.00 Set temp $\frac{1}{4}$ sec cor.

Subdivision of T_p 28 N, R. 1 E.

Chains

80,08 Intersect N. & S. line. 4 links

N. of the cor of sec 14. N. 22 & 23

Thence I run S 89° 57' W on

a true line between sec 15 & 22
through dense brush

40,04 Set a limestone 20 x 10 x 5 ins.

12 ins in ground for 1/4 sec. cor.

marked 1/4 on N. face, raised

a mound of stone 2 ft base 1 1/2

ft high N. of corner pits

impracticable.

80,08 The cor of sec 15, 16, 21 & 22

Land rolling.

Soil gravelly & rocky 3rd & 4th rate.

No Timber.

Dense undergrowth of chico

bush 80.08 chains.

N 0° 2' W between sec 15 & 16
through dense brush

40,00 Set a limestone 18 x 10 x 6 ins

12 ins in ground for 1/4 sec

Chains.

marked $\frac{1}{4}$ on N. dug pits
 18x18x12 ins N. & S of cor 3 ft
 dist and raised a mound of
 earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
 N. of corner.

80.00

Set a limestone 16x8x3 ins, 10
 ins in the ground for cor of sec
 9, 10, 15 & 16, marked with 4
 notches on S and 3 notches on E
 edges, dug pits 18x18x12 ins.
 in each sec $5\frac{1}{2}$ ft dist and
 raised a mound of earth 4 ft
 base 2 ft high N. of corner.

Land rolling & level.

Soil, loam, gravelly & rocky $\frac{1}{2}$ $\frac{3}{4}$ $\frac{1}{4}$ etc.
 No Timber.

Dense undergrowth of thick
 brush 80.00 chains.

N 89° 37' E on a random

Subdivision of Sp. 28 N. R. 1 E.

chains.

line between secs 10 + 15,

40.00 Set temp $\frac{1}{4}$ sec cor.

80.11 Intersect N. + S. line, 6 links

N. of the cor of secs 10, 11, 14 + 15.

Thence I run West on a true

line between secs 10 + 15, through
dense brush,40.055 Set a limestone $22 \times 12 \times 3$ ins

14 ins in ground and supported

by mound of stone for $\frac{1}{4}$ seccor. marked $\frac{1}{4}$ on N. face.

raised a mound of stone 2 ft

base $1\frac{1}{2}$ ft high N. of cor.

pits impracticable

80.11 The cor of secs 9, 10, 15 + 16

Land rolling.

Soil gravelly & rocky 3rd + 4th rate.

No Timber.

Dense undergrowth of chis brush

80.11 chns.

Subdivision of Sp 28 N.R. 1 C.

Chains.

- 40.00 N 0° 2' W between Secs 9 & 10
through dense brush
Set a limestone 16 x 10 x 8 ins
10 ins in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on N. face.
dug pits 18 x 18 x 12 ins N +
S of cor 3 ft dist and
raised a mound of earth
3 $\frac{1}{2}$ ft base 1 $\frac{1}{2}$ ft high N of cor.
- 80.00 Set a limestone 18 x 12 x 3 ins,
12 ins in the ground for cor of
secs 3, 4, 9 & 10, marked with
5 notches on S and 3 on E edges.
Dug pits 18 x 18 x 12 ins in each sec
5 $\frac{1}{2}$ ft dist and raised a mound
of earth 4 ft base 1 $\frac{1}{2}$ ft high
N of cor.

Land level

Soil gravelly loam 2nd & 3rd rate.

No Timber.

Dense undergrowth of chis brush 80.00 Cha.

Subdivision of Sp. 28 N. R. 1 E.

Chain

- East, on a random
line between sec 3 + 10 through
dense brush
40.00 Set temp $\frac{1}{4}$ sec cor.
- 80.14 Intersect N + S line of lines
S. of the cor of sec 2, 3, 10 + 11
Thence I run S $89^{\circ}58'$ W on
a true line between sec
3 + 10.
- 40.04 Set a limestone $16 \times 8 \times 4$ ins
10 ins in ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N. face, dug pit
 $18 \times 18 \times 12$ ins E. & W. of cor 3 ft
dial and raised a mound of earth
 $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N. of cor.
- 80.14 The cor of sec 3, 4, 9 + 10.
Land level
Soil. loam 1st + 2nd rate.
No Timber.
Dense undergrowth of chico
brush 80.14 chain!

Subdivision of Tp 28 N. R. 1 E.

Chains.

- 40.00 N $0^{\circ}2'$ W on a true line
between sec 3 + 4 through dense
brush
Set a limestone $18 \times 10 \times 6$ ins
12 ins in ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on W face, raised a
mass of stone 2 ft base $\frac{1}{2}$ ft
high N. of cor. pits impractical.
A cedar tree 5 inches in dia was
S $77^{\circ}06'$ W. 2.69 chs. marked
 $\frac{1}{4}$ S. H. B. J.
- 79.70 Intersect 7th Standard Parallel, ^{with}
1.74 chs. West of S. C. of sec 3
33 + 34, which is a limestone, 8×6
 $\times 6$ ins above ground marked and
witnessed as described by the
Surveyor General. Set a limestone
 $20 \times 10 \times 3$ ins, 14 ins in ground for
closing corner of sec 3 + 4.
marked C.C. on S, with 3 stakes
on E. + W edges. dug pits

Subdivision of Tp. 28 N. R. 1 E.

Chains.

24x18x12 ins crosswise end
 3 ft dist E. & W. of cor. and 7 ft
 S. of cor. raised a mound of earth
 4 ft base 2 1/2 ft high S. of cor.
 Land rolling.

Soil gravelly & rocky 3rd & 4th rate.
 No Timber.

Dense undergrowth of chico
 bush 79.70 chains.

Oct 31st 1900

Nov 1st 1900 at 7⁴ A.M. L.M.T.

Set off $14^{\circ}19'30''$ on my decl
 arc and $54^{\circ}17'$ for my co latitude
 and determine a true meridian
 with the solar at the cor of
 sec 4.5. 32 & 33. on the South
 side of the Township. There
 I run N $0^{\circ}3'$ W between
 sec 32 & 33 through dense bush

40.00 Set a limestone 18x12x3 ins

Subdivision of Tp. 28 N., R. 1 E.

12 ins in ground for $\frac{1}{4}$ sec cor.
 marked $\frac{1}{4}$ on N. face, dug pits
 18 X 18 X 12 ins N. & S. of cor 3 ft
 dist and raised a mound of
 earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
 W. of corner.

80.00 Set a limestone 18 X 12 X 5 ins
 12 ins in the ground for cor of
 sec 28, 29, 32 & 33, marked
 with 1 notch on S and 4 on E edges,
 raised a mound of stone 2 ft base
 $1\frac{1}{2}$ ft high W. of cor. pits im-
 practicable.

Land level

Soil loam gravelly 2nd & 3rd rate.

No timber.

Dense undergrowth of Chic
 bush 80,00 chains.

N $89^{\circ}45'$ E on a random

Subdivision of Tp. 28 N. R. 1 E.

Chains.

- line between Secs 28 + 33
- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 80.00 Intersect N. & S. line at the
cor of Secs 27, 28, 33 + 34
Thence I run S $89^{\circ}45'$ W on
a true line between Secs 28 + 33
through dense brush.
- 40.00 Set a limestone $18 \times 6 \times 4$ ins 12
ins in ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ on N face, dug pits
 $18 \times 18 \times 12$ ins E. & W. of cor 3 ft dist
and raised a mound of earth $3\frac{1}{2}$
ft base $1\frac{1}{2}$ ft high N. of cor.
- 80.00 The cor of Secs 28, 29, 32 + 33
Land level.
Soil gravelly loam 2nd & 3rd rate.
No Timber.
Dense undergrowth of Chico
brush 80.00 chains.

N $0^{\circ}3'$ W between Secs 28 + 29

Subdivision of T₂₈ N. R. 1 E.

Chains. through dense brush
 40.00 Set a limestone 15x8x5 ins
 10 ins in ground for $\frac{1}{4}$ sec cor.
 marked $\frac{1}{4}$ on N. face. dug pits
 18x18x12 ins N. & S. of cor. 3 ft dist
 and raised a mound of earth $3\frac{1}{2}$
 ft base $1\frac{1}{2}$ ft high N. of cor.

80.00 Set a limestone 22x8x7 ins. partly
 in ground and supported by mound
 of stone for cor of sec 20, 21, 28
 & 29. marked with 2 notches on
 S. and 4 on E. edges. raised a
 mound of stone 2 ft base $1\frac{1}{2}$
 ft high N. of corner.

A cedar tree 8 ins in dia tree
 N $71^{\circ}54'$ E 284 chs. marked
 J. 28. N. R. 1 E. S 21 B. J.

A cedar tree 6 ins in dia tree N.
 $34^{\circ}36'$ W. 134 chs. marked J. 28. N
 R. 1 E. S 20 B. J.

Land level

Subdivision of Tp. 28 N., R. 1 E.

Chains.

Soil gravelly and rocky 3rd & 4th rate

No Timber.

Dense undergrowth of chico
brush 80,00 chains.N 89°45' E on a random
line between secs 21 & 28.

40.00 Set temp 1/4 sec cor.

80.08 Intersect N. & S. line 5 lines

N. of the cor of secs 21, 22, 27 & 28

Thence I run S 89°47' W

on a true line between secs 21 & 28
through timber & dense brush

7.00 Leave timber

40.04 Set a limestone 20 x 12 x 4 ins

12 ins in ground for 1/4 sec cor.

marked 1/4 on N face, dug pits

18 x 18 x 12 ins E. & W. of cor 3 ft

dist and raised a mound of
earth 3 1/2 ft base 1 1/2 ft high

North of corner.

Subdivision of Sp. 28 N. R. 1 E.

Chains.

80.08 The cor of secs 20, 21, 28 & 29.
 Land rolling & mountainous
 Soil gravelly & rocky 3rd & 4th 3rd rate
 Timber Cedar & Pinon 8 chs.
 Mountainous land 19 chs.
 Dense undergrowth of chico
 brush 80.08 chs.

40.00 N 0° 3' W between secs 20 & 21
 through dense brush
 Set a limestone 20x12x4 ins.
 partly in ground and supported by
 mound of stone for 1/4 sec cor.
 marked 1/4 on N, raised a mound
 of stone 2 ft base 1 1/2 ft high
 N. of corner, pits impracticable

80.00 Set a limestone 20x12x4 ins
 partly in ground and supported by
 mound of stone for cor of secs, 16
 17, 20 & 21 marked with 3 notches
 on S and 4 on E edges, raised

Subdivision of Tp. 28 N. R. 1 E.

Chains.

a mound of stone 2 ft base $1\frac{1}{2}$ ft
high N. of cor. pits impracticable
Land rolling

Soil, rocky 4th rate,
No Timber.

Dense undergrowth of Chic
brush 80.00 chains.

N $89^{\circ}47'$ E on a random
line between secs 16 + 21

40.00 Set temp $\frac{1}{4}$ sec cor.

80.15 Intersect N + S line, 2 lines
North of the cor of secs 15, 16
21 + 22. Hence I run S 89°

48' N between secs 16 + 21
through dense brush

40.075 Set a limestone $16 \times 10 \times 4$ ins
10 ins in ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ on N. face, dug
pits $18 \times 18 \times 12$ ins E. + W. of cor
3 ft dist and raised a mound

Subdivision of Tp. 28 N., R. 1 E.,

chains.

of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
N. of corner.

80.15 The corner of secs 16, 17, 20 & 21
Land level

Soil gravelly loam 2nd & 3rd rate.
No Timber.

Dense undergrowth of chico
bush 80.15 chains.

N. $0^{\circ} 3' N$ between Secs. 16 & 17
through dense brush.

40.00 Set a limestone $18 \times 7 \times 6$ ins

12 ins in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on N. raised a
mound of stone 2 ft base $1\frac{1}{2}$
ft high N. of cor. pits impracticable

80.00 Set a limestone $20 \times 8 \times 5$ ins

12 ins in ground for cor of secs
8, 9, 16 & 17. Marked with 4 notches
on S. & E. edges. raised a
mound of stone 2 ft base

54 BOOK 550
Subdivision of Tp. 28 N. R. 1 E.

Chains.

1 1/2 ft high N. of corner.

Land rolling.

Soil gravelly & rocky 3rd & 4th tracts.

No Timber.

Dense undergrowth of
chico brush 80.00 chains.

N 89° 48' E on a random
line between secs 9 + 16

40.00 Set temp 1/4 sec cor

80.15 Intersect N. + S. line 7
lines N. of the cor of secs
9, 10, 15 + 16. Thence I run

S 89° 51' W on a true line between
secs 9 + 16 through dense brush.

40.075 Set a limestone 16 x 12 x 3 in
10 ins in ground for 1/4 sec cor
marked 1/4 on N. face. dug pits
18 x 18 x 12 ins E + W of cor 3 ft
dist and raised a mound

Subdivision of Sp. 28 N. R. 1 E. 55

Chains.

of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft
high N. of corner.

80.15 The cor of secs. 8.9.16+17.

Land rolling & level

Soil loam gravelly & rocky 2^{nd} 3^{rd} & 4^{th} notes
No Timber.

Dense undergrowth of chico
bush 80.15 chs.

40.00 N $0^{\circ} 3' N$ between Secs 8 & 9
through dense brush
Set a limestone $20 \times 8 \times 5$ ins.
10 ins in ground and supported by
mound of stone for $\frac{1}{4}$ sec cor &
marked $\frac{1}{4}$ on N face. raised a
mound of stone 2 ft base $1\frac{1}{2}$
ft high N of cor. pits impracticable
A cedar tree 6 ins in dia bra N. $80^{\circ} 28' E$
2.23 chs marked $\frac{1}{4}$ & 9 B.T.

80.00 Set a limestone $16 \times 8 \times 7$ ins partly
in ground and supported by

56

BOOK 550

Subdivision of T₂₈ N R 1 E.

Chains.

mound of stone for cor of sec
4, 5, 8 & 9, marked with 5 notches
on S, and 4 on E edges, raised a
mound of stone 2 ft base 1 1/2 ft
high W. of cor. pits impracticable.
A cedar tree 12 ins in dia tra S,
4° 55' W, 66 links marked T₂₈ N
R. 1 E. S. 8 B. T. A cedar tree 6 ins
in dia tra S 56° 15' W 93 links,
marked T₂₈ N R. 1 E. S 8 B. T.
Land rolling.

Soil gravelly & rocky 3rd & 4th notes,
No Timber.

Dense undergrowth of chico
bush 80.00 chains.

N 89° 51' E on a random
line between sec 4 & 9

40.00 Set temp 1/4 sec cor.

80.21 Intersect N. & S. line 15 links

Subdivision of Sp. 28 N, R. 1 E. 57

Chains.

N. of the cor of secs 3, 4, 9 & 10

Thence Iron S 89° 57' W on
through dense brush
a true line between sec 4 & 9.

40.108 Set a limestone 18 X 8 X 4 ins supported by mound of stone for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N. face raised a mound of stone 2 ft base $1\frac{1}{2}$ ft high N of cor pits impracticable.

80.21 The cor of secs. 4, 5, 8 & 9

Land rolling.

Soil gravelly & rocky $\frac{3}{4}$ rate.

No Timber.

Dense undergrowth of chico brush 80.21

N 0° 3' W on a true line between
secs 4 & 5, through dense brush40.00 Set a limestone 18 X 10 X 4 ins
12 ins in ground for $\frac{1}{4}$ sec cor

Subdivision of Tp. 28 N., R. 1 E.

Chairs,

marked 1/4 on W face - raised
a mound of stone 2 ft base
1 1/2 ft high W of corner
pits impracticable.

79.52 Intersect 7th Standard Parallel ^{North}
2.06 ch. N. of S.E. of sec
32 + 33 which is a limestone 10x
10x6 ins above ground, marked
and witnessed as described by the
Surveyor General Set a limestone
20x8x4 ins. 12 ins in ground for
closing corner of sec 4 + 5,
marked C.C. on S. with 4 notches
on E and 2 on W. edge dug pit
24x18x2 ins crosswise on line
E + W 3 ft. and South of cor
7 ft dist. and raised a mound
of rock 4 ft base 2 ft high
South of corner.
Land rolling.

Subdivision of Tp. 28 N., R. 1 E., 59

Chains.

Soil gravelly & rocky 3rd & 4th rate.

No Timber.

Dense undergrowth of chico
brush 79.52 chains.

Nov 2nd 1900

Nov 3rd 1900 at 8^h a.m. l.m.t.

I set off $15^{\circ}01'30''$ on my decl
arc and $54^{\circ}17'$ for my co-lat-
tude and determine a true me-
ridian with the solar at the

cor of sec 5, 6, 31 & 32 on the
South boundary of the Tp. Thence

I run $N 0^{\circ}4' W$ between sec
31 & 32, through dense brush

40.00

Set a limstone $18 \times 10 \times 3$ ins. 12
ins in ground for $\frac{1}{4}$ sec cor.

marked $\frac{1}{4}$ on W. face. dug pits
 $18 \times 18 \times 12$ ins N. & S. of cor 3 ft dist
and raised a mound of earth
 $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high N. of cor.

Subdivision of T. 28 N. R. 1 E.

Chains.

80.00

Set a limestone $18 \times 10 \times 3$ ins.
 12 ins in ground for cor of sec
 29, 30, 31 & 32, marked with 1
 notch on S and 5 on E edges,
 dug pits $18 \times 18 \times 12$ ins in each
 sec $5\frac{1}{2}$ ft dist and raised
 a mound of earth 4 ft base
 2 ft high N of corner.
 Land rolling
 Soil gravelly & rocky 3^{rd} & 4^{th} rate
 Timber Cedar scattering,
 Dense undergrowth of chie
 & buck brush., 50 ch

N $89^{\circ}45'$ E on a random
 line between sec 29 & 32.

40.00

Set temp $\frac{1}{4}$ sec cor.

80.00

Intersect N & S line, at the
 Cor of sec 28, 29, 32 & 33. Hence
 Drun S $89^{\circ}45'$ West on

Concluded, Book 549.