

28-12  
copies  
of used  
plates

24.

No. 566

1A

Sent to base U.S. Feb 6<sup>th</sup> 1892

Approved March 18/1892

BOOK 566

Subdivisions T. 28 N R. 16 E

4-671

566

FIELD NOTES

~~GENERAL LAND OFFICE~~

of the survey  
of the

Subdivision Lines of  
Township 28 N. Range 16 E  
Surveyed by John C. Smith

U.S. Dep. Sur.

Under his' contract No 16

Dated Nov. 1. 1890

Survey commenced June 10. 1891  
" completed " 07. 1891

Survey commenced June 10  
" completed " 17

1B

Index

BOOK 566  
 BOOK 565 BOOK 568  
 BOOK 564 BOOK 567

Township No. 28 N. Range No. 16 E. Mer.

	240-247	243	197	145	89	87		38		
6	240 242	238	144	142	87	85	3	37	2	1
	235 238	233	142	140	84	82		36		
	231 233	229	139	137	82	80		35		
	226 228	224	137	134	79	77		34		
7	222 224	220	134	132	77	75	10	33	11	12
	218 220	216	132	129	74	72		32		
	214 216	212	129	126	72	70		31		
	210 211	208	126	124	69	67		30		
18	206 207	203	124	121	67	65	15	28		13
	201 203	201	121	119	65	63		26	28	
	197 199	196	119	117	63	61		24	26	
	193 195	191	116	114	61	59		22	24	
19	189 191	187	114	112	59	57	22	23	20	21
	185 187	183	111	109	57	55		18	20	
	181 183	179	109	107	55	53		16	18	
	177 178	174	106	104	53	51		14	16	
30	172 174	170	104	102	51	49	27	26	14	25
	168 170	166	101	100	49	47		10	12	
	164 166	162	99	98	47	45		8	10	
	160 161	158	97	95	45	43		6	7	
31	155 157	154	95	93	43	41	34	35	4	36
	151 153	150	93	91	41	39		2	4	
	149		91		39			1		

No. 566

BOOK 566

10

CHAINS, SUBDIVISIONS T 28 N

R. 16 E.

The eastern tier of sections in this township being mountainous land, I run the north and south subdivisional line two miles west of the proper place for the east boundary, as the east boundary, and close east and west on it; The same, having been run north and closed on the 7<sup>th</sup> standard north; it being the first north and south line running through without crossing the mountains.

From the cor. to sec. 1, 2, 35 and 36 on the south boundary of the township I run N. 00° 11' N. bet.

## CHAINS, subdivisions T. 28. N R. 16. E.

Secs. 35 and 36.

7a. 13° E.

Over gently rolling surface.

8.25 Trail bears N. W. and S. E. about 80°.

20.00

Deposited a marked stone 12 ins. in the ground, for...~~116~~ Sec. Cor., dug pits 18X18X12 ins. N... and S... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In... N... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on... W... face,

Thence I run West on a random line through south 1/2 sec. 35.

7a, 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. & S. line 10 links south of 116 sec. cor. Thence I run S. 89° 56' E. on a true line through south 1/2 sec.

CHAINS subdivisions T. 28 N R. 16 E.

35.

Ta. 13° E.

Over gently rolling surface.

20.00

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

37.00

Trail bears N. W. and S. E.

40.00

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

60.00

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

80.00

The 1/6 SEC. COR.

Surface gently rolling.

Soil 2nd rate.

Good grass.

## CHAINS. Subdivisions T. 28 N R. 16 E.

Thence I continue  $n. 0^{\circ} 11' N.$   
bet. secs. 35 and 36.

40.00

Set a sandstone  $15 \times 10 \times 4$  ins.,  $10$  ins.  
in the ground, for  $1/4$  Sec. Cor., marked  $1/4$  on  $W.$   
face, dug pits  $18 \times 18 \times 12$  ins.,  $N.$  and  $S.$  of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high;  $3$  1-2 ft. base, alongside,

Thence I run West on  
a random line through  
middle sec. 35,

$7a. 13^{\circ} E.$

20.80

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.80 Intersect  $N. + S.$  line 12 links  
south of  $1/4$  sec. cor. Thence  
I run  $S. 89^{\circ} 55' E.$  on a  
true line through middle  
sec. 35.

$7a. 13^{\circ} E.$

Ascend gradually

## CHAINS Subdivisions T. 28 N R. 16 E.

3.80 Trail bears N. W. and S. E.

1995 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,3990 Set a sandstone  $\frac{3}{4}$  X  $\frac{1}{16}$  X 2 ins., 18 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,5985 Set a sandstone  $\frac{3}{8}$  X  $\frac{3}{16}$  X 2 ins., 19 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

7980 Sta 14 SEC. COR.

Surface nothing

Only 2nd and 4th rate.

Good grass

Thence I continue  $77.0^{\circ} 1' N$ .  
bet. secs. 35 and 36

5958 Trail bears E and N.



## CHAINS Subdivisions T. 28 N R. 16 E.

60.00

Set a sandstone  $16 \times 11 \times 9$  ins.,  $11$  ins. in the ground, for  $16$  Sec. Cor., marked  $16$  on  $W.$  face, dug pits  $18 \times 18 \times 12$  ins.,  $N.$  and  $S.$  of stone  $5$   $1-2$  ft. dist., and raised a mound of earth  $1$   $1-2$  ft. high,  $3$   $1-2$  ft. base, alongside,

Thence I run  $110^{\circ}$  on a random line through north  $\frac{1}{2}$  sec.  $35$ .

$\gamma_a. 13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7990 Intersect  $N.$  &  $S.$  line  $5$  links south of  $16$  M. Cor.  
Thence I run  $89^{\circ} 58' E.$  on a true line through north  $\frac{1}{2}$  sec.  $35$ ,

$\gamma_a. 13^{\circ} E.$

Bound gradually.

3.80

Trail bears  $N. W.$  and  $S. E.$

## CHAINS Subdivisions T. 28 N R. 16 E.

7998 Set a sandstone  $20 \times 12 \times 4$  ins.,  $15$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N... face, dug pits  $18 \times 18 \times 12$  ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

7995 Set a sandstone  $12 \times 8 \times 6$  ins.,  $8$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N... face, dug pits  $18 \times 18 \times 12$  ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

7992 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  $12$  ins. in the ground, marked  $\frac{1}{16}$  S, on N... face,

7990 The  $\frac{1}{16}$  sec. cor.

Surface rolling

Soil Ind. and  $\frac{1}{16}$  rail

Good grass.

Thru I continue  $77.0^\circ 1' N$ .  
bet. Secs. 35 and 36.

66.86 Trail bears E. and N.

7.60 Wash 20 hills side course West.

## CHAINS. Subdivisions T. 28 N R. 16 E.

80.00

Set a sandstone...~~20~~X...~~17~~X...~~3~~ ins., ~~15~~  
 ins. in the ground for Cor. to Secs. ~~25~~, ~~26~~, ~~34~~ and ~~36~~  
 marked with...!.....notches on S. and...!.....notches on E.  
 edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.  
 dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
 base, alongside.

Surface rolling

Dir. Ind. and  $4\frac{1}{2}$  rate

Good grass

West on a random line  
 bet. secs. 26 and 35  
 Ta. 130 E.

20.00

Set temporary 1-16 Sec. Cor.

40.00.....

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.00

Intersect N. & S. line at cor  
 to secs. 26, 27, 34 and 35  
 thence I run east on  
 a true line bet. secs  
 26 and 35.

CHAINS, subdivisions T. 28 N - R. 16 E.

7a. 13° E.

Ascend gradually.

9.00 Wash...50...lks. wide course, SW.

2A02 Deposited a marked stone 12 ins. in the ground, for...1/6...Sec. Cor., dug pits 18X18X12 ins....E...and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked...1/6...S, on...N...face,

29.00 Wash...50...lks. wide course, SW.

4A05 Deposited a marked stone 12 ins. in the ground, for...1/4...Sec. Cor., dug pits 18X18X12 ins....E...and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked...1/4...S, on...N...face,

58.00 Wash...30...lks. wide course, SW.

6A08 Deposited a marked stone 12 ins. in the ground, for...1/6...Sec. Cor., dug pits 18X18X12 ins....E...and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked...1/6...S, on...N...face,

69.00 Wash...20...lks. wide course, SW.

8A10 The cor. to div. 25, 26, 35 and 36

## CHAINS, Subdivisions T. 28 N R. 16 E.

Surface rolling  
Soil 3rd rate.  
Good grass.

---

N. 10° W. Set. sec. 25 and 26  
Pa. 13° E.

over rough country.

15.36

Trail bears N. W. and S. E.

20.00

Set a sandstone .28 X .20 X .4 ins. .21 ins.  
in the ground, for 1/16 Sec. Cor., marked 1/16 on W...  
face, dug pits 18x18x12 ins., N. and S. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

I think I run West on a  
random line through south 1/2  
sec. 26.

Pa. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.08

Intract N. & S. line 17 links

## CHAINS Subdivisions T. 28 N R. 16 E.

north of 116 sec. cor. then  
I run N. 89° 53' E. on a  
true line through south 1/2 sec.  
26,

79. 13° E.

Acend gradually.

2002 Set a sandstone 18 X 12 X 2 1/2 ins. 12 ins.  
in the ground, for 116 Sec. Cor., marked 116 on N...  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

3570 Wash 40 lbs. wide course, 20 ft. deep.

4004 Set a sandstone 14 X 14 X 3 ins. 9 ins.  
in the ground, for 116 Sec. Cor., marked 116 on N...  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

60,06 Set a sandstone 18 X 18 X 5 ins. 12...  
ins. in the ground, for 116 Sec. Cor., marked 116 on  
N... face, and raised a mound of stone 1 1-2 ft. high  
2 ft. base, alongside. Pits impracticable.

66.00 Trail bears N. W. and S. E.

67.00 Eastin wash course 20 ft. up same.

69.00 Same " " west: 20 links wide

CHAINS. Subdivisions T. 28 N R. 16 E.

80.00 The 1/16 sec. cor.

Surface rolling and rough.

Soil 3rd rate

Good grass.

Thence I continue N. 0° 1' W

bet. SECS. 25 and 26.

40.00

Set a sandstone  $12 \times 10 \times 5$  ins.,  $8$  ins. in the ground, for  $1/4$  Sec. Cor., marked  $14$  on  $W$  face, dug pits  $18 \times 18 \times 12$  ins.,  $N$ . and  $S$ . of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Thence I run west on a random line through middle sec. 26.

Ta. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.00

Abstract N and S line 15 links north of  $1/4$  sec. cor.

CHAINS Subdivisions T. 28 N R. 16 E.

Line I run N 89° 54' E. on  
a true line through middle  
cor. 26.

90. 13° E.

Asand gradually.

20.00

Deposited a marked stone 12 ins. in the ground,  
for 116 Sec. Cor., dug pits 18X18X12 ins. E... and  
W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on N... face,

40.00

Deposited a marked stone 12 ins. in the ground,  
for 114 Sec. Cor., dug pits 18X18X12 ins. E... and  
W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 114 S, on N... face,

60.00

Deposited a marked stone 12 ins. in the ground,  
for 116 Sec. Cor., dug pits 18X18X12 ins. E... and  
W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 116 S, on N... face,

80.00

Th 14 DEC. COR.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.



## CHAINS, Subdivisions T. 28 N R. 16 E.

Then I continue N.  $0^{\circ} 1' 44''$  set  
pins 25 and 26.

60.00

Set a sandstone  $36 \times 8 \times 3$  ins.,  $27$  ins.  
in the ground, for  $1/16$  Sec. Cor., marked  $1/16$  on  $W.$   
face, dug pits  $18 \times 18 \times 12$  ins., N. and S. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Then I run west on a  
random line through north  
 $1/2$  sec. 26.

$\gamma_a$   $13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.04 Intersect N. & S. line 16 links  
north of  $1/16$  sec. cor. Then  
I run N.  $89^{\circ} 53' E.$  on a  
true line through north  $1/2$   
sec. 26.

$\gamma_a$   $13^{\circ} E.$

To avoid gradually

## HAINS Subdivisions T. 28 N R. 16 E

2,10

Trail bears N. E. and S. W.

2,101

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $\frac{1}{16}$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

4,102

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $\frac{1}{16}$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

6,003

Set a sandstone  $14 \times 17 \times 3$  ins.  $9$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

8,004

T<sup>h</sup>  $\frac{1}{16}$  SEC. COR.

Surface rolling

Soil 2nd rate

Good grass

CHAINS, Subdivisions T. 28 N R. 16 E.

Thence I continue.

N. 0° 1' W. bet. SECS. 25 and 26.

80.00

Set a sandstone... 16... X... 11... X... 4... ins... 11...  
 ins. in the ground for Cor. to Secs. 23, 24, 25 and 26  
 marked with... 2... notches on S. and... 1... notch on  
 E. edges, and raised a mound of stone 1 1-2 ft. high, 2  
 ft. base, alongside. Pits impracticable.

Surface rough  
 Soil 3rd rate.  
 Grass fair

---

Thence I run West on a random  
 line bet. sec. 23 and 26  
 Va. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.04

Intersect N. and S. line... 10... lks... north of Cor. to  
 Secs. 22, 23, 24 and 27. Thence I run N. 89° 56' E.  
 on a true line bet. Secs. 23 and 26.

Va. 13° E.

Ascid gradually.

CHAINS. Subdivisions T. 28 N R. 16 E.

20.01

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on N. face,

40.02

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on N. face,

60.03

Set a sandstone  $18 \times 10 \times 5$  ins., 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., marked  $\frac{1}{6}$  on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

80.04 The cor. to sea. 23, 24, 25 and 26

Surface rolling  
Soil Sand soft  
Good grass.

June 9<sup>th</sup> 1891

CHAINS Subdivisions T. 28 N R. 18 E.

71.0° 1' N. bet. secs. 23 and 24

Va. 13° E.

20.00

Set a sandstone  $16 \times 14 \times 2\frac{1}{2}$  ins. 11  
 ins. in the ground, for 116 Sec. Cor., marked 116 on  
 ...W...face, and raised a mound of stone 1-2 ft. high  
 2 ft. base, alongside. Pits impracticable.

Then I run west on  
 a random line through  
 south  $\frac{1}{2}$  sec. 23.

Va. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.12 Intract 71. and S. line 13 links  
 north of 116 sec. Then I  
 run 71. 89° 54' E. on a true  
 line through south  $\frac{1}{2}$  sec. 23.

Va. 13° E.

Ascend gradually.

No. 566 ECOK 566 19

CHAINS Subdivisions T. 28 N R. 16 E.

2403

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

4006

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

6009

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

8012 The 116 sec. cor.

Surface rolling  
Dip 2nd rate  
Good grass

---

## CHAINS Subdivisions T. 28 N R. 16 E.

Chain I continue N. 0° 11' W.  
bet. sec. 23 and 24,

40.00 Set a sandstone 14 X 11 X 8 ins., 9 ins.  
in the ground, for 1/4 Sec. Cor., marked 14 on W.  
face, dug pits 18x18x12 ins., N. and S. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Then I run west on a  
random line through  
middle sec. 23.

7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.02 Introduce N. and S. line 4 links  
north of 14 sec. cor. where  
I run N. 89° 58' E.  
on a true line through  
middle sec. 23.

7a. 13° E.

Ascend gradually

## HAINS, SUBDIVISIONS T. 28 N R. 16 E.

2000

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

4001

Deposited a marked stone 12 ins. in the ground, for 114 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 114 S, on N. face,

6001

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

8002

The 14 sec. cor.

Surface rolling

Soil 2nd. rate

Good grass

---



Thence I continue  $77.0^{\circ} 13' N$  set  
Sec. 23 and 24.

60.00 Set a sandstone  $2.3 \times 1.8 \times 2$  ins.,  $1.7$  ins.  
in the ground, for  $1/6$  Sec. Cor., marked  $1/6$  on  $W.$   
face, dug pits  $18 \times 18 \times 12$  ins.  $N.$  and  $S.$  of stone  
5 1-2 ft. dist., and raised a mound of earth 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Thence I run west on a  
random line through north  
 $1/2$  sec. 23.

$79.13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.92 Instruct  $N.$  and  $S.$  line 13  
links north of  $1/6$  sec. cor.  
Thence I run  $77.89^{\circ} 54' E.$   
on a true line through north  
 $1/2$  sec. 23.

$79.13^{\circ} E.$

Ascending gradually.

CHAINS. Subdivisions T. 28 N. R. 16 E.

820 Trail bears N. E. and S. W.

1998 Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

4.50 Ectto field from N and S.

88.50 Leave " " " "

3996 Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

41.70 Trail bears N. E. and S. W.

5994 Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

7992 The 1/6 sec. cor.

Surface nothing  
 Soil 2 in. path.  
 Good grass

CHAINS. Subdivisions T. 28 N R. 16 E.

Thence I continue N. 0° 1' W.  
bet. Secs. 23 and 24.

80.00 Set a sandstone ~~15~~ X ~~14~~ X 13 ins. 10  
ins. in the ground for Cor. to Secs. 13, 14, 23 and 24  
marked with ~~2~~ notches on S. and ~~1~~ notches on E.  
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.  
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
base, alongside.

Surf all rough and hilly  
Dip 3/4 mi.  
Good grass.

Went on a random line bet.  
Secs. 14 and 23.

49. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. line 6 lks north of Cor. to  
Secs. 14, 15, 22 and 23 Thence I run N. 89° 57' E  
on a true line bet. Secs. 14 and 23.

74. 13° E.

## CHAINS Subdivisions T. 28. N. R. 16. E.

*Asaul gradually*

20.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. ... E. ... and ... W. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. ... face,

40.00 Set a sandstone 13 X 13 X 9 ins. 8 ins. in the ground, for 114 Sec. Cor., marked 114 on ... N. ... face, and raised a mound of stone 1 1-2 ft. high 2 ft. base, alongside. Pits impracticable.

60.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. ... E. ... and ... W. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. ... face,

70.00

Trail bears N. E. and S. W.

80.00

*The cor. to svs. 13, 14, 23 and 24*  
*Surface nothing*  
*Soft surf. water*  
*Good grass*

---

## CHAINS Subdivisions T. 28. N R. 16. E.

77.00' N. Set. Sec. 13 and 14

79.13° E

over rolling country

1.50 Trail from S. 80° W. and 77.80° E.

10.20 " " S. 6. and 77.76

20.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S. on W. face,

Then I run first on a random line through south  $\frac{1}{2}$  Sec. 14.

20.00 Set temporary 1-16 Sec. Cor.

79.13° E.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.12 Subdiv. N. S. line 12 miles north of  $\frac{1}{16}$  sec. cor. thence I run N. 89° 55' E. on a true line, through south  $\frac{1}{2}$

CHAINS Subdivisions T. 28 N R. 16 E.

SEC. 14.

7d. 130 E.

very rolling country.

2403 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

4016 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

56.40 Trail bears N. W. and S. E.

60.09 Set a sandstone  $13 \times 11 \times 4$  ins., 8 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

67.30 Enter millon and beam field bears NW & NE.

5.80 Leave " " " " " " " " " " " " " " " "

0.12 The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

## CHAINS, Subdivisions T. 28 N. R. 16 E.

Thence I continue  $71.00^{\circ}$  N. Set  
 Sec. 13 and 14.

34.40 Trail bears **N. E. and S. W.**

40.00

Deposited a marked stone 12 ins. in the ground,  
 for  $14^{\circ}$  Sec. Cor., dug pits 18X18X12 ins. N. and  
 S. of corner 5 1-2 ft. dist. and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. dia over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked  $14^{\circ}$  S, on **W.** face,

Surface rolling

Soil 2nd. rate

Good grass

This is at the foot of the  
 mountains, therefore I discon-  
 tinue the line here.

Thence I run west on  
 a random line through  
 middle Sec. 14.

$74.13^{\circ}$  E,

20.00

Set temporary 1-16 Sec. Cor.

## CHAINS, Subdivisions T. 28. N R. 16. E.

40.00.....Set temporary 1-4 Sec. Cor.

Set temporary 1-16 Sec. Cor.

60.00

Intersect N. and S. line at

80.00

cor to  $\frac{1}{4}$  sec. then S.

run east on a True  
line through middle sec. 14.  
Ta.  $13^{\circ}$  E.

Over gently rolling surface.

20.00

Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

40.00

Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{4}$  S, on N. face,

60.00

Set a sandstone  $\frac{1}{16}$  X  $\frac{1}{4}$  X  $2\frac{1}{2}$  ins.,  $\frac{1}{16}$  ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N.  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,



## CHAINS Subdivisions T. 28 N. R. 16 E.

69.60 Trail bears N. W. and S. E.

80.00 The 14 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

I now proceed to the 1/6  
 sec. cor. north of the 14 cor.  
 Set. sec. 14 and 15, and run  
 east on a true line  
 through north 1/2 sec. 14.  
 Va. 13° E.

Over gently rolling surface.

220 Trail bears N. W. and S. E.

20.00 Deposited a marked stone 12 ins. in the ground,  
 for 1/6 Sec. Cor., dug pits 18x18x12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 1/6 S, on N. face,

40.00 Set a sandstone X 9 X 6 ins., 7 ins.  
 in the ground, for 1/6 Sec. Cor., marked 1/6 on N.  
 face, dug pits 18x18x12 ins. E. and W. of stone  
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
 high, 3 1-2 ft. base, alongside,

CHAINS Subdivisions T. 28 N R. 16 E.

Surface gently rolling.

Soil  $2^{nd}$  rate.

Good grass.

Mountains east.

East on a true line bet. sec. 11 and 14

11 and 14

$70.13^{\circ}$  E.

Ascend gradually.

Set a sandstone  $30 \times 10 \times 3$  ins.,  $22$  ins. in the ground, for  $1/6$  Sec. Cor., marked  $1/6$  on N... face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

In west edge of field

Scan field Secs. 11 and 14.

Deposited a marked stone 12 ins. in the ground, for  $1/4$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $1/4$  S, on N. face.

Surface gently rolling.

Soil  $2^{nd}$  rate.

Good grass.

CHAINS. Subdivisions T. 28 N R. 16 E.

East on a True Line through  
south  $\frac{1}{2}$  sec. 11. from  $\frac{1}{16}$  sec. cor.  
7 $^{\circ}$ . 13' E.

Over gently rolling surface.

1010 Trail bears N. W. and S. E.

18.75 East field bears N. and S.

20.00

Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

29.00 Same field bears N. and S.

40.00

Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Mountains east.

---

CHAINS Subdivisions T. 28 N R. 16 E.

East on a true line through  
middle sec. 11. from 44 sec. cor.  
Va. 130 E.

Over gently rolling surface.

15 Spare field fence Mrs.

20.00 Set a sandstone 20 X 12 X 12 ins., N ins.  
in the ground, for 1/4 Sec. Cor., marked 1/4 on N...  
face, dug pits 18x18x12 ins., E, and W of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

40.00 Deposited a marked stone 12 ins. in the ground,  
for 1/4 Sec. Cor., dug pits 18X18X12 ins., E, and  
W of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/4 S, on N, face,

Surface gently rolling.

Soil <sup>1/2</sup> rate.

Good grass.

Mountains east-

---

East on a true line  
through north  $\frac{1}{2}$  sec. 11 from  $\frac{1}{16}$  sec. cor.  
Va.  $13^{\circ}$  E.

Over gently rolling surface.

670 Iron field bean N. and S.  
18.15 Trail bears N. W. and S. E.

20.00

Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E... and  
...W... of corner 5 1-2 ft. dist. and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on N... face,

39.05 Trail bears N. W. and S. E.

40.00

Set a sandstone  $14 \times 12 \times 3$  ins.,  $9$  ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N...  
face, dug pits 18x18x12 ins. E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside.

Surface gently rolling.

Soil  $2^{\text{nd}}$  rate.

Good grass.

Mountain east.

---

CHAINS Subdivisions T. 28 N R. 16 E

East on a true line bet. sec. 2  
and 11 from the cor. to sec.  
2, 3, 10 and 11.

79. 13° E.

Over gently rolling surface.

4.00 True field from N. and S.

20.00 Set a sandstone 18 X 16 X 14 ins., 12 ins.  
in the ground, for 1/6 Sec. Cor., marked 1/6 on N...  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

40.00 Set a sandstone 27 X 25 X 3 ins., 20 ins.  
in the ground, for 1/4 Sec. Cor., marked 1/4 on N...  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

Mountains East



CHAINS. Subdivisions T. 28 N R. 16 E.

East on a true line through  
south  $\frac{1}{2}$  sec. 2 from  $\frac{1}{16}$  sec. cor.  
74. 13° E.

Over gently rolling surface.

14.00 Enter cornfield bears, S.E. and N.W.

20.00 Set a sandstone  $30 \times 24 \times 2$  ins., 22 ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N...  
face, dug pits  $18 \times 18 \times 12$  ins., E., and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside.

39.00 Lean field bears. N. & S.

40.00 Set a sandstone  $18 \times 17 \times 3$  ins., 12 ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N...  
face, dug pits  $18 \times 18 \times 12$  ins., E., and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

Mountains east.

---

HAINS Subdivisions T. 28 N R. 16 E.

East on a true line through  
middle sec. 2 from  $\frac{1}{4}$  sec. cor.,  
Ta. 13° E.

Over gently rolling surface.

7.00 Enter field from N. and S.

0.00 Set a sandstone  $10 \times 10 \times 8$  ins., 7 ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N...  
face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

40.00 Set a sandstone  $18 \times 18 \times 3$  ins., 12 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N...  
face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

Some brush.

Mountain east.

---



CHAINS. Subdivisions T. 28 N R. 16 E.

East on a true line through  
north  $\frac{1}{2}$  sec. 2. from  $\frac{1}{16}$  sec. cor.  
7 $^{\circ}$  13' E.

Over gently rolling surface.

800 *Lean coniferous trees. 7.55.*

20.00 Set a sandstone 14 X 9 X 4 ins., 7 ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N...  
face, dug pits 18x18x12 ins. E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

35.20 *Enter field from S.E. and N.W.*

40.00 Set a sandstone 16 X 14 X 9 ins., 11 ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N...  
face, dug pits 18x18x12 ins. E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Surface gently rolling.

Soil 2 $^{nd}$  rate.

Grass fair.

Some brush.

June 10<sup>th</sup> 1891

CHAINS, Subdivisions T. 28 N R. 16 E.

From the cor. To sec. 3, 4, 33 and  
34 on the south boundary of  
the township I run, 77.00 2 1/4  
ft. sec. 33 and 34,  
To. 13° E.

Over gently rolling surface.

20.00

Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. N. and  
S. of corner 5 1-2 ft. dia. and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on W. face,

Then I run East on a  
random line through  
south 1/2 sec. 34  
To. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.90

Intersect N. & S. line 11 links north  
of 1/16 sec. cor. Then I run

77. 89° 55' N, on a front line  
through south 1/2 sec. 34.  
7/8. 13° E.

Over gently rolling surface.

1998

Deposited a marked stone 12 ins. in the ground,  
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist. and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/6 S, on N. face,

3995

Deposited a marked stone 12 ins. in the ground,  
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist. and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/6 S, on N. face,

5992

Deposited a marked stone 12 ins. in the ground,  
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist. and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/6 S, on N. face,

7990

Th. 1/6 sec cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Some brush. and scattered grass.

CHAINS, Subdivisions T. 28 N R. 16 E.

Thence I continue  $71^{\circ}02' N$ ,  
bet. sec. 33 and 34.

34.04

Trail bears N. W. and S. E.

40.00

Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. N. and  
S. of corner 5 1-2 ft. dist. and raised a mound of  
earth 1 1-2 ft. high 3 1-2 ft. long over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{4}$  S, on W. face,

Thence I run East on a  
random line through  
middle sec. 34,  
 $74^{\circ}13' E$ .

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.00

Intersect N. and S. line of  
line north of  $\frac{1}{4}$  sec.  
cor. Thence I run N,  
 $89^{\circ}56' N$ , on a true line  
through middle sec. 34

## CHAINS. Subdivisions T. 28 N R. 16 E.

7a. 13° E

Over gently rolling surface.

20.00

Set a sandstone  $10 \times 8 \times 7$  ins.  $7$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on  $N$  face, dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

40.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.  $E$  and  $W$  of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $E$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on  $N$  face,

60.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.  $E$  and  $W$  of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $E$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on  $N$  face,

80.00

The  $\frac{1}{4}$  Sec. cor.

Surface nearly level

Soil 2nd. rate

Good grass

Some Brush

---

CHAINS, subdivisions T. 28 N R. 16 E.

Thence I continue  $N. 0^{\circ} 2' W.$   
bet. sec. 33 and 34.

49.00 Trail from E. and H.

50.35 Wash 8 links wide corner met.

60.00

Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.  $N.$  and  
 $S.$  of corner 5 1-2 ft. dia. and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. long over it.

In  $N.$  pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on  $W.$  face.

Thence I run east on  
a random line through  
north  $\frac{1}{2}$  sec. 34.

$N. 15^{\circ} E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

50.58 Intersect  $N. S.$  line 3 links  
north of  $\frac{1}{16}$  sec. cor.  
Thence I run  $N. 89^{\circ} 59' W.$   
on a true line through north

## CHAINS. Subdivisions T. 28 N R. 46 E.

 $\frac{1}{2}$  sec. 34.

Ta. 13° E

Over gently rolling surface.

600 Wash 50 links mile course S 70° W.

2002

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18x18x12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

4004

Set a sandstone  $\frac{10}{16}$  x  $\frac{10}{16}$  x  $\frac{6}{16}$  ins.,  $\frac{7}{16}$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

6006

Set a sandstone  $\frac{14}{16}$  x  $\frac{13}{16}$  x  $\frac{4}{16}$  ins.,  $\frac{9}{16}$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

6050 Wash 50 links mile course S 70° W.

8008 The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

CHAINS, Subdivisions T. 28 N R. 15 E.

Thence I continue  $90^{\circ} 2' W$   
bet. secs. 33 and 34.

78.35 Trail bears E. and  $71^{\circ}$

80.00

Set a sandstone  $16 \times 16 \times 6$  ins.  $11$   
ins. in the ground for Cor. to Secs. 27, 28, 33 and 34  
marked with  $1$  notch on S. and  $3$  notches on E.  
edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec. 5 1-2 ft.  
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
base, alongside.

Surface gently rolling.

Soil  $2^{nd}$  rate.

Good grass.

Thence I run east on  
a random line bet. secs.  
27 and 34.

$71, 13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

82.10 Intersect N. and S. line  $7$  lks. north of Cor. to  
Secs. 26, 27, 34 and 35 Thence I run  $71, 89^{\circ} 57' W$   
on a true line bet. Secs. 27 and 34.



## CHAINS. Subdivisions T. 28 N. R. 16 E.

79. 13° E -

4.27 Trail from N. 15° W. to S. 15° E.

2002

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

4005

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

4100

Wash.....lks. wide course, SW.

6008

Set a sandstone 8 X 8 X 8 ins., 5 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside.

8010

The cor. to secs. 27, 28, 33 and 34

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Some brush.

Good grass.

## CHAINS, Subdivisions T. 28 N R. 16 E.

N. 0° 2' W. Set. Sec. 27 and 28.  
Ta. 13° E.

Over gently rolling surface.

20.00 Set a sandstone 18 X 8 X 5 ins., 12 ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on W...  
face, dug pits 18x18x12 ins., N... and S... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Then I run east on  
a random line through  
south  $\frac{1}{2}$  sec. 27.

Ta. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.88 Intersect N. r.d. line at  $\frac{1}{16}$  sec.

cor. Then I run West  
on a true line through south  
 $\frac{1}{2}$  sec. 27.

Ta. 13° E.

Over gently rolling surface.

CHAINS subdivisions T. 28 N R. 16 E

968 Trail Sec. 21. 5 S.

1997 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on N. face,

3994 Set a sandstone  $2\frac{1}{2}$  X  $2\frac{1}{2}$  X  $2\frac{1}{2}$  ins.  $1\frac{1}{2}$  ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

5991 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on N. face,

7988 The 4/6 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

---

CHAINS, Subdivisions T 28 N R 46 E

Thence I continue  $77.0^{\circ} 2' W$ . Set  
 sec. 27 and 28.

2694 Trail from "E and W.

40.00 Set a sandstone  $16 \times 11 \times 3$  ins.,  $11$  ins.  
 in the ground, for "4 Sec. Cor. marked "4 on W face,  
 dug pits  $18 \times 18 \times 13$  ins. and of stone 5 1-2 ft. dist.,  
 and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base,  
 alongside,

Thence I run east on  
 a random line through  
 middle sec. 27.  
 $\gamma_a 13^{\circ} E$ .

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7980 Intersect n. & s. line 15 links north  
 of "4 sec. cor. Thence I run  
 $77.89^{\circ} 54' W$ . on a true line  
 through middle sec. 27.  
 $\gamma_a 13^{\circ} E$ .

Over gently rolling surface.

## CHAINS. Subdivisions T 28 N R 16 E

240 Trail bears S. 10° W. and N. 10° E.

1353 " " N. 55.

1995 Set a sandstone 18 X 12 X 4 ins., 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

3990 Set a sandstone 13 X 10 X 4 ins., 8 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

4630 Trail bears N. W. and S. E.

5985 Set a sandstone 16 X 11 X 3 ins., 11 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

7980 The 14 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.



## CHAINS. Subdivisions T. 28 N R. 16 E.

These I contain 220° 2' 14. feet.

secs 27 and 28.

59.90 Trail bears N. W. and S. E.

60.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on W. face,

These I run East on a random line through north  $\frac{1}{2}$  sec. 27.

$\frac{1}{4}$  10° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.68 Intersect n. r. s. line at cor. to  $\frac{1}{16}$  sec. These I run west on a true line through north  $\frac{1}{2}$  sec. 27.

$\frac{1}{4}$  13° E.

## CHAINS. Subdivisions T. 28 N. R. 4 E.

16.40 Trail bears N. 15° W. and S 15° E.

1992 Set a sandstone  $4 \times 10 \times 5$  ins.,  $9$  ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., marked  $\frac{1}{6}$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

3984 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins., E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on N. face,

59.76 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins., E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on N. face,

60.33 Trail bears N. W. and S. E.

79.68 The  $\frac{1}{6}$  sec. cor.

Surface gently rolling.

Soil  $\frac{2 \text{ in.}}{\text{rate}}$ .

Good grass.

## CHAINS Subdivisions T. 28 N R. 16 E.

Thence I continue  $71.0^{\circ}$  2' N,  
bet. secs 27 and 28.

78.15 Trail bears N. E. and S. W.

80.00 Set a sandstone  $2\frac{1}{2}$  X  $1\frac{1}{2}$  X  $\frac{1}{2}$  ins.  $19$   
ins. in the ground for Cor. to Secs. 21, 22, 27 and 28  
marked with  $2$  notches on S. and  $3$  notches on E.  
edges, dug pits  $13 \times 18 \times 12$  ins. in each Sec. 5 1-2 ft.  
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
base, alongside.

Surface gently rolling.

Soil  $2^{\text{nd}}$  rate.

Good grass.

Thence I run East on a random  
line bet. secs. 22 and 27.  
 $71.13^{\circ}$  E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.72 Intersect N. & S. line 8 links  
north of the cor. to secs. 22, 20  
26 and 27 thence I run



## CHAINS. Subdivisions T. 28 N R. 16 E.

N. 89° 57' W. on a true line  
bet. sec 22 and 27.

Pa. 130 E.

Over gently rolling surface.

19.93

Set a sandstone 17 X 16 X 2 ins., 11 ins.  
in the ground, for 1/16 Sec. Cor., marked 1/16 on N...  
face, dug pits 18x18x12 ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

20.90

Trail beam. N. 85.

39.86

Set a sandstone 17 X 16 X 2 ins., 11 ins.  
in the ground, for 1/4 Sec. Cor., marked 1/4 on N...  
face, dug pits 18x18x12 ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

59.79

Set a sandstone 12 X 9 X 6 ins., 8 ins.  
in the ground, for 1/4 Sec. Cor., marked 1/4 on N...  
face, dug pits 18x18x12 ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

74.80

Trail beam. N. 85.

75.45

" " N. E. & S. W.

79.72

The cor. to sec. 21, 22, 27 and 28

Surface gently rolling

Only 2nd. rate.

Good grass

June 1<sup>st</sup> 1891

Subdivisions T. 28 N R. 16 E

71.0° 2' W. Set. 21 and 22.

71.13° E.

Over gently rolling surface.

Trail bears E. and W.

Trail bears N. W. and S. E.

Trail bears N. W. and S. E.

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins....N. and S....of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...N...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on...W...face,

Then I run East on a random line through south  $\frac{1}{2}$  sec. 22,  
71.13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.76 Subtract N. S. line 15 links north of  $\frac{1}{16}$  sec. cor. then I run 77.89° 54' W. on a true line through south  $\frac{1}{2}$  sec. 22.

CHAINS Subdivisions T. 28 N R. 16 E.

70. 13° E.

Over gently rolling surface.

1994 Set a sandstone  $12 \times 10 \times 5$  ins.,  $8$  ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., marked  $\frac{1}{6}$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

2440 Trail bears N. S.

3988 Set a sandstone  $24 \times 14 \times 10$  ins.,  $18$  ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., marked  $\frac{1}{6}$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

4670 Trail bears N. E. and S. W.

5982 Set a sandstone  $12 \times 12 \times 4$  ins.,  $8$  ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., marked  $\frac{1}{6}$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

7976 The  $\frac{1}{6}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Subdivisions T. 28 N R. 16 E

Thence I continue  $N. 0^{\circ} 2'$  N. bet.

Sec. 21 and 22.

39.20 Trail bears N. W. and S. E.

40.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S. on W. face.

Thence I run east on a random line through middle sec. 22.

To  $13^{\circ} E$ .

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.68 Intersect N. & S. line 8 links north of  $\frac{1}{4}$  sec. cor. Thence I run  $N. 89^{\circ} 57'$  N. on a true line through middle sec. 22.

## CHAINS Subdivisions T. 28 N. R. 16 E.

T<sub>a</sub> 13° E.

Over gently rolling surface,

1770 Trail bears N. E. and S. W.

1992 Set a sandstone 9 X 8 X 7 ins. 6 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

2735 Trail bears N. S.

3984 Set a sandstone 11 X 10 X 5 ins. 7 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

5976 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

7968 To the  $\frac{1}{4}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

\* Good grass.

Subdivisions T. 28 N

R. 16 E.

CHAINS.

Thence I continue  $77.0^{\circ} 2' H.$

Set ols. 21 and 22;

54.00

Trail bears E. and H.

60.00

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. and ..... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ..... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on ..... face,

Thence I run east on a random line through north  $1/2$  sec. 22.

$79.13^{\circ} E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.80

Intersect 77.0 line at cor. to

1/6 ols. thence I run

west on a true line

through north  $1/2$  sec. 22

$79.13^{\circ} E.$

Over gently rolling surface.

U. S. Surveyor-General's Office,

TUCSON, A. T., Feb. 6<sup>th</sup> 1882

The foregoing Field Notes of the Surveys of  
 Subdivisions T. 28. N. R. 16E.  
 of the

Gila and Salt River Meridian  
 in Arizona executed by

John B. Smith  
 U. S. Deputy Surveyor, under his contract dated  
 November 1<sup>st</sup> 1890

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Rapala & Johnson  
 U. S. Surveyor-General  
 for the Territory of Arizona.