

20/10  
Midland  
which  
is  
filled

25.

No. 567

Plans to Com. L. A. Feb 6<sup>th</sup> 1892

Approved March 18 1892

Subdivisions T.....N R.....E

4-671

BOOK 567

567

# FIELD NOTES

~~GENERAL LAND OFFICE~~

of the survey  
of the

Subdivision No. 2 of  
Township 28 N. Range 16 E  
Surveyed by John C. Smith  
S. S. DeW. S. 1890

Under his contract No. 168  
Dated Nov. 1. 1890

Survey commenced Jan 10  
completed 17. 1891

*Indexed, Book 566.*

1-A

Township 28N R. 16E

6	5	142	4	89	3	2	1
			137				
7	8	132	9	10	11	12	
			126				
18	17	121	16	15	14	13	
			117				
19	20	114	21	22	23	24	
			107				
30	29	104	28	27	26	25	
			98				
31	32	91	33	34	35	36	

## CHAINS. Subdivisions T. 28 N R. 6 E.

1995

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on N. face,

3018

Trail bears N. S.

3990

Set a sandstone  $14 \times 12 \times 9$  ins. 9 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., marked  $\frac{1}{6}$  on N. face, and raised a mound of stone 1 1-2 ft. high 2 ft. base, alongside. Pits impracticable.

5985

Set a sandstone  $11 \times 10 \times 6$  ins. 7 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., marked  $\frac{1}{6}$  on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

6137

Trail bears N, W. and S. E.

7980

The  $\frac{1}{6}$  SEC. COR.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

CHAINS Subdivisions T<sup>28</sup>N R<sup>16</sup>E

Thru I continue N. 0° 2' W  
 bet. secs. 21 and 22.

80.00

Set a sandstone... 12 X 11 X 6 ins. 8  
 ins. in the ground for Cor. to Secs. 15, 16, 21 and 22  
 marked with... 3... notches on S. and... 3... notches on E.  
 edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.  
 dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
 base, alongside.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Thru I run east on a random  
 line bet. secs. 15 and 22.

N. 13° E

20.00

Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

7992

Abstract N. 15. line 6 links  
 south of cor. to secs. 14, 15, 22 and 23

CHAINS subdivisions T. 28 N R. 16 E

Then I run  $289^{\circ}57'N$ . on a true  
line bet. nos. 15 and 22,  
19.  $13^{\circ}E$ .

Over gently rolling surface.

6.00 Enter cornfield from N. S. S.

19.98 Set a sandstone  $11 \times 9 \times 8$  ins.,  $7$  ins.  
in the ground, for  $1/6$  Sec. Cor., marked  $1/6$  on  $N$ ...  
face, dug pits  $18 \times 18 \times 12$  ins.,  $E$ ... and  $W$ ... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

25.50 Same cornfield from N. and S. about  $10^{\circ}20'$

32.40 Enter " " " " " " " "

39.96 Same " " " " " and

Deposited a marked stone 12 ins. in the ground,  
for  $1/4$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.,  $E$ ... and  
 $W$ ... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $E$ ... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $1/4$  S, on  $N$ ... face,

59.94 Deposited a marked stone 12 ins. in the ground,  
for  $1/6$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.,  $E$ ... and  
 $W$ ... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $E$ ... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $1/6$  S, on  $N$ ... face,

CHAINS Subdivisions T. 28 N

R. 16 E.

73.40 Trail bears N. W. and S. E.

79.92 The cor. to secs. 15, 16, 21 and 22

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Thence I run  $71.002'$  N. bet  
secs. 15 and 16

79. 13° E.

Over gently rolling surface.

20.00

Set a sandstone  $16 \times 13 \times 3$  ins.  $11$  ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on W...  
face, dug pits  $18 \times 18 \times 12$  ins. N. and S. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Thence I run east on a  
random line through south  
 $\frac{1}{2}$  sec. 15.

79. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

## CHAINS Subdivisions T. 28 N R. 16 E.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.99 Intract N and S line 12 links  
south of 1/16 sec. cor. then  
N run S. 89° 55' W. on a true  
line through south 1/2 sec.  
15.

$\frac{1}{4}$  13° E.

Over gently rolling surface.

5.00 Trail bears N. W. and S. E.

20.00 Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N. face,

37.20 Trail bears N. W. and S. E.

40.00 Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N. face,

## CHAINS. Subdivisions T. 28 N R. 16 E.

5999

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

7999

The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Thick brush

---

Think I continue N.  $0^{\circ} 2'$  W.  
bet. SW. 15 and 16.

40.00

Wash...20...lks. wide course,  $20'$  11 ft. deep, <sup>and</sup>  
Enter field near N.E. and S.W.

40.45

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on W. face,

Think I run east on a  
random line through



## CHAINS, Subdivisions T. 28 N R. 16 E.

middle sec. 10, from true cor. point.  
Ta. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.12 Intersect N. and S. line 11  
links south of 1/4 sec. cor.  
thence I run S. 89° 55' W,  
on a true line through  
middle sec. 10.  
Ta. 13° E.

Over gently rolling surface.

1.60 Trail bears N. W. and S. E.

20.03 Set a sandstone  $12 \times 10 \times 5$  ins.,  $8$  ins.  
in the ground, for  $116$  Sec. Cor., marked  $116$  on N.  
face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

39.40 Trail bears N. W. and S. E.

40.06 Deposited a marked stone 12 ins. in the ground,  
for  $114$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $114$  S, on N. face,

## CHAINS Subdivisions T. 28 N R. 16 E.

60.09

Set a sandstone  $12 \times 10 \times 6$  ins.,  $8$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on  $N_1$  face, dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

80.12

This cor. to  $\frac{1}{4}$  Secs.

Surface gently rolling.

Soil  $2^{nd}$  rate.

Grass fair.

Some brush.

Thence I continue  $N. 0^\circ 2' W$   
bet. Secs. 15 and 16.

46.90 Near field near  $NE$  and  $SW$  enter  
dense grassy brush.

60.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.,  $N_1$  and  $S_1$  of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $N_1$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on  $W_1$  face.

Thence I run east on  
a random line through

## CHAINS. Subdivisions T. 28 N R. 16 E.

north  $\frac{1}{2}$  sec. 15.Pa.  $13^{\circ}$  E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Abstract 71, and S. line 18

links south of  $\frac{1}{16}$  sec. cor.thru S run  $S. 89^{\circ} 52' W.$ 

on a true line through

north  $\frac{1}{2}$  sec. 15.Pa.  $13^{\circ}$  E.

Over gently rolling surface.

20.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

32.00 Eastern field beam 71. 2. 2. 2.

40.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

## CHAINS, Subdivisions T. 28 N R. 16 E.

- 43.00 Trail bears N. W. and S. E.
- 48.50 Same field bears. NW. and S. E.
- 60.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. ... E. ... and ... W. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In ... E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on ... N. ... face,

61.50 Wash ... 50 ... lks. wide course, SW.

80.00 The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil <sup>of</sup> rate:

Thick brush in place -

Thence I continue  $77.00$  2' W  
bet. SW. 15 and 16.

63.00 Wash ... 20 ... lks. wide course, SW.

72.00 Enter cornfield bears, <sup>dense brush</sup> N.E. + SW.

76.30 Leave " " " "

Enter dense brush -

CHAINS Subdivisions T. 28 N R. 16 E.

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 9, 10, 15 and 16, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a ~~12~~ 12 ins. square, 2 ft. long 12 ins. in the ground marked.

T. 28 N. S. 10 on N. E.

R. 16 E. S. 15 on S. E.

S. 16 on S, W, and

S. 9 on N. W. faces, with 4 notches on

S. and 3 notches on E. edges.

Surface gently rolling.

Soil 1<sup>st</sup> rate.

Dense brush 28,80 chains

Thence I run east on a random line bet. Secs. 10 and 15

Va. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.08

Intersect N. and S. line 15 lks south of Cor. to Secs. 10, 11, 14, and 15. Thence I run S. 89° 54' W. on a true line bet. Secs. 10 and 15.

Va. 13° E.

## CHAINS, Subdivisions T. 28 N R. 16 E

2092

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins...E...and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on...N...face,

25.80

Enter field from N. and S.

28.70

Leave " " " " "

36.00

Enter " " N.E. and SW.

40.04

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins...E...and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on...N...face,

47.50

Wash... $\frac{2}{3}$ ...lks. wide course, SW.

51.25

Trail bears N. W. and S. E.

60.06

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins...E...and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on...N...face,

79.90

Leave field from N.E. and south

80.08

The cor. to secs. 9, 10, 15 and 16

Subdivisions T. 28 N R. 16 E.

• Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Some brush.

June 12<sup>th</sup> 1891.

Thence I run N. 0° 2' W. Sec. 9 and 10.

Pa. 13° E.

In dense brush.

60 Trail bears N. E. and S. W.

10 Trail bears N. E. and S. W.

25 Trail bears N. W. and S. E.

20.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5-1-2 ft. dist., and raised a mound of earth 1-1-2 ft. high, 3-1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on W. face,

Thence I run east on a random line through south  $\frac{1}{2}$  sec. 10.

Pa. 13° E.

## CHAINS. Subdivisions T. 28 N R. 16 E.

- 20.00 Set temporary 1-16 Sec. Cor. Ta.
- 40.00 Set temporary 1-16 Sec. Cor.
- 60.00 Set temporary 1-16 Sec. Cor.
- 79.92 Intersect N. & S. line 10  
lines south of 1/16 sec. cor.  
then I run  $S 89^{\circ} 56' N$   
on a true line through  
south 1/2 sec. 10.  
Ta.  $13^{\circ} E$ .
- Over gently rolling surface.
- 1390 Trail bears N. W. and S. E.
- 1950 Enter field bear. N.E. and SW.
- 1998 Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. ... E... and  
... W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In ... E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on ... N... face.
- 39.96 Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. ... E... and  
... W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In ... E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on ... N... face.



No. 567

BOOK 567

74.

## CHAINS Subdivisions T. 28 N • R. 16 E.

52.00 Saw field bears N. and S.

59.74 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. .... and ... W. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on ... N. face,

61.80 Trail bears N. W. and S. E.

64.80 Trail bears N. W. and S. E.

71.25 Trail bears N. E. and S. W.

79.92 The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 1<sup>st</sup> rate.Greasewood brush

I have I continue

N. 0° 2' N. bet. Sec. 9 and 10

26.80 Eastern corn field bears N.E. and S.W.  
Saw down brush40.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. ... N. ... and ... S. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In ... N. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on ... W. face,

## CHAINS, Subdivisions T. 28 N R. 16 E

Then I run east on  
a random line through  
middle sec. 10-

$\frac{1}{4}$  a.  $13^{\circ}$  E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Subtract N. and S. line  
14 links south of  $\frac{1}{4}$   
sec. cor. then I run  
 $S 89^{\circ} 54' N$ . on a true  
line through middle sec. 10.

$\frac{1}{4}$  a.  $13^{\circ}$  E.

Over gently rolling surface.

8.75 Trail bears N. W. and S. E. .

12.00 Spare filed bears NRS.

20.00

Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In. E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S. on N. face.

CHAINS, Subdivisions T. 28 N R. 16 E

21.70 Trail bears N. W. and S. E.

40.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. <sup>E</sup> and <sup>W</sup> of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In <sup>E</sup> pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on <sup>N</sup> face.

42.25 Extra field bears N.E. and S.W.

49.16 Trail bears N. W. and S. E.

60.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins. <sup>E</sup> and <sup>W</sup> of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In <sup>E</sup> pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on <sup>N</sup> face.

72.75 Trail bears N. W. and S. E.

80.00 The  $\frac{1}{4}$  Sec. cont.

Surface gently rolling.

Soil 1<sup>st</sup> rate.

Cornfields; some brush

CHAINS Subdivisions T. 28 N. R. 16 E.

Thence I continue N. 0° 2' W.  
bet. sec. 9 and 10.

60.00

Deposited a marked stone 12 ins. in the ground;  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. N. and  
S. of corner 5 1-2 ft. dist. and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S. on W. face,

Thence I run east on  
a random line through  
north 1/2 sec. 10.  
Ta. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

7990

Abstract N. and S. line  
20 links south of 1/16 sec.  
cor, thence I run S. 89° 51' W.  
on a true line through  
north 1/2 sec. 10.

Ta. 13° E.

CHAINS, Subdivisions T.<sup>28</sup> N R.<sup>16</sup> E.

Over gently rolling surface.

19.92

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

39.95

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

44.00

Trail bears N. W. and S. E.

51.70

*Leave field bears N. & S.*

Trail bears N. & S.

59.92

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

67.70

Trail bears N. W. and S. E.

72.85

*Enter field bears N. & S.*

79.05

Trail bears N. W. and S. E.

79.90

*The 116 sec. cor.*

CHAINS. Subdivisions T. 28 N

R. 16 E.

Surface gently rolling.

Soil  $\frac{1}{2}$  rate.Fields of corn and beans.

Thence I continue  $77.0^{\circ} 2' W$   
bet. secs. 9 and 10.

62.20 Trail bears N. W. and S. E.

78.00 Leave cornfield bears E and W.

80.00

Deposited a marked stone 12 ins. in the ground,  
for Cor. to Secs. 3, 4, 9 and 10, dug pits 18X18X12  
ins. in each Sec., 5 1-2 ft. dist., and raised a mound of  
earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long  
12 ins. in the ground, marked

T. 28 N. S. 3 on N. E.

R. 16 E. S. 10 on S. E.

S. 9 on S. W. and

S. 4 on N. W. faces, with 5 notches on

S. and 3 notches on E. edges.

Surface gently rolling.

Soil  $\frac{1}{2}$  rate.

Dense brush 26.80 chs.

Cornfields.

CHAINS, Subdivisions T. 28 N R. 16 E.

Thence I run east on a random line bet. Secs. 9 and 10.

7a. 13° E

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. line 17.....lks. south of Cor. to Secs. 2, 3, 10 and 11 Thence I run S. 89° 53' 30" on a true line bet. Secs. 9 and 10.

7a. 13° E

Over gently rolling surface.

450 Clear field bears N. and S.

11.80 Wash.....lks. wide course, SW.

18.75 Trail bears N. W. and S. E.

20.00 Deposited a marked stone 12 ins. in the ground, for.....Sec. Cor., dug pits 18X18X12 ins....E....and ....W....of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In.....E., pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N...face,

25.00 Extra field bears N. and S.

## CHAINS Subdivisions T: 28 N R: 16 E.

40.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. .... E. and .W.... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In .E.... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on... N... face,

42.90

Trail bears N. W. and S. E.

56.90

Trail bears N. W. and S. E.

57.00

Leave field bears N. and S.

60.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins. .... E. and .W.... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In .E.... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on... N... face,

62.00

Enter field bears N. and S.

70.00

Leave " " " " "

73.00

Trail bears N. W. and S. E.

78.20

Trail bears N. W. and S. E.

80.00

The cor. to sec. 34. 9 and 10

Surface gently rolling.

Soil  $\frac{1}{2}$  rate.

Some brush.



CHAINS. Subdivisions T. 28 N R. 16 E.

Thence I run  $n. 0^{\circ} 2' N. 1/2$   
 Sec. 3 and 4.

$74. 13^{\circ} E.$

Over gently rolling surface.

333

Trail bears N. W. and S. E.

1030

Trail bears N. W. and S. E.

1925

Trail bears N. W. and S. E.

20.00

Deposited a marked stone 12 ins. in the ground,  
 for... $1/6$  Sec. Cor., dug pits 18X18X12 ins. N... and  
 ...S... of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...N., pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked  $1/6$  S, on...W...face.

Thence I run east on  
 a random line through  
 South  $1/2$  Sec. 3.

$74. 13^{\circ} E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

7996

Intersect N. and S. line

83.

COOK 567

## CHAINS. Subdivisions T. 28. N R. 16. E.

15 links south of  $\frac{1}{16}$  sec.  
 cor. then I run  $S. 89^{\circ} 54' 11''$   
 on a true line through  
 south  $\frac{1}{2}$  sec. 3.

$\gamma. 13^{\circ} E.$

Over gently rolling surface.

2.00 East field bears N. and S.

19.00 Leave " " " "

19.99

Deposited a marked stone 12 ins. in the ground,  
 for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. ... E. ... and  
 ... W. ... of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked  $\frac{1}{16}$  S, on ... N. ... face,

25.00

Wash ..... 40 lks. wide course, south

28.00

Trail bears N. W. and S. E.

39.98

Deposited a marked stone 12 ins. in the ground,  
 for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. .... E. ... and  
 ... W. ... of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked  $\frac{1}{16}$  S, on ... N. ... face,

## CHAINS Subdivisions T. 28. N R. 16. E.

- 4005 Euler field bears N. 79° 45.
- 57410 Trail bears N.W. and S.E.
- 5421 Square field from N. and S.
- 5897 Trail bears N.W. and S.E.
- 5997 Set a sandstone 17 X 10 X 3 ins., 11 ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,
- 7180 Trail bears N. W. and S. E.
- 7996 The 1/16 SEC. COR.  
Surface gently rolling.  
Soil 2<sup>nd</sup> rate.  
Some brush.
- 
- Thence I continue N. 0° 2' N.  
bet. Sec. 3 and 4
- 3770 Trail bears N. W. and S. E.
- 4000 Set a sandstone 16 X 15 X 3 ins., 11 ins. in the ground, for 114 Sec. Cor., marked 114 on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

85

CHAINS. Subdivisions T. 28 N R. 46 E

Thence I run east on a random line through middle sec. 3.

7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect. N. and S. line 18 links

south of 1/4 sec. cor. thence I run S 89° 52' N. on a true line through middle sec. 3  
7a. 13° E.

Over gently rolling surface.

.25 Enter field from N.S.

8.80 Leave " " " "

17.50 Wash.....lks. wide course, SW

20.00 Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E...and W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. diam over it.  
In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N...face,

CHAINS Subdivisions T. 28. N R. 16. E.

26.00

Wash...100...lks. wide course, south

27.00

Enter field from N. and S.

0.50

Trail bears N. W. and S. E.

38.00

Leave field from N. and S.

40.00

Set a sandstone 14 X 10 X 4 ins., 9 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N... face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

41.75

Trail bears N. W. and S. E.

378

Trail bears N. W. and S. E.

60.00

Set a sandstone 12 X 10 X 5 ins., 8 ins. in the ground, for 1/8 Sec. Cor., marked 1/8 on N... face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

65.20

Trail bears N. W. and S. E.

3.10

Trail bears N. W. and S. E.

80.00

The 1/4 Sec. Cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Some brush. and grass

## CHAINS Subdivisions T. 28 N R. 16 E.

Thence I continue N. 0° 2' W.  
 bet. nos. 3 and 4.

49.00 Trail bears N. W. and S. E.

52.88 Trail bears N. E. and S. W.

55.90 Trail bears N. W. and S. E.

60.00 Set a sandstone 9.....X.....8.....X.....7.....ins., 6 ins.  
 in the ground, for 1/4 Sec. Cor., marked 116 on W. face,  
 dug pits 18x18x12 ins., N. and S. of stone  
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
 high, 3 1-2 ft. base, alongside,

Thence I run east on  
 a random line  
 through north 1/2 sec.  
 3.

7a. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

8008 Instruct. N. and S. line 20  
 links south of 1/16  
 sec. cor. string I run

CHAINS Subdivisions T. 28. N R. 16. E.

S 89° 51' N. on a fair line  
 through north 1/2 sec. 3  
 Va. 13° E.

Over gently rolling surface.

650 Sear field bears N. and S.

1350 Wash.....lks. wide course, S.W.

4000 Eaten field bears N. and S.

2002 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S. on N. face.

3150 Trail bears N. W. and S. E.

3300 Sear field bears N. and S.

3985 Eaten " " " "

4004 Set a sandstone 15 X 10 X 4 ins. 10 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside.

4500 Sear field bears N. and S.

5220 Trail bears N. W. and S. E.

## CHAINS, Subdivisions T. 28 N R. 16 E.

5440 Trail bears N. W. and S. E.

5800 Trail bears N. W. and S. E.

6006 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

7325 Trail bears N. W. and S. E.

7700 Trail bears N. W. and S. E.

8008 The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Some brush.

Thence I continue N. 0° 2' N.  
Set. M.C.S. 3 and 4.

62.55 Trail bears N. W. and S. E.

76.00 Trail bears N. W. and S. E.

80.25 Antrout 7<sup>th</sup> Standard North  
6.55 Chs East of the  $\frac{1}{4}$  Sec.



CHAINS, Subdivisions T. 28 N R. 16 E.

cor. on the south boundary  
of sec. 33. Set a  
sandstone 16x14x5 ins. 11 ins.  
in the ground for closing  
cor. to sec. 3 and 4  
marked C.C. on south with  
3 notches on E. and W.  
edges. and raised a mound  
of stone 1 1/2 ft. high 3 ft.  
base alongside, covered  
with earth.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Some brush.

Grass poor.

---

June 13<sup>th</sup> 1891

## CHAINS. Subdivisions T. 28 N R. 16 E.

From the cor. to s115, 45.32 and  
33 on the south boundary of  
the township I run  $71.0^{\circ} 2' W.$   
bet. s115 32 and 33.

$\gamma_a. 13^{\circ} E.$

Over gently rolling surface,

11.55 Trail bears N. W. and S. E.

19.45 Trail bears N. W. and S. E.

20.00 Set a sandstone  $9 \times 8 \times 7$  ins.,  $6$  ins.  
in the ground, for  $1/6$  Sec. Cor., marked  $1/6$  on  $W.$   
face, dug pits  $18 \times 18 \times 12$  ins.,  $N.$  and  $S.$  of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Thence I run east on a random  
line through south  $1/2$  sec. 33-

$\gamma_a. 13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect  $N.$  and  $S.$  line 5 lines  
north of  $1/6$  sec. cor. Thence I

CHAINS, Subdivisions T. 28. N R. 16. E.

run N. 89° 58' W. on a true line  
through south 1/2 sec. 33.

To 10° E.

Over gently rolling surface.

20.00

Deposited a marked stone 12 ins. in the ground, for ~~1/6~~ Sec. Cor., dug pits 18X18X12 ins. ... E. ... and ... W. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~1/6~~ S, on ... N. ... face,

37.15

Trail bears N. W. and S. E.

40.00

Deposited a marked stone 12 ins. in the ground, for ~~1/6~~ Sec. Cor., dug pits 18X18X12 ins. ... E. ... and ... W. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~1/6~~ S, on ... N. ... face,

42.10

Trail bears N. W. and S. E.

60.00

Deposited a marked stone 12 ins. in the ground, for ~~1/6~~ Sec. Cor., dug pits 18X18X12 ins. ... E. ... and ... W. ... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ... E. ... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~1/6~~ S, on ... N. ... face,

60.25

Trail bears N. W. and S. E.

## CHAINS Subdivisions T. 28 N R. 16 E.

80.00

The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

Then I continue  $71.0^{\circ} 2' 7''$  set.  
 No. 32 and 33.

24.35

Trail bears N. W. and S. E.

35.87

Trail bears N. W. and S. E.

40.00

Deposited a marked stone 12 ins. in the ground,  
 for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. N. and  
 S. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked  $\frac{1}{4}$  S, on W. face,

Then I run east on a  
 random line through middle  
 of 33.

To  $13^{\circ} E$ .

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-4 Sec. Cor.

CHAINS. Subdivisions T. 28 N. R. 16 E.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. line  
6 links north of 1/4 sec.  
cor. Then I run, N. 89° 57' W.  
on a true line through  
middle sec. 33-

Ya. 13° E.

Over gently rolling surface.

9.30 Trail bears N. W. and S. E.

20.00 Deposited a marked stone 12 ins. in the ground,  
for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~116~~ S, on N. face,

40.00 Deposited a marked stone 12 ins. in the ground,  
for ~~114~~ Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~114~~ S, on N. face,

60.00 Deposited a marked stone 12 ins. in the ground,  
for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~116~~ S, on N. face,

## CHAINS Subdivisions T. 28 N R. 16 E.

67.10

Trail bears N. W. and S. E.

80.00

Thru 1/4 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

Some brush,

Thru I continue  $71.0^{\circ} 2' N$ .  
bet. sec. 32 and 33.

59.80

Trail bears N. W. and S. E.

60.00

Deposited a marked stone 12 ins. in the ground,  
for 1/4 Sec. Cor., dug pits 18X18X12 ins. N. and  
S. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/4 S. on W. face,

Thru I run east on a  
random line through north  
1/2 sec. 33.

Va.  $13^{\circ} E$ .

20.00

Set temporary 1-16 Sec. Cor.

## CHAINS Subdivisions T. 28 N R. 16 E.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

50.01 Intersect N. and S. line at  
 1/6 sec. cor. thence I run  
 West on a true line  
 through north 1/2 sec. 33.  
 Ya. 13° E.

Over gently rolling surface.

20.00 Deposited a marked stone 12 ins. in the ground,  
 for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 1/6 S, on N. face,

34.17 Trail bears N. W. and S. E.

40.00 Deposited a marked stone 12 ins. in the ground,  
 for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 1/6 S, on N. face,

Trail bears N. W. and S. E.

50.90  
 60.01 Deposited a marked stone 12 ins. in the ground,  
 for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 1/6 S, on N. face,

CHAINS. Subdivisions T. 28 N

R. 16 E.

7040 Trail bears N. W. and S. E.

80.01 The 1/6 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

---

Stone. I continue N. 0° 2' N.

Set. sec. 32 and 33.

80.00 Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 28, 29, 32 and 33, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 28 N. S. 28 on N. E.

R. 16 E. S. 33 on S. E.

S. 32 on S, W, and

S. 29 on N. W. faces, with.....notch on S. and.....notches on E. edges.

Surface gently rolling.

Soil 1<sup>st</sup> rate.

Grass fair.

Some brush.

---



## CHAINS Subdivisions T. 28 N R. 16 E.

Thence I run east on a random  
line bet. secs. 28 and 33,  
74.13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.96 Intersect N. and S. line. 10.0 lks north of Cor. to  
Secs. 27, 28, 33 and 34 Thence I run 71.89° 56' 74"  
on a true line bet. Secs. 28 and 33.

74.13° E.

Over gently rolling surface.

7.90 Trail bears N. W. and S. E.

19.99 Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N. face,

20.74 Trail bears N. W. and S. E.

39.98 Deposited a marked stone 12 ins. in the ground,  
for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/4 S, on N. face,

## CHAINS. Subdivisions T. 28 N R. 16 E.

55.20 Trail bears N. W. and S. E.57.40 Trail bears N. W. and S. E.

59.97.

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dia., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

66.60 Trail bears N. W. and S. E.

79.96 The cor. to S. 28. 29. 32 and 33

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

From I run. N. 0° 2' 74. S. E.  
S. 28 and 29.

74. 13° E.

Over gently rolling surface.

7.20 Trail bears C. E. and W. Sec.11.58 Trail bears N. E. and S. W.

## CHAINS Subdivisions T. 28 N R. 16 E.

20.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist.; and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on W. face,

*Then I run out on a random line through south  $\frac{1}{2}$  sec. 28.  
Va. 13° E.*

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

*7992 Intersect N. and S. line 3 links south of  $\frac{1}{16}$  sec. cor. Since I run S 89° 59' W. on a true line through south  $\frac{1}{2}$  sec. 28.*

*Va. 13° E.*

Over gently rolling surface.

1998

Set a sandstone  $\frac{1}{4}$  X  $\frac{1}{8}$  X  $\frac{1}{6}$  ins.,  $\frac{1}{9}$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

## CHAINS Subdivisions T. 28 N R. 16 E.

3996

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

5953

Trail bears N. E. and S. W.

5994

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

4992

The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil  $2^{nd}$  rate.

Good grass.

Thence I continue N. 0. 2 N.  
ft. Sec. 28 and 29.

3000

Enter cornfield bears N. E. and SW.

4000

Set a post 3 ft. long 3 ins. sq. with marked stone 12 ins.

CHAINS Subdivisions T. 28 N R. 16 E.

in the ground for  $\frac{1}{4}$  ac.  
 cor. marked  $\frac{1}{4}$  S. on west  
 face: dug pits  $18 \times 18 \times 12$  ins,  
 N. and S. of post.  $5\frac{1}{2}$   
 ft. dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft. <sup>high</sup>  $3\frac{1}{2}$  ft.  
 high around post.

From which a cottonwood tree  
 10 ins. in diam. bears. N.  $55\frac{1}{2}^{\circ}$  N.  
 33 links dist. marked  $\frac{1}{4}$  S. B. T.  
 No other trees within limits.

Thence I run east on a  
 random line through  
 middle sec. 28.

74.  $13^{\circ}$  E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.88 Subjoin N. and S. line at cor.

CHAINS. Subdivisions T. 28 N R. 16 E.

To 1/4 sec. Since I saw  
Hest on a true line through  
middle sec. 28.

To 13° E.

Over gently rolling surface. In dense brush

1997

Deposited a marked stone 12 ins. in the ground,  
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/6 S, on N. face,

2900

Scar dense brush

3994

Deposited a marked stone 12 ins. in the ground,  
for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/4 S, on N. face,

5150

Trail bears N. E. and S. W.

5991

Deposited a marked stone 12 ins. in the ground,  
for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/6 S, on N. face,

6500

Enter cornfield bears N.E. and S.W.

CHAINS. Subdivisions T. 28 N R. 16 E.

79.88

The 14 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Down brush 20 chs.

Thence I continue N. 0° 2' N.

Set. sec. 28 and 29.

60.00

Deposited a marked stone 12 ins. in the ground, for #6...Sec. Cor., dug pits 18X18X12 ins....N...and ...S...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

✓ In...N...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked #6...S, on...W...face,

Thence I run East on

a random line through north 1/2 sec. 28.

74. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

## CHAINS, Subdivisions T. 28 N R. 16 E.

50.08 Intract N. and S line 12  
 Sides north of 1/6 sec. cor.  
 then S run N. 89° 05' W. on  
 a true line through north  
 1/2 sec. 28.  
 Va. 13° E.

Over gently rolling surface.

2.25 Trail bears N. W. and S. E.

2902 Deposited a marked stone 12 ins. in the ground,  
 for 1/6...Sec. Cor., dug pits 18X18X12 ins....E...and  
 ..W...of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 1/6...S, on...N...face,

24.30 Trail bears N. E. and S. W.

49.04 Deposited a marked stone 12 ins. in the ground,  
 for 1/6...Sec. Cor., dug pits 18X18X12 ins....E...and  
 ..W...of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 1/6...S, on...N...face,

41.00 Trail bears N. W. and S. E.

44.95 Trail bears N. W. and S. E.



CHAINS. Subdivisions T. 28 N R. 16 E.

46.60 Enter field from N.E. and SW.

60.06 Deposited a marked stone 12 ins. in the ground, for 1/16...Sec. Cor., dug pits 18X18X12 ins.... E...and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16...S, on....N...face,

80.08 To 1/16 sec. cor.

Surface gently rolling.

Soil 1<sup>st</sup> rate.

Some brush.

Good grass.

---

 Thence I continue n. 0° 2' N.

bet. sec. 28 and 29,

63.00 Leave cornfield from N.E. and SW,

68.80 Enter " " E. and W.

71.00 Leave " " N.E. " SW.

73.68 Enter wheat field from E. and W.

79.38 Leave " " " " " "

CHAINS. Subdivisions T. 28 N R. 16 E.

80.00

Deposited a marked stone 12 ins. in the ground, for Cor. to Secs. 20, 21, 28 and 29, dug pits 18X18X12 ins. in each Sec., 5 1-2 ft. dist., and raised a mound of earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a stake 2 ins. square, 2 ft. long 12 ins. in the ground, marked

T. 28 N. S. 21 on N. E.

R. 16 E. S. 28 on S. E.

S. 29 on S. W. and

S. 20 on N. W. faces, with 2 notches on S. and 4 notches on E. edges.

Surface gently rolling.

Soil 1st rate.

Some brush.

A few cotton wood trees.

Thence I run east on a random line bet. Secs. 21 and 28. Va. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.20 Intersect N. and S. line 500 ft north of cor. to Secs. 21, 22,

CHAINS, Subdivisions T. 28 N R. 16 E.

27 and 28, Found I run  
 N. 89° 58' W, on a true line  
 bet. SCS 21 and 28.  
 Ya. 13° E.

Over gently rolling surface.

18.68 Trail bears N. and S.

29.15 Set a sandstone 18 X 10 X 3 ins., 12 ins.  
 in the ground, for 1/6 Sec. Cor., marked 1/6 on N...  
 face, dug pits 18x18x12 ins., E. and W. of stone  
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
 high, 3 1-2 ft. base, alongside,

40.10 Set a sandstone 12 X 10 X 5 ins., 8 ins.  
 in the ground, for 1/4 Sec. Cor., marked 1/4 on N...  
 face, dug pits 18x18x12 ins., E. and W. of stone  
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
 high, 3 1-2 ft. base, alongside,

54.00 Enter corn field from N.E. and S.W.

60.15 Deposited a marked stone 12 ins. in the ground,  
 for 1/6 Sec. Cor., dug pits 18X18X12 ins., E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 1/6 S, on N... face,

66.50 Leave corn field from N.E. and S.W.

68.10 Trail bears N. and S.

109

BOOK 567

CHAINS. Subdivisions T. 28 N. R. 16 E.

80.20

Thru cor. to crs. 20, 21, 28, and 29.

Surface gently rolling.

Soil 2nd rate.

Thick brush outside of fields  
June 11th 1891

Thence I run  $N. 0^{\circ} 2' 74. S. E. F.$   
crs. 20 and 21.

$\gamma a. 13^{\circ} E.$

Over gently rolling surface.

20.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins.  $N.$  and  $S.$  of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $N.$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on  $W.$  face,

Thence I run east on  
a random line through south  
 $\frac{1}{2}$  cr. 21.

$\gamma a. 13^{\circ} E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

## CHAINS. Subdivisions T. 28 N R. 16 E

60.00

Set temporary 1-16 Sec. Cor.,

8028 Intraut. N. and S. lines. 10 links  
 south of 1/16 sec. cor. then  
 I run S 89° 56' W. on a true  
 line through South 1/2 sec. 21.  
 79. 13° E.

Over gently rolling surface.

6.75

Trail bears N. W. and S. E.

20.07

Deposited a marked stone 12 ins. in the ground,  
 for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 1/16 S, on N. face,

3075

Trail bears N. W. and S. E.

40.14

Deposited a marked stone 12 ins. in the ground,  
 for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 1/16 S, on N. face,

5025

Wash. 50 lks. wide course, SW

CHAINS. Subdivisions T. 28 N R. 16 E.

60.21

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

64.00

Trail bears N. W. and S. E.

63.50

Trail bears N. E. and S. W.

77.00

Trail bears N. E. and S. W.

80.28

The 1/6 sec. cor.

Surface gently rolling.

Soil 1st rate.

Some brush.

Thence I continue N. 0° 2' N. lat.

Dec. 20 and 21.

3340

Trail bears N. E. and S. W.

40.00

Set a sandstone 13 X 11 X 4 ins. 8 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, dug pits 18x18x12 ins. N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

CHAINS. Subdivisions T. 28 N R. 16 E.

Thence I run east on a  
random line through middle  
sec. 21.

To 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08 Instruct N. and S. line 9 links  
south of 1/4 sec. cor. Thence  
I run S. 89° 56' W. on a true  
line through middle sec. 21.  
To 13° E.

Over gently rolling surface.

2.00 Trail bears N. W. and S. E.

1995 Trail bears N. W. and S. E.

20.02 Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. ...E...and  
...W...of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on...N...face,

CHAINS Subdivisions T. 28 N. R. 16 E.

3880 Trail bears N. W. and S. E.

40,04 Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on N. face,

44.50 Wash. 200 yds. wide course, SW.

51.30 Trail bears N. and S.

53.40 Trail bears

56.00 Extra field bears N. and S.

60.06 Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist. and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

60.70 Trail bears N. and S.

62.00 Leave field bears N. and S.

62.05 Trail bears N. and S.

75.00 Trail bears N.E. and SW.

89.08 The 1/4 Sec. cor.

Surface gently rolling.

Soil 2nd rate.

Some brush.



CHAINS Subdivisions T. 28 N R. 16 E

Thence I continued  $77^{\circ} 2' N$ .

Set stns. 20 and 21.

44.15 Trail from E. and N.

53.10 Walk 30 links wide course SW.

55.63 Trail from N.E. and SW.

60.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S. on W. face,

Thence I run east on a random line through north 1/2 sec. 21.

To  $13^{\circ} E$ .

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.88 In tract N. and S. line 6 links south of 116 sec. cor. Thence I run S.  $89^{\circ} 57' N$  on a,

## CHAINS Subdivisions T. 28 N R. 16 E.

true line through north  $\frac{1}{2}$  sec. 21.  
 Pa.  $13^{\circ}$  E.

Over gently rolling surface.

12.00

Trail bears N. W. and S. E.

19.97

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  S. Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

31.50

Wash... 200 yds. wide course, south

33.60

Trail bears N. W. and S. E.

39.40

Trail bears N. W. and S. E.

39.94

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  S. Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

46.50

Trail bears N. and S.

51.50

Trail bears N. E. and S. W.

57.00

Trail bears N. and S.

U. S. Surveyor-General's Office,

TUCSON, A. T., *Feb 6<sup>th</sup>* 1882

The foregoing Field Notes of the Surveys of  
*Subdivisions of T<sup>h</sup>. 28-11.*  
*R. 16. E. of the 1*

..... Gila and Salt River Meridian  
 in *Arizona* ..... executed by

*John B. Smith*

U. S. Deputy Surveyor, under his contract dated  
*November 2<sup>nd</sup> 1882*

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

*Royal & Johnson*  
 U. S. Surveyor-General  
 for the Territory of Arizona.