

Compared  
copied  
checked

176

Sent to Genl G.L.O. Feb. 6<sup>th</sup> 1892

Approved March. 18 1892

No. 574

4-671

BOOK 574

574

# FIELD NOTES

GENERAL LAND OFFICE.

of the Survey  
of the

Subdivision Lines

of

T. 28 N. R. 18 E.

Surveyed by John C. Smith

U.S. Deputy Surveyor

Under his Contract No 96.

Dated November 1<sup>st</sup> 1890.

Survey Commenced April 21<sup>st</sup> 1891.

Survey Completed May 7<sup>th</sup> 1891

Township 28N R. 18E

6	5	1824	3	2	1
		181			
7	8	1789	10	11	12
18	23517	16	15	14	13
233	232				
19	219	20	21	22	23
217	215				
30	203	29	28	27	26
201	199				
31	186	32	33	34	35
					36

Subdivisions T...28 N

R...18 E.

Chains

Thence I continue N. 0° 2' N.  
bet. sec. 8 and 9.

44.20 Trail bears N. E. and S. W.

52.40 Trail bears N. W. and S. E.

60.00

Deposited a marked stone 12 ins. in the ground,  
for 1/6 Sec. Cor., dug pits 18X18X12 ins. N... and  
S... of corner 5-1-2 ft. dist. and raised a mound of  
earth 1-1-2 ft. high, 3-1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/6 S, on W face,

Thence I run N. 89° 51' E. on  
a random line through  
north 1/2 sec. 9.

Va. 130 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.04 Intersect. N. and S. line 13  
1/2 north of 1/6 sec. cor.  
Thence I run S. 89° 57' N.  
on a true line through

Chains Subdivisions T. 28 N R. 13 E.

mark 1/2 sec. 9.

Ta. 130 E.

Over gently rolling surface.

7.00 Middle of mark 250 ch. wide course S. 150 ft.

10.00 Trail bears N. W. and S. E.

20.01 Set a sandstone 24 X 16 X 4 ins., 18 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N... face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

30.20 Trail bears N. W. and S. E.

40.02 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist. and raised a mound of earth 1 1-2 ft. high 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S. on N... face,

47.20 Trail bears N. W. and S. E.

55.70 " " N. E. and S. W.

60.03 Set a sandstone 9 X 8 X 7 ins., 6 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N... face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

## Subdivisions T. 28 N R. 18 E.

80.04 The 1/16 mi. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

Line I continue N. 0' 2' N.  
bet. Sec. 8 and 9.

80.00 Set a sandstone... 16... X... 10... X... 8... ins. 11...  
ins. in the ground for Cor. to Secs. 4, 5, 8 and 9...  
marked with... 5... notches on S. and... 4... notches on E.  
edges, dug pits 18X18X12 ins. in each. Sec. 5 1-2 ft.  
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
base, alongside.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

723  
781

Chains Subdivisions T. 28 N R. 18 E.

Thence I run  $m. 89^{\circ} 5' E.$  on a  
wand on line bet.  $Sec. 4$  and  $9$   
 $\nabla. 13^{\circ} 15' E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. line.....~~the~~ <sup>at</sup> ~~of~~ Cor. to  
Secs. ~~3~~ <sup>4</sup> ~~4~~ <sup>9</sup> and ~~10~~..... Thence I run  $\nabla. 89^{\circ} 5' E.$   
on a true line bet. Secs. ~~4~~ and ~~9~~.....  
 $\nabla. 13^{\circ} E.$

Over gently rolling surface.

20.00 Set a sandstone  $10 \times 8 \times 7$  ins.  $7$   
ins. in the ground, for  $1/16$  Sec. Cor., marked  $1/16$  on  
N. face, and raised a mound of stone 1 1-2 ft. high  
2 ft. base, alongside. Pits impracticable.

23.40 Trail bears N. E. and S. W.

34.70 Trail bears N. W. and S. E.

40.00 Set a sandstone  $9 \times 8 \times 7$  ins.  $6$  ins.  
in the ground, for  $1/4$  Sec. Cor. marked  $1/4$  on N.  
face, dug pits  $12 \times 8 \times 7$  E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside.

54.80 Trail bears N. W. and S. E.

*Chains.* Subdivisions T. 28 N. R. 18 E.

60.00 Set a sandstone,  $12 \times 8 \times 7$  ins.,  $8$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  on N... face, dug pits  $18 \times 18 \times 12$  ins. E. and W. of stone 5 1-2 f. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

72.20 Trail bears N. W. and S. E.

80.00 The cor. to secs. 4, 5, 8 and 9,

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

As sec. 5 and the west  $\frac{1}{2}$  of sec. 4 is mountainous land. I discontinued the line here, and proceed to the  $\frac{1}{16}$  sec. cor. mark of the cor. to secs. 3, 4, 9 and 10. and run D. 89° 15' N. on a true line through South  $\frac{1}{2}$  sec. 4.

70. 130 E.

125  
183

Chains Subdivisions T.28.. N R...13.E.

20.00 Set a sandstone 9 X 8 X 7 ins. ~~6~~ ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N.  
face, dug pits 18x18 ins. E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

26.50 Trail bears N. W. and S. E.

40.00 Set a sandstone 14 X 12 X 8 ins. 9 ins.  
in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N.  
face, dug pits 18x18x12 ins. E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

0.890511 H. on a true line  
through middle sec. 4  
from  $\frac{1}{4}$  sec. cor.  
Ta. 13° E.

Over gently rolling surface.

19.75 Wash 30 links wide  
course P.E.



## Subdivisions T. 28 N R. 18 E.

Chains

20.00

Set a sandstone  $13 \times 12 \times 5$  ins.,  $8$  ins. in the ground, for  $1/16$  Sec. Cor., marked  $1/16$  on N... face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

40.00

Set a sandstone  $15 \times 10 \times 6$  ins.,  $10$  ins. in the ground, for  $1/4$  Sec. Cor., marked  $1/4$  on N... face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,  $18$  long,  $2$  ins. square.  $12$  in. to the ground, marked  $1/4$  on N... face.

Surface gently rolling.

Soil  $2^{nd}$  rate.

Good grass.

D. 89151 ft. on a true line  
through north  $1/2$  of sec. 4  
T<sub>28</sub>. R. 18<sup>o</sup> E.

Over gently rolling surface.

20.00

Set a sandstone  $17 \times 8 \times 5$  ins.,  $9$  ins. in the ground, for  $1/16$  Sec. Cor., marked  $1/16$  on N... face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

72785

Chains

Subdivisions T.28..N R..13..E.

25.00

Mark 30 links wide corner S.E.

40.00

Set a sandstone 18 X 10 X 4 ins., 12 ins. in the ground, for 1/16 Sec. Co. marked 1/16 on N. face, dug pits 18x18x12 on E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Surface gently rolling.

Soil 1<sup>st</sup> rate.

Good grass.

May 12<sup>th</sup> 1891

Chavis.

## Subdivisions T. 28 N. R. 18 E.

From the cor. to s.w. 5. 6.  
31 and 32 on the south  
boundary of the township  
I run  $N. 0^{\circ} 3' N.$  bet. s.w.  
31 and 32.

Va. 13 $^{\circ}$ 0'E.

Over nearly level land

15.50 Trail bears  $N. 80^{\circ} W.$  and  $S. 80^{\circ} E.$ 

20.00

Set a sandstone  $12 \times 11 \times 7$  ins.,  $8$  ins.  
in the ground, for 116. Sec. Cor., marked 116. on  $NW$   
face, dug pits  $18 \times 18$  ins.  $EN$  and  $WL$  of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Thence I run  $N. 89^{\circ} 5' E.$  on  
a random line through south  
 $1/2$  s.w. 32

Va. 13 $^{\circ}$ 15'E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.02 Subsect  $N.$  and  $S.$  line 30 1/2

+29  
187

Chains Subdivisions T. 28. N R. 18. E.

north of 1/6 sec. cor. Thine  
I run N. 89° 58' W. on a  
true line through south  
1/2 sec. 32.

74. 1305'E.

Over level country.

20.00 Trail bears north- and south.

20.00

Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E... and  
... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N... face,

2600 Deep mark 50 hills wide  
course S. 15° W.

40.01

Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E... and  
... W... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N... face,

5-8.10 Enter cornfield bet. N. and S.

Chains Subdivisions T. 28 N R. 18 E.

60.01 Set a sandstone 12 X 12 X 4 ins., 8 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 f. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

73.00 Low corn field beam. north and south

80.02 The  $\frac{1}{16}$  sec. cor.

Surface level  
Soil 2nd. rate.  
Low Brush

Thence I continue N. 00° E. 71.  
ft. 31 and 32.

71.00 Trail bears N. E. and S. W.

75.35 Trail bears N. W. and S. E.

40.00 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on W. face,

Thence I run N. 89° 51' E.  
on a random line through

+33  
791

C. Chamis

Subdivisions T. 28. N

R. 18. E.

Thence I run S. 89° 15' N.  
on a sandstone line through  
south 1/2 sec. 31 from 1/16 sec. cor.  
Ya. 13° 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.70 Intersect West boundary  
of township 10 1/2 miles north  
of 1/16 sec. cor. thence  
I run N. 89° 47' E. on  
a true line through south  
1/2 sec. 31  
Ya. 13° 15' E.

Over gently rolling surface.

7.90 Trail bears N. W. and S. E.

18.70

Set a sandstone (2... X... 1... X... 4... ins., 8... ins.)  
in the ground, for 1/16 Sec. Cor., marked 1/16 on N...  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

Chains

Subdivisions T. 28 N R. 18 E.

33.70 Ecker cornfield from N.W. and S.E.

38.70 Set a sandstone 12...X...8...X...7...ins.,...ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N... face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

40.90 Leave cornfield from N.W. and S.E.

58.70 Set a sandstone 11...X...10...X...8...ins.,...7...ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N... face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

68.90 Trail bears N. E. and S. W.

71.50 Trail bears N. W. and S. E.

78.70 The 1/16 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

---

D. 89° 51' N. on a random line through middle section 31

Pa. 13° 10' E.

135  
193

Subdivisions T. 28 N R. 18 E.

Chains

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.80 Intersect ~~west~~ boundary of township 20 lks.  
north of C 174 sec. cor. 1st tier  
run N. 89° 41' E. on a tree  
Line through middle sec. 31  
Ta. 13° 15' E.

Over level country.

140 Trail bears N. W. and S. E.

18.80 Set a sandstone 13 X 11 X 7 ins., 8 ins.  
in the ground, for 1/16 Sec. Cor. marked 1/16 on N...  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

22.50 Euth corupier bears N. W. and S. E.

26.70 Lead " " " "

38.80 Set a sandstone 12 X 8 X 6 ins., 8 ins.  
in the ground, for 1/4 Sec. Cor. marked 1/4 on N...  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

58.80 Trail bears N. W. and S. E.



Chains Subdivisions T. 29. N. and R. 18. E.

58.80 Set a sandstone 12 X 8 X 6 ins., 8 ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

66.80 Enter cornfield from N.W. and S.E.

71.30 Leave " " " " and

" Trail bears N. W. and S. E.

78.80 Take 114 sec. cor.

Surface level

Soil Ind. rate

Some Brush

Thence I continue N. 0° 3' E.  
for Secs. 31 and 32.

60.00 Deposited a marked stone 12 ins. in the ground for 116 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S. on W. face,

Thence I run N. 89° 57' E.  
on a random line

137  
195  
Chambers Subdivisions T. 28 N. R. 18 E.

Through North 1/2 sec. 32  
Ta. 13° 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.85 Indirect north and south  
line 20 links north  
of 46 sec. cor. thence  
I run West on a  
true line through north  
1/2 sec. 32.  
Ta. 13° 05' E.

Over gently rolling surface.

1.00 Trail bears N. E. and S. W.

10.00 Enter cornerfully trans. north and south

14.00 Leave " " " "

17.50 Enter cornerfully trans.  
north and south.

Chains

Subdivisions T. 28 N. R. 18 E.

- 19.96 Set a sandstone 12 X 12 X 6 ins., 8 ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,
- 21.00 Saw cornfield trans. north and south.
- 35.00 Euto " " N.E. and S.W.
- 39.92 Saw " " " " aug

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

- 55.00 Trail bears N. E. and S. W.
- 57.20 Euto cornfield trans. N. and S.

59.88 Set a <sup>conglomerate stone</sup> sandstone 12 X 10 X 9 ins., 8 ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

- 70.00 Saw cornfield trans. N. and S.
- 79.85 The 116 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

734  
147

C. Chamis

Subdivisions T. 28. N. R. 18. E.

Thence I run S. 89° 51' W,  
on a random line through  
north 1/2 sec. 31.

Pa. 13° 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7882 Int. west boundary of  
township 10 lines north  
of 1/16 sec. cor. thence  
I run N. 89° 47' E. on  
a true line through north  
1/2 sec. 31.

Pa. 13° 15' E.

Over gently rolling surface.

6.00 Enter corral field lines NW. & S.E.

9.00 Leave " " " "

1.882

Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
...W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N. face.

## Subdivisions T. 28 N R. 15 E

Cham

2940 Trail bears N. W. and S. E.

32.50 Stake 15 inches wide corner N.E.

38.82 Set a sandstone ~~15~~ X ~~20~~ X ~~7~~ ins., ~~10~~ ins. in the ground, for ~~1/6~~ Sec. Cor., marked ~~1/6~~ on N... face, dug pits 18x18x12 ins., ~~E~~, and ~~W~~ of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

41.65 Trail bears N. W. and S. E.

58.82 Deposited a marked stone 12 ins. in the ground for ~~1/6~~ Sec. Cor., dug pits 18X18X12 ins., ~~E~~, and ~~W~~ of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ~~E~~ pit drove a stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked ~~1/6~~ S, on ~~N~~ face,

78.82 9th 1/6 oil. cor.

Surface gently rolling.

Soil 7<sup>th</sup> rate.

Grass fair.

Thru I continued N. 0° 8' W.  
Set. sec. 31 and 32

T. 18° 15' E

Over gently rolling surface.

741  
199

Chains

Subdivisions T. 28 N R. 18 E.

74.80 Trail bears N. W. and S. E.

80.00 Set a sandstone ~~18 X 8 X 6~~ ins. ~~12~~ ins. in the ground for Cor. to Secs. 29, 30, 31 and 32 marked with ~~1~~ notches on S. and ~~5~~ notches on E. edges, dug pits 16X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil <sup>good</sup> rate,

Grass fair.

N. 89° 51' E. on a random line bet. Secs. 29 and 32  
Ya. 130 15' E.

20.00 Set temporary 1-16 Sec. Cor.  
40.00.....Set temporary 1-4 Sec. Cor.  
60.00 Set temporary 1-16 Sec. Cor.

79.90 Intersect N. and S. line 25 lks. north of Cor. to Secs. 2, 8, 29, 32 and 33 Thence I run N. 89° 58' W. on a true line bet. Secs. 29 and 32...

Ya. 130 10' E.

5.00 Enter cornfield team with <sup>94</sup> south  
12.00 Lane " " " "

## Subdivisions T...28 N R...18 E.

Chain

14.00 Enter cornfield here north and south

17.00 Leave " " " " "

19.98 Set a sandstone 24 X 18 X 2 ins., 18 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside.

39.95 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on N... face,

59.92 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N... face,

61.00 Enter cornfield here north and south

68.00 Leave " " " " "

79.90 The cor. to Secs. 29, 30, 31 and 32

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

201  
743

Chain

Subdivisions T. 28 N R. 13 E.

D. 89° 51' N. on a random  
line bet. 0115. 30 and 31

Ya. 13° 15' E

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.86

Intersect ~~west~~ boundary of township 5 lks.  
north of Cor. to Secs. 25, 30, 31 and 36.

Thence I run N. 89° 49' E,  
on a true line bet.  
0115. 30 and 31.

Ya. 13° 15' E

16.85 Trail bears N. W. and S. E.

18.86

Set a sandstone 16 X 12 X 5 ins., 11 ins.  
in the ground, for 1/16 Sec. Cor., marked 1/16 on N...  
face, dug pits 18x18x12 ins., E....and...W...of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

20.85

Wash...R...lks. wide course, S. E.

38.86

Deposited a marked stone 12 ins. in the ground,  
for 1/4 Sec. Cor., dug pits 18x18x12 ins. E. and  
...W...of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/4 S. on...N...face.



Chains. Subdivisions T. 28. N R. 1. E.

- 47.00 Eater cornfield farm. NW and SE.
- 50.00 Same " " " "
- 56.00 Eater " " north and south
- 57.80 Same " " " "
- 58.86 Set a sandstone 15 X 9 X 4 ins., 10 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,
- 60.65 Trail bears N. W. and S. E.
- 78.86 The cor to div. 29, 30, 31 and 32.
- Surface gently rolling.
- Soil 2<sup>nd</sup> rate.
- Grass fair.

May 2<sup>nd</sup> 1891

203  
~~111~~

Chains Subdivisions T. 28. N. R. 18. E.

No. 3' H. bet. sec 29 and 30  
Va. 13° 15' E.

Over gently rolling surface,

14.00 Trail bears N. W. and S. E.

20.00 Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. N. and  
... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on... W... face,

Thence I run N. 89° 51' E.  
on a random line  
through south  $\frac{1}{2}$  sec. 29  
Va. 13° 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.80 Intertown north and south  
line 30 Ms. north of  
 $\frac{1}{16}$  sec. cor. Thence  
I run N. 89° 56' N. on

Chain Subdivisions T...28 N R...18 E.

a true line through south  
1/2 Sec. 29.

74. 13° 10' E.

Over gently rolling surface.

7.00 Leave corn field from N. end P.

13.50 Trail bears N. E. and S. W.

19.95 Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor. dug pits 18x18x12 ins. E. and  
...W...of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on ...N...face,

21.00 Enter cornfield from north and south

23.00 Leave " " " "

39.90 Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor. dug pits 18x18x12 ins. E. and  
...W...of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on ...N...face,

57.00 Enter cornfield from north and south

59.85 Set a sandstone 24...x...13...x...7...ins., 18...ins.  
in the ground, for 1/16 Sec. Cor., marked 1/16 on ...N...  
face, dug pits 18x18x12 ins., E...and...W...of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

205  
747

Chains Subdivisions T. 28. N. R. 18. E.

60.20 Stake cornfield near. n.w.  
and s.e.

79.80 The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass. Location.

---

Thence I run S.  $89^{\circ} 51' N$ .  
on a random line  
through south  $\frac{1}{2}$  sec. 30  
Ta.  $13^{\circ} 15' E$ .

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.80 Interset west boundary  
of township at the  
 $\frac{1}{16}$  sec. cor. Thence  
I run n.  $89^{\circ} 51' E$ . on  
a true line through

*Chambers* Subdivisions T. 28 N. R. 18 E.

South  $\frac{1}{2}$  sec. 30.

Ta. 130° 15' E.

Over gently rolling surface.

18.80

Set a sandstone 14 X 12 X 4 ins., 9 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

20.00

Mark 20 ins. wide course south

38.80

Set a sandstone 11 X 10 X 7 ins., 7 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

58.80

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18x18x12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S. on N. face,

68.80

Enter cornfield bears north and south

76.30

Same " " " "

78.80

The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

No grass

297  
749

Chains Subdivisions T. 28. N R. 18. E.

Thence I continue  $N. 00^{\circ} 5' N.$   
To  $T. 29$  and  $30.$

39.00 Enter corn field near N.W. and S.E.

40.00 Deposited a marked stone 12 ins. in the ground,  
for  $1/4$  Sec. Cor., dug pit 18X18X12 ins. N. and  
S. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $1/4$  S. on W. face,

Thence I run  $N. 89^{\circ} 51' E.$   
on a random line  
through middle sec. 29.  
To  $130^{\circ} 15' E.$

20.00 Set temporary 1-16 Sec. Cor,

40.00 Set temporary 1-4 Sec. Cor,

60.00 Set temporary 1-16 Sec. Cor,

7976 Intersect N. and S. line  
30 links north of  $1/4$  sec.  
cor. thence I run  
 $N. 89^{\circ} 56' N.$  on a true  
line through middle sec 30

Subdivisions T.28. N R.18. E.

Chambers

79. 13010 E.

10.00  
17.00  
19.94

Sown cornfield bears North and South  
Enter " " " "

Deposited a marked stone 12 ins. in the ground,  
for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~116~~ S, on N. face,

25.00  
39.88

Sown cornfield bears north and south

Deposited a marked stone 12 ins. in the ground,  
for ~~114~~ Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~114~~ S, on N. face,

59.82

Deposited a marked stone 12 ins. in the ground,  
for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~116~~ S, on N. face,

63.00

Trail bears S. 85° E. and N. 85° W.

64.00

Wash. 90. lks. wide course, S.E.

70.00  
79.76

Enter cornfield bears North and South  
The 114 sec. cor.  
Surface gently rolling.  
Soil 2<sup>nd</sup> rate.  
no grass.

154  
209

Chains Subdivisions T...28. N... R...18. E.

Thence I run S. 89° 51' N. on  
a random line through  
middle sec. 30.

To 13° 15' E.

20.00 Set temporary 1-13 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

98.85 Intersect West boundary  
of township 13 lines  
south of 14 sec. cor.

Thence I run N. 89° 57' E.  
on a true line through  
middle sec. 30.

To 13° 15' E.

Over gently rolling surface.

17.90 Mark 10 links wide course st.

18.85 Set a sandstone 16... X... 12... X... 8... ins., 16... ins.  
in the ground, for 1/16 Sec. Cor., marked 1/16 on N...  
face, dug pits 18x18x12 ins., E. . and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,



452  
210

BOOK 574

Subdivisions T...28 N R...18 E.

Chavis

24.00

Trail bears  $77.80^{\circ}$  W. and  $280^{\circ}$  E.

38.85-

Set a sandstone  $14 \times 11 \times 4$  ins.,  $9$  ins. in the ground, for  $1/4$  Sec. Cor., marked  $1/4$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

58.85-

Set a sandstone  $12 \times 11 \times 4$  ins.,  $8$  ins. in the ground, for  $1/6$  Sec. Cor., marked  $1/6$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

78.00

Enter cornfield from  $77^{\circ}$  N. and  $0^{\circ}$  E.

78.85-

The  $1/4$  sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass. Sacaton.

Thence I continue  $77.0^{\circ}$   $3'$  ft. bet.  $29$  and  $31$ .

41.10

Trail bears East and West.

53.00

Leave cornfield from East and West.

60.00

Deposited a marked stone 12 ins. in the ground, for  $1/6$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $1/6$  S, on W. face,

211  
~~753~~

Chains

Subdivisions T. 28. N R. 18. E.

Thence I run  $N. 89^{\circ} 51' E.$   
on a random line  
through north  $\frac{1}{2}$  sec. 29  
 $Ta. 10^{\circ} 15' E.$

20.00 Set temporary 1-16 Sec. Cor,

40.00 Set temporary 1-16 Sec. Cor,

60.00 Set temporary 1-16 Sec. Cor,

79.70 Intersect N. and S. line  
28 links north of  $\frac{1}{16}$  sec.  
cor. thence I run  
 $N. 89^{\circ} 57' W.$  on a true  
line through south  $\frac{1}{2}$  sec. 29  
 $Ta. 10^{\circ} 15' E.$

Over gently rolling surface.

5.40 Trail bears N. E. and S. W,

6.00 Enter cornfield from N. W. and S. E.

14.50 Leave " " " " "

16.90 Trail bears  $N. 10^{\circ} W.$  and  $S. 10^{\circ} E.$

19.20 " " " " "

Subdivisions T.28.N R...18.E.

19.93 Trail bears north and south and  
 Set a sandstone 14 X 10 X 4 ins., 9 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N... face, dug pits 18x18x12 ins., E.... and...W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

22.30 Trail bears north and south

31.00 East corn field bears NW and SE.

39.00 Same " " " " " "

59.85- Deposited a marked stone 12 ins. in the ground for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked 1/16 S, on N...face,

59.78 Deposited a marked stone 12 ins. in the ground for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N...face,

61.00 Wash 40 lbs. wide course, SE.

79.70 The 1/16 sec. cor.

Surface gently rolling.

Soil 2nd rate.

no grass

185  
213

Chain Subdivisions T. 28. N R. 18. E.

Thence I run S. 89° 51' N.  
on a random line  
through north 1/2 sec. 30.  
Ta. 13° 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.84 Introduce west boundary of  
township <sup>N. 1/4 S.</sup> of 1/16 sec.  
Cor. Thence I run N. 89°  
57' E. on a true  
line through north 1/2  
sec. 30.  
Ta. 13° 15' E.

Over gently rolling surface.

188.84 Set a sandstone 12 X 12 X 6 ins., & ins.  
in the ground, for 1/16 Sec. Cor., marked 116 on N.  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

28.00 Enter cornfield lines. north and south  
35.00 Leave " " " " " "

*Chambers* Subdivisions T. 28 N. R. 18 E.

38.84 Set a sandstone 14 X 10 X 4 ins., 9 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor. marked  $\frac{1}{16}$  on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

57.40 Eaten cornfield *then north and south*

58.84 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{16}$  Sec. Cor., dug pits 18x18x12 ins. E, and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N... face,

62.00 *Leam* cornfield *then north and south*

66.50 Eaten " " " " "

70.75 *Leam*, " " " " "

78.84 Like  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

70 Grass

---

215  
157

Chains Subdivisions T. 28 N R. 18 E.

Thence I continue  $n. 00^{\circ} 3' W.$   
bet. Secs. 29 and 30

70.00 Trail bears *tran. East and West*

80.00 Set a sandstone 16...X...12...X...3...ins...11...  
ins. in the ground for Cor. to Secs. 19, 20, 29 and 30  
marked with...2...notches on S. and...0...notches on E.  
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.  
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
base, alongside.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

$n. 89^{\circ} 05' E.$  on a random  
line bet. Secs. 20 and 29  
 $\frac{1}{4} n. 13^{\circ} 15' E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.80 Intersect N. and S. line...30...lks. north of Cor. to  
Secs. 20, 21, 28 and 29 Thence I run  $n. 89^{\circ} 05' E.$   
on a true line bet. Secs. 20...and...29.

Shams.

Subdivisions T. 28 N R. 12 E.

Ya. 13010' E.

Over gently rolling surface.

3.00  
1995  
Leave cor. field line. North and South

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pi's 18X18X12 ins. E. and ...W...of corner 5-1-2 ft. dist., and raised a mound of earth 1-1-2 ft. high, 3-1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N face,

28.00 Trail bears N. E. and S. W.

32.00 " " " " "

39.90  
Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pi's 18X18X12 ins. E. and ...W...of corner 5-1-2 ft. dist., and raised a mound of earth 1-1-2 ft. high, 3-1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on N face,

49.85  
Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pi's 18X18X12 ins. E. and ...W...of corner 5-1-2 ft. dist., and raised a mound of earth 1-1-2 ft. high, 3-1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on N face,

77.00 \* Wash. 30.....lks. wide course, *SE*.

79.80 The cor. to sec. 19. 20. 29 and 30.

217  
759

*Chains.* Subdivisions T. 28. N R. 13. E.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

No. grass

D. 89° 51' N. on a random  
line bet. secs. 19 and 31  
T. 13° 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.88 Intersect with boundary of township 11 lks.  
South of Cor. to Secs. 19, 24, 25 and 30

Then I run N. 89° 56' E.  
on a true line bet.

secs. 19 and 30.

T. 13° 15' E.

Over gently rolling surface.

18.88 Set a sandstone 14 X 10 X 8 ins. 9 in.  
in the ground, for 1/16 Sec. Cor., marked 1/16 on N...  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,



*Cham.* Subdivisions T...28N R...18E

38.50 Enter cor. field here north and south

38.88 Deposited a marked stone 12 ins. in the ground, for 1/4 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/4 S, on N. face,

41.00 Trail bears N. E. and S. W.

46.00 Same cor. field here north and south.

53.00 Enter " " " " "

58.88 Leave " " " " " ang-

" Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. sq. and 12 ins. in the ground, marked 1/6 S, on N. face.

78.88 The cor. to S. 19. 20. 19 and 31.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

No Grass.

---

May 4<sup>th</sup> 1891

219  
767

Chambers Subdivisions T. 23 N R. 18 E.

No 3' N. Pt. Dec. 1944 20.

Ya. 13° 15' E

Over gently rolling surface.

3.40 Trail bears N. W. and S. E.

4.00 Wash... 2... lks. wide course, S. E.

20.00

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on W. face,

Thence I run N. 89° 51' E  
on a random line  
through south 1/2 sec. 20.  
Ya. 13° 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.76 Subvert Mark. S. line 31  
links north of 1/16  
sec. cor. Thence I run

Shamis Subdivisions T. 28. N R. 18. E.

27. 89° 56' N. on a true line  
through South 1/2 sec - 20  
Ta. 13° 10' E.

Over gently rolling surface.

4.00 Trail bears N. E. and S. W.

19.94 Deposited a marked stone 12 ins. in the ground for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N...face,

29.88 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N...face,

59.82 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and ...W...of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N...face,

79.76 1/16 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Grass fair.

163  
22

BOOK 574

Subdivisions T...23 N

R...18 E.

C. Chains

Thence I run S. 89° 51' W.  
on a random line through  
South 1/2 sec. 19.

Va. 13° 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.80 Indirect west boundary  
of township 12 lines south  
of 116 sec. cor. thence I  
run N. 89° 56' E. on a  
true line through South  
1/2 sec. 19.

Va. 13° 15' E.

Over gently rolling surface.

3.00 Enter cornfield bears North and South

10.00 Leave " " " " "

13.40 Trail bears N. E. and S. W.

13.50 Trail bears N. E. and S. W.

Subdivisions T. 28 N R. 18 E.

*Chambers*

18.80

Set a sandstone 24 X 12 X 8 ins., 18 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

34.90

*Entire corn field near main South*

38.80

Set a sandstone 14 X 10 X 4 ins., 9 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

40.80

*Low corn field near North and South.*

58.80

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N... face,

61.00

Wash 50 lks. wide course, S. W. S.E.

78.80

*The  $\frac{1}{16}$  sec. cor.*

Surface gently rolling.

Soil 2nd rate.

*No grass*

223  
164

Chamis

Subdivisions T. 28 N R. 18 E.

Thence I continue  $77^{\circ} 31' N$ .  
bet. Secs. 19 and 20.

$\text{Va. } 130^{\circ} 15' E$

40.00 Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{4}$  Sec. Cor. dug pits  $18 \times 18 \times 12$  ins. N. and  
...S...of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{4}$ ...S, on...W...face,

Thence I run  $77.89^{\circ} 51' E$ ,  
on a random line through  
middle sec. 20

$\text{Va. } 130^{\circ} 15' E$

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.84. Intersect N. and S. line  
20 lines north of  $\frac{1}{4}$  sec.  
cor. Thence I run  
West on a true line  
through middle sec. 20.

Chains

Subdivisions T. 28 N

R. 18 E.

No. 10010 E.

Over gently rolling surface.

7.00 Enter corner field bears N.W. and S.E.

12.00 Saw " " " "

19.96 Deposited a marked stone 12 ins. in the ground for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked 116 S, on N. face,

22.64 Trail bears, N. W. and S. E.

39.92 Set a sandstone 18 X 16 X 3 ins., 12 ins. in the ground, for 114 Sec. Cor., marked 114 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

59.88 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N. face,

79.84 To the 114 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

225  
167

Chains. Subdivisions T. 28 N. R. 13 E.

Thence I run S.  $89^{\circ} 51' N.$   
on a random line through  
middle sec. 19.  
Va.  $13^{\circ} 15' E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.80 Intersect west boundary of township  
10 links south of 114  
sec. cor. thence I run  
N.  $89^{\circ} 55' E.$  on a true line  
line through middle sec. 19.  
Va.  $13^{\circ} 15' E.$

Over gently rolling surface.

3.00 Trail bears N. E. and S. W.

4.00 Enter cornfield trans. North and south

7.70 Leave " " " "

15.00 Trail trans. N. E. and  
S. W.



*Chains* Subdivisions T. 28 N R. 18 E.

78.80

Deposited a marked stone 12 ins. in the ground for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked ~~116~~ S, on N. face,

38.80

Deposited a marked stone 12 ins. in the ground for ~~114~~ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~114~~ S, on N. face,

41.75

Trail bears N. E. and S. W.

51.00

Waym road from N.E. and S.W.

73.65

Wash. 20...lks. wide course, S. E.

57.00

Enter cornfield from N. and S.

58.80

Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on N. face,

61.00

Trav cornfield from north and south.

78.80

The 114 Sec cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

No brush or grass

769  
227

Chains. Subdivisions T. 28 N R. 18 E.

Thence I continue  $N. 0^{\circ} 3' N.$   
Set. Secs. 19 and 20.

48.00 Trail bears  $N. 80^{\circ} E.$  and  $S. 80^{\circ} W.$   
Set. Miskingville and Tawa.

60.00 Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.  $N.$  and  
... $S.$ ... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $N.$  pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on  $W.$  face.

Thence I run  $N. 89^{\circ} 51' E.$  in  
a random line through  
north  $\frac{1}{2}$  sec. 20.

$N. 13^{\circ} 15' E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

99.76 Intersect  $N.$  and  $S.$  line  
28 links north of  
 $\frac{1}{16}$  sec. cor. thence I run  $N. 89^{\circ}$   
 $57' N.$  on a true line

*lands.* Subdivisions T. 28 N R. 18 E.

*Through north 1/2 sec. 20*  
*Pa. 13° 10' E.*

Over gently rolling surface.

19.94

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N face,

75.119

Trail bears N. E. and S. W.

79.88

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N face,

79.81

Trail bears N. E. and S. W.

79.82

Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N face,

79.76

*The 1/16 sec. cor.*

Surface gently rolling.

Soil *2nd* rate.

Grass fair.

224  
77

Chains

Subdivisions T. 28. N. R. 18. E.

Thence I run S. 89° 51' N. on  
a random line through  
north 1/2 sec. 19  
To 13° 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.88 Subdiv. west boundary  
of township 7 links south  
of 1/16 sec. cor. Thence  
I run N. 89° 54' E. on  
a true line through  
north 1/2 sec. 19  
To 13° 15' E.

Over gently rolling surface.

6.00 Enter corn field near N. and S.  
10.50 Leave " " " "

18.88 Set a sandstone 14 X 10 X 4 ins., 9 ins.  
in the ground, for 1/16 Sec. Cor., marked 1/16 on N...  
face, dug pits 18x18x12 ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

## Shams Subdivisions T. 28 N R. 18 E.

21.00 Trail bears N. E. and S. W.

32.00 " " " " "

38.88 In wash

40.20 Set a sandstone 24 X 10 X 8 ins. 18 ins.  
in the ground, for <sup>1/16</sup> Sec. Co., marked <sup>1/16</sup> on N...  
face, dug pits 18x18x12 ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

45.00 Middle of wash course S.E.

52.00 Enter cornfield bear north and south

58.88 Set a sandstone 24 X 14 X 2 ins. 18 ins.  
in the ground, for <sup>1/16</sup> Sec. Co., marked <sup>1/16</sup> on N...  
face, dug pits 18x18x12 ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

71.00 Leave cornfield bear north and south.

78.88 The <sup>1/16</sup> sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

231  
773

Chains Subdivisions T..28. N R..18..E.

Thena A continues N. 0° 3' N.  
bet. Secs. 19 and 20.

\$0.00

Deposited a marked stone 12 ins. in the ground,  
for Cor. to Secs. 17, 18, 19, <sup>and 20</sup> dug pits 18X18X12  
ins. in each Sec., 5 1-2 ft. dist., and raised a mound of  
earth 2 ft. high, 4 1-2 ft. base over it.

In S. E. pit drove a ~~flat~~ <sup>square</sup> 2 ft. long  
12 ins. in the ground, ~~marked~~ <sup>marked</sup>

T. 28. N. S. 17. on N. E.

R. 18. E. S. 20. on S. E.

S. 19. on S, W, and

S. 18. on N. W. faces, with 3 notches on

S. and 5 notches on E. edges.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

No Bush or Grass

May 5<sup>th</sup> 1891

Chains Subdivisions T. 28 N R. 18 E.

71. 89° 51' E. on a random  
line bet. Sec. 17 and 20.  
Ta. 13° 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.68 Subjoin N. and S. line.  
25 links north of cor.  
to Secs. 16, 17, 20 and 21  
Thence I run N. 89° 58' W.  
on a true line bet. Sec.  
Secs. 17 and 20.  
Ta. 13° 10' E.

Over gently rolling surface.

1992

Deposited a marked stone 12 ins. in the ground  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N. face,

20.58

Trail bears north and south

232  
475

Chains

BOOK 574  
Subdivisions T. 28 N

R. 18 E.

31.00

Trail bears N. E. and S. W.

59.84

Deposited a marked stone 12 ins. in the ground,  
for ~~44~~ Sec. Cor., dug pits 18X18X12 ins. E. and  
...W...of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In. E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~44~~ S, on...N...face,

59.76

Deposited a marked stone 12 ins. in the ground,  
for ~~44~~ Sec. Cor., dug pits 18X18X12 ins. E, and  
...W...of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In. E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~44~~ S; on...N...face!

79.68

The cor to ~~Secs.~~ 17, 18, 19 and 20  
Surface gently rolling.

Soil ~~2<sup>nd</sup>~~ rate.

Grass fair.

---

Thence I run S. 89° 05' 11" W.  
on a random line  
bet. Secs. 18 and 19  
Ta. 13° 15' E.

20.00

Set temporary 1-16 Sec. Cor.



## Chains Subdivisions T. 28 N R. 18 E.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

78.85 Inhibit west boundary of  
township 18 miles south of  
cor. To divs. 13, 18, 19 and 24  
Thence I run N. 89° 59' E.  
on a true line pt.  
Divs. 18 and 19.

Ya. 130° 10' E

Over gently rolling surface.

18.85 Set a sandstone 24 X 12 X 3...ins., 18...ins.  
in the ground, for  $\frac{1}{16}$  Sec. Co., marked  $\frac{1}{16}$ ...on N...  
face, dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

21.40 Trail bears N. E. and S. W.

22.00 Enter corn field bears north and south

24.00 Same " " " "

35.50 Wash...80...lks. wide course, S. W.

38.85 Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits 18x18x12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on N...face,

235  
1777  
234

Chamis Subdivisions T. 28. N R. 18. E.

43.00 Wash. 200 lks. wide course, S. W.

56.00 Enter cornfield trans. North and south

58.85

Set a sandstone 10... X... 8... X... 7... ins., 7... ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

70.00 Leave cornfield trans. N. & S.

78.85 Th. cor. to Secs. 17, 18, 19 and 20

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair. Sacaton.

N. 00 31' W. 1/4 Sec. 17 and 18  
Ta. 130 15' E.

Over gently rolling surface.

20.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. N, and ...S... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on W... face,

Thence I run N. 89° 51' E.

Chains Subdivisions T. 28. N R. 18. E.

on a random line  
through south  $\frac{1}{2}$  sec. 17  
74.13° 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.80 Intersect N. and S. line 20  
links north of  $\frac{1}{16}$  sec. cor.  
line I run West on a  
true line through south  $\frac{1}{2}$   
Sec. 17.  
74.13° 10' E.

Over gently rolling surface.

3.00 Saw cornfield extends S. E. about 500 yds.

9.00 Trail bears N. E. and S. W.

19.95

Deposited a marked stone 12 ins. in the ground  
for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

257  
+79

Chains

Subdivisions T. 28. N

R. 18. E.

27.50

Trail bears north and south

39.90

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and ...W.. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N...face,

59.85

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and ...W.. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N...face,

79.80

The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> 1st class.

Grass fair.

Thence I run S. 89° 51' E.  
on a random line  
through S.  $\frac{1}{2}$  sec. 18  
Va. 13° 15' E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

U. S. Surveyor-General's Office,

TUCSON, A. T., Feb. 6<sup>th</sup> 1882

The foregoing Field Notes of the Surveys of  
Subdivisions T 28-N. R. 18 E.  
of the

Gila and Salt River Meridian  
in Territory of Arizona executed by  
John E. Smith

U. S. Deputy Surveyor, under his contract dated  
November 2<sup>d</sup> 1890

having been critically examined, the necessary correc-  
tions and explanations made, the said Field Notes and  
the surveys they describe are hereby approved.

Royal Johnson  
U. S. Surveyor-General  
for the Territory of Arizona.