

57

Spilled  
in Road Nov 19<sup>th</sup> 1891  
Planned

Sent to Comr G. L. O.  
Feb. 6<sup>th</sup> 1892.  
Approved. March. 18<sup>th</sup> 1892  
34.

BOOK 571

No. 577

577

4-671

# FIELD NOTES

GENERAL LAND OFFICE

of the survey  
of the

Subdivision Lines of  
Township 28 N. Range 19 E  
Surveyed by John C. Smith  
U. S. Dep. Sur

Under his contract No 15  
Dated Nov. 1<sup>st</sup> 1890

Survey commenced <sup>June</sup> ~~May~~ 24. 1891  
completed " 29. 1891

58

Township 28N R. 19E

6	5	101	4	3	2	1
		142				
7	8	90	9	10	11	12
18	17	81	16	15	14	13
19	20	73	21	22	23	24
		117				
30	29	65	28	27	26	25
		109				
31	32	58	33	34	35	36

No. 577

BOOK 577

59.

CHAINSSubdivisions T.28..N

R.19.....E.

run a random line through north-  
1/2 sec. 32.

Pa. 13° 05' E

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00

Subtract N and S line  
at 1/16 sec. cor. then  
I run east on a true  
line through north 1/2  
sec. 32.

Pa. 13° 05' E

Over gently rolling surface.

460

Trail bears N. W. and S. E.

20.00

Deposited a marked stone 12 ins. in the ground,  
for W. Sec. Cor., dug pits 18X18X12 ins. ....E. and  
...W....of corner 5 1-2 ft. d. t., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E....pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked W. S, on N....face,

60

CHAINS. Subdivisions T. 28 N R. 19 E.

40.00 Set a sandstone 20 X 12 X 10 ins. ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

60.00 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S. on N. face,

6025 Wash 20 lks. wide course, NW,

6300 Trail bears N. W. and S. E.

80.00 The 1/16 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Then I continue N. 0 2 1/4  
bet. sec. 32 and 33

80.00 Set a sandstone 20 X 16 X 2 ins. ins. in the ground for Cor. to Secs. 28, 29, 32 and 33 marked with 1 notch on S. and 4 notches on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

CHAINS Subdivisions T. 28 N R. 19 E

Surface gently rolling.

Soil ~~2nd~~ rate.

Good grass.

Thence I run west on a  
 strand on line bet. S.W. 29 and 32  
 Va.  $13^{\circ} 05' E$ .

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.88 Intersect N. and S. line...7...lks. <sup>South</sup> of Cor. to  
 Secs. 29, 30, 31 and 32 Thence I run  $28^{\circ} 57' E$   
 on a true line bet. Secs. 29 and 32

Va.  $13^{\circ} 15' E$ .

Over gently rolling surface.

19.97 Deposited a marked stone 12 ins. in the ground,  
 for  $1/16$  Sec. Cor., dug pits 18X18X12 ins. <sup>E</sup> and  
<sup>W</sup> of corner 5 1-2 ft. dia., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In <sup>E</sup> pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked  $1/16$  S, on <sup>N</sup> face,

35.70 Trail bears N. W. and S. E.

## CHAINS Subdivisions T. 28 N R. 19 E

39.94

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on N. face,

42.40

Trail bears N. E. and S. W.

52.45

Wash 30 hills wide course north east

59.91

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on N. face,

79.88

Ch. cor. to secs. 28, 29, 32 and 33

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Thence I run  $77.0^{\circ}$  2' 9".  
bet. secs. 28 and 29

10.38

Trail bears E. and W.

CHAINS Subdivisions T. 28 N R. 19 E

- 20.00 Deposited a marked stone 12 ins. in the ground, for <sup>116</sup> S. Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>116</sup> S, on W. face,

Then I run west on a  
random line through south  
1/2 sec 29.  
74. 13° 15' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.20 Intersect N. and S. line  
14 links north of 116  
sec. cor. then I run  
71. 89° 54' E. on a true  
line through south 1/2  
sec. 29.  
74. 13° NE

Over gently rolling surface.

## CHAINS. Subdivisions T 28 N R. 19 E.

17.88

Trail bears N. W. and S. E.

20.05

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

39.30

Trail bears N. W. and S. E.

40.10

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

59.90

Set a sandstone  $\frac{1}{4}$  X  $\frac{10}{16}$  X  $\frac{5}{16}$  ins.  $\frac{7}{16}$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on E. face, dug pits 18X18X12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

60.15

Wash  $\frac{30}{100}$  lks. wide course,  $\frac{1}{16}$  N.

80.20

The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil  $\frac{2}{3}$  rate.

Good grass.



## CHAINS, Subdivisions T. 28 N R. 19 E.

Thence I continue  $77.0^{\circ} 2' N$ .

bet. sec. 28 and 29.

23.10 Entire mark course north 10 links wide.

25.50 Same " " west " " "

40.00 Set a sandstone  $16 \times 12 \times 3$  ins.,  $11$  ins. in the ground, for  $1/4$  Sec. Cor., marked  $1/4$  on  $W$  face, dug pits  $18 \times 18 \times 12$  ins.,  $N$  and  $S$  of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Thence I run west on a random

line through middle sec. 29

$74.13^{\circ} 05' E$ .

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.20 Indirect  $77$  and  $0$  line 7 links

north of  $1/4$  sec. cor. thence

I run  $77.89^{\circ} 57' E$  on a

true line through middle sec.

29.

$74.13^{\circ} 05' E$ .

## CHAINS. Subdivisions T. 28 N R. 19 E.

Over gently rolling surface.

5.00 West side of wash

7.00 Middle of wash course N.W.

9.00 Leave wash

20.05

Set a sandstone  $10 \times 10 \times 6$  ins.,  $7$  ins. in the ground, for  $116$  Sec. Cor., marked  $116$  on  $N$  face, dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

44.10

Set a sandstone  $12 \times 10 \times 6$  ins.,  $8$  ins. in the ground, for  $114$  Sec. Cor., marked  $114$  on  $N$  face, dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

44.70

Trail bears N. W. and S. E.

60.15

Deposited a marked stone 12 ins. in the ground, for  $116$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $E$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $116$  S, on  $N$  face,

80.20

The  $114$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

HAINSSUBDIVISIONS T. 28 N R. 19 E.

Thence I continue  $n. 0^{\circ} 2' N.$

bet. cns. 28 and 29.

60.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins.  $N.$  and  $S.$  of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $N.$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$   $S.$  on  $W.$  face,

Thence I run west on a random line through north  $\frac{1}{2}$  sec. 29.

To  $130^{\circ} 5' E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.28 Inhibit  $N.$  and  $S.$  line of  $\frac{1}{16}$  sec. cor. Thence I run east on a true line through north  $\frac{1}{2}$  sec. 29.

To  $130^{\circ} 15' E.$

Over gently rolling surface.

## CHAINS Subdivisions T. 28 N R. 19 E.

20.07

Set a sandstone  $10 \times 10 \times 8$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

40.14

Set a sandstone  $10 \times 10 \times 8$  ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked  $\frac{1}{16}$  on N. face, dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

60.21

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins., E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

80.28 The  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

ed to 13

There is contour n.o. 2' H.  
bet. svs. 28 and 29.

60.66

Trail bears N. N.  
and S.E.

## CHAINS. Subdivisions T. 28 N. R. 19 E.

80.00 Set a sandstone  $24 \times 12 \times 2$  ins.  $18$  ins. in the ground for Cor. to Secs.  $20, 21, 28$  and  $29$  marked with  $2$  notches on S. and  $4$  notches on E. edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil  $2^{nd}$  rate.

Good grass.

---

Thence I run west on a  
random line bet. Secs.  $20$  and  $29$ .  
Ta.  $130^\circ 5' E$ .

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.12 Intersect N. and S. line  $11$  lks. north of Cor. to Secs.  $19, 20, 29$  and  $30$ . Thence I run  $71.89^\circ 58' E$  on a true line bet. Secs.  $20$  and  $29$ .

Ta.  $130^\circ 5' E$ .

Over gently rolling surface.

2,2,2 Trail bears N. W. and S. E.

## CHAINS Subdivisions T. 28 N R. 19 E.

2003

Set a sandstone  $11 \times 8 \times 8$  ins.,  $7$  ins. in the ground, for  $116$  Sec. Cor., marked  $116$  on  $N$  face, dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of stone  $5$   $1-2$  ft. dist., and raised a mound of earth  $1$   $1-2$  ft. high,  $3$   $1-2$  ft. base, alongside,

2885

Trail bears  $N. W.$  and  $S. E.$ 

4006

Deposited a marked stone  $12$  ins. in the ground, for  $114$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of corner  $5$   $1-2$  ft. dist., and raised a mound of earth  $1$   $1-2$  ft. high,  $3$   $1-2$  ft. base over it.

In  $E$  pit drove a stake  $2$  ft. long,  $2$  ins. square,  $12$  ins. in the ground, marked  $114$   $S$ , on  $N$  face,

4397

Trail bears  $N. and S.$ 

5335

Trail bears  $N. W.$  and  $S. E.$ 

6009

Deposited a marked stone  $12$  ins. in the ground, for  $116$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of corner  $5$   $1-2$  ft. dist., and raised a mound of earth  $1$   $1-2$  ft. high,  $3$   $1-2$  ft. base over it.

In  $E$  pit drove a stake  $2$  ft. long,  $2$  ins. square,  $12$  ins. in the ground, marked  $116$   $S$ , on  $N$  face,

8012

The Cor. to Secs. 20, 21, 28 and 29

Surface gently rolling.

Soil  $2^{nd}$  rate.

Good grass.

June 24<sup>th</sup> 1891

CHAINS, Subdivisions T. 28 N R. 19 E.

Thence I run  $71.0^{\circ} 2' N$ . bet.  
secs. 20 and 21.

$74.13^{\circ} 5' E$ .

2,35 Trail bears N. W. and S. E.

20.00 Deposited a marked stone 12 ins. in the ground,  
fer. <sup>116</sup> Sec. Cor., dug pits 18X18X12 ins. N. and  
S. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked <sup>116</sup> S, on W. face,

Thence I run west on a  
random line through south  
 $\frac{1}{2}$  sec. 20.

$74.13^{\circ} 5' E$ .

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. lines 10  
links north of <sup>116</sup> sec.  
cor. Thence I run  $71.89^{\circ} 56' E$ .  
on a true line through

CHAINS. Subdivisions T. 28. N. R. 19. E.

south 1/2 sec. 20.

Ya. 130 S. E.

Over gently rolling surface.

11.00 Trail bears N. W. and S. E.

17.80 Trail bears N. W. and S. E.

20.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

28.50

Trail bears N. W. and S. E.

40.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

60.00

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

80.00

5 in 116 sec. cor.



CHAINS, Subdivisions T. 28 N. R. 19 E.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Thence I continue  $77^{\circ} 0' 2''$  N.

Set. S.C.S. 20 and 21

40.00 Deposited a marked stone 12 ins. in the ground,  
 for  $1/4$  Sec. Cor., dug pits 18X18X12 ins. N. and  
 S. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked  $1/4$  S. on W. face,

Thence I run west on a  
 random line through  
 middle S.C. 20

$79^{\circ} 13' 5''$  E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Estimate N. and S. line 6 links

## CHAINS. Subdivisions T. 28 N R. 19 E.

north of 14 sec. cor.  
 thru 2 mi. N. 89° 57' E.  
 on a trail line through  
 middle sec. 20.

To 13° 5' E.

Over gently rolling surface.

6.20

Trail bears N. E. and S. W.

17.00

Trail bears N. E. and S. W.

20.00

Deposited a marked stone 12 ins. in the ground,  
 for 116 Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 116 S, on N. face,

40.00

Deposited a marked stone 12 ins. in the ground,  
 for 114 Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 114 S, on N. face,

60.00

Deposited a marked stone 12 ins. in the ground,  
 for 115 Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 115 S, on N. face,

CHAINS, Subdivisions T. 28 N R. 19 E.

80.00

Sta 14 Sec. Cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Thence I continue N. 0° 2' N.

bet. Secs. 20 and 21.

51.50

Trail bears N. E. and S. W.

60.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on W. face,

Thence I run west on a random line through north  $\frac{1}{2}$  Sec. 20.

Ta. 130° 5' E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

## CHAINS. Subdivisions T. 28 N R. 19 E.

4992 Intersect N. and S. lines  
 12 links north of 4/16  
 on cor. shown. I run  
 N 89° 55' E. on a true line  
 through north 1/2 ac.  
 20.

Ya. 13° 5' E.

Over gently rolling surface.

1998 Deposited a marked stone 12 ins. in the ground,  
 for ~~the~~ Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked S, on N. face,

21.00 Trail trans. N.E. and S.W.

3996 Deposited a marked stone 12 ins. in the ground,  
 for ~~the~~ Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked S, on N. face,

5994 Deposited a marked stone 12 ins. in the ground,  
 for ~~the~~ Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked S, on N. face,

CHAINS, Subdivisions T. 28 N. R. 19 E.

7992 5th 116 sec. corr.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Shed I contains 77.00 2' H.  
bet. secs. 20 and 21.

65.20 Trail bears N. W. and S. E.

80.00 Set a sandstone 12 X 10 X 8 ins. 5  
ins. in the ground for Cor. to Secs. 16, 17, 20 and 21  
marked with 3 notches on S. and 4 notches on E.  
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.  
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.  
base, alongside.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

CHAINS. Subdivisions T. 28 N R. 19 E.

Thence I run north on a  
random line bet. Secs.  
17 and 20.

Ya.  $13^{\circ} 51' E$ .

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

8104

Intersect N. and S. line...15...lks...north...of Cor. to  
Secs. 17, 18, 19 and 20 Thence I run  $77^{\circ} 59' 54'' E$   
on a true line bet. Secs. 17.....and.....20.....

Ya.  $13^{\circ} 51' E$

Over gently rolling surface.

2401

Deposited a marked stone 12 ins. in the ground,  
for  $116$  Sec. Cor., dug pits 18X18X12 ins....E....and  
...W....of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E....pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $116$  S, on...N...face,

4402

Deposited a marked stone 12 ins. in the ground,  
for  $114$  Sec. Cor., dug pits 18X18X12 ins....E....and  
...W....of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E....pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $114$  S, on...N...face,

## CHAINS. Subdivisions T. 28 N R. 19 E

42.15 Trail bears N. W. and S. E.

60.03 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face.89.04 The Cor. to Secs. 16, 17, 20 and 21

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

---

 Show I run  $77^{\circ} 2' N$ . St.
116 16 and 17.

 $76^{\circ} 5' E$ 
20.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. N and S of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.In N pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on W face.

80

BOOK 577

CHAINS. Subdivisions T. 28 N. R. 19 E.

Then I run west on a  
random line through south  
1/2 sec. 17.

To.  $13^{\circ} 5' E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7996 Instruct N. and S. line  
10 links north of 1/16  
sec. cor. Then I run  
N.  $89^{\circ} 56' E.$  on a true  
line through south 1/2  
sec. 17.

To.  $13^{\circ} E.$

Over gently rolling surface.

1999

Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N. face,



## HAINS, Subdivisions T. 28 N. R. 19 E.

29.98 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 f. d. t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on N. face,

29.97 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{6}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 f. d. t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{6}$  S, on N. face,

29.96 The  $\frac{1}{6}$  sec. cor.

Surface gently rolling.

Soil <sup>2<sup>nd</sup></sup> rate.

Good grass.

Some brush.

Then I continue N. 0° 2' W.

Set sec. 16 and 17.

40.00 Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 f. d. t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on W. face,

CHAINS. Subdivisions T. 28 N R. 19 E.

Thing I run west on  
a random line through  
middle sec. 17.  
To  $130^{\circ} 5' E$ ,

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

8008 Intersect n. and s. line 13  
links north of 1/4 sec  
cor. there. I run  $n. 89^{\circ}$   
 $54' E$ . on a true line  
through middle sec. 17.  
To  $130^{\circ} 5' E$ .

Over gently rolling surface.

2002

Deposited a marked stone 12 ins. in the ground,  
for ~~the~~ Sec. Cor., dug pits 18X18X12 ins. ~~E.~~ and  
..W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ~~E.~~ pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~S.~~ on ~~N.~~ face,

## CHAINS. Subdivisions T. 28 N R. 19 E.

4004

Deposited a marked stone 12 ins. in the ground, for ~~114~~ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. d., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~114~~ S, on N. face,

50.06

Deposited a marked stone 12 ins. in the ground, for ~~116~~ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. d., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~116~~ S, on N. face,

8008

The 14 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Then I continue No. 2' H.

At. Ans. 16 and 17

54.10

Hagon road to Hears.

Leans nearly E. and W.

## CHAINS. Subdivisions T. 28 N R. 19 E.

60.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked S, on W. face,

Then I run west on a random line through north  $\frac{1}{2}$  sec. 17.

To.  $130^{\circ} 5' E$ .

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.00

Intersect n. and s. line 16 links north of  $\frac{1}{16}$  sec. cor.

Then I run n.  $89^{\circ} 5' E$ , on a true line through north  $\frac{1}{2}$  sec. 17.

To.  $130^{\circ} 5' E$ .

Over gently rolling surface.

10.15 Road to Hams bears n.  $80^{\circ} W$ .

CHAINS. Subdivisions T. 28 N. R. 19 E.

and 1800 E.

20.00 Set a sandstone 12 X 11 X 4 ins., 8 ins. in the ground, for 1/6 Sec. Cor., marked 1/6 on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

40.00 Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N... face,

60.00 Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N... face,

80.00 The 1/6 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Surface gently rolling

CHAINS. Subdivisions T. 28 N R. 19 E.

Thence I continue N. 00 2' W.  
bet. S. 16 and 17.

77.50 Wash.....lks. wide course, mist

80.00 Set a sandstone.....14 X 11 X 9..... ins.....9  
ins. in the ground for Cor. to Secs. 8, 9, 16 and 17  
marked with.....4.....notches on S. and.....4.....notches on E.  
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft;  
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft;  
base, alongside.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

Some brush.

Thence I may meet on a  
rand on line bet. S. 8 and 17  
Ta. 13° 5' E

20.00 Set temporary 1-16 Sec. Cor. sub

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7992 Intersect N. and S. line.....9.....lks.....north of Cor. to  
Secs. 7, 8, 17 and 18. Thence I run.....N. 89° 58' E.  
on a true line bet. Secs. 8.....and.....17.

CHAINS. Subdivisions T 28 N R 19 E

Va. 13° 5'E.

Over gently rolling surface.

14.60 Embos field bears N. and S.

19.90 Same " " " " "

19.98 Deposited a marked stone 12 ins. in the ground, for <sup>116</sup> Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>116</sup> S... on N... face,

39.96 Set a sandstone <sup>12</sup> X <sup>11</sup> X <sup>6</sup> ins. <sup>8</sup> ins. in the ground, for <sup>114</sup> Sec. Cor., marked <sup>114</sup> on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

43.20 Embos field bears N. N. and S. E.

71.80 Same " " " " "

59.94 Set a sandstone <sup>12</sup> X <sup>8</sup> X <sup>8</sup> ins. <sup>8</sup> ins. in the ground, for <sup>116</sup> Sec. Cor., marked <sup>116</sup> on N... face, dug pits 18x18x12 ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

68.00 Embos field bears N. and S.

77.40 Same " " " " "

79.92 5th cor. to ans. 8.9.16 and 17

## CHAINS. Subdivisions T. 28 N R. 19 E.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

Some brush.

June 25<sup>th</sup> 1891

Then I run  $77.00$  2' N.

Set sec. 8 and 9.

$7a. 130$  5'E.

20.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. N... and S... of corner 5 1-2 ft. d. t., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on W... face,

Then I run out on a random line through south 1/2 sec. 8.

$7a. 130$  5'E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.



CHAINS: Subdivisions T. 28 N. R. 19 E.

80.00

Submit N and S. Cor. 12  
links north of 1/16 sec.  
cor. thru S. cor. N. 89°  
55' E. on a true line through  
south 1/2 sec. 8.

Vol. 130 5'E.

Over gently rolling surface.

20.00

Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N. face,

40.00

Deposited a marked stone 12 ins. in the ground,  
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and  
W. of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked 1/16 S, on N. face,

60.00

Set a sandstone 13 X 17 X 4 ins., 8 ins.  
in the ground, for 1/16 Sec. Cor., marked 1/16 on N. face,  
dug pits 18x18x12 ins., E. and W. of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

80.00

Set 1/16 sec. cor.

90

CHAINS. Subdivisions T. 28 N R. 19 E.

Surface gently rolling.

Soil <sup>2nd</sup> rate.

Grass fair.

Some brush.

Thence I continue N. 0° 2' W.

1/4 Sec. 9.

40.00

Set a sandstone 26 X 20 X 15 ins., 19 ins. in the ground, for 1/4 Sec. Cor., marked 14 on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, alongside,

Thence I run west on a random line through middle sec. 8.

Ya. 13° 05' E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

8004

Subtract N. and S. lines 17 links north of 1/4 sec. cor.

CHAINS. Subdivisions T. 28 N. R. 19 E.

1 trees I run N. 89° 53' E. on  
a tree line through middle  
sic 8.

To 13° 5' E.

Over gently rolling surface.

20.01

Deposited a marked stone 12 ins. in the ground,  
for ~~11~~ 6 Sec. Cor., dug pits 18X18X12 ins. ~~E.~~ and  
..W...of corner 5 1-2 ft. d. t., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ~~E.~~ pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~11~~ 6 S, on ~~N.~~ face,

40.02

Deposited a marked stone 12 ins. in the ground,  
for ~~11~~ 4 Sec. Cor., dug pits 18X18X12 ins. ~~E.~~ and  
..W...of corner 5 1-2 ft. d. t., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ~~E.~~ pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~11~~ 4 S, on ~~N.~~ face,

60.03

Deposited a marked stone 12 ins. in the ground,  
for ~~11~~ 5 Sec. Cor., dug pits 18X18X12 ins. ~~E.~~ and  
..W...of corner 5 1-2 ft. d. t., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ~~E.~~ pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked ~~11~~ 5 S, on ~~N.~~ face,

80.04

On 14 sec. cor.

Surface gently rolling.

Soil <sup>2nd</sup> rate.

Good grass.

Some brush.

CHAINS. Subdivisions T. 28 N R. 19 E.

Thence I continue  $n. 0^{\circ} 2' W.$

bet. Sec. 8 and 9.

55.05 Trail from E. end  $W.$

60.00 Set a sandstone  $14 \times 11 \times 5$  ins.,  $9$  ins. in the ground, for  $1/16$  Sec. Cor., marked  $1/16$  on  $W.$  face, dug pits  $18 \times 18 \times 12$  ins.,  $N.$  and  $S.$  of stone  $5$   $1-2$  ft. dist., and raised a mound of earth  $1$   $1-2$  ft. high,  $3$   $1-2$  ft. base, alongside,

Thence I run out on a random line through north  $1/2$  Sec. 8.

$Ta. 139^{\circ} 5' E$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect  $n.$  and  $S.$  line

$12$  links north of  $1/16$  Sec. Cor. Thence I run  $n. 89^{\circ} 55' E.$  on a trap line through north  $1/2$  sec. 8.

CHAINS, Subdivisions T. 28 N R. 19 E

To 130 5' E

over road country

20.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

40.00 Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N face,

60.00 Set a sandstone 12 X 10 X 8 ins., 8 ins. in the ground, for 116 Sec. Cor., marked 116 on N face, dug pits 18x18x12 ins., E and W of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

80.00 TA 116 sec. cor.

Surface gently rolling.

Soil 1st rate.

Good grass.

Some brush.

98

CHAINS. Subdivisions T. 28 N R. 19 E

Found I contains 77.00 2' H.

Set. Secs. 8 and 9.

80.00

Set a sandstone... 14... X... 12... X... 3... ins... 9... ins. in the ground for Cor. to Secs. 4, 4, 8 and 9... marked with... 9... notches on S. and... 4... notches on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Some brush.

Thing I must rest on a random line bet. Secs.

5 and 8.

Pa. 13° 5' E

20.00

Set temporary 1-16 Sec. Cor.

40.00

.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.84 Intersect N. and S. line.

CHAINS Subdivisions T. 28 N R. 19 E

18 links north of Cor.  
to sec. 5, 6, 7 and 8. Then  
I run  $n. 89^{\circ} 52' E.$  on a  
true line bet. sec. 5 and 8.  
 $\text{Ta. } 13^{\circ} 5' E.$

Over gently rolling surface.

19.96 Deposited a marked stone 12 ins. in the ground,  
for  $\text{///6}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.  $\dots E.$  and  
 $\dots W.$  of corner 5 1-2 ft. d't., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $\dots E.$  pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\text{///6 S, on } \dots N.$  face,

23.00 Wagon road bears  $n. E.$  and  $s. W.$

39.92 Deposited a marked stone 12 ins. in the ground,  
for  $\text{///4}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.  $\dots E.$  and  
 $\dots W.$  of corner 5 1-2 ft. d't., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $\dots E.$  pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\text{///4 S, on } \dots N.$  face,

43.20 Trail bears  $N. W.$  and  $S. E.$

49.88 Deposited a marked stone 12 ins. in the ground,  
for  $\text{///6}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.  $\dots E.$  and  
 $\dots W.$  of corner 5 1-2 ft. d't., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $\dots E.$  pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\text{///6 S, on } \dots N.$  face,

## CHAINS. Subdivisions T. 28. N R. 19. E.

72.92 Trail bears N. W. and S. E.

79.84 The cor. to secs. 4, 5, 8 and 9

Surface gently rolling.

• Soil  $\frac{2}{3}$  rate.

Good grass.

Some brush.

Thence I run  $77.0^{\circ} 2' W$ .  
to the cor. of secs. 4 and 5.

To  $13^{\circ} 5' E$ .

Over gently rolling surface.

19.75 Trail bears  $77.80^{\circ} E$ . and  $28.0^{\circ} W$ .

20.00

Deposited a marked stone 12 ins. in the ground;  
for  $\frac{1}{6}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.  $N$ . and  
 $S$ . of corner 5 1-2 ft. d., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $N$ . pit drove a stake 2 ft. long, 2 ins. square;  
12 ins. in the ground, marked  $\frac{1}{6}$  S, on  $W$ . face,

Thence I run west on a  
random line through  
south  $\frac{1}{2}$  sec. 5.



CHAINS Subdivisions T. 28 N R. 19 E

Ta. 13° 5' E

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.80 Abstract N. and S. line 11 links north of 1/16 sec. cor. Then I run N. 89° 55' E. on a true line through south 1/2 sec. 5.

Ta. 13° 5' E

Over gently rolling surface.

15.80 Wash 7.5 lks. wide course, ~~etc.~~

19.95 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

39.90 Deposited a marked stone 12 ins. in the ground, for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/16 S, on N. face,

98

BOOK 577

CHAINS. Subdivisions T. 28 N R. 19 E.

4475 Road bears N. E. and S. W.

5985

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S, on N. face,

6025

Trail bears N. W. and S. E.

7980

E.  $\frac{1}{16}$  sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Dinner grass and brush

Thence I continue N. 10° 2'

N. bet. S. 4 and 5.

3970

Trail bears N. E. and S. W.

40.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{4}$  S, on W. face,

CHAINS. Subdivisions T. 28 N R. 19 E.

These I run first on a  
random line through  
middle sec. 5.

Pa.  $13^{\circ} 51' E$ .

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Inhibit N. and S. line

20 links north of  
 $\frac{1}{4}$  sec. cor. Then I run  
N.  $89^{\circ} 51' E$ . on a flat line  
through middle sec. 5

Pa.  $13^{\circ} 51' E$ .

Over gently rolling surface.

Trail bears N. E. and S. W.

Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. .... E. and  
... W. ... of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. .... pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{16}$  S.S. on ... N. ... face,

## CHAINS. Subdivisions T. 28 N R. 19 E.

- 29.20 Trail bears N. E. and S. W.
- 37.50 Wash. 7<sup>5</sup> lks. wide course, *SW.*
- 39.00 Wash. 7<sup>5</sup> lks. wide course, *SW. (same)*
- 40.00 Deposited a marked stone 12 ins. in the ground, for *1/4* Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked *1/4* S, on N. face.
- 60.00 Deposited a marked stone 12 ins. in the ground, for *1/6* Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.  
In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked *1/6* S, on N. face.
- 61.40 Wash. 7<sup>5</sup> lks. wide course, *SW. (same)*
- 75.80 *Proy* bears N. E. and SW.
- 80.00 The *1/4* SW. cor.
- Surface gently rolling.
- Soil 2<sup>nd</sup> rate.
- Dense grasswood brush

CHAINS. Subdivisions T. 28 N R. 19 E.

Thence I continue  $N. 0^{\circ} 2' W.$   
 lat. sec. 4 and 5.

43.00 Road bears  $N.E.$  and  $S.W.$

60.00 Set a sandstone  $18 \times 14 \times 11$  ins.,  $12$  ins.  
 in the ground, for  $1/16$  Sec. Cor., marked  $1/16$  on  $W.$   
 face, dug pits  $18 \times 18 \times 12$  ins.,  $N.$  and  $S.$  of stone  
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
 high, 3 1-2 ft. base, alongside,

Thence I run west on a random  
 line through north  $1/2$  sec.  
 5.

$Ta. 13^{\circ} 51' E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect  $N.$  and  $S.$  line  
 21 links north of  $1/16$   
 sec. cor. Thence I run  
 $N. 89^{\circ} 51' E.$  on a true line  
 through north  $1/2$  sec. 5  
 $Ta. 13^{\circ} E.$

## CHAINS Subdivisions T. 28 N R. 19 E.

Over gently rolling surface.

20.00

Set a sandstone <sup>14</sup>X <sup>12</sup>X <sup>10</sup> ins., <sup>9</sup> ins. in the ground, for <sup>1/6</sup> Sec. Cor., marked <sup>1/6</sup> on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

23.00

Trail bears N. E. and S. W.

40.00

Set a sandstone <sup>24</sup>X <sup>13</sup>X <sup>10</sup> ins., <sup>18</sup> ins. in the ground, for <sup>1/6</sup> Sec. Cor., marked <sup>1/6</sup> on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

59.11

Trail bears N. E. and S. W.

60.00

Set a sandstone <sup>12</sup>X <sup>10</sup>X <sup>4</sup> ins., <sup>8</sup> ins. in the ground, for <sup>1/6</sup> Sec. Cor., marked <sup>1/6</sup> on N. face, dug pits 18x18x12 ins. E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

76.00

Wash <sup>60</sup> lks. wide course, SW.

80.00

The <sup>1/6</sup> Sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Deer grasswood brush

---

CHAINS Subdivisions T. 28 N R. 19 E.

Thence I continued  $71.00 \pm 71$ .

bet. sec. 4 and 5.

65.80 Wash...75 lks. wide course, SW.

67.95 Trail bears N. E. and S. W.

79.70 Intersect 7th Standard north  
65 links east of 1/4 sec. cor.  
on the south boundary of  
sec. 32.

Set a sandstone  $22 \times 18 \times 8$  ins.  
16 ins. in the ground for  
closing cor. to sec. 4 and 5  
marked G.C. on south and 4  
notches on east: and 2 notches  
on west edges. dug pits  
 $18 \times 18 \times 12$  ins. S. E. and  
N. of stone  $5 \frac{1}{2}$  ft.  
dirt and raised  
a mound of  
earth 2 ft. high  $4 \frac{1}{2}$  ft.

CHAINS Subdivisions T. 28 N R. 19 E.

*fast alongside.*

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

Some brush.

---

*June 26<sup>th</sup> 1891*



CHAINS Subdivisions T. 28 N R. 19 E

From the  $\frac{1}{4}$  sec. cor. bet. srs.  
32 and 33, south of  $\frac{1}{4}$  sec. cor.  
I run east on a true line  
through south  $\frac{1}{2}$  sec. 33  
Ta.  $13^{\circ} 5' E$ .

Ascending.

12.30 Trail bears N. W. and S. E.

18.00 Wash.....20.....lks. wide course, NW.

20.00 Set a sandstone  $1.8 \times 1.6 \times 2\frac{1}{2}$  ins.,  $1.7$  ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{6}$  on N...  
face, dug pits  $18 \times 18 \times 12$  ins., E...and...W...of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

40.00 Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{6}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins. E...and  
W...of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $\frac{1}{6}$  S, on N...face,

Surface rolling.  
Soil 2nd rate.

Good grass.

CHAINS. Subdivisions T. 28 N R. 19 E.

East on a true line from 14  
 sec. cor. (bet. srs. 32 and 33)  
 through middle sec. 33.

Pa. 13° 05' E.

Ascending

18.30

Trail bears N. W. and S. E.

20.00

Deposited a marked stone 12 ins. in the ground,  
 for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and  
 W. of corner 5 1-2 ft. dist., and raised a mound of  
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,  
 12 ins. in the ground, marked 1/6 S, on N. face.

40.00

Set a sandstone 1/4 X 1/10 X 1/4 ins., 7 ins.  
 in the ground, for 1/4 Sec. Cor., marked 1/4 on N.  
 face, dug pits 18x18x12 ins., E. and W. of stone  
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
 high, 3 1-2 ft. base, alongside,

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

Near foot of bluffs.

CHAINS, Subdivisions T. 28 N R. 19 E

East on a true line through north

 $\frac{1}{2}$  sec. 33 from  $\frac{1}{16}$  sec. cor.Ta.  $13^{\circ} 5' E$ .

Ascending

20.00

Set a sandstone  $\frac{15}{16} \times \frac{14}{16} \times \frac{3}{16}$  ins.,  $\frac{10}{16}$  ins. in the ground, for  $\frac{11}{16}$  Sec. Cor., marked  $\frac{11}{16}$  on  $N$  face, dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

22.00

Wash  $80$  lks. wide course,  $74 \frac{1}{2}$ .

40.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{11}{16}$  Sec. Cor., dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $E$  pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{11}{16}$  S, on  $N$  face,

60.00

Set a sandstone  $\frac{28}{16} \times \frac{12}{16} \times \frac{3}{16}$  ins.,  $\frac{21}{16}$  ins. in the ground, for  $\frac{11}{16}$  Sec. Cor., marked  $\frac{11}{16}$  on  $N$  face, dug pits  $18 \times 18 \times 12$  ins.,  $E$  and  $W$  of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

80.00

Set a sandstone  $\frac{17}{16} \times \frac{13}{16} \times \frac{8}{16}$  ins.,  $\frac{11}{16}$  ins. in the ground, for  $\frac{11}{16}$  Sec. Cor., marked  $\frac{11}{16}$  on  $W$  face, and raised a mound of stone 1 1-2 ft. high 2 ft. base, alongside. Pits impracticable.

From which a cedar tree 15 ins in diam. bears  $87^{\circ} 46'$   $80$  lks dist.

CHAINS Subdivisions T. 28. N

R. 19. E.

marked 1/16 S. B. T.

No other trees within limits

Surface rolling

Soil 2nd rate

Good grass.

Some cedar trees.

Mountainous country east.

Thence I run  $77.0^{\circ}$  2' N.

Set. st. 33 and 34.

 $79.13^{\circ}$  05' E.

over rolling country.

20.00

Set a sandstone  $36 \times 24 \times 16$  ins.  $\frac{27}{27}$   
 ins. in the ground for Cor. to Secs. 27, 28, 33 and 34  
 marked with 1 notch on S. and 3 notches on  
 E. edges, and raised a mound of stone 1 1-2 ft. high, 2  
 ft. base, alongside. Pits impracticable.

Surface rolling

Soil 3rd rate

Some cedar trees

CHAINS Subdivisions T. 28 N R. 19 E.

Then I run west on a  
random line bet. sec. 28  
and 33.

To.  $13^{\circ} 5' E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect n. and s. line 10 links  
north of cor. to sec. 28, 29  
32 and 33 then I run  
N.  $89^{\circ} 56' E.$  on a true line  
bet. sec. 28 and 33.

To.  $13^{\circ} 5' E.$

Over gently rolling surface.

18.20 Wash.....lks. wide course, N.W.

20.00 Set a sandstone  $13 \times 10 \times 4$  ins.,  $8$  ins.  
in the ground, for  $1/16$  Sec. Cor., marked  $1/16$  on N...  
face, dug pits  $18 \times 18 \times 12$  ins., E... and W... of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

## CHAINS Subdivisions T. 28 N R. 19 E.

40.00 Set a sandstone <sup>12</sup>X <sup>10</sup>X <sup>5</sup>ins., <sup>8</sup>ins. in the ground, for <sup>14</sup>Sec. Cor., marked <sup>14</sup>on <sup>N.</sup> face, dug pits 18x18x12 ins., <sup>E.</sup> and <sup>W.</sup> of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

45.00 Trail bears *N. 80° E. and S. 80° W.*

60.00 Set a sandstone <sup>16</sup>X <sup>12</sup>X <sup>9</sup>ins., <sup>11</sup>ins. in the ground, for <sup>16</sup>Sec. Cor., marked <sup>16</sup>on <sup>N.</sup> face, dug pits 18x18x12 ins., <sup>E.</sup> and <sup>W.</sup> of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

80.00 *The cor. to svs. 27, 28, 33 and 34*

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

*Then I run  $N. 0^{\circ} 2' N. 145'$*

*svs. 27 and 28*

*$N. 13^{\circ} 5' E.$*

4.20 Trail bears N. W. and S. E.

8.40 Trail bears N. E. and S. W.

15.60 Trail bears N. E. and S. W.

## CHAINS Subdivisions T. 28 N. R. 19 E.

20.00

Deposited a marked stone 12 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins. N. and S. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked  $\frac{1}{16}$  S. on W. face,

Then I run west on a random line through south  $\frac{1}{2}$  sec. 28.

Pa.  $130^{\circ} 5' E$ .

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

79.88

Introduct  $\frac{1}{16}$  and a line 5 links north of  $\frac{1}{16}$  sec. cor. Then I run  $\frac{1}{16}$   $89^{\circ} 58' E$  on a true line through south  $\frac{1}{2}$  sec. 28

Pa.  $130^{\circ} 5' E$ .

Over gently rolling surface.

4.75

Wash  $\frac{1}{16}$  lks. wide course,  $\frac{1}{16}$ .

CHAINS Subdivisions T. 28 N R. 19 E.

1997

Set a sandstone <sup>30</sup>X <sup>8</sup>X <sup>5</sup>ins., <sup>22</sup>ins. in the ground, for <sup>116</sup>Sec. Cor., marked <sup>116</sup>on <sup>N.</sup> face, dug pits 18x18x12 ins., <sup>E.</sup> and <sup>W.</sup> of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

39.94

Set a sandstone <sup>24</sup>X <sup>16</sup>X <sup>4</sup>ins., <sup>18</sup>ins. in the ground, for <sup>116</sup>Sec. Cor., marked <sup>116</sup>on <sup>N.</sup> face, dug pits 18x18x12 ins., <sup>E.</sup> and <sup>W.</sup> of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

59.91

Deposited a marked stone 12 ins. in the ground, for <sup>116</sup>Sec. Cor., dug pits 18X18X12 ins., <sup>E.</sup> and <sup>W.</sup> of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In <sup>E.</sup> pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked <sup>116</sup>S, on <sup>N.</sup> face,

62.20

Trail bears N. W. and S. E.

79.88

5th <sup>116</sup> sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

There I continue N. 0° 2' N.  
bet. sec. 27 and 28.

34.50

Trail bears east and west.



## CHAINS Subdivisions T. 28 N R. 19 E

40.00

Set a sandstone 16 X 13 X 6 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked on face, dug pits 18x18x12 ins., and of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Then I run west on a random line through middle sec. 28.

Ta. 13° 5' E.

20:00

Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7996 Intercept N. and S line 13 links north of  $\frac{1}{4}$  sec. cor. Then I run N. 89° 54' E. on a true line through middle sec. 28.

Ta. 13° 5' E.

Over gently rolling surface.

1999 Set a sandstone 16 X 11 X 3 ins. in the ground, for  $\frac{1}{16}$  Sec. Cor., marked on face, dug pits 18x18x12 ins., and of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

## CHAINS. Subdivisions T. 28 N R. 19 E.

30.10

Trail bears *N.W. and S.E.*

3998

Set a sandstone  $16 \times 14 \times 3$  ins.,  $11$  ins. in the ground, for  $1/6$  Sec. Cor., marked  $1/6$  on *N.* face, dug pits  $18 \times 18 \times 12$  ins., *E.* and *W.* of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

5997

Set a sandstone  $16 \times 14 \times 3$  ins.,  $11$  ins. in the ground, for  $1/6$  Sec. Cor., marked  $1/6$  on *N.* face, dug pits  $18 \times 18 \times 12$  ins., *E.* and *W.* of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

79.96

Sub 1/4 Sec. Cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

---

Thence I continue  $N. 0^{\circ} 2' W.$  1/4

*Acres.* 27 and 28.

54.20

Trail bears  $N. 80^{\circ} W.$  and  $S. 80^{\circ} E.$ 

60.00

Set a sandstone  $16 \times 14 \times 3$  ins.,  $11$  ins. in the ground, for  $1/6$  Sec. Cor., marked  $1/6$  on *W.* face, dug pits  $18 \times 18 \times 12$  ins., *N.* and *S.* of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

## CHAINS Subdivisions T. 28 N. R. 19 E.

Thru S run west on a random  
line through north  $\frac{1}{2}$  sec. 28.  
Ta.  $13^{\circ} 5' E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7996 Intersect N. and S. line 8  
links north of  $\frac{1}{16}$  sec. cor.  
Thru S run N.  $89^{\circ} 57' E.$  on  
a true line through north  
 $\frac{1}{2}$  sec. 28.  
Ta.  $13^{\circ} 5' E.$

Over gently rolling surface.

.80 Trail bears N. W. and S. E.

999 Deposited a marked stone 12 ins. in the ground,  
for  $\frac{1}{16}$  Sec. Cor., dug pits 18X18X12 ins.  $E$  and  
 $W$  of corner 5 1-2 ft. dist., and raised a mound of  
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In  $E$  pit drove a stake 2 ft. long, 2 ins. square,  
12 ins. in the ground, marked  $S$ , on  $N$  face,

## CHAINS. Subdivisions T. 28 N R. 19 E.

39.98

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N... face,

59.97

Set a sandstone 22 X 14 X 8 ins. 16 ins. in the ground, for 116 Sec. Cor., marked 116 on N... face, and raised a mound of stone 1 1-2 ft. high 2 ft. base, alongside. Pits impracticable.

60.25

Trail bears N. W. and S. E.

79.96

The 116 sec. cor.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Good grass.

There I continue N. 0° 2' N.  
bet. sec. 27 and 28

60.15

Trail bears E. and N.

80.00

Set a sandstone 17 X 11 X 6 ins. 11 ins. in the ground for Cor. to Secs. 21, 22, 27 and 28 marked with 2... notches on S. and 3... notches on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

CHAINS. Subdivisions T. 28 N R. 19 E.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

Thence I run west on a  
random line bet. S.W.

21 and 28.

Pa. 13° 5' E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.04

Intersect N. and S. line. 12...lks north of Cor. to  
Secs. 20, 21, 28 and 29 Thence I run 77° 59' 55" E  
on a true line bet. Secs. 21.....and.....28.

Pa. 13° 5' E.

Over gently rolling surface.

6.50

Trail bears N, W. and S. E.

20.01

Set a sandstone 16 X 12 X 3 ins., 11 ins.  
in the ground, for 16 Sec. Cor., marked 116 on N...  
face, dug pits 18x18x12 ins., E...and...W...of stone  
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.  
high, 3 1-2 ft. base, alongside,

## CHAINS. Subdivisions T. 28 N R. 19 E.

4002

Set a sandstone 14 X 14 X 10 ins., 7 ins. in the ground, for 14 Sec. Cor., marked 14 on face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

6003

Deposited a marked stone 12 ins. in the ground, for 6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 6 S, on N. face,

8004 The cor. to sec. 21, 22, 27 and 28.

Surface gently rolling.

Soil 2<sup>nd</sup> rate.

Grass fair.

Some brush.

---

U. S. Surveyor-General's Office,

TUCSON, A. T.,

Feb. 6<sup>th</sup> 1882

The foregoing Field Notes of the Surveys of  
 Subdivisions of T<sup>h</sup>. 20. N.  
 R. 19. E. of the

Gila and Salt River Meridian  
 in Arizona executed by

John B. Smith

U. S. Deputy Surveyor, under his contract dated  
 November 1<sup>st</sup> 1878

having been critically examined, the necessary correc-  
 tions and explanations made, the said Field Notes and  
 the surveys they describe are hereby approved.

Royal Johnson

U. S. Surveyor-General  
 for the Territory of Arizona.