

"B" (R)
Subdivisions.

T. 29, N. R. 3, E.

Pope.

BOOK 587

No. 587

4-671

587

FIELD NOTES
GENERAL LAND OFFICE.

Township 29 N. R. 3E

6	5	4	90	3	63	2	1
			115	88	61		
7	8	112	9	86	10	11	12
			109	84			
18	17	107	16	81	15	14	13
			104	79			
19	20	101	21	77	22	23	24
			99	74			
30	29	97	28	71	27	26	25
			95	69			
31	32	92	33	66	34	35	36

61

BOOK 587

Subdivision T29 NR3E

Chs	E on a random line bet Secs 2 and 11
40.00	Get temp $\frac{1}{4}$ sec cor
80.30	Intersect N and S line 24 lks N of cor of secs 1, 2, 11 and 12. Thence I run N $89^{\circ}50'W$ on a line line bet Secs 2 and 11. over rolling land heavily timbered.
2.50	Dry ravine 20 lks wide and asend
12.50	Dry wash 30 lks wide 30ft deep course N
17.00	Dry ravine 30 lks wide 20ft deep course N $10^{\circ}E$
23.00	Dry wash 50 lks wide 30ft deep course N $\frac{1}{2}$
24.00	abrupt rocky descent

No. 587 BOOK 587 42.
Subdivision of T79 NR3 E

- @ks
29.50 Dry wash 30 lks wide 20
ft deep course N. W.
- 31.00 Ascend rapidly over ground
sloping N.
- 35.00 Top of ascent.
- 40.15 Set a limestone 24x18x12
ins 19 ins in the ground for $\frac{1}{4}$
sec cor marked $\frac{1}{4}$ on N face
from which
a pine tree 18 ins diam bears
S75°E 89 lks dist marked
 $\frac{1}{4}$ S. 11. B.T.
a pine tree 18 ins diam bears
N18°W 137 lks dist marked
 $\frac{1}{4}$ S. 2. B.T.
- 43.50 Begin descent over ground
sloping N.
- 45.50 Abrupt rocky descent to
- 46.50 Dry wash 50 lks wide
course N.

Subdivision of T29NR3E

Chs	
50.00	ascend rapidly over ground sloping N.
66.00	Dry wash 30 lks wide course N.
75.00	Top of rapid ascent -
78.00	Begin descent over ground sloping N.W.
80.30	The cor of Secs 2, 3, 10 and 11. Land level and rolling Soil loam and rocky 3rd and 4 th rate Tremper Pine, cedar and Piñon Heavily lumbered land 80.30 chs

N0°W on a random line bet Secs 2 and 3.

40.00 Set trap 1/4 Sec cor

80.10 Intersect N. bdy of Tpr.
18 lks W of cor of Secs

Subdivision of $\sqrt{29}$ NR 3 E

Cho

2, 3, 34 and 35.

Thence I run

S 0° 7' W on a true line
bet Secs 2 and 3.over rolling land heavily
timbered.

1.00

Begin descent over ground
sloping S.

10.00

leave heavy timber bears
E and W. into level land

28.00

Begin ascent and enter
heavy timber

33.00

Top of ascent bears E and
W.

37.20

Wagon road from Rain
Tank to Flag Staff,
bears E and W.

40.10

Limestone 18x8x4 ins 15 ins
in the ground for $\frac{1}{4}$. See cor
marked $\frac{1}{4}$ on W face

Rebdivision of T29NR38

Chs

from which

a pine tree 16 ins diam bears
 N72°15'E 153 lks dist marked
 14.5.2. 13.T.

a pine tree 36 ins diam bears
 N42°30'W 82 lks dist marked
 14.5.3. 13.T.

68.50 Dry wash 50 lks wide
 course N.E. and ascend

72.00 Top of steep ascent.

80.10 The cor of sees 2, 3, 10
 and 11.

Land level and rolling
 Soil loam and rocky
 2nd and 4th rate.

Timber Pine cedar and
 Piñon-

Heavily lumbered land

62.10 Chs

November 11-1900

Subdivision of T29 NR 34

- chs
 November 12 at 7h 50m ^{a.m.} l.m.t.
 I set off $17^{\circ}38'$ decl and
 $54^{\circ}11'$ co lat and determine
 a true meridian with the
 Solar at the Standard
 cor of Secs 33 and 34 ^{on 3rd day of Nov.}
 Thence I run
 $N 0^{\circ}2' W$ bet Secs 33 and
 34 over rolling land
 heavily timbered.
- 2.00 Top of gradual ascent and
 descend gradually.
- 9.00 Dry wash 100 lks wide
 course S.W. and ascend
- 16.00 Top of ascent. and
 descend gradually.
- 24.00 Foot of descent. enter
 dry wash 100 lks wide
 course S.W.
- 28.00 Ascend gradually

Subdivision of T29N R3E

- Chs
 40.00 over ground sloping S.W.
 Set a limestone 16 x 14 x 3 ins
 12 ins in the ground for $\frac{1}{4}$
 See cor marked $\frac{1}{4}$ on W face
 from which
 a cedar tree 10 ins diam bears
 N 21° 40' E 75 lks dist marked
 $\frac{1}{4}$ S. 34. B.T.
 a cedar tree 12 ins diam bears.
 S 82° 30' W 31 lks dist marked
 $\frac{1}{4}$ S. 33. B.T.
- 59.00 Top of gradual ascent
 thence over level land
 bears N. E. and S. W.
- 65.00 Begin gentle ascent,
- 80.00 Set a limestone 20 x 19 x 3
 ins 15 ins in the ground for cor
 of sees 27, 28, 33 and 34
 marked with 1 notch on S
 and 3 notches on E edges.

Subdivision of T29N.R.3E

cks

from which

a cedar tree 8 ins diam bears

N 69°30' E 66 lks dist marked

T, 29, N, R, 3, E, S, 27, B, T.

a cedar tree 7 ins diam bears

S 18°45' E 141 lks dist marked

T, 29, N, R, 3, E, S, 34, B, T.

a cedar tree 6 ins diam bears

S 30°30' W 284 lks dist marked

T, 29, N, R, 3, E, S, 33, B, T.

a pinon tree 10 ins diam bears

N 20°30' W 46 lks dist marked

T, 29, N, R, 3, E, S, 28, B, T.

Land level and rolling

Soil loam and rocky

2nd and 4th rate.

Timber Pinon and cedar-

Heavily Timbered land -

80.00 cks

Subdivision of T. 29. N. R. 3. E

- Chs E on a random line
bet Secs 27 and 34
- 40.00 Set temp 1/4 Sec cor.
- 80.32 Intersect N and S line 6
lks N of cor of Secs N. 27
34 and 35.
Thence S run.
N $89^{\circ}57' W$. on a true line
bet Secs 27 and 34.
over rolling land heavily
timbered.
- 6.00 Leave heavily timbered land
and enter dense undergrowth
with scattering dead and
down timber
- 9.50 Begin descent toward
- 20.00 Dry wash 150 lks wide
course. S.
- 21.50 Begin ascent.
- 24.00 Leave dead and down

Subdivision of T29R3E

- Obs Timber with underbrush
and under dense pine
and cedar.
- 40.16 Set a limestone $15 \times 6 \times 8$ ins 10
ins in the ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ on the N. face
from which
a cedar tree 20 ins diam bears
N 65° W 53 lks dist marked
 $\frac{1}{4}$. S. 27. B.T.
- a cedar ^{tree} 30 ins diam bears
S 4° W 9 lks dist marked
 $\frac{1}{4}$. S. 34. B.T.
- 41.00 ascend gradually, over
ground sloping S. W.
- 80.32 The cor of Secs 27. 28. 33
and 34.
Land level and rolling
Soil loam and rocky
2nd and 4th rate.

Subdivision of T29N R9E

Chs Timber Pine and cedar -
 dense undergrowth and
 heavily timbered land
 80.32 Chs

N 0° 2' W bet Secs 27 and
 28. over rolling land
 heavily timbered -

6.00 Top of gradual ascent
 bears N. E. & S. W.

9.65 Begin abrupt rocky
 descent bears E and W

12.25 Foot of rocky descent
 Dry wash 70 lbs wide
 course. W.

13.10 ascend over rocky
 side of wash 60 of high

15.50 Top of rocky ascent
 bears E and W thence
 over level ground

Subdivision of T29 R3 E 72

20.30	Begin rapid descent
26.00	Dry wash 30 lks wide course W
27.50	Dry wash 120 lks wide Course S. W.
29.50	Ascend rapidly.
31.00	Top of rapid ascent and Ascend gradually.
40.00	Set a limestone 20x6x6 ins 14 ins in the ground for 1/4 sec cor marked 1/4 on W face from which a cedar ^{tree} 14 ins diam bears S 85° 30' E 16 lks dist marked 1/4 S. 27. B.T. a cedar tree 12 ins diam bears S 56° 30' W 50 lks dist marked 1/4 S. 28. B.T.
41.00	Ascend rapidly
45.00	Pass rapid ascent and

73 **BOOK 587**
Subdivision of T 29 N R 3 E

Chs

ascend gully.

66.00 Begin gully descent -

79.00 Dry wash 100 lks wide
5 ft deep course N W.

80.00 Set a limestone 16x12x6 ins
10 ins in the ground for cor
of Secs 21, 22, 27 and 28.

marked with 3 notches on E
and 2 on S edges from which
a pinon tree 4 ins diam bears
N 77° 30' E 68 lks dist marked
T. 29. N. R. 3. E. S. 22. B.T.

a cedar tree 10 ins diam bears
S 56° 40' E 46 lks dist marked
T. 29. N. R. 3. E. S. 27. B.T.

a pine tree 18 ins diam bears
S 36° W 127 lks dist marked
T. 29. N. R. 3. E. S. 28. B.T.

a pine tree 14 ins diam bears
N 53° 10' W 104 lks dist marked

BOOK 587
Subdivision of T. 29 N. R. 3 E. S. 21. B. T. 74

Chs

T. 29 N. R. 3 E. S. 21. B. T.

Land rolling and level.

Soil loam and rocky 2nd
and 4th rate.

Heavily timbered land

80.00 chs -

November 12-1900.

November 13 at 7h 55^m ^{a.m.} _{n.m.}

I set off $17^{\circ}54'$ decl and $54^{\circ}09'$

co lat on the vertical circle
and determine a true

meridian with the Polar

at the cor of Secs 21. 22. 27.

and 28.

Thence I run.

S $89^{\circ}57'E$ on a random line

bet Secs 22 and 27

40.00 Set bump $\frac{1}{4}$ Sec cor.

80.45 Intersect N and S line

Subdivision of T₂₉R₃E.

Chs

4 lks S of cor of secs

22, 23, 26 and 27.

Thence I run

N 89° 59' W on a true line

bet secs 22 and 27.

over rolling land heavily

timbered.

1.00

Begin rapid descent

2.50

Dry wash 50 lks wide

course S.

3.00

Begin ascent

30.00

Top of ascent and descend
gently.

37.00

Dry wash 60 lks wide

course S. W.

40.22 1/2

Get a limestone 18 x 14 x 4 ins
12 ins in the ground for 1/4 seccor marked 1/4 on N. face
from which

a pinon tree 8 ins diam bears

Subdivision of T29N R3 E76

Chs	N 49° 30' W 46 lks dist marked 1/4 S. 22. B.T. a piñon tree 8 ins diam bears S 86° 30' W 60 lks dist marked 1/4 S. 27. B.T.
48.00	Dry wash 25 lks wide course S.W. and ascend gradually -
57.00	Top of gradual ascent and descend. bears N E and S W
63.00	Dry wash 50 lks wide course S.W.
70.00	Top of gradual ascent and descend bears N.E. and S.W.
80.45	the cor of Secs 21, 22, 27 and 28 Land level and rolling Soil loam 2nd and 4th rate Timber Pine Cedar and Piñon. Heavily timbered land

80.45 Chs

Subdivision of T29NR32

- | | |
|-------|--|
| Pho | No. 2' W. bet Secs 21
and 27.
over rolling land
heavily timbered. |
| 7.00 | Top of ascent and descend
gradually. |
| 21.75 | Dry wash 50 lks wide
course W. |
| 27.25 | Ascend rapidly over
ground sloping S. W. |
| 28.00 | Top of ascent and descend
bears N. E. and S. W. |
| 34.75 | Dry wash 30 lks wide,
course S. W. |
| 40.00 | Set a limestone 20x16x3 ins
14 ins in the ground for 1/4 sec
cor marked 1/4 on W face
from which
a pine tree 24 ins diam bears
S 65° E 62 lks dist marked |

Subdivision of T99 NR 3 E 7 S

Obs

1/4 S. 22. B.T.

a pine tree 20 ins diam bears
S 82° 30' W 282 lks dist marked

1/4 S. 21. B.T.

44.70 Dry wash 40 lks wide course W.

49.00 Dry wash 50 lks wide course S.W.

49.50 Ascend over ground sloping
S.W.57.00 Begin descent overground
sloping W.69.70 Dry ravine 50 lks wide course
S.W.75.40 Top of ascent and descent
gradually -80.00 Set a limestone 24 x 14 x 6 ins 15
ins in the ground for cor of sec
15.16. 21 and 22. marked
with 3 notches on S and E edges
from which -
a pine tree 9 ins diam bears

Subdivision of T. 29, N. R. 3, E.

Chs

N 25° E 82 lks dist marked

T. 29, N. R. 3, E. S. 15, B. T.

a pine tree 9 ins diam bears

S 52° 30' E 105 lks dist marked

T. 29, N. R. 3, E. S. 29, B. T.

a pine tree 9 ins diam bears

S 66° 30' W 161 lks dist marked

T. 29, N. R. 3, E. S. 21, B. T.

a pine tree 24 ins diam bears

N 39° 10' W 182 lks dist marked

T. 29, N. R. 3, E. S. 16, B. T.

Land level and rolling

Soil loam and rocky. 2nd
4th rati.Timber Pine cedar and
Pine.

Heavily timbered land 8000 Chs.

S 89° 59' E on a random

line bet Secs 15 and 22

RECORD BOOK 587 80
Quebec Division T29 NR3E

Obs

- 40.00 Set trap 1/4 sec cor
- 80.00 The cor of Secs 14, 15, 22 and 23
Thence N 89° 59' W on a true
line bet Secs 15 and 22 -
over rolling broken land
heavily timbered.
- 4.00 Begin descent.
- 28.00 Dry wash 50 lbs with corals
S. W. and ascend
- 31.00 Begin gradual descent
- 40.005 - Get a limestone 28 x 12 x 10 ins
in stone mound 12 ins high 2 ft
base for 1/4 sec cor mound
1/4 on N face from which
a pine tree 10 ins diam bears
N 58° 30' E 31 lbs dit marked
1/4 S. 15. B. T.
- a pine tree 15 ins diam bears
S 44° 30' E 18 lbs dit marked
1/4 S. 22. B. T.

Chs

7600 Dry wash 50 lks wide
Course S. W.

80.01 The cor of Secs 15, 16, 21 and
22.

Land rolling and broken
oil beam and rocky 2nd
4th rate.

Timber Pine cedar and Piñon
Heavily timbered land 80.01 Chs

N 0° 2' W bet Secs 15 and 16
over rolling land heavily
timbered.

15.00 Top of ascent and descent
bears N. E. and S. W.

19.50 Dry wash 50 lks wide course
S. W.

20.00 ascend rapidly over rocky
ground sloping S. E.

25.00 Top of rapid ascent and

Chs

ascend gently -

40.00 Set a limestone 20x12x4 ins
14 ins in the ground for 1/4 sec
cor marked 1/4 on W face
from which

a pine tree 9 ins diam bears

S54°E 106 lks dist marked
1/4. S. 15. B. T.

a pine tree 18 ins diam bears

S11°W 218 lks dist marked
1/4. S. 16. B. T.

47.00 Dry wash 50 lks wide
course S.W. and ascend over
ground sloping S. W.

80.00 Set a limestone 24x12x3 ins
16 ins in the ground for cor of sees
9. 10. 15. and 16. marked with
4 notches on S and 3 notches on E
edges from which

a pine tree 6 ins diam bears

Chs

N 34° 30' E 27 lks dist marked
T.29. N.R.3.E. S.10. B.T.

a cedar tree 12 ins diam bears
S 76° E 5 lks dist marked
T.29. N.R.3.E. S.15. B.T.

a piwon tree 9 ins diam bears
S 50° W 57 lks dist marked
T.29. N.R.3.E. S.16. B.T.

a piwon tree 6 ins diam bears
N 15° W 57 lks dist marked
T.29. N.R.3.E. S.9. B.T.

Land level and rolling
Soil loam and rocky
2nd and 4th rats.

Timber Pine, cedar
and Piwon.

Heavily timbered land

80.00 chs.

Norman 13 1900

Obs

November 14 at 7 h 50 m ^{am} local time.
I set off $18^{\circ} 13'$ decl and
 $54^{\circ} 07'$ co. lat. with the vertical
circle and determine a true
meridian with the solar at
the cor of sees 9, 10, 15 and 16
Thence I run
S $89^{\circ} 59' E$ on a random line
bet sees 10 and 15

40.00

Set temp 1/4 Sec cor.

79.92

Intersect N and S line 22
lks N of cor of sees 10, 11
14 and 15.

Thence I run

N $89^{\circ} 50' W$ on a true line
bet sees 10 and 15.

Descending over rolling
ground heavily timbered.

6.00

Begin rapid rocky descent

8.00

Dry wash 50 lks wide

Subdivision of T29NR3E

Obs	Course, S.
9.00	Begin ascent
16.00	South base of round knoll 60ft high
39.96	Set a limestone 18x14x6 ins 10 ins in the ground for 1/4 sec cor marked 1/4 on N face from which a cedar tree 10 ins diam bears N 22° 30' E 24 lks dist marked 1/4 S. 10. B.T. a piwon tree 10 ins diam bears S 44° E 21 lks dist marked 1/4 S. 15. B.T.
57.50	Dry wash 100 lks wide 10 ft deep course S.W
59.00	Ascent gradually.
65.00	Top of ascent and descend
70.00	Dry wash 50 lks wide Course S.

79.92 The cor of Secs 9, 10, 15
and 16.

Land level and rolling
without any rocks.

2nd and 4th rate. ...

Timber Pine cedar and
Pine

Heavily timbered land

79.92 chs

N 0° 2' W bet Secs
9 and 10.

Over rolling land heavily
timbered -

30.50 Dry wash 100 lks wide
10 ft deep course S 60° W

31.50 Begin ascent

35.50 Top of ascent and
ascend gradually -

40.00 Set a line to 22 x 4 x 3 ins

Chs

16 ins in the ground for 74
See cor marked 14 on W
face from which.

a cedar tree 12 ins diam bears
N 32° E 31 lks dist marked
1/4 S. 10. B.T.

a pine tree 6 ins diam bears
S 33° W 43 lks dist marked
1/4 S. 9. B.T.

59.00 Top of rapid ascent and
ascend gradually.

64.00 Dry wash 100 lks wide
course S 60° W.

80.00 Set a limestone 18 x 14 x 6 ins
12 ins in the ground for cor
of sees 3, 4, 9 and 10, marked
with 5 grooves on S and 3 grooves
on E edges from which
a cedar tree 20 ins diam bears
N 62° 30' E 9 lks dist marked

Subdivision of T29N.R3E.S8

Chs

T29N.R3E.S3.B.T.

a pine tree 12 ins diam bears

S66°30'E 124 lks dist marked

T29N.R3E.S10.B.T.

a pine tree 10 ins diam bears

S85°30'W 36 lks dist marked

T29N.R3E.S9.B.T.

a pine tree 74 ins diam bears

N9°45'W 93 lks dist marked

T29N.R3E.S4.B.T.

Land rolling and level

Soil loam and rocky

2nd and 4th salt

Timber Pine cedar and

Pinon

Heavily timbered land

80.00 chs

S89°50'E on a random

line bet Rees 3 and 10

89 Subdivision 749 NR 38
BOOK 587

Obs

- 40.00 Set temp $\frac{1}{4}$ sec cor.
- 79.61 Intersect N and S line 5 lks
N of cor of Secs 2, 3, 10 and
11.
Thence I run
N $89^{\circ}48'$ W on a true line
bet Secs 3 and 10.
over rolling land heavily
timbered.
- 2.50 Begin ascent
- 7.50 Top of ascent bears N and S.
- 9.00 Descend rapidly over rocky
ground sloping N
- 14.00 Dry wash 50 lks wide
course N W.
- 39.80 $\frac{1}{2}$ Set a limestone 16 x 14 x 8 ins
12 ins in the ground for $\frac{1}{4}$ sec
cor marked $\frac{1}{4}$ on N face
from which
a pine tree 18 ins diam bears.

cho

N18°E 46 lks dist marked

1/4 S. 3. B.T.

a pine tree 30 ins diam bears

S 57°30'W 24 lks dist marked

1/4 S. 10. B.T.

79.61

The cor of sees 3, 4, 9 and 10.

Fund rolling and level

Soil loam and rocky 2nd
and 4th rats.Timber Pine cedar and
Pinon.

Heavily timbered land

79.61 cho -

N0°2'W on a random
line bet sees 3 and 4.

40.00

Set stump 1/4 see cor.

79.70

Intersect N bay of the
4 lks W of cor of sees
3, 4, 33 and 34.

- Chs
 Thence I run.
 S on a true line bet
 Secs 3 and 4.
 over rolling ground
 heavily timbered
- 4.00 Top of ascent bears E and
 W. Thence over rolling
 ground
- 29.80 Wagon road from Rain
 Tank to Flagstaff-
- 39.70 Set a limestone 18x10x3 ins
 12 ins in the ground for $\frac{1}{4}$ sec
 cor marked $\frac{1}{4}$ on W face
 from which
 a pine tree 12 ins diam bears
 N 63° 20' E 12 lks dist marked
 $\frac{1}{4}$. S. 3. B.T.
 a pine tree 30 ins diam bears
 N 36° 10' W 60 lks dist marked
 $\frac{1}{4}$. S. 4. B.T.

Chs

44.00 Dry wash 20 lks wide
course N. E.

79.70 The cor of Secs 3, 4, 9 and 10
Sand rolling, and level
Soil loam and rocky 2nd
and 4th rate.

Timber Pine.

Heavily timbered land 79.70
~~wooden 14.1900~~

November 15. at 8 h - ^{a.m.} m. A.

I set off 18° 2' decl and
54° 11' co. lat. and determine

a true meridian with the

Solar at the Standard
cor of Secs 32 and 33. ^{on S. Body of}

Thence I run

N 0° 3' W bet Secs
32 and 33.

over level land heavily
timbered

93

Subdivision T299 R3 E

BOOK 587

Chs

- 6.00 Top of ascent. bears E & W
Thence over level land
- 13.00 leave timber bears E & W
- 34.00 enter timber bears E and W.
- 40.00 Set a sandstone 18x14x6 ins
12 ins in the ground for $\frac{1}{4}$
Sec cor marked $\frac{1}{4}$ on W
face from which.
a cedar 12 ins diam bears
N77°30'E 113 lks dist marked
 $\frac{1}{4}$ S. 33. B.T.
- a pumou 12 ins diam bears
S72°30'W 31 lks dist marked
 $\frac{1}{4}$ S. 32. B.T.
- 47.00 leave heavy timber
bears E and W - and
enter ^{dense} undergrowth -
- 77.00 Leave dense undergrowth
and enter heavy timber
- 80.00 Set a limestone 15x12x4

chs

ins 10 ins in the ground
for cor of Secs 28. 29. 32
and 33 marked with
1 groove on S and 4 grooves
on E edges. from which
a pinon ^{tree} 10 ins diam bears
N 16° 30' E 35 lks dist marked
T. 29. N. R. 3. E. S. 28. B. T.

a pinon tree 10 ins diam bears
S 71° E 61 lks dist marked
T. 29. N. R. 3. E. S. 33. B. T.

a cedar tree 20 ins diam bears
S 45° W 3 lks dist marked
T. 29. N. R. 3. E. S. 32. B. T.

a pinon tree 6 ins diam
bears N 26° W 7 lks dist marked
T. 29. N. R. 3. E. S. 29. B. T.

Level land rolling
Soil sand 1st rate
Timber Pinon and

Chs

Cedar

Heavily timbered land

and dense undergrowth 59.00 chs.

to on a random line
 bet Dees 28 and 33.

40.00 Set temp 1/4 Sec cor

80.02 Intersect N and S line
 4 lks N of cor of Dees 27
 28.33 and 34.

Thence S run

N 89° 58' W on a true line
 bet Dees 28 and 33.

over rolling land heavily
 timbered

27.00 Dry wash 70 lks wide
 course S W.

34.00 Summit of ridge bears
 N.E. and S W.

Chs

40.01

Set a limestone 18x15x4
 ins 12 ins in the ground.
 for $\frac{1}{4}$ Sec cor marked $\frac{1}{4}$
 on the N face from which
 a cedar tree 15 ins diam bears
 N7°30E 17 lks dist marked
 $\frac{1}{4}$ S. 28. B.T.
 a pinon tree 10 ins diam bears
 South 7 lks dist marked
 $\frac{1}{4}$ S. 33. B.T.

53.00

Leave timber bears N & S -

70.00

enter heavy timber bears N $\frac{1}{2}$ & S.

80.02

The cor of Secs 28. 29. 32.
 and 33.

Land rolling and level
 Soil loan and rocks
 2nd and 4th rate.

Timber pinon and cedar
 Heavily timbered land

63.02 chs.

- Obs N 0° 3' W bet Secs 28
and 29.
over rolling land
heavily timbered
- 7.98 Blazed pinon pine tree on line
- 10.00 ascend gradually over
land sloping S.
- 40.00 Set a limestone 20 x 10 x 4 ins
14 ins in the ground for 1/4 sec
Cor marked 1/4 on W face
from which
a pinon tree 12 ins diam bears
S 86° 45' E 55 lks dist marked
1/4 S. 28. B.T.
- a pinon tree 10 ins diam bears
N 71° 30' W 17 lks dist marked
1/4 S. 29. B.T.
- 42.25 Blazed pinon tree 10 ins diam
- 73.00 Top of gradual ascent
and descend gently

Subdivision T29N R3E S8

Ohio

80.00

Set a limestone 14x12x10 ins
10 ins in the ground for cor
of Secs 20, 21, 28 and 29,
marked with 2 grooves on
S. and 4 grooves on E. edges,
from which,

a pine tree 10 ins diam bears
N 46° 10' E 24 lks dist marked
T. 29, N. R. 3, E. S. 21, B. T.

a pine tree 20 ins diam bears
S 84° 35' E 34 lks dist marked
T. 29, N. R. 3, E. S. 28, B. T.

a pine tree 14 ins diam bears
S 19° 10' W 23 lks dist marked
T. 29, N. R. 3, E. S. 29, B. T.

a pine tree 10 ins diam bears
N 24° 30' W 49 lks dist marked
T. 29, N. R. 3, E. S. 20, B. T.

Land rolling and level
Soil loam and rocky

99 Subdivision T 29 N R 3 E

Chs

2nd and 4th rats.Timber pine cedar and
Piñon.

Heavily timbered land

80.00 Chs.

S 89° 58' E on a random
line bet Secs 21 and 28

40.00 Out temp 1/4 sec cor.

79.75 Intersect N and S line 29
Eks N of cor of Secs 21, 22
27, and 28.

Thence S run

N 89° 50' W on a true line
bet Secs 21 and 28,over rolling land heavily
timbered.

7.50 Begin descent toward

4.50 Dry wash 50 Eks wide
course N.W.

Subdivision

BOOK 587

T 29 N R 3 E 100

Chs 11.00	Top of ascent and descend over rolling ground.
39.87 1/4	Set a limestone 18x12x7 ins 12 ins in the ground for 1/4 sec cut marked 1/4 on N face from which a pine tree 10 ins in diam bears N 20° 30' E 8 lks dist marked 1/4. S. 21. B.T. a pine tree 18 ins diam bears S 43° W 68 lks dist marked 1/4. S. 28. B.T.
48.00	Dry wash 10 lks wide course .S. and ascend
52.00	Top of ridge bears N.W. and S.E. and descend
55.00	Dry wash 50 lks wide course S.W.
62.00	Begin descent
66.00	Descend rapidly to

101 Subdivision T₁₉N R₃E.

Chs

- 68.60 Dry wash 70 lks wide course
S.
- 69.50 ascend rapidly.
- 79.00 Top of ascent bears N. and S.
- 79.75 The cor of runs 20, 21, 28 and
29.
- Land level and rolling
Soil loam and rocky 2nd
and 4th rate.
- Timber Pine cedar and
Piñon.
- Heavily timbered land

79.75 Chs.

November 15 1900.

November 16 at 7^{am} 56 m. S. m. t.
I set off 18° 41' decl and 54° 01'
co. lat. with the vertical circle
and determine a true meridian
with the solar at the cor

Subdivision T29N28E 102

Obs

of Secs 20, 21, 28 and 29.

Thence S. am.

No° 7' W bet Secs 20 and
21,over rolling land heavily
timbered.

1.00 Begin gradual ascent.

16.40 a wagon trail bears N. W. and
S. E.

40.00 Set a limestone 26 x 12 x 3
ins 15 ins in the ground for
1/4 sec cor marked 1/4 on W
face from which
a pivot tree 10 ins diam bears
S 45° 30' E 60 lks dist marked
1/4 S. 21 B.T.

a pivot tree 8 ins diam bears
S 30° W 13 lks dist marked
1/4 S. 20 B.T.

48.00 Begin descent toward

Cho

- 52.50 Dry wash and ascended along
dry bed
- 63.00 leave dry bed of wash thence
over rolling ground
- 80.00 Set a limestone 24x10x6 ins
14 ins in the ground for cor of
Secs 16, 17, 20 and 21 marked
with 3 grooves on the S and
4 grooves on E edges. from which
a cedar tree 24 ins diam bears
N50°30' E 50 lks dist marked
T, 29, N, R, 3, E, S, 16, B, T.
- a pinon tree 12 ins diam bears
S 40°15' E 75 lks dist marked
T, 29, N, R, 3, E, S, 21, B, T.
- a pinon tree 6 ins diam bears
S 59°30' W 9 lks dist marked
T, 29, N, R, 3, E, S, 20, B, T.
- a cedar tree 10 ins diam bears
N 52°30' W 69 lks dist marked

Subdivision T. 29. N. R. 3. E.

BOOK 587

104

Obs

T. 29. N. R. 3. E. S. 17. 13. T.

Land level and rolling.

Soil Loam and rocks

and and 4th salt.

Timber Pine cedar and
Pine.

Heavily lumbered land.

80.00 cks

S 89° 50' E on a random line
bet Dees 16 & 21.

40.00 Set temp 1/4 Sec cor.

79.84 Intersect Rand I line 22 lks

S of cor of Dees 15. 16. 21 and
22.

Thence I run.

N 89° 59' W on a true line
bet Dees 16 and 21.

over rolling land heavily
lumbered

Subdivision T99N R3E

Obs

- 4.00 Top of ascent and descend
over ground sloping S.W.
- 13.00 Descend rapidly toward
- 15.50 Dry wash 25 lks wide course
S, and ascend
- 21.00 Top of ridge course N. and S -
- 26.00 Dry wash 50 lks wide course
S. and ascend.
- 34.00 Top of ascent bears N and S
and descend.
- 39.92 Set a limestone 20 x 12 x 6 ins 12
ins in the ground for 1/4 sec cor
marked 14 on N face from
which
a pine tree 12 ins diam bears
S31°W 34 lks dist marked
1/4. S. 21. B. T.
a pine tree 12 ins diam bears
N50°30'W 23 lks dist marked
1/4. S. 16. B. T.

Subdivision T99NR 3E 106

40.50	Dry wash 50 lks wide Course S.
41.00	Begin ascent
44.00	Top of ascent bears N and S -
51.50	Dry wash 40 lks wide Course S.
52.00	begin ascent
66.00	Top of ascent and descend bears N and S.
69.00	Dry wash 40 lks wide course S. E.
70.00	Begin gentle ascent.
75.00	Top of gentle ascent and descend.
79.84	The cor of Secs 16, 17, 20 and 21. Land level and rolling Soil loam and rocky 2 nd and 4 th rate - Timber Pine, cedar and Pineau

Chs

Heavily timbered land

79.84 chs

N 0° 3' W Mt Secs 16 and 17.
over rolling land heavily
timbered. also dense
undergrowth -

- 1.00 Top of ascent and descent
3.00 head of dry wash course W
13.50 Begin rapid descent to
16.50 Dry wash 60 lbs wide
course S. W.
17.50 Begin ascent gently
22.00 Top of gentle ascent thence
over level land.
30.00 gentle ascent
40.00 Set a limestone 18x16x3 ins
12 ins in the ground for 1/4
see cor marked 1/4 on
W face. from which

Subdivision T29 NR 3 E 108

BOOK 587

- Obs
- a piou tree 8 ins diam bears
S 65° E 40 lks dist marked
1/4. S. 16. B.T.
- a piou tree 8 ins diam bears
N 82° W 19 lks dist marked
1/4. S. 17. B.T.
- 40.70 Blazed Piou tree 6 ins diam
- 63.00 Top of gentle ascent and
begin gentle descent-
- 73.00 Dry wash 50 lks wide
course S 20° W.
- 80.00 Set a limestone 20x10x4 ins
14 ins in the ground for cor
of sees 8. 9. 16 and 17.
Marked with 4 notches on
S and E edges from which
a pine tree 15 ins diam bears
N 56° E 222 lks dist marked
T. 29. N. R. 3. E. S. 9. B. T.
a pine tree 30 ins diam bears

Obs

S 26° E 48 lks dist marked

T29, N. R. 3, E. S. 16, B. T.

a pine tree 24 ins diam bears

S 52° 40' W 221 lks dist marked

T29, N. R. 3, E. S. 17, B. T.

a pine tree 24 ins diam bears

N 67° 30' W 196 lks dist marked

T29, N. R. 3, E. S. 8, B. T.

Land level and rolling

Soil loam and wetter 2nd and
4th rate.Timber Pine, cedar and
Pine.dense undergrowth and
heavily timbered land 80.00 chs.
November 16, 1906November 26 at 8 h 0 m ^{a.m.} set
I set off 2053' decl and
54° 07' co lat and determine
a true meridian with the

Subdivision T79. NR. 3. E 110

- The Solar at the cor of Secs
 8, 9, 16 and 17.
 and run
 S $89^{\circ}59'$ E on a random
 line bet Secs 9 and 16
 40.00 Set temp $\frac{1}{4}$ Sec cor.
 79.80 Intersect N and S line
 16 lks N of cor of Secs 9, 10
 15 and 16.
 Thence I run
 N $89^{\circ}52'$ W on a true line
 bet Secs 9 and 16.
 Over rolling land heavily
 timbered.
 16.00 Dry wash 50 lks wide course
 S.W.
 24.50 Limestone ridge 40 high
 bears N. and S. and
 descend rapidly over
 stony ground.

111 Subdivision T 29 N R 3 E

Obs

- 34.00 Dry wash 100 lks wide
course S.
- 36.50 ascend rapidly over
rocky ground
- 39.00 Top of ascent.
- 39.90 Set a limestone 14 x 12 x 10 ins
10 ins in the ground for $\frac{1}{4}$
See cor marked $\frac{1}{4}$ on N
face from which
a pine tree 14 ins diam bears
N $43^{\circ}30'$ E 85 lks dist marked
 $\frac{1}{4}$. S. 9. B. T.
a pine tree 24 ins diam bears
S $76^{\circ}30'$ E 42 lks dist marked
 $\frac{1}{4}$. S. 16. B. T.
- 42.00 Dry wash 40 lks wide
course S 30° W.
- 44.00 Begin gentle ascent.
- 46.00 Top of gentle ascent and
descend across ground.

Subdivision T29 NR3 E 112

chs
 sloping S. W.
 74.00 Descend rapidly over
 rocky ground.
 79.80 The cor of Secs 8, 9, 16, and
 17.
 Land level and rolling
 Soil loam and rocky 2nd and
 4th rate -
 Timber Pine, cedar and
 Pinon. with dense undergrowth
 of oak.
 Dense undergrowth and
 heavily timbered land
 79.80 @ chs.

No 3' W bet Secs 8 and 9
 over rolling land
 heavily timbered
 and dense undergrowth

1.00 Dry wash 60 ft wide

Chs

- course S 20° E -
- 2.00 ascend gently.
- 10.00 Top of gentle ascent and descend gradually.
- 40.00 Set a limestone 18x14x3 ins 12 ins in the ground for 1/4 sec cor marked 1/4 on W face from which.
- a pionon tree 5 ins diam bears S 59° 30' E 90 lks dist marked 1/4. S. 9. B.T.
- a cedar tree 9 ins diam bears S 64° W 19 lks dist - marked 1/4. S. 8. B.T.
- 50.00 Begin gradual ascent.
- 54.50 Dry wash 50 lks wide course S 35° W.
- 55.00 Begin gentle ascent.
- 59.00 Top of gentle ascent
- 60.00 Descend gradually to

Subdivision T29N R3 E¹¹⁴

BOOK 587

Chs

- 66.00 Dry wash 60 lks wide
course S 40° W.
- 67.00 Begin gentle ascent.
- 75.00 Dry wash 20 lks wide
Course W.
- 79.00 Dry wash course S W.
20 lks wide.
- 80.00 Set a limestone 19 x 14 x 6 ins
12 ins in the ground for cor
of Secs 4, 5, 8, and 9
Marked with 5 grooves
on S and 4 grooves on E
edges from which
a cedar tree 10 ins diam bears
N 80° 30' E 87 lks dist marked
T. 29, N. R. 3, E. S. 4, B. T.
a pine tree 18 ins diam bears
S 45° 40' E 106 lks dist marked
T. 29, N. R. 3, E. S. 9, B. T.
a pine tree 10 ins diam bears

Subdivision T29NR3E

Oho

S78°30'W 51 lks dist marked

T. 29, N. R. 3, E. S. 8. B. T.

a pine tree 5 ins diam bears

N 42° W 23 lks dist marked

T. 29, N. R. 3, E. S. 5. B. T.

Land level and rolling.

Soil loam and rocky,

2nd and 4th rate.

Timber Pine cedar

and Piñon.

Heavily timbered land

with dense undergrowth

80.00 cks

S 89° 52' E on a ran-

dom line bet sees

4 and 9,

40.00 Set dump 1/4 sec cor

80.00 Intersect N and S line

19 lks. S. of cor of sees

Subdivision

T 29 N R 3 E 716

BOOK 587

Chs	3, 4, 9, and 10. Thence I run. West on a true line bet Res 4 and 9. Descending over rolling land heavily timbered.
29.00	Dry wash 40 lks wide course S 60° W.
30.00	Begin gentle ascent
31.00	Top of gentle ascent and descend
37.50	Descend rapidly over rocky ground sloping S.W.
39.00	Foot of rapid descent and descend gradually.
40.00	At a limestone 20 x 4 x 6 ins 14 ins in the ground for 1/4 sec cor marked 1/4 on N face from which

117 BOOK 587 Subdivision T29NR38

BOOK 587

Ch

a pine tree 12 ins diam bears
N56°10'W 70 lks dist marked
1/4 S. 4. B.T.

a pine tree 20 ins diam bears
S73°10'W 51 lks dist marked
1/4 S. 9. B.T.

44.00 Dry wash 60 lks wide
course S.W.

45.00 Begin gradual ascent

57.00 Top of ascent and descend
gently

79.00 Dry wash 20 lks wide
course S.W.

80.00 The cor of Secs 4, 5, 8 and
9.

Land level and rolling
Soil loam and rocky
good and 4th rate
Timber Pine Cedar
and Pinon.

Subdivision

T 99 R 3 E 118

BOOK 587

hs

Heavily timbered

land

80.00 chs

November 26, 1900

Concluded, Book 587.

BOOK 587 119

APPROVAL.

OFFICE OF UNITED STATES SURVEYOR GENERAL,

Tucson, Arizona, Mar 5 1901.

The foregoing field notes of the survey
of The Subdivision Lines in
Tp. 29 N. R. 3 E

Gila and Salt River Meridian,
executed by James B. Pope
under his contract No. 75, dated 6/3, 1900,
having been critically examined, and the
necessary corrections and explanations made
to the said field notes, and the surveys they
describe, are hereby approved.

George Christ

U. S. Surveyor General,

for Arizona.