

"B" (3)
Subdivisions.

T. 29, N., R. 3, E.
Pope.

BOOK 588

No. 588

4-671

FIELD NOTES
GENERAL LAND OFFICE.

588

Township 29N R. 3E

6	158	5	119	4	3	2	1
156	154						
7	152	8	9	10	11	12	
149	146						
18	144	17	16	15	14	13	
141	139						
19	136	20	21	22	23	24	
134	132						
30	129	29	28	27	26	25	
127	124						
31	121	32	33	34	35	36	

Subdivision T999R3E.

Obs

November 27. at 7 h 30 m
 I, mt. I set off $21^{\circ}03'$ decl
 and $54^{\circ}06'$ cor lat with
 the vertical circle and
 determine a true meridian
 with the solar at the cor
 of Secs 4, 5, 8 and 9.

Thence I run
 $N 0^{\circ}2' W$ on a random
 line bet Secs 4 and 5

40.00 Set trip 1/4 Sec cor.

79.70 Intersect N Bdy Fr 5 lks
 E of cor of Secs 4, 5, 32
 and 33.

Thence I run

$S 0^{\circ}4' E$ on a true line
 bet Secs 4 and 5,

over rocky rolling
 land heavily timbered

18.50

Begin descent

No. 588

BOOK 588

Subdivision T29N R3E 20

- 19.50 Wagon road from Rain
Tank to Flagstaff. in
Bottom of Dry wash 50
lks wide course W.
- 21.00 Top of ascent thence over
level land
- 32.50 Dry wash 30 lks wide
course N.W.
- 39.70 Set a limestone 15 x 10 x 4 in
10 in in the ground for
 $\frac{1}{4}$ Sec Cor marked $\frac{1}{4}$ on
W face from which
a pine tree 10 in diam bears
S83°10'E 56 lks dist marked
 $\frac{1}{4}$ S. 4. B.T.
- a pine tree 30 in diam bears.
S85°W 91 lks dist marked
 $\frac{1}{4}$ S. 5. B.T.
- 45.00 Dry wash 50 lks wide
course N 60°W.

Obs	
52.50	Top of gentle ascent
55.00	Dry wash 25 lks wide Course N. W.
59.00	Begin gentle ascent over ground sloping N.W.
79.70	The Cor of Dees 4, 5, 8 and 9. Lead level and rolling Soil loam and rocky 2nd and 4 th rate. Timber Pine, cedar and Prion. Heavily timbered land 79.70 Obs

From the Standard Cor
of Dees 31 and 32, ^{on 3. 23. 1879} which
is a limestone 6 x 12 x 6 ins
above ground marked and
witnessed as described by
the Surveyor General

Subdivision

BOOK 588
T29 R3 E 122

Chs

Trun.

N $0^{\circ} 3' W$. Veb sec. 31 & 32.

Ascending over rolling
ground heavily timbered.

8.00 Top of gentle ascent and
descent.

13.00 Dry wash 100 lbs wide
course S.W.

14.00 Ascend gradually.

23.50 Wagon road bears N W and
S E.

40.00 Set a limestone $14 \times 10 \times 4$ ins
10 ins in the ground for $\frac{1}{4}$ sec
cor marked $\frac{1}{4}$ on W face
from which

a cedar tree 10 ins diam bears
N $89^{\circ} W$ 64 lbs dist marked
 $\frac{1}{4}$. S. 31. B. T.

a cedar 24 ins diam bears
S $79^{\circ} E$ 62 lbs dist marked

Chs

1/4, S, 32. B.T.

50.00 Ascend gradually.

79.00 Top of gradual ascent.

80.00 Set a limestone 18x12x6 ins
12 ins in the ground for cor of
Secs 29, 30, 31 and 32Marked with 1 groove on
S, and 5 grooves on E. edges
from whicha piou tree 10 ins diam bears
N55°E 16 lks dist marked
T. 29. R. 3. E. S. 29. B.T.a piou tree 12 ins diam bears
S79°E 26 lks dist marked
T. 29. R. 3. E. S. 32. B.T.a cedar tree 18 ins diam bears
S70°20'W 24 lks dist marked
T. 29. R. 3. E. S. 31. B.T.a piou tree 10 ins diam
bears N26°30'W 31 lks

BOOK 588
Subdivision T. 29 N. R. 3 E. S. 30 B. T.

Obs

dist marked

T. 29 N. R. 3 E. S. 30 B. T.

Land level and rolling

Soil loam and rocky 2nd

and 4th rate

Timber Piñon and Cedar.

Heavily timbered land

80.00 obs.

November 27 1900.

November 28 at 8 h 5 m^{u.m.} P.M. T.

I set off 21° 15' decl and 57° 10'

Co lat and determine a

true meridian with the

solar at the Cor of Dees

29, 30, 31 and 32.

Thence I run

to east on a random line

bet Dees 29 and 30^v

40.00

Dist temp 1/4 Dec 20th

Chs

80.04

Intersect Naid S line

12 lks N of cor of Secs

28, 29, 32 and 33.

thence Trun

N 89° 55' W on a true
line bet Secs 29 and 32 -

over rolling land

heavily timbered.

12.00

Begin gentle descent

16.50

Dry wash 50 lks wide

course S.

17.00

Ascend gradually.

19.95

Blazed Pine 18 ins diam

26.00

Top of ascent thence

over level land.

36.00

Leave heavy timber and
enter dense undergrowth

40.02

Set a limestone 18x10x8 ins

12 ins in the ground for

1/4 Sec cor marked 1/4:

Subdivision

T 29 N R 3 E

BOOK

588

126

Chs

on N face from which
a piñon tree 12 ins diam bears
N 53° 10' E 349. Mts dist marked
1/4 S, 29, B.T.

a cedar tree 8 ins diam bears
S 65° 40' W 269. Mts dist marked
1/4 S, 32, B.T.

41.20 Wagon road bears N and S.

49.00 Enter heavy piñon and
cedar timber

58.00 Top of ascent bears N and
S.

63.00 Begin gentle descent,

64.00 Dry wash 50 fms wide
Course S.

69.00 Top of ascent and
descend gently.

77.50 Dry wash 40 fms wide
Course S 45° E.

80.04 The cor of Ques 29 30

Chs

31 and 32,

Land rolling and level
 Soil loam and rocky
 2nd and 4th rate.

Timber Pines and cedars
 Heavily timbered land and
 dense undergrowth, P.O. 04 Chs-

West on a random
 line bet Dees 30 and 31.

40.00 Int temp 1/4 Dee cor

79.87 Int used W Bdy of Tp. 19
 N of cor of Dees 25, 30, 31 and
 36.

Three Trun.

N 89° 52' E on a true line
 bet Dees 30 and 31.

over rolling land heavily
 timbered

3.00 Dry wash 100 lks wide

Chs	course. S.
4.00	Begin rocky ascent.
23.00	Top of rocky ascent. bears N. and S. and descent
27.00	Foot of descent and ascent
39.87	Set a limestone $14 \times 10 \times 4$ ins 10 ins in the ground marked $1/4$ on N face for $1/4$ sec cor. from which a cedar tree 12 ins diam bears $N 79^{\circ} 30' W 63$ lks dist marked $1/4 S. 30. B.T.$ a piñon tree 8 ins diam bears $S 57^{\circ} 30' E 40$ lks dist marked $1/4 S. 31. B.T.$
41.00	Top of ascent and descent bears N and S.
41.50	Wagon road bears N. W. and S. E.
55.00	Dry wash 50 lks wide course $S 30^{\circ} W.$

Chs

60.00

ascend gradually.

65.00

Top of ascent and descent
bears N and S.

79.87

The cor of secs 29.30.31 and
32.

Land level and rolling.

Soil loam and rocky 2nd
and 4th rate.Timber Pison and cedar
heavily timbered land

79.87 Chs.

N10°3'W bet secs 29 and
30.Ascending over rocky
ground heavily timbered

1.00

Dry wash 30 lks wide course
S45°E.

2.00

Begin gentle ascent

11.00

Top of gentle ascent bears

Obs	E and W.
12.00	Begin gentle descent to
14.60	Dry wash 60 lts wide course S. E.
15.50	Begin ascent.
21.00	Top of ascent and descend to
29.00	Dry wash 30 lts wide course S. E.
33.00	gradual ascent.
40.00	<p>Set a limestone 70x12x3 ins 12 ins in the ground for 1/4 sec cor-marked 1/4 on W face from which.</p> <p>a pinon tree 18 ins diam bears N 41° E 153 lts dist marked 1/4 S. 29. B.T.</p> <p>a pinon tree 18 ins diam bears N 86° W 8 lts dist marked 1/4 S. 30. B.T.</p>
45.00	Top of ascent and descend

Elev

- 50.00 Dry wash 60 lks wide course
S. E.
- 51.00 Begin rapid ascent
- 53.00 Top of rapid ascent and
ascend gradually.
- 76.00 Dry wash 50 lks wide 10 ft
deep course S. E.
- 77.00 ascend rapidly
- 80.00 Sit a limestone 30x14x4 ins
15 ins in the ground for cor of
Bees 19, 20, 29 and 30 marked
with 2 grooves on S and 5 grooves
on E edges from which
a pinon tree 18 ins diam bears
N 39° 30' E 40 lks dist marked
T, 29, N, R, 3, E, S, 20, B, T.
a pinon tree 18 ins diam bears
S 76° 30' E 166 lks dist marked
T, 29, N, R, 3, E, S, 29, B, T.
a pinon tree 15 ins diam bears

Subdivision T₂₉.R.₃.E. ¹³²

BOOK 588

chs

S53°40'W 117 lks dist marked

T₂₉.R.₃.E. S. 30. B.T.

a pine tree 10 ins diam bears

N39°W 60 lks dist marked

T₂₉.R.₃.E. S. 19. B.T.

Land level and rolling

Soil loam and rocky 2nd

and 4th ralt.

Timber Piwon and cedar

Heavily timbered land

80.00 chs

November 28-1900.

November 29. at 7^h 56^m a.m. ^{a.m.} start.

Set off 21°25' decl and 54°09' co-

lat on the vertical circle and

determine a true meridian

with the solar at the top

of Decs 19. 20. 29 & 30.

Thence I run.

Ohs

- 589°55' E on a random
line bet Secs 20 and 29
- 40.00 Set temp 1/4 sec cor.
- 80.00 Intersect N. and S. line 12
lks. S. of cor of secs 20, 21
28 and 29.
Thence I run
West on a true line bet
Secs 20 and 29.
over rolling land heavily
timbered
- 12.10 Wagon road bears N E and SW
- 33.70 Begin gradual descent
- 40.00 Set a limestone 26 x 12 x 3 ins
16 ins in the ground for 1/4 sec
cor marked 1/4 on N face
from which
a pine tree 24 ins diam bears
N 1°30' W 49 lks dist marked
1/4. S. 20. B.T.

Chs
 a. pins like 20 ins diam brass
 S 38° 30' W 64 lks dist marked
 1/4 S. 29. B. T.

56.00 Begin descent over rocky
 ground sloping S. W.

80.00 The cor of Secs 19. 20. 29 and 30
 Land level and rolling
 Soil loam and rocky 2nd
 and 4th rate.
 Timber Pines and cedar
 Heavily timbered land
 8000 Chs

S 89° 52' W on a random
 line bet Secs 19 and 30

40.00 Set temp 1/4 Sec cor.

79.85 Intersect West Bdy of Fk
 14 lks S of cor of Secs
 19. 24. 25 and 30.

Thence I run -

- Chs N 89° 58' E on a true line
bet Secs 19 and 30
over rolling land heavily
timbered.
- 9.00 Top of ascent bears N and S-
- 20.00 Dry wash 100 lks wide course
S 45° W.
- 31.00 Dry wash 100 lks wide
course N. W.
- 39.85- Set a limestone 18 x 8 x 4 ins 12 ins
in the ground for 1/4 sec cor
marked 1/4 on the face from
which.
- a pine tree 6 ins diam bears
S 18° 30' E 18 lks dist marked
1/4 S. 30' B.T.
- a cedar tree 10 ins diam bears
N 44° W 2 lks dist marked
1/4 S. 19' B.T.
- 61.00 Top of ascent and gradual

Subdivision

T 4 9 N R 3 E

Chs	descent over rolling ground
79.85	The cor of sees 19. 20. 29. and 30 Land level and rolling Soil loam and rocky 2 nd and 4 th ratt. Timber Piñon and cedar Heavily timbered land
	79.85 Chs -

N 0° 3' W bet sees 19 and 20
ascending over rolling
land heavily timbered

47.00	Top of ascent and descend gently
33.00	Dry wash 50 lks wide course N. E.
33.50	ascend gradually.
36.00	Top of gradual ascent thence over level, land
38.00	Dry wash 50 lks wide. Course . E.

Subdivision T 29 N R 3 E

Chs

- 40.00 Set a limestone $20 \times 14 \times 4$ ins
15 ins in the ground for $1/4$
See cor marked $1/4$ on W
face from which
a pinon tree 20 ins diam bears
 $N 11^\circ W$ 18 lks dist marked
 $1/4. S. 19. B. T.$
a pinon tree 20 ins diam bears
 $S 84^\circ 30' E$ 37 lks dist marked
 $1/4. S. 20. B. T.$
- 41.00 Top of ascent and descent
bears E and W.
- 44.50 Dry wash 50 lks wide
course S. E.
- 45.50 Begin gradual ascent
- 80.00 Set a limestone $74 \times 12 \times 5$
ins 16 ins in the ground for
Cor of sees 17, 18, 19 and 20
marked with 3 grooves on S
and 5 grooves on E edges

Chs

from which

a pine tree 6 ins diam bears

N 35° E 69 lks dist marked

T. 29. N. R. 3. E. S. 17. B. T.

a piwon tree 8 ins diam bears

S 75° E 14 lks dist marked

T. 29. N. R. 3. E. S. 20. B. T.

a piwon tree 20 ins diam bears

S 5° 30' W 45 lks dist marked

T. 29. N. R. 3. E. S. 19. B. T.

a cedar tree 24 ins diam bears

N 56° W 13 lks dist marked

T. 29. N. R. 3. E. S. 18. B. T.

Land level and rolling

Soil loam and wet up

2nd and 4th rats.

Timber Piwon and cedar

Heavily timbered land

80.00 Chs.

November 29-1900

Obs

November 30 at 8 h. ^{a.m.} on _{l.m.t.}
 I set off $21^{\circ}36'$ decl and $54^{\circ}08'$
 co lat on the vertical circle
 and determine a true
 meridian with the Solar
 at the cor of sees 17. 18. 19
 and 20

Thence run

East on a run down line
 bet sees 17 and 20

40.00 Set a trip 1/4 see cor.

79.76 Intersect N and S line
 24 lks N of cor of sees
 16. 17. 20 and 21.

Thence run

N $89^{\circ}50'$ W on a true
 line bet sees 17 and 20
 descending over rolling
 ground heavily timbered

10.00

Begin rapid descent to

BOOK 588
 Subdivision 199 RR 3240

ths	
12.00	Dry wash, 150 lks wide 10 ft deep course, S.
14.00	ascend rapidly along W slope of wash
27.00	Top of ascent and descend bears N, W, and S, E.
28.00	Dry wash 100 lks wide Course S.
29.00	Begin gentle ascent
34.00	Top of gentle ascent and descend gradually
39.88	<p>Set a limestone 24x6x8 ins 16 ins in the ground for 1/4 see cor marked 1/4 on N face from which.</p> <p>a pine tree 10 ins diam bears N 10° 30' & 62 lks dist marked 1/4 S. 17. B.T.</p> <p>a pine tree 20 ins diam bears S 12° 50' & 69 lks dist marked</p>

Chs

 $\frac{1}{4}$ S. 20. B. T.

40.50 Begin descent to

41.50 Dry wash 100 lks wide course
S. W.42.50 Ascend gently over ground
Sloping S. E.

56.50 Top of ascent bears N and S

60.00 Dry wash 40 lks wide
Course S.

79.76 The cor of sees 17, 18, 19 and 20.

Land level and rolling
Soil loam and rocky. 2nd
and 4th rate.Timber Pine. Cedar and
Pine.

Heavily Timbered land

79.76 Chs

S 89° 58' W on a random
line bet sees 18 and 19

- lks
- 40.00 Set temp $\frac{1}{4}$ see cor
- 79.79 Intersect W Bely of F_h 12
lks S of cor of sees 13, 18
19 and 24
Thence I run
S $89^{\circ}57' E$ on a true line
bet sees 18 and 19.
over rolling land heavily
timbered
- 3.00 Dry wash 50 lks wide
course N.E.
- 8.00 Top of gradual ascent thence
7 over level land
- 25.50 Begin rapid descent.
- 39.50 Dry wash 50 lks wide
course S.W.
- 39.79 Set a limestone $16 \times 14 \times 3$ ins
12 ins in the ground for $\frac{1}{4}$ see cor
marked $\frac{1}{4}$ on N face from
which

143

BOOK 588

Subdivision T. 24. N. R. 3. E.

Chs

a pine tree 36 ins diam bears

N50°E 19 lks dist marked

1/4. S. 18. B.T.

a pine tree 18 ins diam bears

S14°W 9 lks dist marked

1/4. S. 19. B.T.

40.50 Begin gradual ascent

45.00 Top of ascent bears N and S.

47.00 Dry wash 40 lks wide course
N.W.

49.00 Begin gentle descent

50.00 Dry wash 40 lks wide
course N.W.51.00 ascended rapidly over
ground sloping N.W.

64.00 Top of ascent and descent

79.79 The cor of Secs 17, 18, 19 and 20
Tand level and rolling
Soil loam and rocky
2nd and 4th rate.

Subdivision T79 NR38

Ths
 Timber Pine cedar and
 Pinon.
 Heavily timbered land
 79.79 cks.

N0°3'W bet sees 17 and 18
 over rolling land
 heavily timbered
 ascending gradually

38.20 Blazed cedar tree 20 inches

40.00 Set a limestone 16x10x8 ins
 12 ins in the ground for 1/4 sec
 cor marked 1/4 on W face
 from which

a cedar tree 15 ins diam bears
 N78°E 35 lks dist marked
 1/4 S. 17. B.T.

a pinon tree 10 ins diam bears
 S12°W 15 lks dist marked
 1/4 S. 18. B.T.

Chs

- 48.00 Top of gradual ascent and descent gently toward and W.
- 54.00 Dry wash 50 lks wide course N W
- 58.50 Dry wash 40 lks wide course W.
- 61.00 Dry wash 50 lks wide course S. W.
- 62.00 Begin gradual ascent
- 78.00 Top of gradual ascent.
- 80.00 Set a limestone 18x14x4 ins 12 ins in the ground for cor of Secs 7, 8, 17 and 18. marked with 4 grooves on S. and 5 grooves on E edges from which
a pinon tree 8 ins diam bears N 11° E 70 lks dist marked T, 29, N, R, 3, E, S, 8, B, T.

Subdivision T 29 N R 3 E

chs

a pine tree 9 ins diam bears

S 72° E 31 lks dist marked

T. 29, N. R. 3, E. S. 17. B.T.

a cedar tree 10 ins diam bears

S 43° 30' W 70 lks dist marked

T. 29, N. R. 3, E. S. 18. B.T.

a pine tree 6 ins diam bears

N 58° W 58 lks dist marked

T. 29, N. R. 3, E. S. 7. B.T.

Land level and rolling

Soil loam and rocky 2nd
and 4th rate.

Timber Pine cedar and
Pine.

Heavily timbered land

80.00 chs

November 30 - 1900

December 4. at 7h 50m^{a.m.} a.m. l.m.t.

I set off 21° 45' decl and

Obs

54°07' cor lat with the
vertical circle and determine
a true meridian with the solar
at the cor of secs 7, 8, 17 and 18
Thence I run

589°50' E on a random
line bet secs 8 and 17.

40.00 Set temp 1/4 sec cor

79.90 Intersect N and S line 4
links S of cor of secs 8, 9,
16 and 17.

Thence I run

N 89°52' W on a true line
bet secs 8 and 17.

Descending over rolling
ground heavily timbered

25.00 Dry wash 60. Mts wide
course S. W.

26.00 Begin gentle ascent

30.00 Top of ascent and

Subdivision ²⁸⁷ T J R 38 ¹⁴⁸

BOOK 588

- Chs
- Descend gradually.
- 34.00 Dry wash 40 lks wide
Course S.
- 35.00 ascent rapidly over
rocky ground sloping S. E.
- 39.95⁻ set a limestone 20x10x8 ins
14 ins in the ground for $\frac{1}{4}$
See cor marked $\frac{1}{4}$ on N face
from which
a cedar tree 8 ins diam bears
N 9° E 29 lks dist marked
 $\frac{1}{4}$ S. 8. B.T.
a cedar tree 8 ins diam
bears.
S 10° W 14 lks dist marked
 $\frac{1}{4}$ S. 17. B.T.
- 41.00 Top of ascent and descend
- 49.00 Dry wash 50 lks wide
Course S. E.
- 50.00 gradual ascent.

149 Subdivision T 29 N R 3 E

Cho

- 65.00 Top of gradual ascent and descend gently.
- 71.00 descend rapidly to
- 73.00 Dry wash course S.
50 lks wide
- 76.00 Begin ascent.
- 79.90 The cor of sees 7, 8, 17 and 18.
Land level and rolling
Soil loam and rocky 2nd
and 4th rate.
Timber Pine cedar and
Pine
Heavily timbered land
- 79.90 cho.

1/4 S 90 57' W on a random
line bet sees 7 and 18.

- 40.00 Set temp 1/4 Sec cor.
- 79.55 Intersect W bdy of Tp 7
lks S of cor of sees.

Subdivision ³³ T99723E 150

BOOK 588

Obs

7.12.17 and 18.

Thence I run

S 89° 54' E on a true line
bet Secs 7 and 18.

over rolling land heavily
timbered.

1.00

Descend to

1.50

Dry wash 100 lks wide
course. S.

2.50

Begin ascent

30.00

Top of ascent and descend

39.55

Get a limestone 16 x 14 x 3 ins
12 ins in the ground for 1/4 sec
cor marked 1/4 on N face
from which

a pine tree 6 ins diam bears

N 7° W 73 lks dist marked

1/4. S. 7. B.T.

a pine tree 18 ins diam bears

S 75° 10' W 111 lks dist

Chs

marked

1/4 S. 18. B. T.

40.50 Dry wash 50 lks wide
course S.

42.00 Ascend rapidly.

50.00 Top of ascent, and descend
gradually.57.00 Dry wash 20 lks wide
Course S. W.

58.00 Ascend gradually.

71.00 Top of gradual ascent and
descend gradually.77.50 Dry wash 40 lks wide
course S W.79.55 The cor of Secs 7, 8, 17 and 18.
Land level and rolling
Soil loam and rocky
2nd and 4th rate.
Timber Pine Cedar
and Piñon

Subdivision

T 42 N R 3 E

152

BOOK 588

Chs

Heavily timbered land

79,55 Chs-

N 0° 3' W. bet sees
7 and 8.

Ascending over rolling
land heavily timbered

2.00

Dry wash 40 lks wide
course S. W.

3.00

Ascend rapidly over ground
sloping S. W.

33.00

Top of ascent and descend

40.00

Set a limestone 18x14x4 ins
12 ins in the ground for 1/4
See cor marked 1/4 on W face
from which

a pine tree 5 ins diam bears
N 74° E 16 lks dist marked
1/4. S. 8. B.T.

a pine tree 5 ins diam bears

153

Subdivision T29N R3E
BOOK 588

Cho

- S 79° W 40 lks dist marked
1/4 S. 7. B.T.
- 63.00 Dry wash 50 lks wide course
N 60° W
- 72.00 Dry wash 150 lks wide course
N 65° W.
- 80.00 Set a limestone 20 x 10 x 6 ins 12
ins in the ground for cor of sec
5, 6, 7 and 8. marked with
5 notches on S and E edges
from which.
a pine tree 30 ins diam bears
N 81° 30' E 126 lks dist marked
T29N R3E S. 5. B.T.
a pine tree 36 ins diam bears
S 20° 20' E 100 lks dist marked
T29N R3E S. 8. B.T.
a pine tree 30 ins diam bears
S 81° 10' W 162 lks dist marked
T29N R3E S. 7. B.T.

Subdivision T₂₉ R₃ E

Obs

a pine tree 24 ins diam bears

N₁₆°35'W 74 lks dist marked

T₂₉ R₃ E. S. 6. B. T.

Land rolling.

Soil loam and rocky 2nd
and 4th rate.

Timber Pine cedar and
Piou.

Heavily timbered land

80.000chs

December 1. 1900

December 2 at 7h 55^{m. a. m.} l. m. t. I
set off 21°54' decl and 54°06'
20 lat on the vertical circle
and determine a true meridian
with the solar at the cor of
Sees 5. 6. 7 and 8.
and run Thruet.

S 89°52' E on a random

155

BOOK 588

Subdivision T29N R3E

BOOK 588

Obs

line bet sees 5 and 8.

40.00 Set temp $\frac{1}{4}$ sec cor.

80.02 Intersect N and S line 24

lks. S. of cor of sees 4, 5,

8 and 9.

Thence from

S $89^{\circ}58'W$ on a true line

bet sees 5 and 8.

descending over rolling land
heavily timbered

77.00 Dry wash 50 lks wide

course N $70^{\circ}W$

32.50 Dry wash 40 lks wide

course N $40^{\circ}W$

40.01 Set a limestone $20 \times 12 \times 3$ ins

14 ins in the ground for $\frac{1}{4}$ sec

cor marked $\frac{1}{4}$ on N face

from which

a pin to 30 ins diam bears

N $84^{\circ}30'E$ 72 lks dist marked

Subdivision T79 NR 38

Obs

1/4 S. 5. B.T.

a pine tree 30 ins diam bears
S 41° 10' E 127 lks dist marked

1/4 S. 8. B.T.

78.00 Dry wash 40 lks wide
Course S 40° W.

80.02 The cor of Secs 5, 6, 7 and 8.
Land level and rolling
Soil loam and rocky
2nd and 4th rate
Timber Pine cedar and
Pine -

Heavily timbered land

80.02 cho

N 89° 54' W on a random
line bet Secs 6 and 7.

40.00 Set loop 1/4 sec cor.

79.31 Intersect west edge of T79
5 lks S of cor of Secs

Chs

1. 6. 7 and 12 =

Thence S run

589°52' E on a true line
bet secs 7 and 6.over level land heavily
timbered

39.31 Set a limestone 24x6x8 ins 15
ins in the ground for $\frac{1}{4}$ sec
cor marked $\frac{1}{4}$ on N face
from which

a pine tree 20 ins diam bears
N 12° W 160 lks dist marked
 $\frac{1}{4}$ S. 6. B.T.

a pine tree 18 ins in diam bears
S 10° 30' E 113 lks dist marked
 $\frac{1}{4}$ S. 7. B.T.

50.00 Begin gradual ascent

63.00 Top of gradual ascent
and descend over land

sloping gently N. E.

Subdivision T49 N R 36 158

BOOK 588

Chs

79.31

The cor of secs 5, 6, 7 and 8.
Level and rolling
Soil loam and rocky 2nd
and 4th rate.
Timber Pine.
Heavily timbered land

79.31 Chs

N 0° 3' W on a random
line bet secs 5 and 6.

40.00

Set temp 1/4 sec cor

79.92

Intersect N bdy of T₁₀ lks
W of cor of secs 5, 6, 31 and 32
Thence S run.

S 0° 1' W on a true line bet
secs 5 and 6.

Over rolling land heavily
timbered

8.50

Dry wash 100 lks wide 10
ft deep course S 60° W

159 **BOOK 588** Subdivision T29N R3E

Obs

- 17.00 Top of ascent bears $\frac{1}{2}$ and W
- 28.00 Begin descent.
- 30.00 Dry wash 100 lks wide 10 ft deep course W.
- 34.40 Wagon road from Rain Tank to Flagstaff.
- 39.92 Hit a limestone 16 x 14 x 4 ins 12 ins in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on W face from which
- a pine tree 12 ins diam bears N $25^{\circ}30' E$ 167 lks dist marked $\frac{1}{4}$ S. 5. B. T.
- a pine tree 22 ins diam bears S $50^{\circ} W$ 37 lks dist marked $\frac{1}{4}$ S. 6. 13. T.
- 52.00 Foot of gradual descent
- 52.50 Dry wash 100 lks wide 10 ft deep course W-
- 53.00 Begin rapid ascent.

Subdivision 799 N R 3 E 160

- Chs
 5600 Top of rapid ascent and
 ascend gradually.
 79.92 The cor of sees 5. 6. 7 and 8
 level land rolling,
 Soil loam and rocks 2nd
 and 4th rate.

Timber Pine.

Heavily timbered land

79.92 Chs.

December 2 1900

The mean magnetic decl.
 as determined by observations
 on the sun as per the
 Manual of Instructions is
 N 14° 35' E.

161

T. 29, N. R. 3. E

BOOK

588

No. 588

General description

This township is mountainous and rolling throughout the soil a light loam shallow in depth resting on a limestone formation which is fractured in all directions by volcanic action exposing abrupt irregular and continuous cliffs of limestone -

This township is heavily timbered with Pine cedar and Pinon timber the Pine is of good quality, the pinon and cedar is good for fuel only -

In some portions there is a dense undergrowth of oak brush.

162

BOOK 588

The whole township
is good for grazing but
unfit for agricultural
purposes. There are no
settlers, no improvements
and no water in the
township -

James B. Pope
U.S. Deputy Surveyor.

BOOK 588

163

APPROVAL.

OFFICE OF THE UNITED STATES SURVEYOR GEN'L.

TUCSON, ARIZONA, Mar 5 1901

The foregoing field notes of the survey of The Subdivisional Lines of T. 29 N. R. 3 E

Gila & Salt River Meridian,

executed by James B. Pope
under his contract No. 75, dated 6/3, 1900.

having been critically examined, and the
and explanations
necessary corrections made, the said field
notes, and the surveys they describe, are
hereby approved.

George L. Christ

U. S. Surveyor General for Arizona