

R. 6 E.

Copied
Compared
Plotted

Sent to Gen. H. L. S. Feb. 6th 1892

30.

Approved March 18 1892

No. 595

4-671

BOOK 595

595

FIELD NOTES

~~GENERAL LAND OFFICE~~

of the survey of the
Subdivision Lines of
Townships 29 N. Range 16 E.
Surveyed by John C. Smith
U. S. Dep. Sur.

Under his contract No. 16
Dated Nov. 1. 1890

Survey commenced July 1890
completed " " 1891

Subdivisions T. 27 N.

Survey commenced June 18

" completed .. 19

[4-590.]

Index

Township No. 29 N. Range No. 16 E. Mer.

BOOK 595

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

BOOK 595

Scale 50 chains to an inch

BOOK 595

1A 16 E 1B

and 26

77.0° 11' N.

3° E.

ns., N ins.
S...on...W...
S...of stone
th 1 1-2 ft.

South

3° E.

16 sec.

51 7/8

No. 595

BOOK 595 /

CHAINS Subdivisions T. 29. N

R. 16. E.

13

^{standard}
From 1st cor. to surs. 35 and 36
on the south boundary of
the township. I run $71^{\circ} 01' N$.
for surs. 35 and 36.

Ta. $13^{\circ} E$.

Over gently rolling surface.

20.00

Set a sandstone $20 \times 18 \times 12$ ins., N ins.
in the ground, for $1/16$ Sec. Cor., marked $1/16$ on W ...
face, dug pits $18 \times 18 \times 12$ ins., N and S of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

Thence I run east on a
random line through south
 $1/2$ sec. 36.

Ta. $13^{\circ} E$.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.08

Intersect East boundary of
township 20 links north of 16 sec.
cor. Thence I run $71^{\circ} 51' N$.

CHAINS. Subdivisions T 29. N R. 16. E.

on a true line through south
1/2 sec. 36

79.13 E.

over rolling country

2402

Set a sandstone 18 X 14 X 3 ins., 12 ins.
in the ground, for 1/6 Sec. Cor., marked 1/6 on N...
face, dug pits 18x18x12 ins., E... and W... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

3550

Trail bears N. W. and S. E.

4204

Set a sandstone 20 X 16 X 3 ins., 15 ins.
in the ground, for 1/6 Sec. Cor., marked 1/6 on N...
face, dug pits 18x18x12 ins., E... and W... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

60.06

Set a sandstone 15 X 15 X 10 ins., 10 ins.
in the ground, for 1/6 Sec. Cor., marked 1/6 on N...
face, dug pits 18x18x12 ins., E... and W... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

68.70

Trail bears N. W. and S. E.

80.04

Ch 1/6 sec. cor.

Surface rolling
Soil deep red.
Good grass.

CHAINS. Subdivisions T. 29. N R. 16. E.

Thence I continue $n. 0^{\circ} 17' N.$ for
acres 35 and 36.

24.65 Trail bears N. W. and S. E.

36.50 Trail bears East and West to
Heams Canon from Oraibe.

40.00 Set a sandstone $7 \times 11 \times 7$ ins., 11 ins.
in the ground, for $1/4$ Sec. Cor., marked $1/4$ on $W.$
face, dug pits $18 \times 18 \times 12$ ins., $N.$ and $S.$ of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

Thence I run east on a random
line through middle ac. 36.
 $n. 13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.08 Intersect east boundary of township
10 links north of $1/4$ ac. cor.
Thence I run $n. 89^{\circ} 56' N.$ on
a true line through middle
ac. 36.

CHAINS. Subdivisions T. 29. N

R. 16. E.

74. 130 E.

Over gently rolling surface.

20.12

Set a sandstone... 12... X, 9... X... 6... ins., 8... ins.
 in the ground, for 1/6 Sec. Cor., marked 1/6... on... N...
 face, dug pits 18x18x12 ins.,... E... and... W... of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

40.04

Set a sandstone... 19... X, 17... X, 9... ins., 14... ins.
 in the ground, for 1/4 Sec. Cor., marked 1/4... on... N...
 face, dug pits 18x18x12 ins.,... E... and... W... of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

48.00

Trail bears N. W. and S. E.

69.06

Deposited a marked stone 12 ins. in the ground,
 for 1/16 Sec. Cor., dug pits 18X18X12 ins.,... E... and
 ...W... of corner 5 1-2 ft. dist., and raised a mound of
 earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In... E... pit drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked 1/16 S. on... N... face,

80.08

The 1/4 Sec. cor.

Surface gently rolling.

Soil 2nd rate.

Good grass.

HAINS. Subdivisions T. 29. N R. 16. E

Thence I continue $270^{\circ} 11'$ N. bet.
S.W. 35 and 36.

53.00 Wash.....lks. wide course, West.

59.40 Trail bears N. W. and S. E.

60.00 Set a sandstone.....X...9...X...4...ins.,.....ins.
in the ground, for 1/4 Sec. Cor., marked.....on....W...
face, dug pits $18 \times 18 \times 12$ ins., N...and...S...of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

Thence I run east on a random
line through north $\frac{1}{2}$ sec. 36.

Var. $13^{\circ} E$.

20.00 Set temporary 1-16 Sec. Cor.

-40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.04 Intersect east boundary of Township
6 links north of 46 sec. cor.

Thence I run $278^{\circ} 57'$ N. on
a true line through
north $\frac{1}{2}$ sec. 36.

Var. $13^{\circ} E$.

CHAINS. Subdivisions T. 29 N R. 16 E.

Over gently rolling surface.

2001

Set a sandstone $1\frac{1}{2}$ X $1\frac{1}{2}$ X 5 ins., 8 ins. in the ground, for $1\frac{1}{16}$ Sec. Cor., marked $1\frac{1}{16}$ on N... face, dug pits $18 \times 18 \times 12$ ins., E... and W... of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

2650

Wash 50 lks. wide course, N. 80° W.

31.00

" " " " " S. 80° W. (same)

40.02

Deposited a marked stone 12 ins. in the ground, for $1\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins., E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $1\frac{1}{16}$ S, on N... face,

43.00

Wash 50 lks. wide course, N. 80° W.

54.00

" " " " " S. 75° W. (same)

60.03

Deposited a marked stone 12 ins. in the ground, for $1\frac{1}{16}$ Sec. Cor., dug pits $18 \times 18 \times 12$ ins., E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $1\frac{1}{16}$ S, on N... face,

64.00

Enter wash course west

74.00

Leave " " NW.

80.04

Take $1\frac{1}{16}$ sec. cor.

CHAINS. Subdivisions T. 29. N R. 16. E.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Thence I continue N 0° 1' W.
bet. secs. 35 and 36.

6900 Trail bears E. and W.

7620 Trail bears E. " W.

80.00 Set a sandstone. 25...X...18...X...2...ins. 19.....
ins. in the ground for Cor. to Secs. 25, 26, 35 and 36
marked with.....notches on S. and.....notches on E.
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.
base, alongside.

Surface gently rolling.

Soil 2nd rate.

Good grass.

Thence I run out on a
random line bet. sec.
25 and 36.

7a. 13 E.

CHAINS. Subdivisions T. 29 N R. 16 E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00

Indirect east boundary of
township of cor. 16 sec.
25, 30, 31 and 36. I think I
run west on a true
line bet. sec. 25 and 36.
76. 13° E

along south slope of mesa

20.00

Set a sandstone $\frac{15}{16}$ X $\frac{13}{16}$ X $\frac{2\frac{1}{2}}{10}$ ins., $\frac{10}{10}$ ins.
in the ground, for $\frac{15}{16}$ Sec. Cor., marked $\frac{15}{16}$ on N..
face, dug pits 18x18x12 ins., E... and W... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

40.00

Set a sandstone $\frac{14}{16}$ X $\frac{14}{16}$ X $\frac{14}{16}$ ins., $\frac{9}{10}$ ins.
in the ground, for $\frac{14}{16}$ Sec. Cor., marked $\frac{14}{16}$ on N..
face, dug pits 18x18x12 ins., E... and W... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

45.00 Enter field from N.E. and SW.

53.40 Leave " " " "

59.00 Trail from N.E. and SW.

HAINES Subdivisions T. 29 N R. 16 E.

60.00

Set a sandstone $24 \times 18 \times 3$ ins., 18 ins.
in the ground, for $1/6$ Sec. Cor., marked $1/6$ on N_4
face, dug pits $18 \times 18 \times 12$ ins., E_4 and W_4 of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

64.00 Enter field bears, N. and S.

72.60 Leave " " " "

80.00

Th. cor. to cor. 25, 26, 35 and 36

Surface nothing.

Soil 2nd. rate.

Grass fair.

Sec. 25 is mountainous, I
therefore discontinue ^{subdividing} this tier
of sections, and run
N. $0^{\circ} 11'$ W. bet. sec. 25 and 26.
Th. 13° E.

Over gently rolling surface.

16.00 Trail bears N. W. and S. E.

20.00

Set a sandstone $16 \times 8 \times 6$ ins., 11 ins.
in the ground, for $1/6$ Sec. Cor., marked $1/6$ on W_4
face, dug pits $18 \times 18 \times 12$ ins., N_4 and S_4 of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

CHAINS. Subdivisions T. 29. N

R. 16. E.

40.00

Set a sandstone ¹³.....X ¹².....X ⁴.....ins. ⁸.....ins.
in the ground, for ¹⁴Sec. Cor., marked ¹⁴.....on....W...
face, dug pits 18x18x12 ins., N....and....S....of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

57.80

Trail bears N. E. and S. W.

60.00

Set a sandstone ¹⁶.....X ¹⁴.....X ⁹.....ins. ¹¹.....ins.
in the ground, for ¹⁶Sec. Cor., marked ¹⁶.....on....W...
face, dug pits 18x18x12 ins., N....and....S....of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

70.00

Enter deer grasswood brush

80.00

Set a sandstone ¹².....X ¹⁰.....X ⁸.....ins. ⁸.....
ins. in the ground for Cor. to Secs. ^{23 24 25 and 26}
marked with ².....notches on S. and ¹.....notches on E.
edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.
dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.
base, alongside.

Surface gently rolling.

Soil ^{2nd} rate.

Deer brush 10. chs.

This line runs along the west base
of a high rocky mesa.

CHAINS Subdivisions T. 29. N R. 16. E.

From the standard cor. to sec.
34 and 35 on the south boundary
of the township. I run
27° 1' N. 64. sec. 34 and 35.
74. 13° E.

Over gently rolling surface.

4.60 Clear field bears E. and W.
15.05 Trail bears E and W.

18.00 Wash.....lks. wide course, off up some
9.00 Trail bears E. and W.

20.00 Deposited a marked stone 12 ins. in the ground,
for the Sec. ^{71.7} Cor., dug pits 18X18X12 ins. N...and
S...of corner 5 1-2 ft. d. t., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...N. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked the S, on the W. face,
60 links west on base of mark.

Thence I run east on a random
line through south 1/2 sec,
35 from this cor. point -
74. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

CHAINS Subdivisions T. 29 N R. 16 E.

7988 Subdiv. N. and S. line 8 links
south - of 1/16 sec. cor. then
I run S 89° 57' W. on a true
line through south 1/2 sec. 35
to 13° E.

Over gently rolling surface.

1997 Deposited a marked stone 12 ins. in the ground,
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/16 S, on N. face,

3830 Enter field bears N. and S.

3994 Deposited a marked stone 12 ins. in the ground,
for 1/16 Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 1/16 S, on N. face,

4720 Leave field bears N. and S.

5150 Trail bears N. W. and S. E.

5991 Set a sandstone 11 X 8 X 6 ins., 7 ins.
in the ground, for 1/16 Sec. Cor., marked 1/16 on N.
face, dug pits 18x18x12 ins., E. and W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

No. 595

BOOK 595³

CHAINS Subdivisions T. 29 N

R. 16 E.

70.00 Enter field bears N. and S.

72.00 Leave " " " " "

79.88 To 116 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Grass fair.

Thence I continue N. 0° 0' N. bet. 12A

22.00 O.K.S. 34 and 35th wide.
 37.00 Leave ~~wash~~ ^{on} corner South
 Trail bears E. and N.

40.00 Set a sandstone.....2...X...X...6....ins.,...8....ins.
 in the ground, for 14....Sec. Cor., marked.....14....on....W.:
 face, dug pits 18x18x12 ins., N.,...and....S. of stone
 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
 high, 3 1-2 ft. base, alongside,

60.00 Set temporary 1-16 Sec. Cor.

79.68 Intersect N. and S. line 11

links south of 114 sec. cor.

Thence I run S. 89° 55' N. on

a true line through

middle, sec. 35.

To 130 E.

(CHAINS. Subdivisions T. 29 N R. 16 E.

Over gently rolling surface.

16.00 Entire field bears N. and S.

19.92 Set a sandstone 12 X 9 X 7 ins., 8 ins. in the ground, for 1/6 Sec. Cor., marked 1/6 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

36.50 Same field bears N. and S.

39.84 Set a sandstone 13 X 8 X 5 ins., 8 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

44.00 Wash 1000 lbs. wide course, NW.

52.80 Entire field bears N. and S.

56.00 Same " " " " "

59.76 Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N. face,

79.68 T. 14 sec. cor.

Surface gently rolling.

Soil 2nd rate.

Grass fair.

Subdivisions T. 29 N R. 16 E.

Thence I continue $N. 0^{\circ} 1' N.$ bet.

Secs. 34. and 35.

42.75 Trail bears E and $N.$

47.63 Trail bears $N. 80^{\circ} E.$ and $S. 80^{\circ} N.$

60.00 Set a sandstone $\dots X \dots X \dots$ ins., \dots ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked \dots on \dots face, dug pits $18 \times 18 \times 12$ ins., \dots and \dots of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside, and.

Enter $\frac{1}{2}$ mile bears E. and $N.$

Thence I run out on a random line through north $\frac{1}{2}$ sec. 35.

$N. 13^{\circ} E.$

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

79.84 Intersect $N.$ and $S.$ line to links, ^{south} of $\frac{1}{16}$ sec. cor. Thence I run $S. 89^{\circ} 57' N.$ on a true line through.

CHAINS. Subdivisions T. 29 N R. 16 E.

north 1/2 sec. 35

Ya. 130 E.

Over gently rolling surface.

1.00

Trail bears N. W. and S. E.

6.20

Enter field bears N. and S.

10.75

Leave " " " "

19.96

Set a sandstone 14 X 12 X 10 ins. 9 ins. in the ground, for 1/6 Sec. Cor., marked 1/6 on N face, dug pits 18x18x12 ins. E and W of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

27.00

Enter field from N. and S.

39.00

Leave " " " "

39.92

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N face,

59.88

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E and W of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S, on N face,

CHAINS Subdivisions T. 29 N R. 16 E.

64.00 Enter field bears N. and S.

64.29 Leave " " " "

65.80 Wash.....lks. wide course, SW

68.00 Enter field bears N. and S.

79.84 To 116 SW cor.

Surface gently rolling.

Soil 2nd rate.

Grass fair.

Thence I continue N. 0° 11' W.
 bet. SWS 34 and 35.

65.50 Wash.....lks. wide course, SW and

field
bears N. E. and SW.

68.50 Trail bears E. and N.

78.50 Enter field bears N. E. and SW.

80.00

Set a sandstone.....X.....X.....ins., 8
 ins. in the ground for Cor. to Secs. 26, 27, 34 and 35
 marked with...1...notch on S. and...2...notches on E.
 edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.
 dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.
 base, alongside.

Surface gently rolling.

Soil 2nd rate.

Grass fair.

CHAINS. Subdivisions T. 29... N R. 16... E.

Thence I run east on a
random line bet. Secs.
26 and 35.

74. 130 E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

7992

Intersect N. and S. line...7....lks. north of Cor. to
Secs. 25, 26, 35 and 36 Thence I run 77. 89.057 N
on a true line bet. Secs. 26 and 35.

74. 130 E.

Over gently rolling surface.

1998

Set a sandstone 11...X 9...X 7...ins. 7...ins.
in the ground, for 116 Sec. Cor., marked 116 on N...
face, dug pits 18x18x12 ins.; E...and...W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

24.50

Easton field bears N. and S.

27.10

Bear " " " " " "

34.80

Trail bears N.W. and
S.E.

HAINS Subdivisions T. 29 N R. 16 E.

5996

Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S, on N. face,

5900

Wash $\frac{1}{2}$ m. wide course, SW

5994

Set a sandstone $\frac{20}{100}$ X $\frac{12}{100}$ X $\frac{4}{100}$ ins., $\frac{15}{100}$ ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

7850 Corner field from N.E. and SW.

7992 5th cor. to SW. 26. 27. 34 $\frac{20}{100}$ 35

Surface gently rolling.

Soil 2nd rate.

Grass fair.

Thence I run N. 0° 11' W.

Set SW. 26. and 27.

To 13° E.

Over gently rolling surface.

In field.

CHAINS Subdivisions T. 24 N R. 16 E

20.00

Set a sandstone 24 X 12 X 10 ins. 18 ins. in the ground, for 1/6 Sec. Cor., marked 1/16 on W. face, dug pits 18x18x12 ins. N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Then I run east on a
random line through south
1/2 sec. 26.

Va. 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.16

Subtract N. and S. line 13
lines north of 1/6 sec.
cor. Then I run N. 89°
54' W. on a true line
through south 1/2 sec. 26.
Va. 13° E.

Over gently rolling surface.

20.04

Deposited a marked stone 12 ins. in the ground, for 1/6 Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 1/6 S. on N. face,

HAINS Subdivisions T.²⁹ N R.¹⁶ E.

4008

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N... face,

4750

Wash.....lks. wide course, SW

5980

Trail bears N. E. and S. W.

60.12

Deposited a marked stone 12 ins. in the ground, for 116 Sec. Cor., dug pits 18X18X12 ins. E... and W... of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E... pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked 116 S, on N... face,

7000

Euler field bears N.E. and SW.

80.16

The 116 Sec. Cor.

Surface gently rolling.

Soil 2nd rate.

Grass fair. Some brush.

Thence I continue

N. 0° 11' N. bet. sec. 26 and 27.

74. 13° E.

CHAINS Subdivisions T. 29 N R. 16 E.

- 2300 Scan field from E. and N.
- 27.50 Trail bears N. E. and S. W.
- 32.50 Trail bears N. E. and S. W.
- 40.00 Set a sandstone 24 X 12 X 2 ins., 18 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 on W. face, dug pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,
- X Found: I run east on a random line through middle sec 26, 7a. 130E.
- 20.00 Set temporary 1-16 Sec. Cor.
- 40.00.....Set temporary 1-4 Sec. Cor.
- 60.00 Set temporary 1-16 Sec. Cor.
- 8008 Intersect N and S line at 1/4 sec. cor. Then I run west on a true line through middle sec. 26, 7a. 130E.
- 2002 Set a sandstone 20 X 10 X 3 ins., 15 ins. in the ground, for 1/8 Sec. Cor., marked 1/8 on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

AINS, Subdivisions T. 29 N R. 16 E.

30.50 Wash.....lks. wide course, *cut*

31.60 Trail bears N. E. and S. W.

40.04 Set a sandstone.....X.....X.....ins.,.....ins.
in the ground, for *1/4* Sec. Cor., marked.....on...N...
face, dug pits 18x18x12 ins., ...E.. and...W..of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

60.06 Set a sandstone.....X.....X.....ins.,.....ins.
in the ground, for *1/4* Sec. Cor., marked.....on...N...
face, dug pits 18x18x12 ins., ...E.. and...W..of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

80.08 *The 1/4 sec. corr.*

Surface gently rolling.

Soil *2nd* rate.

Some brush.

Thence I continued N. 0° 1' W.

Set. Secs. 26 and 27.

60.00

Deposited a marked stone 12 ins. in the ground,
for *1/4* Sec. Cor., dug pits 18X18X12 ins...N...and
...S....of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...N.. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked.....S, on...W...face,

CHAINS Subdivisions T. 29 N R. 16 E.

Thence I run east on a
random line through
north $\frac{1}{2}$ sec. 26.
Va. $13^{\circ}E$.

20.00 Set temporary 1-16 Sec. Cor.

40.00 Set temporary 1-16 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.04 Intersect N. and S. line 10
links north of $\frac{1}{16}$ sec.
cor. thence I run N. $89^{\circ}58' 7''$
on a true line through
north $\frac{1}{2}$ sec. 26.
Va. $13^{\circ}E$.

Over gently rolling surface.

15.00 Wash.....lks. wide course, NW.

20.01 Deposited a marked stone 12 ins. in the ground;
for... $\frac{1}{16}$ Sec. Cor., dug pits 18X18X12 ins....E...and
...W...of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In...E...pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked... $\frac{1}{16}$ S, on...N...face,

HAINS Subdivisions T. 29 N R. 16 E.

4002 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{6}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{6}$ S, on N. face,

6003 Deposited a marked stone 12 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., dug pits 18X18X12 ins. E. and W. of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{6}$ S, on N. face,

8004 The $\frac{1}{6}$ sec. cor.

Surface gently rolling.

Soil 2nd rate.

Some brush.

Thence I continue N. 0° 1' W.
bet. secs. 26 and 27.

6570 Trail bears N. E. and S. W.

80.00 Set a sandstone $\frac{1}{2}$ X $\frac{1}{2}$ X $\frac{1}{4}$ ins. 8 ins. in the ground for Cor. to Secs. 22, 23, 26 and 27 marked with 2 notches on S. and 2 notches on E. edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft. dist. and raised a mound of earth 2 ft. high, 4 1-2 ft. base, alongside.

CHAINS Subdivisions T. 29 N R. 16 E.

Surface gently rolling.

Soil 2nd rate.

Some brush.

Grass poor.

Thence I run east on a
random line bet. secs. 23 and 26.
Ya. 13° E.

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

80.00 Intersect N. and S. line.....lks. north of Cor. to
Secs. 2, 3, 24, 25 and 26 Thence I run 77.89° 59' 17" ~~to~~
on a true line bet. Secs. 23 and 26.

Ya. 13° E.

Over gently rolling surface, in dense brush.

11.50 Wash.....lks. wide course, QWT, leave dense brush

20.00 Deposited a marked stone 12 ins. in the ground,
for S. Sec. Cor., dug pits 18X18X12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked S. on N. face,

CHAINS Subdivisions T. 29 N R. 16 E.

40.00

Deposited a marked stone 12 ins. in the ground, for ~~1/4~~ Sec. Cor., dug pits 18X18X12 ins. ~~E.~~ and ~~W.~~ of corner 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In ~~E.~~ pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked ~~1/4~~ S, on ~~N.~~ face,

57.00

Trail bears N. E. and S. W.

60.00

Set a sandstone ~~16~~ X ~~16~~ X ~~3~~ ins., ~~11~~ ins. in the ground, for ~~1/4~~ Sec. Cor., marked ~~1/4~~ on ~~N.~~ face, dug pits 18x18x12 ins., ~~E.~~ and ~~W.~~ of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

80.00

The cor. to ~~ons~~ 22. 23. 26 and 27.

Surface gently rolling.

Soil 2nd rate.

Dense brush 1150 cks.

The country north is
more rolling.

June 18th. 1891

28.

BOOK 595

CHAINS Subdivisions T. 29 N R. 16 E.

From the Standard Cor. to Div.
33 and 34 on the south
boundary of the township
I run $N. 0^{\circ} 2' W.$ 87.
Sec 33 and 34.

Ta. $13^{\circ} E.$

808

Trail bears E. and N.

20.00

Set a sandstone $14 \times 10 \times 4$ ins., 9 ins.
in the ground, for $1/16$ Sec. Cor., marked $1/16$ on $W.$
face, dug pits $18 \times 18 \times 12$ ins., $N.$ and $S.$ of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

Then I run east on a random
line through south $1/2$ sec. 34.

Ta. $15^{\circ} E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

8006

Intersect N. and S. line 5 links
north of $1/16$ sec. cor. ^{point} Then
I run $N. 89^{\circ} 58' W.$ on a

CHAINS Subdivisions T. 29 N R. 16 E.

but line through south 1/2 of
sec. 34.

70. 130°

Over gently rolling surface.

20.01

Set a sandstone $\frac{1}{16}$ X $\frac{1}{2}$ X $\frac{8}{16}$ ins., $\frac{11}{16}$ ins.
in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{11}{16}$ on N...
face, dug pits $18 \times 18 \times 12$ ins., E... and W... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

28.00

Wash... 50 lks. wide course, south

40.03

Set a sandstone $\frac{11}{16}$ X $\frac{8}{16}$ X $\frac{6}{16}$ ins., $\frac{7}{16}$ ins.
in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{11}{16}$ on N...
face, dug pits $18 \times 18 \times 12$ ins., E... and W... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

60.04

Set a sandstone $\frac{10}{16}$ X $\frac{9}{16}$ X $\frac{6}{16}$ ins., $\frac{7}{16}$ ins.
in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{11}{16}$ on N...
face, dug pits $18 \times 18 \times 12$ ins., E... and W... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

67.70

Trail bears N. W. and S. E.

68.99

" " N. and S.

72.50

Center field bears N. and S.

78.00

Learn " " " "

80.06

Ch $\frac{1}{16}$ sec. cor.

CHAINS Subdivisions T. 29 N R. 16 E.

Surface gently rolling.

Soil 2nd rate.

Grass fair.

(note.) The eastern part of sec. 33. is fair land and contains some springs therefore I subdivide that portion of it. The remainder is mountainous,

Thence I run west on a trail line through south 1/2 of sec. 33.

7a. 15th E.

16.00 Trail bears N. and S.

20.00 Set a sandstone 16 X 12 X 3 ins. 11 ins. in the ground, for 116 Sec. Cor., marked 116 on N. face, and raised a mound of stone 1 1-2 ft. high 2 ft. base, alongside. Pits impracticable.

Surface gently rolling.

Soil 2nd rate.

Grass poor.

CHAINS Subdivisions T. 29 N R. 16 E

Thence I continue $N. 0^{\circ} 2' W.$

bet. Secs. 33 and 34.

2260.

Trail bears $E.$ and $W.$

39.00

Trail bears **N. W. and S. E.**

40.00

Set a sandstone $20 \times 18 \times 3$ ins., 15 ins. in the ground, for 14 Sec. Cor., marked 14 on $W.$ face, dug pits $18 \times 18 \times 12$ ins., $N.$ and $S.$ of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Thence I run east on a random line through middle sec. 34.

 $Yd. 13^{\circ} E.$

20.00

Set temporary 1-16 Sec. Cor.

40.00

.....Set temporary 1-4 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

80.08

Subtract $W.$ and $O.$ line 12 lines north of 14 sec. cor. Thence I run $N. 89^{\circ} 55' W.$ on a true line through middle sec. 34.

 $Yd. 13^{\circ} E.$

CHAINS. Subdivisions T. 29 N R. 16 E.

Over gently rolling surface.

5.90

Wash...2...lks. wide course, south,

19.00

Entire field bears N. and S.

20.02

Set a sandstone $18 \times 8 \times 6$ ins., 12 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N. face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

31.90

Leave field bears N. and S.

40.04

Set a sandstone $14 \times 10 \times 4$ ins., 9 ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

60.06

Set a sandstone $24 \times 12 \times 3$ ins., 18 ins. in the ground, for $\frac{1}{16}$ Sec. Cor., marked $\frac{1}{16}$ on N. face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

72.10

Trail bears N. W. and S. E.

80.08

The $\frac{1}{4}$ sec. cor.

Surface gently rolling.

Soil 2nd rate.

Grass fair.

CHAINS. Subdivisions T. 29 N R. 16 E

Thence I run west on a true line
through middle sec. 33.

To 13° E.

16.00

Trail bears N. and S.

20.00

Set a sandstone 18" X 14" X 2 1/2" ins. 12"
ins. in the ground, for 116 Sec. Cor., marked 116 on
face, and raised a mound of stone 1 1-2 ft. high
2 ft. base, alongside. Pits impracticable.

Surface rolling

Soil 3rd. note

Grass poor.

Note about 12 chains N. E.

Thence I continue N. 0° 2' W.

bet. secs. 33 and 34

41.00

Trail bears E. and N.

42.90

Trail bears " " "

51.25

Trail bears N. E. and S. W.

52.85

Trail bears N. E. and S. W.

CHAINS-Subdivisions T. 29 N R. 16 E.

60.00

Set a sandstone 10 X 9 X 6 ins., 7 ins.
in the ground, for 1/16 Sec. Cor., marked 1/16 on W. face, dug-pits 18x18x12 ins., N. and S. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Then I run east on a
random line through north
1/2 sec. 34.

To 13° E.

20.00

Set temporary 1-16 Sec. Cor.

40.00

Set temporary 1-16 Sec. Cor.

60.00

Set temporary 1-16 Sec. Cor.

8412

Intersect N. and S. lines 10 lines
north of 1/16 sec. cor. Then
I run N. 89° 56' W. on a
true line through north
1/2 sec. 34.

To 13° E.

over rolling country.

600

Wash 300 yds. wide course, SW. and

have field bars. N.E. and SW.

CHAINS Subdivisions T. 29. N R. 16. E.

2003

Set a sandstone $14 \times 10 \times 4$ ins., 9 ins.
in the ground, for $1/6$ Sec. Cor., marked $1/6$ on N ...
face, dug pits $18 \times 18 \times 12$ ins., E ... and W ... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

4006

Set a sandstone $14 \times 9 \times 8$ ins., 9 ins.
in the ground, for $1/6$ Sec. Cor., marked $1/6$ on N ...
face, dug pits $18 \times 18 \times 12$ ins., E ... and W ... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

41.30

Trail bears N. E. and S. W.

6009

Set a sandstone $16 \times 14 \times 2$ ins., 11 ins.
in the ground, for $1/6$ Sec. Cor., marked $1/6$ on N ...
face, dug pits $18 \times 18 \times 12$ ins., E ... and W ... of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside, ln.

Trail bears N. E. and S. W.

80.12

Sta $1/6$ sec. cor.

Surface gently rolling. and rough.

Soil 3rd rate.

Grass fair.

There I run west on a
true line through north
 $1/2$ sec. 33.

36.

BOOK 595

CHAINS. Subdivisions T. 29 N R. 16 E.

70.13° E.

10.00

Trail bears N. W. and S. E.

20.00

Set a sandstone... 24 X 12 X 3 ins. 18
 ins. in the ground, for 1/16 Sec. Cor., marked 1/16 on
 N face, and raised a mound of stone 1 1-2 ft. high
 2 ft. base, alongside. Pits impracticable.

Surface rough.

Soil 3rd rate.

Little vegetation.

Thence I continue N 0° 2' W. Lat.

secs. 33 and 34.

71.00

Trail bears east and N. W.

80.00

Set a sandstone... 15 X 10 X 6 ins. 10
 ins. in the ground for Cor. to Secs. 27, 28, 33 and 34
 marked with 1 notch on S. and 3 notches on E
 edges, dug pits 18X18X12 ins. in each Sec. 5 1-2 ft.
 dist. and raised a mound of earth 2 ft. high, 4 1-2 ft.
 base, alongside.

Surface gently rolling.

Soil 3rd rate.

A little grass

CHAINS Subdivisions T. 29 N R. 16 E.

Thence I run out on a random
line bet. Secs. 27 and 34.
Ta. 13° E

20.00 Set temporary 1-16 Sec. Cor.

40.00.....Set temporary 1-4 Sec. Cor.

60.00 Set temporary 1-16 Sec. Cor.

89.12 Intersect N. and S. line.....5 lks. north of Cor. to
Secs. 20, 27, 34 and 35 Thence I run 71.89° 58' 27"
on a true line bet. Secs. 27 and 34.

Ta 13° E.

over rolling country.

17.00 Saw field bears NW and SE.

18.70 Trail bears N. E. and S. W.

20.03 Deposited a marked stone 12 ins. in the ground,
for 116 Sec. Cor., dug pits 18x18x12 ins. E. and
W. of corner 5 1-2 ft. dist., and raised a mound of
earth 1 1-2 ft. high, 3 1-2 ft. base over it.

In E. pit drove a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked 116 S. on N. face,

40.06 Set a sandstone 18 X 12 X 8 ins., 12 ins.
in the ground, for 114 Sec. Cor., marked 114 on N.
face, dug pits 18x18x12 ins., E. and W. of stone
5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft.
high, 3 1-2 ft. base, alongside,

38.

BOOK 595

CHAINS Subdivisions T. 29 N R. 16 E.

45.98 Trail bears N. E. and S. W.

6009 Set a sandstone $16 \times 14 \times 2\frac{1}{2}$ ins., in the ground, for $\frac{1}{16}$ Sec. Cor., marked on N. face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

8012 The cor. to sec. 27, 28, 33 and 34

Surface gently rolling.

Soil 3rd rate.

Grass fair.

Thru I run west on a
but quit bet. sec. 28 and 33.
Ta. 13° E.

over rough country.

1600 Trail bears N. W. and S. E.

20.00 Set a sandstone $14 \times 10 \times 4$ ins., in the ground, for $\frac{1}{16}$ Sec. Cor., marked on N. face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Surface rough.

Soil 3rd rate.

Grass poor.

CHAINS Subdivisions T. 29. N. R. 16. E.

From the cor. to sec. 27, 28, 33
and 34. Run N. $0^{\circ} 2'$
H. bet. sec. 27 and 28.
Ta. $13^{\circ} E$.

over rough country.

15.00

Trail bears N. W. and S. E.

20.00

Set a sandstone $20 \times 10 \times 8$ ins. 15
ins. in the ground, for $1/16$ Sec. Cor., marked $1/16$ on
W. face, and raised a mound of stone 1 1-2 ft. high
2 ft. base, alongside. Pits impracticable.

Foot of high bluffs.

Thence I run West on a true
line through south $1/2$
sec. 28.

Ta. $13^{\circ} E$.

over rough country along foot
of bluffs.

14.00

Trail bears N. E. and S. W.

20.00

Set a sandstone $24 \times 14 \times 6$ ins. 18
ins. in the ground, for $1/16$ Sec. Cor., marked $1/16$ on
N. face, and raised a mound of stone 1 1-2 ft. high
2 ft. base, alongside. Pits impracticable.

CHAINS. Subdivisions T²⁹ N R¹⁶ E

22.00 Trail bears N. W. and S. E.

30.00 " " N. E. and S. W. (same)

31.00 South edge of pond. Spring
150 links north.

Ascend bluffs. bear. E and N.

40.00 Marble bluff of rocks. with
a cross (+) and 1/16 and
raised a mound of stone
1 1/2 ft. high 2 ft. base alongside
Pike impracticable
Surface rough and mountainous
Soil 4th. rate
No Grass.

Small sleep of water
about 2 lbs. N.W. of cor.

HAINS Subdivisions T. 29 N. R. 16 E.

From the Standard 14 sec. cor.
on the south boundary of sec.
32. I run N. 0° 2' W. through
middle sec. 32.

To. 13° E.

Ascend

10.00 Center back orchard bears N. E. and S. W.

20.00 Same " " " " "

and Set a sandstone... 18... X 14... X 12... ins. 12...
ins. in the ground, for... 116... Sec. Cor., marked... 116... on
... N... face, and raised a mound of stone 1 1-2 ft. high
2 ft. base, alongside. Pits impracticable.

Ascend spur.

21.50 Top of spur. bears N. E. and S. W.
about 40 ft. high.

23.00 Foot, around tinners bluff.

26.30 Trail bears N. E. and S. W.

27.12 Trail bears N. E. and S. W.

32.70 Trail bears N. E. and S. W.

35.00 Trail bears N. E. and S. W.

36.00 Trail bears N. E. and S. W.

42.

BOOK 595

CHAINS Subdivisions T. 29 N R. 16 E.

40.00

Set a sandstone $\frac{1}{8}$ X $\frac{1}{2}$ X $\frac{1}{6}$ ins. $\frac{1}{2}$ ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, and raised a mound of stone 1 1-2 ft. high 2 ft. base, alongside. Pits impracticable.

Foot of bluffs bears N.W. and S.E.
craze is on top of the bluffs.

Thru I run west through middle sec. 32.

74. 13° E.

2.56

Trail bears N. W. and S. E.

10.70

Trail bears N. E. and S. W.

14.20

Trail bears N. E. and S. W.

20.00

Set a sandstone $\frac{1}{6}$ X $\frac{1}{2}$ X $\frac{1}{3}$ ins., $\frac{1}{1}$ ins. in the ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, dug pits 18x18x12 ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Thru I run S. 0° 3' E. Through west $\frac{1}{2}$ sec. 32

74. 13° E.

Descending.

1.50

Trail bears N. E. and S. W.

CHAINS Subdivisions T. 29 N R. 16 E.

3.00 Trail bears N. E. and S. W.

6.00 Trail bears N. E. and S. W.

20.00 Set a sandstone $\frac{16}{12}$ X $\frac{3}{12}$ ins., $\frac{11}{12}$ ins. in the ground, for $\frac{16}{12}$ Sec. Cor., marked $\frac{11}{12}$ on N. face, dug pits $18 \times 18 \times 12$ ins., E. and W. of stone 5 1-2 ft. dist., and raised a mound of earth 1 1-2 ft. high, 3 1-2 ft. base, alongside,

Small black tree east of cor.
Spring in N.E. 1/4 of SW. 1/4
S. 1/2. 32.

Surface rough.

Soil Inf. rate

No Grass.

June 19th 1891

Subdivisions T. 29. N

R. 16. E.

General Description

The greater portion of this township is very rough and mountainous.

The surveyed portions is very fair land.

and produces the same crops as the township south

Oraire is in sec. 32.

partly in north $\frac{1}{2}$ and part in south.

Springs in N.E. $\frac{1}{4}$ of N.E.

$\frac{1}{4}$ sec. 33. and

N.E. $\frac{1}{4}$ S.W. $\frac{1}{4}$ sec. 32,

and N.W. $\frac{1}{4}$ S.E. $\frac{1}{4}$ sec. 28.

John C. Smith.
U.S. D.S.

BOOK 595

For final notes see Book No. 47

OK 595

45

U. S. Surveyor-General's Office,

TUCSON, A. T., *Feb. 6th* 1882

The foregoing Field Notes of the Surveys of
Subdivisions of T¹ 29 N.
R 16 E of the

Gila and Salt River Meridian
in *Arizona* executed by

John B. Smith
U. S. Deputy Surveyor, under his contract dated
November 1st 1890

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Raphael Johnson

U. S. Surveyor-General
for the Territory of Arizona.