

No 1

SUBDIVISIONS

T.30N.

R.2E.

BOOK 600

JACOBS

No. 600

4-671

600

FIELD NOTES

GENERAL LAND OFFICE.

BOOK 600

No. 600

1

FIELD NOTES.  
of the Survey of the  
SUBDIVISION LINES  
of  
Township N<sup>o</sup> 30 North  
Range N<sup>o</sup> 2 East,  
of the  
GILA and SALT RIVERS  
BASE and MERIDIAN  
in the  
TERRITORY OF ARIZONA  
as Surveyed By  
FRANCIS B. JACOBS  
US Deputy Surveyor  
Under His Contract N<sup>o</sup> 71  
Dated June 13<sup>th</sup> 1900.  
Survey Commenced November 7<sup>th</sup> 1900  
Survey Completed December 2<sup>nd</sup> 1900

Names and Duties of Assistants

- Alfred J McMillan Chairman
- William Donnelley Chairman
- Harry W Thompson Arcman
- Emery Miller Arcman
- Edward Seppin Flayman

BOOK 600

INDEX

Township 30N. Range 2 E.

6	106	5	79	4	58	3	39	2	21	1	
105	103			77		57		38		19	
7	101	8	75	9	55	10	36	11	18	12	
99		98		74		53		35		16	
18	96	17	71	16	51	15	33	14	14	13	
94		93		69		50		31		13	
19	91	20	67	21	47	22	29	23	11	24	
90		88		66		46		28		10	
3	0	86	29	63	28	44	27	26	26	8	25
85		83		62		43		25		7	
31	81	32	59	3	34	34	22	35	5	36	

Survey Commenced  
November 7<sup>th</sup> 1900

At my camp near the  
center of sec. 15 T30N  
R. 2 E. in latitude  
N, longitude W.

At 10.<sup>h</sup> 14<sup>m</sup>. 57 l.m.t.  
by my watch I observe  
Polaris at the upper  
culmination and  
mark the true meridian.  
This determined by  
cutting a groove in a  
stone firmly set in  
the ground 5 shi  
N of my station  
I test my  
transit upon

4

the True Meridian  
thus established  
by a.m. and p.m.  
observations on  
the Sun and find  
the adjustment thereof  
practically correct  
Note: As Deputy Pope had not  
established the E. Body line of  
this T<sub>p</sub>, I used the temporary E.  
Body run by me when sub-  
dividing T. 29 N. 1 R. 2 E.,  
fully explained in notes  
of that T<sub>p</sub>, and which  
line was afterwards proved  
by Deputy Pope.

I commence at the cor. of  
secs. 1, 2, 35 and 36 on the S.  
bdy of the Tp, which is a  
limestone 6x12x5 ins. above  
ground previously set by me.  
Thence I run.

N. 0° 1' W. bet. secs 35 and 36.

10.82

Road from Berry's Trail  
to End of Tracks. bears E and W

40.00

Set a limestone 24x12x10 ins  
18 ins in the ground for  $\frac{1}{4}$  sec  
cor marked  $\frac{1}{4}$  on W. face  
from which,

An oak 6 ins. diam. bears  
S. 41° E 104 lbs. dist. marked  
 $\frac{1}{4}$  S. 36 B.T.

A pine 36 ins. diam bears  
N. 74 $\frac{1}{2}$ ° W. 19 lbs. dist. marked  
 $\frac{1}{4}$  S. 35 B.T.

80.00

Set a limestone 30x8x6 ins

6

22 ins. in the ground for the  
 cor of sees 25, 26, 35 and 36.  
 marked with 1 notch on sand  
 edges, from which.

An oak 10 ins. diam. bears  
 $N. 28\frac{1}{4}^{\circ} E$  65 lks. dist. marked  
 T. 30 N. R. 2 E. S. 25 B.T.

An oak 10 ins. diam. bears  
 $S. 24\frac{3}{4}^{\circ} E$  72 lks. dist. marked  
 T. 30 N. R. 2 E. S. 36 B.T.

A pine 36 ins. diam. bears  
 $S. 76\frac{1}{2}^{\circ} N.$  98 lks. dist. marked  
 T. 30 N. R. 2 E. S. 30 B.T.

A pine 24 ins. diam. bears  
 $N. 67\frac{1}{2}^{\circ} N.$  25 lks. dist. marked  
 T. 30 N. R. 2 E. S. 26 B.T.

Land rolling

Soil rocky & thrate.

Timber pine and cedar

Heavily timbered land 80 chs.

N 89° 51' E on a random line  
between 20 and 36.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.43 Intersect E bdy of 9 $\frac{1}{2}$  chs.  
S of the cor of secs. 25, 30, 31 and  
36. which is a limestone  
temporarily set,  
~~marked and witnessed.~~

Thrua Dmn.

S. 89° 49' W on a true line bet  
secs. 20 and 36.

40.21 $\frac{1}{2}$  Set a limestone 30 x 10 x 6 in  
in a mound of stone for  $\frac{1}{4}$  sec  
cor marked  $\frac{1}{4}$  on N. face  
from which,

Acacia 8 in. diam. bears  
N. 68° E 51 lbs. dist. marked  
 $\frac{1}{4}$  S 20° B T.



- A cedar 18 ins. diam. bears  
S. 41° E. 15 lks. dist. marked  
1/4 S. 36 B.T.
- 80.43 The cor of secs 25, 26, 35 and 36.  
Land rolling.  
Soil 4<sup>th</sup> rate.  
Timber pine, cedar and oak.  
Heavily timbered land 80.43 ac.
- 
- N. 001° W. bet. secs 25 and 26.
- 40.00 Set a limestone 20x12x4 ins  
15 ins. in the ground for 1/4 sec cor  
marked 1/4 on N. face from which  
An oak 10 ins. diam. bears  
S. 82° 34' E 13 1/2 lks. dist. marked  
1/4 S. 25 B.T.
- A pine 12 ins. diam. bears  
N. 68° W. 3 1/2 lks. dist. marked  
1/4 S. 26 B.T.
- 80.00 Set a limestone 20x12x4 ins

15 ins. in the ground for cor  
of secs. 23, 24, 25 and 26, marked  
with 2 notches on S and 1  
notch on E edges, from which,

A pine 12 ins. diam. bears  
N.  $70\frac{1}{2}^{\circ}$  E. 283 lbs. dist. marked  
T. 30 N. R. 2 E. S. 24 B. T.

A pine 24 ins. diam. bears  
S.  $74\frac{1}{2}^{\circ}$  E. 104 lbs. dist. marked  
T. 30 N. R. 2 E. S. 25 B. T.

A pine 36 ins. diam bears  
N.  $37\frac{1}{4}^{\circ}$  W. 70 lbs. dist. marked  
T. 30 N. R. 2 E. S. 23 B. T.

Land rolling:

Soil 4<sup>th</sup> rate.

Timber pine, cedar and oak.  
Heavily timbered land 80 chs.

10

N. 89° 49' E on a random line  
bet. sec. 24 and 25.

40.00

Set temp. 1/4 sec. cor.

30.15

Intersect E body of  $\frac{1}{4}$  sec  
S. of the cor of sec 19, 24, 25 and 30  
which is a limestone.  
temporarily set.

Thence run.

S. 89° 47' W on a true line bet  
sec. 24 and 25.

Over rolling land.

40.07 1/2

Set a limestone 20 x 16 x 8 in  
15 in. in the ground for 1/4 sec cor.  
marked 1/4 on N. face from which,  
A pine 30 ins diam. bears  
South 58 lbs. dist. marked  
1/4 S. 25 B.T.

A pine 24 ins diam. bears

$753\frac{1}{2}^{\circ}$  N. 84 lbs dist. marked  
 $\frac{1}{4}$  S. 24 B.T.

80.15

The cor of sec 23, 24, 25 and 26.  
 Land rolling.

Soil rocky 4th etc

Timber pine and cedar.

Heavily timbered land 80.10 chs.  
 November 8<sup>th</sup> 1900

$70^{\circ}$  1' N. bet sec 23 and 24

40.00

Set a limestone  $24 \times 12 \times 3$  ins  
 18 ins. in the ground for  $\frac{1}{4}$  sec. cor  
 marked  $\frac{1}{4}$  ~~th~~ N. face, from which.

A pine 18 ins. diam bears  
 $S 81\frac{3}{4}^{\circ} E$ , 20 lbs. dist. marked  
 $\frac{1}{4}$  S. 24 B.T.

A pine 14 ins. diam. bears  
 $N. 31\frac{3}{4}^{\circ} N.$  38 lbs. dist. marked  
 $\frac{1}{4}$  S. 23 B.T.

12

59.80

Descend.

62.80

Mark, course  $N 60^{\circ} W$ 

70.25

Top of bank.

80.00

Set a limestone  $20 \times 12 \times 6$  in  
 15 in in the ground for cor of

see 13, 14, 23 and 24 marked  
 with 3 notches on sand, 1 notch  
 on bldgs, from which

A pine 20 in diam bears  $N. 57^{\circ} E$   
 116 lbs. dist. marked  $T. 30 N. R. 2$   
 E. S. 13 B.T.

A pine 24 in diam bears  
 $S. 24\frac{1}{2}^{\circ} E$  254 lbs. dist. marked  
 $T. 30 N. R. 2$  E. S. 24 B.T.

A pine 24 in diam bears  
 $S. 75^{\circ} W$ . 70 lbs. dist. marked  
 $T. 30 N. R. 2$  E. S. 23 B.T.

A pine 20 in diam bears  
 $N. 14\frac{1}{2}^{\circ} W$ . 97 lbs. dist. marked

T30 N. R. 2 E. S. 14 B.T.

Land, rolling.

Soil 4th rate.

Timber pine and cedar.

Heavily timbered land 80 chs.

N. 89° 24' 7" E on a random line  
bet. sec. 13 and 24.

40.00 Set temp 1/4 sec. cor.

80.25 Intersect E bdy of T<sub>30</sub> 15 lbs.  
S. of the cor. of sec. 13, 18, 19, and 24  
which is a limestone  
temporarily set.

Thence Drum

S. 89° 41' 1/2" W on a true line bet  
secs. 13 and 24.

40.12 1/2 Set a limestone 20 x 18 x 8 ins.  
15 ins. in the ground for 1/4 sec

cor. marked 1/4 on N face  
from which,

A pine 18 ins. diam. bears  
N. 58 1/2° E 36 lbs. dist. marked  
1/4 S. 13 B.T.

A pine 8 ins. diam. bears S. 71° W.  
83 lbs. dist. marked 1/4 S 24  
B.T.

53.25

Descend.

57.75

Bottom of gulch, course S.W.

61.65

Top of bank.

80.25

The cor. of sec. 13, 14, 23 and 24.

Land rolling.

Soil rocky + th. rate.

Timber pine and cedar.

Heavily timbered land 80.25 chs.

27.50

N 201' W bet sec. 13 and 14.  
Gulch 1 ch. wide course S W.

40.00

Set a limestone  $30 \times 14 \times 8$  ins  
22 ins. in the ground for  $\frac{1}{4}$  sec  
cor. marked  $\frac{1}{4}$  on W face, from  
which,

A pine 24 ins. diam. beam  
S.  $41\frac{1}{4}^{\circ}$  E 166 lbs. dist. marked  
 $\frac{1}{4}$  S. 13 B.T.

A pine 24 ins. diam. beam  
S.  $56\frac{3}{4}^{\circ}$  W. 77 lbs. dist. marked  
 $\frac{1}{4}$  S. 14 B.T.

80.00

Set a limestone  $20 \times 10 \times 6$  ins  
15 ins. in the ground for cor of  
secs. 11, 12, 13 and 14 marked  
with 4 notches on S and 1  
notch on E edges, from which,

An oak 5 ins. diam. beam  
N.  $81\frac{3}{4}^{\circ}$  E. 142 lbs. dist. marked  
T 30 N. R 2 E S. 12 B.T.

A cedar 24 ins. diam. beam



76

S.  $11^{\circ}$  E 139 lks. dist. marked

T. 30 N. R. 2 E. S. 13 B. T.

A pine 18 ins diam. bears

S.  $10\frac{1}{2}^{\circ}$  W. 59 lks. dist. marked

T. 30 N. R. 2 E. S. 14 B. T.

A cedar 18 ins diam. bears

N.  $20\frac{1}{2}^{\circ}$  W. 29 lks. dist. marked

T. 30 N. R. 2 E. S. 11 B. T.

Land rolling

Soil 4<sup>th</sup> Rocky

Timber pine and cedar.

Heavily timbered land 80. chs.

---

N  $89^{\circ} 41'$  E on a random line  
bet sees. 12 and 13.

40.00

Set temp  $\frac{1}{4}$  sec. cor.

80.27

Intersect E body of T<sub>p</sub> 22 lks  
S. of the cor of sees 7, 12, 13  
and 18 which is a limestone  
temporarily set.

~~10 x 10 inches above ground firmly  
set marked and well secured.~~

Plence I run

S.  $89^{\circ} 32'$  W. on a true line bet  
secs. 12 and 13.

40.13 1/2

Set a sandstone 10 x 10 x 6 ins.  
12 ins. in the ground for 1/4 sec.  
cor. marked 1/4 on N. face,  
from which,

A fine 12 ins. diam. bears  
N.  $14\frac{1}{2}^{\circ}$  E  $37$  lbs. dist. marked  
1/4 S. 12 B.T.

A fine 2 1/2 ins. diam. bears  
S.  $3\frac{3}{4}^{\circ}$  W.  $34$  lbs. dist. marked  
1/4 S. 13 B.T.

80.27

The cor. of sec 11, 12, 13 and 14

Sand rolling

Soil 4th rate

Timber cedar and pine

Heavily timbered land 80.27 chs.  
November 9<sup>th</sup> 1900.

---

No. 01: 2 $\frac{1}{2}$  bet secs. 11 and 12.

Over rolling land

40.00

Set a limestone 20x10x6 ins.  
15 ins. in the ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N face, from which

A pine 24 ins. diam. bears  
S.  $84\frac{1}{4}^{\circ}$  E. 16 lbs. dist. marked  
 $\frac{1}{4}$  S. 12 B.P.

A pine 24 ins. diam. bears  
S.  $10^{\circ}$  N. 15 lbs. dist. marked  
 $\frac{1}{4}$  S. 11 B.P.

80.00

Set a limestone 18x12x4 ins.  
12 ins. in the ground for cor. of  
secs 12, 11 and 12, marked with  
5 notches on S and 1 notch on  
E face, from which.

A pine 36 ins. diam. bears

N.  $64\frac{3}{4}^{\circ}$  E. 80 lbs. dist. marked

T. 30 N. R. 2 E. S. 1 B. T.

A pine 18 ins. diam. bears

S.  $50\frac{3}{4}^{\circ}$  E. 193 lbs. dist. marked

T. 30 N. R. 2 E. S. 12 B. T.

A pine 30 ins. diam. bears

S.  $85\frac{1}{4}^{\circ}$  W. 250 lbs. dist. marked

T. 30 N. R. 2 E. S. 11 B. T.

A pine 24 ins. diam. bears

N.  $45^{\circ}$  W. 110 lbs. dist. marked

T. 30 N. R. 2 E. S. 2 B. T.

Land rolling.

Soil 3<sup>rd</sup> and 4<sup>th</sup> rate

Timber pine and cedar.

Heavily timbered land 80 chs.

---

N.  $89^{\circ}$  32' E. on a random line bet.  
secs. 1 and 12.

20

40.00

Set temp  $\frac{1}{4}$  sec - cor.

80.24

Intersect E body of T<sub>2</sub>.  
 4 lbs. N. of the cor of secs 1, 6,  
 7 and 12 which is a limestone  
 temporarily set.

~~Intersected at distance~~

Thence Down

S. 89°34' 2" on a true line bet.  
 secs. 1 and 12.

40.12

Set a limestone 20x10x6 ins.  
 15 ins. in the ground for  $\frac{1}{4}$  sec  
 cor. marked  $\frac{1}{4}$  on N. face, from  
 which,

A pine 12 ins. diam. bears  
 S. 15 $\frac{1}{2}$ ° W. 51 lbs. dist. marked  
 $\frac{1}{4}$  S. 12 B.T.

A pine 24 ins. diam. bears  
 N. 23 $\frac{1}{2}$ ° W. 145 lbs. dist. marked  
 $\frac{1}{4}$  S. 1 B.T.

80.24

The cor. of secs 1, 2, 11 and 12.

Land rolling.

Soil rocky 4th rate.

Timber Pine and cedar.

Heavily timbered land 80.24 ch

$N 00^{\circ} 1' W$  on a random line bet.  
secs. 1 and 2.

40.00

Set temp  $1/4$  sec. cor.

80.12

Intersect N. bdy of Twp 11 Tka.  
N. of the cor of secs. 1, 2, 35 and  
36 which is a limestone  
 $6 \times 10 \times 4$  ins above ground previously  
set by me.

Thence run

$S. 00^{\circ} 3' E$  on a true line bet. secs.  
1 and 2.

40.12

Set a limestone  $18 \times 8 \times 6$  ins.  $12$  ins  
in the ground for  $1/4$  sec cor

72

marked 14 on N. face, from  
which,

A cedar 10 ins. diam. bears  
N. 56° E. 5 lks. dist. marked  
1/4 S. 1 B.T.

A cedar 12 ins. diam. bears  
N. 88 1/2° W. 37 lks. dist. marked  
1/4 S. 2 B.T.

80.12

The cor. of secs 12, 11 and 12.

Land, rolling.

Soil, 3rd rate.

Timber, cedar and pine.

Heavily timbered land 80.12 cha

November 10 1900.

From the cor. of secs, 2, 3,  
34 and 35 on the S bdy of the  
Twp which is a limestone  
6 x 18 x 6 ins. above ground

previously set by me, & run.

N. 0° 1' W. by sec 34 and 30;

7.90

Road bears S E and N W.

17.85

Road from Berry's trail to  
End of Track, bears E and W.

40.00

Set a limestone 18x12x8 ins.  
12 ins. in the ground for 1/4 sec.  
cor. marked 1/4 on W. face from  
which,

A fine 18 ins. diam. bears  
S. 8 1/2° E. 37 lbs. dist. marked  
1/4 S. 35 B.T.

A fine 24 ins. diam. bears  
N 60° W. 272 lbs. dist. marked  
1/4 S. 34 B.T.

From this cor. the log cabin  
at Rain Tanks bears S. 76° W.  
25 ch. dist.

80.00

Set a limestone 24x10x4 ins.



24

18 ins. in the ground for  
 cor. of sec. 26, 27, 34 and 35;  
 marked with 1 notch on S  
 and 2 notches on E edge, from  
 which,

- A pine 24 ins. diam bears  
 N. 11° E. 289 lbs. dist. marked  
 T. 30 N. P. 2 E. S. 26 B. T.

A pine 18 ins. diam. bears  
 N. 22° W. 223 lbs. dist. marked  
 T. 30 N. P. 2 E. S. 27 B. T. - no more  
 trees within limits, dig pits  
 18 x 18 x 12 ins in each sec. 5 1/2  
 ft. dist. and raise mound of  
 earth 4 ft. base 2 ft. high  
 W. of cor.

From this cor the log  
 cabin at Rain Tanks  
 bears S. 33 1/4° W.

Land, rolling.

Soil, 2<sup>nd</sup> and 4<sup>th</sup> rate.

Timber pine and cedar

Dense undergrowth 80. chs.

---

N. 89° 51' E on a random line  
bet. sec. 26 and 30.

40.00 Set temp 1/4 sec. cor.

80.37 Intersect N. and S. line 60 lbs.

N. of the cor. of sec. 20, 26, 30  
and 36.

Thence I run

S. 89° 04' W. on a true line  
bet. sec. 26 and 30.

Over rolling land.

40.18 1/2 Set a limestone 30 x 18 x 4  
ins. in mound of stone for  
1/4 sec. cor. marked 1/4 on N.  
face, from which,

76

A pine 16 ins. diam. bears  
 $N. 80\frac{1}{2}^{\circ} E$  49 lks. dist. marked  
 $\frac{1}{4} S. 26 B.T.$

A cedar 8 ins. diam. bears  
 $S. 56\frac{1}{2}^{\circ} W.$  30 lks. dist. marked  
 $\frac{1}{4} S. 35 B.T.$

80.37

The cor. of secs. 26, 27, 34 and 35  
 Land rolling.

Soil 2<sup>nd</sup> and 4<sup>th</sup> rate.

Timber pine and cedar.

Heavily timbered land 80.37 chs

---

$N. 0^{\circ} 11' W.$  bet. secs. 26 and 27.

Over rolling land

40.00

Set a limestone  $18 \times 12 \times 8$  ins.

12 ins. in the ground for  $\frac{1}{4}$  sec.

cor. marked  $\frac{1}{4}$  on W. face, from  
 which,

A pine 30 ins. diam. bears

N.  $71\frac{1}{2}^{\circ}$  E 110 lbs. dist. marked  
 1/4 S. 26 B.T.

A pine 12 in. diam. bears  
 N.  $80\frac{1}{4}^{\circ}$  W. 98 lbs. dist. marked  
 1/4 S. 27 B.T.

80.00

Set a limestone  $24 \times 10 \times 8$  in.  
 18 in. in the ground for the cor. of  
 sec 22, 23, 26, 27 marked with  
 2 notches on S and E edges,  
 from which,

A pine 10 in. diam. bears  
 N.  $66\frac{1}{2}^{\circ}$  E 49 lbs. dist. marked  
 N.  $30^{\circ}$  W. R. 2 E. S. 23 B.T.

A cedar 12 in. diam. bears  
 S.  $87^{\circ}$  E. 50 lbs. dist. marked  
 N.  $30^{\circ}$  W. R. 2 E. S. 26 B.T.

A pine 16 in. diam. bears  
 S.  $28\frac{3}{4}^{\circ}$  W. 54 lbs. dist. marked  
 N.  $30^{\circ}$  W. R. 2 E. S. 27 B.T.

A cedar 14 ins. diam. bears  
 N.  $4\frac{1}{2}$ ° W. 51 lbs dist marked  
 9.30 N. R. 26. S. 52 B.T.

Land rolling.

Soil rocky & thrale.

Timber Pine and cedar.

Heavily timbered land 80 chs.

---

N.  $89^{\circ}54'$  E on a random line  
 bet. secs. 23 and 26.

40.00 Set temp  $\frac{1}{4}$  sec. cor.

79.57 Intersect N. and S. line 35 lbs.

S. of the cor. of secs 23, 24, 25 and  
 26.

Thence I run

S.  $89^{\circ}40'$  W on a true line bet.  
 secs. 23 and 26.

39.78 $\frac{1}{2}$  Set a limestone  $20 \times 12 \times 6$  ins  $10$  ins  
 in the ground for  $\frac{1}{4}$  sec. cor.

marked  $\frac{1}{4}$  on N. face, from  
which,

A pine 36 ins. diam. bears  
N.  $66\frac{3}{4}^{\circ}$  E, 110 lbs. dist. marked  
 $\frac{1}{4}$  S. 23 B.T.

A pine 12 ins. diam. bears  
S.  $69\frac{1}{2}^{\circ}$  W. 22 lbs. dist. marked  
 $\frac{1}{4}$  S. 26 B.T.

79.57

The cor of secs 22, 23, 26 and 27.

Land rolling.

Soil rocky 4<sup>th</sup> rate.

Timber pine and cedars

Heavily timbered land. 79.57 chs.

November, 11, 1900.

N  $0^{\circ}$  11" W bet secs 22 and 23.

Over rolling land

40.00

Set a limestone 20 x 6 x 4 ins  
15 ins in the ground for  $\frac{1}{4}$  all

cor. marked  $\frac{1}{4}$  on  $\frac{1}{2}$  face  
from which.

A cedar 20 ins. diam. bears  
S.  $45^{\circ}$  E. 12 lbs. dist. marked  
 $\frac{1}{4}$  S. 23 B.T.

A pine 10 ins. diam. bears  
S.  $18\frac{1}{2}^{\circ}$  W. 13 lbs. dist. marked  
 $\frac{1}{4}$  S. 22 B.T.

80.00

Set a limestone 24 X 8 X 6 ins.  
18 ins. in the ground for cor. of  
secs 14, 15, 22 and 23, marked  
with 3 notches on S and 2 notches  
on E edges, from which.

A pine 24 ins. diam. bears  
N.  $28\frac{1}{2}^{\circ}$  E. 120 lbs. dist. marked  
P. 30 N. R. 2 E. S.  $\frac{1}{4}$  B.T.

A pine 20 ins. diam. bears  
S.  $84\frac{1}{4}^{\circ}$  E. 136 lbs. dist. marked  
P. 30 N. R. 2 E. S. 23 B.T.

A pine 20 ins. diam bears  
 S. 60° 40' W. 211 lbs. dist. marked  
 N. 30° W. R. 2 E. S. 22 B. T.

A pine 24 ins. diam bears  
 N. 83° W. 64 lbs. dist. marked  
 N. 30° W. R. 2 E. S. 10 B. T.

Land rolling

Soil 4th rate.

Timber pine and cedar.

Heavily timbered land 80 chrs

N. 89° 40' E on a random line  
 bet sec 14 and 23.

40.00 Set temp 1/4 sec. cor.

79.52 Intersect N. and S line 6 lbs S of  
 the cor of sec 13, 14, 23 and 24  
 thence I run

S. 89° 37' W. on a true line bet  
 sec 14 and 23.



92

- 12.00 Descend
- 16.00 Bottom of wash
- 28.00 Top of bank.
- 33.50 Re-enter wash.
- 39.77 Set a limestone  $24 \times 12 \times 10$  ins  
18 ins. in the ground for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  on N. face from  
which.
- A pine 30 ins diam. bears  
S  $80\frac{1}{4}^{\circ}$  E 194 lbs. dist. marked  
 $\frac{1}{4}$  S. 23 B.D.
- A pine 24 ins diam. bears  
N.  $39^{\circ}$  W. 314 lbs. dist. marked  
 $\frac{1}{4}$  S. 14 B.D.
- 59.15 Leave wash bears E and N.
- 59.57 Road bears E. and N.
- 79.54 The cor. of sec. 14, 15, 22 and 23  
Land rolling.  
Soil 2<sup>nd</sup> and 4<sup>th</sup> rate.

Timber pine and cedar.

Heavily timbered land 79.54 chs.

70° 1' N. bet. sec. 14 and 15.

Descend.

36.0

Enter wash course N.

5.00

Road, follows wash, ascend.

7.10

Top of bank.

12.00

Descend.

36.75

Gulch, course S. 70° N.

37.20

40.00

Set a limestone 18 x 12 x 8 ins  
12 ins. in the ground for 1/4 sec.  
cor. marked 1/4 on N. face from  
which,

A pine 24 ins diam. bears

S. 37° 2' E 140 lbs. dist. marked

1/4 S 14 B.T.

A pine 24 ins. diam. bears

N. 77° N. 142 lbs. dist. marked

34

1/4 S. 10 B.T.

42.00 Top of bank.

80.00 Set a limestone 18x12x6 ins

12 ins. in the ground for ca of  
secs 10, 11, 14 and 15, markedwith 4 notches on S and 2  
notches on E edges, from which

A pine 12 ins. diam. bears

N. 0 1/2 E. 180 lbs. dist. marked

9.30 N. R. 2 E. S. 11 B.T.

A cedar 24 ins. diam. bears

S. 40° E. 272 lbs. dist. marked

9.30 N. R. 2 E. S. 14 B.T.

A pine 18 ins. diam. bears

S. 80° W. 130 lbs. dist. marked

9.30 N. R. 2 E. S. 10 B.T.

A pine 20 ins. diam. bears

N. 88 1/2° W. 112 lbs. dist. marked

9.30 N. R. 2 E. S. 10 B.T.

Land rolling.

Soil 3<sup>rd</sup> rate.

Timber pine and cedar.

Heavily timbered land 80 chs.

---

N.  $89^{\circ} 37' 6$  on a random line bet secs  
11 and 14

40.00 Set temp  $\frac{1}{4}$  sec cor.

79.92 Intersect N. and S. line at the  
cor of secs 11, 12, 13 and 14.

Thence down S. 80

S.  $89^{\circ} 37' 11$  on a true line bet  
secs. 11 and 14.

39.96 Set a limestone  $16 \times 10 \times 5$  ins  
10 ins. in the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N. face from  
which.

A pine 10 ins. diam. bears  
S.  $35^{\circ} \frac{1}{4} E. 72$  lbs. dist. marked.

136

$\frac{1}{4}$  S. 14 B.T.

A pine 13 ins. diam. bears  
N.  $40^{\circ}40'$  W. 68 lbs. dist. marked  
 $\frac{1}{4}$  S. 11 B.T.

79.92

The cor of secs. 10, 11, 14 and 15.  
Land rolling.

Soil rocky. 4th rate.

Timber pine and cedars.

Heavily timbered land 79.92 chs

November 12<sup>th</sup> 1900.

40.00

N.  $00^{\circ}1'$  W. bet. secs 10 and 11.

Set a limestone  $18 \times 10 \times 5$  ins  
12 ins. in the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N. face from  
which,

A pine 12 ins. diam. bears  
S.  $62^{\circ}40'$  E. 30 lbs. dist. marked  
 $\frac{1}{4}$  S. 11 B.T.

A pine 12 ins. diam. bears  
 S.  $40\frac{1}{2}^{\circ}$  N. 19 lbs. dist. marked  
 $\frac{1}{4}$  S. 10 B.T.

80.00

Set a sandstone  $18 \times 8 \times 6$  ins.  
 12 ins. in the ground for cor  
 of secs. 2, 3, 10 and 11. marked  
 with 5 notches on S and 2  
 notches on E edges, from which

A cedar 10 ins. diam. bears  
 N.  $82^{\circ}$  E. 41 lbs. dist. marked  
 N.  $30^{\circ}$  N. R. 2 E. S. 11 B.T.

A cedar 12 ins. diam. bears  
 S.  $82^{\circ}$  E. 14 lbs. dist. marked  
 N.  $30^{\circ}$  N. R. 2 E. S. 11 B.T.

A cedar 8 ins. diam. bears  
 S.  $36\frac{1}{2}^{\circ}$  N. 39 lbs. dist. marked  
 N.  $30^{\circ}$  N. R. 2 E. S. 11 B.T.

A pine 12 ins. diam. bears  
 N.  $30\frac{1}{2}^{\circ}$  N. 48 lbs. dist. marked

T. 30 N. R. 2 E. S. 3 B. 1.

Sand rolling

Soil 3<sup>rd</sup> etc.

Timber Cedar and pine.

Heavily timbered land 80 chs.

---

$N 89^{\circ} 37' E$  on a random line  
bet sec. 2 and 11.

40.00 Set temp  $\frac{1}{4}$  sec. cor.

79.53 Intersect  $N$  and  $S$ . line 11 lbs.

$S$ . of the cor of sec. 1, 2, 11 and 12.

Thence  $S$  run.

$S 89^{\circ} 32' W$  on a true line bet  
secs 2 and 11.

39.76  $\frac{1}{2}$  Set a limestone  $18 \times 14 \times 18$  ins  
12 ins. in the ground for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  on  $N$ . face, from  
which.

A pine 14 ins. diam. bears

N. 640 E. 34 lbs. dist. marked

$\frac{1}{4}$  S 2 B.T.

A pine 12 ins. diam. bears

S.  $11\frac{1}{2}^{\circ}$  E. 12 lbs. dist. marked

$\frac{1}{4}$  S. 11. B.T.

79.53

The cor of sec. 2, 3, 10 and 11.

Land rolling

Soil 4th rate.

Timber cedar and pine.

Heavily timbered land 79.53 che.

70° 1' N. on a random line  
bet. sec. 2 and 3.

40.00

Set temp  $\frac{1}{4}$  sec. cor.

80.15

Intersect N. bdy of T<sub>p</sub> 27 lbs.

E. of the cor of sec. 2, 3, 34  
and 35 which is a limestone

6 x 8 x 6 ins. above ground previously  
set by me.



40.

Thence I run

S. 00, 14' E on a true line bet.  
sees. 2 and 3.

40.15 Set a limestone 24 x 12 x 8 ins  
18 ins. in the ground for  $\frac{1}{4}$  sec  
cor. marked  $\frac{1}{4}$  on N. face,  
from which,

A pine 30 ins. diam. bears  
S 70° E. 113 lbs. dist. marked  
 $\frac{1}{4}$  S. B.T.

A pine 36 ins. diam. bears  
N. 61 $\frac{1}{4}$ ° W. 59 lbs. dist. marked  
 $\frac{1}{4}$  S. 3 B.T.

80.15 The cor. of sees 2, 3, 10 and 11.

Land rolling.

Soil rocky + the rate.

Timber Pine and cedar

Heavily timbered land 80.15 che.

November 13<sup>th</sup> 1900.

From the cor. of secs. 34, 33  
and 34 on the S. bdy of the T<sup>p</sup>.  
which is a limestone  $40 \times 24 \times 6$  ins  
in a mound of stone, previously  
set by me, Drun.

N.  $0^{\circ} 2'$  W bet. secs. 33 and 34.

37.18

Road from Berry's trail to  
End of Track. bears E and N.

40.00

Set a limestone  $20 \times 10 \times 6$  ins.  
15 ins. in the ground for  $\frac{1}{4}$  sec.  
Cor. marked  $\frac{1}{4}$  on N. face from  
which,

A pine 18 ins. diam. bears  
S.  $36^{\circ}$  E. 4 lks. dist. marked  
 $\frac{1}{4}$  S. 34 B.T.

A cedar 12 ins. diam. bears  
N.  $61\frac{1}{2}^{\circ}$  W. 77 lks. dist. marked  
 $\frac{1}{4}$  S. 33 B.T.

80.00

Set a limestone  $30 \times 12 \times 6$  ins.

42

BOOK 600

in mound of stone for cor of  
secs. 27, 28, 33 and 34, marked  
with 1 notch on S and 3  
notches on E edge, from which

A pine 24 in. diam. bears  
N.  $54\frac{3}{4}^{\circ}$  E. 68 lks. dist. marked  
T. 30 N. R. 2 E. S. 27 B. T.

A pine 5 in. diam. bears  
S.  $67\frac{3}{4}^{\circ}$  E. 95 lks. dist. marked  
T. 30 N. R. 2 E. S. 34 B. T.

A pine 18 in. diam. bears  
S.  $7\frac{3}{4}^{\circ}$  N. 147 lks. dist. marked  
T. 30 N. R. 2 E. S. 33 B. T.

A pine 20 in. diam. bears  
N.  $14\frac{1}{2}^{\circ}$  N. 102 lks. dist. marked  
T. 30 N. R. 2 E. S. 28 B. T.

Land rolling.

Soil rocky 4<sup>th</sup> rate.

Timber pine and cedar

Heavily timbered land 80. chs.

---

N.  $89^{\circ}51'E$  on a random line  
bet. sec. 27 and 34.

40.00 Set a bump  $\frac{1}{4}$  sec. cor.

79.96 Intersect N. and S line 23 lbs.  
N. of the cor of sec 26, 27, 33 and  
35.

Thence Drum

N.  $89^{\circ}59'$  N. on a true line  
bet. sec 27 and 34.

39.98 Set a limestone  $24 \times 20 \times 10$  ins  
18 ins. in the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N. face from  
which,

An oak 10 ins. diam. bears  
N.  $16\frac{3}{4}^{\circ}E$  134 lbs. dist marked  
 $\frac{1}{4}$  S. 27 B.T.

A pine 12 ins. diam. bears

H/H

S.  $34\frac{1}{2}^{\circ}$  W. 226 lbs. dist.  
 marked  $\frac{1}{4}$  S. 37 B.T.  
 79.96 The cor. of secs. 27, 28, 33 and 34.  
 Land rolling.  
 Soil 4<sup>th</sup> rate.  
 Timber pine and cedar.  
 Heavily timbered land 79.96 chs.

---

N.  $0^{\circ} 2'$  W. bet. secs. 27 and 28.  
 40.00 Set a limestone  $18 \times 12 \times 6$  ins  
 12 ins in the ground for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  on N. face,  
 from which,  
 A pine 30 ins. diam. bears  
 S.  $47\frac{1}{2}^{\circ}$  E. 168 lbs. dist. marked  
 $\frac{1}{4}$  S. 27 B.T.  
 A pine 30 ins. diam. bears  
 N.  $55\frac{1}{2}^{\circ}$  W. 88 lbs. dist. marked  
 $\frac{1}{4}$  S. 28 B.T.

71.13

Road bears S. E. and N. W.

80.00

Set a limestone 24x12x6 ins  
18 ins. in the ground for cor. of  
secs. 21, 22, 27 and 28, marked  
with 2 notches on S. and  
3 notches on E. edges, from  
which,

A pine 30 ins. diam. bears  
N.  $73^{\circ}$  E 115 lbs. dist. marked  
T. 30 N. R. 2 E. S. 22 B. T.

A pine 18 ins. diam. bears  
S.  $47^{\circ}$  E 181 lbs. dist. marked  
T. 30 N. R. 2 E. S. 27 B. T.

A pine 18 ins. diam. bears  
S.  $8\frac{1}{2}^{\circ}$  W. 257 lbs. dist. marked  
T. 30 N. R. 2 E. S. 28 B. T.

A pine 36 ins. diam. bears  
N.  $20^{\circ}$  W. 152 lbs. dist. marked  
T. 30 N. R. 2 E. S. 21 B. T.

46

Land rolling

Soil 2nd and 4th rate.

Timber pine and cedar.

Heavily timbered land 80 chs.

S.  $89^{\circ}59'6''$  on a random line bet  
secs 22 and 27.

40.00

Set temp  $\frac{1}{4}$  sec. cor. mark

80.36

Intersect N. and S. line

36 lbs N. of the cor. of secs. 22, 23

26 and 27.

Thence Run

N.  $89^{\circ}45'$  N. on a true line  
bet secs. 22 and 27

40.18

Set a limestone  $16 \times 12 \times 6$  ins  
4 ins in the ground to bedrock  
surrounded by mound of stone  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on  
N. face from which

A cedar 10 ins. diam. bears  
 S  $5\frac{3}{4}^{\circ}$  E. 35 lbs. dist.  
 marked  $\frac{1}{4}$  S. 27 B.T.

A pine 10 ins. diam. bears  
 N.  $30^{\circ}$  W. 26 lbs. dist. marked  
 $\frac{1}{4}$  S. 22 B.T.

80.36 The cor. of secs 21, 22, 27 and  
 28.

Land rolling.

Soil 3<sup>rd</sup> rate.

Timber cedar and pine

Heavily timbered land 80.36 chs

November 14<sup>th</sup> 1900

40.00 No  $2^{\circ}$  W. bet secs. 21 and 22.  
 Set a limestone  $24 \times 10 \times 8$  ins  
 18 ins. in the ground for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  on N. face  
 from which,



48

A pine 12 ins. diam. bears  
S. 35° E. 58 lbs. dist. marked  
1/4 S. 22 B.T.

A pine 10 ins. diam. bears  
N. 10 3/4° W. 118 lbs. dist. marked  
1/4 S. 21 B.T.

From this cor. P.R. bridge  
bears S. 45° W. 3 1/2 chs dist.

69.80

Descend.

73.00

Wash course N. W.

76.06

Road bears E and W

77.00

Ascend.

79.80

Top of limestone bluff

80.00

The point for cor. of sec

15, 16, 21 and 22 falls a limestone  
ledge, mark a (+) cross at  
exact point of cor and raise  
a mound of stone 2 ft. base  
1 1/2 ft. high N. of cor.

Chisel 3 grooves on sand & sides of (X) cross, from which

A pine 12 ins. diam. bears  
 $N. 15\frac{3}{4}^{\circ} E. 93$  lbs. dist. marked  
 $N. 30^{\circ} W. R. 2 E. S. 15 B. T.$

A pine 10 ins. diam. bears  
 $S. 22\frac{3}{4}^{\circ} E. 161$  lbs. dist. marked  
 $N. 30^{\circ} W. R. 2 E. S. 22 B. T.$

A pine 12 ins. diam. bears  
 $S. 22\frac{1}{4}^{\circ} W. 106$  lbs. dist. marked  
 $N. 30^{\circ} W. R. 2 E. S. 21 B. T.$

A pine 8 ins. diam. bears  
 $N. 26\frac{1}{4}^{\circ} W. 128$  lbs. dist. marked  
 $N. 30^{\circ} W. R. 2 E. S. 16 B. T.$

Land rough and rolling.

Soil rocky 4th rate.

Timber cedar and pine.

Heavily timbered land rocks.

50

- S  $89^{\circ}45'$  E on a random.  
line bet. secs. 15 and 22.
- 40.00 Set temp  $\frac{1}{4}$  sec cor.
- 80.38 Intersect N and S. line 28 lbs  
S of the cor of secs 14, 15, 22  
and 23,  
Thence down N.  $89^{\circ}57'$  on  
a true line bet. secs. 15 and 22.
- 14.00 Descend
- 21.00 Wash, course N.  $75^{\circ} \frac{1}{2}$
- 30.00 Descend.
- 32.30 Top of bank.
- 40.19 Set a limestone 24 x 8 x 6  
ins. 4 ins in the ground to  
bedrock surrounded by mound  
of stones, for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N face, from which,  
A pine  $1\frac{1}{2}$  ins. diam. bears  
N  $82\frac{3}{4}^{\circ}$  E 85 lbs dist. marked

1/4 S. 15 B.T.

A pine 20 ins. diam. bears  
S. 18° E. 1.09 lbs. dist. marked

1/4 S. 22 B.T.

45.50

Descend

49.25

Wash, course N.E. and S.W.

61.70

Road bears N.E. and S.W.

65.00

Ascend

74.00

Top of bank.

80.38

Thickness of soil 15, 16, 21 and 22,

Land mountainous.

Soil 4<sup>th</sup> rate.

Timber Pine and cedar.

Heavily timbered land 80.38 ch

N 0° 2' W. bet secs. 13 and 16.

29.25

Descend.

34.50

Gulch course S.W. ascend

40.00

Set a limestone 36 x 18 x 8 ins

in mound of stone for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face from which,

A pine 18 ins. diam. bears S.  $25\frac{1}{2}^{\circ}$  E 30 lks. dist. marked  $\frac{1}{4}$  S. 15 B.T.

A pine 30 ins. diam. bears N.  $75^{\circ}$  W. 113 lks. dist. marked  $\frac{1}{4}$  S. 16 B.T.

42.30

Top of bank.

80.00

Set a sandstone 24x12x6 ins. 18 ins. in the ground for cor. of sec. 9, 10, 15 and 16 marked with 4 notches on S and 3 notches on E edges. from which,

A pine 18 ins. diam. bears N.  $76^{\circ}$  E 50 lks. dist. marked  $\frac{1}{4}$  30 NR 26 S 10 B.T.

A pine 8 in. diam. bears  
 S.  $24\frac{1}{2}^{\circ}$  E. 38 lbs. dist. marked

N. 30 W. R. 2 E. S. 15 B. T.

A pine 14 in. diam. bears  
 S.  $75\frac{1}{2}^{\circ}$  W. 50 lbs. dist. marked

N. 30 W. R. 2 E. S. 16 B. T.

A pine 12 in. diam. bears  
 S.  $21\frac{3}{4}^{\circ}$  W. 21 lbs. dist. marked

N. 30 W. R. 2 E. S. 9 B. T.

Land rough.

Soil rocky 4th rate.

Timber Cedar and pine.

Heavily timbered land so char.

S. 89° 05' 7" E on a random line  
 bet. sec. 10 and 15.

Set temp  $\frac{1}{4}$  sec. cor.

Intersect N. and S. line  
 14 lbs. S of the cor. of sec.

40.00

80.44

10, 11, 14 and 15.

Thence Drum

S. 89° 57' W on a true line  
bet secs. 10 and 10.

40.22

Set a limestone 30x12x6 ins  
22 ins. in the ground for 1/4  
sec. cor. marked 1/4 on N.

faa from which,

A pine 36 ins. diam. bears  
N. 10° W. 107 lbs. dist. marked  
1/4 S. 10 B.T.

A pine 10 ins. diam. bears  
S. 30° W. 95 lbs. dist. marked  
1/4 S. 15 B.T.

80.44

The cor. of secs. 9, 10, 15 and 16.

Land rolling.

Soil rocky 4th rate.

Timber pine and cedar.

Heavily timbered land 80.44 ch.

November 10<sup>th</sup> 1900

No. 2' N. bl. sec. 9 and 10  
Over rolling land.

4000

Set a limestone  $20 \times 12 \times 15$  ins  
15 ins. in the ground for 1/4  
sec. cor. marked 1/4 on N. face  
from which,

A cedar 10 ins. diam. bears  
S. 53° E. 11 lbs. dist. marked  
1/4 S. 10 B.T.

A cedar 14 ins. diam. bears  
S. 37° N. 24 lbs. dist. marked  
1/4 S. 9 B.T.

8000

Set a limestone  $18 \times 10 \times 6$  ins  
12 ins. in the ground for cor  
of secs. 3, 4, 9 and 10 marked  
with 5 notches on S and  
3 notches on E edges.



from which,

A cedar 10 ins. diam. bears  
 N.  $4\frac{1}{2}^{\circ}$  E. 67 lbs. dist. marked  
 T. 30 N. R. 2 E. S. 3 B. T.

A pine 20 ins. diam. bears  
 S.  $43\frac{1}{2}^{\circ}$  E. 49 lbs. dist. marked  
 T. 30 N. R. 2 E. S. 10 B. T.

A pine 12 ins. diam. bears  
 S.  $4\frac{1}{4}^{\circ}$  W. 17 lbs. dist. marked  
 T. 30 N. R. 2 E. S. 9 B. T.

A pine 10 ins. diam. bears  
 N.  $7^{\circ}$  W. 36 lbs. dist. marked  
 T. 30 N. R. 2 E. S. 4 B. T.

Land rolling.

Timber cedar and pine

Soil 3<sup>rd</sup> rate.

Heavily timbered land & sods

---

N.  $89^{\circ}57'$  E on a random

line bet secs. 3 and 10.

40.00 Set timp  $\frac{1}{4}$  sec cor

80.20 Intersect N and S. line

30 lbs N of the cor of secs.

2, 3, 10 and 11.

A fence Iron

N.  $89^{\circ}50'$  W. on a true line  
bet secs. 3 and 10.

40.10 Set a limestone  $20 \times 8 \times 8$  ins

15 ins. in the ground for  $\frac{1}{4}$  sec

cor. marked  $\frac{1}{4}$  on N. face

from which,

A cedar 12 ins. diam. bears

N.  $2\frac{3}{4}^{\circ}$  E 29 lbs dist marked

$\frac{1}{4}$  S. 3 B.T.

A pine 30 ins. diam. bears

S.  $46\frac{1}{4}^{\circ}$  E. 50 lbs dist. marked

$\frac{1}{4}$  S 10 B.T.

80.20 The cor of secs 3, 4, 9 and 10,

may set

Land rolling

Soil rocky 4<sup>th</sup> rate.

Timber, cedar and pine.

Heavily timbered land 80.20<sup>th</sup>

---

$N 0^{\circ} 2' W$  on a random line  
bet. secs. 3 and 4.

40.00

Set temp  $\frac{1}{4}$  sec. cor.

80.20

Intersect N. bdy of the  
T<sub>p</sub> 38 lks E. of the Cor of  
secs. 3, 4, 33, and 34, which  
is a limestone  $30 \times 12 \times 6$  ins  
set in a mound of stone,  
previously set by me.

Thence True

$S 0^{\circ} 18' E$  on a true line  
bet secs. 3 and 4.

40.20

Set a limestone  $24 \times 12 \times 6$  ins.  
18 ins. in the ground for  $\frac{1}{4}$

see. cor marked  $\frac{1}{4}$  on N.  
face from vehicle

A cedar 18 ins. diam. bears  
N.  $84^{\circ}$  E 11 lbs. dist. marked  
 $\frac{1}{4}$  S. 3 B.T.

A pine 10 ins diam. bears  
N.  $33\frac{1}{2}^{\circ}$  W. 39 lbs. dist. marked  
 $\frac{1}{4}$  S. 4 B.T.

8020

The cor. of secs 3, 4, 9 and 10.

Land rolling

Soil rocky 4th rate.

Timber Cedar and Pine

Heavily timbered land 80.20 chs

November 16<sup>th</sup> 1900.

From the cor. of secs  
4-5-32 and 33 on the  
S. bdy. of the Tp. which is  
a sandstone 10x12x8 ins above  
ground previously set

- marked and witnessed  
by me. I run  
✓ N 0° 2 W but, Secs, 32-34<sup>30</sup>  
15-50 Cedar 36 ins diam on line  
I mark with 7 notches on  
the N, and S. sides
- 30.81 Grand Cañon and Santa Fe  
Railroad bears N 47° Ee  
and S 47° W. in N. end  
of 4 foot cut.
- 40.00 Set a limestone 74 x 10 x 8 ins.  
18 ins. in the ground for  $\frac{1}{4}$  sec.  
cor. marked  $\frac{1}{4}$  on N. face  
From which  
A Pine 8 ins. in diam.  
bears East. 14 lks. dist.  
marked  $\frac{1}{4}$  S 33. B.T.
- A Cedar 14 ins. in diam.  
bears N 72 $\frac{3}{4}$ ° N 73 lks. dist  
marked  $\frac{1}{4}$  S 32. B.T.

Concluded, Book 601.