

Recd Apr 10, 1892

258

Platted, &c.

To You Land O. May 27, 1892

Survey approved

August 31, 1892

4-671

No. 610

610

FIELD NOTES <sup>BOOK 610</sup>  
*of the*  
GENERAL LAND OFFICE:  
Subdivisions  
T2S. R5E.

By Daniel Drummond U.S. D.S.

UNDER CONTRACT N<sup>o</sup> 19.

Dated June 13, 1891.

SUR. Tp. Commenced Nov. 17/91.

SUR. Tp. Completed Nov. 24/91.

BOOK 610

(4--874.)

Township 2 S R. 5 E

6	116	5	86	4	64	3	2	1
115		114		84		62		
7	112	8	82	9	60	10	11	12
110		108		80				
18	106	17	78	16		15	14	13
104		102		76				
19	100	20	74	21		22	23	24
98		96		72				
30	94	29	70	28		27	26	25
92		90		68				
31	88	32	66	33		34	35	36

Subdivisions T2 S. R5 E - Coast <sup>a</sup>  
 Chans

N. 0° 17' W. on a true line bet

Secs 9 & 10

Var 13° 00' E.

Over level ground

40.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in the  
 ground for  $\frac{1}{4}$  sec cor. marked  
 $\frac{1}{4}$  S. on W. face, dug pits 18 x 18  
 x 12 ins N & S of post 5  $\frac{1}{2}$  ft  
 dist and raised a mound of  
 earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around  
 post.

80.00 Set a granite stone 24 x 10 x 4 ins  
 18 ins in the ground for cor to  
 Secs 3, 4, 9 & 10 marked with 5  
 notches <sup>on S.</sup> and 3 notches on E  
 edges dug pits 18 x 18 x 12 ins  
 in each sec 5  $\frac{1}{2}$  ft dist and  
 raised a mound of earth

*Podocarpus F2 L. R56 - cont<sup>d</sup>*

Cham

2 ft high 4 1/2 ft base along side.

Land level

Soil sandy loam 1<sup>st</sup> rate

Timber, scattering mesquite, brush.



## Subdivisions T2 S. R5E - Cont'd

Chains

N.  $89^{\circ}8'E$  on a random line bet  
Secs 3 & 10

Var.  $13^{\circ}00'E$

Over level ground.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

80.00 Intersect N. & S line 3 lks N.  
of the cor to Secs 2, 3, 10 & 11

Thence I run

S.  $89^{\circ}9'W$ . on a true line bet  
Secs 3 & 10

Var  $13^{\circ}00'E$ .

7.40 Wagon road from location to  
Temp course N & S.

40.00 Set a post 4 ft long 4 in  
square with marked at one  
12 in in the ground for  $\frac{1}{4}$  Sec  
cor. marked  $\frac{1}{4}$  S. on N. face  
dry pits 18x18x12 in E & W.  
of post  $5\frac{1}{2}$  ft dist and raised

Subdivision T2 S. R5 E - Cont<sup>d</sup>

Name

a mound of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base around post.

63.40 Wagon road from Sacaton to  
 Temple course NW & SE.

80.00 The cor to Secs 3, 4, 9 & 10

Land level

Soil sandy loam 1<sup>st</sup> rate

Timber scattering mesquite brush.

Subdivision T2 S. R5 E - cont<sup>d</sup>

Chamis

N.  $0^{\circ}17'W.$  on a random line bet.

Secs 3 &amp; 4

Var  $13^{\circ}00'E.$ 

Over level ground.

40.00 Set temp  $\frac{1}{4}$  sec cor.82.10 Intersect N. bd'g of T<sub>p</sub> at the cor to Secs 3, 4, 33 & 34 recently re-established and hereinbefore described by me

Thence I run

S.  $0^{\circ}17'E$  on a true line bet

Secs 3 &amp; 4

Var.  $13^{\circ}00'E.$ 42.10 Set a post 4 ft long 4 ins square with marked down 12 ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  S on W. face, dug pits 10 X 18 X 12 ins N & S. of post  $5\frac{1}{2}$  ft

Subdivision T2 S. R56 - Cont'd

Chains

dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

57.20 Wagon road from Sacaton to Tempe bears NW & SE.

82.10 The cor to Secs 3, 4, 9 & 10

Land level

Soil sandy loam 1<sup>st</sup> rate

Timber, scattering mesquite bush.



Subdivision T. 2. S. 25 E - Cor. <sup>d</sup>

Chain

From the Cor. to Secs 4, 5, 32  
& 33 on the S. bdy of Tp recently  
established and hereinbefore  
described by me & run

N<sup>o</sup> 17' W bet Secs 32 & 33

Var 13° 00' E

Over level ground.

40.00

Set a post 4 ft long 4 in square  
with marked stone 12 in in the  
ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S on W. face, dug pits 18 x 18 x 12  
in. N & S of post 5  $\frac{1}{2}$  ft diam. and  
raised a mound of earth 1  $\frac{1}{2}$  ft high  
3  $\frac{1}{2}$  ft base around post

30.00

Set a post 4 ft long 4 in square  
with marked stone 12 in in the  
ground for Cor. to Secs 28, 29, 32  
& 33 marked

T. 2 S. S. 28 on NE

Subdivision T. 2 S. R. 5 E - Cont at

Chams

R 5 E S. 33 on SE

S. 32 on SW and

S. 29 on NW faces

with 1 notch on S and 4 notches  
on E edges dug pits 18 X 18 X 12 ins  
in each sec and raised a  
mound of earth 2 ft high 4 1/2 ft  
base around post.

Land level

Soil sandy loam 1<sup>st</sup> rate

Timber, scattering mesquite brush

## Subdivision T2 S. R5E - East of

Chains

N.  $89^{\circ}9'$  E on a random line bet  
Secs 28 & 33

Var.  $13^{\circ}00'$  E.

Over level ground.

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

80.00 Intersect N & S line at cor to Secs  
27.28.33 & 34

Thence I run

S  $89^{\circ}9'$  W. on a true line bet Secs  
28 & 33

Var.  $13^{\circ}00'$  E.

40.00 Set a post 4 ft long & 4 in square  
with marked at one 12 in in the  
ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18 x 18  
x 12 in E & W. of post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around post.

80.00 The cor to Secs 28.29.32 &amp; 33

BOOK 61069

Subdivision T2 S. R5 E - Cont'd

Chans

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber, scattering mesquite, brush.



Subdivision T2 S. R5 E - Cont'd  
 Chain

N.  $0^{\circ}17'W$ . bet Secs 28 & 29

Var  $13^{\circ}00'E$

Over level ground

70.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S.  
 on W. face, dry pits 18x18x12 ins.  
 N & S of post  $5\frac{1}{2}$  ft dist. and  
 raised a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base around post.

80.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in the  
 ground for cor to Secs 20-21-28  
 & 29 marked

T2 S. S 21 on NE

R5 E. S. 28 on SE

S. 29 on SW and

S 20 on NW face

with 2 notches on S and 4 notches

Subdivision T2 S. R5 E - Cont'd

name

on E. edges, dug pits 18 X 18 X 12 ins  
in each Sec. 5 1/2 ft dist. and raised  
a mound of earth 2 ft high 4 1/2 ft  
base around post.

Land level.

Soil, sandy loam 1<sup>st</sup> rate

Timber scattering near water track

Subdivision T2 S. R5 E - East of  
Chain

N.  $89^{\circ}9'$  E on a random line bet  
Secs 21 & 28

Var.  $13^{\circ}00'$  E

Over level ground

40.00 Set temp  $\frac{1}{4}$  Sec cor.

80.00 Intersect N & S line 5 ths S. of  
the cor to Secs 21. 22. 27 & 28

Then S run

S.  $89^{\circ}7'$  W. on a true line bet Secs  
21 & 28

Var.  $13^{\circ}00'$  E.

40.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S on N. face, dug pits 18 x 18 x 12  
ins. E & W of post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

80.00 The cor to Secs 20. 21. 28 & 29

BOOK 610 73

Subdivision T2 S. R5 E - Cont'd

hours

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber none.



## Subdivision T2 S. R5 E - Cont'd

Chains

N.  $0^{\circ}17'W$ . bet Secs 20 & 21Var  $13^{\circ}00' E$ .

Over level ground.

- 40.00 Set a post 4 ft long 4 in square with marked stone 12 in in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4} S$ . on W. face, dug pits 18 x 18 x 12 in N & S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post
- 80.00 Set a post 4 ft long 4 in square with marked stone 12 in in the ground for cor to Secs 16, 17, 20 & 21 marked
- T2 S. S. 16 on NE
- R5 E S. 21 on SE
- S. 20 on SW and
- S. 17 on NW. faces
- with 3 notches on S and 4 notches

Subdivision T. 2 S. R. 5 E - Cont'd  
Chains

on E edge, dug pits 18 X 18 X 12 ins  
in each sec 5 1/2 ft dist. and raised  
a mound of earth 2 ft high 4 1/2 ft  
base around post.

Laid level

Soil, sandy loam, 1<sup>st</sup> rate

Timber, scattering mesquite brush.

---

Subdivisions T2 S. R5E - Cont'd  
Chains

N.  $89^{\circ} 7' E$  on a random line bet  
secs 16 & 21

Var.  $13^{\circ} 00' E$ .

Over level ground.

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

79.92 Intersect NK S line 7 lks S of  
the cor to secs 15-16-21 & 22

Thence I run

S  $89^{\circ} 4' W$ . on a true line bet  
secs 16 & 21

Var  $13^{\circ} 00' E$ .

39.96 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18x18x12  
ins E & W. of post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post

79.92 The cor to secs 16-17-20 & 21

Subdivision T2 S. R5E - Cont<sup>d</sup>

Thames

Land level.

Soil, sandy loam 1<sup>st</sup> rate

Timber, scattering mesquite  
bush.



Subdivision F2 S. R5E - Cont'd  
 Chans

N. 0° 17' W. bet Secs 16 & 17

Var 13° 00' E.

Over level ground.

40.00 Set a mesquite post 4 ft long 4 in square 24 in in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  in W. face from which

A. mesquite 6 in diam bears N 78° 30' E - 38 lks dist marked  $\frac{1}{4}$  S. B.T.

A mesquite 8 in diam bears S 82° W. 30 lks dist. marked  $\frac{1}{4}$  S. B.T.

80.00 Set a post 4 ft long 4 in square with marked stone 12 in in the ground for cor to Secs 8, 9, 16 & 17 marked

F. 2 S. 1 9 on NB

R 5 E S. 16 on SE

S 17 on SW. and

S 8 on NW face

Subdivision T2 S. R5 E. - Cont<sup>d</sup>

Chambers

with 4 notches on S. and E. edges  
dug pits 18x18x12 ins. in each  
Sec. 5 1/2 ft dist. and raised a  
mound of earth 2 ft high 4 1/2 ft  
base around post.

Land level

Soil, sandy loam <sup>1st</sup> rate

Timber, scattering mesquite, brush.

Subdivision T2 S. R5E - Cont<sup>d</sup>  
 chains

N.  $89^{\circ}4'$  E on a random line bet  
 Secs 9 & 16

Var  $13^{\circ}00'$  E.

Over level ground.

40.00 Set temp  $\frac{1}{4}$  sec cor.

79.84 Intersect N & S line 10 lks N. of  
 the cor to Secs 9. 10. 15 & 16

Thence I run

S  $89^{\circ}8'$  W. on a true line bet  
 Secs 9 & 16

Var  $13^{\circ}00'$  E.

39.92 Set a post 4 ft long & 4 ins square with  
 marked at one 12 ins in the ground  
 for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  l. on N  
 face, dug pits 18 X 18 X 12 ins E & W  
 of post  $5\frac{1}{2}$  ft dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft long  
 $3\frac{1}{2}$  ft base around post.

79.84 The cor to Secs 8. 9. 16 & 17

BOOK 61081

Subdivision F. S. R. 56 - Cont'd

Thans

Land, level

Soil, sandy loam, 1<sup>st</sup> rate

Timber, scattering mesquite  
brush

Nov 21<sup>st</sup> 1891



Subdivision F2 S. R5E - Cont<sup>d</sup>  
 Chains

N.  $0^{\circ} 17' W$ . bet Secs 8 & 9

Var.  $13^{\circ} 00' E$

Over level ground.

40.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  S. on W. face, chg pits  $18 \times 18 \times 12$  ins N & S of post  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

71.00 Nagow road from location to Temple corner NE & SW.

80.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for cor to Secs 4, 5, 8 & 9 marked

F. 2 S. 4 on NE

R 5 E S. 9 on SE

S 8 on SW and

Subdivisoria T<sub>2</sub> l. P. 56 - level d<sup>1</sup>

Thames

S 5 on NW. face, with  
5 notches on S and 4 notches  
on E edges, dug pits 18 X 18 X 12 ins  
in each Sec 5 1/2 ft dist. and  
raised a mound of earth 2 ft  
high 4 1/2 ft base around post.  
Land level

Soil, sandy loam 1<sup>st</sup> rate.

Timber, scattering mesquite  
brush.

Subdivision T. 2 S. R. 5 E - Cont <sup>a</sup>  
 Thamus

N.  $89^{\circ} 8' E$  on a random line bet  
 Secs 4 & 9

Var  $13^{\circ} 00' E$

Over level ground.

40.00 Set temp  $\frac{1}{4}$  sec cor.

79.78 Intersect N & S line at cor to Secs  
 3. 4. 9. & 10

Thence I run

S  $89^{\circ} 8' W$  on a true line bet Secs  
 4 & 9

Var.  $13^{\circ} 00' E$

39.89 Set a post 4 ft long 4 in square with  
 marked at one 12 in in the ground  
 for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  S. on N  
 face, dug pits  $18 \times 18 \times 12$  in E & W  
 of post  $5\frac{1}{2}$  ft dist. and raised a  
 mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base around post.

75.07 Wagon road from location to

Subdivision T2 S. R 5 E - Cont d

Name

Tempe corner NE &amp; SW.

79.78 The cor to Secs 4. 5. 8 &amp; 9

Land level

Soil, sandy loam 1st rate

Timber, scattering mesquite  
brush.



Subdivision T2 S. R5 E - cont<sup>d</sup>  
 Chain

N. 0° 17' W on a random line bet  
 Secs 4 & 5

Var 13° 00' E.

Over level ground.

40.00 Set temp.  $\frac{1}{4}$  Sec cor.

82.80 Intersect N bdy of Tp 17 N. W of  
 the cor to Secs 4. 5. 32 & 33 recently  
 re-established and here before  
 described by me

Thence I run

S 0° 10' E on a true line bet Secs  
 4 & 5

Var 13° 00' E.

42.80 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S on W. face, dug pits 18 X 18  
 X 12 ins N & S of post  $5\frac{1}{2}$  ft dia  
 and raised a mound of earth

Subdivision T2 S. R5E - Cont'd

Chambers

1 1/2 ft high 3 1/2 ft base around post.

82.80 The cor to Sec 4, 5, 8 & 9.

Land level

Soil, sandy loam, 1<sup>st</sup> rate.

Timber, scattering mesquite  
brush.

Subdivision T2 S. R5E - Cont<sup>d</sup>  
 Chams.

From the cor to Secs 5-6. 31 & 32  
 on the S. bd'y of the Tp. recently  
 established and hereinbefore described  
 by me, I run

N. 0° 18' W. bet Secs 31 & 32

Var 13° 00' E.

Over level ground, in dense mesquite brush.

40.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec here marked  
 $\frac{1}{4}$  S. on W. face, dug pits 18 x 18 x 12  
 ins. N & S of post 5  $\frac{1}{2}$  ft dia and  
 raised a mound of earth 1  $\frac{1}{2}$  ft  
 high 3  $\frac{1}{2}$  ft base around post.

70.00 Leave dense mesquite brush.

80.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in the  
 ground for cor to Secs 29-30. 31  
 & 32 marked

Subdivision T. 2 S. R. 5 E. Cont'd  
 Charms

T. 2 S. S. 29 on NE

R. 5 E. S. 32 on SE

S. 31 on SW and

S. 30 on NW faces

with 1 notch on S and 5 notches  
 on E edges, deep pits 18X18X12 ins  
 in each sec. 5 1/2 ft dist and  
 raised a mound of earth 2 ft  
 high 4 1/2 ft base around post.

Land, level

Soil, sandy loam 1<sup>st</sup> rate

Timber, southerly part of section

dense mesquite brush 70.00

the rest of sec. scattering.



Subdivision T2 S. R5 E - Cont<sup>d</sup>  
 Chain

N.  $89^{\circ}9'$  E on a random line bet Secs

29 & 32

Var  $13^{\circ}00'$  E.

Over level ground.

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

80.00 Intersect N & S line at cor to Secs  
 28. 29. 32 & 33.

Thence I run

S  $89^{\circ}9'$  W. on a true line bet  
 Secs 29 & 32

Var  $13^{\circ}00'$  E.

34.00 Wagon road from Location to Temple,  
 crosses N & S.

40.00 Set a post 4 ft long & 4 ins square  
 with marked stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits  $18 \times 18 \times 12$   
 ins E & W. of post  $5\frac{1}{2}$  ft dia  
 and raised a mound of earth

Subdivision T2 S. R 5 E - Cont d

Chasms

1 1/2 ft high 3 1/2 ft base around post.

80.00 The cor to Secs 29. 30. 31 &amp; 32.

Land, level

Soil, sandy loam, 1<sup>st</sup> rate.Timber, scattering mesquite  
brush.

## Subdivision T2 S. R5E - Cont'd

Chains

S.  $89^{\circ}9' W.$  on a random line bet  
Secs 30 & 31

Var  $13^{\circ}00' E.$

Over level ground.

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

80.12 Intersect W. bd'y of Tp 7 lks N. of the  
cor to Secs 25, 30, 31 & 36 recently  
established and heretofore described  
by me

Thence S.  $89^{\circ}6' E$

on a true line bet Secs  
30 & 31

Var  $13^{\circ}00' E.$  in dense  
mesquite brush.

40.12 Set a post 4 ft long 4 ins square  
with marked at one 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S on N. face, dug pits  $18 \times 18 \times 12$  ins

Subdivision T2. R5E - Cont'd

Charno

E & W of post 5 1/2 ft dist. and raised a mound of earth 1 1/2 ft by 3 1/2 ft base around post.

62.12 Leave dense mesquite brush.

80.12 The cor to Secs 29. 30. 31 & 32 Land, level.

Soil, sandy loam 1<sup>st</sup> rate.

Timber, dense mesquite brush

62.12. - except Easterly part of Sec.



Subdivision T2 S. R5E - East Chains

N. 0° 18' W. bet Secs 29 & 30

Var 13° 00' E

Over level ground.

40.00 Set a post 4 ft long 4 ins square with  
marked at one 12 ins in the ground  
for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S on W face  
dig pits 18x18x12 ins N & S. of post  
5  $\frac{1}{2}$  ft dist and raised a mound  
of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base  
around post.

80.00 Set a post 4 ft long 4 ins. square  
with marked at one 12 ins in the  
ground for cor to Secs 19-20-29 & 30  
marked

T. 2 S. S 20 on NE

R. 5 E S. 29 on SE

S. 30 on SW and

S 19 on NW. face

with 2 notches on S and 5 notches

Subdivision T2 S. R56 - Cont<sup>d</sup>

on E edges, dug pits 18X18X12 ins. in each sec 5 1/2 ft dist. and raised a mound of earth 2 ft high 4 1/2 ft base around post.

Land level

Soil, sandy loam, 1 strata

Timber, scattering mesquite brush.

*Subdivision T2 S. R5E - Cont'd*  
 Chasms

N. 89° 09' E on a random line bet  
 Secs 20 & 29

Var. 13° 00' E.

Over level ground

40.00 Set temp  $\frac{1}{4}$  Sec cor.

80.06 Intersect N & S lines 5 Ws. S. of the  
 cor to Secs 20, 21, 28 & 29

Thence 1 run

S. 89° 07' W. on a true line bet Secs  
 20 & 29

Var. 13° 00' E.

37.40 Wagon road from Sacaton to Tempe  
 course, N & S.

40.03 Set a post 4 ft long 4 ins square with  
 marked stone 12 ins in the ground  
 for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S on  
 N. face, dug pits 18 x 18 x 12 ins E &  
 W. of post 5  $\frac{1}{2}$  ft dist. and raised  
 a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft

Subdivision 12 S. R 56 - Cont'd

Chans

base around post.

50.00 The S.E. cor. of a deserted cabin  
bears N. 5° West - distant 3.80 chs.

80.06 The cor. to Secs 19.20 - 29 & 30.

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber, scattering mesquite brush



Subdivision T<sub>2</sub> S. R. 5 E. Cont<sup>d</sup>  
Chains

S. 89° 6' W. on a random line bet

Secs 19 & 30

Var 13° 00' E.

Over level ground.

40.00 Set temp 1/4 Sec cor.

80.06 Intersect W. bd'y of Tp. 5 1/2 S. of  
the cor to Secs 19, 24, 25 & 30 recently  
established and here before described  
by me

Thence S. 89°

N 89° 8' E. on a true line bet Secs  
19 & 30

Var 13° 00' E.

40.06 Set a post 4 ft long 4 in square  
with marked stone 12 in with  
ground for 1/4 Sec cor. marked  
1/4 S. on N. face, dug pits 18 x 18  
x 12 in E & W. of post 5 1/2 ft dia  
and raised a mound of earth

Subdivision T2 S. R 5E Cont'd

Chain

1½ ft high 3½ ft base, around post.

80.06

The cor to Secs 19, 20, 29 & 30.

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber, scattering mesquite brush

Subdivisions T. 2 S. R. 5 E - Cont'd  
Chains.

N. 0° 18' W. bet Secs 19 & 20

Var. 13° 00' E

Over level ground.

40.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec bar marked  $\frac{1}{4}$  ch.  
on W. face, dug pits 18 x 18 x 12 ins  
N & S of post 5  $\frac{1}{2}$  ft diam. and  
raised a mound of earth 1  $\frac{1}{2}$  ft  
high 3  $\frac{1}{2}$  ft base around post.

80.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in  
the ground for cor to Secs 17, 18  
19 & 20 marked

T. 2 S. S. 17 on NE

R. 5 E. S. 20 on SE

S. 19 on SW and

S. 18 on NW faces

with 3 notches on S. and 5 notches

Subdivisions T. 2 R. 5 E. Cont'd

Chems

on E edge, dug pits 15 X 15 X 12 ins  
in each Sec 5 1/2 ft dist. and raised  
a mound of earth 2 ft high  
4 1/2 ft base around post  
Land level

Soil, sandy loam 1<sup>st</sup> rate  
Timber, scattering mesquite.



Subdivision F. 2. R 5 E - Cont<sup>d</sup>

Chairs.

N.  $89^{\circ} 7' 6''$  on a random line bet

Secs 17 &amp; 20

Var.  $13^{\circ} 00' 6''$ .

Over level ground.

40.00 Set temp  $\frac{1}{4}$  Sec cor.80.10 Intersect N & S. line  $7\frac{1}{4}$  m S. of  
the cor to Secs 16, 17, 20 & 21

Thence S. on

S.  $89^{\circ} 4' W$  on a true line bet

Secs 17 &amp; 20

Var.  $13^{\circ} 00' E$ 36.30 Wagon road from Sacaton to Temple  
course N. & S.40.05 Set a post 4 ft long 4 ins square,  
with marked stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S on N. face, dug pits 18 x 18 x 12 ins  
E & W. of post  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft

Subdivision P. 2 S. R. 5 E. Cont'd

Cham

high  $3\frac{1}{2}$  ft base around post.

80-10 The cor to Secs 17-18-19 & 20

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber, scattering mesquite.

## Subdivision T. 2 S. R. 5 E - Cont'd

Chance

S 89° 8' W. on a random line bet  
Secs 18 & 19

Var 13° 00' E.

Over level ground.

40.00 Set temp  $\frac{1}{4}$  sec cor.

80.00 Intersect W. bd'y of Tp 5 N. of  
the cor to Secs 13. 18. 19 & 24 recently  
established and heretofore described  
by me

Thence S 20° 00' W.

N. 89° 6' E on a true line bet Secs  
18 & 19

Var 13° 00' E.

40.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in the  
ground for  $\frac{1}{4}$  sec cor. marked  
 $\frac{1}{4}$  S. on N. face; dug pits 18 x 18 x 12  
ins E & W. of post 5  $\frac{1}{2}$  ft dist and  
raised a mound of earth 1  $\frac{1}{2}$  ft

## Subdivision T2 S. R56 - Cont'd

Chains

high 3 1/2 ft base around post.

80.00 The cor to Secs 17. 18. 19 &amp; 20.

Land level

Soil, sandy loam 1<sup>st</sup> rate.

Timber, scattering mesquite brush.



Subdivision T. 2 S. R. 5 E - Cont'd  
 Chain

N.  $0^{\circ}18'W$ . bet Secs 17 & 18

Var  $13^{\circ}00' E$

Over level ground.

- 40.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4} S$ . on W. face; dug pits 18x18x12 ins N & S of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
- 43.20 Enter dense mesquite brush.
- 80.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for cor to Secs 7-8-17 & 18 marked
- |               |             |
|---------------|-------------|
| T. 2 S. S. 8  | on NE       |
| R. 5 E. S. 17 | on SE       |
| S. 18         | on SW and   |
| S. 7          | on NW faces |

## Subdivision 21. R56 - Cont'd.

Chambers

with 4 notches on S and 5 notches  
on E. edges dug pits 18X18X12 ins  
in each Sec.  $5\frac{1}{2}$  ft dist. and  
raised a mound of earth 2 ft  
high  $4\frac{1}{2}$  ft base around post.  
Land level

Soil, sandy loam 1<sup>st</sup> rate  
Timber, dense mesquite brush  
for 36.80 chs.

---

## Subdivision T. 2 S. R. 5 E - Cont'd

Chains

N.  $89^{\circ}4'E$  on a random line bet  
Secs 8 & 17

Var.  $13^{\circ}00'E$ .

Over level ground.

40.00 Set temp.  $\frac{1}{4}$  Sec Cor.

80.20 Intersect N & S line at cor to Secs  
8, 9, 16, & 17.

Thence I run

S  $89^{\circ}4'W$ . on a true line bet  
Secs 8 & 17

Var.  $13^{\circ}00'E$ .

20.50 Wagon road from Sacaton to Temple  
crosses N & S.

40.10 Set a post 4 ft long 4 ins square  
with marks at one 12 ins in  
the ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18 x 18  
x 12 ins E & W. of post  $5\frac{1}{2}$  ft  
dist. and raised a mound

Subdivision T2 S. R56 - Cont'd

Chains

of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

59.00 Ester dense mesquite brush.

80.20 The cor to Secs 7, 8, 17 & 18.

Land, level

Soil, sandy loam 1<sup>st</sup> rate.

Timber, dense mesquite  
brush for 21 chs.



## Subdivision F. 2. S. R. 5 E - Cont'd

Chains

S.  $89^{\circ}6' W.$  on a random line bet

Secs 7 &amp; 18

Var.  $13^{\circ}00' E$ 

Over level ground.

40.00 Set temp  $\frac{1}{4}$  Sec cor.80.10 Intersect W. bdy of Tp. 7 N. S. of  
the cor to sec 7. 12. 13 & 18 recently  
established and heretofore described  
by me

Thence I run

N.  $89^{\circ}9' E$  on a true line bet  
Secs 7 & 18Var.  $13^{\circ}00' E.$ 40.10 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in  
the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S. on N. face, dry pits  $18 \times 18 \times 12$   
ins E & W. of post  $5\frac{1}{2}$  ft dia  
and raised a mound of earth

Subdivision T. 2 S. R. 5 E Cont'd.

Chains

1½ ft high 3½ ft base around post.

44.50 Enter dense mesquite brush.

80.10 Thru cor to Secs 7-8-17 & 18.

Land level

Soil sandy loam 1<sup>st</sup> rate.

Timber, dense mesquite brush  
for 35.50 chs.

Subdivisions T. 2 S. R. 5 E - Cont<sup>d</sup>  
 Charms

N. 0° 18' W. bet. Secs 7 & 8

Var 13° 00' E

Over level ground.

11.00 Leave dena mesquite brush.

40.00 Set a post 4 ft long 4 in square  
 with marked stone 12 in in  
 the ground, for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on W. face, dug pits 18x18  
 x 12 in. N & S of post  $5\frac{1}{2}$  ft  
 dist. and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
 post.

80.00 Set a post 4 ft long 4 in square  
 with marked stone 12 in in  
 the ground for cor. to Secs 5, 6, 7  
 & 8. marked

T. 2 S. L. 5 on NE

R. 5 E L. 8 on SE.

L. 7 on SW.

Subdivision T2 S. R5 E - Cont<sup>d</sup>

Charms

and S. 6 on NW. face, with  
5 notches on S. and E. edges,  
dug pits 18 X 18 X 12 ins in each  
Sec 5 1/2 ft dist and raised a  
mound of earth 2 ft high 4 1/2 ft  
base around post.

Land level.

Soil, sandy loam 1<sup>st</sup> rate

Timber, dense mesquite brush  
for 11 chs in southerly part.



## Subdivision's T. 2 S. R. 5 E. Cont'd

Chains

N.  $89^{\circ}4'E$  on a random line  
bet Secs 5 & 8

Var.  $13^{\circ}00'E$ .

Over level ground.

46.00 Set temp.  $\frac{1}{4}$  Sec cor.

80.24 Intersect N & S line, 7 lks N of  
the cor to Secs 4, 5, 8 & 9

Thence I run

S.  $89^{\circ}7'W$  on a true line bet  
Secs 5 & 8

Var.  $13^{\circ}00'E$ .

30.80 Wagon road from Sacaton to Tempe  
course N. & S.

40.12 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in  
the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S on N. face, dug pits 18 x 18  
x 12 ins E & W. of post  $5\frac{1}{2}$  ft dia  
and raised a mound of earth

Subdivisions F. 2. S. R 5 E - Cont<sup>d</sup>

Chains

1½ ft high 3½ ft base around post.

80.24 The cor to Secs 5-6-7 &amp; 8.

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber, scattering mesquite brush.

S 89° 9' W on a random line bet  
Secs 6 & 7

Var 13° 00' E.

Over level ground.

40.00 Set temp ¼ sec bor.

80.08 Intersect W. bdy of Tp. at cor.  
to Secs 1-6-7 & 12 recently established  
and heres'ntbefore described by me

Thence I run

N. 89° 9' E on a true line bet  
Secs 6 & 7

Var. 13° 00' E.

80.30 Wagon road from location to

Subdivision T. 20. R. 5 E. - Cont<sup>d</sup>  
Chain

Temp course N & S.

40.08 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec Cor marked  
 $\frac{1}{4}$  S. on N. face, dug pits 15 x 15  
x 12 ins E & W. of post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

80.08 The cor to Secs 5, 6, 7, & 8

Land level

Soil, sandy loam, 1<sup>st</sup> rate  
Timber, scattering mesquite brush.

---

N.  $0^{\circ}18'$  W on a random line bet  
Secs 5 & 6

Var  $13^{\circ}00'$  E.

Over level ground.

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

83.50 Intersect N. ldy of Tp at cor



Subdivision T2. S. R 5 E - Cont<sup>d</sup>

Cham

to Secs 5, 6, 31 & 32 recently re-established and hereinbefore described by me.

Thence I run

S<sup>0</sup> 18' E on a true line bet Secs 5 & 6. Var. 13° 00' E.

43.50

Set a post, 4 ft long 4 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on W. face, dug pits 18 x 18 x 12 ins N & S of post 5  $\frac{1}{2}$  ft dist and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around post.

83.50

The cor to Secs 5, 6, 7, & 8  
Land level

Soil, sandy loam, 1<sup>st</sup> rate

Timber, scattering mesquite brush

Nov. 24<sup>th</sup> 1891



## General Description

This township contains level land, in its entirety the soil is rich sandy loam. Capable, with the aid of irrigation, of producing abundant agricultural crops. There are no washes, or natural watercourses in this township. No springs or natural water appearing on the surface.

The timber, (if such it is) is mesquite and very dense in some portions, especially in Secs. 30<sup>and</sup> 31.

The mean declination for

the plat. derived from  
several observations, is  $13^{\circ} 0'$  East  
There are two settlers in  
this township, both in  
Sec. 1. each have wells  
containing good water, at  
a depth of 65 feet.

The boundary of the Poria  
& Maricapa Indian  
Reservation forms the South  
east & Western Extremities of  
this township.

The ruins of extensive  
buildings, in the N.E.  $\frac{1}{4}$  Sec.  
15 were found. Canals are now  
being built, wherewith to irrigate  
the land in this township

Daniel Drummond  
U.S. Deputy Surveyor

120  
BOOK 610

U. S. Surveyor-General's Office,

TUCSON, A. T., *May 26 1892*

The foregoing Field Notes of the Surveys of  
*U. S. P. S. E.*

*Arizona* Gila and Salt River Meridian  
in *Arizona* executed by

*David Drummond*

U. S. Deputy Surveyor, under his contract dated  
*June 13<sup>th</sup> 1891*

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

*Rapael Johnson*  
U. S. Surveyor-General  
for the Territory of Arizona.