

BOOK 611

No. 611

Field Notes

OF THE SURVEY OF THE

SUDIVISION LINES

No. 611 — OF —
Township 2 S Range 3 E.

Gila and Salt River Base and Meridian

ARIZONA.

By Theodore F. White, D. S.

under contract dated Dec. 6, 1875.

Survey commenced March 4, 1876.

Survey completed March 9, 1876.

611

Township 2 S. Range 3 E.
Gila Salt River Meridian

March 4, 1876.

Pr.

The line between sec. 35 & 36, is intersected by the
Siwa & Manicopa Indian Reservation line, - N. boundary,-
& the cor. to sec. 12. 35 & 36, Twp. 2 S. Range 3 E., is not
established as it lies within the reservation. I therefore
got the cor. to sec. 25 & 36, on the E. boundary of the Twp. &
West on line bet sec. 25 & 36.

Var. 14° 45' East.

After built improved solar compass.
16.00 Slope, toward N. 45.45 ft long, flattened 3 in wide, 1 ft in the ground,
from charred stone & built round a post 2 ft high, with post
of pitch 3 ft long, 1 ft wide, as per instructions, for tree, on from which
mosquito, 12 in. dia. loc. N. 45° N. 78 lvs. dist.

do. 4 " . . N. 34 1/2° E. 89 "

80.00 Slope, toward eastward, 4 ft long, 3 in wide, 1 ft in the ground, done
from charred stone & built round a post 2 ft high, with post of pitch 3 ft long, 1 ft
wide, as per instructions, from cor. to sec. 25. 26. 35 & 36, from which
mosquito, 16 in. dia. loc. N. 68 1/2° E. 378 lvs. dist.

do. 7 " . . S. 5 1/2° E. 261 "

do. 8 " . . S. 23 1/2° W. 313 "

Land level. Soil good. Some mosquito timber.

BOOK 611

2

Township 7 S. Range 3 E
Gila & Salt River Mts. Indian

Ls. SOUTH active line bet. sec. 35 & 36.
Var. 14° 45' East.

40.00 Set apart, marked 4 ft. long, flat
tined 3 in. wide, 1 ft. in the ground, drive
sharpened stake & build mound of earth 2
ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-
structions for 1/4 sec. co. from which
Mesquite, 12 in. dia. brs. N. 85° E. 85 less. dist
do. 10 " " " S. 88½ W. 262 "

55. 06 Intersect N. boundary of Pinia & Maricopa Indian
reservation at 63.30 chs easterly of Post 2 E.
Set apart, marked, 4 ft. long, 3 in. sqd, 1 ft. in the
ground, drive sharpened stake and build mound
of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long,
1 ft. wide, as per instructions for closing
cor. to fractional secs. 35 & 36.

No trees near.

Land flat. Soil & rate. A few
scattering trees.

2A

BOOK 611

Township 28 R. 36.

Gila and Salt River Meridian.

6	60.	5	40.	4	33.	3	22	2	11.	1
59.		58.		44.		32.		21.		10.
7	57.	8	43.	9	31.	10	20	11	9.	12
56.		55.		42.		30.		19.		8.
18	54.	17	41	16	29.	15	18.	14	7.	13
54.		53.		40.		28.		17.		6.
19	52.	20	89.	21	27.	22	16.	23	5.	24
51.		50.		88.		26.		15.		4.
30	49.	29	37	28	25.	27	14.	26	5.	25
48.		47		36.		24.		13.		1.
31	46.	32	35	33	33.	34	12.	35	2.	36

Preliminary Oaths of Assistants.

We, Urbain Bessard
and R. A. Vargney
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

Urbain Bessard
R. A. Vargney

Sworn to and subscribed before me, this 7th
day of January, 1876

William J. Osborn
Notary Public

We, Fred. C. Jones & Wright,
H. Aubury,

do solemnly swear that we will well and truly per-
form the duties of Receivers & Flag-
men, respectively —
according to instructions given us, and to the best
of our skill and ability.

Fred. C. Jones
Wright H. Aubury

Sworn to and subscribed before me this 7
day of January, 1876

William J. O'Brien
Notary Public



Township 7 S. Range 3 E.
Gila & Salt River Meridian

Ls. North between sec. 25 & 26
var. $114^{\circ} 15'$ East.

140.00 Set a post, marked $\frac{1}{4}$ S. W. ft. long, flat-
tened 3 in. wide, 1 ft. in the ground, drive
charred stake $\frac{1}{2}$ in. in ground after post
 $\frac{1}{2}$ ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for tree compromised
Mesquite, 6 in. dia. at N. $43\frac{1}{2}^{\circ}$ E. 68 lbs. dist.
do. 13 " " S. $57\frac{1}{2}^{\circ}$ E. 92 "

80.00 Set a post, marked $\frac{1}{4}$ notched, up long, 3 in. sqd.
1 ft. in the ground, drive charred stake and
build mound after post $\frac{1}{2}$ ft. high, with pits
1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions
for cor. to sec. 23, 24, 25 & 26, from which
Mesquite, 12 in. dia. at S. $1^{\circ} 27' 27$ lbs. dist.

do. 6 " " S. $29\frac{1}{2}^{\circ}$ W. 330 "

do. 8 " " N. 5° E. 239 "

do. 8 " " S. 88° E. 280 "

Land flat Soil 3" rate. Scattering
mesquite & brush.

Township 2 S. Range 3 E.

Sec. 11 Salt River Mendenian

On E. boundary line between 7th & 25th
var. 14° 45' East

40.00 Set temporary tree cor.

43.00 Road has. N.E.

80.12 Intersect E. boundary 16 has. N. of sec. to
secs. 7th & 25. from which cor. turn
N. 89° 53' W.

On true line between secs. 7th & 25.

var. 14° 45' East

40.06 Set a post, marked 748. 44 ft long, flat-
tened 3 in. wide, 1 ft in the ground, drove
charred stake & build mound of earth
so high, with pits 1 ft deep. 2 ft long. 1 ft wide,
as per instructions, for the sec. cor. from which
Arnesquile, 10 in. dia. has. N. 30½° E. 90 lbs. dist

do. 14 n. - South, 54 n. -

80.12 Cor. to secs. 23. 23. 25. 25. 26.

Land flat. Soil 3' rate.

Scattering mesquite & brush.

Township 2 S. Range 3 E
Gila & Salt River Meridian

Sec. North between secs 2 3 & 7 N.

Lat. $34^{\circ} 45'$ East

40.00 Set a post marked $\frac{1}{4}$ S. 44 ft long, flat-
tened 3 in. wide, 1 ft in the ground, drive charred stake & build mound of earth 2 ft high,
with pits 1 ft. deep, 2 ft long, 1 ft wide, as per in-
structions, for the sec. cor. from which
Amesquide, 13 in. dia. br. S. $68\frac{1}{2}$ W. 55 lbs dist.
do. 8 " " S. 20° W. 120 "

80.00 Set a post marked 4 notched, 4 ft long, 3
in. sqd. 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with pits
1 ft. deep, 2 ft long, 1 ft wide, as per instructions
for cor. to secs. 13, 14, 13 & 7 N. from which
Amesquide, 15 in. dia. br. S. $51\frac{3}{4}$ E. 100 lbs. dist.

do. 8 " " S. $86\frac{1}{2}$ W. 64 "

do. 7 " " N. 29° W. 63 "

do. 10 " " S. 41° W. 211 "

Land flat Soil fine. Scattering mes-
quite & brush.

Township 2 S. Range 3 E.

Gila & Salt River Meadow

S. E. of St. random line between 13 $\frac{1}{2}$ & 21 $\frac{1}{2}$
var. 117° 45' East.

40.00 Set temporary 1/4 sec. cor.

76.00 Road has. N. E.

79.90 Intersect E. boundary 1/4 sec. N. of cor.
bcs. 13 $\frac{1}{2}$ st. from which cor. I have
N. 89° 53' W.

Cut, no line between sec. 13 $\frac{1}{2}$ & 21 $\frac{1}{2}$
var. 117° 45' East.

39.95 Set a post, marked 1/4 S. 44 ft. long, flattened
3 in wide, 1 ft in the ground, due chord
stake & build mound of earth 2 ft
high, with pits 1 ft deep, 1 ft. long, 1 ft wide, as per
instructions for 1/4 sec. cor. from which
Mesquite, 20 m. dia. has N. 84° W. 44 ft dist.

No other trees near.

79.90 Cor. to sec. 13, 14, 23 and 24.
Hillocks. Soil 2^o rate
Mesquite timber & brush

Township 2 S. Range 3 E.
Gila & Salt River Meridian

Sir North between sec. 13 & 14
Mr. 1445 East.

4000 Set a post, marked 44 S. 4 ft. long, flat-
tined 3 in. wide, 1 ft. in the ground, driven
stake & build mound of earth 7 ft. high, with
substitution of 2 ft. long, 1 ft. wide, as per instruc-
tions, for sec. cor. No trees near.

80.00 Set a post, marked & notched, 4 ft
long, 3 in. sqd. off in the ground, driven
driven stake & build mound of
earth 7 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide, as per instructions
for cor. to sec. 11, 12, 13 and
14, from which

Amenaqual, Gila River S. 54 1/2 E. 77 land dist
do. 4 " " A. 78 N. 204 "

No other trees near.

Land ascend a little. Soil
rate. Scattering trees.

Township 2 S. Range 3 E.

Gila & Salt River Meridian

S. of East

On random line bet. sec. 12 & 13.

Var. 1st^o 45' East

40. 00 Set tumblerang 1/4 sec. cor.

80. 20 Intersect E. boundary 22 sec. N. of sec. 12 & 13, from which cor.
drum

N. 89° 51' W.

On true line between sec. 12 & 13.

Var. 1st^o 45' East

40. 10 Set a post, marked 1/4 S. 45 ft long, flat
tuned 3 in. wide, 1 ft. on the ground,
driven charred stake & build mound
of earth 1 ft high, with pit 1 ft deep, 1 ft
long, 1 ft wide, as per instructions, for
1/4 sec. cor. No trees near

80. 20 Cor. to Secs. 11, 12, 13 and 14.

Land ascends a little N. Soil very
Scattering trees.

Township 2 S. Range 3 E.
Gila & Salt River Moundian

Pr North between sec. 11 & 12.
var. 14° 45' East

40.00 Set a post, marked 4th S. 4th long, flat
tuned 3 in. wide, 1 ft. from the ground, dust
charred state & build mound of earth
2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for these cor. No trees near.

80.00 Set a post, marked & notched, 4th long,
3 in. sqd. 1 ft. from the ground, dust charred state
and build mound of earth 2 ft. high with
pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instruc-
tions, for cor. to secs. 1, 2, 11 and 12,
from which

Amesquita, 4 in. dia. S. 50° E. 319 ft. dist.

do. 9 " " S. 42° E. 394 ft. "

do. 5 " " N. 83° W. 344 " "

No other trees near

Sands and a little A. Soil 2 ft. m. &
Scattering trees.

Prairie 2 S. Range 3 E.
Gila & Salt River Meridian

Ps. East boundary between 1 $\frac{1}{4}$ 12.
var. 14° 45' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.65 Interscet E. boundary 44 sec. S. of cor.
to sec. 1 $\frac{1}{4}$ 12, from which cor. turns
S. 89° 42' W.

Outline between sec. 1 $\frac{1}{4}$ 12.
var. 14° 45' East

40.33 Set post marked 1 $\frac{1}{4}$ S. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground, drive
charred stake to build mound of earth
2 ft high, with pits of 6x6x3 ft long
2 ft wide, as foundations, for $\frac{1}{4}$ sec.
cor. from which

Amesquite, 3 in. dia. S. 53 $\frac{1}{4}$ W. 159 land lot

do. 5" . . . S. 76 $\frac{1}{4}$ E. 212" . .

80.65 Cor. to sec. 1, 2, 11 and 12.

Land ascends a little N. Soil & rate.
Mesquite timber and brush.

Section 2 S. Range 3 E.
Gila & Salt River Meridian

Sec. North

Bar random line betw. sec. 1 & 2,
var. $114^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.30 Intersect N. boundary 46. sec. N. of sec.
tisec. 1 & 2, from which cor.
Driv

$8.0^{\circ}20' W.$

On true line between sec. 1 & 2,

var. $114^{\circ}45'$ East

40.20 Set apart, marked $\frac{1}{4}$ S. 4 ft. long, flat-
tined 3 in. wide, from the ground, dark
charred stake & build mound about
2 ft. high, with pil. 1 ft. dia. 2 ft. long,
4 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor. No trees near.

80.30 Cor. to Secs. 1. 2. $11\frac{1}{2}$ 12.

Land ascends a little N. Soil sandy, poor.
No timber of consequence.

March 4. 1876.

12

Township 2 S Range 3 E.
Gila & Salt River Meander

Dist. From the cor. to sec. 25, 26, 35 & 36, I run
WEST on true line bet. sec. 26 & 35.
Var. 114° 45' Each

- 7.00 Road to McDowell sec. N. E.
 40.00 Setapost, marked W.S. 4 ft long, flattened 3 in.
 wide, from the ground, due charred stake & build
 manned earth 7 ft high, with pits of old ap. 2 ft
 long, placed, a few inches apart, for cor. to sec.
 80.00 Setapost, marked & notched, 14 ft long, 3 in. sqd.
 from the ground, due charred stake & build
 manned earth 7 ft high, with pits of old ap. 2 ft
 long, placed, a few inches apart, for cor. to sec.
 26.27.34 & 35. from which
 Mesquite, 20 in. dia. at 8.60° N. 127 lbs. dist
 do. 7 " " . 4.8842 N. 130 " "

No other trees near.

Land level. Soil very
 Some mesquite trees.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

R. South

On true line between sec. 34 & 35.

ran. 14th 45' East

32.78 Intersect N. boundary of Pima and Maricopa Indian Reservation, at 60.75 chs. easterly from Post 1 E. on N. boundary of Reservation. Set a post unmarked, 4 ft. long, 3 in. sqd. 1 ft. in the ground, due charged stone and build mound of earth 7 ft. high, with pit 1 ft. deep. 2 ft. long. 1 1/2 ft. wide, as per instructions, for closing cor. to fractional secs. 34 and 35. from which Mesquite, 4 in diameter A. 33° E. 104 land dist.

do. 10 " " " N. 17 1/2 W. 22.5 "

Land level. Soil 2" rate.

Some mesquite trees.

14

Township 2 S. Range 3 E
Gila & Salt River Meridian

Pl. North between sec. 26 & 27.

Var. 14° 45' East

40.00 Set a post, marked 1¹/₄ S. 4¹/₂ ft long, flattened
3 in wide, 1 ft in the ground, drive charred
stake & build mound of earth 2 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. formula
Mesquite, 10 in. dia. base, N. 54¹/₄ E. 29 lbs. dist.

do. 14 " . S. 61¹/₂ E. 22 ft " "

80.00 Set a post, marked & notched, 4 ft long 3
in. sqd, 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per instructions
for cor. to secs. 22, 23, 26 & 27, formula
Mesquite, 9 in. dia. base, S. 65³/₄ E. 113 lbs. dist.

do. 5 " . , N. 69¹/₄ E. 87 " .

do. 6 " . , N. 42¹/₂ W. 54 " .

do. 8 " . , S. 41¹/₂ W. 109 " .

Land level. Soil good.

Some mesquite timber.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

Ch. East random line sec. 23 3/4 E.
var. $14^{\circ}45'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.13 Intersect N. 3/4 S. line 18 lbs. N. of cor. to sec.
23 3/4. 25 3/4 E. from which cor. due N.
N. $89^{\circ}52'$ W.

Outline line between sec. 23 3/4 E.
var. $14^{\circ}45'$ East

140.06 Set post marked N. S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, dark charred
stake & build mound of earth 4 ft high, with pit
1 ft deep & 8 ft long, off corde, as per instruction
for $\frac{1}{4}$ sec. cor. from which

mesquite, 8 in. dia. br. S. $19\frac{1}{2}$ W. 27 lbs. dist.
No. 9 a - N. 45° E. 39 "

80.13 Cor. to sec. 22 23. 26 3/4 E.
Land level. Soil good.
Some mesquite timber.

Downship 2 S. Range 3 E
Gila & Salt River Meridian

Ls. North between sec 22 & 23
var. 14045 East.

40.00 Set a post, marked 74 S 4 ft long, flattened
1/4 wide, 1 ft in the ground, dive charred stake
and build mound of earth 3 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per instructions
for 74 sec. co. from which
Mesquite, 4 in. dia. bar. S. 45° E. 63 les. dist.
do. 9 " " S. 67° 45' N. 164° " "

80.00 Set a post, marked & notched, 4 ft long, 3 in. sqd.
1 ft in the ground, dive charred stake and build
mound of earth 3 ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, as per instructions for co. to sec.

114.15. 22 3/4 3. from which
Mesquite, 4 in. dia. bar. N. 20° W. 45 les. dist.

do. 9 " " N. 66° 45' E. 203 " "

do. 12 " " S. 25° 45' E. 41 " "

do. 8 " " S. 83° W. 100 " "

Land flat Soil Drate. Scattering
mesquite trees & brush.

Township 2 S. Range 3 E.
Gila & Salt River Mts.

- P. East or random line bet sec 14 & 23
var. $114^{\circ}45' \text{ East}$
- 40.00 Set $\frac{1}{4}$ sec cor. temporarily.
- 80.10 Intercept N. & S. line 20 km. N. of cor. to
secs. 13, 14, 23 & 24, from which cor. is
 $N.89^{\circ}51' W.$
- Outline line between secs. 14 & 23.
Var. $114^{\circ}45' \text{ East}$
- 40.05 Set a post, marked W. S. 4 ft. long, flat-
tomed 3 in. wide, 1 ft. in the ground,
driven charred stake would stand upright
so high, with pit of deep, flag, sand, as per
instructions, for $\frac{1}{4}$ sec cor. from which
A mesquite, 4 in. dia., has $N.84^{\circ}E.$ 24 ft. distant
St. 9 " " " $N.15^{\circ}W.58^{\circ}.$

80.10 Cor. sec. 14, 15, 22 & 23.

Hillocks. Soil very rate.

Considerable mesquite timber
and brush.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

Chr. North between sec. 14 & 15.
ran. 14° 45' East.

40.00 Set a post, marked by S. & E. along,
flattened 3 in. wide, 1 ft in the ground,
bury charred stake & build round
of earth 2 ft high, with pit 1 ft deep,
2 ft long, 2 ft wide, as per instructions
for 1/4 sec. cor. No trees near.

80.00 At S.E. base of low rocky
hill. Set a volcanic rock,
12 x 8 x 6 inches, $\frac{1}{3}$ in the ground,
notched S. and E. and on N.
build round of stones 2 ft
high, as per instructions, for cor.
to sec. 10, 11, 14 and 15.

No trees near.

Land uneven. Soil poor.

No timber of consequence.

Precinct 2 S. Range 3 E.
Gila & Salt River Meridian

Ps. Est. A random line between 11 $\frac{3}{4}$ 114.
var. 114° 45' East

44.00 Set temporary 1/4 sec. cor.

79.95 Intersect N. 4 S. line 20 hrs. S. of cor.
to secs. 11. 12. 13 and 14. from which
cor. down

S. 89° 51' W.

Outline line between secs. 11 $\frac{3}{4}$ 114
var. 114° 45' East

39.98 Set post, marked 1/4 S. 14 ft. long, flat
toward 3 in. wide, 1 ft. in the ground, drove
charred stake & build mound of earth
ft high with pit 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instruction, for 1/4 sec. cor. from which
mesquite, 9 in. diameter N. 92° 42' W. 100 hrs. dist.
de. 6 " " A. 29 $\frac{1}{4}$ E. 104 " .

79.95 Cor. to secs. 10. 11. 14 and 15.
Sand ascends some N. A great deal
of brushy mesquite. Soil 3" rate.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

Sec. North. between sec. 10 & 11.

Var. 14° 44.5' East.

11.00 Pass over E. slope of low rocky hill.

11.00 Leave hill

11.00 Set a post, marked 1 $\frac{1}{4}$ ft. 4 ft. long, flattened,
3 in. wide, 1 ft. in the ground, drive charred
stake & build mound after 1 ft. high,
with pits 1 ft. deep, 1 ft. long, 1 ft. wide
as per instructions, for cor. to sec.

No trees near.

80.00 Set a post, marked 1 in. thick,
3 in. sqd. 1 ft. in the ground, drive charred
stake and build mound after 1 ft. 7 ft.
high with pits 1 ft. deep, 1 ft. long, 1 ft. wide
as per instructions, for cor. to sec.
2, 3, 10 and 11.

No trees near.

Land uneven. Soil poor.

No timber of consequence.

21

Township 2 S. Range 3 E.
Gila & Salt River Meridian

R. East

Par random line between sec. 2 & 11
var. 14° 45' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.86 Intersect N. & S. line 18 les. N. of cor.
to sec. 1, 2, 11 & 12, from which cor.

Dum

N. 89° 52' W.

On true line between sec. 2 & 11.

var. 14° 45' East.

39.93 Set a post marked $\frac{1}{4}$ S. of E. long, flat
tined 3 in wide, 1 ft from the ground, dark
charred stake & build mound of earth
2 ft high with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.

79.86 Cor to secs. 2, 310 & 11

Land seems a little N. Soil poor.
No timber.

Township 2 S. Range 3 E
Gila & Salt River Meridian

Ls. North

On random line between sec. 2 & 3.

var. 114 45° East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.25 Intersect N. boundary 31 las. W. after
to sec. 2 & 3, from which cor.

Drum

S. 0° 13' W.

On true line between sec. 2 & 3.

var. 114 45° East

40.25 Set a post, marked H. S. 1 ft. long, flattened
3 in. wide 1 ft. in the ground, drive charred
stake & hold mound of earth 7 ft high
with pits 1 ft. deep, 2 ft long, 1 ft wide, as
per instructions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.25 Cor. to secs. 1, 3, 10 and 11.

Land ascends a little N. Salt River.
No timber.

Township 2 S Range 3 E
Gila & Salt River Meridian

Sec. 1 from the cor. bcs. 26, 27, 34 & 35. Run
WEST on true line between 27 & 34
par. 111° 45' East.

44.00 Set a post, marked 748. 4 ft long, flattened 3
in wide, 1 ft in the ground, drive charred stake
and build mound of earth 7 ft high, with pit, 1 ft
deep, 2 ft long, sharp, as per instructions for
these cor. from which

Amesquite, 12 in. dia. N. 118° E 203 land dist.
No other trees near.

80.00 Set a post, marked 749 notched, 4 ft long,
flattened 3 ft in the ground, drive charred stake
and build mound of earth 7 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per instructions
for cor. to sec. 27, 28, 33 & 34, from which
Amesquite, 4 in. dia. N. 118° W. 153 land dist.
do. 7 u. " . S. 55 1/2 E 295 "

No other trees near.

Land level. Soil good. Some mes-
quite timber and brush.

Township 2 S Range 3 E.
Gila & Salt River Meridian

Sec. South

On the line between sec. 33 & 34

var. 14° 45' East.

10.50 Intersect N. boundary of Ponia
and Mancapa Indian Reservation
at 49.21 chs. easterly from the N.W.
cor. of the Reservation. Set a post,
marked, 4 ft long, 3 in. sq'd. 1 ft
with ground, drive charred stake
and build mound of earth 2 ft
high, with pit 1 ft deep, 2 ft long,
1 ft wide, for closing cor. to
fractional secs. 33 & 34.
from which

A mesquite, 10 m. dia. h. 170^{1/4} ft. 300 lbs. dist.

No other trees near

land level. Soil good.

Some mesquite timber.

25-
Township 2 S. Range 3 E.
Gila & Salt River Meridian

Pt. West

On true line between sec. 28 & 33.

Var. 14441.5 East.

37.68 intersect N. boundary of the
Pinia and Maricopa Indian
Reservation at 10.10 chs. easterly
from the N. W. cor. of the Reservation.
Set a post marked, 14 ft long, 3
in. sqd. 1 ft in the ground, due
charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
1 ft long, 1 1/2 ft wide, as per instruc-
tions, for closing cont'd frac-
tional secs. 28 & 33, from which
Mesquite, 5 in. dia. for S. 20 1/2° E. 251 has dist.

No. 5 " " S. 69° E. 146 " "
Land level. Soil good.

Some mesquite timber.

March 6, 1876.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

Sec. North between secs. 21 & 28.
var. 144° 45' East.

40.00 Set a post, marked & notched, 4 ft long, flattened 3 in. wide, 1 ft in the ground, dove chipped stake & build mound of earth 3 ft high with pitchfork, 2 ft long, 1 ft wide, as per instructions, for U.S. sec. co. from which Mesquite, 14 in. dia. loc. N. 62 3/4° E. 1/4 land dist. Northeast tree near.

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq'd. 1 ft in the ground, dove chipped stake and build mound of earth 3 ft high with pitchfork, 2 ft long, 1 ft wide, as per instructions, for co. to secs. 21, 22, 27 and 28. from which

Mesquite, 3 in. dia. loc. A. 80° E. 1/4 land dist.
do. 4 " " A. 28 3/4° E. 99 " "

do. 12 " " S. 7° W. 21 1/4 " "

Land mostly level. Soil good. Considerable Mesquite timber & brush.

Prairiehip 2 S. Range 3 E.
Gila & Salt River Mts.

Pr. East and middle sec. 22 77th
var. 144th East.

14000 Settling on $\frac{1}{4}$ sec. cor.

79.84 Intersect N. 3 S. line 144th E. 8 feet
sec. 22, 23, 26 and 27, from which
co. line

S. 89th 54th W.

On true line between sec. 22 77th,
var. 144th East.

39.92 Set apart, marked $\frac{1}{4}$ S. 84th long, flattened 3
in wide, flat on the ground, two charred stumps
and half round as earth is high, with pub
stems 2 ft long. Stands as from structures
for $\frac{1}{4}$ sec. cor. from which
Mesquite, 5 inches dia. N. 244th E. 113 feet dist.

do. 6 " " S. 55th E. 62 "

79.84 Cor. to secs. 21, 22, 27 and 28

Land flat. Soil 2' or so. Considerable
Mesquite brush.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

S^o North between sec. 21 & 22.

Var. 144° 45' East

40.00 Set apart, marked $\frac{1}{4}$ S. 45° E. long, flattened
3 in wide, 1 ft in the ground, due charred stone
and build mound of earth 3 ft high, with pile
of debris 2 ft long, 1 ft wide, as per instruction
for $\frac{1}{4}$ sec. cor. from which

A Mesquite, 10 inches b. S. 60° W. 162 ft. dist.

do. 8 " " N. 111° 45' E. 122 " "

80.00 Set apart, marked 3 notched, 1 ft long, 3 in. sqd.
plain the ground, due charred stone & build
mound of earth 3 ft high, with pile of debris 1 ft long,
1 ft wide, as per instruction, for cor. to sec.
15. 16. 21 & 22. from which

A mesquite, 9 inches b. S. 64° 45' W. 107 ft. dist.

do. 15 " " S. 111° 45' W. 235 " "

do. 5 " " N. 45° E. 104 " "

do. 6 " " N. 76½° E. 287 " "

Land level. Soil good. Considerable
mesquite. No grass.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

Pr. East boundary between sec. 15 & 22.
var. 114° 45' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.80 Intercept N. & S. line 12 hrs. of cor. to
secs. 14, 15, 22 & 23, from which cor. dim
8.89° 55' W.

Outline line between sec. 15 & 22.
var. 114° 45' East

39.90 Set a post marked "N. S. 14 ft long, flattened
3 in wide, 1 ft in the ground, brick charred
stone & build mound of earth of the size and
height of above, 2 ft long, 8 ft wide, as per in-
structions, for $\frac{1}{4}$ sec. cor. from which
A mesquite, quindia, N. 117° 45' W. 144 land dist.
do. 14 " " S. 79° 45' E. 142 "

79.80 Cut to secs. 15, 16, 21 and 22.

Land flat. Soil good.

Scrub mesquite trees and brush

Township 2 S. Range 3 E.
Gila & Salt River Meridian

P., North between sec. 15 & 16

var. 14° 45' East

40.00 Set apart, marked 4 S. 4 ft long, flattened
3 in wide, 1 ft in the ground, driven charred
stake & build mound of earth 3 ft high, with
pits of 1 deep, 2 ft long, 1 ft wide, as per instructions
for cor to sec. 9, 10, 15 & 16, from which
Mesquite, 11 in diameter N. 74° 45' E. 195 ft dist.

Do. 14 " " S. 45° 12' W. 223 "

80.00 Set apart, marked 3 notched, 4 ft long, 3
in sqd. 1 ft in the ground, driven charred tree
and build mound of earth 3 ft high, with pits of 1 ft
deep, 2 ft long, 1 ft wide, as per instructions
for cor to sec. 9, 10, 15 & 16, from which
Mesquite, 4 in diameter N. 70° W. 205 ft dist.

Do. 6 " " S. 65° 45' E. 292 "

No other trees near.

Land level. Soil good. Considerable mesquite timber & brush.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

~~Sec~~ East

On random line between sec. 10 & 15.

var. 14° 14' 5" East.

40.00 Set temporary 1/4 sec. cor.

80.18 Dug out N. & S. line in lens. S. of cor.
to secs. 10, 11, 14 and 15, from which
con. down
S. 89° 51' W.

On true line between sec. 10 & 15.

var. 14° 14' 5" East.

40.09 Set a post, marked 1/4 S. 44 ft long, flattened
point under, upon the ground, due channel
stake and build mound of earth 5 ft
high, with pit 4 ft deep, 8 ft long, 1 ft
wide, as per instructions, for 1/4 sec. cor.
No trees near.

80.18 Cor. to secs. 9, 10, 15 and 16
Pass along base of rocky hill on E. end.
Soil poor. Scattering trees.

Township 2 S. Range 3 E.
Gila & Salt River Mts.

Run North between sec. 9 & 10

var. 14° 45' East.

40.00 Set a post, marked W. S. 14 ft. long, flat
tined 3 in. wide, driven into the ground, drive charred
stake & build mound of earth 8 ft. high
with pits 1 ft. deep, 7 ft. long, 1 ft. wide, as per
instructions, for 1/4 sec. cor. from which
A mesquite, 4 in. dia. has 8.15 $\frac{7}{4}$ N. 182° East dist.

do. 8 " " S. 31 $\frac{1}{4}$ E. 292 " "

80.00 Set a post, marked & notched, 14 ft. long, 3
in. sqd. driven into the ground, drive charred
stake & build mound of earth 8 ft. high, with
pits 1 ft. deep, 7 ft. long, 1 ft. wide, as per instruc-
tions, for cor. to sec. 3, 14, 9
and 10.

Notices near

Land ascends a little N.
Soil & rate. Scattering trees.

33.
Township 2 S. Range 3 E.
Gila & Salt River Meridian

Dir. East

Boundary line between secs. 3 & 10.

Var. $114^{\circ}45'$ East.

40.00 Set temporary 4 sec. cor.

79.87 Intersect N. & S. line 15 land of
cont. to secs. 7, 3, 10 and 11, from
which cond. run

S. $89^{\circ}34'$ W.

Outline line between secs. 3 & 10.

Var. $114^{\circ}45'$ East

39.94 Slat post, marked 74.84 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
dive charred state and built round
of earth 7 ft. high with pits 1 ft. deep at the
long. flared, as for instruction
for 4 sec. cor. No trees near.

79.87 Cont. to sec. 3. 14. $9\frac{2}{3}$ 10.

Land accends a little N.
Salt & slate. Scattering trees.

Promontory S. Range 3 E.
Grid Salt River Meridian

Pr North or random line between sec. 3 & 4
var. $114^{\circ}45'$ East.

13.00 Dry bed of stream, 140 ft. nearly runs S.E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.25 Intersect N. boundary 30 ft. W. of cor.
6 sec. 3 $\frac{1}{4}$ mi. from which cor. runs
 $S.0^{\circ}13'W.$

On true line between sec. 3 & 4.

Var. $114^{\circ}45'$ East

40.25 Bluff topped by 8 ft. blng. flattened on top,
ft. in the ground. dry charred stalks build
new surface 8 ft. high, with pit of old 8 ft. blng
shards, asphaltic tars, for 1/4 sec. cor. formed
Acacia, 5 in. dia. be. N. $53^{\circ}E.$ 134 ft. dist.
do. 5 " , A. $32^{\circ}E.$ 191 "

80.25 Cor to sec. 3, 4, 9 & 10.

Land ascends a little N.

Soil very. Scattering trees

Township 2 S. Range 3 E.
Gila $\frac{4}{3}$ Salt River Meridian.

Line North between sec. 32 & 33.
var 144° 45' East

40.00 Set a post, marked w/ a notch, 14 ft long, flattened 3 in. wide, from the ground, drive charred stake and build mound of earth 3 ft high with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instruction for 1/4 sec. cor. from which
A mesquite, 9 in. dia. at 4 ft. 110 ft. dist.
do 7 " " S. 27° E. 110 "

80.00 Set a post marked w/ a notch, 14 ft long, 3 in. sqd. 1 ft. from the ground, drive charred stake & build mound of earth 3 ft high with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instruction for cor. to sec. 28, 29, 32 & 33, from which
A mesquite, 8 in. dia. at 70 $\frac{3}{4}$ ft. 144 ft. dist.

do. 5 " . . N. 7° E. 72 " "

do. 9 " . . S. 114° E. 107 " "

do. 12 " . . S. 84° E. 107 " "

Land level. Soil good. Mesquite timber & brush.

Township 2 S. Range 3 E.
Gila & Salt River Mexican

Line East

Outline between sec. 28 3/3

var. 14 1/5 East

33.50 Dated at the W. end boundary
line of Paria and Maricopa
Indian Reservation, at 2.86 ch.
southerly from the N. W. cor. of the
Reservation. Set a post marked, 4 ft
long, 3 in. sqd. 1 ft in the ground, this
charred stake and build mound
of earth 2 ft. high with pit 1 ft.
deep. 2 ft. long. 1 1/2 ft. wide, for
closing cor to fractional sec.
28 3/3, from which
Mesquite, 12 in. dia. N. 47 1/2 E. 164 lbs. delib.

do. 5 " " S. 38 3/4 W. 15 7/8 "
Land level. Soil good.
Mesquite timber and brush.

No. 611 BOOK 611 37³⁷

Township 2 S. Range 3 E.
Gdn 3 Salt River Meridian

Pt. North between sec. 28 & 29.
Var. 114° 45' E.

40.00 Set a post, marked 4 ft. sqd. 1 ft. in the ground, charred state and build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 1/4 sec. cor. from which Amesquite, 8 in. dia. base S. 27° E. 213 lbs. dist
do. 8 " " S. 56° 1/2 E. 192 "

80.00 Set a post, marked & notched, 4 ft. long, 3 in. sqd. 1 ft. in the ground, uncharred state and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to secs. 20, 21, 28 and 29, from which

Amesquite, 6 in. dia. base N. 45° W. 9 lbs. dist
do. 3 " " S. 40° W. 7 " "
No other trees near. Land level. Soil good. Mesquite trees & brush.

Township 2 S. Range 3 E
Gila & Salt River Meridian

Ps East boundary betw. sec. 21 & 28
var. 114°45' East.

40.00 Set temporary 1/4 sec. cor.

80.10 Intersect N. & S. line 21 hrs. N. of cor. to
sec. 21, 22, 27 & 28, from which cor. from
N. 89°51' W.

On true line between secs. 21 & 28.

var. 114°45' East

40.05 Set a post, marked 1/4 S. 1/4 ft. long, flat
tined 3 in. wide, 1 ft. in the ground,
driv. charred stake & build mound
of earth 2 ft. high, with pit 1 ft. deep
2 ft. long, 1 ft. wide, as per instructions
for 1/4 sec. cor. from which
Mesquite, 15 in. diameter, S. 28 1/2° E. 52 hrs. dist.

do. 10 " " A. 56 1/2° W. 218 "

80.10 Cor. to secs. 20, 21, 28 & 29.
Land level. Soil good. Mesquite trees
and brush.

March 7, 1876.

Township 2 S. Range 3 E.
Gila & Salt Rivers Meridian

S. 1/2 North between sec. 20 & 21.
var. 144° 45' East

40.00 Setapost, marked W.S. off long, flattened 3 in.
wide, 1 ft in the ground, dry charred state & build
around of earth 7 ft high, with pit 1 ft deep,
long, 1 ft wide, a spec instruction, for 1/4 sec.
on, from which

Mesquite, 5 in. dia. at S. 65° W. 215 land dist.
No other trees near

80.00 Setapost, marked & watched, off long, 3 in. sq.
off in the ground, dry charred state and
build around of earth 7 ft high, with pit 1 ft
deep, 2 ft long, 1 ft wide, a spec instruction, for
cor. to sec. 16. 17. 20 & 21, from which
Mesquite, 10 in. dia. at S. 68° W. 338 land dist.

do. 9 " " S. 21 1/2° E. 214 " -
No other trees near.

Land level. Soil good. Mesquite tree
and brush.

Township 7 S Range 3 E.
Gila & Salt River Meadow

~~Ex~~ East random line sec 16 3/4 21
Var. 14° 45' East

40.00 Set temporary 1/4 sec cor

80.15 Intersect N. 3/4 line 10 sec. S. open 6 sec.

15.16.21 3/4 22, from which cor. I run
S. 89° 56' W.

In triangle between sec 16 3/4 21

Var. 14° 45' East

110.08 Set post marked 1/4 S. of fence, flattened
3 inches, 1/2 in. the ground, disc charred
steel 3/4 build around a flat
with pits, 1/2 each, 1/2 long, 1/2 wide, a few
instructions, for 1/4 sec. cor. from which
Mesquite, 5 in. diameter, S. 71 1/4 E. 155 landst
do. 10 " " N. 37 1/4 E. 203 " "

80.15 Co. to sec. 16. 17. 20 & 21.

Land level. Soil good.

Mesquite timber and brush.

41
Township 2 S. Range 3 E.
Gila & Salt River Meridian

L. North between sec. 16 & 17

var. 14° 45' East

40.00 Set a post, marked 4x8.4 ft long, flattened
3 in. wide, plan the ground, drive chiseled
stake & build monadnock 3 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for 1/4 sec. cor. from which
Mesquite, 5 in. dia. at N. 5° E. 15 ft dist.

do 6 " " S. 15° E. 26 " "

80.00 Set a post, marked & notched, 4 ft long, 3
in. sqd. plan the ground, drive chiseled
stake & build monadnock 3 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for cor. to sec. 8, 9, 16
and 17, from which

Mesquite, 18 in. dia. at S. 28 1/2° E. 275 ft dist.

do 7 " " S. 44 1/2° E. 303 " "

do 7 " " S. 59° W. 347 " "
land level. Soil good. Mesquite timber
and brush.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

Dir. East.

On random line between sec. 9 & 16.

var. $14^{\circ}45'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.91 Intersect N. & S. line 18 lbs. N. of point
secs. 9, 10, 15 & 16, from which
cor. true
N. $89^{\circ}52'$ W.

On true line between secs. 9 & 16.

var. $14^{\circ}45'$ East

39.96 Set post, marked N. & S. after being flat
tined 3 in. wide, 1 ft. from the ground, due
charred stake & built mound of
earth 2 ft. high, with pit 1 ft. deep, 1 ft.
long, 1 ft. wide, as per instructions, for
 $\frac{1}{4}$ sec. cor. No trees near

79.91 Cont. to secs. 8, 9, 16 and 17.
Land level. Soil & water.
Scattering trees.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

Dir. North between sec. 8 & 9.
var. $114^{\circ}45'$ East.

4000 Setapost, marked 74.8 sq ft long
flattened 3 in wide, 1 ft in the ground.
drive charred stake & build mound
of earth 2 ft high, with pit 1 ft deep,
1 ft long, 1 ft wide, as per instructions
for 74 sec cor. Notices near

80.00 Setapost, marked & notched, 4 ft
long, 3 in. sq do. from the ground, drive
charred stake & build mound
of earth 2 ft high, with pit 1 ft deep,
1 ft long, 1 ft wide, as per instructions
for cor. to sec. H. 5-8 and

9. Notices near.

Land level.

Soil 3' rate.

No timber.

Township 2 S. Range 3 E.
Gila & Salt River Mountain

Pr. East Boundary line bet. sec. 4 & 9,
var. 14°45' East

26.00 Dry bed of stream, 40 ft. wide, has S.W.
40.00 Set boundary 1/4 sec. cor.
80.21 Intersect N. & S. line 10 ft. N. of cor.
to sec. 3, 4, 9 & 10, from which extend
N. 89°56' W.

a true line between sec. 4 & 9,
var. 14°45' East

40.11 Set a post, marked 1/4 S. 44 ft. long, flat-
tened 3 in. wide, 1 ft. in the ground,
driv charred stake & build mound
of earth 2 ft. high, with pile of debris 2 ft.
long, 1 ft. wide, as per instructions, for 1/4
sec. cor. from which

A pale fir tree, 5 in. dia. has S. 73 1/2° E. 379. landst.
No other trees near

80.21 Corner sec. 4, 5, 8 and 9.
Land level. Soil 3 crat.
A few trees.

Township 7 S. Range 3 E.
Gila & Salt River Meridian

Sec. North

Our random line between sec. 4 & 5.
Var. 14° 14' East

140.00 Set temporary 1st sec. cor.
80.15 Intersect N. boundary 26 sec. N.
of cor. to sec. 4 and 5 from
which cor. turns
S. 0° 11' W.

Outline line between sec. 4 & 5.

Var. 14° 14' East

40.15 Stake post marked 14 S. 4 ft long, flat
tined 3 in. wide, driven in the ground, drove
charred stake and build mound of
earth 2 ft high, with flats 1 ft. deep, 2
ft long, 1 ft wide, as for instructions
for 1/4 sec. cor. No trees near.

80.15 Cor. to Secs. 4, 5, 8 and 9.
Land ascends a little N. Soil
poor. Scattering trees.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

Line North between sec. 31 & 32.

var. 14° 45' East

28.00 Dry stream, 40' wide, bas. N.W.

40.00 Seta post, marked "notched", 4 ft long, flattened 3 in wide at the ground, dark charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, from which Mesquite, 4 in dia, loc. N. 19° W. 163 land dist.

do. 4. " . S. 38° E. 60' "

47.00 Dry stream, 40' wide, bas. N.W.

80.00 Seta post, marked "notched", 4 ft long, 3 in. sq. d. off in the ground, dark charred stake & build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to sec. 29, 30, 31 and 32, from which Mesquit, 6 in dia, loc. N. 58 1/4 W. 136 land dist.

do. 5. " . N. 83° E. 59" "

do. 9. " . S. 29 1/2 W. 127" "

do. 7. " . S. 21 1/2 E. 140" "

Land level. Soil good. Mesquite timber & brush. Cottonwood along river.

41.

Township 2 S Range 3 E.
Gila & Salt River Meridian

Mr East random line lots sec 29 & 32
var. 114°45' East

13.00 Road has. N.W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.13 Intersect N.E.S line 16 Lmt. N. of point
sec. 28.29.32 & 33 from which can draw
N.89°53' W.

Outline line between sec. 29 & 32.
var. 114°45' East

40.06 Set a post marked $\frac{1}{4}$ S. off long flattened
3 in wide often in the ground, due charred
stone & build monadnock 3 ft high, with
pits 1 ft deep 1 ft long. If blonde paper in
structure, for $\frac{1}{4}$ sec. cor. from which
Mesquite, 4 mi due S. 30°E 194 land dist

do 8 " " N. 61°E 391 "

80.13 Cor. to secs. 29.30.31 and 32.
Land level. Soil good.
Considerable mesquite.

Township 2 S. Range 3 E.

Gila & Salt Rivers Meridian

Ch. N.E. corner land line below sec. 30 & 31.

Var. $14^{\circ}45'$ East

40.00 Set temporary N.E. sec. cor.

79.80 Intersect N. boundary 31 las. N. of cor. to sec. 30 & 31, from which cor. from

$118^{\circ}44'$ E. cut line below sec. 30 & 31.

Var. $14^{\circ}45'$ East

14.50 Left bank of the Gila river, flows N.W. Set post, marked, off long 3 in. sq'd, off the ground, dirt charred stone and build rounded earth 3 ft high, with 1 pt on line W. for cor. to frac. secs. 30 and 31. No trees near. Set flag on line, opposite bank of river, and measure off base 100 les. S. to point whence flag bar. $N.66^{\circ}E.$ giving distance across 2.25 chds out

16.75 Right bank of river. Set a post, marked, off long 3 in. sq'd, off the ground, dirt charred stone & build rounded earth 3 ft high, with 1 pt on line E. for cor. to frac. secs. 30 and 31. No trees near.

39.80 Set a post, marked $\frac{1}{4}$ in. off long, flattened 3 in. wide, off the ground, dirt charred stone & build rounded earth 3 ft high, with 1 pt off side of long, 1 pt buried, as per instructions for N.E. cor. from which

Scattered wood, 8 in. dia. bar $N.72\frac{1}{4}^{\circ}E.$ 67 les. dist.

7 " " $3.62\frac{1}{4}^{\circ}N.86^{\circ}$ " "

Cor. to sec. 29, 30, 31 and 32.
Land level. Soil good. Some timber & brush.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

Lat. North between sec. 29 & 30.
Var. 14° 45' East

40.00 Set a post, marked $\frac{1}{4}$ s. 4 ft long, flat
tined 3 in. wide, 1 ft in the ground, drive
charred stake and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions, for 14
sec. cor. No trees near.

80.00 Set a post, marked $\frac{1}{4}$ notched, 4 ft long
3 in. sqd. 1 ft in the ground, drive charred
stake $\frac{1}{4}$ and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for cor. to sec. 19, 20, 29
and 30, from which

A mesquite, 6 in. dia. b.s. 847 $\frac{1}{2}$ W. 358 L. ad. dist.
No other trees near

Land level. Soil 2nd rate.

Scattering mesquite and brush.

March 8. 1876.

Township 2 S Range 3 E
Gila & Salt River Meridian

Sec. East

Sat random line between sec. 20 & 29.

var. $114^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec cor.

79.90 Intersect N. & S. line 20 less 5 of an.
to Secs 20, 21, 28 & 29. from which
cor. line

$N.89^{\circ}51'W.$

Sat true line between sec. 20 & 29.

var. $114^{\circ}45'$ East

39.95 Set post, marked $\frac{1}{4}$ sec along flattened
3 in. wide, 1 ft. in. the ground. live
charred stake & build mound of earth &
stake with pits of deep & long, sharp,
as per instructions for $\frac{1}{4}$ sec cor.
Not trees near.

79.90 Cor. to sec 19, 20, 29 and 30.
Land level. Soil good.
Scattering trees.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

Pt. West or random line betw. sec. 19 & 30
Lat. 34° 45' N. Lon. 111° 45' East

40.00 Set temporary 1/4 sec. cor.

80.12 Datineel N. boundary 22 lbs. N. of
crt. sec. 19 & 30. from which cor.
Draw

N. 89° 51' E.

Extreme line between sec. 19 & 30.

Lat. 34° 45' N. Lon. 111° 45' East

40.12 Set post, marked 1/4 S. 1/4 E. long, flattened
3 in. wide, stuck in the ground, due N. of
stake & build mound of earth 3 ft. high,
with posts of cedar, 2 ft. long, placed
as per instructions of G. & S. sec. co. from which
Mesquite, 6 in. diameter, 547° E. 293 lbs. dist.

do. 5 " . A. 35 1/4 N. 186 "

80.12 Crt. to secn 19, 20, 29 and 30.
Land level. Soil very arid.
Scattering trees.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

Ls. North between sec. 19 & 20.
ran. 14¹/₂ E.

40.00 Set apart, marked W.S. 4 ft long, flat
tined 3 in wide, 1 ft in the ground, driven charred
stake & build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, of harder ash
structure, for 4 sec. cor. from which
Amesquite, 5 in. dia. at N. 12¹/₂ E. 111 less dist.

do. 10 " " . N. 89^o E. 102 "

80.00 Set apart, marked & notched, 4 ft long, 3 in.
sqd. 1 ft in the ground, driven charred stake
and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, of harder ash
structure, for cor. to sec. 17, 18, 19 and
20, from which

Amesquite, 7 in. dia. at N. 85^o E. 138 less dist.

do. 9 " " . S. 91¹/₂ E. 237 "

No other tree near

land level. Soil 2^o slope. Scattering
trees.

33.

Township 7 S. Range 3 E.
Gila & Salt Rivers Meridian

Loc. Est. by random location sec. 17 920.
var. $144^{\circ}45'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.85 Intersect N. & S. line 12 sec. N. of cor.
to sec. 16, 17, 20 & 21, from which cor. run
 $189^{\circ}55'$ W.

On true line between sec. 17 920.
var. $144^{\circ}45'$ East

39.93 Set a post, marked $\frac{1}{4}$ S. 1/8 ft. long, flat-
tined 3 in. wide, flat in the ground, drive
charred stake & build mound after the post
high, with pits 4 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions, for $\frac{1}{4}$ sec.
cor. from which

Anosquale, 6 mi. due N. $176^{\circ}W.$ 149 land dist.

do. 7 " " N. $2^{\circ}E.$ 158 "

79.85 Cor. to secs. 17, 18, 19 and 20.

Land level. Soil dry. Water scattering
trees.

Township 7 S. Range 3 E.
Gila & Salt River Meadow

Lilium West random liebelss. 18 $\frac{3}{4}$ 19.
var. 144° 45' East.

40. a o Set temporary to see cor.

80. 20 Intersect Hibiscus 17 $\frac{1}{2}$ N. of cor. to see cor.
18 $\frac{3}{4}$ 19' from which cor. down
A. 18 $\frac{3}{4}$ 48' E. cut line liebelss. 18 $\frac{3}{4}$ 19.
var. 144° 45' East.

40. 20 Set apart marked 14 $\frac{1}{2}$ 48 long flattened 3 in. wide of both the
ground, down charcoal stake & build round off with 3 ft high
with pitch dark, 3 ft long, 1 ft wide, a few notations for
1/4 sec. cor. from which

A mesquite, 5 in dia. in 8.58 N. 77 E. line. No other trees near
80. 20 Cor. to see 17.18.19 $\frac{3}{4}$ 20. Soil & rock, sandy.
Same mesquite brush on E. end of line.

North between sec. 17 $\frac{3}{4}$ 18.

var. 144° 45' East

40. a o Set apart marked 14 $\frac{1}{2}$ 48 long flattened 3 in. wide off
in the ground, down charcoal stake & build round off with
3 ft high, with pitch dark, 3 ft long, 1 ft wide, a few

Township 7 S Range 3 E.
Gila & Salt Rivers Meridian

Po instructions for 4 sec. cor. from which
Mesquite, 6 in. dia. at S. 10° E. 35 land dist.
do. 8 " " N. $30^{\circ} W.$ 45 " "
80.00 Set post marked & notched, 4 ft. long. Paint red.
If in the ground, drive charred stake & nail round
of earth & high, with post of charred wood, as per in-
struction, for cor. to sec. 7, 8, 17 & 18, from which
Mesquite, 10 in. dia. at S. $73\frac{1}{2}^{\circ} W.$ 168 land dist.
do. 15 " " S. $16\frac{3}{4}^{\circ} E.$ 316 " -
No other trees near.
Land flat. Soil poor. Mesquite timber.

East in random line betw. S. $\frac{3}{4} 1^{\circ} E.$
Var. $114^{\circ} 44.5^{\circ}$ East
40.00 Set temporary 1/4 sec. cor.
79.91 Intersect N. $\frac{3}{4} 8$ line Blank A. of cont'd sec.
8. 9. 16 $\frac{3}{4} 1^{\circ} E.$ from which cor. down
N. $89^{\circ} 54' W.$ outline line betw. S. $\frac{3}{4} 1^{\circ} E.$
Var. $114^{\circ} 44.5^{\circ}$ East.

79.86 Stake marked & notched, flattened 3 in. side of post
charred, driven into stake & nail round of earth

Township 7 S. Range 3 E.
Gila & Salt River Meridian

Obs. 2 ft high, with pit of depth 2 ft long, 1 ft wide, as per instruction, for 1/4 sec. cor. from which
Acmequite, 7 in. dia. lies N. 34° W. 158 yards dist.
do. 10 " " . 8.22° W. 176 " "

79.91 Cont. sec. 7, 8, 17 and 18.
Land level. Scattering scrub mes-
quite tree & bush. Soil poor.

N.E. 1/4 sec. random line bet. sec. 7 & 18.
var. 144° 45' East

40.00 Set temporary 1/4 sec. cor.

80.19 Intercept N. Comedary 31 sec. N. of east to sec.
7 & 18. from which cor. I run

N. 89° 45' E. entire line bet. sec. 7 & 18
var. 144° 45' East

40.19 Set post, marked 1/4 sec. long, flattened 3. in wide, often
in the ground, has charred stake & nail around it with
2 ft high with pit of depth 2 ft long, 1 ft wide, as per in-
struction, for 1/4 sec. cor. from which
Acmequite 6 in. dia. lies N. 40° W. 50 yards dist.

57.
 Township 2 S. Range 3 E.
 Gila & Salt River Meridian

P Northeast near

80.19 Cor. to sec. 7.8.17 N.W. Land level. Scattering scrub
mesquite & brush. Soil 2^o rate.

North between secs. 7 & 8,

Var. 14445 East

40.00 Set apart, marked & watched, 4' off long, 3' in side of the hogback,
durcharged stone & boulders made from top high, with
piles of old rock, 3' long, off side, a few in
structure for cor. to sec. 5.6.7 & 8, from which
no trees near.

80.00 Set apart, marked & watched, 4' off long, 3' in side of the
ground, durcharged stone & boulders made from top
high, with piles of old rock, 3' long, off side, a few in
structure for cor. to sec. 5.6.7 & 8, from which
no mesquite, 4 in. dia., S. 36° W. 15° le. dist

No. 6 " " A. 89° W. 110 "

No. 10 " " A. 35° E. 261 "

Land level. Scattering scrub mesquite
trees and brush. Soil 2^o rate.

Township 7 S. Range 3 E.
Gila & Salt River Meander

Br. East

Outrandom line between sec. 5 & 8.

var. $111^{\circ}44.5'$ East

78.00 Dry bed of stream, 50 ft. wide, has. S.W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.86 Datum set N. 4 S. line 200 ft. N. of cor. to sec.

4.5.899 from which cor. down

N. 89 $^{\circ}51'W.$

Outline line between sec. 5 & 8.

var. $111^{\circ}44.5'$ East

39.93 Set post, marked W. S. 4 ft. long flattened
3 in. wide, 1 ft. from the ground, due charred slate
and build mound of earth 3 ft. high, with pit of
depth 3 ft. 6 in. 1 ft. wide, as per instructions for 1/4 sec.
cor. No trees near

79.86 Cor. to sec. 5. 6. 7 and 8.

Land level. Soil second rate.
Scattering mesquite.

Township 7 S. Range 3 E.
Gila $\frac{1}{2}$ Salt River Meridian

Pr. West boundary line between 6 $\frac{3}{4}$ sec.
var. 114°45' East

1.00 Dry stream, 25 krs. wide, bar. S. W.

11.00 Road bar. N. E.

16.00 Dry stream, 75 krs. wide, bar. S. W.

46.00 Set temporary $\frac{1}{4}$ sec. cor.

80.19 Intersect N. boundary 55 krs. N. of sec.

to sec. 6 $\frac{3}{4}$ from which cor. drawn
N. 89°36' E. cutline bet. secs. 6 $\frac{3}{4}$ sec.

var. 114°45' East

40.19 Old post, marked $\frac{1}{4}$ sec. off long, flattened 3 in. wide,
flat on the ground, lies in channel state and build
monad of earth & high, with post off deck 2 ft.
long, found no permanent sections for these confirmed
Mesquite, Gadsden bar. S. 3° E. 67 land dist.

do. 10 " " + N. 58°44' E. 142 " "

80.19 Cut to Secs. 5. 6. 7 & 8.

Land ascends some N. Soil 2" etc.
Scattering trees.

Township 7 S. Range 3 E.
 Gila & Salt River Maiden

S. North

Outline line between sec. 5 $\frac{1}{4}$ C.
 var. 114° 45' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.80 Line west N. boundary 15 line E. of sec.
 to sec. 5 $\frac{1}{4}$ C. from which cor. turns
 S. 0° 6' E.

Outline line between sec. 5 $\frac{1}{4}$ C.

var. 114° 45' East

39.80 Set post marked N. S. 1/4 long flat
 lined 3 in. wide, 1 ft. in the ground, drive
 charred stake & build mound about
 2 ft. high with pit 1 ft. deep, 2 ft. long, 1 ft.
 wide as per instruction, for $\frac{1}{4}$ sec. cor.
 No trees near.

79.80 Cor to secs 5, 6, 7 and 8.

Land ascends some N.

Soil 2nd rate. Scattering trees.

March 9, 1876.

Township 2 S. Range 3 E.
Gila & Salt River Meridian

General Description.

The southern part of the central portion of this township has good soil.

Considerable mesquite timber and brush cover these portions.

The northern part is poor.

The Gila river runs through the extreme southwestern corner of the township. There is good soil, with considerable timber along the river.

Theo. F. White
U.S. Deputy Surveyor.

List of Names.

BOOK 611

b2

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of the Subdivision

Lines of Township 2 S. Range
3 E. of the Gila & Salt
River Meridian Arizona.


Showing the respective capacities in which they
acted.

Urban Russell Chainman.

R. A. Vasquez Chainman,

Fred. C. Jones Axeman.

Wright H. Aubrey Flagman.



Final Oath of Assistants.

We hereby certify that we assisted Theodore F. White U. S. Deputy Surveyor, in surveying the Subdivision lines of township 7 S. Range 3 E. of the Gila & Salt River Meridian, Arizona.

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Urbain Bessard Chainman.
R. A. Vargas Chainman,
Theod. L. Jones Axeman.
Wright H. Arthur Flagman.

Sworn to and subscribed before me, this 18
day of March, 1876

William J. Odham
Notary Public

6

Final Oath of Deputy Surveyor.

64

I, Theodore F. White,

U. S. Deputy Surveyor, do solemnly swear that
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the Sixth day of December

1875. I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-General,
the Surveying Manual, and the laws of the
United States, surveyed all those portions of

the Subdivision lines of
Township 7 S. Range 3
E. of the Gila and Salt
River Meridian, Arizona.

as are repre-
sented in the foregoing Field Notes as having
been surveyed under my directions; and I do
further solemnly swear that all the corners of
said surveys have been established and perpet-
uated in strict accordance with the Surveying
Manual and printed instructions, and also in ac-
cordance with the additional requirements con-

BOOK 611
V5 tained in circular instructions from the U. S.
Surveyor-General for Arizona, dated September
1, 1873, regarding the establishment of corner
boundaries of public surveys, and that the fore-
going are the true and original Field Notes of
such surveys.

Theodore F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 18
day of March, 1876

William J. Olson,
Notary Public

6

BOOK 611

U. S. Surveyor General's Office,

TUCSON, ARIZONA, September 17, 1876

The foregoing Field Notes of the Survey of the

Subdivision lines of
Township 2 South
Range 3 East,

Of the Gila and Salt River Base and Meridian, Arizona, executed by

Sherman F. White,

Deputy Surveyor, under his contract of the

sixth day of December, 1875, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe

are hereby approved.

John Hasson
Surveyor General.