

*Platted  
repared copied  
ordered*

Book No. 17

*A. E. Shoemaker* Deputy Surveyor.

T. 2 S R. 9 E

Gila and Salt River Meridian.

BOOK 612

# FIELD NOTES

OF No. 612

THE SUBDIVISION LINES OF

Township 2 S Range 9 E

Gila and Salt River Meridian.

BY

*A. E. Shoemaker* Deputy Surveyor.

Under his Contract of August 5<sup>th</sup> 1882

Survey Commenced July 10. 1884

Survey Completed July 10. 1884

*Platted,  
Copied for Washington,  
Copied for Register,*

612

BOOK 612

A. E. Shoemaker Deputy Surveyor.

T. 2 S. R. 9 E.

Gila and Salt River Meridian.

## FIELD NOTES

OF

THE SUBDIVISION LINES OF

Township 2 S. Range 9 E.

Gila and Salt River Meridian.

BY

A. E. Shoemaker Deputy Surveyor.

Under his Contract of August 5<sup>th</sup> 1882

Survey Commenced July 10. 1884

Survey Completed July 10. 1884

*Platted,*

*Copied for Washington,*

*Copied for Register,*

1A

# INDEX

## BOOK 612

Township 2 South, Range 9 East,  
Gila and Salt River Base and Meridian.

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
55		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

Edward Denny & Co., Stationers & Printers, S. F., Cal.

Copyright Secured.

Entered according to Act of Congress, in the Clerk's Office of the Librarian of Congress  
 at Washington, D. C., in the year 1880.

Township.....Range.....

Meridian.

No. 612

BOOK 612

For preliminary  
notes see book  
No. 1 -

Survey made with Burt's Patent Improved Solar  
Compass, nearly new, and in first rate order. Made  
by Otto Fennel of Cassel  
Germany in 1881

Township 2 S.

Range 9 E.

(See previous page.)

Gila and Salt River Meridian.

Chains

From the corner to Sections 35, 36, 1 and 2 on the South boundary, <sup>previously described.</sup> run North, between Sections 35 and 36

Variation 13° 54' East.

Over level land

8.37 Cross Road, bears, N. 70° E. S. 70° W.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 25, 26, 35, 36 marked T. 2 S. S. 23° on N, E, R, 9 E, S. 36 on S, E, S, 33 on S, W, and S. 26 on N, W, face with / notch on S, and / notch on E, edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land level and rolling.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 25 and 36.

Variation  $13^{\circ} 54'$  East.

Over level land

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.42.75 Cross Wash, 11 lks. wide, Course N.  $70^{\circ}$  W.80.14 Intersect E. B. of Tn. 20 lks. S. of cor. to secs.  
previously set by me.

35.30, 31, 30 from which corner, I run

S.  $89^{\circ} 57'$  W. on a true line, between sections 25 & 36Variation  $13^{\circ} 54'$  East.

4007 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.14 The corner to sections 25, 26, 35, 36

Land level.

Soil  $3^{\circ}$  rate

Vegetation Grass, Sage.

Chains

North, between Sections 25 and 26.

Variation 13° 54' East.

Over level land

40.00 Set a Sand stone 18 x 18 x 6 ins., 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W. face, dug pits 18 x 18 x 12 ins., N. and S. of stone  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside.

51.60 Cross Wash, 16 fks. wide, Course N. W.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 23, 24, 25 & 26 marked T, 2 S, 24, on N, E, R, 9 E, S, 20 on S, E, S, 26 on S, W, and S, 23 on N, W, face with 2 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass, Sage.

Township

2 S.

Range

9 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 24 and 25.

Variation  $13^{\circ} 54'$  East.

Over level land

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.8010 Intersect E. B. of Tp. 13 N. of cor. to secs.  
previously set by me.

19.24.25.30 From which corner, I run

N.  $89^{\circ} 34'$  on a true line, between sections 24 & 25Variation  $13^{\circ} 55'$  East.4005 Set a lava stone  $15 \times 8 \times 8$  ins., 10 ins.  
in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N. face,  
dug pits  $18 \times 18 \times 12$  ins., E. and W. of stone  $5\frac{1}{2}$   
ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$   
ft. base alongside.

8010 The corner to sections 23, 24, 25, 26

Land level.

Soil  $3^{\text{rd}}$  rate

Vegetation Grass, Sage.



Township 2 S Range 9 E

Gila and Salt River Meridian.

Chains

North, between Sections 23 and 24.

Variation 13° 54' East.

Over level land

24.67 Cross Wash, 20 lks. wide, Course W.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 13, 14, 23, 24 marked T 2 S: 13, on N, E, R, 9 E, S, 24 on S, E, S, 23 on S. W, and S, 14 on N, W, face with 3 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass, Sage.

Township 2 SRange 9 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation  $13^{\circ} 55'$  East.

Over level land

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.7958 Intersect E. B. of Tp. 11 N. S. of cor. to secs.  
previously set by me.

13, 18, 19, 24 from which corner, I run

N.  $89^{\circ} 45' W.$  on a true line, between sections 13 & 24Variation  $13^{\circ} 55'$  East.3994 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

7988 The corner to sections 13, 14, 23, 24

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass &amp; Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

North, between Sections 23 and 24.

Variation

13° 54'

East.

Over level land

24.67

Cross Wash, 20 lks. wide, Course W.

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 13, 14, 23, 24 marked T. 2 S. S: 13, on N, E, R, 9 E, S. 24 on S, E, S, 23 on S. W, and S, 14 on N, W, face with 3 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft, dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft, base around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation

Grass, Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 13 and 24.

Variation  $13^{\circ} 55'$  East.

Over level land

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.7988 Intersect E. B. of Tp. 11 Nks. S. of cor. to secs.  
previously set by me.

13, 18, 19, 24 from which corner, I run

N.  $89^{\circ} 45' W$  on a true line, between sections 13, 24Variation  $13^{\circ} 55'$  East.3994 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

7988 The corner to sections 13, 14, 23, 24

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass &amp; Sage.



Township

2 S

Range

9 E

8

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 12 and 13.

Variation  $13^{\circ} 56'$  East.

Over level land

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

57.90 <sup>Creek</sup> ~~Entire~~ <sup>Wash.</sup> 16 lks. wide, Course  $S 47^{\circ} W$ .

61.13 <sup>Drain</sup> ~~Leave~~ <sup>Creek</sup> ~~Wash.~~ 16 lks. wide, Course  $S 47^{\circ} W$ .

79.82 Intersect E. B. of Tp. 11 lks. S. of cor. to secs. previously set by me.

7.12.13.14 from which corner, I run

$S 89^{\circ} 33' W$ , on a true line, between sections 12 & 13

Variation  $13^{\circ} 56'$  East.

3991 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N. face, dug pits, 18 x 18 x 12 ins., E. and W. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

79.82 The corner to sections 11. 12. 13. 14

Land level.

Soil  $G^{\circ}$  rate

Vegetation Grass. Sage.

Chains North, between Sections 11 and 12.

Variation 13° 56' East.

Over level land

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

40.60 Cross Old Road from Phoenix to Anial bears E. W.

71.88 Cross Wash, 13 lks. wide, Course W.

30.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 1, 2, 11 & 12 marked T, 2 S. / on N, E, R, 9 E; S. 12 on S, E, S, 11 on S. W, and S, 2 on N, W, face with 3 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass, Sage.

Township

2 S

Range

9

E 10

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 1 and 12.

Variation  $13^{\circ} 57'$  East.

Over level land

25.57 Cross Wash, 10 lks. wide, Course S.  $37^{\circ}$  W.40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.80.20 Intersect E. B. of Tp. 15 lks. N. of cor. to secs.  
previously set by me.

10.7.12 from which corner, I run

N.  $89^{\circ} 57'$  W. on a true line, between sections 1 & 12Variation  $13^{\circ} 56'$  East.40.10 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.20 The corner to sections 1, 2, 11 &amp; 12

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass, Sage.



Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 1 and 2.

Variation  $13^{\circ} 58'$  East.

Over level land

28.88 Cross New Road between Phoenix and Pinal Co. N. E. S. W.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

53.50 Leave Chain ascend over broken surface the foot hills of the Superstition Mts.

80.20 Intersect N. B. of T<sup>n</sup>. 22 1/2 m. W. of cor. to secs. previously set by me.12.35  $\frac{30}{4}$  from which corner, I run

1.9' W. on a true line, between sections 1 &amp; 2

Variation  $13^{\circ} 57'$  East.

40.13 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.20 The corner to sections 1, 2, 11, 12

Land level, and rolling.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

July 10. 1884

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

From the corner to sections 2, 3, 34 & 35 on S. 13. of 24  
 previously described. *Drum*  
 North, between Sections 34 and 35.

Variation

13° 00'

East.

*Over level land*

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 W. face, dug pits, 18 x 18 x 12 ins., N and S, of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone  
 12 ins. in the ground, for Cor. to Secs. 20, 27, 34 & 35  
 marked T, 2 S, S, 20, on N, E, R, 9 E, S, 35  
 on S, E, S, 34 on S, W, and S, 27 on N, W, face  
 with 1 notch on S, and 2 notches on E, edges,  
 dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft, high,  $4\frac{1}{2}$  ft, base  
 around post.

*Land level.*Soil 3<sup>rd</sup> rate

Vegetation

Grass, Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 26 and 35.

Variation  $13^{\circ} 55'$  East.

Over level land

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.10 Intersect N. & S. line, 9 lks. N. of cor. to sec.

26, 26, 35, 35 from which corner, I run

$N. 87^{\circ} 56' W.$  on a true line between sections 26, 35

Variation  $13^{\circ} 54'$  East

40.05 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.10 The corner to sections 26, 27, 34, 35

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass, Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

North, between Sections 26 and 27.

Variation

13° 00'

East.

Over level land

37.14 Cross Wash, 13 lks. wide, Course S. 40° W.

40.00 Set a Sand stone 16 x 12 x 7 ins., 11 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on NW face, and raised a mound of stone alongside. Pits impracticable.

80.00

Set a Lava stone 28 x 11 x 7 ins. 4 ins. in the ground for Cor. to Secs. 22, 23, 26, 27 marked with 2 notches on S. and 2 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

Township 9 SRange 9 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 23 and 26.

Variation  $13^{\circ} 56'$  East.

Over level land

3340 Cross Wash, 12 fks. wide, Course S. 23° W.40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.79.79 Intersect N. & S. line, 31 fks. N. of cor. to sec.23. 24. 25. 26 from which corner, I runN. 89° 47' W. on a true line between sections 23. 24Variation  $13^{\circ} 54'$  East

3989 Set a Sand stone  $16 \times 12 \times 12$  ins., 11  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

79.79 The corner to sections 22. 23. 26. 27

Land level.

Soil 3<sup>rd</sup> rateVegetation Grass. Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

North, between Sections 22 and 23.

Variation 13° 06' East.

Over level land

40.00

Set a post 3 ft. long. 3 ins. diam. with marked stone 12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on W. face, dug pits, 18 x 18 x 12 ins. N. and S. of post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around post.

80.00

Set a post 4 ft. long. 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs, 14, 15, 22, 23 marked T, 2 S, 14, on N, E, R, 9 E, S, 23 on S, E, S, 22 on S, W, and S, 15 on N, W, face with 3 notches on S, and 2 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft, dist., and raised a mound of earth 2 ft, high, 4 1/2 ft, base around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

17 Township 2 S Range 9 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 14 and 23.  
Variation 13° 07' East.

Over level land

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.91 Intersect N. & S. line. 15 lks. S of cor. to secs.

13, 14, 23, 24 from which corner, I run

S. 89° 57' W. on a true line between sections 14 & 23

Variation 13° 55' East

39.95 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E and W of  
post 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft.  
high, 3 $\frac{1}{2}$  ft. base around post.

79.91 The corner to sections 14, 15, 22, 23

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass & Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

North, between Sections 14 and 15.

Variation

13° 07'

East.

Over level land

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
W. face, dug pits, 18 x 18 x 12 ins., N and S. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

58.00 <sup>Creek</sup> Entendun Wash, 10 lks. wide, Course S. 81° W.

61.10 <sup>Creek</sup> Standun Wash, 10 lks. wide, Course S. 81° W.

72.60 Cross Wash, 11 lks. wide, Course S. W.

80.00 Set a post 4 ft. long, 1 ins. square, with marked stone  
12 ins. in the ground, for Cor. to Secs. 10, 11, 14, & 15  
marked T<sub>2</sub> S. 10, on N, E, R, 9 E, S. 14  
on S, E, S, 15 on S, W, and S, 10 on N, W, face  
with 11 notches on S, and 2 notches on E, edges,  
dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation

Grass, Sage.



Township

2 S.

Range

9 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 11 and 14.

Variation  $13^{\circ} 58'$  East.

Over level land

8.63 Cross Wash, 15 lks. wide, Course S.W.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

80.19 Intersect N. & S. line, 18 lks. S. of cor. to sec.

11, 12, 13 & 14 from which corner, I run

$S. 89^{\circ} 52' W.$  on a true line between sections 11 & 14

Variation  $13^{\circ} 56'$  East

11009 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.

high,  $3\frac{1}{2}$  ft. base around post.

80.19 The corner to sections 10, 11, 14 & 15

Land level.

Soil  $3^{\text{rd}}$  rate

Vegetation Grass, Sage.

Township

2 S.

Range

9 E.

Gila and Salt River Meridian.

Chains

North, between Sections 10 and 11.

Variation

13° 58'

East.

Over level land

40.00

Set a Lava stone 26 x 13 x 3 ins., 19 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on NW face, and raised a mound of stone alongside. Pits impracticable.

47.20

Cross Road between Phoenix & Pinal  
beats E. & W.

80.00

Set a Lava stone 40 x 30 x 15 ins. 30 ins. in the ground for Cor. to Secs. 2, 3, 10, 11 marked with 5 notches on S. and 2 notches on E. edges and raised a mound of stone alongside. Pits impracticable.

Land level.

Soil

3<sup>rd</sup>

rate

Vegetation

Grass &amp; Sage.

Township

2 S.

Range

9 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 2 and 11.

Variation  $13^{\circ} 59'$  East.

Over level land

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

48.60 Cross new Road between Pinal and Phoenix bears N. E. S. W.

49.75 Cross Wash, 13 lks. wide, Course S.

80.47 Intersect N. & S. line, 12 lks. S. of cor. to secs.

12. 11. 12 from which corner, I run

$S 89^{\circ} 55' W.$  on a true line between sections 2 & 11

Variation  $13^{\circ} 57'$  East

40.23 Set a Lava stone  $25 \times 10 \times 5$  ins., 19

ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.

face, and raised a mound of stone alongside. Pits

impracticable.

80.47 The corner to sections 2, 3, 10 & 11

Land level.

Soil  $3^{\text{rd}}$  rate

Vegetation Grass. Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 2 and 3.

Variation 13° 08' East.

Over level land

27.78 Cross Wash, 20 fks. wide, Course S. W.

32.50 Lava Prairie, ascend over broken surface. The foot-hills of Superstition Mts.

40.00 Set temporary 1/4 Sec. Cor.

80.07 Intersect N. B. of Tp. 2 1/2 fks. W. of cor. to secs. previously set by me.

2.3. 34. 33 from which corner, I run

S. 12' W. on a true line, between sections 2 & 3

Variation 13° 59' East.

40.07 Set a Lava stone 10 x 10 x 10 ins., 10 ins. in the ground, for 1/4 Sec. Cor., marked 1/2 on W. face, and raised a mound of stone alongside. Pits impracticable.

80.07 The corner to sections 2, 3, 10, 11

Land level, and rolling.

Soil good rate

Vegetation Grass & Sage.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

July 11, 1884

Township 2 S.

Range 9 E.

Gila and Salt River Meridian.

From the corner to sections, 3, 4, 33 & 34 on S. R. of 1/4  
 previously described. drum

Chains

North, between Sections 33 and 34.

Variation

13° 56'

East.

Over level land

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
 W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone  
 12 ins. in the ground, for Cor. to Secs, 27, 28, 33, 34  
 marked T, 2 S., 27, on N, E, R, 9 E., S. 34  
 on S, E, S, 33 on S, W, and S, 28 on N, W, face  
 with 1 notch on S, and 3 notches on E, edges,  
 dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post.

Land level.

Soil

3<sup>rd</sup>

rate

Vegetation

Grass & Sage.

Township

2 S.

Range

9 E.

Gila and Salt River

Meridian.

Chains

East, on a random line between Sections 27 and 34.

Variation

13° 00'

East.

*Over level land*11.00 Cross Wash, 11 lks. wide, Course *N.W.*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.79.80 Intersect N. & S. line, 2 1 lks *N.* of cor. to sec.*26.27.34.35* from which corner, I run*N. 89° 57' W.* on a true line between sections *27. 34*

Variation

13° 55'

East

39.90

Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on*N.* face, dug pits, 18 x 18 x 12 ins., *E.* and *W.* ofpost  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

79.80

The corner to sections *27. 28. 33. 34*

Land level.

Soil *3<sup>rd</sup>* rate

Vegetation

*Grass. Sage.*

Township 2 SRange 9 E

Gila and Salt River Meridian.

Chains

North, between Sections 27 and 28.

Variation

13° 56'

East.

Over level land

21.60 Cross Wash, 17 lks. wide, Course NW.  
40.00 Set a Sand stone 13 x 7 x 5 ins., 9  
 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone  
 12 ins. in the ground, for Cor. to Secs. 21, 22, 27, 28  
 marked T, 2 S, 22, on N, E, R, 9 E, S, 27  
 on S, E, S, 28 on S, W, and S, 21 on N, W, face  
 with 2 notches on S, and 3 notches on E, edges,  
 dug pits 18 x 18 x 12 ins, in each Sec., 5 $\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$  ft. base  
 around post.

Land level.

Soil 3<sup>rd</sup> rateVegetation Grass Sage

Township 2 S. Range 9 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 22 and 27.

Variation 13° 57' East.

Over level land

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.80.16 Intersect N. & S. line. 22 lks. S. of cor. to secs.22, 23, 26, 27 from which corner, I run89° 07' W. on a true line between sections 22 + 27Variation 13° 56' East

400' Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.16 The corner to sections 21, 22, 27, 28.

Land level.

Soil 3<sup>rd</sup> rateVegetation Grass + Sage.



27 Township 2 S. Range 9 E.  
 Gila and Salt River Meridian.

Chains North, between Sections 21 and 22.  
 Variation 13° 57' East.

Over level land

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
 W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.

65.75 <sup>Creek</sup> Entenque Wash, 10 lks. wide, Course S. 75° W.  
 69.00 <sup>Creek</sup> Sanduan Wash, 10 lks. wide, Course S. 75° W.

From the point of crossing a well bears  
 S. 86° E. & is dist. 7.01 chs. this well is  
 175 ft. in depth and no water.

80.00 Set a Lava stone 15 x 10 x 10 ins. 10 ins. in  
 the ground for Cor. to Secs. 15, 16, 21, 22 marked  
 with 3 notches on S. and 3 notches on E. edges and  
 raised a mound of stone alongside. Pits impracticable.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass, Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 15 and 22.

Variation

13° 57'

East.

Over level land

11.70 <sup>Crack</sup> ~~Over level~~ Wash, 16 lks. wide, Course S. W.13.06 <sup>Crack</sup> ~~Over level~~ Wash, 16 lks. wide, Course S. W.40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.80.42 Intersect N. & S. line,  $\frac{1}{6}$  lks. S. of cor. to secs.

14.15.22.22 from which corner, I run

S. 89° 40' W. on a true line between sections 15. 22

Variation

13° 57'

East

40.21 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.42 The corner to sections 15. 16. 21. 22

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

Township 2 S.Range 9 E.

Gila and Salt River Meridian.

Chains

North, between Sections 15 and 16.

Variation

 $13^{\circ} 57'$  East.*Over level land*

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 9, 10, 15 & 16 marked T. 2 S. S. 10, on N. E. R. 9 E. S. 15 on S. E. S. 16 on S. W. and S. 9 on N. W. face with 1/ notch on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land level.

Soil

3<sup>rd</sup>

rate

Vegetation

Grass &amp; Sage.

Township 2 S Range 9 E

Gila and Salt River Meridian.

Chains East, on a random line between Sections 10 and 15.

Variation 13° 57' East.

Over level land

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.00 Intersect N. & S. line, 13 lks. S of cor. to sec.

10. 11. 12. 13 from which corner, I run

S 89° 57' W. on a true line between sections 10 & 15

Variation 13° 38' East.

140.03 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E and W of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.03 The corner to sections 9, 10, 15 & 16

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass & Sage.

Township

2 S Range 9 E

Gila and Salt River Meridian.

Chains

North, between Sections 9 and 10.

Variation

13° 57' East.

Over level land

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
W. face, dug pits, 18 x 18 x 12 ins., N and S. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

57.18 Cross Wash, 20 lks. wide, Course W.

63.72 Cross Road, Course E. W.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone  
12 ins. in the ground, for Cor. to Secs, 3, 4, 9 & 10  
marked T. 2 S. S. 3 on N, E, R, 9 E., S. 10  
on S, E, S, 9 on S. W. and S, 4 on N, W, face  
with 5 notches on S, and 3 notches on E, edges,  
dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass, Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 3 and 10.

Variation  $13^{\circ} 58'$  East.*Over level land*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.46.91 Cross Wash, 23 lks. wide, Course  $S. 40^{\circ} W.$ 79.81 Intersect N. & S. line. 13 lks.  $N.$  of cor. to secs.

2, 3, 10. // from which corner, I run

 $N. 89^{\circ} 52' W.$  on a true line between sections 3 & 10Variation  $13^{\circ} 59'$  East

39.91 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on $N.$  face, dug pits, 18 x 18 x 12 ins.,  $E.$  and  $W.$  ofpost  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

79.81 The corner to sections 3, 4, 9 &amp; 10

Land level.

Soil  $3^{\circ}$  rate

Vegetation

Grass &amp; Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 3 and 4.

Variation  $13^{\circ} 59'$  East.

Over level land

17.00 Leave Chain, ascend slope bearing  $E. 11^{\circ}$   
 40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

80.10 Intersect N.B. of Tp. 23 1/2 m. E. of cor. to secs.  
 previously set by me.  
 3. 4. 33. 34 from which corner, I run  
 S. 10' E on a true line, between sections 3 & 4  
 Variation  $13^{\circ} 58'$  East.

40.10 Set a post 3 ft. long, 3 ins. diam. with marked stone  
 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
 W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.

80.10 The corner to sections 3, 4, 9, 10  
 Land level and rolling.  
 Soil 3<sup>rd</sup> rate  
 Vegetation Grass & Sage.  
 July 12. 1884

No. 612

BOOK 612

Township

Range

34

Gila and Salt River Meridian.

From the corner to sections, 4, 5, 32 & 33 on S. R. of 14  
previously described. Drun

Chains

North, between Sections 32 and 33.

Variation

13° 57'

East.

Over level land

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
W. face, dug pits, 18 x 18 x 12 ins., N and S of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone  
12 ins. in the ground, for Cor. to Secs. 28, 29, 32, 33  
marked T, S, 28, on N, E, R, 9 E, S, 33  
on S, E, S, 32 on S, W, and S, 29 on N, W, face  
with | notch on S, and 11 notches on E, edges,  
dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft, dist.,  
and raised a mound of earth 2 ft, high,  $4\frac{1}{2}$  ft, base  
around post.

Land level.

Soil 3" rate

Vegetation

Grass, Sage



Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 28 and 33.

Variation  $13^{\circ} 58'$  East.

Over level land

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.33 Intersect N. & S. line, 5 lks  $N$  of cor. to secs.

27, 28, 33, 31 from which corner, I run

$N. 89^{\circ} 58' W.$  on a true line between sections 28 & 33

Variation  $13^{\circ} 56'$  East

40.10 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 $N$  face, dug pits, 18 x 18 x 12 ins.,  $E$  and  $W$  of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.33 The corner to sections 28, 29, 32, 33

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass & Sage.

Township

2 S.

Range

9 E.

Gila and Salt River Meridian.

Chains

North, between Sections 28 and 29.

Variation  $13^{\circ} 58'$  East.

Over level land

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

69.17 Cross Wash, 1.21 <sup>chs</sup> lks. wide, Course N.  $56^{\circ}$  W.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 20, 21, 28, 29 marked T. 2 S. 21, on N, E, R, 9 S; S. 28 on S, E, S, 29 on S, W, and S, 20 on N, W, face with 2 notches on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft, high,  $4\frac{1}{2}$  ft, base around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation

Grass &amp; Sage.

Township 2 S.

Range 9 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 21 and 28.

Variation 13° 59' East.

Over level land

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

79.93 Intersect N. & S. line, 13 lks. S. of cor. to secs.

21, 22, 27, 28 from which corner, I run

S. 89° 57' W. on a true line between sections 21, 28

Variation 13° 57' East

39.96 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.

high,  $3\frac{1}{2}$  ft. base around post.

79.93 The corner to sections 20, 21, 28, 29

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass, Sage.

Township 2 S

Range 9 E

Gila and Salt River Meridian.

Chains

North, between Sections 20 and 21.

Variation 13° 59' East.

Over level land

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  S. on N. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

41.10 <sup>Creek</sup> Entadun Wash, 10 lks. wide, Course W.

43.4 <sup>Creek</sup> Elvado Wash, 10 lks. wide, Course W.

80.00 Set a post 4 ft. long, 1 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 10, 17, 20, 21 marked T, 2 S. S. 10, on N, E, R, 9 E. S. 21 on S, E, S, 20 on S, W, and S, 17 on N, W, face with 3 notches on S, and 4 notches on E, edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass & Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 16 and 21.

Variation

13° 58'

East.

Over level land

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

80.21 Intersect N. &amp; S. line. 12 lks. S. of cor. to sec.

15. 16. 21. 22 from which corner, I run

S. 89° 55' W. on a true line between sections 16 &amp; 21

Variation 13° 57' East

40.12 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post 5 $\frac{1}{2}$  ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft.high, 3 $\frac{1}{2}$  ft. base around post.

80.24 The corner to sections 16. 17. 20 &amp; 21

Land level.

Soil 3<sup>rd</sup> rate

Vegetation

Grass. Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

North, between Sections 16 and 17.

Variation

13° 58'

East.

Over level land

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N and S, of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

71.00

Cross Wash, 23 lbs. wide, Course S. W.

From this point on the wash is a tank, dist 8.00 to S. W.

The tank holds water 9 months of the year.

80.00

Set a Lava stone 23 x 10 x 10 ins. 18 ins. in the ground for Cor. to Secs. 8, 9, 10, 17 marked with 1/4 notch on S. and 1/4 notch on E. edges and raised a mound of stone alongside. Pits impracticable.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass, Sage.

Township

2 S.

Range

9 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 9 and 16.

Variation

13° 58'

East.

*Over level land*

7.17

Cross Wash, 25 lks. wide, Course S. W.

40.00

Set temporary  $\frac{1}{4}$  Sec. Cor.

80.27

Intersect N. &amp; S. line, 25 lks. S. of cor. to secs.

9, 10, 15 &amp; 16 from which corner, I run

S. 89° 49' W. on a true line between sections 9 &amp; 16

Variation

13° 57'

East

40.13

Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post 5  $\frac{1}{2}$  ft. dist., and raised a mound of earth 1  $\frac{1}{2}$  ft.high, 3  $\frac{1}{2}$  ft. base around post.

80.27

The corner to sections 8, 9, 16 &amp; 17

Land level.

Soil 3<sup>rd</sup> rate

Vegetation

Grass &amp; Sage.

Township

29 J

Range

9 E

Gila and Salt River Meridian.

Chains

North, between Sections 8 and 9.

Variation 13° 08' East.

Over level land

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on W. face, dug pits, 18 x 18 x 12 ins., N. and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 4, 5, 8 & 9 marked T, 2 S, 4, on N, E, R, 9 E, S. 9 on S, E, S, 8 on S, W, and S, 5 on N, W, face with 3 notch on S, and 1 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.



Township *2 S.* Range *9 E.*

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 4 and 9.

Variation  $13^{\circ} 59'$  East.

Over level land

8.26 Cross Road between Phoenix and Grand  
Cave N. W. & S. E.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

79.88 Intersect N. & S. line, 10 lks. N. of cor. to secs.

3.4.9. 10 from which corner, I run

$N. 89^{\circ} 56' W.$  on a true line between sections 4 & 9

Variation  $13^{\circ} 58'$  East

39.94 Set a Lava stone 21 x 10 x 10 ins., 10

ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.  
face, and raised a mound of stone alongside. Pits

impracticable.

79.88 The corner to sections 4. 5. 8. 9

Land level.

Soil  $3^{\text{rd}}$  rate

Vegetation Grass. Sage.

Township 2 S Range 9 E

Gila and Salt River Meridian.

Chains North, on a random line between Sections 4 and 5.  
Variation 13° 59' East.

Over level land

38.00 Cross Road between Postal Phoenix  
beane N. W. S. E.

38.06 Cross Wash, 15 fks. wide, Course S. 26° W.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

39.00 Leave chain & ascend slope  
bearing N. 75° E. S. 75° W.

80.29 Intersect N. B. of Tp, 13 fks. W. of cor. to secs.  
previously set by me.

4.5. 32. 33 from which corner, I run

S. 6° W. on a true line, between sections 4 & 5

Variation 13° 59' East.

40.29 Set a Granite stone 20 x 10 x 8 ins. 10

ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W.  
face, and raised a mound of stone alongside. Pits

impracticable.

80.29 The corner to sections 4. 5. 8. 9

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

I carefully examined the adjustments of my solar  
compass to-day, particularly the latitude and revers-  
ing apparatus, and found them correct.

July 14. 1884

Township

2

S

Range

9

E

Gila and Salt River Meridian.

From the corner to sections, 5, 6, 31 & 32 on S. 13. of 1/4  
previously described. *From*

Chains

North, between Sections 31 and 32.

Variation

13° 57' East.

Over level land

40.00

Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for 1/4 Sec. Cor., marked 1/4 S. on  
W. face, dug pits, 18 x 18 x 12 ins., N. and S. of  
post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft.  
high, 3 1/2 ft. base around post.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone  
12 ins. in the ground, for Cor. to Secs. 29, 30, 31, 32  
marked T. S. S. 29, on N, E, R, 9 E, S. 32  
on S, E, S, 31 on S, W, and S, 30 on N, W, face  
with 1 notch on S, and 3 notches on E, edges,  
dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft. dist.,  
and raised a mound of earth 2 ft. high, 4 1/2 ft. base  
around post.

Land level.

Soil 3<sup>rd</sup>

rate

Vegetation

Grass. Sage.

Township

2 S.

Range

9 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 29 and 32.

Variation  $13^{\circ} 57'$  East.*Over level land*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.79.76 Intersect N. & S. line. 33 <sup>ths.</sup> N. of cor. to secs.

28, 29, 32. From which corner, I run

N.  $89^{\circ} 46'$  W. on a true line between sections 29, 32Variation  $13^{\circ} 58'$  East

3998 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on

N. face, dug pits, 18 x 18 x 12 ins., E. and W. of

post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.high,  $3\frac{1}{2}$  ft. base around post.

7996 The corner to sections 29, 30, 31, 32

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

Township 2 S. Range 9 E.

Gila and Salt River Meridian.

Chains West, on a random line between Sections 30 and 31.  
Variation 13° 57' East.

Over level land

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

80.34 Intersect W. B. of Tp. 10 lks. S. of cor. to secs. previously set by me.

• 25.30.31.36 from which corner, I run

89.53 E on a true line, between sections 30 & 31

Variation 13° 57' East.

40.34 Set a Sand stone 21 x 10 x 7 ins., 10 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N. face, and raised a mound of stone alongside. Pits impracticable.

80.34 The corner to sections 29. 30. 31. 32

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

Township 2 S Range 9 E

Gila and Salt River Meridian.

Chains North, between Sections 29 and 30.

Variation 13° 57' East.

Over level land

40.00 Set a Granite stone 30 x 14 x 4 ins., 22 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W. face, and raised a mound of stone alongside. Pits impracticable.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 19, 20, 29, 30 marked T, 2 S, S, 20. on N. E. R, 9 E, S, 29 on S, E, S, 30 on S, W, and S, 19 on N, W. face with 3 notches on S, and 3 notch on E, edges, dug pits 18 x 18 x 12 ins, in each Sec., 5 1/2 ft. dist., and raised a mound of earth 2 ft. high, 4 1/2 ft. base around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass, Sage.

Township 2 S. Range 9 E.

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 20 and 29.

Variation 13° 58' East.

Over level land

16.77 Cross Wash, 1.00 <sup>1/2</sup> lks. wide, Course N. 30° W.  
 40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

80.21 Intersect N. & S. line, 13 lks. S. of cor. to secs.  
 20, 21, 28, 29 from which corner, I run

S. 89° 54' W. on a true line between sections 20, 29  
 Variation 13° 59' East

40.11 Set a post 3 ft. long, 3 ins. diam. with marked stone  
 12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.

80.21 The corner to sections 19, 20, 29, 30

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass, Sage.

Township 2 S

Range 9 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 19 and 30.

Variation  $13^{\circ} 58'$  East.

Over level land

33.21 Enter <sup>Creek</sup> Duane Wash, 16 lks. wide, Course  $S. 21^{\circ} W.$

36.60 Enter <sup>Creek</sup> Duane Wash, 16 lks. wide, Course  $S. 21^{\circ} W.$

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

49.70 Enter <sup>Creek</sup> Duane Wash, 16 lks. wide, Course  $N. 33^{\circ} W.$

53.10 Enter <sup>Creek</sup> Duane Wash, 16 lks. wide, Course  $N. 33^{\circ} W.$

80.70 Intersect W. B. of Tp. 21 lks. S. of cor. to secs.  
previously set by me.

19.24.25.30 from which corner, I run

189.57' E. on a true line, between sections 19. 30

Variation  $13^{\circ} 58'$  East.

40.70 Set a post 3 ft. long. 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.70 The corner to sections 19. 20. 29. 30

Land level.

Soil  $3^{\text{rd}}$  rate

Vegetation Grass, Sage.



Township 2 S Range 9 E

Gila and Salt River Meridian.

Chains North, between Sections 19 and 20.

Variation 13° 58' East.

Over level land

6.12 <sup>Cracks</sup> ~~Ontio~~ Queen Wash, 16 lks. wide, Course W.

7.07 <sup>Cracks</sup> ~~Leand~~ Queen Wash, 16 lks. wide, Course W.

40.00 Set a Sand stone 21 x 10 x 6 ins., 16 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W. face, and raised a mound of stone alongside. Pits impracticable.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 17, 18, 19, 20 marked T. 2. S. S. 17, on N, E, R, 9 E. S. 20 on S, E, S, 19 on S, W, and S, 18 on N, W, face with 3 notches on S, and 3 notches on E, edges, dug pits 18 x 18 x 12 ins, in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft, high,  $4\frac{1}{2}$  ft, base around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 17 and 20.

Variation  $13^{\circ} 58'$  East.

Over level land

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.16 Intersect N. &amp; S. line, 16 lks. N. of cor. to sec.

16.17.20.2 from which corner, I run

N. 89.53 W. on a true line between sections 17.20

Variation  $13^{\circ} 58'$  East

40.08 Set a post 3 ft. long, 3 ins. diam. with marked stone

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  S. onN. face, dug pits, 18 x 18 x 12 ins., E. and W of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.16 The corner to sections 17. 18. 19. 20

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

Township

2 S.

Range

9 E.

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 18 and 19.

Variation  $13^{\circ} 58'$  East.

Over level land

9.00 Cross Wash, 41 lks. wide, Course  $S. 10^{\circ} W.$

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

80.98 Intersect W.B. of Tp. 7 lks. S. of cor. to secs.  
previously set by me.

13. 18. 19. 21 from which corner, I run

$S. 89^{\circ} 57'$  E on a true line, between sections 18. 19

Variation  $13^{\circ} 58'$  East.

40.98 Set a Sand stone  $15 \times 11 \times 3$  ins., 10

ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.

face, and raised a mound of stone alongside. Pits

impracticable.

80.98 The corner to sections 17. 18. 19. 20

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

Township 2 SRange 9 E

Gila and Salt River Meridian.

Chains

North, between Sections 17 and 18.

Variation 13° 58' East.

Over level land

13.00 Cross Wash, 37 lks. wide, Course S. W.  
40.00 Set a Sand stone 13 x 13 x 3 ins., 10 ins.  
 in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on W. face,  
 dug pits 18 x 18 x 12 ins., N. and S. of stone 5 $\frac{1}{2}$   
 ft. dist., and raised a mound of earth 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$   
 ft. base, alongside.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone  
12 ins. in the ground, for Cor. to Secs. 7, 8, 17, 18  
 marked T, 2 S, 8 on N, E, R, 8 S, 17  
 on S, E, S, 18 on S, W, and S, 7 on N, W, face  
 with 2 notches on S, and 3 notches on E, edges,  
 dug pits 18 x 18 x 12 ins, in each Sec., 5 $\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$  ft. base  
 around post.

Land level.

Soil 3<sup>rd</sup> rateVegetation Grass, Sage.

Township

2 S

Range

9 E

Gila and Salt River Meridian.

Chains

East, on a random line between Sections 8 and 17.

Variation  $13^{\circ} 59'$  East.

Over level land

24.41 Cross Wash, 30 lks. wide, Course S.

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

80.08 Intersect N. & S. line, 15 lks. N. of cor. to sec.

8.9.16. 1<sup>st</sup> from which corner, I run

N. 89.57<sup>th</sup> W. on a true line between sections 8. 17  
Variation  $13^{\circ} 58'$  East

40.04 Set a post 3 ft. long, 3 ins. diam. with marked stone  
12 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., E. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

80.08 The corner to sections 7. 8. 17. 18

Land level.

Soil 3<sup>rd</sup> rate

Vegetation

Grass. Sage.  
July 15. 1884

Township 2 SRange 9 E

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 7 and 18.

Variation 13° 59' East.*Over level land*40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.87.24 Intersect W.B. of Tp. 25 lks. N. of cor. to secs.  
*previously set by me.*7. 12. 13. 18 from which corner, I runN. 89° 49' E on a true line, between sections 7. 18.Variation 13° 58' East.41.24 Set a Sand stone 21 x 8 x 8 ins., 10  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
face, and raised a mound of stone alongside. Pits  
*impracticable.*87.24 The corner to sections 7. 8. 17. 18  
*Land level.**Soil 3<sup>rd</sup> rate**Vegetation Grass. Sage.*

Township 2 S. Range 9 E.

Gila and Salt River Meridian.

Chains North, between Sections 7 and 8.

Variation 13° 59' East.

*Over level land*

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{2}$  S. on U. face, dug pits, 18 x 18 x 12 ins., N and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for Cor. to Secs. 5, 6, 7, 8 marked T. 2 S. S. 5, on N, E, R, 9 S; S. 8 on S, E, S, 7 on S, W, and S, 6 on N, W, face with 5 notches on S, and 3 notches on E, edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base around post.

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

Township 2 S. Range 9 E.

Gila and Salt River Meridian.

Chains East, on a random line between Sections 5 and 8.  
 Variation 14° 50' East.

Over level land

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

71.72 Cross Wash, 28 lks. wide, Course S.

72.78 Intersect N. & S. line, 25 lks. S. of cor. to sec.

40.8.9 from which corner, I run

S. 89° 49' W. on a true line between sections 5 & 8  
 Variation 13° 59' East

37.89 Set a Sand stone 12 x 10 x 6 ins., 8  
 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
 face, and raised a mound of stone alongside. Pits  
 impracticable.

72.78 The corner to sections 5. 6. 7. 8

Land level.

Soil 3<sup>rd</sup> rate

Vegetation

Grass, Sage.



Township 2 S. Range 9 E.

Gila and Salt River Meridian.

Chains

West, on a random line between Sections 6 and 7.

Variation 14° 00' East.

Over level land

40.00 Set temporary  $\frac{1}{2}$  Sec. Cor.

87.31 Intersect W.B. of Tp. 10 N. of cor. to secs. 10 N. of cor. to secs. previously set by me.

1.6. 7. 12 from which corner, I run

N. 89° 30' on a true line, between sections 6. 7

Variation 13° 59' East.

41.31 Set a Lava stone 23 x 13 x 5 ins., 18 ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N. face, and raised a mound of stone alongside. Pits impracticable.

87.31 The corner to sections 5. 6. 7. 8

Land level.

Soil 3<sup>rd</sup> rate

Vegetation Grass. Sage.

Township

2 S.

Range

9 E.

Gila and Salt River Meridian.

Chains

North, on a random line between Sections 5 and 6.

Variation  $14^{\circ} 00'$  East.

Over level land

12.75 Cross Road, bears, N.  $81^{\circ}$  W., S.  $81^{\circ}$  E.40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.51.70 Leave Prairie, ascend slope N.  $60^{\circ}$  W.

80.20 Intersect N. E. of Tp. 22 lks. W. of cor. to secs.

S. E. 31. 32 <sup>previously set by me.</sup>  
from which corner, I runS.  $9^{\circ}$  W. on a true line, between sections 5 & 6Variation  $14^{\circ} 00'$  East.46.24 Set a Sand stone  $33 \times 15 \times 8$  ins., 20ins. in the ground, for  $\frac{1}{4}$  sec. Cor., marked  $\frac{1}{4}$  on W.

face, and raised a mound of stone alongside. Pits

impracticable.

80.26 The corner to sections 5, 6, 7, 8

Land level, and rolling.

Soil 3<sup>rd</sup> rate

Vegetation Grass, Sage.

I carefully examined the adjustments of my solar compass to-day particularly the latitude and reversing apparatus, and found them correct.

July 10, 1884

## GENERAL DESCRIPTION.

This Township is entirely level with the exception of a strip along the North boundary, which is on the south slope of the foot hills of Supersition Mountains.

Water can be obtained in tanks in Secs. 13 & 17 with the exception of the dry months.

A Well has been sunk in Sec. 22 to a depth of 178 ft. and no water obtained.

Grazing is good, There is no timber.

The whole tract is covered with a scattered growth of Mesquit, Holly, Yerdie, Iron Wood Cactus.

There are no settlers in the Township.

For final notes see book No 6 -

62

BOOK 612

U. S. Surveyor-General's Office.

Trueson A 7

1885

The foregoing Field Notes of the surveys of

Subdivisions of  
Tp. 2 S. R. 9 East  
Gila + Salt River Basins Meridian  
in Arizona executed by  
A. E. Shumaker

U. S. Deputy Surveyor, under his contract dated

Aug 5 1882

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Raphael Johnson  
U. S. Surveyor-General for

BOOK 612

Township 2 South, Range 9 East  
Bella and Salt Grove Mountains

