

615

Subdivisions.

3/2.	1. S.	Rs. 6.	7.	8.
"	2.	"	"	"
"	4.	"	2.	8.
"	5.	"	7.	"

No. 615 BOOK 615

See Index

No. 615

615

Index

"Subdivisions"

T. 1 S;	R. 6 E.	✓	Page 2
" 2 S;	" 6 "	✓	" 60
" 1 S;	" 7 "	✓	" 119
" 2 S;	" 7 "	✓	" 176
" 5 S;	" 7 "	✓	" 236
" 4 S;	" 2 "	✓	" 246

Field notes of the survey of
the subdivision lines of

Township 1 S Range 6 E

of the Gila and Salt River
Meridian in the Territory
of Arizona by Wilfred F.

Ingalls deputy surveyor
under the joint contract
of Geo. P. and Wilfred F. Ingalls
bearing date the 18th day of
July AD 1868

Commenced July 31, 1868 ✓

Completed Aug 6, 1868

Cop for Wash^g Platent Co
J. K. S. Apl. 12th 1868

1A

4-674.

Township 1 S. R. 6 E., S. & S. R. B. & M.

BOOK 615

6	58	5	42	4	32	3	22	2	12	1
57		55		41		31		21		11
7	55	8	40	9	30	10	20	11	10	12
53		52		39		29		19		9
18	52	17	38	16	28	15	18	14	8	13
50		49		37		27		17		7
19	49	20	36	21	27	22	16	23	6	24
47		46		35		26		15		5
30	46	29	35	28	25	27	14	26	4	25
44		43		34		24		13		3
31	43	32	33	33	23	34	13	35	2	36

Sp 1 Range 6 E

Old Salt River Meridian

Chs Tomisto cor to sec 11 2 3 5 8 6
on the south boundary of
Township 1 run

North bet sec 3 5 8 6
ra $13^{\circ} 34'$ E as per East
Boundary

4000 set apart for 14 sec cor
with mound and pits as
per instructions

8000 set apart for cor to sec 2 5 2 6,
3 5 8 6 with mound and pits
as per instructions
Sand level
Int 200 into
Guarewood and mesquite

3 Township 1 South

Gila and Salt River

Ch East on a random line
bet res 25736

on 13°30' East per first
Boundary

400 Set temporary 1/4 sec cor

79-72 Intersect East Boundary of
Township 1200s South of cor
to res 25736, 30 137

From Colorado cor'd run

28955' W on a true line
bet res 25736

74°30' 24" E

39.86 Set apart for 1/4 sec cor
with mound and pits
as per instructions

Range East 4
Meridian

7972 Over to nos 25, 26, 35 & 36
Land level
Ant 2nd rate
Guacwood and mesquite

North bet nos 25 & 26
nos 35 & 36

490 Set apart for 1/4 acre with
mound and pits as per
instructions

800 Set apart for over to nos 23, 24, 25
& 26 with mound and pits as
per instructions
Land level
Ant 2nd rate
Guacwood and mesquite

Township 1 South

Gda and Salt River

Chs East on a sandstone line
 bet sec 24 & 25
 7413034' E

4000 Set temporary 1/4 sec cor

80.16 Intersect East Boundary of
 Township 21 Ns south of
 cor to sec 24 25. 19 & 20
 From which cor run

89851' W on a true line
 bet sec 24 & 25
 7413034' E

4008 Set apart 1/4 sec cor
 with mound and pits
 as per instructions

80.16 Chs to sec 23. 24, 25 & 26

Range 6 East

Meridian

ch. Sand level
 Int. Sur. rail
 Guercwood and mesquite

Wrote bet. sec 23 & 24
 Twp 30 S 4' E

4000 Set a post for 1/4 sec cor
 with mound and pits
 as per instructions

8000 Set a post for cor. to sec 3, 14
 23 & 24 with mound and pits
 as per instructions
 Sand level
 Int. Sur. rail
 Guercwood and mesquite

Township 1 South

Water and Salt River

40.11 East on random line
between 13 2nd
24130 34' E

40.10 Set temporary 1/4 sec cor

80.24 Intersect East Boundary of
Township 14 N 1/4 South of
cor to sec 13, 2nd 1879
From volute cor down

4890 574 W on a true line
bet sec 13 2nd
24130 34' E

40.12 Set apart for 1/4 sec cor
with mound and pits
as per instructions

80.24 The cor to sec 13, 14, 28 2nd

Range East

Midian

Ch Land level
Int Sur rate
Greewood and mesquite

North bet sec 13 & 14
T₁ 30 34' E

4000 Seraport for 1/4 sec cor
with mound and pits
as per instructions

8000 Seraport for cor to sec 11, 12, 13
& 14 with mound and pits
as per instructions
Land level
Int Sur rate
Greewood and mesquite

Township 1 South

Gila and Salt River

40.18 Set East on a random line
bet sec 12 & 13

7413034' E

40.20 Set temporary 4 sec cor

8036 Intended East Boundary of
Township 19011s South of
cor to sec 12, 13, 7 & 8

Innumerate cor I and

8036 52' W on a true line
bet sec 12 & 13

7413034' E

40.18 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8036 The cor to sec 11, 12, 13 & 14

Rauze East Meridian

des Land level
 Soil 2nd 3rd rates
 Greasewood and mesquite

North bet sec 11 & 12
 T4130 3 & 4 E

for Seraport for 1/4 section
 write mound and pits as
 per instructions

for Seraport for 1/2 section 11, 2, 11 & 12
 write mound and pits as
 per instructions
 Land level
 Soil 2nd 3rd rates
 Greasewood and mesquite

12 ¹¹

BOOK 615

Township 1 South

Getw. and Salt River

Chs East on a contour line
bet sec 1 & 2
7 at 130° 34' E

4000 Set temporary 4 sec cor

80.28 Intended East Boundary
of Township 23 etc south
of cuto sec 1, 2, 6 & 7
From which cor & run

189° 30' 0" on a true line
bet sec 1 & 2
7 at 130° 34' E

40.12 Set apart for 40 sec cor
with mound and pits
as per instructions

80.24 The cuto sec 1, 2, 11 & 12

Range East Meridian

Ch. Land level
April 2nd rate
Greenwood and mesquite
July 31, 1888

~~Units ~~are~~ ~~in~~~~
~~Secs 1 & 2~~
74 13 57 S E

4000 Let ~~temporary~~ ^{a post} for $\frac{1}{4}$ sec cor with
marked pits as per instructions
79.95 Intersect ~~North Boundary~~ ^{of} ~~Tran~~ 13.57 chs West
of the Standard Corner to
Secs 35 & 36

Set post for closing corner
to Secs 1 & 2 with marked and
pits as per instructions
Land level. Soil 2nd rate
Greenwood and mesquite

Township 1 South

Getw and Salt River

Chs North bet secs 24 & 30 -
T₁S₁R₃₀E

4000 Set apart for 4 sec cor with
mound and pits as per
instructions

5000 Set apart for cor to secs 26, 27,
28 & 30 with mound and
pits as per instructions
Land level
Incl Dew Box gates
Clear ground full mesquite

East and Anderson line bet
secs 26 & 30
T₁S₁R₃₀E

4000 Set temporary 4 sec cor

Range East

Meridian

79.88 Entered NTS line at car
to sec 25 26 35 & 36
Finnish and run

Start another run here
sec 25 & 35
7a 130° 34' E

89.94 Report on 94 sec run
with mound and pits as
per instructions

79.88 The car to sec 26 27 34 & 35
Land and
In 2 sec 34 sec
Guarwood and mesquite

North here sec 26 & 27
7a 130° 34' E

Township 1 South

Green and Salt River

4000 Section 6 or 4 corner
with mound and pits
as per instructions

8000 Section 6 or 4 corner sec 24, 23,
26 or 27 with mound and pits
as per instructions
Land level
In 2nd form notes
Greenwood and mesquite

East on a random line
bet sec 23 & 26
2413034'E

4000 Section temporary 4 corner
79.82 Section 16 line 16 N. S
of sec 23, 24, 25 & 26
From white corner

Range 6 East Meridian

Chs 289033' W onatus line
bet aces 23 & 26
7413034' E

39.91 Set apnt for 1/4 ac cor
with mound and pits
as per instructions

79.82 The cor to Secs 22, 23, 26 & 27
Land and
line 2nd 1/4 rd rates
Grass and mesquite

North bet aces 22 & 23
7413034' E

0000 Set apnt for 1/4 ac cor
with mound and pits
as per instructions

Township 1 South

Getw and Salt River

8020 ~~Lev apt for corts acc 14, 15,~~
 22 + 23 with mound & pits
 as per instructions
 Land level
 but 2nd rail
 Greasewood and mesquite

East on a random line
 bet acc 14 + 23
 7213 + 34' E

4120 Set temporary # acc on

7978 Intersect N + S line 5' N of
 of corts acc 13, 14, 23 + 24
 from which cord run

8890 58' W on a true line
 bet acc 14 + 23
 7213 + 34' E

Range 6 East

Meridian

39.89 Serapmt for 1/4 ac cr
with mound and pits
as per instructions

39.78 The cr to sec 14, 15, 22 & 23
Land lease
for 2nd for sale
Guineacowd and mesquite

Wrights bet sec 14 & 15
7a 13 03 & 1E

4000 Serapmt for 1/4 ac cr
with mound and pits
as per instructions

5000 Serapmt for cr to sec 15, 11,
14 & 15 with mound and pits
as per instructions

Township 1 South

Gita and Salt River

Chs Land level
Ine 2nd 1/2nd rates
Greenwood, mesquite and
Sage brush

East on a random line
bet acc 11 & 14
7213034' E

4200 Set temporary 1/4 section

79.66 Intersect N & S line 33 1/2
fruits of cactus 11/12/13 & 14
From which cor & run

48946' W on a true line
bet acc 1 & 14
7213034' E

Range 6 East

Meridian

39.83 Set a post for 1/4 sec cor
with mound and pits as
per instructions

79.66 The cor to secs 10, 11, 14 & 15
Land level
Soil 2nd 1st & 2nd
Greenwood, Mesquite and sage brush

North bet secs 10 & 11
24130 34' E

40.00 Set a post for 1/4 sec cor
with mound and pits
as per instructions

50.00 Set a post for cor to secs 2, 3, 10 & 11
with mound and pits
as per instructions

2221

BOOK 615

Township 1 South

Gila and Salt Rivers

Chy Land level

Soil Sur Part rates

Greasewood, mesquite
and sage brush

Aug 1st, 1868

East on a random
line bet sec 2 & 11
7a13°34' E

4000 set temporary H sec ar

79.72 Intersect N+S line 23.00 S
of cor to sec 11, 2, 11 & 12
from which cor I runS 89° 58' W on a true
line bet sec 2 & 11
7a13°34' E

Range Cor

Meridian

39.86 Report for 14 sec cor
with mound and pits
as per instructions

29.52 The cor to sec 2, 3, 10 & 11
Land level
first 200 ft from
Greasewood, mesquite
and sage brush

North line sec 2 & 3
2 at 30° 34' E

40.20 Report for 14 sec cor
with mound and pits
as per instructions

50.57 Entered Base Line 12.45 ch
West of Standard Cor to

Township 1 South
Gila and Salt River

Ch₁ sec 34 & 35
 Set apart for dining car
 to acc^o 2 & 3 with mound
 and pits as per instructions
 Land level
 fine 2nd & 3rd cuts
 Guadalupe, mesquite
 and sagebrush

North base sec 34 & 35
 7 & 13 34 & 35

4020 Set apart for 1/2 sec car
 with mound & pits
 as per instructions

8220 Set apart for car to sec 27, 28
 3 & 3 & 34 with mound and
 pits as per instructions

Rough East Meridian

ch, sand beach
 full size fort rails
 Mesquite and Mesquite

East on a random line
 between 27 134
 Va 13 134' E

two set temporary fence on

8022 Interval N+S line 1400s S
 of curbs nos 26, 27, 34 133-
 from which cor Dune

899' 54' E on a true line
 between 27 134
 Va 13 134' E

40.11 Set apart for 14 sec cur
 with mound and pits
 as per instructions

26 25

BOOK 615

Township 1 South

Gila and Salt River

80.52 The cor to sec 27, 28. 80 134
 Land level
 Full 2nd rate
 Greewood and mesquite

North bet sec 27 & 28
 7 at 30 1/2 4' E

4000 Serapuk for 1/4 sec cor
 with mound and pits
 as per instructions

8000 Serapuk for cor to sec 21, 22
 27 & 28 with mound & pits
 as per instructions
 Land level
 Full 2nd rate
 Greewood and mesquite

Range 6 East
Meridian

Chd East on a random line
bet sec 22 + 27
Twp 30° 34' E

4020 Set temporary $\frac{1}{4}$ ac on

8026 Intersect N + S line 9ths S
of cor to sec 22, 23, 26 + 27
from volute corner

8990 56' W on a true line
bet sec 22 + 27
Twp 30° 34' E

4013 Set apart for $\frac{1}{4}$ ac cor
with mound & pits as
per instructions

8026 Recor to sec 21, 22, 27 + 28
Land level. Sub 2nd 3rd cuts
Seaward and meagrite

Township 1 South

Gila and Salt River

Ch. North ber ges 21 1922
 21 30 34' E

4000 Perapnt Br 14 as con
 with mound and pits
 as per instructions

8000 Perapnt Br cuts ges 15, 16,
 21 1922 with mound & pits
 as per instructions
 Land level
 Int. Dist. rate
 Mesquid and mesquite

East on a random line
 ber ges 15 & 22
 21 30 34' E

4000 Per temporary Hecon

Range East

Meridian

8038 Intersect N + S line 2800 N
of cor to sec 14, 15, 22 + 23
from which corner

N 89° 48' W on a true line
bet sec 15 + 22
221 30 34' E

4019 Report for 1/4 sec cor
with mound and pits
as per instructions

8038 Corner to sec 15, 16, 21 + 22
Land level
but 2nd + 3rd rails
Guarwood and mesquite

North bet sec 15 + 16
221 30 34' E

30

BOOK 615

29

Township 1 South

Gila and Salt River

400 Set apart for 74 acres
with mound and pits
as per instructions

800 Set apart for acres 9, 10,
15 & 16 with mound and
pits as per instructions
Land level
In 2nd rate
Greenwood and mesquite

Exit on a random land
bet acres 10 & 15.

24130 34' 0

400 Set temporary 4 acres

80.20 Intended N & S line 212Ks 76
of car to acres 10, 11, 14 & 15
from clouds and sun

Rancho East Meridian

Chs 2 89°37' W on a true line
bet sec 10 & 15
2413034' E

St. 10 Set apart for 1/4 sec cor
with mound and pits
as per instructions

St. 20 The cor to sec 9, 10, 15 & 16
Land level
In the 2nd run
measured and marked
Aug 3, 1868

North bet sec 9 & 10
2413034' E

St. 20 Set apart for 1/4 sec cor
with mound and pits
as per instructions

32

BOOK 615

31 Township 7 South

Gila and Salt River

8000 Resurvey for carts fees 3, 4

9 + 10 with mound and
pits as per instructions

Land level

Incl 2nd & 3rd cuts

Greenwood and mesquite

East on a random line
bet sec 3 + 10

701 3034' E

4000 Set temporary H sec cor.

8012 Subdivided N 1/4 Sec 30 E 10 N

of carts sec 2, 3, 10 + 11

From divide cor down

N 89° 47' W on a true line

bet sec 3 + 10

701 3034' E

Range 6 East Meridian

40.06 Set apart for 1/4 acre
with mound and pits
as per instructions

80.12 Recor to sec 8, 14, 9 & 10
Land level
Fore 2nd & 3rd rows
Guarwood and mesquite

North bet sec 3 & 12
2 1/2 3 1/2 'E

40.00 Set apart for 1/4 acre
with mound and pits
as per instructions

80.25 Intended Base line 13.25 - Chy
West of Standard Art to sec 33 1/2
Set apart for closing

38
Township 1 South

Ida and Salt River

Chy Car to Res 3 & 4 with
mound and pits as
per instructions

Land level

Int 2nd 3rd 4th

Greasewood, mesquite
and sage brush

North Res 2 & 3
7 & 13 24 ' 8

4000 Serapnt for 14 Res car
with mound and pits
as per instructions

8000 Serapnt for car to Res 28, 29
32 & 33 with mound & pits
as per instructions
Land level. Int 2nd 3rd 4th
Greasewood and mesquite

Range 6 East

Meridian

Chs East on a random line
between 28 + 32
7213° 34' E

How Retemporary Hucan

79.90 Intused 945 line 21 lks S
of car to acct 27, 28, 32 + 34
Pinusoludo cor I am

89° 57' W on true line
between 28 + 32
7213° 34' E

89.95 Scraped fir 1/4 ac cor
into mound and pits
as per instructions

79.90 The car to acct 28, 29, 32 + 33
Sand bank, soil 2nd 1/2 m acct
Grease wood and mesquite

35 Township 1 South

Edw and Salt River

Ch North her rec 28029
 2813034 'E

4000 Scrap for 14 ac con
 with mound and pits
 as per instructions

8000 Scrap for ac to fec 20.21,
 28129 with mound & pits
 as per instructions
 Land level
 for 2 ac rate
 Greewood and mesquite

East on a random line
 her rec 2128
 2813034 'E

4000 Set temporary H ac con

Range 6 East

Meridian

04.80 Intersect N&S line 262k, south
of cor to sec 21, 22, 27 & 28
From volute cor & run

L 89° 49' W on a true line
bet sec 13 & 14

39.90 Set apart for 1/4 sec cor
with mound & pits as
per instructions

79.80 Run to sec 20, 21, 28 & 29
Land level
for 200 ft run
Greewood and mesquite

Run bet sec 20 & 21
at 130° 3' E

100 Set apart for 1/4 sec cor

37

Township 1 South

Gila and Salt River

Ch with mound and
pits as per instructions

8000 for report on carto sec 16, 17,
20 & 21 with mound & pits
as per instructions

Sand level

In 2nd rate

Guar and mesquite

Cart on a random line
bet sec 16 & 21
7413031'E

4000 for company # sec or

79.88 Entered N & S line 3500s south
of car to sec 15, 16, 21 & 22
From which cor I am

Range 6 East

Meridian

Chs 28945' W on a true line
bet nos 16 & 21
Var 30° 34' E

39.94 Serapmt for 1/4 sec cor
write around and pits
as per instructions

79.88 The cor to nos 16, 17, 20 & 21
S and level
for 2nd & 3rd sets
Grease wood, mesquite and
sage brush

Write bet nos 17 & 16
Var 30° 34' E

4000 Serapmt for 1/4 sec cor write
around and pits as per
instructions

40

Township 1 South

Utah and Salt River

8000 Scraped for cut to Sec 8, 9.

16 + 17 with mound and pits
as per instructions

Land level

Int 2nd 1/2 m scale

Greasewood and mesquite

Aug 4, 1888

Cut on a random line
bet sec 9 + 6

7013' 34' E

4000 Vert temp on 4 sec on

8014 Intersect N + S line 26.00 S
of cut to sec 9, 10, 15 + 6

From which cut run

1890 49' W natural line
bet sec 9 + 6

7013' 34' E

Rangit Earth

Meridian

4007 Set apart for 1/4 accor
with mound and pits as
per instructions

0114 The car to sec 8, 9, 16 & 17
Sand level
In the sub part rails
Grease wood and mesquite

North bet sec 8 & 9
74° 30' 34" E

4020 Set apart for 1/4 accor
with mound and pits
as per instructions

4020 Set apart for car to sec 8, 9,
4 & 5 with mound & pits
as per instructions

42

41

BOOK 615

Township / South

Gila and Salt River

Ch Land used
 Int 2nd & 3rd rates
 Greasewood and mesquite

East on a random line
 bet sec 4 & 9
 Val 30 34' E

4020 Set temporary # accor

80.26 Intersect NAD line 1400 S
 of cor to sec 3, 4, 9, & 10
 from which cor run

289° 54' W, random line
 bet sec 4 & 9
 Val 30 34' E

40.13 Set apart for 14 accor with mound
 and pits as per instructions

Range Cor

Meridian

8.26 The cor to sec 4, 5, 8 & 9
 Land level
 Soil 2nd 3rd rates
 Greasewood and mesquite

North bet sec 4 & 5
 7a 130 34 'E

4.20 Set apart for 4 sec cor with
 mound & pits as per instructions

8.40 Intersect Base line 13.50 chs West of
 Standard Cor to sec 3 2 & 3

Set apart for corning art to sec
 4 & 5 with mound and pits
 as per instructions
 Land level. Soil 2nd 3rd rates
 Greasewood & mesquite

Township 4 South
 Gila & Salt River

Chs North bet sec 31 & 32
 2a 13034' E

4000 Set apart for 1/4 acre
 with mound and pits
 as per instructions

80.00 Set apart for cor to sec 29, 30
 31 & 32 with mound and pits
 as per instructions

Land level

Incl 2nd rate

Greewood and mesquite

East on a random line
 bet sec 24 & 32
 2a 13034' E

4000 Set apart for 1/4 acre

Ranger's Car

Medicine

Feb. 18 Intersects N-H line at car
to west 28.29.32 183
From which comes

West on a line here
west 29 183
wa 13 183 + 18

Feb. 09 Report for 94 accor
with mound and pits
at his instructions

Feb. 18 The car to west 29.30.31 183
Land level
Int 2nd from water
Grease wood and mesquite

West on a random line
west 30 183
wa 30 183 + 18

Township 1 South

La Grue and Salt River

4120 ft temporary # accor

77.64 Intersect West Boundary
of Township 14 Ns South of
cor to sec 25, 36, 30 (B1)

From which cor down

889.57' E on a true line
bet sec 30 (B1)

701.30 54' E

37.64 Section for 14 accor
with mound and pits
as per instructions

77.64 Near to sec 29, 30, 31 (B2)

Land level

Int 2nd rate

Greenwood and mesquite

Range & Ear Meridian

ch. north per sec 29 130
2013034'E

also Set apart for 1/4 acre
with mound and pits
as per instructions

also Set apart for cuts nos 19, 20,
29 130 with mound and
pits as per instructions
Land level
Set 2nd part out
Grease wood and mesquite

East on random line
per nos 20 & 29
2013034'E

also Set out for 1/4 acre

48

47

BOOK 615

Township 1 South

Gila and Salt River

80.22 returned N.H. line 1900 No. 20.

of cert to nos 20, 21, 28, 29

From which cord was

N 89° 03' 2" W distance line

bet nos 28 & 29

2013034' E

40.11 Set a post for 1/4 section
corn mound and pits
as per instructions

80.22 Recor to nos 19, 20, 29 130

Land line

Dist 200 mtr

Ground and mesquite

 Nest on a random line

bet nos 19 & 30

2013134' E

Range 6 East

Meridian

400 Set copper nail & sec cor

7.32 Distinct West Boundary of Township 12 N. 21 E. north of cor to sec 24, 25, 19 & 20 from which cor I am

2890 55' E on a true line between 19 & 20
2413 34' E

7.32 Set a post for 14 sec cor with mound and pits at her instructions

7.32 The cor to sec 19, 20, 29 & 30 Land and
In the 2nd 1/2 sec rules
Guarwood and mesquite
Aug 5, 1868

Township 1 South

Green and Salt River

Chs. North per sec 19 & 20
T₁₃ 34 'E

4000 Serapunt for 14 sec cor
with mound and pits
as per instructions

800 Serapunt for arts and 1, 18,
19 & 20 with mound and
pits as per instructions
Land level
Incl 2nd part rails
Grasswood and mesquite

East on a abandoned line
bet sec 14 & 20
T₁₃ 34 'E

4000 Serapunt for 14 sec cor

Rough & East

Meridian

79.72 Intersect N 45 line 26 lks North
 of cur to sec 16 17, 20 021
 From which cor down

N 89° 49' 45" on a true line
 bet sec 17 020
 2 at 30 24' E

79.86 Seraport for 74 sec cor
 with mound and pits
 as her instructions

79.72 Intersect to sec 17, 18, 19 020
 Liquid line
 In 2nd Port water
 Ground line mesquite

West on a random line
 bet sec 18 19
 2 at 30 34' E

Township 1 South

Gila and Salt River

400 Set temporary 1/4 Sec cor

76.85 Intersect West Boundary of
Township 28 E to north of
Corto near 13. 24. 1879
From which cor I run

N 89° 48' E orature line
bet near 18 + 19
7 at 3' 34" E

36.85 Set apart for 1/4 Sec cor
with mound and pits
as the instructions

76.85 The cor to near 27. 18. 1912
Land level
One 3rd rate
Guercwood and mesquite

Range 6 East

Meridian

1700 North bet recs 17 & 18
T₁ 130° 34' E

1700 Set apart for 4 & rec cor
into mound and pits as
per instructions

1700 Set apart for cor to recs 7, 8,
17 & 18 into mound and pits
as per instructions

Land level
Full Set apart cor
Greasewood and mesquite

Cor on a random line
bet recs 8 & 17
T₁ 130° 34' E

1700 Set temporary for cor

Tombship / Smith

Gila and Salt River

79.94 Entered NTS line 21 lks N
 of car to sec 8, 9, 16 & 17
 Immovable cord run

N 89° 51' W mature line
 bet sec 8 & 17
 N 130° 24' E

39.87 Scraped for 4 tracers
 with mound and pits
 at the junction

79.74 The car to sec 7, 8, 17 & 18
 Land level
 Soil 200 ft or more
 Greasewood and mesquite

Test on a random line
 bet sec 7 & 18
 N 130° 24' E

Rough East

Meridian

4000 feet temporary record

7634 Intersect West Boundary of Township 2320s north of cor to recs 12, 13, 14 & 18 From westerly corner

7189 130' E on a true line
bet recs 7 & 8
72130 84' E

7634 Set apart for 1/4 record with mound and pits as per instructions

7634 Measure to recs 4, 8, 14 & 18
Land level
Soil and part notes
Greasewood and mesquite

Township 1 South

Watauga and Salt River

Chs North bet sec 4 + 8
T₁ 13034' E

4000 Set apart for 10 acres
with mound and pits
as per instructions

8000 Set apart for ac to sec 5, 6, 7
+ 8 with mound and pits
as per instructions

Land level

but 2nd 13034' E

Greasewood, mesquite
and sage brush

East on a random line
bet sec 3 + 8
T₁ 13034' E

Rancho East

Meridian

- 4000 Set camp near 1/4 sec cor
- 79.62 Intended N 1/2 line 90° N
of cor to sec 4, 5, 8 & 9
Involids cor down
N 89° 36' W on true line
per arch 5 & 8
7013000 4' E
- 79.81 Set up pt for 1/4 sec cor
with survey and pits
as per instructions
- 79.62 The cor to sec 5, 6, 7 & 8
Land level
In 2nd part rails
Grease wood and mesquite

37 Township 1 South

Gila and Salt River

Chs West on a random line
 between 6 + 7
 N 13° 34' E

4000 Set temporary 4 corner

75.93 Intersect West Boundary of
 Township 19 Ns South of cor to
 Secs 1, 12, 6 + 7.
 From which corner

A 89052' E on a true line
 between 6 + 7
 N 13° 34' E

35.93 Set apart for 4 corner with
 mound & pits as per instructions

75.93 The cor to Secs 5, 6, 4 + 8
 Land level. Soil low part with
 Greasewood and Mesquite

BOOK 615 58
Range 6 East

Meridian

Ch North between 5 & 6
7 at $\frac{3}{4}$ 0 $\frac{3}{4}$ H 'E

4000 Set apart for 1/4 section
with mound and pits as
per instructions

80.32 Entered the Base line 12.83 Ch
West of the Standard Cor
to sec 31 P 2

Set apart for clearing cor
to sec 5 & 6 with mound
and pits as per instructions
Land level

and two Port rails

Greasewood, mesquite
and sage bush

August 6, 1868

Tb 15 R 6 E 4 + S R Meridian

General Description

The quality of the land in this Township is about the common average being mostly level plains - 1st, 2nd & 3rd rates soil and well adapted for agricultural or grazing purposes

It is thickly covered with Greasewood, mesquite and Sagebrush

Field Notes of the Survey of
the Subdivision lines of

Township 2 S Range 6 East

of the Gila and Salt River
Meridian in the Territory
of Arizona by Wilfred F. Ingalls
Deputy Surveyor under the
first contract of George D.
and Wilfred F. Ingalls bearing
date the 10th day of July
AD 1868

Commenced Aug 11, 1868

Completed " 17, 1868

Copied for Washington Apl. 14/69
J. K. Goodrich

4-674.

Township *2 S,* R. *6E., 4 & 5 RB. & M*

BOOK 615

6	116	5	100	4	89	3	79	2	69	1
115		114		98		88		78		68
7	113	8	98	9	88	10	77	11	67	12
112		111		97		86		76		66
18	110	17	96	16	86	15	75	14	65	13
109		108		95		85		74		64
19	107	20	94	21	84	22	74	23	63	24
106		105		93		83		72		62
30	104	29	92	28	82	27	72	26	62	25
103		102		91		81		71		60
31	101	32	91	33	80	34	70	35	60	36

Sp 2 S Range 6 E

4100 U.S. and Salt River Meridian

4100 From the cor to sect 1, 2, 35 & 36
on South Boundary of Township
I run

North bet sect 35 & 36

$74^{\circ} 13' 42''$ E as per
East Boundary

4000 Set a post for 44 corner
with mound and pits
as per instructions

8000 Set a post for corner sect 25, 26,
35 & 36 with mound and pits
as per instructions

Land rolling - Soil 3^{rd} rate
Cresson and mesquite

Exit on a random line bet
East sect 25 & 36

$74^{\circ} 13' 52''$ E as per South
Boundary

Township 2 South

Gila and Salt River

4020 Set temporary $\frac{1}{4}$ sec cor

80.22 Interses East Boundary
of Townships 16th North
of Cor to Secs 25, 26, 30 & 31

From colute cor I run

N 89° 05' 3" W on a true line
bet sec 25 & 26

7413° 52' E

40.11 Set apart for $\frac{1}{4}$ sec cor
with mound and pits
as per instructions

80.22 The cor to sec 25, 26, 30 & 31

Land rolling

Soil for date

Greasewood and mesquite

Range 6 East

Meridian

4000 Nails bet sec 25 and 26
 var 80° 2' E

4000 Set apart for 1/4 corner
 with mound and pits
 as per instructions

5000 Set apart for cor to sec 23, 24, 25
 and 26 with mound and pits as
 per instructions

Land gently rolling
 hill 2nd 3rd rows

Grassland and mesquite

Cut on a random line bet
 sec 24 & 25

var 80° 52' E

4000 Set temporary 1/4 corner

163
Township 2 South
Gila and Salt River

8034 Intersect East Boundary of
Township 23 E 1/4 North of
cor to sec 24, 25, 19 1885
From which corner

N 89° 50' W on a true line
bet sec 24 & 25
701332' E

40.17 Set apart for 1/4 ac cor
with mound and pits as
per instructions

8034 The cor to sec 23, 24, 25 & 26
Land gently rolling
In 2nd 1/4 cor
Greasewood and mesquite

North bet sec 23 & 24
7013042' E

Range 6 East Meridian

4000 Set apart for 14 sec cor
with mound and pits
as per instructions

8000 Set apart for cor to sec 13, 14, 23
with mound and pits
as per instructions
Sand level, soil 2nd rate
Sagebrush and mesquite

East on a random line
bet sec 13 & 23
70 13052' E

4000 Set temporary 7 sec cor

80.18 Intersect East Body of the 1000s N
of cor to sec 13, 24, 18 & 19
From which cor 2 sec

65

Township 2 South

Geo and Salt River

Chs N 89°34' W on a true line
 between 13 and
 2a 13°52' E

40.09 Survey for 1/4 sec cor
 with mound and pits
 as per instructions

80.18 Meters acc 13, 14, 23 and
 Land and soil sub rate
 Sycamore and mesquite

North bet sec 13 and 14
 2a 13°04' 2' E

40.00 Survey for 1/4 sec
 cor with mound and
 pits as per instructions

Range 6 East Meridian

8000 Scraped for cor to sec 11, 12,
13 & 14 into mound and pits
as per instructions

Land area

Full Pt & 2nd rails

Laurelwood and mesquite

East on a random line
bet sec 12 & 13
T₁ 13° 32' E

4000 Set temporary # acc on

8000 returned East Body of T₁ 12 sec 8
of cor to sec 12, 13, 4 & 18
From volute cor I run
A 89° 55' W on a true line
bet sec 12 & 13
T₁ 13° 32' E

Township 2 South

Gila and Salt River

40.12 Report for 1/4 sec cor
with mound and pits
as per instructions

80.21~~2~~ Reports sec 11, 12, 13 & 14
Land level. Soil 1st & 2nd cuts
Greasewood and mesquite

South bet sec 11 & 12
T₁ 30' 42" E

40.20 Report for 1/4 sec cor with
mound & pits as per instructions

80.20 Report for cor to sec 1, 2, 11 & 12
with mound and pits
as per instructions
Land level. Soil 1st & 2nd cuts
Greasewood and mesquite

Range 6 East Meridian

- 44.120 East on a random line
bet sec 1 & 2
T₁ 13° 32' E
- 44.120 Let trip range 4 sec cor
- 80.14 Intersect East Body of T₁. 23. 23. S
of cor to sec 1. 12. 6 + 7
Finniculate cord cor
- 89.30' W on a true line
bet sec 1 & 2
T₁ 13° 32' E
- 44.07 Let apart for 1/4 sec cor with
narrow pits as per instructions
- 80.14 Shear to sec 1. 2. 11 & 2
Lund bank. Soil 1st 2nd cuts.
Greasewood and mesquite
Aug. 11. 1868

Township 2 South

Gila and Salt River

47 North on a random line
bet sec 1 & 2

at 130° 42' E

400 Put temporary H across

8030 Entered North Boundary
of Township 28 Ns West
of cor to sec 1, 2, 30 & 36
from which cor run

at 0012' W on a true line
bet sec 1 & 2

at 130° 42' E

4030 Report for H across
with mound and pits
as per instructions

8030 Recover to sec 1, 2, 1/1072

Range East

Meridian

4000 Sand and
 Soil 1st 2nd rates
 Greasewood and mesquite

North bet acres 34 133
 213 172 'E

4000 Set apart for 1/4 acre
 with mound and pits
 as per instructions

8000 Set apart for 1/4 acre to acres 26.27
 34 133 with mound and
 pits as per instructions
 Sand and
 Soil 2nd rates
 Greasewood and mesquite

Township 2 South

New and Salt River

Ch East on a random line
bet accs 26 033-
721302' E

4000 ft temporary 1/4 accor

79.86 Returned N+S line 23 lks S
of cur to accs 25, 26, 33 036
from which cor am

189° 50' W on a true line
bet accs 26 033-
7213032' E

39.93 Deraps for 1/4 accor
with mound and pits
as per instructions

79.86 Near to accs 26, 27, 34 035-
Sand level. fort 2nd calc

Range East

Meridian

by Greasewood and mesquite

North bet sec 26 & 27
T₁₃R₁₄S₂E

4020 Serapunt for 4 sec
with mound and pits
as per instructions

8020 Serapunt for cuts sec 22, 23,
26 & 27 with mound and
pits as per instructions
Land level. Inl 2nd cut
Greasewood and mesquite

East on a sandow line
bet sec 23 & 26
T₁₃R₁₅S₂E

47 73

Township 2 South

Ella and Salt River

4000 for temporary 4 sec cor

79.74 Intersect N+S line 194K, South
 of cor to sec 23, 24, 25 & 26
 Annular which cor & ann

289°52' W on a true line
 bet sec 23 & 26

72°13°32' E

39.87 for a part for 4 sec cor
 with mound and pits
 as per instructions

79.74 Near to feet 22, 23, 26 or 27
 Land level
 Int 2nd rate
 Guarewood and mesquite

Range 6 East

Meridian

Chs North bet fcs 22023
7013° 42' E

4000 Set apart for 1/4 acre
with mound and pits
as per instructions

8000 Set apart for 1/4 acre
22023 with mound & pits
as per instructions

Land level

Soil 2nd rate

Greewood and mesquite

East on a random line
bet fcs 14023

7013° 52' E

4000 Set temporary 1/4 acre on

18
75

BOOK 615

Township 2 North

Line and Salt River

79.82 Intended 24th line 30 1/2 S
of air to acs 13, 14, 23 part
from which come down

8947-10 onatus line
bet acs 14 & 23

2013052'E

89.91 Scrap iron 1/4 acre
with mound and pits
as per instructions

79.82 Meas to acs 14, 15, 22 & 23

Land and

put 2nd rate

Greasewood and mesquite

North bet feet 14 & 15

2013042'E

Range 6 East

Meridian

4000 Berapnt for 14 accor
with mound and pits
as per instructions

8000 Berapnt for cuts sec 10, 11
14 & 15 with mound & pits
as per instructions

Sand level

fire 2nd foot rules

Guacwood and mesquite

East on a random line
bet sec 11 & 14

at 30 52' E

4000 Berapnt for 14 accor

79.76 Lateral N-S line 21 1/2 miles
of cuts sec 11, 12, 13 & 14
from which cut run

Township 2 South

Geo and Salt River

cls $A89^{\circ}51'W$ on a true line
 bearing $11^{\circ}4'$
 ran $3^{\circ}32' E$

39.88 Set apart for $1/4$ sec cor
 with mound and pits
 as per instructions

79.76 Thence to sec $10, 11, 14$ & 15
 Land level
 Int Sub area
 Clearwood and mesquite

North bearing $10^{\circ}41'$
 ran $3^{\circ}42' E$

40.20 Set apart for $1/4$ sec cor
 with mound and pits
 as per instructions

Range 6 East

Meridian

S.W. Scrap for cuts nos 2, 3,
10 + 11 with mound and pits
as per instructions
Level level
Full 2nd rate
Ground and mesquites
Aug 12, 1868

East on a random line
bet nos 2 + 11
721352' E

N.W. Set temporary 4 sec cor

79.84 Intersect N + S line 1600, S
of cuts nos 1, 2, 11 + 12
Transverse cord run
89053' W on a true line
bet nos 2 + 11
721352' W

79

Township 2 South

Lata and Salt River

39.92 for appt for 1/4 sec cor
 into mound and pits
 as per instructions

79.84 Then to Dec 2, 3, 10 & 11
 Land level
 for 2nd rate
 measurement and survey

North on a random line
 her acc 2 & 3

2 at 30 42 E

4000 let temporary 1/4 sec pt

80.17 Entered North Boundary
 of Township 33 N, West of
 cor to sec 2, 3, 34 & 35
 from which cor run

Range East

Meridian

Chs 2000 14' 00" on a true line
 bet acct 2 & 3
 2013042 'E

40.17 Reaport for 14 accor
 with mound and pits
 as per instructions

80.17 Measure to acct 2. 3. 10 & 11
 Land level
 find proposed rates
 Grease wood and mesquite

2000 bet acct 33 & 34
 2013042 'E

40.20 Reaport for 14 accor
 with mound and pits
 as per instructions

31

Township 2 South

Lata and Salt River

8000 Perapant for curto acc 27, 28.
 3/4 1/2 with mound and
 pits as per justifications
 Land and
 but 2nd rate
 Grasswood and mesquite

East on a random line
 bet acc 27 1/2 &
 20130 52' E

4000 Int temporary 4 acc on

8018 Intersect N+S line 1600, N
 of curto acc 26, 27, 34 & 35
 from volute cord run
 N 89° 53' W onating line
 bet acc 27 1/2 &
 20130 52' E

Range East

Meridian

40.09 Set a post for 1/4 secor
with mound and pits
as per instructions

80.18 Theor to sec 27, 28, 33 & 34
Land level
put 2 sec rats
Greensward and mesquite

North Sec 27 & 28
2013042 'E

40.00 Set a post for 1/4 secor
with mound and pits
as per instructions

80.00 Set a post for cor to sec 21, 22,
27 & 28 with mound and pits
as per instructions

26
83

BOOK 615

Township 2 South

Between and Salt River

the Land level

but not rate

Greasewood and mesquite

Carbora random line

bet sec 22 & 27

21303-2' E

4020 Set temporary 4 sec cor

8032 Intersect N 45 line 26 N 45

of cor to sec 22, 23, 26 & 27

Truncolucts cor & map

N 89° 49' W on a true line

bet sec 22 & 27

21303-2' E

4016 Set apart for 4 sec cor

Range 6 East

Meridian

cls into mound and pits
as per instructions

81.32 The cor to acct 21.22.27 & 28
Land level
Int'l level
Greasewood and mesquite

Units bet sec 21 & 22
7130 42' E

400 Serapunt for 14 accor with
mound & pits as per instructions

81.30 Serapunt for acct acct 15.16.21 & 22
into mound and pits as
per instructions
Land level Int'l level
Greasewood and mesquite

85 Township 2 North

Geo and Salt River

Chs East on a random line
bet nos 15 & 22
2013052 'E

4000 Set temporary 4 corner

Sr. 16 Entered N+S line 14 & 16 N
of cor to nos 14, 15, 22 & 23
Involutes corner

N 8903 & 40 on a true line
bet nos 15 & 22
2013052 'E

4008 Set apart for 1/4 corner
with mound and pits
as per instructions

Sr. 16 The cor to nos 15, 16, 21 & 22
Sand and soil 2nd rate

Rangeto East Meridian

clis Guacwood and mesquite

North bearing 15416
213°42' E

400 Serapat for 14 sec cor
with mound and pits
as per instructions

800 Serapat for cor to nos 9, 10,
15 & 16 with mound and pits
as per instructions
Land level
but 2nd rate
Guacwood & mesquite

East on a random line bearing
10415
213°02' E

Township 2 South

Levee and Salt Pines

4000 Let temporary 1/4 acre on

8028. Intersect N 1/2 line 21 1/2 Sec 20
acres nos 10, 11, 14 & 15
Annulick and I am

N 89° 51' W on a true line
per nos 10 & 15

21 30 32' E

4014 Let apart for 1/4 acre on
with mound and pits
as per instructions

811.28. The cor to nos 9, 10, 15 & 16
Land level

Int. 2nd rate

Guarwood and mesquite

Aug. 13, 1868

Range 6 East

Meridian

Chs Unto between 9 & 10
 7013042' E

4120 Set apart for 1/4 acre
 with mound and pits
 as per instructions

8020 Set apart for 3/4 acre
 9 & 10 with mound and
 pits as per instructions
 Land level
 Fine dirt rate
 Greasewood and mesquite

East on a contour line
 bet for 3 & 10
 7013052' E

4020 Set temporary 1/4 acre cir

89 Township 2 South

Geo and Salt River

80.36 Intersect N+S line 28.110 N
of carto recs 2.3.10 +11
Annals of Co. Survey

N 89° 48' 10" on actual line
bet recs 3 +10

var 30' 2' W.

40.18 Serapat for 1/4 ac cor
with mound and pits
as per instructions

80.36 The carto recs 3.4.9 +10
Land level
End 2nd row
Greenwood Mesquite

North on a sandstone line
bet recs 2 +11
var 30' 2' E

Range 6 East

Meridian

- 400 ft temporary $\frac{1}{4}$ accor
- 79.75 - Entered North Boundary of Township 4200s west of cur to aers 3, 4, 33 & 34
 from which cord run $100^{\circ} 18' 10''$ on a true line bet aers 3 & 4
 ran $313^{\circ} 42' 18''$
- 39.75 - Report for 1/4 accor with mound and pits as per instructions
- 79.75 - Meror to aers 3, 4, 9 & 10
 Sand level
 but 2nd rate
 Grassland and mesquite

91 Township 2 South

Geo and Salt River

Chs North bet sec 32 & 33
T₂S R₂W 42nd E

4000 Perapant for 1/4 acre
with mound and pits
as per instructions

8000 Perapant for cuts sec 28, 29,
30 & 31 with mound and pits
as per instructions

Land level

for survey

Guarwood and mesquite

East on a sandstone line
bet sec 28 & 33

T₂S R₂W 42nd E

4000 Per temporary Heccon

Range East

Meridian

80.10 Entered N+S line 13 E of
 of cor to nos 27 28 33
 Inmould on line

Asgo 54' W on a true line
 bet nos 28 & 33
 2013032' E

4005 Reapmt for 1/4 sec cor
 into ground and pits
 as per instructions

80.10 The cor to nos 28 29 32 & 33
 Land deal
 Inl P & Q nos
 Gumwood and mesquite

North bet nos 28 & 29
 2013042' E

Township 2 South

93

New and Salt River

4000 Set apart for 14 ac cor
with mound and pits
as per instructions

8000 Set apart for cor to sec 20, 21,
28 & 29 with mound & pits
as per instructions

Land Level

One 200 rods

Greasewood and mesquite

East on a road line
bet sec 21 & 8

was 130.52' E

4000 Set temporary 4 ac cor

79.88 Returned NAD line 26 lks S
of cor to sec 21, 22, 27 & 8

Range to Ear

Meridian

ch. from white cord run

S 89° 49' W on a true line
bet recs 21 & 28
7213° 52' E

39.94 Serapmt for 14 acc on
arts around and pits
as per instructions

79.88 The cor to recs 20, 21, 28 & 29
Land under 500 2000
Guano wood and mesquite

Notes bet recs 25 & 27
7213° 42' E

40.00 Serapmt for 14 acc on
arts around and pits as
per instructions

Township 2 South

95

Gila and Salt Rivers

820 Scrapint for curto recs 16, 17,
20 & 21 with mound and pits
as per instructions

Sand dune

ful AT 2nd coils

Greenwood and mesquite

East on a random line
bet recs 16 & 21
7213052'E

400 Set temporary 4 recs on

79.78 Intersect N & S line 28 lks S
of curto recs 15, 16, 21 & 22
From south end of
S 890 48' W on a true line
bet recs 16 & 21
7213032'E

Range 6 East Meridian

39.89 Set apart for 1/4 sec cor
with mound and pits as
per instructions

79.78 The cor to aced 16, 17, 20 + 21
Land level. Feb 2nd rate
Greasewood and mesquite
Aug 14, 1868

North bet aced 16 + 17
2 1/2 x 2' E

4000 Set apart for 1/4 ac cor with
mound + pits as per instructions

8000 Set apart for ac to aced 8, 9, 16 + 17
with mound and pits as
per instructions
Land level. Feb 2nd rate
Greasewood and mesquite

Township 2 South

97

Glen and Salt River

Obs East on a random line
bet acc 9 & 6
Val 3052' E

40.00 Per temporary H acc cor

79.72 Intersect N & S line 16 lks S
of cor to acc. 9, 10, 15 & 6
From volute cor S end

\$89053' W on a true line
bet acc 9 & 6
Val 3052' E

39.86 Re-survey for H acc cor
with mound and pits
at her instructions

79.72⁷² Move to acc 8, 9, 16 & 7
Sand level. Substrate

Range 6 East
BOOK 615
98
Meridian

cls Guarewood and mesquite

North per sec 8 & 9
T₁₃₀₄₂' E

4000 per report for 14 sec cor
with rounded and pits as
per instructions

8000 per report for cor to west, 3. 8 & 9
with rounded and pits as
per instructions
Land level. Soil 2nd cut
Guarewood and mesquite

East on a random line per
sec 4 & 9
T₁₃₀₅₂' E

42

Township 2 South

BOOK 615

99

Gila and Salt River

40.00 for a temporary $\frac{1}{4}$ acre cor

79.60 Interest NAD line 23, 24, 8
of cuto road 3, 4, 9, 10
from which cord road

\$89 50' W mature line
bet road 4 and 9
7013052'E

39.80 Report for $\frac{1}{4}$ acre cor
into annual and pits
as per instructions

79.60 Recor to road 4, 5, 8 & 9
Land level
Soil set rate
Greasewood and mesquite

Range 6 East

BOOK 615
100

Meridian

dy North on a random line
bet sec 4 + 5
7013042' E

4000 Set temporary 4 sec cor

79.63 Intersect North Boundary of
Township 2800 East of cor
to sec 4, 5, 22 + 32
From volute cor & run

70072' E on a true line
bet sec 4 + 5
7013042' E

39.63 Set a post for 1/4 sec cor
with mound and pits
as per instructions

79.83 The cor to sec 4, 5, 8 + 9

4 101

Township 2 South

Gila and Salt River

Clear Land level

fuel and rate

Greasewood and mesquite

North bet files 31032
7 at 30 42' E4020 Report for 14 acres
with mound and pits
as per instructions8200 Report for acres 29, 30,
31, 32 with mound and pits
as per instructions
Land level
fuel and rate
Greasewood and mesquite

Range 6 East

Meridian

Ch East on a random line
bet recs 29.532
7 at 3052 E

400 Set temporary # rec cor

79.88 Returned N to S line 12 N 16 W
of cor to recs 28, 29, 32 & 33
From which cor I run

N 89.55' W on a true line
bet recs 29 & 32
7 at 3052' E

39.94 Set apart on 14 rec cor
with mound and pits
as per instructions

79.88 The cor to recs 29, 30-31 & 32
Land level. In 2nd photo

Township 2 South

103

New and Salt River

Chs Greasewood and mesquite

West on a random line
 bet sec 30 & 31
 7213052' E

4000 Set temp nail 4 sec cor

76.85 - Return West Boundary of
 Township 19 N's north of cor
 to sec 25, 36, 30, 31

From which cor I run

^E
 N 89° 05' 2" ~~E~~ on a true line
 bet sec 30 & 31

7213052' E

36.85 - Set a post for 4 sec cor with
 mound and pits as per
 instructions

Range East

Meridian

6.85 Shear to nos 29, 30, 31, 32

Land level

In 2nd part rails

Greasewood and mesquite

Notes bet nos 29 + 30
2913042'E4.20 Shear for 4 nos cor
into mound and pits
as per instructions5.20 Shear for cor to nos 19, 20,
29, 30 into mound and pits
as per instructions
Land level
In 2nd part
Greasewood and mesquite

48
05

Township 2 South

Gips and Salt River

Obs East on a random line betw
secs 20 & 29
Twp 13052' E

40.00 Set temp point 4 sec cor

80.74 Intersect N & S line at cor
to secs 20, 21, 28 & 29
Inundated cor & run

West on a true line betw
secs 20 & 29
Twp 13052' E

40.07 Set apart 1/4 sec cor
with mound and pits
as per instructions

80.74 The cor to secs 19, 20, 29 & 30
Land level. Int 2nd date

Range 6 East

Meridian

Ch. Greasewood and mesquite

West on a random line
 bet. sec 19 T30
 7013°52' E

4000 Let Temporal Hec on

77.16 ~~Survey~~ Intermittent West
 Boundary of Township 12 R 8
 of sec to sec 24, 25, 19 T30
 from which cor. down

89°55' E on a true line
 bet. sec 19 T30
 7013°52' E

37.16 Cerapont or 1/4 sec cor with
 numerous pits as per in-
 structions

50

Township 2 South

107 BOOK 615

Old and Salt River

77.16 The cor to recs 19, 20 & 980.

Land lead

And 2nd. Per rules

Grease wood and mesquite

August 15, 1868

Notes bet. recs 19 & 20

77.130 42. E

4000 Scraped for 14 ac cor
with mound and pits as
per instructions

8000 Scraped for cor to recs 17, 18,
19 & 20 with mound and pits
as per instructions

Land lead

And 2nd rule

Grease wood and mesquite

Range to East

Meridian

Chs East on a random line
per acre 17 & 20
72130 52' E

40.00 Set temporary H as corner

8030 Intersect N+S line 21 E, S of
of corner sec 16, 17, 20 & 21
From outside corner

89001' W on a true line
per acre 17 & 20
72130 52' E

40.15 - Set up post for 1/4 section
with mound and pits
as per instructions

8030 The corner sec 14, 18, 19 & 20
Sand level. Cont 2nd rate

Township 2 South

109

BOOK 615

Gila and Salt River

Chs Greasewood and mesquite

West on a random line
 Set rec 1879
 2213032' E

4000 Set temporary 1/4 sec cor

77.45 Internal West Boundary
 of Township 20 Sks South of
 Gila and Salt River
 From which cor I run

S 89° 47' E on a true line
 Set rec 1879
 2213052' E

37.45 Set apart for 1/4 sec cor with
 mound & pits as per instructions

Range 6 East

Meridian

77.45 The cor to sec 17, 18, 19 & 20
 Land level
 Soil substrate
 Greasewood and mesquite

Wpts bet sec 4 & 18
 at 130 42' E

4200 Separat for 14 sec cor
 with mound and pits
 as per instructions

8200 Separat for cor to sec 4, 8, 17
 & 18 with mound and pits as
 per instructions
 Land level. Soil substrate
 Greasewood and mesquite

54

Township 2 North

111

BOOK 615

Wells and Salt River

Chs East on a random line
between 8 & 14
2013032' E

40.00 Set temporary 4 corner

80.34 Intersect N48 line 1720s fault
of cor to west 8, 9, 16 & 14
From which cor I run

289°33' W on a true line
between 8 & 14
2013032' E

40.17 Set up 4 corner with
monument sets as per
instructions

80.34 Measure west 7, 8, 14 & 18
Sund level, set 2nd rate

Range © East

Meridian

Chs Greasewood and mesquite

West on a random line
bet west 7 & 18
713032' E

4120 Set temporary H sec cor

77.66 Intersect West Boundary of
Franklin's 25 lbs Inlets of
corte west 12, 13, 7 & 18
From volute cord area

889049' ~~on~~ on a true line
bet west 7 & 18
713052' E

37.66 Re-survey for 74' sec cor
with mound and pits as
per instructions

56

Township 2 South

113 BOOK 615

Gila and Salt River

77.66 The cor to sec 7, 8, 14 & 18
Sand level
In 2nd rate
Greasewood and mesquite

North bet sec 7 & 8
213042' E

4020 Seraport for 1/4 sec cor
with mound and pits
as per instructions

8020 Seraport for cor to sec 5, 6,
7 & 8 with mound and pits
as per instructions
Sand level
In 2nd rate
Greasewood and mesquite

Range 6 East

Meridian

Ch East on a random line
 bet rods 5th and 8
 Ta 13° 52' E

400 feet temp run 4 rods

From Interest N + S line 35 rods S
 of cor to rods 4, 5, 8 & 9
 From which cor S run

S 89° 45' W on a true line
 bet rods 5th and 8
 Ta 13° 32' E

40.12 Separated by 1/4 sec cor
 into mound and pits
 as per instructions

40.24 Recor to rods 5, 6, 7 & 8
 Land level

Township 2 South

between and Salt River

class soil 2nd rate

Greasewood and mesquite

West on a random line
bet sec 6 & 7

$7213^{\circ} 52' W$

400 feet temporary $\frac{1}{4}$ sec cor

77.85 - returned West Boundary of
Township 30 E. S. south of
art. sec 1, 12, 6 & 7
From volute corner

$89^{\circ} 47' E$ on a true line
bet sec 6 & 7

$7213^{\circ} 52' E$

37.85 - Set apart $\frac{1}{4}$ sec cor

Range East

Meridian

chs with mound and pits
as per instructions

7.85 - Merid to acs 5, 6, 7 & 8

Land level

Incl. 2nd rate

Breadcorn and mesquite

North on a random line
bet acs 5 & 6

7013043'E

4.00 Intertemporal 4 acs

8.15 - Intend North Boundary
of Township 23 Nks West
of cuto acs 5, 6, 31 & 39
From which cor I run

60

Township 2 Range 6 E

117 BOOK 615

Gila and Salt River Meridian

Chis $100^{\circ}10' W$ on a true line
bet recs 5 & 6
 $713^{\circ}42' E$

40.15 Set apart on 1/4 sec cor
with mound and pits
as per instructions

50.15 - The cor to recs 5, 6, 4 & 8
Sand level
Soil substrate
Grease wood and mesquite

Aug 14, 1888

Township 2 S Range 6 E

General Description

The land in this Township is a level plain - but sandy loam good 1st. 2nd 3rd rates. and is well adapted for agricultural or grazing purposes.

It can be easily irrigated by the waters of the Gila River which is located about five miles south of this Township

It is quite thickly covered with Greasewood and mesquite brush

Field notes of the survey of
the sub-division lines of

Township 1. S Range 7 E

of the Gila and Salt River
Meridian in the Territory
of Arizona by Wilfred F. Ingalls
Deputy Surveyor under the
joint contract of George P.
and Wilfred F. Ingalls bearing
date the 10th day of July.
AD 1868

Commenced Aug 21, 1868

Completed Aug 27, 1868

Platted by
Copied for Washu Apl. 8/69 W. Goodrich

118B

4-674.

Township *1 S., R. 7 E., S. & L.R. B & M.*

BOOK 615

6	174	5	158	4	148	3	138	2	128	1	
	172		171		156		147		137		127
7	171	8	156	9	146	10	136	11	126	12	
	169		169		155		145		135		125
18	167	17	154	16	144	15	134	14	124	13	
	166		165		153		143		133		123
19	164	20	152	21	142	22	132	23	123	24	
	163		162		151		141		131		121
30	161	29	150	28	24	27	131	26	121	25	
	160		159		149		139		130		119
31	158	32	148	33	139	34	129	35	119	36	

T₁ 1 Range 7 119

Cuto and Salt River Mendocino

411 From the cor to sect 1, 2, 3 & 36
on South Boundary of Town-
ship & run

North bet sect 3 & 36

run 30° 38' E as per East
Boundary

420 Seraput for 10 ac cor with
mound and pits as per
instructions

820 Seraput for cuto sect 25, 26, 35-
36 with mound and pits as
per instructions
Land level. Soil Quercus
briarwood and mesquite

East on a random line bet

Township 1 South

Rito and Salt River

Chs Secs 25-26

7413036' E as per front
Boundary

Corr Set temporary 1/4 sec cor

79.82 Interest East Boundary of T¹/₄
1/4 Sec South of corr road
25.36.30 T¹/₄

From which corr road

A 89° 54' W magnetic line
bet road 25 T¹/₄ 6

7413036' E

39.91 Set apart Cor 1/4 sec cor
into mound and pits as
per instructions79.82 The cor to Secs 25.26. 35 T¹/₄ 6

Range 4 East

Mendocino

Ch. Sand level, soil 2nd rate
Greasewood and mesquite

North bet sec 25 & 26
T₁₃ 338' E

4000 Scraped for 1/4 acre
with mound and pits as
per instructions

8000 Scraped for with sec 23, 24, 25
& 26 with mound and pits
as per instructions
Sand level, soil 2nd rate
Greasewood and mesquite

East on a random line bet
sec 24 & 25
T₁₃ 336' E

6122

BOOK 615

Township 1 South

Gato and Salt River

Eas Set temporary accor

79.68 Entered East Boundary of
Township 26 Ns South of
Gato Secs 24, 25, 19, 20
From which cor same

\$89049'10 on a true line bet
secs 24 & 25
20130 36 'E

39.84 Set apart for 1/4 accor
Gato mound and Gato
as per instructions

79.68 The cor to secs 23 N, 25 S
Land and
Int 2nd rate
Clearwood and mesquite

Range 7 East

Meridian

Chs North bet nests 23 & 24
 7413038' E

4000 Set apart fir 14 sec con
 with mound and pits
 as per instructions

8000 Set apart fir con to nest 13, 14,
 23 & 24 with mound and pits
 as per instructions
 Land level. Soil substrate
 Arsenic and mesquite

East on a random line
 bet nests 13 & 24
 7413036' E

4000 Set temporary 4 sec con

Township 1 South

Gila and Salt River

79.84 Entered East Boundary of
Township 28 N, South of cor
to sec 13, 24, 18 + 19
From divide cor same

$\Delta 89^{\circ} 48' 10''$ on a true line bet
secs 13 and 24
 $20130^{\circ} 36' E$

39.92 Set apart for 1/4 ac cor
with mound and pits
as per instructions

79.84 The cor to sec 13, 14, 28 + 24
Land level. Soil put into
Guarwood and mesquite

North bet sec 13 + 14
 $20130^{\circ} 38' E$

Range 4 East

Meridian

4000 Set apart for 74 acres
with mound and pits as
per instructions

8000 Set apart for ^{11, 12, 13 & 14} ~~12, 11 & 12~~ acres
with mound and pits as
per instructions
Land level, Soil 3rd rate
Greasewood and mesquite

East on a random line bet
sect 12 & 13
7a 130.36' E

4000 Set temporary 4 acres

79.76 Intersect East Boundary of
Township at the corner sect
12, 13, 7 & 18
From volute and run

Township 1 South
126 BOOK 615

Edw and Salt River

Ch West on a true line per
sec 12 & 13
2413° 36' E

39.88 Set apart for 1/4 acre
with mound and pits
as per instructions

79.76 Measure to sec 11, 12, 13 & 14
Sand bank. Set 3 or 4
Greenwood and mesquite

North bet sec 11 & 12
2413° 38' E

4020 Set apart for 1/4 acre
with mound and pits
as per instructions

Range 7 East Meridian

8000 Set apart for cor to sect 1, 2,
11 & 12 with mound and pits
as per instructions
Land level flat for
Greenwood and mesquite

East on a random line
bet sect 1 & 2
2013036' E

4000 Set temporary # across

79.80 Located East Boundary of
Township 16 N, North of cor to
secs 1, 12, 6 and 7
From which to run

2890 53' W on a true line
bet sect 1 and 12
2013036' E

Township 1 South

City and Salt River

39.90 Seraport for 14 acres
with mound and pits
as per instructions

79.80 Mead to road 2.11 1872
Land gently rolling
fore 2nd sale
Greasewood and mesquite
August 21 1868

North bet road 1 & 2
2/2 1878 8 6

40.00 Seraport for 14 acres
with mound and pits
as per instructions

80.25 Entered the Base Line 16.88 ch
West of the Standard Cor
to Sec. 35 1866

Range 4 East

Meridian

Ch₁ Set a post for closing cor
to sec 1 and 2 with mound
and pits as per instructions
Land gently rolling
Soil 2nd best rate
Greasewood and mesquite

North bet sec 3 & 7 35
2013° 38' E

4000 Set a post for 74 sec cor with
mound & pits as per instructions

8000 Set a post for cor to sec 26, 27, 34
3000 with mound and pits
as per instructions
Land level. Soil 2nd rate
Greasewood and mesquite

14

BOOK 615

Township 1 South

Tula and Salt River

Ch East on a random line
 bet recs 26 & 30
 run 30 36' E

4000 Set temporary 4 recs

8000 Intersect N & S line 21 Ch N
 of cor to recs 20, 26, 33 & 36
 from outside corner

N 89° 51' W on same line
 bet recs 26 & 30
 run 30 36' E

4012 Set up pt for 4 recs
 with mound and pits
 as per instructions

8000 Near to recs 26, 27, 34 & 35
 Land level. Set 2nd rate

Range of East

Meridian

Chs Greasewood and mesquite

Notes per sec 26 27
 7 at 3038' E

4000 Serapat for 4 sec cor
 into mound and pits
 as per instructions

8000 Serapat for cor to sec 22, 23,
 26 27 into mound and
 pits as per instructions
 Land level. All sub soil
 Greasewood & mesquite

East on a random line
 bet sec 23 26
 7 at 3036' E

82 132

Township 1 South
 into Galt River

4020 Let temporary $\frac{1}{4}$ acc on

8036 Interest N & S line 33 Lks N
 of cuts recs 24, 25, 26 & 23
 from white cor sand

N 89° 46' W on a true line
 bet recs 23 & 26
 2013086' 8

4018 Scraped for $\frac{1}{4}$ acc on
 with mound and pits
 as per instructions

8036 Mer to recs 22, 23, 26 & 27
 Land level first 2nd date
 Guasimol & mesquite

North bet recs 22 & 23
 2013088' 8

Range 4 East Meridian

- 4000 Set apart for 4 sections
with mound and pits
as per instructions
- 5000 Set apart for cor to sects 14, 15,
22 & 23 with mound and
pits as per instructions
Land level. Soil sub rate
Guarwood & mesquite
- East on a sandstone line
bet sect 14 & 23
2013036' E
- 4000 Set temporary # accor
- 5028 Entered N & S line 1900s 76
of cor to sects 13, 14, 22 & 23
from which cor down

Township 1 South

134

BOOK 615

Gila and Salt River

Chs 218913 2' W on true line
bet recs 14 & 23
70130 36' E

40.14 Set apart for 1/4 acorn
with mound and pits
as per instructions

80.28 Recor to recs 14, 15, 22 & 23
Land level. Soil 2' rate
Greasewood & mesquite

North bet recs 14 & 15
70130 38' E

40.20 Set apart for 1/4 acorn
with mound and pits
as per instructions

Range 7 East
 Meridian

135

8000 Scraped fire cuts nos 10, 11, 14 & 15 with mound and pits as per instructions
 Land level fire cut side
 Grassland + mesquite

East on a random line
 bet nos 11 & 14
 721 30 36' E

4000 Set temporary 4 sec cor

8000 Intersect N 45 line 12 sec S
 of cor to nos 11, 12, 13 & 14
 5 mmoloch cord run

8905-5' W on a true line
 bet nos 11 & 14
 721 30 36' E

20

Township 9 South

136

BOOK 615

City and Salt River

4020 Set apart for $\frac{1}{4}$ sec cor
with mound and pits
as per instructions

5020 The cor to sec 10, 11, 14 & 15
Land level
Int 2nd Brn holes
Grassland & mesquite

Mts bet sec 10 & 11
N 130° 38' E

4020 Set apart for $\frac{1}{4}$ sec cor
with mound and pits
as per instructions

5020 Set apart for cor to sec 2, 3,
10 & 11 with mound and pits
as per instructions

Range 7 East

137

Meridian

Ch. Land level. In the 2nd rate
 Dreamwood and mesquite
 Aug 22nd 1868

East on a random line
 per recs 2 & 11
 72180 36' E

Co. 10 Set temporary 4 rec cor

St. 32. Intersect N & S line 28 k; S
 open to recs 7, 2, 11 & 2
 from which cor & run

S 89° 48' W on a true line
 per recs 2 & 11
 72180 36' E

Co. 16 Set apart for 1/4 rec cor
 with mound and pits
 as per instructions

22

Township 1 South

138 BOOK 615

Line and Salt Lines

8032 Recor to rec 23, 1841
Land level
Int 2nd 3rd rails
Guardwood Mesquite

North let face 203
2130 38' E

8000 Seraport for 74 rec on
with mound and pits
as per instructions

8040 Entered the Base Line 16.24 day
West of Standard corner
to rec 34 35
Seraport for closing on
to rec 203 with mound and
pits as per instructions
Land level

Ranget 4 East
 Meridian

Chs Int 2nd 13th rates
 Greasewood & mesquite

North bet sec 23 24
 21 3 38' E

Coro Serap at pr 14 sec cor
 with mound and pits
 as per instructions

Seco Serap at pr cor to sec 27, 28,
 33 34 with mound and pits
 as per instructions
 Sand loam Int 2nd rate
 Greasewood & mesquite

East on a sandstone line bet
 sec 27 34
 21 3 36' E

24

Friendship 1 South

140 BOOK 615

Uta and Salt River

40.00 Set temporary fence cor

80.00 Intense N + S line 16 N, S
of cor to west 26, 27, 34 + 35
from objects cor down

489° 33' W on a true line
bet west 27 + 34
701° 30' 6" E

40.00 Scrap out for 14 sec cor
with mound and pits
as per instructions

80.00 Near to west 27, 28, 33 + 34
Land level. Int 2nd rate
Greewood + mesquite

North bet west 27 + 28
701° 30' 38" E

Range 7 East

Meridian

- 4020 Set apart for 14 acres
with mound and pits
as per instructions
- 8020 Set apart for cuto nos 21, 22,
27 & 28 with mound & pits as
per instructions
Land level
Set 200 ft apart
Grease wood & mesquite

East on a random line
bet nos 22 & 27
215036 'E

4020 Set temporary 1/4 acre

8016 Return N & S line 21/4 & S
of cuto nos 22, 23, 26 & 27
from which cut 1/4

Township 1 South
 142 BOOK 615

Luna and Salt River

Ch. S 89° 31' W on a true line
 bet sec 22 & 26
 7013° 36' E

Co. 08 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

St. 16 Record to sec 21, 22, 27 & 28
 Land level, Soil Substrate
 Georecord + mesquite

North bet sec 21 & 22
 7013° 38' E

Co. 00 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

Range 7 East 143

Meridian

80.00 Serapat for cuts accs 15, 16,
 21 & 22 with mound and pits
 as per instructions
 Land level
 In the 2nd part notes
 measured 1 mesquite

East on a random line
 bet accs 15 & 22
 721 30 36 'E

40.00 Serapung 4 accs

79.82 Intersect N 48 line 14 & 16
 of cuts accs 14, 15, 22 & 23
 from which cut I run

N 89° 54' W on a true line
 bet accs 15 & 22
 721 30 36 'E

28

144 **BOOK 615**

Tomblip / South
Gida and Salt River

39.91 Scrapnt for 14 sec cor
with mound and pits
as per instructions

79.82 The cor to sec 15, 16, 21 & 22
Land level. Int 2nd rate
Guasswood and mesquite

North sec 15 & 16
79.81 & 81.8

4000 Scrapnt for 14 sec cor
with mound and pits
as per instructions

8000 Scrapnt for cor to sec 9, 10, 15
& 16 with mound and pits
as per instructions
Land level

Range 4 East

145

Meridian

Clear Soil 2nd Town lots
 Grassland and mesquite

East on a random line
 bet sec 10 & 15
 7213036" E

4020 Set temporary 1/4 section

79.68 Intersect N & S line 23 lbs 1/2
 of carto sect 10, 11, 14 & 15
 from which cor'd run

N 89° 00' W on a true line
 bet sec 10 & 15
 7213136" E

39.84 Set apart for 1/4 section
 into mound and pits
 as per instructions

Township 1 South

Gila and Sal River

7968 The cr to sec 9, 10, 15 & 16
 Land level
 Int. 2nd Br rails
 Greasewood and mesquite
 Aug 24, 1868

North bet sec 9 & 10
 7 at 13° 38' E

7969 Scrap at first sec cr
 with mound and pits
 as per instructions

8000 Scrap at first cr to sec 8, 4,
 9 & 10 with mound and
 pits as per instructions
 Land level
 Int 2nd Br rails
 Greasewood and mesquite

Range 7 East

Meridian

Ch East on a random line
between 3 & 10
var 3° 36' E.

Coro Set temporary 4 sec cor

19.90 Diluted N to S line 192K N
of cor to sec 2, 3, 10 & 11
From inside cor down

N 89° 15' 2" W natural line
between 3 & 10
var 3° 36' E

39.95 Set apart for 4 sec cor
into mound and pits
as per instructions

19.90 Move to sec 3, 4, 9 & 10
Land level. Int 2nd cat
are over and over again

3
148

BOOK 615

Township 1 South

File and Salt River

Ch North bet sec 3 & 4
T₁ S₁ R₈ E

400 Serapnt for 1/4 sec
with mound and pits
as per instructions

5032 Interest Base Line 15.81 Ch
West of the Standard Corner
to sec 3 & 4

Serapnt for closing cor
to sec 3 & 4 with mound and
pits as per instructions
Land level

And 2nd and 3rd rates
measured + mesquite

North bet sec 3 & 4
T₁ S₁ R₈ E

Range 7 East

Meridian

4000 Levapnt for 14 accor
with mound and pits
as per instructions

5000 Levapnt for curto secs 28, 29,
32, 33 with mound and pits
as per instructions
Land level
Ine Gut for water
Measurements + mesquite

East on a random line
per secs 28, 33
N 1/2 36 'E

4000 Levapnt for 7 accor

79.88 Delivered NHD line 19 1/2 S
of curto secs 27, 28, 33, 34
From volute to curto line

Lumber 1 Smith

cut and salt River

Ch 8905 2 1/2 on a true line
 bet nos 28133
 213136 'E

89.94 Let report for 14 accor
 into mound and pits
 as per instructions

79.88 The cart to sect 28, 29, 32 133
 sand level
 fuel 200 gal
 Grease wood and mesquite

North bet nos 28139
 213138 'E

4000 Let report for 14 accor
 into mound and pits
 as per instructions

Range 4 East 151

Meridian

8200 Serapunt fir onto sec 20, 21,
28 29 quite rounded and
fits as per instructions
Land level. Soil 2nd rate
Guano and mesquite

East on a random line
ber sec 21 28
2013036'E

4400 Ser temporary 4 sec

79.78 returned 21 28 line 26 28
of onto sec. 21, 22, 27 28
From colute cord run

890491W on a true line
ber sec 21 28
2013036'E

36

Tombulip 1 South

BOOK 615

152
Lena and Salt River

39.89 Set apart for 1/4 sec cor
with mound and pits
as per instructions

79.78 The cor to sec 20, 21, 28 & 29
Land level
In 2nd part notes
Measured times gate

North bet feet 20 & 21
2013' 88' E

400 Set apart for 1/4 sec cor
with mound and pits
as per instructions

800 Set apart for cor to sec 16, 17,
20 & 21 with mound and
pits as per instructions

Range 4 East

Meridian

Ch. found well
 Int. 2nd 1/4 sec
 Greasewood and mesquite

East on a random line
 bet. sec 16 & 21
 2013° 36' E

490 for temporary 1/4 sec

79.84 Intersect N 1/2 line 28 N 1/2 S
 of cor. to sec 15, 16, 21 & 22
 from vol. 10 cor. 100

A 89° 48' W on a true line
 bet. sec 16 & 21
 2013° 36' E

39.92 Scrap for 1/4 sec with
 mound and pits as per
 instructions

Township 1 South

154 BOOK 615

between Salt River

79.84 There to sec 16, 17, 20, 21

Land level

One 2nd Br. rails

Greasewood and mesquite

North bet sec 16 & 17
 20 130 38' E

Two Serapnt for 14 sec cor
 with mound and pits
 as her instructions

Two Serapnt for cor to sec 8, 9,
 16 & 17 with mound and
 pits as her instructions
 Land level
 One 2nd Br. rails
 Greasewood & mesquite
 Aug 25, 1868

Range of East

Meridian

155

Ch East on a random line
 bet sec 9 & 16
 Twp 30 N R 36 E

4020 Temporary fence

8018 Pulvered N & S line 16 E & S
 of cor to sec 9, 10, 15 & 16
 Involuted cord run

8903 3' W on same line
 bet sec 9 & 16
 Twp 30 N R 36 E

4089 Separation for fence
 with mound and pits
 as per instructions

8018 Quarter sec 8, 9, 16 of
 Land level

40

Towndip / Smith

156

BOOK 615

Artes and Salt River

Chs. Part 2nd Part water
Guarwood & mesquite

North bet sec 8 & 9
2a13038' E

4000 Set apart on 1/4 section
with mound and pits
as per instructions

8000 Set apart on corners sec 4, 5,
8 & 9 with mound & pits
as per instructions
Land lease
Part 2nd Part water
Guarwood and mesquite

East on a random line
bet sec 4 & 9
2a13036' E

Range 7 East

Meridian

4000 feet temporary $\frac{1}{4}$ section

8/26 Intended N 88 line 1200, 20
of art to sec 3, 4, 9 & 10
From volute cord run

N 89° 35' W magnetic line
bet sec 4 & 9

N 13° 36' E

8/13 Scrap for ⁴ sec on with
~~the~~ mound and pits as
per instructions

8/26 The cut to sec 4, 5, 8 & 9
Land level
Int 2nd Port calls
Greasewood and mesquite

42

Tombship 1 Smith

158

BOOK 615

Auto and Salt River

Chs North ber acc 4 + 5
721 3 13 8' E

400 Serapnt for 4 acc cor
with mound and pits
as per instructions

8017 Intance Base Line 16.14 dy
West of Standard Corner
to acc 32 13 3

Serapnt for closing cor
to acc 4 + 5 with mound
pits as per instructions
Land level
Ant 2nd rate
Acres and Mesquite

31 13 3

North ber acc ~~82 13 3~~
721 3 13 8' E

Range 7 East

159

Meridian

4020 Serapat for 14 acres
with mound and pits
as per instructions

8020 Serapat for cuts nos 29, 30,
31 & 32 with mound and
pits as per instructions
Land and
Ant Gut for rails
We are now to see quite

East on a random line
bet cut 29 & 32
20/10/36 'E

4020 Serapat temporary 4 acres

8020 Intersect N & S line 25/10/31
of cuts nos 28, 29, 32 & 33
from which cut was

44

Tomulup 1 Smith

160 BOOK 615

bits and Salt River

cls N 89030' W on atms line
bet nos 29 & 31
N 13036 'E

40.10 Seraput fir // Dec cor
with rounded pits
as per instructions

80.20 Thearto nos 29, 30, 31 1932
Sand Noel
Ine 2nd rate
Measurements times quite

West on a random line
bet nos 30 & 31
N 13036 'E

400 Ser temporary H dec cor

Range 7 East
Meridian

77.85 Intersect West Boundary
of Township 14 N. 14 W. North
of cor to sec 25, 30, 31
Involvement cor & sec

289034' E on a true line
bet sec 30 & 31
201 3/4 106' E

37.85 Set apart for 1/4 sec cor
into mound and pits
as per instructions

77.85 The cor to sec 29, 30, 31 & 32
Land level
Soil 2nd rate
Greasewood & mesquite

North bet sec 29 & 30
201 3/4 108' E

46

Township 1 North

1001

BOOK 615

Lot 1 and Salt River

4000 Set apart for 14 acres
with mound and pits
as per instructions

5000 Set apart for lots 19, 20,
21, 22 with mound & pits
as per instructions
Land level. find 2nd rate
measured in square

East on a random line
between 20 & 21
N 30° 36' E

4000 Set apart for 7 acres

5028 Return to N 30° line 19, 20, 21
of lots 20, 21, 28 & 29
from volume of 1st

Range 7 East
163'

Meridian

Chs N 89° 32' W on a true line
between 20 19 24
20 13 36 'E

40.14 Set apart for ~~20 19 24~~ 1/4
acres with mound & pits
as per instructions

40.28 The cove between 20.19. 24 13 0
Land level. Int 20 19 24
measured & marked

~~West to~~ Westward random
line between 19 13 0
20 13 36 'E

40.30 Set temporary fence

40.31 Return West Boundary

164

BOOK 615

Township 1 South

between and Salt River

Chs. of Township 26 N. N. W. 1/4
of sec 24, 25, 29 & 30
From which and area

2189.49' E on atms line
bet sec 19 & 30
213036' E

37.95 Less amt for 1/4 sec cor
with rounded and pits
as per instructions

77.95 The sec 24, 25, 29 & 30
Land level
In 2nd NW 1/4
measured mesquite
Aug 26, 1888

North bet sec 19 & 20
213038' E

Range 7 East

165

Meridian

4020 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8020 Set apart for arts sect 17, 18,
19 & 20 with mound and pits
as per instructions
Sand level
Int 1st 2nd cor
Greensand thus quite

East on a random line
bet sect 17 & 20
21306 'E

4020 Set temporary 1/4 sec cor

8016 Intend N of S line as cor
to sect 16, 17, 20 & 21
Included cor and

58

Township 1 South

1661

BOOK 615

Letta and Salt River

Chs West on a true line
bet first 17 & 20
213136'E

40.08 Set apart for 1/4 section
with mound and pits
as per instructions

St. 16 The cor to sec 17, 18, 19 & 20
Land level
Incl 2nd rate
Hearewood & Mesquite

~~Plot~~

West on a random line
bet sec 18 & 19
213136'E

400 Set temporary 1/4 section

Range 4 East

BOOK 615 167

Meridian

78.25 - returned West Boundary
of Township 12 E, north of
Certo sec 13, 24, 1879
From which an Iron

289° 55' E on a true line
per sec 1879
at 3008' E

78.25 Set apart for 1/4 sec
with rounded and pits
as per instructions

78.25 - The certo sec 17, 18, 19, 20
Land level
Int pt 1200' water
Greasewood and mesquite

North bet sec 17 & 18
at 3008' E

52

Family 1 Smits

168

BOOK 615

Into and Salt River

4:00 Set apart for 4 occur
with mound and pits
as per instructions

8:30 Set apart for cut to test 7, 8,
17 & 18 with mound and
pits as per instructions
Sand Seal
In 2nd rate
meadow and mesquite

Exit on a random line
bet cut 8 & 17
cut 3036' E

4:00 Set temporary 4 occur

8:30 Intersect N & S line 52N, N
of cut to cut 8.9.16 & 17

Range 7 East

169

Meridian

Ch. *Trincolobus* and *Trin.*N 89° 38' W on at least line
bet rect 8 & 17

N 130° 36' E

Fo. 15 - Scrap out for 1/4 sec on
with around and pits
as per restrictionsSp. 30 - Then to rect 7, 8, 14 & 18
Land level
Soil 200' rate
Created with mesquiteWest on a random line
bet rect 1 & 18
N 130° 36' E

54

Township 1 South

170

BOOK 615

Gula and Salt River

4000. Lava temporary 1/4 sec pm

78.07 Intersect West Boundary
of Township 30 N, 7 Nth of
Corto sec 12, 13, 7 & 8
From which cor & run

N 89° 47' E on a true line
bet sec 7 & 8

N 13° 36' E

38.07 Set apart for 1/4 acre
with mound and pits
as per instructions

78.07 Decoto sec 7, 8, 17 & 18
Land well

And P & 2nd well

Measure and mesquite

Range 7 East

Meridian

400 Write ber face 7 + 8
 Va 13038 'E

400 Scrap nt for 14 sec cor
 with mound and pits
 as per instructions

800 Scrap nt for cuts sect 5, 6,
 7 + 8 with mound and pits as
 per instructions
 Sand level. Soil 2 ur cuts
 measured + mesquite

East on random line
 ber sec 5 + 8
 Va 13036 'E

400 Set temporary 1/4 sec cor

56

Township 1 South

172 BOOK 615

Gila and Salt River

8014 Intersect N 41 line 28 E 31 N
of cor to sec 4, 5, 8 & 9
From where cor & run

N 89° 48' W magnetic line
bet sec 5 & 8

213° 36' E

40.07 Set apart for 1/4 section
with survey and pits as
per instructions

8011 & Decort to sec 5, 6, 7 & 8
Land level, for 2nd salt
Crescentwood & mesquite

Start on a random line
bet sec 6 & 7
213° 36' E

Range East Meridian

- 400 Set temporary 4 corner
- 38.36 Located West Boundary of Township 16 N, Range 16 E, Sec 1, 2, 6 & 7 from which corner was
- N 89° 53' E on true line
 less sec 6 & 7
 213° 36' E
- 38.36 Set apart on 1/4 section with corner and pits as per instructions
- 38.36 Measure sec 5, 6, 7 & 8
 Land level
 Set 2nd corner
 Measure and mesquite

58

Township 1 South

BOOK 615

174

Little Salt River

Chs 7mths bet sec 5 & 6
T² 13138' E

4.20 Set apart for 7/4 section
with mound and pits
as per instructions

79.70 Intersect Base line 16.00 ch
West of standard corner
to sec 31 32

Set a post for closing cor
to sec 5 & 6 with mound
& pits as per instructions
Land level

Jul Pt 2nd cut
Measure and mesquite
August 27, 1868

Range 7 East
Meridian

175

General Description

The land in this Township is all a level plain — Soil generally sandy loam 1st 2nd + 3rd rates and is well adapted for agricultural or grazing purposes. Timber ~~breasewood~~ and Mesquite brush which is very equally distributed over the Township.

175B

4-674.

Township *2 S.* R. *7 E., 8 & 9 R. B. & M.*

BOOK 615

6	<i>233</i>	5	<i>217</i>	4	<i>206</i>	3	<i>196</i>	2	<i>185</i>	1
<i>232</i>	<i>231</i>	<i>216</i>	<i>205</i>	<i>195</i>	<i>184</i>					
7	<i>230</i>	8	<i>215</i>	9	<i>204</i>	10	<i>194</i>	11	<i>183</i>	12
<i>229</i>	<i>228</i>	<i>214</i>	<i>203</i>	<i>193</i>	<i>182</i>					
18	<i>227</i>	17	<i>213</i>	16	<i>203</i>	15	<i>192</i>	14	<i>182</i>	13
<i>226</i>	<i>225</i>	<i>212</i>	<i>201</i>	<i>191</i>	<i>180</i>					
19	<i>224</i>	20	<i>211</i>	21	<i>201</i>	22	<i>190</i>	23	<i>180</i>	24
<i>223</i>	<i>222</i>	<i>210</i>	<i>200</i>	<i>189</i>	<i>179</i>					
30	<i>221</i>	29	<i>209</i>	28	<i>199</i>	27	<i>188</i>	26	<i>178</i>	25
<i>220</i>	<i>219</i>	<i>208</i>	<i>198</i>	<i>187</i>	<i>177</i>					
31	<i>218</i>	32	<i>207</i>	33	<i>197</i>	34	<i>187</i>	35	<i>176</i>	36

Top 2 South Range 7 E

Gila and Salt River Meridian

415 From the cor to recs 1, 2, 35, 36
on the South Boundary of
Township I run

North by recs 35, 36
4 at 30 40' E as per
East Boundary

420 Set apart for 14 rec cor
with mound and pits
as per instructions

820 Set apart for cor to recs 25, 26,
35, 36 with mound & pits
as per instructions
Land colling
Inl 2nd Port holes
Greasewood and mesquite

Township 2 South

Gila and Salt River

Chy East on a standard line
 bet sec 25 T36
 7213° 30' E as per fourth
 Boundary

4000 let temporary 4 sec cor

79.90 Returned East Boundary of
 Township 19 N, south of
 cor to sec 25, 26, 31 T31
 From which cor I run

8893-2' W on a true line
 bet sec 25 T36
 7213° 30' E

89.95 - let a part of 1/4 sec cor
 into unroaded pits
 as per instructions

Range 4 East

Meridian

79.90

Theerte recs 25, 26, 35-136

Sand and

Int sur rate

Greasewood and mesquite

North bet recs 25-26

2013140'E

44.00

Report for 14 recs
with mound and pits
as per instructions

80.00

Report for cuto recs 23, 24,
25-26 with mound and pits
as per instructions

Sand and

Int sur rate

Greasewood and mesquite

179
Township 2 South

Line and Salt River

Ch East on a random line
per acct 24 & 25
72130' 30' E

400 Let temporary 1/4 accor

79.86 Entered East Boundary of
Township 23 E, 30' S of
acc't acct 24, 25, 19 & 30
From records of same

189130' W on a true line
per acct 24 & 25
72130' 30' E

2998 Let apart for 1/4 accor
with mound and pits
as per instructions

79.86 The acc't acct 23, 24, 25 & 26

Range 4 East

180

Meridian

Chs Land level. Soil 3rd rate
Guano and mesquite.

North bearing 230° 40' E

6000 Set apart for 14 acres
with mound and pits
as per instructions

8000 Set apart for acres nos 13, 14
230° 40' E with mound and
pits as per instructions
Land level. Soil 3rd rate
Guano and mesquite

East and sundown line
bearing 130° 30' E

Township 2 South

Quita and Salt River

400 Set temporary 44 sec cor

79.74 Intersect East Boundary of
Township 30 N 30 S South of
Corte sec 13, 24, 18 & 19
From which cor I run

A 89° 47' W azimuth line
bet sec 13 & 24
to 130° 30' E

39.87 Set up post for 14 sec cor
with mound and pits
as per instructions

79.74 The corte sec 13, 14, 23 & 24
Land level
but 2nd Post calls
Greasewood and mesquite

Range 4 East

Meridian

Chs North bet secs 13 & 14
 21° 30' E

420 Set apart for 4 sec cor
 with mound and pits
 as per instructions

820 Set apart for cor to secs 11, 12,
 13 & 14 with mound and pits
 as per instructions
 Land level
 Put 2nd nails
 measured 4mer points

East on a random line
 bet sec 12 & 13
 21° 30' E

1200 Set temporary 4 sec cor

Township 2 South

lots and Salt River

79.88 Intersect East Boundary of
Township 16 E. south of
corteces 12, 13, 14 & 18
Townships and river

$89^{\circ}53'W$ creates line
bet sec 12 & 13
 $2013030'E$

39.94 Cr apart for 1/4 sec on
with mound and pits
as her instructions

79.88 The corteces 11, 12, 13 & 14
Land level
Incl 2nd B.W. rates
Pearlwood and mesquite

North bet sec 11 & 12
 $2013040'E$

Range 7 East

Meridian

400 Peraput fir 14 sec cor
with mound and pits
as per instructions

500 Peraput fir cor to nest 1, 2,
11 & 12 with mound and
pits as per instructions
Sand beach
Soil 2nd rate
Guarwood and mesquite

East on random line
bet nest 1 & 2

7 at 30 30' E

600 Peraput fir 14 sec cor

7976 Interval East Boundary of
Township 21 N 30 S South of cor

185
 Township 2 South

Gila and Salt River

Chs to nos 1, 12, 6 & 7
 From which coal run

A 8903-1 W on a true line
 bet nos 1 & 2
 721300' E

39.88 Set apart for 14 acres
 into annual and pits
 as per instructions

79.76 More to nos 1, 2, 11 & 2
 Land level
 Soil 2nd rate
 Greasewood and mesquite
 Aug 31, 1868

Run on a sandstone line
 bet nos 1 and 2
 7213040' E

Range 7 East

Meridian

400 Set temporary $\frac{1}{4}$ accor

8025 - Returned North Boundary
of Township 35th East of
into sec 1, 2, 35 & 36
Principals cor & run

400 15' E mature line
bet nos 1 & 2
2nd 30' E

40,25 - Set apart $\frac{1}{4}$ accor
with mound and pits
as per instructions

8025 - The cor to nos 1, 2, 11 & 12
Sand soil. The substrate
Sagebrush and mesquite

Township 2 South

Gila and Salt River

cls north ber recs 34 35
5013040' E

4000 Scrapnt for 14 ac cr
with mound and pits
as per instructions

8000 Scrapnt for cr to nos 26-27,
34 35 with mound and
pits as per instructions
Land calling
Incl 300 rats
Guarwood and mesquite

East and south line
ber recs 26 35
5013030' E

4000 Scrapnt for 4 ac cr

Range of East Meridian

80.11 ✓ Distance N to line 12 E. N. north
of cor to sec 25, 26, 35 & 36
From which cor run

N 89° 55' 10" on a true line
bet sec 26 & 35
70130 30' E

40.07 Teraput for 14 sec cor
into mound and pits
as per instructions

80.14 The cor to sec 26, 27, 34 & 35
Land rolling
In 30' rate
Greasewood and mesquite

North bet sec 26 & 27
70130 40' E

Township 2 South

189

Gila and Salt River

4000 Set a post for 14 Sec or
with mound and pits
as per instructions

8000 Set a post for cor to Secs 22, 23,
26 or 27 with mound and
pits as per instructions
Land level
Int. Sur rate
Greasewood and mesquite

Cast on a random line
bet sec 23 & 26

7013030' E

4000 Set temporary 4 sec or

8026 Interval N & S line 23 & 26
of cor to sec 23, 24, 25 & 26

Range 4 East
 Meridian 190

Ch. Innuvite corner

N 89° 50' W on a true line
 between 23 + 26
 241 31 30' E

46.13 Seraport for 14 acres
 with mound and pits as
 per instructions

80.26 The cor to west 22, 23, 26 + 27
 Land level
 full 2nd rate
 Clear wood and mesquite

North between 22 + 23
 241 30 40' E

420 Seraport for 14 acres

Township 2 South

191 BOOK 615

Area and Salt River

Chs with mound and pits
as per instructions

800 Set apart for cuts recs 14, 15,
22 & 23 with mound and
pits as per instructions
Land used
Ant 2nd rate
Guadalupe mesquite

East on a random line
bet recs 14 & 23
20130 30 'E

400 Set boundary 4 sec cor

80.18 Entered N & S line 28 lks N
of cuts recs 13, 14, 23 & 24
Finniculate cor & run

BOOK 615 192
Range 4 East
Meridian

Chs N 89° 48' W on a true
line between 14 & 23
S 130° 30' E

40.09 Set apart for 14 acres
into round and pits as
per instructions

0.18 The cor to sec 14, 15, 22 & 23
Land and
and set rate
Greasewood and mesquite

Write between sec 14 & 15
S 130° 40' E

40.20 Set apart for 14 acres
into round and pits
as per instructions

Township 2 South

Ita and Salt River

8000 Seraport front to sec 10, 11,
14 & 15 with mound & pits
as per instructions
Sand level
Int 2nd from notes
Crescentwood and mesquite

East on a random line
bet sec 11 & 14
7213° 30' E

4000 Seraport way 4 sec cor

8048 Intersect N & S line 19 N & 20
of cor to sec 11, 12, 13 & 14
Involuted corner
N 89° 05' 21" W on a true line
bet sec 11 & 14
7213° 30' E

Range 7 East

Meridian

410.14 Set a post in 14 sec cor
with mound and pits
as per instructions

80.28 The cor to sec 10, 11, 14 & 15
Land level. Put 2nd rate
greasewood and mesquite

Write bet sec 10 & 11
2013040' E

4200 Set a post in 14 sec cor with
mound and pits as per instructions

8000 Set a post in cor to sec 2, 3, 10
& 11 with mound and pits
as per instructions
Land level. Put 2nd rate
greasewood and mesquite
Sept 1st, 1868

Township 2 South
 195
 Gita and Salt River

Ch East on a random line
 bet recs 2 + 11

74130 30' E

4020 Set temporary 4 rec on

8036 Intersect N + S line 26 lks to

of cor to recs 1, 2, 11 + 12

From which cor'd run

71894 9' W on a true line

bet recs 2 + 11

74130 30' E

40118 Set apart on 1/4 sec on
 with mound and pits
 as per instructions

8036 The cor to recs 2, 3, 10 + 11
 Land line

Range 7 East

196

Meridian

Chs Inl 2nd rate
 Greasewood and mesquite

North on a sandrow line
 bet sec 2 & 3
 7013040' E

40.00 Set temporary 1/4 sec cor

80.16 Returned North Boundary
 of Township 14 Ns West of
 art sec 2, 3, 34 & 35
 from which cor & run

40006' W on a true line
 bet sec 2 & 3
 7013040' E

40.16 Set point for 1/4 sec cor

Township 2 South

197

Hills and Salt River

Ch with mound and pits
as per instructions

Sec 16 The carto sec 2, 3, 10 & 11
Sand hill. Soil for water
Greasewood, mesquite ~~and cactus~~

North bet sec 33 & 34
20130 40' E

4120 Seraput for 1/4 sec cor
with mound and pits as
per instructions

5020 Seraput for carto sec 27, 28, 33
& 34 with mound and pits
as per instructions
Sand rolling. Soil for water
Greasewood and mesquite

Range 4 East Meridian

- Chs East on a random line
bet secs 27 34
7213030' E
- 40.00 Set temporary 4 sec cor
- 80.16 Intersect NAD line 14 lks S
of carto sec 28, 27, 34 35
Innervolts cor sum
- 89.54' 60 on a true line
bet sec 27 34
7213130' E
- 40.08 Set apart Br 14 sec cor
with mound and pits as
per instructions
- 80.16 Shear to sec 27, 28, 33 34
Sand rolling

Township 2 South

199 BOOK 615

hila and Salt River

Obs Soil 3rd rate
 Greasewood, mesquite and
 cactus

North bet road 27 & 28
 2130 40' E

4020 Seraport for ar 11 & 22 en
 with mound and pits
 as per instructions

5020 Seraport for ar 5 road 21, 22
 27 & 28 with mound and pits,
 as per instructions
 Sand & silt rolling
 Soil 3rd rate
 Greasewood and mesquite

Range 7 East 200

Lila and Salt River Mer

Chs East on a random line
 bet secs 22 & 27
 21130' 30' E

4620 Set temporary 1/4 sec cor

79.84 Intersect N + S line at cor
 to secs 22, 23, 26 & 27
 From which cor drawn

West on a true line bet
 secs 22 & 27
 21130' 30' E

39.92 Scrap out for 1/4 sec cor
 with ground and pits
 as per instructions

79.84 The cor to secs 21, 22, 27 & 28
 S and level

Township 2 South

201

BOOK 615

Quia and Salt River

Chs Soil Sur Port cuts
meadow and mesquite

North bet sec 21 & 22
2 & 130 40' E

4000 Set apart for 1/4 acre
with mound and pits
as per instructions

8000 Set apart for cuts sec 15, 16,
21 & 22 with mound & pits
as per instructions
Land level.
Soil Sur cuts
meadow and mesquite

East and random line

Range 4 East

202

Meridian

Chs bet secs 15 & 22
 213030' E

Coro bet temporary $\frac{1}{4}$ section

79.78 Lateral N+S line 1600s S
 of curto sec 14, 15, 22 & 23
 from which cor S and

8905 8' W on a true line
 bet sec 15 & 22
 213030' E

39.89 Report on $\frac{1}{4}$ section with
 mound pits as per instructions

79.78 The cor to sec 15, 16, 21 & 22
 Sand and
 sub 2nd 1/4 rates
 Greasewood and mesquite

Township 2 South

203

BOOK 615

Quita and Salt River

Ch North bet accs 15716
 20130 40' E

4020 Set a post for 1/4 sec cor
 with mound and pits
 as per instructions

8000 Set a post for cor to accs 9, 10,
 15716 with mound and
 pits as per instructions
 Land level

Int 2nd rate
 measured and mesquite

East on a sandrow line
 bet accs 10 + 15
 20130 30' E

4020 Set temporary 1/4 sec cor

Range 4 East

Meridian

79.82 Intersect N 48 line of N 26
 of cor to sec 10, 11, 14 & 15
 From clouds cor I am

N 89° 36' W on a true line
 but sec 10 & 15
 20130° 30' E

89.91 Set apart for 14 sec cor
 with mound and pits
 as per instructions

79.82 Recor to sec 9, 10, 15 & 16
 Sand level
 Int. 2nd rate
 Ground and meigsite
 Sept 2nd 1868

North line sec 9 & 10
 20130° 40' E

32

Township 2 South

205 BOOK 615

City and Salt River

4100 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8100 Set apart for cuto sec 3, 4,
9 & 10 with mound and
pits as per instructions
Land level
Soil 2nd rate
Pine wood and mesquite

Exit on a random line
bet sec 3 & 10

at 30' 30' E

4100 Set temporary 1/4 sec cor

79.68 Intersect N & S line 230' N
of cuto sec 2, 3, 10 & 11
from colic cor run

Range 4 East

Meridian

206

- Chs N 89° 30' W on a true line
bet rods 3 & 10
7013030' E
- 39.84 Set apart for 14 sec cor
into mound and pits
as per instructions
- 79.68 The cor to rods 3, 4, 9 & 10
Land level
Incl 2nd 13th rods
Grease wood and mesquite
- North on a random line
bet rods 3 & 7
7013040' E
- 40.00 Set temporary 1/4 sec cor
- 79.85 Intersect North Boundary of
Township 26 N, East of cor

207 Township 2 South

BOOK 615

Arta and Salt River

Ch. to sec 3, 4, 33 & 34
From which cor. and

Loc. 11' E on a true line
bet sec 3 & 4
70130 240' E

39.85 Set apart for 1/4 sec cor
with mound and pits
as per instructions

79.85 The cor to sec 3, 4, 9 & 10
Sand level
Fuel 200 rate
Grease wood and mesquite

North bet sec 3 & 4
70130 240' E

4000 Set apart for 1/4 sec cor with

Range & East 208

Meridian

Ch mound and pits as
per instructions

8000 Set a post for corner recs 28.29
32 + 33 with mound and pits
as per instructions

Land level

Soil 2nd Part notes

Yucca wood and mesquite

East on a random line
bet recs 28 + 33
7130 30' E

4000 Set temporary 4 ac cor

49.86 Intersect N to line 2100 south
of cor to recs 24, 28, 33 + 34
from which corner

Friendship 2 pits

7069
Gita and Salt River

Chr S89°51'W on a true line
bet sec 28 & 33
70130°30' E

39.93 Set apart for 1/4 sec cor
with mound and pits
as per instructions

79.86 Measure to sec 28, 29, 32 & 33
Land rolling
Soil 3/4 rate
Grease wood and mesquite

North bet sec 28 & 29
70130°40' E

40.00 Set apart for 1/4 sec cor
with mound and pits
as per instructions

Range 4 E

Meridian

5000 Set up at Orr cor to posts 20, 21,
28 + 29 with mound and
pits as per instructions
Land level
Int 2nd rate
Greewood and mesquite

East on a random line
bet acc 21 028
7a 13° 30' E

4000 Set temporary 4 acc cor

5020 Intersect N+S line 28 1/2 S front
of cor to acc 21, 22, 27 028
From ohide cor down

8894 8' W on a true line
bet acc 21 028
7a 13° 30' E

38

Township 2 South

BOOK 615

211
Cuba and Salt River

40.10 Set apart for 1/4 sec cor
with mound and pits
as per instructions

50.20 One cor to sec 20, 21, 28 & 29
S and level
Set 2nd rate
Greewood and mesquite

North bet sec 20 & 21
2 at 30 40 ' E

40.00 Set apart for 1/4 sec cor
with mound and pits
as per instructions

80.00 Set apart for cor to sec 16, 17,
28 & 29 with mound and
pits as per instructions

Range 4 East

212

Meridian

Chs Land level
 full 2nd rate
 Guano and mesquite

East on a random line
 bet sec 16 & 21
 2213030' E

400 Set temporary 1/4 corner

8932 Intended N & S line 232 N & S
 of cor to sec 15, 16, 21 & 22
 Involuble and run

28930' W on a true line
 bet sec 16 & 21
 2213030' E

40, 16 Set apart for 1/4 corner

40

Township 2 South

213

BOOK 615

Gila and Salt River

Ch with mound and pits
as per instructions

5032 See cor to recs 16, 17, 28 & 21
Land level
Soil 2nd rate
Greasewood and mesquite

North bet recs 16 & 17
70' 30' 40' E

4000 See a part for 1/4 ac cor
with mound and pits
as per instructions

5000 See a part for cor to recs 8, 9,
16 & 17 with mound & pits
as per instructions
Land level, Soil 2nd rate

Range East

214

Meridians

Chs Greasewood and mesquite
Sept 3, 1868

East on a random line
bet sec 9 & 16
7¹/₂ 130 30 E

4000 Set temporary 1/4 sec cor

Sept 6 Intersect N 1/2 line 33200 S
of cor to sec 9, 10, 15 & 16
From which cor I run

189 46' W on a true line
bet sec 9 & 16
7¹/₂ 130 30 E

4020 Set apart for 1/4 sec cor
with mound and pits
as per instructions

42

Township 2 South

215 BOOK 615

Ida and Salt River

80th The cir to res 8, 9, 16 + 17
Land level
Int 2w rate
Greasewood and mesquite

North bet res 8 + 9
7 at 30 to E

40w Scrap for 1/4 sec on
with mound and pits
as per instructions

80s Scrap for cir to res 4, 5,
8 + 9 with mound and pits
as per instructions
Land level
Int 2w rate
Greasewood and mesquite

Range 4 East

Meridian

Chs East on a sandstone line
 bet sec 4 and 9
 T₂ at 30° 30' E

4000 Set temporary 4 sec cor

80.28 Intersect N to line 26 lks S
 of cor to sec 2, 4, 9 & 10
 from which cor is run

S 89° 49' W on a true line
 bet sec 4 & 9
 T₂ at 130° 30' E

40.14 Set apart for 14 sec cor with
 mound & pits as per instructions

80.28 Near to sec 4, 5, 8 & 9
 Sand level. Soil 2nd rate
 Greasewood & mesquite

44

217

BOOK 615

Township 2 South

Tila and Salt River

Chs North on a random line
 bet sec 4 & 5
 72° 13' 40" E

4000 Set temporary 4 sec cor

79.70 Entered North Boundary
 of Township (9211) West
 of cor to sec 4, 5, 8 & 9
 from outside cor & run

8000 08" W on a true line
 bet sec 4 & 5
 72° 13' 40" E

89.40 Set apart for 11 sec cor
 with mound and pits
 as per instructions

79.70 The cor to sec 4, 5, 8 & 9

Range 7 East

Meridian

Chs Sand level
ful 2nd 1/2m rates
Grease wood and mesquite

North bet sec 31 & 32
was 3040' E

4000 Seraport for 1/4 sec cor
with mound and pits
as per instructions

5000 Seraport for cor to sec 29, 30,
31 & 32 with mound and
pits as per instructions
Land rolling
ful 2nd 1/2m rates
Grease wood and mesquite

Township 2 South

Auto and Salt River

401 East on a random line
bet sec 29 T32
N 130° 10' E

400 Set temporary H sec cor

8022 Interset N + S line 1200' N
of cor to sec 28, 29, 32 + 33
From which cor I run

N 89° 55' W on a true line
bet sec 29 T32
N 130° 30' E

40111 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8022 Recor to sec 29, 30, 31 T32
Land Avail. Inl 2nd rate

Range 4 East

Meridian

ch. Meadow and mesquite

West on a random line
bet reds 30 & 31
7413030'E

4420 Contemporary 4 corner

78.33 Intersect West Boundary of
Township 14 Ns north of
cont reds 23, 26, 30 & 31
from volute corner

22890 34'E on a true line
bet reds 30 & 31
7413030'E

38.32 Serapat for 1/4 corner
with mound and pits
as per instructions

Township 2 South

Ita and Sul River

78.33 The curto sec 29, 30, 31 & 32
Land calling
Acre for rate
Guacwood and mesquite

North bet sec 29 & 30
72' 30" 40' E

400 Serapat for 1/4 acre
with mound and pits
as per instructions

800 Serapat for curto Sec 19, 20,
29 & 30 with mound & pits
as per instructions
Land level
but 200 rate
Guacwood and mesquite

Range & East

Meridian

Chs East on a random line
bet acct 20 & 29
70130 30 E

400 Per temporary 1/4 acc cor

80.10 Intersect NTS line 23 lks N
of cor to acct 20, 21, 28 & 29
Innclude cor & run

N 89° 30' W natural line
bet acct 20 & 29
70130 30 E

40.05 Set apart for 1/4 acc cor
into mound and pits
after instructions

80.10 The cor to acct 19, 20, 29 & 30
Sand level. Inl for acct

Township 2 North

and Salt River

Chs Greasewood and mesquite

West on a sound line
bet acts 19 & 30

2 at 30 30' E

400 Set temporary 4 sec cor

78.27 Intersect West Boundary of
Township 28 Ns north of
cor to acts 24, 25, 19 & 30
from which cor I run

N 89° 48' E on a true line
bet acts 19 & 30

2 at 30 30' E

38267 Set temporary a post for 1/4
sec cor with mound and
pits as per instructions

Rangel 7 East

Meridian

78127 Mercurio sec 19, 20, 29. T30
 Land level
 Int 2nd Pth rates
 Greasewood and mesquite
 Sept 4, 1888

North lot sec 19 & 20
 T30 40' E

4020 Set apart for Hucor
 with mound and pits
 as per instructions

8020 Set apart for curto sec 17, 18,
 19 & 20 with mound & pits
 as per instructions
 Land level
 Int 2nd Pth rates
 Greasewood and mesquite

52225

BOOK 615

Township 2 South

Gila and Salt River

Chs East on a random line
bet sect 17 & 20
7a 130°30' E

40.20 Per temporary 1/4 accor

79.82 Intersect N+S line 30x20 W
of cuto sect 16, 17, 20 & 21
from which cord run

N 89°24' W on a true line
bet sect 17 & 20
at 30°30' E

39.91 Set apart for 1/4 accor
cuto mound and pits
as per instructions

79.82 The cuto sect 14, 18, 19 & 20
Land seal

Range 7 East

Meridian

Chs Int 2nd 3rd sales
 Guarewood and mesquite

West on a random line
 bet sec 18 & 19
 N a 13° 30' E

400 Set temporary 1/4 sec cor

78.25 Intended West Boundary
 of Township 19 E 1/4 north
 of cor to sec 13, 24 1879
 from which cor I run

N 89° 32' E on a true line
 bet sec 18 & 19
 N a 30° 30' E

38.25 Set apart for 1/4 sec cor

54
227

BOOK 615

Tomchip 2 Smith

Wen and Salt River

do with mound and pits
as per instructions

78.25 - The carts nos 17, 18, 19 & 20

Land level

Int 2nd Port rates

Grease wood and mesquite

North tier nos 17 & 18

70° 13' 40" E

4200 Levaport for 44 accor
with mound and pits
as per instructions

8200 Levaport for carts nos 7, 8,
17 & 18 with mound & pits
as per instructions
Land level

Range 7 East

Meridian

Chs Lot 2nd rate
meadow and mesquite

East on random line
bet sec 8 & 17
T₁ 30° 30' E

4130 Separat for temporary fence cor

79.72 Intended N & S line 26 lks N
of curto sec 8, 9, 16 & 17
from volute cord run.

N 89° 49' W on atms line
bet sec 8 & 17
T₁ 30° 30' E

39.86 Separat for 1/4 sec cor
with mound & pits as per
instructions

229

Township 2 South

Luta and Salt River

79.72 The cor to sec 7, 8, 14 & 18
 Land Reel
 Soil 2nd Port aces
 Greasewood and mesquite

West na random line
 bet sec 7 & 18
 7 at 30° 30' E

400 Set temporary 4 corner

78.07 Intersect West Boundary
 of Township 28 lks north
 of cor to sec 12, 13, 7 & 18
 from colute cord run

289° 48' E on a true line
 bet sec 7 & 18
 7 at 30° 30' E

Range 4 East

230

Meridian

38.07 Serapat for 1/4 acre
with mound and pits
as per instructions

28.07 The cut to road 7, 8, 17 & 18
Land level
Int 2nd Port canal
Weasewood and mesquite

North bet road 7 & 8
21340' E

4200 Serapat for 1/4 acre
with mound and pits
as per instructions

8000 Serapat for cut to road 7, 8,
5 & 6 with mound & pits as
per instructions

231 Township 2 South

City and Salt River

Clear land east
 Full 2nd P.M. cuts
 Grass and Mesquite

East on a random line
 bet sec 5 + 8
 N 130° 30' E

400 Set temporary 1/4 corner

79.84 Intersect N+S line 16 ex, N
 of cut to sec 4, 5, 8 + 9
 From which cor'd run

N 89° 53' E on a true line
 bet sec 5 + 8
 N 130° 38' E

39.92 Set apart for 1/4 corner

Range 4 East 232

Meridian

Ch with mounds and pits
as per instructions

79.84 Theor to recs 5, 6, 7 + 8
Land each
Incl 2nd part
Greensward + mesquite

West on a random line
bet recs 6 + 7
N 130 30' E

4000 Int temporary 4 accor

77.90 Returned West Boundary
of Township 12 E 23 N north of
cor to sec 1, 1/2, 6 + 7
From mounds cor & run

Township 2 South

233

Utah and Salt River

Chs N 89° 35' E on a true line
 between 6 + 7
 2013° 30' E

37.90 Set apart for 14 per acre
 with mound and pits
 as per instructions

77.90 The ar to act 5.6. 7 + 8
 Land level
 Ant 2nd Port holes
 Greasewood and mesquite

North on a random line
 between 5 + 6
 2013° 40' E

Now Set temporary fence

Range 7 East 234

Meridian

79.87 Intersect North Boundary
 of Township 30. E. S. West of
 C. & N. Secs 5, 6, 31, 32
 Ironwood and mesquite

S 100° 13' W or a true line
 between 5 & 6
 N 131° 40' E

39.87 Set apart for 1/4 acre
 with mound and pits as
 per instructions

79.87 The C. & N. Secs 5, 6, 7 & 8
 Land level
 Set 2nd post - notes
 Greenwood & mesquite
 Sept 5, 1868

B25 R7 E Cula Salt River Meindin
235

General Description

The quality of the land in this Township is about the common average - being level plains excepting the southern tier of sections which are gently rolling - Soil mostly sandy loam 2nd & 3rd rates

It is quite thickly timbered with mesquite and greasewood together with some scattering Palo verde and cactus in the southern portion

Field Notes of the Survey of
the Sub-division Lines of
fractional

Township 5 Range 7 E

of the Gila and Salt River
Meridian in the Territory
of Arizona by Wilfred F. Ingalls
Deputy Surveyor under the
joint contract of Geo. P.
and Wilfred F. Ingalls bear-
ing date the 15th day of
July A.D. 1868.

Commenced Sept 8, 1868

Completed Sept 9, 1868

Copied for Master

Apr. 13/69

J. K. Goodrich

Platted C. B.

6 235B

4-674.

Township 5d,

R. 76. S.S.P.B. & M.

BOOK 615

6	5	4	3	2	1
7	8	9	10	11	12
18 <u>242</u>	17	16	15	14	13
<u>241</u>	<u>241</u>				
19 <u>240</u>	20	21	22	23	24
<u>239</u>					
30 <u>238</u>	29	28	27	26	25
<u>237</u>					
31 <u>236</u>	32	33	34	35	36

986b5m9-01

Sp 5 Range



Elva Salt River Meridian

As this Township is made fractional north of the 1st Standard Parallel South, and East of the 5th tier of sections by sand hills unfit for cultivation, I therefore begin at the Standard cor to sec.

31 & 32 and run

north bet sec 31 & 32

74° 13' 46" E By solar compass.

40.00

Set apart for 1/4 sec corners around pits as per instructions

8.00

Set apart for cor to sec 29, 30, 31 & 32 into mound and pits as per instructions

Land gently rolling
Soil 2nd rate

Shorewood, mesquite & Palo verde
Land East of this cor low sand hills unfit for cultivation bearing
NE + SE

No 5 S Range 7 Co

BOOK 615

237
Julla Salt River Meridian

ch. Met on a random line
bet sect 30 + 31
7a 13046' E

40.00 Set temporary it sec cor
79.63 Intersect Met Boundary of
Township 16 lks South of cur
to sect 25, 36, 38 + 39
Francovich cor dem

889053' E on a true line bet
sect 30 + 31
7a 13046' E

39.63 Set report for 1/2 sec cor with
monument pits as per instructions

79.63 The cur to sect 29, 30, 31 + 32
Same level. fort 2nd rate
Quaranda mesquite + Palo verde

Op 5 South Range 7 East

Line Salt River Meridian

Chs North bet sec 29 + 30
ra 13046 E

40.00 for a post for 1/4 sec cor with
mound and pits as per
instructions

8.00 for a post for cor to sec 19, 20, 29 + 30
with mound and pits as per
instructions

Sand rolling

Int 2nd + 3rd rates

Greasewood, Mesquite and
palo verde

Sand East of above on low,
broken sand hills suitable for
cultivation bearing N E + S E

Sept 8, 1888

6
6
To 5 Ranger East

239 BOOK 615

See Salt River Meridian

Set on a random line
per sec 19 + 30
7213046' E

40.00 Set temporary 4 sec cor

79.83 Intersect West Boundary
of Township 23 R's south of
cor to sec 24, 25, 19 + 30
From which cor I run

889030' E on same line per
sec 19 + 30
7213046' E

39.83 Set apart for 4 sec cor
with mound and pits
as per instructions

79.83 The cor to sec 19, 25, 29 + 30

Op 5 South Range of East
 Gila Salt River Meridian

cls Land rolling
 fine 2nd rate
 mesquite and palo verde

North bet sec 19 & 20
 Twp 30 N R 6 E

40.00 Per apt for 1/4 sec cor
 with mound and pits
 as per instructions

80.00 Per apt for acrs sec 17, 18, 19 & 20
 with mound & pits as per
 instructions

Land rolling
 fine sandy 2nd & 3rd rates
 Mesquite and palo verde

8

To 5 Range East

241

BOOK 615

Gila Salt River Meridian

On East native line bet
sect 17 + 20
Ta 13046' E

40.00 Set apart for 1/4 sec cor
with mound and pits
as per instructions
Lawn in advance sandy hills
unfit for cultivation bearing
NW + SW

West on section line
bet sect 18 + 19
Ta 13046' E

40.00 Set temporary 7 sec cor

79.50 Intersected West Boundary of
Ownership 30 EAs south of cor

To 5 South Range & Cor

Gila Salt River Meridian

Chs to sect 13, 24, 18 + 19
From which come

189245' E on a true line
bet sect 18 + 19

7213026' E

39.50 scrap for 14 accor with
mound and pits as per
instructions

79.50 The cor to sect 17, 18, 19 + 20
Sand rolling

Soil sandy but 1/3 m. rates

Guaremid, mesquite & palo verde

Mts bet sect 17 + 18

7213026' E

To 5 South Range 7 East

BOOK 615

Great Salt River Meridian

40.00 for appt for 1/4 acer with
mound and pits as per
instructions

The land in advance is rolling
sand hills unfit for cul-
tivation

Sept 9, 1888

No 3-8 Range 7 Co

214

General Description

This Township is made fractional on the North + East by sandy hills, and ~~high rocky mountains~~ unfit for cultivation.

The soil of this Township is about the common average generally rolling but for soils and well adapted for grazing purposes. It is also well timbered with mesquite and palo verde and scattering greasewood.

Et 15.6 E + sub

Et 1 " 7 "

Et 2 " 6 "

Et 2 " 7 "

45 R 2 E

55 R 7 "

245

BOOK 615

Field Notes of the Survey
of the Sub-division Lines of
Township 4 S Range 2 E

of the Gila and Salt River
Meridian in the Territory
of Arizona by Wilfred F. Ingalls
Deputy Surveyor under the
Joint Contract of George P.
and Wilfred F. Ingalls bear-
ing date the 10th day of
July A.D. 1868

Commenced Sept-12, 1868.

Completed Sept-17, 1868

Cop for Wash.

Apr. 13th, 1869

Platted C.B.
J.K. Goodrich

245A

4-674.

Township 4 S, R. 2 E, 3 E S. R. B. & M.

BOOK 615

6	5	286	4	276	3	266	2	256	1
		285	284	275	265	255			
7	⁴ 244	8	283	9	274	10	264	11	254
	293	292	282	273	263	253			
18	291	17	281	16	272	15	262	14	252
			280	271	261	251			
	290								
19	x	20	21	270	22	261	23	250	24
	289 x	279 x	278	269	260	249			
30		29	28	269	27	259	26	248	25
	288 x	277 x		268	258	247			
31	x	32	33	34	257	35	246	36	
	287								

986b5m9-01 *Blue lines surveyed by different deputy under same joint contract.*

Tp 4 Range 2 E

Gila Salt River Meridian

435 From the corners 1, 2, 35-
36 on first boundary
of Township I run

north bet sec 35-36
N. 13° 40' E as per
East Boundary

436 Set a post for 1/4 corner
with mound and pits
as per instructions

437 Set a post for corners 25, 26,
35-36 with mound & pits
as per instructions
Land level
but 2nd rate
measured from quite

247 Township 4 Lots

Glen and Salt River

Ch East on a random
line bet sec 25 & 36
N 13° 42' E as per
first Boundary

400 for temporary accept

79.86 Interest East Boundary
of Township 16 cks first
of sec to sec 25, 36, 30 & 31
From which cord run

89° 03' W on a true line
bet sec 25 & 36
N 13° 42' E

39.93 Set apart for 1/4 ac cor
with mound and pits
as per instructions

Ranga & East

Mexican

79.86 One cor to sec 25-26. 35 T 36
Land level. Soil subsoil
Greensward and mesquite

North bet sec 25 T 26
R 130 H 0 'E

4000 Scrap for 1/4 sec cor
with mound and pits
as per instructions

8000 Scrap for cor to sec 23, 24,
25 T 26 with mound and
pits as per instructions
Land level
Soil subsoil
Greensward, mesquite
and palo verde

6 Township 4 South

249 BOOK 615

Gila and Salt River

Chs East on a random line
bet secs 24 & 25
Ta 130°42' E

4000 Set temporary $\frac{1}{4}$ ac post

79.72 Intended East Boundary
of Township 28 S, R. 2 E, S. 24
of cor to secs 24, 25, 19 & 20,
from which cor drawn

A 89°50' W arc true line
bet secs 24 & 25
Ta 130°42' E

39.86 Set apart for $\frac{1}{4}$ ac cor
with mound and pits
as per instructions

79.72 The cor to secs 28, 24, 25 & 26

Range 2 East
Meridian

250

Ch Land well
Soil Substrate
Guarwood, mesquite
and palo verde

Corte bet sec 23 & 24
T13040 'E

400 Serapnt for 1/4 sec cor
with mound and pits
as per instructions

800 Serapnt for corte sec 13, 14,
23 & 24 with mound and
pits as per instructions
Land well. Soil Substrate
Guarwood, mesquite
and palo verde

8

Township 4 South

251 BOOK 615

Glac and Salt River

Chs East on a random line
bet aces 13 and 24
at $13^{\circ}42' E$

400 Set temporary $\frac{1}{4}$ ac post

79.64 Intersect East Boundary
of Township 19 S to south
of cur to aces 13, 24, 18 & 19
From which cur run

$S89^{\circ}52' W$ on a true line
bet aces 13 and 24
at $13^{\circ}42' E$

79.82 Set a post for $\frac{1}{4}$ ac cur
with mound & pits
as per instructions

79.64 Cur to aces 13, 14, 23 & 24

Rang 2 East Meridian

Chs Land level
 Int 2nd 1/2nd rates
 Greasewood, mesquite and
 Palo verde

North bet sec 13 & 14
 20 13° 40' E

4000 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

4000 Set apart for cor to sec 11, 12,
 13 & 14 with mound and pits
 as per instructions
 Land level. Int 2nd rate
 Greasewood, mesquite and
 Palo verde

Township 4 South

253 BOOK 615

Main and Salt River

Chs East on a random line
bet sec 12 & 13
ra 13° 42' E

4420 Set temporary 1/4 sec cor

79.82 Intersect East Boundary
of Township 12 N. N. North
of carto sec 12, 13, 7 & 18
From which cord run

N 89° 18' 5" W on a true line
bet sec 12 & 13
ra 13° 42' E

39.91 Set apart for 1/4 sec cor
with corner and pits
as per instructions

79.82 On carto sec 11, 12, 13 & 14

Range 2 East

Meridian

Ch Land level
 Soil 2nd rate
 Guarewood, mesquite and palo verde

North bet secs 11 & 12
 7 or 30 40' E

400 Seraport for 1/4 section
 with mound and pits
 as per instructions

800 Seraport for cartons 1, 2,
 11 & 12 with mound and pits
 as per instructions
 Land level
 Soil 2nd rate
 Guarewood and mesquite

12

Township 4 South

255 BOOK 615

Meu and Salt River

Chy East on a random line
bet-sec 12 + 1
Ta 13° 42' E

400 per temporary 4 sec pm

79.78 Intermittent East Boundary
of Township 2 1/2 kts south of
Cort to sec 1, 12, 6 + 7
From which cor'd run

S 89° 31' W on a true line
bet-sec 1 + 12
Ta 13° 42' E

39.89 Set apart for 1/4 sec cor
with mound and pits
as per instructions

79.78 The cor to sec 1, 2, 11 + 12

Range 2 East
Meridian

Chy Sand level. Soil 2nd rate
Greewood and mesquite
Sept 12, 1868

North on a random line
bet secs 1 & 2
N 30 40' E

4.00 Set temporary $\frac{1}{4}$ sec cor

8.25 - Located North Boundary
of Township 26 Ns East of
cor to secs 1, 2, 35 & 36
From which cor I run

As 0° 11' E on true line
bet secs 1 & 2
N 30 40' E

4.25 Set apart for $\frac{1}{4}$ sec cor

14

Towship of South

257 BOOK 615

Gila and Salt River

Ch₁ with mound and pits
as per instructions

\$0.25 The cor to secs 1, 2, 11 & 12
Land level
Int 2nd rate
Sage wood and mesquite

North bet Secs 34 & 35
Cor 3040' E

4000 Set apart for 1/4 section
with mound and pits
as per instructions

\$0.00 Set apart for cor to secs 26, 27,
34 & 35 with mound and pits
as per instructions
Land level. Int 2nd rate

Range 2 East

BOOK 615

Meridian

218 100100

258

Ch. Measure wood ^{and} mesquite

East on a random line
bet sec 26 + 33
T₁ 30 + 2' E

400 Set temporary 4 ac cor

50.20 Interest N + S line 19 cks North
of cor to sec 25, 26, 33 + 36
Furrows laid out

N 89° 35' 2" W on a true line
bet sec 26 + 33
T₁ 30 + 2' E

40.10 Set apart for 1/4 ac cor
with mound and pits
as per instructions

Township of South

259

BOOK 615

Wata and Salt River

80.20 The cor to sec 26, 27, 34 135
 Land level
 Int Sur rate
 Greasewood and mesquite

North bet sec 26 + 27
 N 130° E

400 Set aprm for 1/4 sec cor
 with mound and pits
 as per instructions

80.00 Set aprm for cor to sec 22, 23,
 26 + 27 with mound and pits
 as per instructions
 Land level
 Int Sur rate
 Greasewood and mesquite

Range 2 East Meridian

ch. East on a random line
bet sec 23 & 26
7a 130° 42' E

from Set temporary 1/4 sec cor

80.28 Intersect N 48 line 28 lks North
of cor to sec 23, 24, 25 & 26
From collets cor I run

N 89° 48' W on true line
bet sec 23 & 26
7a 130° 42' E

40.14 Set apart for 1/4 sec cor with
runner & pins as per instructions

80.28 The cor to sec 22, 23, 26 & 27
land level. but sur coll
measured & was quite

18

BOOK 615

Township H Qmto

Gila and Salt River

Cbr Nmtu bet recs 22 + 23
7a13040'E40.00 Scrapnt for 1/4 sec cor
with mound and pits
as per instructions80.00 Scrapnt for ~~1/4~~ sec cor to
recs 14, 15, 22 + 23 with mound
and pits as per instructions
Land level.

And 2nd rate

Greasewood and mesquite

Ect on a condome line
bet recs 14 + 23

7a13042'E

40.00 Set temporary 1/4 sec cor

Range 2 East Meridian

80.34 Intersect N+S line 21 ers north
of cor to sec 14, 15, 22 & 23
from which cor run

N 89° 51' W on a true line
bet sec 14 & 23
at 13° 42' E

40.17 Set apart for 1/4 ac cor
with mound and pits
as per instructions

80.34 The cor to sec 14, 15, 22 & 23
Land level
Int. Set rate
Guacwood and mesquite

North bet sec 14 & 23
at 13° 40' E

263
Township 4 South

Gila and Salt River

- 4020 Set apart for 1/4 sec cor
with mound and pits
as per instructions
- 8020 Set apart for cor to sec 10, 11,
14 & 15 with mound and pits
as per instructions
Land level
Int 2nd form rates
2 acre mound and mesquite

East on a random line
bet sec 11 & 14
at 130° 42' E

- 4020 Set temporary 1/4 sec cor
- 8026 Intended N & S line 1400s south
of cor to sec 11, 12, 13 & 14
from which cor run

Range 2 East Meridian

40112 N 89° 03' 44" W on a true line
bet recs 11 & 14
N 13° 07' 21" E

40112 Set apart for 1/4 ac car
with mound and pits as per
instructions

4026 Recor to recs 10, 11, 14 & 15
Land level
and 2nd part rules
Sagebrush and mesquite

North bet recs 10 & 11
N 13° 07' 21" E

4020 Set apart for 1/4 ac car
with mound and pits
as per instructions

22

Township 4 South

265 BOOK 615

Yuba and Salt Rivers

8200 Set apart for cor to Secs 2, 3,
10 & 11 with mound & pits
as per instructions

Land level

Int 2nd rate

Greasewood and mesquite

Sept 17, 1868

East and random line
bet secs 2 & 11

N 130° 42' E

4000 Set apart to run 1/4 sec cor

80.18 Intersect N & S line 52k, south
of cor to sec 11, 2, 11, 11
From which cor run

S 89° 58' W on same line
bet secs 2 & 11

N 130° 42' E

Range 2 East

Meridian

0.09 Set a post for $\frac{1}{4}$ sec cor
with mound and pits
as per instructions

0.18 The cor to sec 2, 3, 10 & 11
Land level
Set 2nd rate
Greewood and mesquite

North bet sec 2 & 3 on
a random line
N at 30° H 0' E

0.20 Set temporary $\frac{1}{4}$ sec post

0.33 Intersect North Boundary
of Township 23 N, East of
Cor to sec 2, 3, 8 & 13
From which cor down

24

Township 4 South

BOOK 615

Arta and Salt River

Ch 100° 10' E on true line
bet sec 2 & 3
7413040' E

40.33 Set apart on 1/4 sec cor
with mound and pits
as per instructions

80.33 The cor to sec 2, 3, 10 & 11
Land level
Int 2nd from rules
Grease wood and mesquite

~~North bet sec 2 & 3
7413040' E~~

~~Sec~~ From the cor to sec 24, 28,
30 & 34
East on a random line

Range 2 East

Meridian

268

Chs bet recs 27 & 34
 N 130° 42' E

400 Set temporary 4 sec cor

S. 26 Intersect N 45 line 15-21 1/2
 units of cor to recs 26, 27, 34 & 33 -
 From volute cor & run
 n
 N 89° 57' W on same line
 bet recs 27 & 34
 N 130° 42' E

40.13 Set apart for 4 sec cor with
 mound and pits as per instructions

S. 26 One cor to recs 27, 28, 33 & 34
 Land rolling. Soil 2nd class
 Greasewood, mesquite and
 Palo verde

26

Township 4 South

269 BOON 615

Dilu and Salt River

Chs North bet sec 24 & 28
T13040' E

40.00 Detrapmt for 14 near
with mound and pits
as per instructions

80.00 Detrapmt for cor to sec 21, 22,
27 & 28 with mound and
pits as per instructions
Sand rolling
Soil Sur rate
Greewood and mesquite

East on a random line
bet sec 22 & 24
N13042' E

40.00 Detrapmt for sec cor

Range 2 East

270

Meridian

79.90 Lateral N + line 26 lks N

of cor to sec 22, 23, 26 + 27

From which cord run

N 89° 49' W on a true line

bet sec 22 + 27

2130 ± 2' E

39.95 Scrap for 4 sec cor

with mound and pits

as per instructions

79.90 The cor to sec 21, 22, 27 \$28

Land colling

Soil for ~~3~~ 2000 acres

Guano and mesquite

North bet sec 21 + 22

2130 ± 2' E

28

Township of South

BOOK 615

Gda and Salt River

- 4020 Seraport for 94 accor with mound and pits as per instructions
- 8000 Seraport for carts acco 15.16, 21 & 22 with mound and pits as per instructions
Land colling
Incl 2 no fort rails
Guarwood and mesquite

East ma sandow line
bet accs 15 & 22
7a/30 & 2' E

4000 Seraport for 4 accor

79.82 Inland No Shie 28 lbs 3/4
of carts acco 14, 15, 22 & 23

Range 2 East

119272

Meridian

by Amulet cord and

N 89° 48' 10" on a true line
bet sec 15 & 22

Ta 13° 22' E

39, 91 Scrap for 14 sec
with mound and pits
as per instructions79, 82 Decor to sec 15 & 16, 21 & 22
Land selling
One 2' x 10' lot
Guano and mesquiteN 101° 40' E
bet sec 15 & 16

Ta 13° 40' E

~~4000 Scrap for on to sec 9, 10,
15 & 16 with mound and pits
as per~~

30

273 Township 4 South

BOOK 615

Gila and Salt River

4000 Set a post for 1/4 sec cor
with mound and pits
as per instructions

8000 Set a post for cor to sec 9, 10,
15 & 16 with mound and pits
as per instructions
Sand colling
Soil 2' at 100' rates
Grease wood and mesquite

Cut on a random line
bet sec 10 & 15
7 at 130' & 2' @

4000 Set temporary 1/4 sec cor

8016 Intersect N & S line 12 Ws south
of cor to sec 10, 11, 14 & 15

Range 2 East

Meridian

Obs. From colute cord run

S 89° 55' W on a true line
 between 10 & 15
 T at 30 H 2' E

40.08 Scrap for 1/4 section
 with mound and pits
 as per instructions

80.16 The cor to nos 9, 10, 15 & 16
 Land level
 In the 2nd cut
 Greasewood and mesquite

North between 9 & 10
 T at 30 H 0' E

40.00 Scrap for 1/4 section
 with mound and pits as per
 instructions

32

Township 4 South

275

BOOK 615

Ida and Salt River

8000 Set apart for cur to nos 2, 4,
 9 & 10 with mound and pits
 as per instructions
 Land level
 Soil set rate
 Greasewood and mesquite
 Sept 15, 1868

East on a random line
 bet nos 3 & 10
 70130 42' E

4000 Set temporary 7 sec cor

80, 24 Intersect N & S line 30 lks North
 of cor to nos 2, 3, 10, & 11
 From which cor & run
 N 89° 47' W on a true line
 bet nos 3 & 10
 70130 42' E

Range 2 East Meridian

40.12 Set apart for 1/4 section
with mound and pits as
per instructions

80.52 Recor to sec 3, 4, 9 & 10
Land level
Soil 2nd rate
Greenwood and mesquite

North on a random line
bet secs 3 & 4
T₁ 130° 40' E

40.08 Set temporary 1/4 sec post

~~67.72 Road from Dallas to Memphis
Wells bear 34 E of 1/4~~

79.88 Intersect North Boundary of

Township 4 South

277 E. CO. 615

Gila and Salt River

Chs Township 23 E of cor
to sec 3, 4, 8, 9, 10
From which cor down

100' 10' W. natural line bet
sec 3 & 4
7 at 3040' E -

39.80 Expnt for 1/4 sec cor into
mound and pits as per
instructions

79.80 The cor to sec 3, 4, 9 & 10
Land level
In the 2nd rule
Greasewood and mesquite

From the cor to sec 28, 29, 32 & 33
I run West natural line

Range 2 East

278

Meridian

Ch. bet sec 29 & 32
 T₁ 130 + 2' E
 Ascend N E slope

20.00 Re-survey for cor to fractional
 sec 29 & 32 with mound and
 pits as per instructions on
 foot of mountain suitable
 for cultivation

From the cor to sec 20, 21, 28 & 29
 Run East and random
 line bet sec 21 & 28
 T₁ 130 + 2' E

40.00 Set temporary line on

80.38 Intersect N & S line 28 dks south
 of cor to sec 21, 22, 27 & 28
 Run north and down

36

Tranahip H Smith

279 BOOK 615

Gila and Salt River

Obs S 89° 48' W on a true line
bet nos 21 + 28
7a 130 / 2' E

40.19 Serapnt for 1/4 acre
with mound and pits
at per instructions

88.38 Precor to nos 20, 21, 28 + 29
Land level
Incl 2nd + 3rd notes
Grease wood and mesquite

West on a true line bet
nos 20 + 29
7a 130 / 42' E

400 Serapnt for 1/4 acre
with mound and pits

Range East

Meridian 280

Obs as per instructions
Ascend NE slope

5500 Set apart for cor to fractional
Sec 20 + 29 with mound and
pits as per instructions at
foot of mountain suitable for
Cultivation
Land rolling
Soil gravelly
Greewood and Mesquite

From the cor to sec 16, 17, 20 + 21
I run East on a random
line bet sec 16 + 21
7013072'E

4000 Set temporary 4 sec cor

38

Township 4 South

281 BCO., 615

Gila ^{Acacia} Salt River

80.22 Intersect N. Slide 35' No 8
of cor to sec 16, 15, 21 + 22
From outside cor down

89045' W on a true line
bet sec 16 + 21
7013042' E

40.11 Set a post on 14 sec cor with
mound and pits as per
instructions

80.22 The cor to sec 16, 14, 20 + 21
Sand rolling
In 2nd 1/2 of sec
Yucca wood and mesquite

North bet sec 16 + 14
7013040' E

Range 2 East

282

Meridian

40.20 Scrap on for 1/4 section
with mound and pits as
per instructions

80.00 Scrap on for cor to sec 8, 9, 16
H7 with mound and pits
as per instructions
Land rolling
for 2 or 3 m rates
Guarwood and mesquite

East on a random line
bet sec 9 & 16
Val 30 H 2' E

40.00 Scrap temporary 1/4 sec on

79.80 Labeled N + S line 2 1/2 m south
of cor to sec 9, 10, 15 & 16
From which cor run

~~3840~~

Township 4 South

8283

BOOK 615

Yelm and Salt River

Ch. 189031' W on true line bet
secs 9 + 16
72 13° 42' E

39.90 Serapm for 1/4 sec cor
with mound and pits
as per instructions

79.80 The cor to secs 8, 9, 16 + 17
Land adjuig
Int. Sub. rate
Grease and mesquite

North bet secs 8 + 9
72 13° 40' E

40.00 Serapm for 1/4 sec cor
with mound and pits
as per instructions

Range 2 East Meridian

72.80 Road from Fort Yuma to Manicopa
Wells bears N E + SW

82.00 Let report for certificate 51,879
with mound and pits as
per instructions

Land rolling

Int. 2nd rate

Greasewood, mesquite and
Yucca and cactus

Sept. 16, 1868

East on a random line
bet sec 4 and 9
T₁ 130° 42' E

57.00 Road from Fort Yuma to
Manicopa Wells bears N E + SW

40.00 Let temporary Precor

42

Township 4 South

BOOK 615
Gila and Salt River

79.74 Intersect N+S line 2800s South
of cor to secs 3, 4, 9 and 10
From which cor I run

\$89548'10 on a true line
bet secs 4 and 9

70130 42' E

39.89 Set a post on 1/4 corner
with mound and pits as
per instructions

79.74 The cor to secs 4, 5, 8 + 9
Land rolling
Int on road
Greasewood and mesquite

West on a true line bet
secs 5 + 8
70130 42' E

Range 2 East Meridian

Chs Ascend East slope

25.00 Set aprn for cor to fractional
secs 5 & 8 with mound and
pits as per instructions at
foot of mountains unfit
for cultivation

North on a random line
bet secs 5 & 4
ca 13° 40' E

40.00 Set temporary 1/4 sec cor

79.62 Intended North Boundary of
Township 33 E 2 S West of cor
to secs 4, 5, 32 & 33
From which cord run

44

Township 4 South

287 BOOK 615

Sea and Salt River

By 100° 14' W magnetic line
between 4 + 5
7 at 30 40' E

39.62 Set apart in stone mound
for 1/4 section ~~and~~ per in-
structions

79.62 The cor to sec 4, 5, 8 + 9
Land rolling
for 3/4 rate
Greewood, mesquite, and
Palo verde

North between 3 + 4

7 at 30 40' E

400 Set apart for 1/4 section
with mound and pits as
per instructions

Range 2 East Meridian

57.00 Seraport for cuts fractional
secs 31 & 32 with mound and
pits as per instructions at
foot of mountains north on
cultivation bearing NW + SE
Land rolling
Soil 3rd rate
Grasswood, mesquite and
paloverde

From the cuts secs 25, 26, 30 & 31
on West Boundary of Township
Draw East on a true line
bet secs 30 & 31
7 at 30 42' E

1940- Seraport for 1/2 acre
with mound and pits as
per instructions

46

Township 4 South

289 BOOK 615

Gila and Salt River

65.00 Scrap for cuts fractional
 sec 31¹³ with mound and
 pits as per instructions on
 foot of mountains suitable for
 cultivation bearing N 60° E
 Land rolling
 Soil 3rd rate
 Greasewood and mesquite

Fractional cuts sec 24, 25, 19
 \$30 on West Boundary of
 Township 4th river

East on a true line per
 sec 19 \$30
 7' at 30° 42' E

38.00 To foot of mountains suitable
 for cultivation

Range 2 East Meridian

2907 Set apart on 1/4 sec corner
in stone mound as per
instructions
Land calling
Oil 300 rods
Mesquite, greasewood and
palo verde

From the corner sec 17, 18, 19
to Dave South bet
sec 19 & 20
20130 to 'E

3.
2908 To foot of north peak of mountain

2909 Set a stone 18+12+9 for
W corner into mound
and pits as per instructions
Land calling and sloping north

48

Township 4 North

291

BOOK 615

Gila and Salt River

Chy Inl 3rd rate
Greasewood and mesquite

North by sec 14 & 18
r at 340' E

400 Scraper for 1/2 Dec cor
with mound and pits as
per instructions
The top of a high Butte bears
West about 2000 dis.

500 Scraper for cor to sec 4, 8, 14
& 18 with mound and pits
as per instructions
Land rolling
Inl 2nd 3rd rates
Greasewood and mesquite

Range 2 East

Mendocino

Chs East on a random line
bet sec 8 + 17
7a 130 42' E

4000 Set temporary # sec cor

8032 Intersect N + S line 211K
South of cor to sec 8, 9, 16 + 17
Innervolute cor & run

A 89' 31" W on a true line
bet sec 8 and 17
7a 130 42' E

4016 Set apart - for 4 sec cor
aite mound and pits
as per instructions

8032 The cor to sec 8, 7, 17 + 18
Land rolling

50

Township 42 north

293

BOOK 615

Itaw and Salt River

Chs Intl 3rd rate
Greasewood and mesquite

Westward across line
between 7 & 18
7 at 8042' E

18.50 Road from Fort Yuma to Man-
icopa Wells bears N E & SW

4000 Inter-temporary 1/4 sec cor

19.10 Intersect West Boundary
of Township 19 N 1/2 south of cor
to sec 12, 13, 7 & 18
From which cord run
889052' E on true line
between 7 & 18
7 at 8042' E

Range 2 East Meridian

39.10 Serapm on 74 sec con
with arrow and pits
as per instructions

39.10 Mecon to sec 7, 8, 17 + 18
Land rolling
In E 3/4 sec
Greenwood, mesquite, palo
verde and cactus

North bear sec 7 + 8
7 + 13 to E
Ascend South slope

35.50 Road from Fort Yuma to Mari-
copal wells bears NE + SW

35.10 To foot of high rocky mountains
unfit for cultivation bear-
ing East and West

52

295

Township 4 South

BOOK 615

Delta and Salt River

4900 Per a part in stone mound
for 1/4 sec cor as per
instructions

Land rolling and sloping south
into 3rd cut

Grease woods, mesquite, palo
verde and cactus

Sept 14, 1868 -

Range 2 East

Meridian

General Description

This T_p is made fractional on the north and west by high and rocky mountains unsuitable for cultivation.

The arable land is about the common average being mostly rolling 2nd tier soils and well adapted for grazing purposes.

Timber Mesquite, greasewood and Palo verde and is very equally distributed over the T_p.

Water can be obtained ~~any~~ ~~where~~ at many points within twenty feet of the surface.

List of Names.

A List of the Names of the individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the subdivisions and Exterior Lines of Tps 1 S Ranges 6 + 7 E Tps 2 S - Ranges 6 + 7 E - Tps 4 SR 2 E + 5/2 S R 7 E of the Gila Salt-River Meridian in the Territory of Arizona showing the respective capacities in which they acted. —

Robert Bryant	Compassman.
Faustino Gonzales	Chainman.
Antonio Espinosa	Chainman.
Thomas L. Taylor	Axeman.

298

Final Oaths of Assistants.

We hereby certify that we assisted Wilfred F. Ingalls Deputy Surveyor, in surveying the Subdivision and Exterior Lines of Tps 1 SRs 6 + 7 E - Tp 2 S Ranges 6 + 7 E Tp 4 SR 2 E + Tp 5 SR 7 E of the Gila Salt River Meridian in the Territory of Arizona

and that said Survey has been, in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Robert Bryant
Thomas S Taylor
Aurustinio Gonzales
Antonio Espinosa

Subscribed and sworn to before me this 17th day of Sept. 1878.

Wilfred F. Ingalls
U. S. Deputy Surveyor

Final Oath of Deputy-Surveyor.

I, *Wilfred F. Ingalls*

Deputy-Surveyor, do solemnly swear that, in pursuance of a
~~joint contract, between W. F. Ingalls and G. P. Ingalls as joint-Contractors~~
~~with a contract with L. Upson, United States Surveyor~~
 General for California and ^{Arizona} ~~Quincy~~, bearing date the 10th
 day of July, 1888, I have well, faithfully and
 truly, in my own proper person, and in strict conformity
 with the instructions furnished by the Surveyor General,
 the Surveying Manual, and the laws of the United States,
 surveyed all those parts or portions of the Subdivision
 and Eastern Lines of
 Tps 15 Ranges 6 & 7 E - Tps 28 Ranges 6 & 7 E
 Tps 48 R 2 E and Tps 55 Range 7 E
 of the
 Gila Salt River Meridian
 in the
 Territory of Arizona

as are represented in the foregoing Field Notes as having been

300

BOOK 615


surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and that the foregoing are the true and original Field Notes of such Survey.

Wilfred L. Ingalls

U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 4th day of November 1868.

J. H. B. Bland
Notary Public



U. S. Surveyor General's Office,

BOOK

301
615

San Francisco, Cal.,

April 19th 1869.

The foregoing Field Notes of the surveys of

Sub-division Lines of
Sp. 1 S. Ranges 6 + 7 B.

" 2 " " 6 + 7 "

" 4 " " 2 "

" 5 " " 7 "

Gila ^{and} Salt River Meridian

in the ^{Terr} State of ^{Arizona} California executed by

Wilfred F. Swfalls

U. S. Deputy Surveyor, under his contract dated

July 10th 1868

having been critically examined, the necessary
corrections and explanations made, the said
Field Notes and the Surveys they describe are
hereby approved.

Sherman Day

U. S. Surveyor General,

For Cal. and Arizona.