

No. 620

BOOK 620

# Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

— OF —

Township 4 S Range 4 E

*Gila and Salt River Base and Meridian*

ARIZONA.

By Theodore F. White, D. S.

under contract dated Dec. 6, 1875.

Survey commenced Feb. 9, 1876.

Survey completed Feb. 15, 1876.

620

No. 620

1A

BOOK 620

Township 4 S. R. 4 E.

Gila and Salt River Meridian.

|     |     |     |     |     |     |     |     |     |     |    |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|
| 6   | 60. | 5   | 44. | 4   | 33. | 3   | 22. | 2   | 11. | 1  |
| 59. |     | 58  |     | 43  |     | 32. |     | 21. |     | 10 |
| 7   | 57. | 8   | 42  | 9   | 31. | 10  | 20. | 11  | 9.  | 12 |
| 56. |     | 55. |     | 41  |     | 30. |     | 19. |     | 8. |
| 18  | 54  | 17  | 40  | 16  | 29. | 15  | 18. | 14  | 7.  | 13 |
| 53  |     | 52  |     | 39. |     | 28. |     | 17. |     | 6. |
| 19  | 51  | 20  | 38. | 21  | 27. | 22  | 16. | 23  | 5.  | 24 |
| 50  |     | 49  |     | 37. |     | 26. |     | 15. |     | 4. |
| 30  | 48  | 29  | 26. | 28  | 25. | 27  | 14. | 26  | 3.  | 25 |
| 47  |     | 46. |     | 35  |     | 24. |     | 13. |     | 2. |
| 31  | 45. | 32  | 34. | 33  | 23. | 34  | 12. | 35  | 1.  | 36 |

## Preliminary Oaths of Assistants.

We, Urbain Beward  
and R. A. Vasquez  
do solemnly swear that we will faithfully execute  
the duties of Chain Carriers; that we will level the  
chain upon uneven ground, and plumb the tally  
pins, whether by sticking or dropping the same;  
that we will report the true distance to all notable  
objects, and the true length of all lines that we as-  
sist in measuring, to the best of our skill and  
ability.

Urbain Beward  
R. A. Vasquez  
\_\_\_\_\_  
\_\_\_\_\_

Sworn to and subscribed before me, this 7  
day of January, 1876

William J. Osborn  
Notary Public



We, Fred. C. Jones and  
Wright H. Aubury

do solemnly swear that we will well and truly per-  
form the duties of Aceman and  
Flagman, respectively,  
according to instructions given us, and to the best  
of our skill and ability.

Fred. C. Jones  
Wright H. Aubury

Sworn to and subscribed before me this 7  
day of January, 1876

William J. Colburn  
Notary Public



Township 4 S. Range 4 E.  
Gila & Salt River Meridian

February 9, 1876

As. Beginning at S. boundary of sec. 35 & 36. Run  
North between secs 35 & 36.

Var.  $114^{\circ}30'$  East

As per East Boundary.

40.00 Set a post, marked "4 S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground  
drive charred stake & build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for 1/4 sec. cor. No trees near.

80.00 Set a post, marked & notched,  
4 ft long, 3 in. sqd., 1 ft in the ground,  
drive charred stake & build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instruc-  
tions, for cor. to secs. 25, 26,  
35 and 36. No trees near  
Land flat. Soil 3<sup>rd</sup> rate.  
No timber.

Township 4 S Range 4 E  
Gila & Salt River Meridian

Cor. East on random line bet sec. 25 & 36,  
var.  $14^{\circ}30'$  East.

21.00 Old road cor. S. W.

40.00 Set temporary  $\frac{1}{4}$  Sec. cor.

80. 11 Intersect E. boundary 16 cor. S. of cor. to  
sec. 25 & 36, from which cor. Drive  
S.  $89^{\circ}53'$  W.

On true line between sec. 25 & 36,  
var.  $14^{\circ}30'$  East.

40. 05 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long, flat  
tined 3 in. wide, 1 ft. in the ground, drive  
charred stake & build mound of earth  
2 ft. high with pits 1 ft. deep, 2 ft. long 1 ft.  
wide, as per instructions, for  $\frac{1}{4}$  sec.  
cor. from which

A Pale Fucina, 9 in. dia. cor. South, 234 cor. dist  
do. 9 " " " S.  $45^{\circ}$  W. 230 " "

80. 11 Cor. to sec. 25, 26, 35 and 36  
Land flat. Soil 3<sup>rd</sup> rate.  
No timber.

Township 4 S. Range 4 E.  
Gila Salt River Meridian

Co. North between secs. 25 & 26.  
var. 114°30' East.

40.00 Set a post, marked 1/4 S. 4 ft long, flat  
tined 3 in. wide, 1 ft in the ground, drive  
charred stake and build mound of earth  
2 ft high, with feet 1 ft deep, 2 ft long,  
1 ft wide, as per instruction, for 1/4 sec.  
cor. from which

A Pale Firra, 15 in. diam. N. 45° E. 62 ls. dist.  
do. 6 " " N. 25° E. 98 " "

80.00 Set a post, marked 3/4 notched, 4 ft long,  
3 in. sq. d. 1 ft in the ground, drive charred  
stake & build mound of earth 2 ft high,  
with feet 1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for cor. to secs.  
23, 24, 25 and 26.

No trees near.

Land flat. Soil 2° & 3° rate.

A few scattering trees.

Township 4 S. Range 4 E.  
Gila & Salt River Meridian

No. East

On random line between secs. 24 & 25.  
var.  $14^{\circ}30'$  East

140.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.94 Intersect S. Boundary 10 Cor. S. of  
cor. to secs. 24 & 25. From which continue  
S.  $89^{\circ}56'N$ .

On true line between secs. 24 & 25.  
var.  $14^{\circ}30'$  East

39.97 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in wide, 1 ft in the  
ground, drive charred stake and  
build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft wide  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

79.94 Cor. to secs. 23, 24, 25 & 26.

Land flat. Soil 2<sup>d</sup> & 3<sup>d</sup> rate.  
A few trees.



Township 4 S. Range 14 E.  
Gila & Salt River Meridian

No. North betweens 23424.

var. 1430' East

19.00 Dry stream, 40 lbs. wide, brs. N.W.

40.00 Set a post, marked 4 S. 4 ft long, flat-  
tined 3 in. wide, 1 ft in the ground, driven  
charred stake & build mound of earth 2  
ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for 1/4 sec. cor. from which  
A Pale Tierra, 15 in. dia. brs S. 85° E. 274 lbs. dist.  
No other trees near.

80.00 Set a post, marked 9 notched, 4 ft long,  
3 in. sqd. 4 ft in the ground, driven charred  
stake & build mound of earth 2 ft high with  
pits 1 ft deep, 2 ft long, 1 ft wide as per instruc-  
tions, for cor. to sec. 13, 14, 23424. from which  
A Pale Tierra, 7 in. dia. brs N. 39 1/2° E. 254 lbs. dist.  
do. 8 " " " N. 53° E. 245 " "  
No other trees near.  
Land descends N.W. Soil poor.  
A few trees.

Township 11 S Range 14 E.  
Gila & Salt River Meridian

- This East meridian line bet. secs. 13 & 14.  
var.  $114^{\circ}30'$  East.
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 60.00 Rocky ridge bet. N. and S.
- 80.22<sup>1</sup> Dubious E. boundary 12 hrs. S. of cor.  
to sec. 13 & 14, from which cor. Run  
S.  $89^{\circ}55'$  N.
- On true line between secs. 13 & 14.  
var.  $114^{\circ}30'$  East.
- 40.12 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
flattened 3 in wide, 1 ft. in the ground,  
dove charred stake and build  
mound of earth 2 ft. high, with  
pits 4 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
Notes near.
- 80.22<sup>2</sup> Con. to Secs. 13, 14, 23 and 24.  
Land some hilly. Line passes over  
high rocky ridge. Soil poor. No timber.  
February 9, 1876.

Township 4 S. Range 4 E.  
Gila & Salt River Meridian

Cor. North between sec. 13 & 14.  
var.  $114^{\circ}30'$  East.

40.00 Set a post, marked 4 S. 4 ft long, flattened,  
3 in. wide, 1 ft in the ground, drive charred  
stave & build mound of earth 2 ft high  
with pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for 1/4 sec. cor. from which  
Alb. Survey, 4 in. dia. br. N.  $55\frac{1}{2}^{\circ}$  W. 235 br. dist  
do. 4 " " " S.  $75\frac{1}{2}^{\circ}$  W. 240 " "

This cor. is at the N.W. base of stony hill.

80.00 Set a post, marked & notched, 4 ft long,  
3 in. sq. 1 ft in the ground, drive charred  
stave and build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for cor. to sec. 11, 12,  
13 and 14. No trees near.  
Land descends a little N.  
Soil poor. No timber.

Township 4 S R 4 E.  
Gila & Salt River Meridian

Tr. East

Our random line between sec. 12 & 13.  
var.  $14^{\circ}30'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.12 Intersect E. boundary 13 hrs. N.  
of cor. to sec. 12 & 13, from which  
cor. Run  
N.  $89^{\circ}54'$  W.

Our true line between sec. 12 & 13.  
var.  $14^{\circ}30'$  East

40.06 Set a post, marked  $\frac{1}{4}$  S. 11 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
drill charred stake & build mound  
of earth 2 ft high, with pit 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees near.

80.12 Cr. to sec. 11, 12, 13 and 14.  
Land flat. Soil poor. No timber.

Township 14 S. Range 14 E.  
 Gila & Salt River Meridian

Cor. N. 10° W. between sec. 11 & 12.

var. 14° 30' East

40.00 Set a post, marked 14 S. 14 fl. long, flat  
 tined 3 in. wide, 1 ft. in the ground, drive  
 charred stake and build mound of  
 earth 2 ft. high with pits 1 ft. deep, 2 ft.  
 long, 1 ft. wide, as per instructions  
 for 14 sec. cor. No trees near.

80.00 Set a post, marked 14 S. 14 fl. long, 3 in. sq. d., 1 ft. in the  
 ground, drive charred stake and  
 build mound of earth 2 ft. high,  
 with pits 1 ft. deep, 2 ft. long, 1 ft.  
 wide, as per instructions for cor.  
 to sec. 1, 2, 11 and 12, from which  
 Amargosa, 5 in. dia. br. N. 20° W. 28 yds. dist.  
 No other trees near.  
 Land flat. Soil poor. No timber.

Township 4 S. Range 4 E.  
 Gela & Salt River Meridian  
 T<sub>4</sub> East.

Curved line between secs. 1 & 12.

var.  $114^{\circ}30'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

50.12 Intersect E. boundary 15 hrs. S of  
 cor. to secs. 1 & 12, from which  
 cor. from  
 S.  $89^{\circ}54'$  W.

Curve line between secs. 1 & 12.

var.  $114^{\circ}30'$  East

40.06 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in. wide, 1 ft in the ground,  
 drive charred stake & build mound of  
 earth 2 ft high, with pit 1 ft deep, 2 ft  
 long, 1 ft wide, as per instructions for  
 $\frac{1}{4}$  sec. cor. No trees near.

50.12 Cor. to secs. 1, 2, 11 and 12.  
 Land flat Soil poor.  
 No timber.

Township 4 S. Range 4 E.  
Gila & Salt River Meridian

Sec. North

On random line bet sec. 1 & 2.

var.  $114^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

49.92 Intersect N. boundary 17 ls. N.  
of cor. to sec. 1 & 2. from which  
cor. drawn

S.  $0^{\circ}17'$  N.

On true line between sec. 1 & 2.

var.  $114^{\circ}30'$  East.

39.92 Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  E. long,  
flattened 3 in wide, 1 ft in the ground  
dive charred stake  $\frac{3}{4}$  in dia mound of  
earth 2 ft high, with pits 1 ft deep, 2  
ft long, 1 ft wide, as per instruc-  
tions, for  $\frac{1}{4}$  sec. cor. No trees near.

79.92 Cor. to Secs. 1, 2, 11 and 12.

Land flat Soil 2<sup>d</sup> rate.

No timber.

Township 4 S. Range 24 E.  
Gila & Salt River Meridian

Co. North between secs 34 & 35.

var.  $14^{\circ}30'$  East.

140.00 Set a post, marked 1/4 S. 11 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
drive charred stake & build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instruc-  
tions, for 1/4 sec. cor. No trees near.

80.00 Set a post, marked & notched, 11 ft  
long, 3 in. sqd. 1 ft in the ground,  
drive charred stake & build mound of  
earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instruc-  
tions, for cor. to secs 26, 27, 34 &  
35, from which

A Pale Pina, 5 in. dia. bears  $S. 78^{\circ} E. 69'$  dist.

No other trees near.

Land flat. Soil 20 mts.

No timber.



Township 4 S. Range 4 E.  
T14 & Salt River Meridian

P. East.

Course line bet. sec. 26 & 35.

var. 14° 30' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.88 Intersect N. & S. line 14 lks. N. of cor.

to sec. 25, 26, 35 and 36 from  
which cor. from

N. 89° 54' W.

Course line between sec. 26 & 35.

var. 14° 30' East.

39.94 Set a post, marked  $\frac{1}{4}$  S. of pl. long.

flattened 3 in. wide, 1 ft. in the ground,  
two charred stakes to build mound  
of earth 2 ft. high, with pits 1 ft. deep,  
2 ft. long, 1 ft. wide, as per instruc-  
tions, for  $\frac{1}{4}$  sec. cor. No trees near.

79.88 Cor. to sec. 26, 27, 34 & 35.

Land flat. Soil & rate.

No timber.

Township 4 S. Range 4 E.  
Tela & Salt River Meridian.

Line North between sec. 26 & 27  
var.  $14^{\circ}30'$  East

- 6.00 Old road base. S. E.
- 40.00 Set a post, marked 7 or 8. 4 ft long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake & build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor.
- No trees near.
- 80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. 1 ft. in the ground, drive charred stake & build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 27, 28, 26 and 27. No trees near.
- Land flat. Soil 2 or 3 ft. No timber.

Township 4 S. Range 4 E.  
 Gila & Salt River Meridian

S. East

On random line bet sec. 23 & 26.

var.  $14^{\circ}30'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.90 Intersect N. & S. line 16 lns. N. of  
 cor. to sec. 23, 24, 25 & 26. from  
 which cor. Drive  
 N.  $89^{\circ}53'$  W.

On true line between sec. 23 & 26.

var.  $14^{\circ}30'$  East

39.95 Set a post, marked  $\frac{1}{4}$  S. 11 ft. long,  
 flattened 3 in wide, 1 ft 6 in the ground,  
 drive charred stake and build  
 mound of earth 2 ft. high, with pit 1 ft.  
 deep, 2 ft. long, 1 ft. wide, as per in-  
 structions for  $\frac{1}{4}$  sec. cor. Notes near.

79.90 Cor. to Sec. 22, 23, 26 & 27.  
 Land flat. Soil 3 parts. No timber.

Township 4 S. Range 4 E.  
 Gila & Salt River Meridian

- Sec. North between secs 22 & 23.  
 var. 141°30' East
- 40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
 flattened 3 in. wide, 4 ft. in the ground,  
 drive charred stake & build mound  
 of earth 2 ft. high, with pits  
 1 ft. deep, 2 ft. long, 1 ft. wide, as  
 per instructions, for  $\frac{1}{4}$  sec. cor.  
 No trees near.
- 80.00 Set a post, marked  $\frac{3}{4}$  notched, 4 ft.  
 long, 3 in. sq. d., 4 ft. in the ground,  
 drive charred stake & build mound  
 of earth 2 ft. high, with pits 1 ft. deep,  
 2 ft. long, 1 ft. wide, as per in-  
 structions, for cor. to secs. 14,  
 15, 22 and 23. No trees near  
 Land flat.  
 Soil 3<sup>rd</sup> m to.  
 No timber.

Township 4 S. Range 14 E.  
Gila & Salt River Meridian

P. East

On random line bet. sec. 14 & 23

var.  $14^{\circ}30'$  East.

40.00 Set temporary 1/4 sec. cor.

79.85 Intersect N. and S. line 1 block.

S. of cor. to sec. 13, 14, 22 & 23.

from which cor. from

S.  $89^{\circ}56'$  N.

On true line between sec. 14 & 23

var.  $14^{\circ}30'$  East

39.93 Set a post, marked 1/4 S. 1/4 long.

flattened 3 in wide 1 ft in the ground.

Two charred staves & built mound

of earth 2 ft high, with feet 1 ft deep.

2 ft long, 1 ft wide, as per instructions

for 1/4 sec. cor. No trees near.

79.85 Cor. to sec. 14, 15, 22 & 23

Land flat. Soil 3<sup>rd</sup> rate.

No timber.

Township 4 S. Range 4 E.  
T14<sup>th</sup> Salt River Meridian

Sec. North between sec. 14 & 15.

var. 14°30' East.

40.00 Remote from stone and timber  
Drive charred stakes & build mound  
of earth 2 ft high, with pits 1 ft  
deep, 2 ft long, 1 ft wide, as per  
instructions, for 74 sec. cor.

50.00 Set a post, marked and watched  
2 ft long, 3 in. sq'd, 1 ft in the  
ground, drive charred stakes  
and build mound of earth  
2 ft high, with pits 1 ft deep, 2  
ft long, 1 ft wide, as per instructions  
for cor. to sec. 10, 11, 14 and  
15. Notices near.

Land plot.

Sold 3<sup>rd</sup> rate.

No timber.

February 10, 1876.

Township 4 S. Range 4 E.  
 Gila & Salt River Meridian

Co. East.

On random line between sec. 11 & 14  
 var. 14° 30' East.

40.00 Set temporary 1/4 sec. cor.

79.80 Intersect N. & S. line 11 br. S. of  
 cor. to sec. 11, 12, 13 and 14,  
 from which cor. True  
 S. 89° 55' W.

On true line between sec. 11 & 14  
 var. 14° 30' East.

39.90 Set a post, marked 1/4 S. 1/4 E. long, flat  
 top 3 in wide, 1 ft. in the ground,  
 and charred stake & build mound  
 of earth 2 ft high, with post 1/4 E. long,  
 1/4 ft wide, as per instru-  
 tions, for 1/4 sec. cor. No trees near

79.80 Cor. to sec. 10, 11, 14 & 15.  
 Land flat. Soil 2<sup>nd</sup> rate.  
 No timber.

Township 4. S. Range 4 E.  
 Gila Salt River Meridian

- |       |  |
|-------|--|
| No.   | North between sec 10 & 11  |
|       | var. $114^{\circ}30'$ East   |
| 40.00 | Set a post, marked $\frac{1}{4}$ S. of $\frac{1}{4}$ long, flat<br>tined 3 in. wide, $\frac{1}{2}$ ft in the ground, drive<br>charred stake & build mound of earth<br>$\frac{1}{2}$ ft high, with pits $\frac{1}{2}$ ft deep, $\frac{1}{2}$ ft long,<br>$\frac{1}{2}$ ft wide, as per instructions for $\frac{1}{4}$<br>sec. cor. No trees near. |
| 80.00 | Set a post, marked & notched,<br>of $\frac{1}{2}$ long, 3 in. sq. $\frac{1}{2}$ ft in the ground,<br>drive charred stake and build<br>mound of earth $\frac{1}{2}$ ft high, with pits<br>$\frac{1}{2}$ ft deep, $\frac{1}{2}$ ft long, $\frac{1}{2}$ ft wide, as per in-<br>structions, for cor. to sec. 2, 3,<br>10 & 11. From a rock           |
|       | A Mesquite, 11 in. dia. base S. $147^{\circ}$ N. $145'$ to dist.   |
|       | do. " " " N. $83\frac{1}{2}^{\circ}$ E. $157'$ "   |
|       | No other trees near.   |
|       | Land flat Soil 2 <sup>nd</sup> rate. No trees of consequence.<br>Small Bush.   |



Township 4 S. Range 11 E.  
Gila & Salt River Meridian

Chs. E. A. on random line bet sec. 2 & 11.  
var.  $14^{\circ}30'$  East

40.00 Set temporary 74 sec. cor.

80.05 Intersect N. & S. line 74 sec. S. of cor.  
to secs. 1, 2, 11 & 12, from which  
cor. draw  
S.  $89^{\circ}57'$  N.

Continue line between sec. 2 & 11,  
var.  $14^{\circ}30'$  East.

40.02 Set a post, marked 74 S. 4 ft long, flat-  
tined 3 in. wide, 1 ft in the ground, drive  
chained stake & build mound of earth  
2 ft high, with pits 4 ft deep, 2 ft long, 4 ft  
wide, as per instructions, for 74 sec.  
cor. from which

R Mesquite, 3 in. diameter, N.  $40^{\circ}2'$  W. 164 lead set.

do. 5 " " " N.  $23^{\circ}2'$  E. 170 " "

80.05 Cor. to Secs 2, 3, 10 and 11.

Land flat. Soil 2 rate. No timber.

Township 4 S. Range 4 E.  
 6th & Salt River Meridian

On North on random line bet. sec. 2 & 3.  
 var.  $14^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.13 Intersect N. boundary 16 hrs. E of  
 cor. to sec. 2 & 3, from which cor. from  
 $S. 0^{\circ}7' E.$

On true line between sec. 2 & 3.

var.  $14^{\circ}30'$  East.

40.13 Set a post, marked  $\frac{1}{4}$  S. of  $\frac{1}{4}$  long, flat-  
 tured 3 in. wide, 1 ft in the ground, drive  
 charred stone & build mound a fourth  
 of the high, with pit 1 ft deep, 2 ft long, 1 ft  
 wide, as per instructions, for  $\frac{1}{4}$  sec.  
 cor. from which

A mesquite, 8 in. dia. by N.  $7^{\circ}$  N. 100 lns. dist.

do. " " " S.  $33^{\circ}$  N. 90 " "

80.13 Con. to sec. 2, 3, 10 and 11.

Land flat. Soil 2<sup>nd</sup> rate. A few  
 scattering trees.

Township 4 S Range 4 E.  
Gila & Salt River Meridian

Line North between secs 33 & 34.  
4 or. 14° 30' East.

14000 Set a post, marked 4 S. 4 ft long, flat  
tined 3 in. wide, 1 ft in the ground,  
drive charred stake & build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instruc-  
tions, for 1/4 sec. cor. No trees near.

8600 Set a post, marked 4 notched,  
4 ft long, 3 in. sqd. 1 ft in the ground,  
drive charred stake & build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide  
as per instructions, for cor. to  
secs. 27, 28, 33 and 34.  
No trees near.

Land flat. Soil 3<sup>rd</sup> rate.  
November.

2A Township 4 S. Range 14 E.  
 T14 S. Salt River Meridian  
 T14 E.

On random line between sec. 27 & 34  
 var.  $14^{\circ}30'$  East

40.00 Set temporary 1/4 sec. cor.

80.06 In a sec. N. & S. line 11 lns. S. of cor.  
 to sec. 26, 27, 34 and 35, from  
 which cor. Drive  
 $S. 89^{\circ}55' W.$

On true line between sec. 27 & 34  
 var.  $14^{\circ}30'$  East.

40.03 Set a post, marked 1/4 S. 1/4 block,  
 flattened 3 in wide, 1 ft in the ground,  
 drive charred stake & build mound  
 of earth 2 ft high, with pile 1 ft deep,  
 2 ft long, 1 ft wide, as for a struc-  
 ture, for 1/4 sec. cor. Notice near

80.06 Cor. to sec. 27, 28, 33 & 34.  
 Land flat Soil 3<sup>rd</sup> rate.  
 No timber.

Township 4 S. Range 14 E.  
Gila & Salt River Meridian

- Co. North between secs 27 & 28.  
var.  $14^{\circ} 30'$  East
- 110.00 Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  ft long, flattened  
3 in. wide,  $\frac{1}{2}$  ft in the ground, drive charred  
stake & build mound of earth 2 ft  
high, with pit  $\frac{1}{2}$  ft deep, 2 ft long,  $\frac{1}{2}$  ft wide, as  
per instructions, for  $\frac{1}{4}$  sec. cor. from which  
A Mesquite, 4 in. dia. br. N.  $13^{\circ} 4'$  E. 104 lvs. dist.  
do 5 " " " N.  $57^{\circ} 4'$  W. 206 " "
- 80.00 Set a post, marked  $\frac{1}{4}$  notched,  $\frac{1}{2}$  ft long, 3  
in. sq.  $\frac{1}{2}$  ft in the ground, drive charred stake  
and build mound of earth 2 ft high with  
pit  $\frac{1}{2}$  ft deep, 2 ft long,  $\frac{1}{2}$  ft wide, as per  
instructions, for cor. to secs. 21, 22, 27  
and 28, from which  
A Mesquite, 5 in. dia. br. S.  $61^{\circ} 4'$  E. 308 lvs. dist.  
No other trees near.  
Land flat. Soil 3<sup>rd</sup> rate.  
No timber.

Township 4 S. Range 4 E.  
 Gila Salt River Meridiana

Sec East

Quadrant line between 22 & 24.  
 var. 14° 30' East

40.00 Set temporary 1/4 sec. cor.

80.05 Intersect N. & S. line 14 ch. S. of cor.  
 to sec. 22, 23, 26 and 24. from  
 which cor. Run  
 S. 89° 54' W.

Outline line between sec. 22 & 24.  
 var. 14° 30' East

40.02 Set a post, marked 1/4 S. 14 ft.  
 long, flattened 3 in. wide, 1/2 in  
 the ground. Drive charred stakes  
 and build mound of earth 2 ft high,  
 with pit 1 ft deep, 2 ft long, 1 ft  
 wide, as per instructions, for 1/4 sec.  
 cor. No trees near.

80.05 Co. to sec. 21, 22, 27 & 28.  
 Land flat. Soil 3<sup>rd</sup> rate.  
 No timber.

Township 4 S. Range 4 E.  
 5th 2d Salt River Meridian

Rs. North between sec 21 & 22,  
 ran. 14° 30' East.

40.00 Set a post, marked "4 S. 4 ft long,  
 flattened 3 in. wide, 1 ft in the ground,  
 drive charred stake and build  
 mound of earth 2 ft high with  
 pits 1 ft deep, 2 ft long, 1 ft wide  
 as per instructions, for 4 sec. con. from a hole  
 in Mesquite, 3 in. dia. to S. 27° N. 91' C. S. dist.  
 No other trees near.

80.00 Set a post, marked & notched, 4 ft long,  
 3 in. sq. 1 ft in the ground, drive charred  
 stake & build mound of earth 2 ft  
 high with pits 1 ft deep, 2 ft long, 1 ft  
 wide, as per instructions, for  
 con. to sec. 15, 16, 21 and 22.  
 No trees near.

Land flat. Soil 2 or 3 in. rate.  
 No timber.

Township 4 S. Range 4 E.  
 T14 & Salt River Meridian

Chs. East.

On random line bet. sees. 15 & 22,  
 var.  $14^{\circ}30'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.90 Intersect N. & S. line 15 hrs. S of  
 cor. to sees. 14, 15, 22 & 23. from  
 which cor. drawn  
 $S. 89^{\circ}54' N.$

On true line between sees. 15 & 22,  
 var.  $14^{\circ}30'$  East

39.95 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long. flat-  
 topped 3 in. wide, 1 ft. in the ground,  
 drive charred stake & build mound  
 of earth 2 ft. high, with pit 1 ft. deep,  
 2 ft. long, 1 ft. wide, as per instructions  
 for  $\frac{1}{4}$  sec. cor. No trees near.

79.90. Cor. to sees. 15, 16, 21 & 22.  
 Land flat. Soil 2<sup>d</sup> rate,  
 No timber.



Township 4 S. Range 24 E.  
Gila & Salt River Meridian

- Cor. North between sec. 15 & 16,  
var.  $14^{\circ}30'$  East.
- 240.00 Set a post, marked  $\frac{1}{4}$  in S.  $\frac{1}{4}$  ft long, flat  
tined 3 in wide,  $\frac{1}{2}$  ft in the ground,  
drive charred stake & build mound  
of earth  $\frac{1}{2}$  ft high, with pit  $\frac{1}{2}$  ft deep,  $\frac{1}{2}$  ft  
long,  $\frac{1}{2}$  ft wide, as per instructions, for  
 $\frac{1}{4}$  sec. cor. from which  
A magrate 5 in. dia. br. N.  $41\frac{1}{2}^{\circ}$  W.  $\frac{1}{2}$  ft bl. dist.  
No other trees near.
- ~~64.00~~ Old road bet. N. N.
- 80.00 Set a post, marked  $\frac{1}{4}$  in notched,  $\frac{1}{2}$  ft long  
3 in. sqd.  $\frac{1}{2}$  ft in the ground, drive charred  
stake & build mound of earth  $\frac{1}{2}$  ft high,  
with pit  $\frac{1}{2}$  ft deep,  $\frac{1}{2}$  ft long,  $\frac{1}{2}$  ft wide  
as per instructions, for cor. to Sec.  
9, 10, 15 and 16. No trees near.  
Land flat. Soil 2<sup>nd</sup> rate.  
Low Brush. No timber.  
February 11, 1876.

30

Township 4 S. Range 4 E.  
Gila & Salt River Meridian

Sec. East

Curved line between secs. 10 & 15.

var.  $114^{\circ}30'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.13 Intersect N. and S. line 17 hrs. N.  
of cor. to secs. 10, 11, 14 and 15, from  
which cor. done  
 $N. 89^{\circ}53'$  W.

On true line between secs. 10 & 15.

var.  $114^{\circ}30'$  East

40.06 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the ground,  
drill charred stake & built mound  
of earth 2 ft. high with pit 4 ft. deep, 2  
ft. long, 1 ft. wide, as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees near.

80.13 Cor. to Secs. 9, 10, 15 & 16

Land flat. Soil 2<sup>nd</sup> and 3<sup>rd</sup> c.  
No timber.

Township 4 S. Range 4 E.  
Tela & Salt River Meridian

Sec. North of section 9 & 10  
var. 114° 30' East

40.00 Set a post, marked 14 S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the ground,  
drive charred stake and build  
mound of earth 2 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions for 4 sec. cor.  
No trees near

80.00 Set a post, marked & notched, 4 ft.  
long, 3 in. sq. d. 1 ft. in the ground, drive  
charred stake & build mound  
of earth 2 ft. high, with pits 1 ft. deep,  
2 ft. long, 1 ft. wide, as per instruc-  
tions for cor. to Secs. 3, 4, 9 and 10.  
from which

A Mesquite stump, 15 in. dia. br. S. 45° N. 10 in. dia. salt  
No other trees near

Land flat Soil 2° and 3° rate.  
No timber

Township 4 S. Range 4 E  
 Sec 4 Salt River Meridian

Ln East

On random line between sec. 3 & 10.  
 var. 14°30' East.

40.00 Set temporary 1/4 sec. cor.

80.11 Intersect N. & S. line 16 hrs. N. of cor.  
 to sec. 2, 3, 10, and 11, from which  
 cor. from  
 N. 89°53' W.

On true line between sec. 3 & 10.  
 var. 14°30' East

40.05 Set a post marked 1/4 S. 1/4 fl. long, flat-  
 tined 3 in wide, 1 ft. in the ground,  
 drive charred stake & build mound  
 of earth 2 ft high with pit 1 ft deep,  
 2 ft long, 1 ft wide, as per instructions  
 for 1/4 sec. cor. No trees near

80.11 Cor. to sec. 3, 4, 9 and 10.  
 Land flat. Soil white.  
 No timber.

Township A.S. Range 4 E.  
T. 3 Salt River Meridian

Ch. NORTH on random line between 3<sup>rd</sup> St.  
var. 14° 30' East.

40.00 Set temporary 1/4 sec. cor.

80.14 Intersect N. boundary 18 less N.  
of cor. to sec. 3<sup>rd</sup> St. from which  
cor. run  
S. 0° 8' N.

On true line between sec. 3<sup>rd</sup> St.

var. 14° 30' East.

40.14 Set a post, marked 1/4 S. 4 ft long,  
flattened 3 in wide, 1 ft in the ground,  
drive charred stake and build  
mound of earth 2 ft high, with  
bits 1 ft deep, 2 ft long, 1 ft wide  
with instructions for 1/4 sec.  
cor. No trees near.

80.14 Cor. to sec. 3. St. 9 and 10.  
Land flat. Soil 2<sup>nd</sup> rate.  
No timber.

Township 4 S. Range 4 E.  
Tada Salt River Meridian

Rs. North between secs. 32 & 33.  
var. 14°30' East

40.00 Set a post marked  $\frac{1}{4}$  S. 4 ft. long, flat  
tined 3 in. wide, 1 ft. in the ground,  
dure charred stake and build  
mound of earth 2 ft. high, with pits 1 ft.  
deep, 2 ft. long, 1 ft. wide, as per instruc-  
tions, for  $\frac{1}{4}$  sec. cor. No trees near.

80.00 Set a post, marked  $\frac{3}{4}$  matched, 4 ft. long,  
3 in. sq. d. 1 ft. in the ground, dure charred  
stake & build mound of earth 2 ft. high,  
with pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for cor. to secs.  
28, 29, 32 & 33. from which  
Amesquite, 4 in. dia. br. N. 44° E. 267' bend dit.

No other trees near.  
Land flat. Soil 3<sup>rd</sup> rate.  
No timber.

Township 4 S. Range 4 E.  
Gla 3 Salt River Meridian

Sec. East

On random line between sec. 28 & 33  
var. 114°30' East

110.00 Set temporary 1/4 sec. cor.

79.87 Intersect N. & S. line 21 lns. N. of cor.  
to sec. 27, 28, 33 & 34. from which  
on. True  
N. 89°51' W.

On true line between sec. 28 & 33  
var. 114°30' East

39.94 Set a post, marked 1/4 S 1/4 flong, flat  
tined 3 in wide 1 ft in the ground,  
dove charred stake & build mound  
of earth 2 ft high, with pit 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for 1/4 sec. cor. No trees near.

79.87 Cor. to sec. 28, 29, 32 & 33.  
Land flat. Soil 3<sup>rd</sup> rate.  
No timber.

Township 4 S. Range 4 E  
Gila & Salt River Meridian

Sec. North. Situate sec. 28 & 29  
var.  $14^{\circ}30'$  East

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the ground,  
duri charred stake & build mound of earth  
2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor. from which  
Amesquite, 5 in. dia. to S.  $18\frac{3}{4}^{\circ}$  E. 131 lbs. dist.  
No other trees near.

80.00 Set a post, marked & notched, 4 ft. long,  
3 in. sqd. 4 ft. in the ground, duri charred  
stake and build mound of earth 2 ft. high  
with pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for cor. to sec.  
20, 21, 28 and 29, from which  
Amesquite, 4 in. dia. to N.  $30^{\circ}$  W. 166 lbs. dist.  
No other trees near.  
Land flat Soil 3<sup>rd</sup> rate.  
No timber.



Township 4 S. Range 4 E.  
 Gila Salt River Meridian  
 Cor. East.

On random line between sec. 21 & 28.  
 var.  $14^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.90 Intersect N. & S. line 18 lks. N. of cor.  
 to sec. 21, 22, 24 and 28, from  
 which cor. Run  
 $N. 89^{\circ}52' W.$

On true line between sec. 21 & 28.  
 var.  $14^{\circ}30'$  East.

39.95 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flat  
 lined 3 in. wide, 1 ft in the ground.  
 Drive charred stake & build mound  
 of earth 2 ft high, with feet 4 ft deep,  
 2 ft long, 1 ft wide, as per instructions  
 for  $\frac{1}{4}$  sec. cor. Notices near

79.90 Cor. to sec. 20, 21, 28 & 29.  
 Land flat. Soil 3<sup>rd</sup> rate.  
 Some brush. No timber.

Township 4 S. Range 4 E.  
Gila & Salt River Meridian

Line North between sec. 20 & 21.

200. 141° 30' East.

4000 Set a post, marked by S. 1 ft long,  
flattened 3 in wide, 1 ft in the ground,  
drive charred stake & build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for this sec. cor. No trees near.

8000 Set a post, marked & notched, 1 ft  
long, 3 in. sqd. 1 ft in the ground,  
drive charred stake & build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for cor. to secs. 16, 17, 20 and 21.  
from which

Amaguide, 9 in. dia. brs S. 18 1/2° N. 353 lbs. dist.  
No other trees near.

Land flat Soil 2<sup>o</sup> rate.

No timber of consequence.

Township 4 S. Range 24 E.  
 T14 Salt River Meridian  
 T14 East

Curved line between sec. 16 & 21.  
 702. 114°30' East

110.00 Set temporary 1/4 sec. cor.

80.05 Intersect. N. and S. line 17/8ths N. of  
 cor. to sec. 15, 16, 21 and 22, from  
 which cor. from

N. 89°53' W.

On true line between sec. 16 & 21.

702. 114°30' East

40.02 Set a post, marked 1/4 S. 1/4 E. long. flat  
 tined 3 in. wide, 1 ft in the ground,  
 drive charred stake and build mound  
 of earth 2 ft high, with pile 1 ft deep,  
 2 ft long, 1 ft wide, as per instruction  
 for 1/4 sec. cor. Notice near.

80.05 Cor. to sec. 16, 17, 20 & 21.

Land flat. Soil 2<sup>nd</sup> rate.

No timber of consequence.

Township 4 S. Range 4 E  
Gila & Salt River Meridian

Co. North between sec. 16 & 17  
4 or 114° 30' East  
40.00 Set a post, marked 4 S. 4 ft long, flat-  
tined 3 in. wide, 1 ft in the ground,  
drill charred stake & build mound  
of earth 2 ft high, with pit 1 ft  
deep, 2 ft long, 1 ft wide, as per instruc-  
tions, for 1/4 sec. cor. from which  
Amesquite, 8 in. dia. W. N. 50° N. 57 lbs. dist.  
do. 8 " " " S. 5° E. 197 " "

80.00 Set a post, marked 3 notched, 4 ft long, 3 in. x 1/2,  
1 ft in the ground, drill charred stake & build  
mound of earth 2 ft high, with pit 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions, for cor. to  
secs. 8, 9, 16, & 17, from which  
Amesquite, 8 in. dia. W. S. 65 1/4° N. 65 lbs. dist.  
do. 6 " " " S. 41 1/4° N. 147 " "  
do. 8 " " " N. 2 1/2° E. 233 " "  
Land flat. Soil 2° rate. Some trees  
and brush. February 12, 1896.

Township 14 S. Range 24 E.  
Gila & Salt River Meridian  
C. East

On a random line bet. sec. 9 & 16.  
var.  $114^{\circ}30'$  East

40.00 Set temporary  $1/4$  sec. cor.

80.12 Intersect N. & S. line 19 lvs N. of cor. to  
secs. 9, 10, 15 and 16, from which  
cor. from  
N.  $89^{\circ}52'$  W.

On a random line between secs. 9 & 16.  
var.  $114^{\circ}30'$  East.

40.06 Set a post, marked  $1/4$  S. 14 ft long, flat-  
tined 3 in. wide, 1 ft in the ground, drive  
charred stake and build mound of  
earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for  $1/4$  sec. cor. No trees near.

80.12 Cor. to secs. 8, 9, 16, and  $1/4$ .  
Land flat. Soil 2<sup>nd</sup> rate.  
Some brush. No timber.

Township 4 S. Range 4 E.  
Gila & Salt River Meridian

- Sec. North between sees 8 & 9.  
 var.  $14^{\circ}30'$  East
- 40.00 Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  flong,  
 flattened 3 in. wide, 1 ft. in the ground,  
 drive charred stake and build  
 mound of earth 2 ft high with pits  
 1 ft deep, 2 ft long, 1 ft wide, as per instruc-  
 tions for  $\frac{1}{4}$  sec. cor. from which  
 Amesquite, 10 in. dia. br. N.  $18^{\circ}4'$  E. 150 lns. dist.  
 do. 5 " " " N.  $86^{\circ}4'$  W. 173 " "
- 80.00 Set a post, marked  $\frac{1}{4}$  notched,  $\frac{1}{4}$  flong, 3 in.,  
 sqd. 1 ft. in the ground, drive charred  
 stake and build mound of earth 2 ft high  
 with pit 1 ft deep, 2 ft long, 1 ft wide, as  
 per instructions for cor. to sees 4, 5,  
 8 and 9. from which  
 Amesquite, 5 in. dia. br. North 127 lns. dist.  
 do. 6 " " " N.  $55^{\circ}2'$  W. 203 " "
- Land flat. Soil 2<sup>o</sup> rate. Some brush.

Township 4 S. Range 4 E.  
Gila & Salt River Meridian

Tr. East

Curved line between 4 & 9.  
var.  $14^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.07 Intersect N. & S. line 17' less N. of cor. to  
secs. 3, 4, 9 and 10, from which  
cor. from

$N. 89^{\circ}53' W.$

Curved line between secs. 4 & 9.  
var.  $14^{\circ}30'$  East

40.03 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flat-  
tined 3 in wide, 1 ft in the ground,  
dunn charred stake and build  
mound of earth 2 ft high, with pit  
1 ft deep, 2 ft long, 4 ft wide, as per  
instructions, for  $\frac{1}{4}$  sec. cor. Notar var.

80.07 Cor. to Secs. 4, 5, 8 and 9.  
Land flat. Soil 2 Crater.  
Some brush.

Township 4 S. Range 4 E.  
Gila & Salt River Meridian

The North or random line bet. sec. 4 & 5,  
was.  $111^{\circ}30'$  East

110.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.95 Intersect N. boundary 11 lvs. N. of cor.  
to sec. 4 & 5, from which cor. run  
 $S. 0^{\circ}5'$  W.

Outline line between sec. 4 & 5,

was.  $111^{\circ}30'$  East

79.95 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flat  
land 3 in. wide, 4 ft in the ground,  
drive charred stake and build mound  
a foot high, with pile of dirt 2 ft  
ft long, 4 ft wide, as per instructions for  $\frac{1}{4}$   
sec. cor. from which

Amesquite, 3 in. dia. br. S.  $47^{\circ}$  E. 69 lvs. dist  
do. 3 " " " N.  $59^{\circ}$  W. 99 " "

79.95 Conto sec. 4, 5, 8 and 9.  
Land flat. Soil & etc. Some  
brush.



Township 4 S. Range 4 E.  
Gila and Salt River Meridian

Line North, between secs. 31 & 32.

var.  $14^{\circ} 30'$  East

40.00 Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  fl. long, flattened 3 in.  
wide of the ground, driven charred stove and  
built around of earth 4 ft high, with hole 4 ft deep  
4 fl. long, 4 ft wide, as per instructions for the sec. corner  
Amesquite, 19 in. dia. tree North 51 ls. dist.  
do 6 " " " S.  $30^{\circ}$  E. 76 " "

80.00 Set a post, marked and notched, 4 ft long,  
3 in. sq. of the ground, driven charred  
stove & built around of earth 4 ft high, with  
hole 4 ft deep, 2 ft long, 4 ft wide, as per instructions  
for cor. to secs. 29, 30, 31 & 32, from corner  
Amesquite, 9 in. dia. tree N.  $76^{\circ}$  W. 142 ls. dist.  
do 7 " " " S.  $97\frac{1}{2}^{\circ}$  E. 251 " "  
do 8 " " " S.  $61\frac{1}{2}^{\circ}$  W. 206 " "  
do 9 " " " N.  $27\frac{1}{2}^{\circ}$  E. 101 " "

Land flat Soil 2<sup>o</sup> rate.

Some brush.

Township 4 S. Range 24 E.  
 Gila & Salt River Meridian

Li. East random line bet sec. 29 & 30,  
 var.  $114^{\circ}30'$  East.

27.00 Dyked off stream, 40 lbs. wide, bet N. & W.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.90 Intersect N. & S. line 13 lbs. S. of cor. to  
 sec. 28, 29, 30 & 31, from which cor. run  
 $S. 89^{\circ}54' W.$

On true line bet sec. 29 & 30.

var.  $114^{\circ}30'$  East.

39.95 Set apart, marked  $\frac{1}{4}$  S. 1 ft. long, flattened  
 3 in. wide, 1 ft. in the ground, driven charred  
 stake and build mound of earth 1 ft  
 high with feet 1 ft. deep, 2 ft. long, 1 ft. wide,  
 as per instructions, for  $\frac{1}{4}$  sec. cor. from which  
 A mesquite, 4 in. dia. bet. N.  $28^{\circ} W.$  62 lbs. dist.  
 do. 5 " " " S.  $12\frac{1}{2}^{\circ} W.$  49 " "

79.90 Cor. to sec. 29, 30, 31 and 32.

Land flat. Soil sparse. A few  
 scattering trees and brush.

Township 4 S. Range 4 E.  
Gda & Salt River Meridian

Cor. West

On random line between secs. 30 & 31.  
var.  $14^{\circ}30'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.70 Intersect N. boundary 41 sec. N. of sec.  
to secs. 30 and 31. from which  
cor. from

N.  $89^{\circ}42'$  E.

On true line between secs. 30 & 31.

var.  $14^{\circ}30'$  East

39.70 Set a post marked "4 S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground  
drive charred stake and build  
mound of earth 2 ft high, with  
pit 4 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for  $\frac{1}{4}$  sec. cor.

No trees near.

79.70 Cor. to Secs. 29, 30, 31 & 32.

Land flat. Soil 2<sup>nd</sup> rate. A few  
trees. Brush.

Township 4 S. Range 4 E.  
Gila & Salt River Meridian

Cor. North between sec. 29 & 30.  
var. 14° 30' East

40.00 Set a post, marked "4 S. 4 ft long, flat  
tied 3 in wide, (flat in the ground, drive  
charred stake & build mound of earth  
2 ft high, with pits 1 ft deep, 2 ft long,  
1 ft wide, as per instructions, for 1/4 sec.  
cor. from which

A mesquite, 5 in dia. base, N. 3° W. 54 lbs. dist.

do. 8 " " " S. 10° W. 114 " "

80.00 Set a post, marked "no. 10", 4 ft long, 3 in.  
sqd. flat in the ground, drive charred stake  
and build mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide, as per in-  
structions, for cor. to sec. 19, 20, 29 & 30 from which

A mesquite, 4 in dia. base, N. 58 3/4° E. 70 lbs. dist.

do. 4 " " " N. 2 1/4° W. 86 " "

No other trees near.

Land flat. Soil sparse. A few trees.

Township 4 S. Range 4 E.  
 Gila & Salt River Meridian  
 R. East

On a line between sec. 20 & 29.  
 var.  $14^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.84 Intersect N. & S. line 13 lbs. N. of cor.  
 to sec. 20, 21, 28 and 29, from  
 which cor. I run  
 N.  $89^{\circ}54'$  W.

On a line between sec. 20 & 29.  
 var.  $14^{\circ}30'$  East.

39.92 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long, flat  
 tined 3 in. wide, 4 ft. in the ground, drive  
 charred stake and build an mound  
 of earth 2 ft. high, with pile 1 ft. deep,  
 $\frac{1}{2}$  ft. long, 1 ft. wide, as per instructions  
 for  $\frac{1}{4}$  sec. cor. No trees near.

79.84 Cont. to sec. 19, 20, 29 & 30.

Land flat. Soil 2<sup>nd</sup> rate.

A few trees. Some brush.

Township 4 S. Range 11 E.  
 6th Salt River Meridian

Ch. West

On random line between secs. 19 & 30  
 var.  $114^{\circ}30'$  East.

140.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.65 Intersect N. boundary 50 hrs. N.  
 of cor. to Secs. 19 and 30. from  
 which cor. run  
 N.  $89^{\circ}39'$  E.

On true line between secs. 19 & 30.  
 var.  $114^{\circ}30'$  East.

39.65 Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  ft. long, flat  
 tined 3 in. wide  $\frac{1}{2}$  ft. in the ground,  
 drive charred stake and build  
 mound of earth  $\frac{1}{2}$  ft. high, with  
 pit  $\frac{1}{2}$  ft. deep,  $\frac{1}{2}$  ft. long,  $\frac{1}{4}$  ft. wide, as  
 per instructions, for  $\frac{1}{4}$  sec. cor.

No trees near

79.65 Cor. to sec. 19, 20, 29 and 30.

Land flat. Soil 2<sup>nd</sup> rate. No timber. Some brush.  
 February 14, 1876.

Township 4 S. Range 4 E.  
 Gila Salt River Meridian

- R. North between secs. 19 & 20.  
 var. 114° 30' East
- 10.00 Dry bed of stream, 40 km wide, brs. N. W.
- 19.00 Road brs. S. E.
- 40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in.  
 wide, 4 ft in the ground, dir. charred stake  
 and build mound of earth 2 ft high, with  
 pit 4 ft deep, 2 ft long, 1 ft wide, as for in-  
 struction for 14 sec. cor. from which  
 A mesquite, 7 in. dia. brs. N. 30° E. 114' lead dist.
- 80.00 Set a post, marked and notched, 4 ft long,  
 3 in. sq. 4 ft in the ground, dir. charred stake  
 and build mound of earth 2 ft high, with  
 pit 4 ft deep, 2 ft long, 1 ft wide, as for in-  
 struction, for cor. to sec. 17, 18, 19 and  
 20. from which  
 A mesquite, 8 in. dia. brs. N. 18° E. 265' lead dist.  
 No other trees near  
 Land flat. Soil 2° or 3°. Some brush.  
 No timber.

Township 4 S. Range 1 E.  
Gila & Salt River Meridian  
T<sub>1</sub>S. E<sub>1</sub>S.

- On random line between secs. 17 & 20.  
var.  $114^{\circ}30'$  East.
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 80.11 Intersect N. & S. line 15 hrs. N. of cor.  
to secs. 16, 17, 20 and 21. from  
which cor. true  
N.  $89^{\circ}54'$  W.
- On true line between secs. 17 & 20.  
var.  $114^{\circ}30'$  East
- 40.05 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the ground,  
drill charred stake & build mound  
of earth 2 ft. high, with pits 1 ft. deep,  
2 ft. long, 1 ft. wide, as per instruc-  
tions, for  $\frac{1}{4}$  sec. cor. No trees near.
- 80.11 Cor. to secs. 17, 18, 19 and 20.  
Land flat. Soil 3<sup>rd</sup> rate.  
No timber.



Township 4 S. Range 4 E.  
 T14 S. Salt River Meridian  
 R. West.

Curandom line bet sec. 18 & 19.  
 var.  $14^{\circ}30'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

49.50 Intersect N. boundary 61 hrs. N. of  
 cor. to sec. 18 & 19, from which  
 cor. run  
 $N. 89^{\circ}34' E.$

Continue line between sec. 18 & 19  
 var.  $14^{\circ}30'$  East

39.50 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
 flattened 3 in wide, 1 ft in the ground,  
 drive charred steel and build  
 mound of earth 2 ft high, with pit  
 1 ft deep, 2 ft long, 1 ft wide, as per  
 instructions, for  $\frac{1}{4}$  sec. cor.

No trees near.

49.50 Cor. to sec. 17, 18, 19 and 20.  
 Level flat Soil 3<sup>rd</sup> rate,  
 No timber.

Township 4 S. Range 4 E.  
Gila & Salt River Meridians

- Sec. North between secs. 17 & 18,  
var. 114° 30' East.
- 40.00 Set a post, marked 14 S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
drive charred stake & build mound  
of earth 2 ft high with pit 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions, for  
1/4 sec. 17. No trees near.
- 80.00 Set a post, marked & notched,  
4 ft long, 3 in. sqd. 1 ft in the ground,  
drive charred stake and build  
mound of earth 2 ft high with pit  
1 ft deep, 2 ft long, 1 ft wide, as per  
instructions, for cor. to sec. 7, 8,  
17 and 18, from which  
Amesquite, 5 in dia. var. S. 38 1/2° W. 90 lbs. dist.  
No other trees near.  
Land flat. Soil 2<sup>d</sup> rate. A  
few trees.

Township 4 S. Range 4 E.  
Gila & Salt River Meridian

Sec. East.

Curved line between secs. 8 & 17.  
var.  $14^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.81 Intersect N. and S. line 21 les. N.  
of cor. to secs. 8, 9, 16, and 17,  
from which cor. run  
N.  $89^{\circ}51' W.$

Curved line between secs. 8 & 17.  
var.  $14^{\circ}30'$  East.

39.91 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in wide, 1 ft in the ground,  
dove charred stave and build  
mound of earth 2 ft high, with pit  
1 ft deep, 2 ft long, 1 ft wide, as per  
instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

79.81 Co. to Secs. 7, 8, 17 and 18.  
Land flat. Soil  $2^{\circ}$  rate.  
No timber.

Township 24 S. Range 18 E.  
 T14 & Salt River Meridian.

Sec. WEST

On random line between secs. 7 & 18.  
 var. 14°30' East.

40.00 Set temporary 1/4 sec. cor.

79.43 Intersect N. boundary 7000 ft. N.  
 of cor. to sec. 7 & 18. from which  
 cor. from  
 N. 89°30' E.

On true line between secs. 7 & 18.  
 var. 14°30' East

39.43 Set a post, marked 1/4 S. 1/4 Cor.,  
 flattened 3 in. wide, 1/2 ft. in the ground,  
 drive charred stake and build  
 mound of earth 2 ft. high, with pit  
 1/2 ft. deep, 2 ft. long, 1/2 ft. wide, as per in-  
 structions, for 1/4 sec. cor.

No trees near.

79.43 Cor. to secs. 7, 8, 17 and 18.  
 Land flat. Soil 2<sup>nd</sup> rate. No timber.

Township 4 S. Range 4 E.  
Gila & Salt River Meridian

No. North between sec. 7 & 8.  
var.  $114^{\circ}30'$  East

40.00 Set a post, marked 14 S. 4 ft long,  
flattened 3 in wide, 1 ft in the ground,  
drive charred stake and build mound  
of earth 2 ft high, with pits 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions for  
1/4 sec. cor. No trees near.

80.00 Set a post, marked 2 notched, 4  
ft long, 3 in sqd., 1 ft in the ground,  
drive charred stake and build  
mound of earth 2 ft high, with pits  
1 ft deep, 2 ft long, 1 ft wide, as per in-  
structions, for cor. to Secs. 5, 6, 7 and  
8. from which

Amesquite, 3 in dia. br. N.  $57\frac{1}{4}^{\circ}$  W. 128. l. dist.

do, 10 " " " S.  $16^{\circ}$  E. 230 " "

do, 5 " " " S.  $53\frac{1}{2}^{\circ}$  E. 197 " "

do, 6 " " " N.  $14\frac{1}{4}^{\circ}$  W. 158 " "

Land flat. Soil 2<sup>nd</sup> rate. Scattering trees. Some brush.

Township 4 S. Range 4 E.  
Gila Salt River Meridian  
S. East.

Our random line bet sec. 5 & 8.  
var.  $14^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.00<sup>y</sup> Intersect N. and S. line 13 hrs. N.  
a few to sec. 4, 5, 8 and 9, from  
which cor. from  
 $N. 89^{\circ}54' W.$

Outline line bet sec. 5 & 8.  
var.  $14^{\circ}30'$  East

40.03 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flat-  
tened 3 in. wide, 1 ft in the ground, drive  
charred stake & build mound a foot  
2 ft high, with pits 1 ft deep, 2 ft long,  
 $\frac{1}{4}$  ft wide, as per instructions, for  $\frac{1}{4}$   
sec. cor. No trees near.

80.00<sup>y</sup> Cor. to sec. 5, 6, 7 and 8.  
Land flat. Soil 2<sup>d</sup> rate.  
No timber.

Township 4 S. Range 4 E.  
 Tola  $\frac{2}{3}$  Salt River Meridian

Sec. West

Random line between secs. 6 & 7  
 var.  $14^{\circ}30'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

49.43 In sec. 7 N. boundary 69 lks. N.  
 of cor. to secs. 6 & 7, from which  
 cor. I run  
 N.  $89^{\circ}30'$  E.

Random line between secs. 6 & 7  
 var.  $14^{\circ}30'$  East.

39.43 Set a post marked  $\frac{1}{4}$  S. of long,  
 flattened 3 in. wide, 1 ft in the ground,  
 drive charred stake and build  
 mound of earth 2 ft high, with  
 pit 1 ft deep 2 ft long, 1 ft wide, as per  
 instructions, for  $\frac{1}{4}$  sec. cor.

No trees near.

49.43 Cor. to secs. 5, 6, 7 and 8.  
 Land flat Soil 2<sup>nd</sup> rate.  
 No timber.

Township 4 S. Range 21 E.  
 Tola & Salt River Meridian

Sec. North on random line bet sec. 5 & 6.  
 var.  $14^{\circ}30'$  East

40.00 Set temporary 1/4 sec. cor.

79.82 Intersect N. boundary 316 ft. N. of cor.  
 to sec. 5 & 6. from which cor. run  
 $S. 0^{\circ}13' N.$

Outline line between sec. 5 & 6,

var.  $14^{\circ}30'$  East

39.82 Set a post, marked 1/4 S. 1/4 flong. flat-  
 tined 3 in wide, 1 ft in the ground,  
 drive charred stake & build mound a foot  
 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft  
 wide, as per instructions, for 1/4 sec. confirmed  
 Ameguite, 5 in dia.  $S. 17\frac{1}{2}^{\circ} N. 175$  land dist  
 do. 4 " "  $S. 32\frac{1}{2}^{\circ} E. 122$  " "

79.82 Cor. to Secs. 5, 6, 7 and 8

Land flat

Soil 2<sup>nd</sup> rate. No timber of  
 consequence. Some brush.

February 15, 1876.



Township 4 S. Range 4 E.  
Gila & Salt River Meridian

General Description.

The surface of this town-  
ship is mostly flat, except  
that there are some hills  
near the eastern border.

The soil is 2<sup>nd</sup> and 3<sup>rd</sup> rate.  
Some little mesquite timber  
is scattered over the town-  
ship, more particularly  
in the N. W. portion, and  
some brush. There is little  
or no grass.

Theodore J. White  
U.S. Dep. Surveyor.

## List of Names.

A List of the Names of Individuals employed  
to assist in running, measuring, or marking the  
lines and corners described in the foregoing Field  
Notes of the survey of *the Subdivision*  
*Series of Township 4 S.*  
*Range 4 E, of the Gila*  
*and Salt River Meridian,*  
*Arizona.*

Showing the respective capacities in which they  
acted.

*Urban Bassard* Chainman.

*R. A. Vasquez* Chainman,

*Fred C. Jones* Axeman.

*Wright H. Aubrey* Flagman.

63 250 BOOK

### Final Oath of Assistants.

We hereby certify that we assisted Theodore  
F. White U. S. Deputy Surveyor, in  
surveying the Subdivision line  
of Township 4 S. Range  
4 E. of the Gila & Salt  
River Meridian, Arizona,

and that said Survey has been in all respects, to  
the best of our knowledge and belief, well and  
faithfully executed, and the boundary monuments  
planted according to the instructions furnished by  
the Surveyor-General.

Urbain Beward Chainman.  
R. A. Tarquer Chainman,  
Thos. A. Jones Axeman.  
Wright H. Aubrey Flagman.

Sworn to and subscribed before me, this 18  
day of March, 1876

William J. Osborn  
Notary Public

## Final Oath of Deputy Surveyor.

I, *Theodore F. White*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the *Sixth* day of *December*

187*5*. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

*the Subdivision lines of Township 4 S, Range 4 E, of the Gila & Salt River Meridian Arizona.*

..... as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

65

BOOK 620

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

*Theodore F. White*

Deputy Surveyor.

Sworn to and subscribed before me, this 18  
day of March, 1876

*William J. Osborn*  
Notary Public



U. S. Surveyor General's Office,

TUCSON, ARIZONA.

September 17, 1876.

The foregoing Field Notes of the Survey of the

Subdivision lines of  
Township 4 South,  
Range 4 East,

Of the Gila and Salt River Base and Meridian, Arizona, executed by Theodore J. White

Deputy Surveyor, under his contract of the sixth day of December, 1875, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Masson  
Surveyor General.