

BOOK 625

A. W. Norris Deputy Surveyor.

T. 4. S. R. 10. E.

Gila & Salt River Meridian.

No. 625

625

Field Notes

the *Section* OF lines of

Township *4. S.* Range *10. E.*

Gila & Salt River Meridian, *Arizona* California,

BY

A. W. Norris Deputy Surveyor,

under his Contract of *Feb'y 25th* 18 *69*

Survey commenced *April 20th* 18 *69*

Survey completed *May 11th* 18 *69*

Platted,

Copied for Washington, *J. O. D. P.*

Transcript sent to Commissioner,

No. 625

1A
BOOK 625

BOO. 5

4-674.

Township 4S. R. 10E. & 11E. B & M

6	45	5	32	4	25	3	17	2	9	1
44		44		32		24		16		9
7	43	8	31	9	24	10	16	11	8	12
42		41		30		23		15		7
18	41	17	30	16	22	15	14	14	6	13
40		38		29		21		14		6
19	37	20	28	21	21	22	13	23	5	24
37		36		28		20		12		4
30	36	29	27	28	19	27	12	26	4	25
35		34		26		19		11		2
31	33	32	26	33	18	34	11	35	3	36

Copied for Washington
by
J. O. D. P.

Township 4 South Range 10
East Tila and Gallatin
Meridian

15

BOOK 625

We Frank Bunday and Isaac Stevens
do solemnly swear that we will faithfully
execute the duties of Chaimmen, that
we will hold the chain upon uneven
ground, and plumb the Tally pins, whether
by stretching or dropping the game, that
we will report the true distance to all
notable objects and the true length of
all lines that we assist in measuring
to the best of our skill and ability.

Frank Bunday Chaimmen
Isaac Stevens Chaimmen

I Harry Bradshaw do solemnly swear
that I will well & truly perform the
Duties of Axeman according to Instruc-
tions given me and to the best of my
skill & ability.

Harry Bradshaw Axeman

Subscribed to and sworn before me
at my Office, Tomba, Pima County,
Arizona this 3rd day of May 1869
James G. Morehead
Justice of the Peace

Township 4 South Range 10 East

Sec² } Gila and Salt River Meridian

From the corner to Sections 1, 2
35, 36, on the South Boundary
of the Township 3rd Run

North between Sections 35 & 36

April 25th 1869 Variation 13^o 34' E

40.00 Get a charred Stake for the $\frac{1}{4}$ sec cor and raised mound with Pit as per Instructions

80.00 Get a charred Stake for the corner to Secs 25, 26, 35, 36 and raise mound with Pit as per Instructions and setting and 3rd cut Growth Cactus & Palo Verde

East on a Random line between Secs 25 & 36
Az 13.34 E

40.00 Get a post for temporary $\frac{1}{4}$ sec cor

80.50 Intersected the East Boundary 40 Secs North of cor to Secs 25 & 36 from which corner 3rd run

Tombs 4 South Range 10 East

On Gila and Salt River Meridian

N. 89.53 W. on a true line between Secs. 25 & 36

Jan. 13, 1898

40.25 Get a charred stake for the $\frac{1}{4}$ sec. cor. and
raise mound with pits as per instructions

80.50 The cor. to Secs. 25, 26, 35, 36.

Sand broken & stony, 3^d rate, from the
Cactus, Palo Verde & some Iron wood

North between Sections 25 & 26

Jan. 13, 1898

40.00 Make $\frac{1}{4}$ sec. cor. on a Palo Verde 10 in
dia. marked as per instructions

80.00 Get a charred stake for the ~~corner to~~

Secs. 23, 24, 25, 26 and raise mound
with pits as per instructions

Sand rolling stony, 3^d rate & open

2 East on a Random line between Secs. 24 & 25

Jan. 13, 1898

40.00 Get a post for temporary $\frac{1}{4}$ sec. cor.

Township 4 South Range 10 East

6th } Gila and Salt River Meridian

80.80 Intersected the East Boundary 50 lbs
North of the cor to Secs 24 & 25 from
which corner I Run

N 89° 39' W on a true line between Secs 24 & 25
Pa 13, 34 E

40.40 Get a charred stake for the 1/4 sec cor
in a mound with pits as per instructions

80.80 The cor to Secs 23, 24, 25, 26
Sand broken stones & 3" rot with
scattering cactus & Polos verdes

North between Sections 23 & 24

Pa. 13, 34 E

35.00 Run and to bulby bearing E. & W

40.00 Get a charred stake for the 1/4 sec cor
in a mound with pits as per instructions

45.00 Leave bulby & over rough ground

80.00 Get a charred stake for the cor to Secs
13, 14, 23, 24 & in a mound of stone as
per instructions

Sand rough & 3" rot, with much cactus

Township 4 South Range 10 East

Ch Gila and Salt River Meridian
East, on a Random line between Sec. 13 & 24
Ta. 13, 34 E

4,000 Set a post for temporary 1/4 sec. cor
80.75 Intersect the East Boundary 40 lbs
North of the cor. to Sec. 13 & 24 from which
corner I run

N. 89.53' W on a true line between Sec. 13 & 24
Ta. 13, 34 E

40.37 Set a charred stake for the 1/4 sec. cor. and
raise mound with pits as per instructions

80.75 The cor. to Sec. 13, 14, 23, 24
Sand broken & atom & 3^d rot. There are
many varieties of cactus & some Palo Verde

North, between Sections 13 & 14
Ta. 13, 34 E

40.00 Set a Stone 14, X 10 X 5 for the 1/4 sec. cor. and
4 raise mound ~~of~~ Stone as per instructions

62.50 Descend Rocky precipice

66.00 To Gila Bottom

Township 4 South Range 10 East

6th Tila and Galt Rivers Meridian

80.00 Set a Stone 21. X 15 X 12 for the cor to Sec
11, 12, 13, 14, and rain mound of stones
as per Instructions

Land 3rd rate & Stony, many varieties
of bactus & some Puler bushes

East, on a Random line between Sec 12 & 13
Var 13 34' E

12.50 To Tila River running N 45 W & S 45 E

16.00 Crop the same to low overflow bottom

27.50 To River bearing S 45 ^{West} East & N 45 East

30.50 Crop the same to 2nd rate bottom

40.00 Set a post for temporary 1/4 sec cor.

80.36 Intersect the East Boundary 20th North
year to Sec 12 & 13 from which corner
of Run N. 89.51 W on a true line
between Sec 12 & 13

April 26th 1869

Var 13, 34' E

40.18 Set a chained post for the 1/4 sec cor from
which.

Township 4 South Range 10 East

6th } Gila & Salt River Meridian

A Mesquit 9 in dia here N. 69° E 61 lbs distd

A " " " " S 3 1/4° E 38 lbs distd

80.96 The cor. to sec 11, 12, 13, 14

Land generally level or 2nd rot. Growth
Cottonwood & Mesquit

North between Sections 11 & 12

May 13 3 1/4° E

2.00 To Bank of the Gila River leaving West

5.50 Cross the same to low overflow
bottom. May 4th 1869

40.00 Set a choned stake for the 1/4 Sec. cor. on
river mound with pits as per Instructions
This is on the edge of sandy sage brush

5 3rd rot bottom

65.00 To hills

80.00 Set a stone 16 x 11 x 9 for the cor. of Sections
1, 2, 11, 12 and river mound of stones as per
instructions.

Land generally 3rd rot & open, some Cottonwood

Township 4, South Range 10 East

Ch. 18th & 25th River Meridian

5 East on a Random line between
Sections 10, 12 Pa. 13, 34'E

40 00 Get a ^{stone} for temporary 1/4 sec. cor.
50 00 To 3rd set bottom

80 10 Intersect the East Boundary of the
Township 18th North of the cor. to Sec.
10, 12 from which corner I run
N. 89.52. W. on a true line between Sec. 10, 12
Pa. 13, 34'E

40 05 Get a Stone 13 x 9 x 4 for the 1/4 Sec. cor.
plain mound of stones as he instructed

80 10 The cor. to sec. 10, 12, 11, 12
Sand stone hill w sandy bottom &
3rd set growth large bushes principally

North on a Random line between Sec 10 & 22
Pa. 13, 34'E

40 00 Get a stone for temporary 1/4 Sec. cor.

80 70 Intersect the North Boundary of the
Township 25th East of the cor. to Sec.

Township 4 South Range 10 East

Chs { Mile and Gold River Meridian

1 and 2 from which com I run
50-11' East on a true line between sections
1 & 2 Pa. 13th 34th

40.70 Get a stem 14x11x6 for the 1/4 sec. ca
to run around sections as per instructions

80.70 The corner to Secs 1, 2, 11, 12
found hills, stony, & 3rd rock. The growth
is principally baccary which there
are many varieties

There are no settlements on the above
Tier of sections, & the valley on the
south side of River extends about
60 chs East or up the River

Township 4 South Range 10 East

6th Gila & Salt River Meridian

6 North between Sections 34 & 35

April 27th 1869 Va 19,34¹/₄¢

40.00 Get a charred stake for the $\frac{1}{4}$ sec. cor. & raise mound with pits as per instructions

80.00 Get a charred stake for the cor. to Secs 26, 27, 34, 35 and raise mound with pits as per instructions
Sand rolling at 3^d rate with many varieties of cactus and some Mesquits

East on a Random line between Secs 26 & 35
Va 19,34¹/₄¢

40.00 Get a post for temporary $\frac{1}{4}$ sec. cor.

80.20 Interest N. and S. line 30 lbs North of cor. to Secs 25, 26, 33, 36 from which cor. I run

N. 89° 47' W on a true line between Secs 26 & 35
Va 19,34¹/₄¢

40.10 Get a charred stake for the $\frac{1}{4}$ sec. cor. & raise mound of stones as per instructions

Township 4 South Range 10 East

Sh { Gila and Salt River Meridian

80.20 The cor. to sees 26, 27, 34, 35
Sand rolling and stony and 3rd rate
with much cactus & some Palo Verde

North, between Sections 26 and 27
No. 19, 34 E

40.00 Get a Stone 14 x 9 x 6 for the 1/4 sec. cor. &
raise mound of stones as per Instructions

80.00 Get a stone 15 x 12 x 8 for the cor. to sees
22, 23, 26, 27 and raise mound of stones
as per Instructions

Sand rolling, stony, & 3rd rate, with
many varieties of cactus & some Iron
wood & Palo Verde trees

East on a Random line between Sec 23 & 26
No. 19, 34 E

40.00 Get a Stone for temporary 1/4 sec. cor.

79.90 Intersect N & S. line at post corner to sees
29, 24, 25, 26 from which corner I Run

Township 4 North Range 10 East

Shs Gila and Salt River Meridian

7 West, on a true line between Secs 23 & 26
Pa. 13, 34'E

39.95 Get a Stone 16x11x6 for the 1/4 sec. cor
& raise mound of stones as per instructions

79.90 The cor. to Secs 22, 23, 26, 27
Sand rolling stony & 3rd rate, with
much cactus & some Palo Verde trees

North between Sections 22 & 23

Pa 13, 34'E

20.00 To Valley, noted on line between Secs
23 & 24, & which is here rolling & low

40.00 Get a Stone 12x4x3 for the 1/4 sec. cor. &
raise mound of stones as per instructions

80.00 Get a charred Stake for the cor. to Secs
14, 15, 22, 23, and raise mound with
Pit as per instructions

Sand rolling, stony and 3rd rate
with much cactus and scattering
Palo Verde and Iron road trees

Township 4 South Range 10 East

Chs } Gila and Salt River Meridian

East on a Random line between Secs 14 & 23

Pa 13.34 E

40.00 Set a post for temporary 1/4 sec cor
 80.40 Intersect N. & S. line 20 lbs South of cor of
 Secs 19, 14, 23 & 24 from which come
 9' Run S. 89° 51' W on a true line between
 Secs 14 & 23

Pa 13.34 E

40.20 Set a charred stake for the 1/4 sec cor on
 same mound of earth and stones with
 pits as per instructions

80.40 The cor to secs 14, 13, 22, 23
 sand broken & rough & stony, 28' rate
 some scattering cactus and Palo Verde

North, between sections 14 and 15

Pa 13.34 E

40.00 Set a charred stake for the 1/4 sec cor on a
 main mound with pits as per instructions
 87.50 To Gila bottom, open end sandy

Tombah 4. Youth Range 10 East

lbs Gila and Salt River Meridian

80.00 Set a charred stake for the cor. to Secs
 10, 11, 14, 15 and raise mound with
 pits as per Instructions
 Sand with the exception of the bottom
 is 3rd rate rough & stony. The bottom
 is 2nd rate & open. Growth Cactus
 & scattering Iron wood & grass wood

8 East on a Random line between Secs 11 & 14
 Co. 13, 34 E

40.00 Set a post for temporary 1/4 sec cor.
 80.27 Intersect N & S line 10 lbs North of cor.
 to Secs 11, 12, 13, 14 from which corner
 of Run N 89° 56' W on a true line between
 Secs 11 & 14

Section 13, 34 E

40.19 Set a charred stake for the 1/4 sec cor. on
 main mound of stones as per Instructions
 80.27 The corner to Secs 10, 11, 14, 15
 Sand generally 3rd rate & open

Township 4, South Range 10 East

6th Gila and Salt River Meridian

North between Sections 10 and 11

No. 13, 34'E

650 To Bank of Gila River running West

10 00 Cross the same to low sandy bottom

4000 Get a stone 14x9x7 for the 1/4 sec. cor.

or raise mound of stones as per instructions

4100 Leave bottom for rough stony hills

80 00 Get a stone 14x11, x9 for the cor. to Secs

2, 3, 10, 11 and raise mound of stones

as per instructions

Sand both in bottom & hills is 3^d rate

& generally open, with the exception

of the cactus on the hills. There is

a strip of cottonwood on either

Bank of the River

9 East on a Random line between Secs 2 & 11

No. 19, 34'E

40 00 Get a stone for temporary 1/4 sec. cor.

80 14 Intersect N. & S. line 30th South of cor.

Township 4 South Range 10 East

Sh { Gila and Galt River Meridian

9 to sec. 1, 2, 11, 12 from which corner
I run

S. 89° 47' W on a true line between
Sec 2 & 11,

Pa 1934'E

40.09 Get a Stone 16 X 9 X 5 for the 1/4 sec. cor.
and raise mound of stones as per instructions

80.19 The corner to Section 2, 3, 10, 11
Sand very hilly, stony and 3^d rate
growth principally Cactus of which
there are many varieties

North on a Random line between Sec 2 & 3

Pa 1934'E

40.00 Get a Stone for temporary 1/4 sec. cor.

79.90 Intersect the North Boundary of Township
14 th west corner to Secs 2 and 3
from which corner I run
S. 0° 6' W on a true line between Secs
2 and 3. Azimuth 1934'E

Toronto 4, South Range 10 East

64 } Gila and Salt River Meridian

39.90 Get a stone 12x11x2 for the $\frac{1}{4}$ sec cor
and raise mound of stones as per Instructions

79.90 The corner to sections 2, 3, 10, 11
Land very hilly and stony, and
in some places covered with cactus
There is an occasional Iron wood or
Palo Verde bush or tree, Aug 5th 1869

North between sections 33 and 34
April 28th 1869 on 13, 34, E

39.80 To dry bed of creek bearing E. and West
4.00 As the corner comes in the creek bed
I move 30 lbs North and place it on
the North Bank

10.30 Get a charred stake for the $\frac{1}{4}$ sec cor and
raise mound with Pits as per Instructions

30.00 Get a charred stake for the cor to 3 sec
27, 28, 33, 34 and raise mound with
Pits as per Instructions
10 Land rolling as 3rd set. Some cactus & Palo Verde

Township 4 South Range 10 East

6hs Gila and Salt River Meridian

10 East, on a Random line between Secs 27 & 34
Ta 13.34'E

40.00 Get a pointed stake for temporary 1/4 sec cor

80.00 Intersect N and S line 15 chs North
of the cor. to Secs 26, 27, 34, 35 from
which corner of Run

N. 89.54 W on a true line between Secs
27 and 34

Ta 13.34'E

40.00 Get a charred stake for the 1/4 sec cor and
raise mound with pits as per instructions

80.00 The cor. to Secs 27, 28, 33, 34

Sand rolling & 3 rate growth, Cactus,
Palm, Yards, and some greas now bushes

North between Sections 27 and 28

Ta 13.34'E

40.00 Get a charred stake for the 1/4 sec cor and
raise mound with pits as per instructions

80.00 Get a charred stake for the cor. to Secs

Township 4 South Range 10 East

6m } Gila and Salt River Meridian

21, 22, 27, 28, and raise mound
with pits as per Instructions

1st 1/4 mile is rolling and rough

The remainder is more level & open
Sand 3rd rate growth, scattering Mesquites
and some Palo Verde trees

East on a Random line between Secs 22 & 27
Ra. 13, 34'E

40.00 Get a post for temporary 1/4 sec cor

80.45 Intersect N. and S. line 18th South
of cor. to Secs 22, 23, 26, 27 from which
corner I run

S 89 52' W. on a true line between Secs
22 and 27. Ra. 13, 34'E

40.23 Get a charred stake for the 1/4 sec cor
& raise mound with pits as per instructions

80.45 The cor. to Secs 21, 22, 27, 28

Sand generally level and 3rd rate growth
Mesquit and Palo Verde & grease wood

Township 4 South Range 10 East

On Mita and Salt River Meridian

11 North between Sections 21 and 22

Pa 13³⁴ E

40.00 Set a charred stake for the $\frac{1}{4}$ sec cor
and raise mound with pits as per Instructions

80.00 Set a charred stake for the cor to Secs 15, 16,
21, 22, and raise mound with Pits
as per Instructions

Land generally level and 3rd rate growth
scattering Mesquite and Greenwood bushes

East on a Random line between Secs 15 & 22.

Pa 13³⁴ E

40.00 Set a post for temporary $\frac{1}{4}$ sec cor

79.80 Intersect N & S line 30 lbs South of cor
to Secs 14, 15, 22, 23 from which corner
I Run

S. 89.47 W on a true line between Secs 13 & 22.

Pa 13³⁴ E

39.90 Set a charred stake for the $\frac{1}{4}$ sec cor and
raise mound with Pits as per Instructions

Township 4 South Range 10 East

Ch. Gila and Salt River Meridian

174.80 The cor. to sec. 15, 16, 21, 22
Sand generally level and 3rd rate
growth, Yeathering Mesquits & Palo Verde

North between Sections 15 and 16

Jan 6th 1869 Aug 13th 34th E

8.00 To River bottom

15.00 To Gila River running West

17.50 Crop the same

40.00 Get a stone 14 X 9 X 7 for the 1/4 sec. cor. and
raise mound of stones as per instructions

in edge of bottom or on south side of hill

80.00 Get a stone 15 X 11 X 7 for the cor. to sec.

9, 10, 15, 16 and raise mound of stones
as per instructions

1st 1/2 mile level and 2nd rate. Then

Remains in 3rd rate as per

There is a strip of better road on the
Banks of the River

Township 4 South Range 10 East

Chs Gila and Salt River Meridian

- 12 East on a Random line between Secs 10 & 15
 April 29th 1869 Pa. 13349
- 10.00 To perpendicular wall of Rock 100 ft high
 and at the foot is the Gila River
 running S 45 W
- 14.00 Cross the Gila River to dense growth
- 40.00 Set a post for temporary 1/4 sec cor
- 65.00 To 2nd rate open sandy bottom
- 80.35 Intersect N. & S line 10 lbs North of corner
 to Secs 10, 11, 14, 15, from which corner
 I run
 N. 89.56 W. on a true line between Secs. 10 & 15
 Pa. 19348
- 40.17 Set a charr'd stake for the 1/4 sec cor and
 raise mound with pits as per Instructions
 " 1st 10 ch rough Hill. The remainder
 is level and 3rd rate
 growth Cottonwood in the bottom
- 80.35 The corner to Secs 9, 10, 15, 16
 " (By mistake)

Township 4, South Range 10 East

Chs. Gila and Salt River Meridian

North between Secs 9 and 10,

Ta. 13, 34 E

40.00 Get a stone 18 X 9 X 3 for the $\frac{1}{4}$ sec. cor.
Drain mound of stones as per instructions

80.00 Get a stone 21 X 14 X 10 for the cor. to Secs
3, 4, 9, 10 Drain mound of stones as
per instructions

Sand very steep & hilly, no stony, 3rd rat
prick cactus and some Palo Verde trees

15 Part on a Random line between Secs 3 & 10

Ta. 13, 34 E

40.00 Get a stone for temporary $\frac{1}{4}$ sec. cor.

80.80 Intersect N-S line 40 lbs North of cor.
to Secs 2, 3, 10, 11, from N. high corner
Prun.

N 89 43 W. on a true line between Secs
3 and 10.

Ta. 13, 34 E

40.40 Get a stone 15 X 12 X 9 for the $\frac{1}{4}$ sec. cor. on

Township 4 South Range 10 East

Ch. Gila and Galt River Meridian

19

80,80 ruin mound of stones as per Instructions
The corner to Secs 3, 4, 9, 10

Sec 3 rate very rough section
and hilly. The growth is cactus
and some scattering Palo Verde trees

North, on a Random line between sections
3 and 4

Pa. 13, 34 E

40,00 Get a Stone for temporary $\frac{1}{4}$ sec. cor

80,80 Intersect the North Boundary of
Township 35 lbs west of corner to
Secs 3 & 4 from which corner I run
 $50^{\circ}15'$ west on a true line between
Secs 3 & 4

Pa. 13, 34 E

40,50 Get a Stone 12×11.89 for the $\frac{1}{4}$ sec
cor and ruin mound of stones as
per Instructions

80,80 The corner to Secs 3, 4, 9, 10

Township 4 South Range 10 East

6hs Gila and Salt River Meridian
 Land very hilly and steep and stony
 2nd 3rd rate growth cactus and
 scattering Ironwood & Palo Verde

North, between sec. 32 and 33

Ta. 13. 34th E

40.00 Get a charred stake for the $\frac{1}{4}$ sec. cor.
 and raise mound with pits as instructed

80.00 Get a charred stake for the cor. to sec.
 28, 29, 32, 33 and raise mound with
 pits as per instructions

Land level and generally 2nd rate growth
 Mesquit and Palo Verde

14

East on a Random line between sec. 28 & 33

Ta. 13. 34th E

40.00 Set a post for temporary $\frac{1}{4}$ sec. cor.

80.59 Intersect Wand S. line 36 lbs North of cor.
 to sec. 27, 28, 33, 34, from which cor.
 of Run

Township 4 South Range 10 East

6hs Gila and Salt River Meridian

14 N 89.45' W on a true line between Secs
28 and 33

Pa. 13.34'E

40.29 Set a charred Stake for the $\frac{1}{4}$ sec. cor. ∞
ruin mound with Pits as per Instructions

80.57 The cor. to Secs 28, 29, 32, 33

Sand Soil and generally 2nd rate, with
scattering Mesquite and Palo Verde

North, between Sections 28 and 29

Pa. 13.34'E

40.00 Set a charred Stake for the $\frac{1}{4}$ sec. cor. ∞
ruin mound with Pits as per Instructions

80.00 Set a charred stake for the cor. to Secs
20, 21, 28, 29 and ruin mound with
Pits as per Instructions

Sand Soil and 3rd rate, Growth
Mesquit, Palo Verde & grease wood bushes

Township 4, South Range 10 East

65
Gila and Salt River Meridian

East on a Random line between Sec 21 & 28

Pa 13.34'E

40.00 Set a post for temporary 1/4 sec cor

80.10 Intersect N 25. line 50 lbs North
of cor to sec 21, 22, 27, 28 from which
Cor J Run

N 89.34' W. on a true line between sec
21 and 28

Pa 13.34'E

40.05 Set a charred stake for the 1/4 sec cor on
rain mound with pits as per instructions

80.10 The cor to sec 20, 21, 28, 29

Land level and 3" rot, with scattering
Magnets & Palo Verde

15-
North, between Sections 20 and 28

Pa 13.34'E

40.00 Set a charred stake for the 1/4 sec cor, and
rain mound with pits as per instructions

65.15 To Gila River running West

Tom pit 4 South Range 10 East

- 15 } Gila and Salt River Meridian
 68.00 Strip the same to Bottom corner with
 Mesquit
 8.000 Get a charred stake for the corner to
 Sec 16, 17, 20, 21 and raise mound
 with Pit as per Instructions
 For 42 chains the land is 3^d rate
 The Remainder is 1st Rate. The
 Growth is Mesquit

East on a Random line between Secs 16 & 21
 Pa 19.34 E

- 40.00 Get a post for temporary 1/4 sec cor
 45.00 To Gila River running S 40 W
 48.00 Strip the same
 79.80 Intsect N & S line at post corner to Secs
 15, 16, 21, 22 from which corner I run
 West, on a true line between Sec 16 & 21
 Pa 19.34 E
 39.90 Get a charred stake for the 1/4 sec cor
 raise mound with Pit as per Instructions

Township 4 South Range 10 East

6h } Tyla and Yell River Meridian

49.80 The corner to Secs 16, 17, 20, 21
and 2nd 2nd growth Magnet

North, between Secs 16 & 17

Pa 13.34E

40.00 Make 1/4 sec. cor on a Magnet 11 in the
and marked as per Instructions

57.00 To Barren hills

80.00 Get a stone 15, X 14, X 3 for the cor
to Secs 8, 9, 16, 17 and raise mound
of stones as per Instructions

Land in the Bottom generally 2nd 2nd
The Remainder is 3rd 2nd hills with
the growth principally of Cactus

16 East on a Random line between 40.90/16
Pa 13.34E

40.00 Get a stone for temporary 1/4 sec. cor

79.50 Intersect N & S line 30 lbs North of cor to
Secs 9, 10, 15, 16, from which cor is run

Township 4, South Range 10 East

Ch. Gila and Salt River Meridian

N. 89° 47' W on a true line between Secs
9 and 16

Pa. 13, 34, E

39.75 Get a Stone 16x12x7 for the 1/4 Sec. cor
and raise mound of stones as per instructions

79.50 The corners to Secs 8, 9, 16, 17

Land 3rd rot Hills covered with cactus

North between Sections 8 and 9

Aug 7th 1869

Pa. 13, 34, E

40.00 Get a Stone 18x18x12 for the 1/4 Sec.
cor and raise mound of stones
as per Instructions

80.00 Get a Stone 15x11x3 for the cor to
Secs 4, 5, 8, 9 and raise mound of
stones as per Instructions

Land hilly, stony, & 3rd rot
Growth principally cactus

Township 4 South Range 10 East

16 ⁵ Gila and Salt River Meridian

East on a Random line between Secs 4 & 9
Pa. 19, 34 E

000 Get a Stone for temporary $\frac{1}{4}$ sec. cor
9.90 Intersect N and S. line 10 lbs North
of corner to Secs 3, 4, 9, 10 from
which corner S River
N 89° 56.6 on a true line between
Sections 4 & 9

Pa. 19, 34 E

9.95 Get a Stone 14x12x4 for the $\frac{1}{4}$ sec. cor
and raise mound of stones as instructed

79.90 The cor. to Secs 4, 5, 8, 9
Land very hilly, stony & 3' vert
growth Cactus and Palo Verde

North on a Random line between Secs
4 and 5

Pa. 19, 34 E

4000 Get a Stone for temporary $\frac{1}{4}$ sec. cor
80.18 Intersect the North Boundary of the

Township 4 South Range 10 East

6m } Gila and Salt River Meridian

7 Township 15 lbs East of corner
to Sec 4 and 5 from which
Corner 3 Run

50.6' East on a true line between
Sec 4 and 5

Ta 13,34, E

40.18 Get a stone 16x14x10 for the $\frac{1}{4}$ sec
cor and raise mound of stones
as per Instructions

80.18 The corner to Sec 4, 5, 8, 9
Sand very hilly stony \approx 3" sub
growth principally Palo Verde

North between Sections 31, and 32

Ta 13,34, E

40.00 Get a charred stake for the $\frac{1}{4}$ sec cor and
raise mound with pits as per Instructions

80.00 Get a charred stake for the cor to Sec 29,
30, 31, 32 & raise mound with pits
as per Instructions

Township 4 South Range 10 East

Chs Gila and Salt River Meridian

The first 26 chains 3rd rate land. The
Remainder is level & 2nd rate with
scattering Mesquit trees

East on a Random line between Sec 29 & 32
To 13.34 E

40.00 Get a post for temporary 1/4 sec cor

80.35 Intersect N and S line 18. lbs North
of corner to Sec 28, 29, 32, 33 from
which corner I Run

N 89.52 W on a true line between Sec
29 & 32

April 30th 1869 To 13.34 E

40.17 Get a charred stake for the 1/4 sec cor
A ruin mound with pits as per instructions

80.35 The corner to Sec 29, 30, 31, 32
Land level and 2nd rate, growth
Mesquit and grease wood bushes

Township 4 South Range 10 East

6hs } Gila and Salt River Arriacion

- 18 West on a Random line between Sec 30 & 31
in thick Mesquit. Va 13, 34 E
The claim of Anthony being S ^{1/4} of S 30
4000 Get a chored Stake for the ^{uniform} 1/4 Sec 30, 31
raise mound with pits as per instructions
- 6800 Enter Borby field & claim of Hill
D'Armat in sec 31,
- 7960 Intersect the West Boundary of Township
27 hrs North of corner to Sec 30 & 31, from
which corner I Run
N. 89 48' E between Sec 30 & 31,
Va 13, 34 E
- 3960 Get a chored Stake for the 1/4 Sec 30, 31
raise mound with pits as per instructions
- 7960 The corner to Sections 29, 30, 31, 32
Sand 1st Rate River bottom, with
very dense Mesquit outside the field

Township 4 South Range 10 East

6hs } Gila and Salt River Meridian
North, let me see 29 & 30

La 13, 34 &

4,000 Get a chored stake for the $\frac{1}{4}$ sec. 10 and
raise mound with pits as per Instructions
Holland's claim N.E. $\frac{1}{4}$ of Sec. 30 and
Gay S.E. $\frac{1}{4}$ of Sec. 30

30,000 Get a chored stake for the cor. to Secs
19, 20, 29, 30 and raise mound
with pits as per Instructions
Sand level 1st Rute River bottom
Timber August

18 East on a Random line let me see 20 & 29
La 13, 34 &

28,000 House and claim of Mexican team
North about 12 chains dist. The claim is
the S.W. $\frac{1}{4}$ of Sec. 20

1,000 Get a post for temporary $\frac{1}{4}$ sec. cor.

0,19 Intersect N & S. line 50 lbs North of cor.
to Secs. 20, 21, 28, 29 from which corner

Township 4 South Range 10 East

6th } Gila and Salt River Meridian

19 Y Run

N. 89° 39' W on a true line between Secs 20 & 29
Ta. 13.34 E

40.09 Get a charred stake for the $\frac{1}{4}$ sec. cor. and
raise mound with pits as per Instructions

80.19 The cor. to Secs 19, 20, 29, 30.

Land Sec'd and 1st rate. Spruce, Mesquite
Revered to this place

West on a Random line between Secs 19 and 30
Ta. 13.34 E

29.50 To Gila River running S 50 W

39.00 Crop the same to sandy bottom

40.00 Get a post for temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect the West Boundary 29th lbs South
of cor. to Secs 19 & 30 from which corner
Y Run

S. 89° 49' E. on a true line between Secs 19 & 30
Ta. 13.34 E

40.10 Get a charred stake for the $\frac{1}{4}$ sec. cor. and
raise mound with pits as per instructions

Township 4 South Range 10 East

Ch Gila and Salt River Meridian

80.10 The cor to sec. 19, 20, 29, 30
 19 The first 29 ch is 2nd rate land
 The Remainder is 3rd rate and all
 is open

North between Sections 19 & 20

Aug 8th 1869

Pa 13th 34th E

4000 Get a checked stake for the 1/4 sec cor
 and raise mound with pits as per instructions

4400 To Gila River bearing S 40 W, N 40 E

4700 Keep the same to good Bottom

5000 Get a checked stake for the cor to sec
 17, 18, 19, 20 and raise mound

with pits as per instructions

Land generally 1st Rate, growth Mesquit
 on North side of River

East on a Random line between sec 17 & 20

Pa 13th 34th E

4000 Get a post for temporary 1/4 sec cor

Township 4 South Range 10 East

Sh Gila and Salt River Meridian

80.47 Intersect N & S. line 27 this North 4 cor
to sec. 16, 17, 20, 21 from which corner
of Rm

N 89.48' W on a true line between Sec. 17 & 20
to 19.34'E

40.23 Make 1/4 sec cor on Mesquit 11 in dia
and marked as per instructions

80.47 The cor to sec. 17, 18, 19, 20
Sund level and 1st Rod. Growth Mesquit

Township 4 South Range 10 East

lbs Gila and Salt River Meridian

20 West on a Random line between Secs 18 & 19
to 19³⁴ E

11.50 To Bluff 50 ft high, thence over rolling ground

10.00 Set a stone for temporary $\frac{1}{4}$ sec. cor

80.60 Entered the West Boundary of Township
30 lbs North of cor. to Secs 18 & 19
from which corner I run

N. 89.44° E. on a true line between Secs 18 & 19
to 19³⁴ E

10.60 Set a stone 16 x 11, x 9 for the $\frac{1}{4}$ sec. cor. and
raise mound of earth & stones with
pits as per instructions

80.60 The corner to Secs 17, 18, 19, 20
Sand in bottom 2nd rate. Remainder 3rd rate
growth Mesquite and Palo Verde

Township 4 South Range 10 East

Ch { Gila and Salt River Meridian

20 North, between Secs 17 and 18
Ta 19, 34 E

15.00 Level Bottom and as end 50 ft to
rough and hilly ground

40.00 Get a stone 16x12x3 for the 4 sec. cor
and raise mound of stones as per instructions

80.00 Get a stone 27x14x10 for the cor. to Secs.
7, 8, 17, 18 and raise mound of stones
as per Instructions

Sand very hilly and stony. Growth
Pulver birds and cactus

21. East on a Random line between Secs 8 & 17

May 9th 1869

Ta 19, 34 E

40.00 Get a Stone for temporary 1/4 sec. cor

80.20 Intersect Rand S line 16 lbs North
of cor. to Secs 8, 9, 16, 17, from which corner
I run

N. 8 E. 53' on a true line between Secs 8 & 17

Ta. 19, 34 E

Summit 4 South Range 10 East

6m Gila and Salt River Meridians

40.10 Set a stone 14x12x6 for the $\frac{1}{4}$ sec. cor.
and raise mound of stones as per Instructions

80.20 The cor. to sec. 7, 8, 17, 18

Soil very rough. Hilly and stony and
3rd rank growth, principally Palo Verde.

21 West, on a Random line between sec. 7 & 18
Ta. 13^o 34' E

Ascending Rocky Peak or Cone
30.00 To Summit and set a stone for
temporary $\frac{1}{4}$ sec. cor. and draw
perpendicular side

80.00 Intersect the true Boundary 60 lbs North
of corner to sec. 7 & 18 from which corner
of Run.

N. 89^o 34' E. on a true line between sec. 7 and 18
Ta. 13^o 34' E

50
30.00 Make a witness cor. for true $\frac{1}{4}$ sec. cor.
on a Rock 12 ft x 10 x 9 at the point for
true corner corner on perpendicular side

Township 4. South Range 10 East

6th Gila and Salt River Meridian

a1 of the Peak

80.00 The cor. to sec. 7, 8, 17, 18

Land very rough hilly and stony
3^d rate, growth principally Palo Verde.

a2 North between Sections 7 and 8
to 13, 39, 9

12.50 To a precipice 70 ft high, having 9 & 10

14.00 $\frac{1}{2}$ Bottom, and over very rough ground

40.00 Set a Stone 16x12x3 for the $\frac{1}{4}$ sec. cor. and

a2 raise mound of stones as per instructions

80.00 Set a Stone 15x11x7 for the cor. to sec.

5, 6, 7, 8 and raise mound of stones
as per instructions

Land very hilly and stony and 3^d rate
growth principally Palo Verde trees

Township 4 South Range 10 East

1/4 } Gila and Salt River Meridian

0.00 East on a Random line between Secs 5, 8

May 10th 1869 Ta 13, 34'E

0.00 Get a stone for temporary 1/4 sec. cor

0.49 Entered N. & S. line 40 lbs North of cor.
to Secs 4, 5, 8, 9 from which corner
I Run

N. 89, 43' W. on a true line between Secs 5 & 8

Ta 13, 34'E

0.29 Get a stone 12x11x7 for the 1/4 sec. cor. and
raise mound with pits as per instructions

0.49 The cor. to Secs 5, 6, 7, 8

Land 3rd rate Hilly and stony. Growth
principally Palo Verde trees

West on a Random line between Secs 6 and 7

Ta 13, 34'E

0.00 Get a stone for temporary 1/4 sec. cor

0.40 Entered the West Boundary 17 lbs North
of the cor. to Secs 6 and 7 from which corner
I Run

Township 4. South Range 10 East

Ch } Gila and Salt River Meridian

22 N. 89° 53' E, on a true line between Sec 26 & 27
Ta 19, 34' E

39.40 Get a stone 15 x 9 x 7 for the $\frac{1}{4}$ sec. cor
and raise mound of stones as per instructions

79.40 The cor. to sec. 5, 6, 7, 8
Land very hilly, stony and rocky and
3" rot. growth principally Palo Verde

23 North, on a Random line between Sec 5 & 6
Ta 19, 34' E

4000 Get a stone for temporary $\frac{1}{4}$ sec. cor

6000 To level ground

80.50 Intersect the North Boundary 40 Ch
East cor. to sec. 5 & 6, from which
Corner of Run

S. 0° 17' East on a true line between
Sections 5 & 6

Ta 19, 34' E

40.50 Get a stone 14 x 12 x 8 for the $\frac{1}{4}$ sec. cor
and raise mound of stones as per instructions

Township 4, South Range 10 East

Chs { Gila and Salt River Meridian

8050 The corner to Sections 5, 6, 7, 8
 Sand except the last 20 chains
 is very rough, Hilly and stony
 Soil not fertile principally
 Palo Verde and green wood bushes

The land in this Township is of no value
 except that in the Gila Bottom
 The soil is sandy and gravelly and the
 hills rough and stony
 Completed Aug 11th 1869

A list of persons employed to assist in
 running, measuring or marking the lines
 and corners described in the foregoing
 field notes of that portion of Township
 4 South Range 10 E Gila & Salt River
 Meridian showing the respective capaci-
 -ties in which they acted;

Frank Bundy } Chainman
 Isaiah Stevens }

Harry Bradshaw Axeman

We hereby certify that we assisted Ralph
 W. Norris in subdividing that portion of
 Township 4 South Range 10 East of the
 Gila and Salt River Meridian, ^{"Spring North} and that
 said Township has been in all respects to
 the best of our knowledge and belief well
 and faithfully surveyed and the Bound-
 -ary Monuments planted according to the
 instructions furnished by the Surveyor
 General.

Frank Bundy Chainman
 Isaiah Stevens Chainman

Henry Bruchhorn Aftema

Subscribed and sworn to by the above
named persons before me at my Office at
Phoenix Arizona Territory Pima County
This 5 day of June 1869

James S. Morehead
Justice of the Peace

I Ralph W. Norris Deputy Surveyor
do solemnly swear that in pursuance of
a contract with Sherman Day
Surveyor of the Public Lands of the
United States in the Territory of Arizona
bearing date February 25th 1869 and in
strict conformity to the Laws of the United
States and the Instructions furnished by
the said Surveyor General, I have
faithfully surveyed the Section lines
Township 4 South, Range 10 East

- of the Gila and Salt River Merits
 in the Territory aforesaid, and do
 further solemnly swear that the
 foregoing are the true and original
 Field Notes of such Survey

Ralph W. Norris
 Deputy Surveyor

Subscribed by said Ralph W. Norris
 Deputy Surveyor and sworn to before me
 at my Office at Phoenix Arizona Territory
 this 5th day of June 1869.

James, G. Merchhead,
 Justice of the Peace