

Ralph W. Norris Deputy Surveyor.

T. 5. S. R. 8. E.

Gila and Salt River Meridian.  
Arizona.

629

# Field Notes

OF

No. 629

the Subdivision lines of

Township 5. S. Range 8. E.

Gila and Salt River Meridian, California, Arizona

BY

R. W. Norris Deputy Surveyor,

under his Contract of Instructions June 12<sup>th</sup> 1869

Survey commenced July 27<sup>th</sup> 1869

Survey completed

Platted,

No. 629

Copied for Washington, Jo. by D.P.

Transcript sent to Commissioner,

1A

4-674.

Township 5 S, R. 8 E, S & S R B & M.

**BOOK 629**

6	34	5	25	4	19	3	13	2	7	1
<del>33</del>	<del>33</del>		<del>25</del>		<del>19</del>		<del>12</del>			<del>6</del>
7	32	8	24	9	18	10	12	11	5	12
<del>31</del>	<del>31</del>		<del>24</del>		<del>19</del>		<del>11</del>			<del>4</del>
18	31	17	23	16	17	15	10	14	4	13
<del>30</del>	<del>29</del>		<del>23</del>		<del>16</del>		<del>10</del>			<del>3</del>
19	29	20	22	21	16	22	9	23	3	24
<del>28</del>	<del>28</del>		<del>22</del>		<del>15</del>		<del>9</del>			<del>2</del>
30	28	29	21	28	15	27	8	26	2	25
<del>27</del>	<del>26</del>		<del>21</del>		<del>14</del>		<del>8</del>			<del>1</del>
31	26	32	20	33	14	34	7	35	1	36

BOOK 629

1B

Copied for Washington  
J. C. by D. P.

Subdivision of Township 5 South  
Range 8, East

Spila and Salt Run Meridians

Rec<sup>d</sup> Aug 28<sup>th</sup> 1869

210 Township 5, South Range 8, East

Chs. Gila and Salt River Meridian

North, between Sections 35 and 36  
 July 27, 1864 Pa. 19° 45' E

- 40.00 Set a charred stake for the 1/4 sec. cor. and  
 raise mound with pits as per instructions
  - 80.00 Set a charred stake for the cor. to sec. 25  
 26, 35, 36, and raise mound with  
 pits under instructions
- Land held open and 9 <sup>1</sup>/<sub>2</sub> rate

Continue a Random line between Secs 25 & 36  
 Pa. 19° 45' E

- 40.00 Set a post for temporary 1/4 sec. cor
- 79.50 Intersect the East Boundary 30 lbs  
 South of cor. to Secs 25 and 36, from  
 which corner, I Run  
 5.89 47' N. on a true line between Secs.  
 25 and 36

Pa. 19° 45' E

- 9.75 Set a charred stake for the 1/4 sec. cor. and  
 raise mound with pits as per instructions
- 50.00 Gravel Road from Settlement to Tucson bearing bearing S 90° W 1/2 E

Township 5, South Range 8, East

lbs Gila and Salt River Meridians

79.50 The corner to Section 25, 26, 35, 36  
Land level and 3<sup>rd</sup> rate growth scattering  
mesquit and greasewood bushes

North, between Sections 25 and 26

No. 19.45.9

40.00 Set a charred stake for the  $\frac{1}{4}$  sec. cor. and  
raise mound with P. b. as per instructions

80.00 Set a charred stake for the corner Sec  
23, 24, 25, 26, and raise mound with  
P. b. as per instructions

Land level and 3<sup>rd</sup> rate growth scattering  
mesquit, greasewood & some grass

East on a Random line between Sec. 24 and 25

No. 19.45.9

40.00 Set a post for temporary  $\frac{1}{4}$  sec. cor.

55.00 Road to success County 310 W. N. 10 E

79.40 Intersect the East boundary 10 lbs South  
of cor. to Sec. 24 and 25 from which cor. S. River  
5.89.56 h. on a true line between Sec. 24 and 25

Township 5. South Range 8. East

the Gila and Salt River Meridian

2

Pa. 13.45'E

39.70 Get a charred stake for the  $\frac{1}{4}$  sec. cor. and  
raise mound with Pits as per instructions

79.40 The corner to Sections 23, 24, 25 & 6  
Sand Seal and 3<sup>rd</sup> cot. and mostly open

2

North between Sections 23 and 24  
July 28<sup>th</sup> 1869

Pa. 13.45'E

40.00 Get a charred stake for the  $\frac{1}{4}$  sec. cor. and  
raise mound with Pits as per instructions

80.00 Get a charred stake for the cor. to Secs. 13  
14, 23, 24, and raise mound with Pits  
as per instructions

Sand Seal and 3<sup>rd</sup> cot. with a few sawn quills

2

East on a Random line between Secs. 13 & 24

Pa. 13.45'E

40.00 Get a charred post for temporary  $\frac{1}{4}$  sec. cor.

80.10 Intersect the East Boundary 30 lbs north of cor. to Secs  
13 & 24, from which corner S. River

Township 5, South Range 8, East

the } Gila and Salt River Meridian

N 89° 47' W on a true line between Secs. 19 and 24

Ca. 13° 45' E

40.05 Get a charred stake for the  $\frac{1}{4}$  sec. cor. and  
ruin mound with pits as per instructions

20.10 The corner to sections 19, 14, 23, 24

Sand level and 2<sup>nd</sup> row. Growth mesquite  
grease wood and good grass

North, between Sections 19 and 14

Ca. 13° 45' E

40.00 Get a charred stake for the  $\frac{1}{4}$  sec. cor. and  
ruin mound with pits as per instructions

80.00 Get a charred stake for the cor. to Secs. 11, 12, 13,  
14, and ruin mound with pits as per  
instructions

Sand generally 2<sup>nd</sup> row, with scattering  
mesquite and good grass

3  
East, on a Random line between Secs. 12 and 13

Ca. 13° 45' E

Township 5, South Range 8, East

Ch- Gila and Salt River Meridian

4000 Get a Post for temporary  $\frac{1}{4}$  sec. cor.

6900 5 chs South to Ancient Ruins

79,60 Entered the East Boundary at post cor. to  
Secs. 12 and 13, from which corner of Run  
West on a true line between Secs. 12 and 13

Pa. 13, 45.9,

39,80 Detached stake for the  $\frac{1}{4}$  sec. cor. and raise  
ground with Pits as per Instructions

79,60 The corner to Sections 11, 12, 13, 14

and 3<sup>rd</sup> rat. ground unrun and open

North, between Sections 11 and 12

Pa. 13, 45.9,

35,50 Cross Road from Fort Yuma to Camp Grant  
bearing E. and W.

37,00 Mexican House 3 chs E. Wards house 8 chs West

40,00 Detached stake for the  $\frac{1}{4}$  sec. cor. and  
raise ground with Pits as per Instructions

4150 To River Bottom

4600 To Gila River bearing East and West



Township 5, South Range 8, East

Ch<sup>2</sup> } Gila and Salt River Meridian

50.00 Cross Gila River to low overflow bottom  
 50.00 Get a chained stake for the cor to sec. 1, 2,  
 11, 12 and raise mound with pit as per Instruction  
 Sand except a width of 4 cks in the bottom is  
 3<sup>rd</sup> rate, with heavy growth of bottomwood

Cor<sup>2</sup> on a Prandorn line between Sec. 1 and 12  
 Pa. 19° 45' E,

2.00 Secure bottomwoods for higher sandy bottom  
 40.00 Get a post for temporary 1/4 sec cor  
 80.15 Intersect the East Boundary 40 lbs South  
 of cor. to sec. 1 and 12, from which cor. S Run  
 S. 89° 43' W on a true line between Sec. 1 and 12  
 Pa. 19° 45' E,

40.07 Get a chained stake for the 1/4 sec ~~corner~~  
 which a bottomwoods ft dia has W. 96° 6' S lbs  
 A bottomwood 1 1/4 in dia has S. 43° W. 47 lbs distant  
 80.15 The corner to Sections 1, 2, 11, 12  
 The line runs on North side of bottomwood bottom  
 generally and the sand is 3<sup>rd</sup> rate

Township 5 South Range 8, East

46. Gila and Salt River Meridian

North, on a Random line between Secs. 1 and 2

Ca. 19° 45' E.

200 To higher sandy open bottom

2300 To table land with heavy growth of mesquit

4000 Get a post for temporary 1/4 sec. cor.

80.60 Intersect the North Boundary 42 lbs West of  
Cor to Secs. 1 and 2, from which corner Run  
S. 0.78' W on a true line between Secs. 1 and 2

Ca. 19° 45' E.

40.60 Get a charred stake for the 1/4 sec. cor. and  
raise mound with pits as per instructions

80.60 To corner to Sections 1.2.11.12

and 3<sup>rd</sup> rate 60 ch heavy mesquit

4 North, between Sections 34 and 35

July 29 1869,

Ca. 19° 45' E.

40.00 Get a charred stake for the 1/4 sec. cor. and raise  
mound with pits as per instructions

80.00 Get a charred stake for the cor. to Secs. 26, 27,

34, 35, and raise mound with pits as per instructions -

Township 3 South Range 8. East

W. 1/4 Sec 26 and Salt River Meridian

Sand level and 3<sup>rd</sup> row, generally open

East on a Random line between Secs 26 & 35  
Ta. 13° 45' E.

40.00 Get a post for temporary 1/4 sec cor.  
79.80 Intersect W. end S. line 25 lbs north of cor. to Secs  
25, 26, 35, 36 from which corner 3<sup>rd</sup> Row  
N. 89° 49' W. on a true line between Secs 26 & 35  
Ta. 13° 45' E.

39.40 Get a charred stake for the 1/4 sec cor. and raise  
mound with Pit as per instructions

79.80 The corner to Sections 26, 27, 34, 35  
Sand level and 3<sup>rd</sup> row, growth mesquite  
and grease wood bushes

North between Sections 26 and 27  
Ta. 13° 45' E.

40.00 Get a charred stake for the 1/4 sec cor. and  
raise mound with Pit as per instructions

80.00 Get a charred stake for the cor. to Secs 22, 23

Township 5 South Range 8 East

Ch- { Gila and Salt River Meridian

5 - 26, 27, and raise mound with Pit as per  
Instructions  
Sand 3" rat, growth scattering mesquite

5 East, on a Random line between Sec. 23 & 26  
Pa. 13.45.9,

40.00 Get a post for temporary 1/4 Sec. cor.  
80.32 Intersect N. & S. line 40 lbs. North of the cor.  
to Sec. 23 & 26, from which corner of River  
N. 89. 11 1/2 W. on a true line between Sec. 23 and 26  
Pa. 13.45.9,

40.16 Get a charred stake for the 1/4 sec. cor. and raise  
mound with Pit as per Instructions

80.32 The corner to Section 22, 23, 26, 27  
Sand level, open & 3" rat

6 North, between Sections 22 and 23

Pa. 13.45.9,

40.00 Get a charred stake for the 1/4 sec. cor. and  
raise mound with Pit as per Instructions

Summit 5 South Range 8 East

Ch. } Gila and Salt River Meridian

80.00 Get a corner stake for the cor. to Secs,  
14, 15, 22, 23 and raise mound with pits  
under instructions

Sand level  $3^{\text{rd}}$  rot. There is some mesquit  
on this line and a few cactus

East on a Random line between Secs. 14 & 23

by 13.45'E,

40.00 Get a post for temporary 1/11 sec. cor.

79.90 Intersect N & S line 15 th South g. cor. to Secs  
14 and 23, from which corner, S Run

58 $^{\circ}$  54' W. on a true line between Secs. 14 & 23

by 13.45'E,

99.95 Get a corner stake for the 1/4 sec. cor. and  
raise mound with pits under instructions

79.90 The corner to sections 14, 15, 22, 23

Sand level  $3^{\text{rd}}$  rot. Growth mesquit  
green wood bushes and good grass

North, between Sections 14 and 15

Township 5 South Range 8 East

Ch. } Gila and Salt River Meridian

6 July 30 1869 } Co. 13. 45. E.

40.00 Get a charred stake for the 1/4 sec. cor. and  
raise mound with pits as per instructions

80.00 Get a charred stake for the cor. to Secs. 10, 11,  
14, 15, and raise mound with pits as per  
instructions

Land level, open and 3<sup>rd</sup> rate

6 Cont. on a Random line between Secs. 11, & 14  
Co. 13, 45. E.

40.00 Get a post for temporary 1/4 sec. cor

80.30 Intersect W and S. line 45 Ch. south of cor. to Secs  
11 and 14 from which corner of River

5.89. 41. W. on a true line between Secs. 11 & 14  
Co. 13, 45. E.

40.15 Get a charred stake for the 1/4 sec. cor. and  
raise mound with pits as per instructions

80.30 The corner to Section 10, 11, 14, 15  
Land generally 2<sup>nd</sup> rate, with thick mesquit  
and good grass

## Township 5 South Range 8 East

62 } Gila and Salt River Meridians

North, between Sections 10 and 11

7

Pa. 13, 45, E

26.50 Cross Road from Fort Yuma to Camp Grant  
bearing N. 85° E. & S. 83° W.

33.00 Enter field of Mexican

40.00 Get a chored stake for the 1/4 sec. cor. and  
wire mound with pits as per instructions  
A pole has been put 15 chains distant

46.00 To cross-flooded River bottom with bottomwood

66.50 To Gila River bearing E and W

70.00 Cross the Yuma to sandy 3<sup>rd</sup> rate ground

80.00 Get a chored stake for the cor. to Secs. 2, 3, 10,  
11, and wire mound with pits as per instructions  
Sand in field is 2<sup>nd</sup> rate. The remainder is 3<sup>rd</sup> rate

Bearing stake and left out by mistake for cor. to 3, 10, 11

A hillon 8 in dia bears N. 37° W. 140 lb distance

H ds. " " " " S 81° E. 165 " "

East on a Random line between Secs. 2 and 11

Pa. 13, 45, E

7

## Township 5 South Range 8 East

Ch. Gila and Gold River Meridian

- 24.00 To low overflow bottom with dense undergrowth
- 40.00 Get a post for temporary  $\frac{1}{4}$  sec. cor
- 80.15 Intersect W and S. line 27 lbs south of cor to  
 Secs. 1, 2, 11, 12, from which corner 3<sup>rd</sup> Run  
 S. 89° 48' W on a true line between Secs. 2 & 11
- 40.07 Make cor for the  $\frac{1}{4}$  sec. on Collins road 14 in  
 dia and marked as per Instructions
- 80.15 The corner to sections 2, 3, 10, 11  
 Find 3<sup>rd</sup> rate and generally overflowed bottom  
 North, on a Pradom line between Secs. 2 & 3  
 Ta. 13, 45' E
- 7.00 Ascend 10 ft to level covered with mesquit
- 40.00 Get a post for temporary,  $\frac{1}{4}$  sec. cor
- 80.25 Intersect the North Boundary 18 lbs west of cor  
 to Secs. 2 & 3 from which corner 3<sup>rd</sup> Run  
 S. 89° 48' W on a true line between Secs. 2 and 3  
 Ta. 13, 45' E
- 40.25 Get a charred stake for the  $\frac{1}{4}$  sec. cor. and  
 run mound with Pit as per Instructions
- 80.25 The corner to Sections 2, 3, 10, 11



Township 5 South Range 8 East

6 1/2 } Gila and Galt Prior Meridian  
 and generally level and 3<sup>d</sup> rate with  
 heavy growth of mesquite and some grass

8 North, between Section 33 and 34  
 July 31<sup>st</sup> 1869 } Pa. 13, 45, E.

40.00 Get a chained stake for the 1/4 sec. cor. and  
 wire mound with pits as per Instructions

80.00 Get a chained stake for the cor. to sec.  
 27, 28, 33, 34 and wire mound with  
 pits as per Instructions

Level level open and 3<sup>d</sup> rate

East, on a Random line between Secs. 27, 28, 34  
 Pa. 13, 45, E.

30.00 Cross Road to Blue water bearing N 45  
 0.00 Get a post for temporary 1/4 sec. cor.

19.77 Intersect Wood 5, line 14<sup>th</sup> North of cor. to  
 Secs. 26, 27, 34, 35 from which corner of Run  
 N 89.54, 6, on a true line between Secs. 27 and 34  
 Pa. 13, 45, E.

39.88 Get a chained stake for the 1/4 sec. cor. and

Township 5 South Range 8 East

Chs } Gila and Salt River Meridian

9 - raise mound with pits as per instructions  
79,77 The corner to sections 27, 28, 33, 34  
land level, open, and 3/4 rate

North, between Section 27 and 28,

by 19, 45, 9.

4000 Get a charred stake for the 1/4 sec. cor. and  
raise mound with pits, as per instructions

8000 Get a charred stake for the cor. to Sec. 21, 22,  
27, 28 & raise mound with pits as per instructions  
land level and 3/4 rate. The last 1/2 mile there  
is heavy mesquit

East, on a Random line between Sec. 22 & 27

by 19, 45, 9.

33,00 Crop Road from settlement to Plumata  
Bearing N and S.

4000 Get a post for temporary 1/4 sec. cor.

80,23 Set line N and S, line 57 lbs. North of cor to  
Sec. 22, 23, 26, 27, from which corner of Run  
N 89, 38' W, one true line between Sec. 22 & 27  
by 19, 45, 9.

Township 5 South Range 8 East

6th Gila and Salt River Meridian

4011 Get a corner stake for the  $\frac{1}{4}$  sec. cor. and  
 9 raise mound with pits as per instructions

8023 The corner to Section 21, 22, 27, 28  
 land under 2<sup>nd</sup> rate growth, mesquit  
 yucca wood bushes, and good crop  
 North between Sections 21 and 22

10  
 4000 Get a corner stake for the  $\frac{1}{4}$  sec. cor. and  
 raise mound with pits as per instructions

8000 Get a corner stake for the cor. to Sec.  
 15, 16, 21, 22 and raise mound with pits  
 as per instructions  
 Land under 3<sup>rd</sup> rate, with mesquit as crop

10  
 East on a Random line between Secs. 15 and 22  
 August 1<sup>st</sup> 1869 Va. 13, 45<sup>th</sup> E.

9600 Crop Road to Bluewater bearing N. and S

4000 Get a post for temporary  $\frac{1}{4}$  sec. cor.

8069 Intersect N. and S. line 19 links North of  
 cor. to Secs. 14, 15, 22, 23, from which cor. 3 Run  
 N. 89° 52' W. on a true line between Secs. 15 and 22

Township 5, South Range 8, East

the Gila and Salt River Meridian

10

Cu. 13, 45, E,

4034 Get a charred stake for the  $\frac{1}{4}$  sec. cor. and  
raise mound with pits as per instructions

8069 The corner to sections 15, 16, 21, 22

Land level and 3<sup>rd</sup> cut, growth, mesquit  
and patches of good grass

10

North, between sections 15 and 16

Cu. 13, 45, E,

4000 Get a charred stake for the  $\frac{1}{4}$  sec. cor. and  
raise mound with pits as per instructions

8000 Get a charred stake for the cor. to sec. 9, 10  
15, 16 and raise mound with pits as per instructions

Land level 3<sup>rd</sup> cut, growth, grease wood

Castona Random line between Sec. 10 & 15

11

Cu. 13, 45, E,

3670 Crop Road to Blumata bearing N.  $\frac{1}{2}$  S

4000 Get a post for temporary  $\frac{1}{4}$  sec. cor.

8027 Intersect N.  $\frac{1}{2}$  S. line 37 lbs. South  $\frac{1}{4}$  cor. to sec.

10, 11, 14, 15 from which corner 3 Plan

S. 89, 44, W. on a true line between Sec. 10 & 15

Township 5 South Range 8 East

Ch. } Gila and Salt River Meridian

On 19<sup>th</sup> 45<sup>th</sup> E.

40.19 Set a chained stake for the 44 sec. cor. and  
raise mound with pits as per instructions

8027 The corner to Secs. 9, 10, 15, 16  
Sand sends 3<sup>rd</sup> rate, growth scattering  
mesquits, grease wood & some grass  
North, between section 9 and 10

On 19<sup>th</sup> 45<sup>th</sup> E.

15.50 Cross Road from Yuma to Comb Grant  
bearing N. 82<sup>nd</sup> E. & S. 82<sup>nd</sup> W.

35.00 Enter field of Mexican (Campio) East

40.00 The 44 sec. cor. coming in Road I make it  
20 lbs East. I set a chained stake for the 44  
sec. cor. and raise mound with pits  
as per instructions

75.40 To South Fork of Gila River bearing E. & W.

78.50 Cross the same to sandy 3<sup>rd</sup> rate Island

80.00 Set a chained stake for the cor. to sec.  
3, 4, 9, 10, and raise mound with pits  
as per instructions

Township 5 South Range 8 East

Ch. Gila and Salt River Meridian

Land in field 2<sup>nd</sup> rate, Remainder 3<sup>rd</sup> rate

East, on a Random line between Sec. 9 & 10

Co. 19, 45<sup>th</sup> E.

25.00 To North fork of Gila River bearing S 75<sup>th</sup> E. ~ N 40 W,

28.00 Cross the same to overflowed bottom

41.00 Set a post for temporary 1/4 sec cor.

54.00 Leave overflowed bottom for higher ground

12 3<sup>rd</sup> rate sandy soil and dense undergrowth

79.75 Intersect the road S. line 23 lbs North of  
cor. to Sec. 2, 3, 10, 11, from which corner 3 Run  
North 89<sup>th</sup> 50' W, on a true line between Sec. 3 & 10

Co. 19, 45<sup>th</sup> E.

39.87 Set a charred stub for the 1/4 sec cor. from  
which A willun to in dia bears S 35 W, 112 lbs distant  
A bottom mark 3 ft bears N 34 E, 360 lbs distant  
79.75 Land 3<sup>rd</sup> rate, the growth of bottomland is heavy

North, on a Random line between Sec. 3 & 4

Co. 19, 45<sup>th</sup> E.

14.00 To N. fork of Gila River bearing S 50 E ~ N 25 W

Township 5 South Range 8 East

6th } Gila and Gult River Meridian

15.50 Crop the same at Beaver dam

17.00 As end to Sandy level 15 ft higher

17.00 Get a post for temporary  $\frac{1}{4}$  sec. cor

179.70 Intersect North Boundary 52 th west of  
Cor. to Sec. 3 and 4 from which cor. of River  
50<sup>th</sup> 22<sup>th</sup> W. on a true line between Sec. 3 & 4  
Pa. 13<sup>th</sup> 45<sup>th</sup> E.

39.70 Get a chored stake for the  $\frac{1}{4}$  sec. cor. and  
run mound with pits as per instructions

179.70 The corner to sections 3, 4, 9, 10

land 3<sup>rd</sup> rate except last 25 chains which  
is 2<sup>nd</sup> rate, with heavy growth of mesquite

12 North between sections 32 and 33

August 2<sup>nd</sup> 1869  $\frac{3}{4}$  Pa. 13<sup>th</sup> 45<sup>th</sup> E.

40.00 Get a chored stake for the  $\frac{1}{4}$  sec. cor. and  
run mound with pits as per instructions

80.00 Get a chored stake for the cor. to Sec. 28, 29

92.99 Run mound with pits as per instructions

land level open 53<sup>rd</sup> rate

Township 5 North Range 8 East  
 Sec. 13 Gila and Salt River Meridians

13 East on a Random line between Secs 28 & 33  
 by 13, 45' E,

40.00 Get a post for temporary 1/4 sec cor

79.85 Intersect Nord S line 33th South goes to Secs  
 28 and 33 from which corner of Sec  
 S. 89, 46' W on a true line between Secs 28 & 33  
 by 13, 45' E,

39.92 Get a charred stake for the 1/4 sec cor, and raise  
 mound with pits as per instructions

79.85 The corner to Section 28, 29, 32, 33  
 Sand level open and 3<sup>rd</sup> rate

North, between Sections 28 and 29

13 by 13, 45' E,

40.00 Get a charred stake for the 1/4 sec cor, and  
 raise mound with pits as per instructions

80.00 Get a charred stake for the cor to Secs 28, 29, 32, 33  
 29 and raise mound with pits as per instructions  
 Sand level open 3<sup>rd</sup> rate. There is cactus  
 growing throughout this open clay ground



## Tombigbee &amp; South Range &amp; East

622 } Gila and Salt River Meridian

193 } East, on a Random line between Secs. 21 & 28

Pa. 19, 45<sup>1</sup>/<sub>2</sub> E

40.00 } Set a post for temporary 1/4 sec. cor

80.32 } Entered Woods line 15<sup>th</sup> by South of cor. to Secs  
21, 22, 27, 28 from which corner of Run

5.8954<sup>th</sup> on a true line between Secs. 21 and 28

Pa. 19, 45<sup>1</sup>/<sub>2</sub> E

40.16 } Set a charred stake for the 1/4 sec. cor. and raise  
mound with pits as per instructions

80.32 } The corner to Section 20, 21, 28, 29

land level open and 3<sup>rd</sup> run

10 } North between Sections 20 & 21

Pa. 19, 45<sup>1</sup>/<sub>2</sub> E

15.00 } To mesquit

10.00 } Set a charred stake for the 1/4 sec. cor. and  
raise mound with pits as per instructions

80.00 } Set a charred stake for the cor. to Secs. 16, 17

20, 21, and raise mound with pits as per instructions

land level 0<sup>th</sup> run by the mesquit

green wood birds and hoop

## Township 5 North Range 8 East

## Ch. Gila and Salt River Meridian

- 14 East, on a Random line between sec, 16 & 21  
August 4<sup>th</sup> 1869 Va. 19, 45.9
- 40.00 Detached stake for temporary 1/4 sec. ca
- 79.74 Intersect Wand S. line 37 lbs North of cor. to Sec.  
16 and 21, from which corner I Run  
N. 89.44<sup>th</sup> on a true line between Sec, 16 & 21  
Va. 19, 45.9
- 39.87 Detached stake for the 1/4 sec. cor. and  
same mound with pits as per instructions
- 79.74 The corner to Sections 16, 17, 20, 21  
Sand soil, soil 3<sup>rd</sup> int. Heavy growth of  
mesquit & green wood & good grass
- 
- 14 North, between Sections 16 and 17  
Va. 19, 45.9
- 40.00 Detached stake for the 1/4 sec. cor. and  
same mound with pits as per instructions  
About 12 ch. East to extensive prairie called  
Casa Grande
- 80.00 Detached stake for the cor. to sec, 8, 9

Township 5 South Range 8 East

Sec 16 and Galt River Meridian

16.1700 ruin mound with pits as per instructions  
land level and 2<sup>nd</sup> cut from the ~~meridian~~ <sup>graph</sup>

14 East on a Random line between Secs 9 & 16  
Ta. 13.45.9

10.00 Get a post for temporary 1/4 sec cor

79.60 Intersect W & S line 4.6 lbs W of cor to Sec  
9 & 16, from which corner of River

189.40 W on a true line between Secs 9 & 16  
Ta. 13.45.9

9.80 Get a charred stake for the 1/4 sec cor and  
ruin mound with pits as per instructions

79.60 The corner to sections 8, 9, 16, 17

land level and 3<sup>rd</sup> cut, some mesquite & grass  
North, between sections 8 and 9

Ta. 13.45.9

9.00 Cross Road to Fort Yuma bearing S 45 E N 75 W,

6.00 Enter field (Walker's) on the E. side on the west

10.00 Get a charred stake for the 1/4 sec cor and ruin  
mound with pits as per instructions

20.00 Get a charred stake for the cor of Secs 4, 5

Township 5 South Range 8 East

Ch. } Gila and Galt River Meridian

- 8.9 and wire mound with pits under instructions  
and 2<sup>nd</sup> rate in field & 3<sup>rd</sup> rate outside

East, on a Random line between Secs, 4 & 9

Jan. 19, 45, E.

32.00 To Mexican house on ditch of Ancient house

37.00 Loop old ditch which 5806. 1280 E

40.00 Get a post for temporary 1/4 sec. cor

53.00 ~~To Gila River N 45° E 5815 E~~

79.22 To point N. and S. line 15 lbs south of cor to sec

4 and 9, from which corner 3 run

5.89, 52 k. on a Random line between Secs 4 & 9

Jan. 19, 45, E.

39.61 Get a charred stake for the 1/4 sec. cor. and  
wire mound with pits under instructions

79.22 The corner to sections 4, 5, 8, 9

and 2<sup>nd</sup> rate

North, on a Random line between Secs, 4 & 9

Jan. 19, 45, E.

In Field

24.00 To Wise's house & e. h. Wise's claim S. E. 1/4 of sec 3-

28.50 To South Fork of Gila River bearing 20 W. —

Township 5 South Range 8 East

60- Gila and Salt River Meridians

1950 brog the same to Island

10.00 Get a post for temporary 1/4 sec. cor.

19.89 To locate the North Boundary 27 lbs  
rusty corner to Sec. 4 & 5 from which an Iron  
S.O. T.M. on a true line between Sec. 4 & 5.

Aug 19, 45.9

19.83 Get a horned stake for the 1/4 sec. cor. and raise  
mound with pits as per Instructions

19.89 The corner to Sections 4, 5, 8, 9.

Found in field 2<sup>nd</sup> rate, the Remainder 3<sup>rd</sup> rate

North, between Sections 31 and 32

August 5<sup>th</sup> 1869,  $\frac{2}{3}$  Aug. 19, 45.9,

10.00 Get a horned stake for the 1/4 sec. cor. and  
raise mound with pits as per Instructions

10.00 Get a horned stake for the cor. to Sec. 29, 30,

31, 32 as raise mound with pits as per Instructions

Found level, open, & 3<sup>rd</sup> rate

East on a Random line between Sec. 29 and 32

Aug 19, 45.9,

10.00 Get a post for temporary 1/4 sec. cor.

Township 5 South Range 8 East

Ch. } Gila and Salt River Meridian

79.90 Intersect N. 55 line 36 the South cor to  
 Gd. 28, 29, 32, 33, from which cor. 3 Run  
 S. 89. 45<sup>h</sup> on a true line between Gd. 29 & 32  
 Cu. 19. 45. E.

39.95 Detached stake for the 1/4 sec. cor. and  
 raise mound with pits under instruction

79.90 The corner to sections 29, 30, 31, 32  
 sand bank, open & 3<sup>rd</sup> rate

West, on a Random line between Gd. 30 & 31  
 Cu. 19. 45. E.

40.00 Detached for temporary 1/4 sec. cor.

79.50 Intersect the West Boundary 20th North of  
 cor. to sec. 30 & 31, from which cor. 3 Run  
 N 89. 51. E on a true line between sec. 30 & 31  
 Cu. 19. 45. E.

39.50 Detached stake for the 1/4 sec. cor. and  
 raise mound with pits under instruction

79.50 The corner to sections 29, 30, 31, 32  
 sand bank 3<sup>rd</sup> rate, growth mesquite & grass

Township 5 South Range 8 East

Chl } Gila and Galt River Meridian

17 North, between Sections 29 and 30  
 Pa. 19° 45' E

40.00 Detached stake for the 1/4 sec. cor. and  
 mine mound with pits as per instructions

80.00 Detached stake for the cor. to sec. 19, 20.

2990.00 mine mound with pits as per instructions  
 Sand level 3<sup>d</sup> rate & generally open.

East on a Random line between sec. 20 & 29

Pa. 19° 45' E

40.00 Detached for temporary 1/4 sec. cor.

79.69 Intersect N. & S. line 11 lb North of cor. to sec  
 20 & 29, from which corner 3 Run

N 89° 55' W on a true line between sec. 20 & 29

Pa. 19° 45' E

39.81 Detached stake for the 1/4 sec. cor. and  
 mine mound with pits as per instructions

79.69 The corner to Sections 19, 20, 29, 30

Sand level open 3<sup>d</sup> rate

West on a Random line between sec. 19 & 30

August 1869

Pa. 19° 45' E

Township 5 South Range 8 East

the Gila and Salt River Meridian

40.00 Set a post for temporary 1/4 sec, cor  
 79.92 Intersect the West Boundary 49 lbs North  
 of cor to Sec. 19 & 20, from which cor. of Run  
 18 N. 89° 39' E. on a true line between Sec. 19 & 20  
 Pa. 13° 45' E.

39.92 Detached stake for the 1/4 sec, cor. and rain  
 mound with Pit's as per Instructions

79.92 The corner to Sections 19, 20, 29, 30  
 Sand level, generally open @ 3" rate

North, between Sections 19 and 20  
 Pa. 13° 45' E.

12.00 Heavy growth of mesquit

40.00 Detached stake for the 1/4 sec, cor. and  
 rain mound with Pit's as per Instructions

80.00 Detached stake for the cor. to Sec. 19, 18  
 19, 20, and rain mound with Pit's as per Instructions  
 Sand level @ 2" <sup>nd</sup> rate. Growth mesquit as prof

East on a Random line between Sec. 19 & 20  
 Pa. 13° 45' E.

40.00 Set a post for temporary 1/4 sec, cor.



Township 5 South Range 8 East

6th Gila and Galt River Meridian

80.22 Intersect N & S. line 26 lbs North of cor,  
to sec. 16, 17, 20, 21, from which cor, 3 Run  
N. 89° 49' W, on a true line between sec. 17 & 20  
Ca. 13.45' E

No. 11. Detached stake for the 1/4 sec. cor, and  
ruin mound with Pits as per Instruction

80.22 The corner to sections 17, 18, 19, 20  
Soil level 2<sup>nd</sup> rate, heavy mesquites good grass  
West, on a Random line between Sec. 18 & 19  
Ca. 13.45' E

40.00 Use a post for temporary 1/4 sec. cor

80.98 Intersect the West Boundary 67 lbs North  
of cor to sec. 18 & 19, from which corner 3 Run  
N. 89° 31' E on a true line between sec. 18 & 19  
Ca. 13.45' E

10.38 Detached stake for the 1/4 sec. cor, on ruin  
mound with Pits as per Instruction

80.98 The corner to sections 17, 18, 19, 20  
Soil level 2<sup>nd</sup> rate, growth Mesquite  
green rock bushes and good grass

Tombich 5 South Range & East

6-6hr } Gila and Salt River Meridian

19 North, between sections 17, & 18

Pa. 13° 45' E,

40.00 Get a chained stake for the  $\frac{1}{4}$  sec. cor. and  
vine mound with pits as per instructions

80.00 Get a chained stake for the cor. bet. 7, 8, 17, 18,  
and vine mound with pits as per instructions  
sand shels & <sup>nat</sup> rate, with some mosquito prop

East, on a Random line between Sec. 8 & 17

August 7<sup>th</sup> 1864

Pa. 13° 45' E,

40.00 Get a post for temporary  $\frac{1}{4}$  sec. cor

80.00 Interest Ward S. line 20 lbs South of cor to  
Sec. 8, 9, 16, 17 from which corner 3 Run  
S. 89° 51' W. on a true line between Sec. 8 & 17

Pa. 13° 45' E,

40.00 Get a chained stake for the  $\frac{1}{4}$  sec. cor. and vine  
mound with pits as per instructions

80.00 The corner to sections 7, 8, 17, 18

sand shels & <sup>nat</sup> rate, with mosquito prop

West, on a Random line between Sec. 7 & 18

Pa. 13° 45' E,

## Township 3 South Range 8 East

66 } Gila and Salt River Meridian

4000 Set a post for temporary  $\frac{1}{4}$  sec. cor  
 4.50 Entered the west boundary 36 lbs North  
 of cor. to sec. 7, 18, from which corner 3 River  
 N. 89° 45' E. on a true line between sec. 7 & 18  
 to 13, 45' E.

9.90 Detached stake for the  $\frac{1}{4}$  sec. cor. and  
 ruin mound with pits as per instructions

74.50 The corner to Sections 7, 8, 17, 18  
 20 Found generally 3" rat level, with scattering  
 mesquite and some grass

North, between Sections 7 and 8  
 to 13, 45' E.

40.00 Detached stake for the  $\frac{1}{4}$  sec. cor. and  
 ruin mound with pits as per instructions

00.00 Detached stake for the cor. to sec. 5, 6,  
 7, 8, and ruin mound with pits  
 as per instructions

Sand level as 3" rat. Growth mesquite  
 & green wood bushes as some grass

Township 5 South Range 8 East

Ch. Yila and Salt River Meridian

20 East, on a Random line between Sec. 5 & 8  
 Va. 13<sup>a</sup> 45<sup>e</sup> E.

15.60 Cross Fort Yuma Road bearing N. 65<sup>e</sup> 375<sup>b</sup>

29.00 To field of Pulenreuela

40.00 Get a post for temporary 1/4 sec. cor.

80.36 Intersect with S. line 47<sup>th</sup> South & on to Sec

4, 5, 8, 9 from which corner 3<sup>rd</sup> Pror

S. 89<sup>o</sup> 40<sup>'</sup> W. on a true line between Sec. 5 & 8  
 Va. 19<sup>a</sup> 45<sup>e</sup> E.

40.18 Get a chored stake for the 1/4 sec. cor. and  
 wire mound with Pit as per instructions

80.36 The corner to sections 5, 6, 7, &  
 land in field 2<sup>nd</sup> rate. Remainder 3<sup>rd</sup> rate  
 with heavy mesquit and some grass

X West, on a Random line between Sec. 6 & 7  
 Va. 13<sup>a</sup> 45<sup>e</sup> E.

40.00 Get a post for temporary 1/4 sec. cor.

80.22 Entered the west boundary with south

Tomb in 5 South Range & East

W. Gila and Galt River Meridian

- goes to Sec. 6 & 7 from which corner 3 Aug  
58.42 on a true line between Sec. 6 & 7  
Az. 13.45° E.

40.22 Detached stone for the 1/4 sec. cor  
same mound with Pit as per In-  
struction

80.22 The corner to Section 5, 6, 7 & 8  
Sand level 2<sup>nd</sup> nat. Heavy growth  
of mesquit and good brush

North, on a Random line between Sec  
5 and 6

Az. 13.45° E.

8.00 To Road from Fort Yuma to Camp Grant  
bearing S. 80° E. N 80° W descend

15.00 To Bottom with heavy growth of mesquit

7.00 Field of Juan Surgo. Houn N. 45° W, rocks

10.00 Set a post for temporary 1/4 sec. cor and  
same mound with Pit as per instruction

58.00 To South Fork of Gila River bearing -

Township 5 South Range 8 East

Ch. } Gila and Gult River Meridian

- N. 45<sup>th</sup>, and East.

60.00 Cross the same to Island & Indian field

80.42 Intersect the North Boundary 17. lbs East  
 of cor to Sec. 5 and 6, from which Cor.  
 of Run

S. 0<sup>th</sup> 7. E. on a true line between Sec. 5 & 6  
 Cu. 13<sup>th</sup> 45<sup>th</sup> E.

40.42 Get a stake for the 40 Sec. Cor. and deposit  
 charcoal at the centre and raise  
 mound with pits as per instructions

80.42 The corner to sections 5, 6, 7, 8,  
 land in field 2<sup>nd</sup> rate. The Remainder  
 is 5<sup>th</sup> rate

The land in this Township presents the  
 appearance of having been cultivated  
 and contains now a large supply  
 of Common Grass

Tombigbee & Youth Range & East

low } Gila and Yalt River Meridian

Township 5 South Range 8 East  
 Sec 14 and Gull River Meridian

*[Faint, illegible handwriting, possibly bleed-through from the reverse side of the page]*



We hereby certify that we assisted Ralph W  
 Norris in subdividing Township 5 South  
 Range 8 East T14 and Salt River Meridian,  
 and that said Township has been, in all respects  
 to the best of our knowledge and belief,  
 well and faithfully surveyed, and the  
 Boundary Monuments planted according  
 to the Instructions furnished by the  
 Surveyor General

James Shoemaker Chairman  
 Philip Girod Chairman  
 Chas. Karsam Assessor

Subscribed and sworn to by the above named  
 persons before me at Maricopa Wells  
 Pima County, Arizona August 10<sup>th</sup>  
 1869

Ralph W. Norris  
 Deputy Surveyor

I, Ralph W. Norris Deputy Surveyor, do solemnly

swear that in pursuance of Instructions from  
 Sherman Day, Surveyor of the Public Lands in the  
 Territory of Arizona bearing date June 12<sup>th</sup>  
 1869, and in strict conformity to the Laws of the  
 United States and the Instructions furnished by  
 the said Surveyor General, I have faithfully  
 subdivided Township 5 South Range 8 East  
 of Gila and Salt River Meridian in the  
 Territory aforesaid, and do further solemnly  
 swear that the foregoing are the true and  
 Original Field Notes of such survey

Ralph W. Norris

Deputy Surveyor

Subdivided Township 5 South Range 2 East  
of Gila and Salt River Meridian in the  
Territory aforesaid, and do further solemnly  
swear that the foregoing are the true and  
Original Field Notes of such survey

Ralph W. Norris  
Deputy Surveyor

Territory of Arizona  
County of Pima

SS.

Printed and sold by John G. Hodge & Co., Stationers,  
327, 329 & 331 Sansome Street, S. F.

On this Eleventh day  
of August A. D. One Thousand Eight Hundred and Sixty-nine  
before me, John S. Carr a Notary Public in and for said  
Pima County, duly commissioned and sworn, personally appeared the within named  
Ralph W. Norris

whose name is subscribed to the annexed Instrument as part thereto, personally  
known to me to be the individual described in and who executed the said annexed Instrument, and  
he acknowledged to me that he executed the same, freely  
and for the uses and purposes therein mentioned.

In Witness Whereof, I have hereunto set my hand and affixed  
my Official Seal, the day and year in this Certificate  
above written.

John S. Carr  
Notary Public.

