

No. 630

630

Subdivisions BOOK 630

7/2. 5^v. S. R. 3. &

" 5^v" " 4. "

" 5^v" " 5. "

" 5" " 36. "

" 4. " " 3. "

Handwritten signature

Exterior's. small book
7/2 5. S. Rs 3+5. &

630

BOOK 630

Index

"Subdivisions"

- T. 5 S; R. 3 E. ✓ Page. 1
- T. 5 S; R. 4 E. ✓ 121
- T. 5 S; R. 5 E. ✓ 181
- T. 5 S; R. 6 E. ✓ 218
- and
- T. 4 S; R. 3 E. ✓ 61

Field notes of the survey of
the Sub-division Lines of

Township 5 S Range 3 E

of the Gila and Salt River
Meridian in the Territory
of Arizona by Geo. P. Zugalls
Deputy Surveyor under the
joint contract of George P.
and Wilhelm F. Zugalls bearing
date the 10th day of July
AD 1868

Comm. July 24/68

Comp. Aug 1st

Platted C. B.

Copied for Washington J. K. G.

1A

BOOK 630

4-674.

Township 52, R. 36, 37, 38, 39, 40, 41, 42

6	58	5	42	4	31	3	21	2	11	1
57	56		40		30		20		10	
7	55	8	40	9	29	10	19	11	9	12
54	53		39		28		18		8	
18	52	17	39	16	28	15	17	14	7	13
51	40		37		27		16		6	
19	49	20	36	21	26	22	16	23	5	24
48	47		35		25		15		4	
30	46	29	34	28	24	27	14	26	3	25
45	44		33		23		13		2	
31	43	32	32	33	22	34	12	35	1	36

Tp 5 SR range 3 E

10

Gila and Salt River Meridian

Chs From the Standard corner
to sec 35 and 36 on South
Boundary of Tp 5 R

North bet sec 35 + 36
71341' E as per
East Boundary

40.00 Set a post for 1/4 corner
with mound and pits
as per instructions

80.00 Set a post for cor to sec 25, 26,
35 and 36 with mound and
pits as per instructions
Land gently rolling
Ant 2nd rate
Greewood and mesquite

Township 5 - South

Area & Salt River

Ch. East on a random line
bet sec 25 + 36
Ta 13° 40' E as per
South Boundary

400 for temporary 1/4 sec post

83.08 A Road bears N 75° E

79.84 Intersect East Boundary of
Township 16 N 60 South of
cor to sec 25, 36, 38 + 31
From which cor I run

S 89° 53' W on true line bet
sec 25 + 36
Ta 13° 40' E

39.92 Set a post for 1/4 corner
with mound and pits
as per instructions

0681 BOOK 630 3
Range 3 East

Meridian

79.84 The carto recs 25, 26, 35 + 36
Land level. Soil 2nd rate
Mesquero and mesquite

North bet recs 25 + 26
on 304' E

4000 Serapunt for 1/4 acre
with mound and pits
as per instructions

5000 Serapunt for onto recs 23, 24,
25 + 26 with mound and
pits as per instructions
Land level
Soil 2nd rate
Mesquero and mesquite

4

Township 5 South

New and Salt River

Ch East on a random line
bet recs 24 & 25
on 13440' E

4020 Set temporary 1/4 sec post

5950 Road bears N4S

8012 Entered East Boundary of
Township 23 N 1/4 S
of cor to recs 24, 25, 19 & 30
From which cor runs

S89°50' W on a true line
bet recs 24 & 25
on 13440' E

4006 Set a post for 1/4 sec cor
with mound and pits
as per instructions

Range 3 East

Meridian

80112 The cut to sec 23, 24, 25 & 26
 Land lease
 One 2nd rate
 Mesquite and mesquite

7th mile between 23rd and
 24th 1st E

4000 for apmt for 1st & 2nd sec
 with mound and pits
 as per instructions

8020 for apmt for cut to sec 13, 14,
 23rd with mound and
 pits as per instructions
 Land lease
 One 2nd rate
 Mesquite and mesquite

6 Township 5 South

Between Salt River

Chs East on a random line
between 13th & 14th
at 130° 40' E

4000 for temporary 1/4 sec pm

5500 A Road bears N 88

8028 Intersect East Boundary
of Township 12 Ns north
of curve rec'd 13th N. 1879
Annularite cor'd run

N 89° 55' W on a true line
between 13th & 14th
at 130° 40' E

4014 set a pm for 1/4 sec cor
with mound and pits
as per instructions

Range 3 East Meridian

80,28 The cor to acs 13, 14, 23 and
Sand level
And 2nd rate
Greasewood and mesquite

North bet acs 13 & 14
to 13 & 11 'E

40,00 Set apart for 1/4 acre cor
with mound and pits
as per instructions

80,00 Set apart for cor to acs 11, 12,
13 & 14 with mound & pits
as per instructions
Sand level
And 1st & 2nd rates
Greasewood and mesquite

10

BOOK 630

Township 5 South

8

New Salt River

41.00 East on a random line
 per recs 12 & 13
 or 13040' E

41.00 for temporary $\frac{1}{4}$ section

41.60 A Road bears N & S

80.22 Intersect East Boundary of
 Township 26 E & North of
 cor to recs 12, 13, 7 & 18
 same which could run

N 89° 49' W on a true line
 per recs 12 & 13
 or 13040' E

40.11 Separated for $\frac{1}{4}$ sec cor
 with mound and pits
 as per instructions

Rancho East

Meridian

80.42 The cor to sec 11, 12, 13 & 14
 Sand level
 Soil pt & 2nd rates
 Greasewood and mesquite
 July 24, 1888

North bet sec 11 & 12
 N 130° 41' E

4020 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

80.00 Set apart for cor to sec 11, 12,
 13 & 14 with mound and
 pits as per instructions
 Sand level
 Soil 2nd rate
 Greasewood and mesquite

R2

BOOK 630

10

Township 5 South

New and Salt River

Chs East on a random line
 per acc 1 & 2
 N 130° 40' E

34.57 A Road bears N 30° 00' E 838° E

40.20 for temporary # acc per

80.38 Intersect East Boundary of
 Township 16 N, South of
 carto acc 1, 12.6 & 7
 Gravelly creek of road

89° 53' W on a true line
 per acc 1 & 2
 N 130° 40' E

40.15 Separation for # acc per
 with mound and pits
 as per instructions

Range & East Meridian

11

8030 The cor to sec 1, 2, 11 & 12
 Land well
 Int pt 12th rate
 Greasewood and mesquite

North on a random line
 bet sec 1 & 2
 N 13° 41' E

4200 S temporary # across

8011.5 Intersect North Boundary
 of Township 23 Ns West of
 cor to sec 1, 2, 35 & 36
 Ironoxide cor down

400 10' W random line
 bet sec 1 & 2
 N 13° 41' E

14
12

Township 5 South

Luna and Salt River

40115 Set apart for 4 acres
with mound and pits
as per instructions80115 The carters 1, 2, 11/12
Sand level
Dirt 2nd rate
Greewood and mesquiteNorth bearing 34° 13' 30"
N 130° 41' 00"4020 Set apart for 4 acres
with mound and pits
as per instructions8020 Set apart for carters 26, 27,
34 133 with mound and
pits as per instructions

Rough 2 East

Meridian

ch. Said level
Int 2ur rate
Yucca wood and mesquite

East on a random line
bet sec 26 & 35
at 3040' E

4000 Scrap for 14 sec units

80.16 Returned N-H line 21 R. N.
of cut to sec 25, 26, 35 & 36
from which cor I run

N 89° 57' W random line
bet sec 26 & 35
at 3040' E

40.08 Scrap for 14 sec units
round and pits as per in-
structions

14 Township 5 South
 Gila Salt River

88.16 The cuts recs 26.27, 34 & 35
 Land level
 One 2 1/2 rate
 Greasewood and mesquite

North between 26 & 27
 on 13041 &

4000 Set apart for 1/4 section
 into mound and pits
 as per instructions

8000 Set apart for cuts recs 22, 23,
 26 & 27 into mound and
 pits as per instructions
 Land level
 One 2 1/2 rate
 Greasewood and mesquite
 July 25, 1888

Range 3 East

Meridian

Chs East on a random line
between 23 & 26
N 13 20' E

4020 Set temporary Hecpm

79.88 Intersect N 1/2 line 28 E 1/2 N
of cor to sec 23, 24, 25 & 26
from clouds cor & run

N 89 ⁽⁴⁸⁾ 1/2 W natural line
between 23 & 26
N 13 20' E

39.94 Set apart for Hecpm with mound
and pits as per instructions

79.88 The cor to sec 28, 27, 22 & 23
land level. Soil just west
mesquite and mesquite

18

BOOK 630

16

Township 5 South

Between and Salt River

4000 20000 acres 22023
 T13041'E

4000 Set apart for 14 acres
 with mound and pits
 as per instructions

8000 Set apart for 14 acres
 22023 with mound and
 pits as per instructions
 Land level
 One 200 acre
 meadow and overgraze

East and south line
 between 14023
 T13041'E

4000 Set temporary 14 acres

Range 3 East

Meridian

79.76 Dubuque N 48 line 14 to 26
 of cor to sec 13, 14, 22, 23
 Annular with Dur

N 89° 3' 4" W on true line
 bet sec 14 + 23
 or 13 + 20 'E

39.88 Report for 1/4 sec cor
 with mound and pits
 as per instructions

79.76 The cor to sec 14, 15, 22 + 23
 Land level
 Soil dur rate
 measured and merged

North bet sec 14 + 15
 or 13 + 11 'E

Township 5 Smith

Luna and Salt River

4400 Set apart for 44 acres
with mound and pits
as per instructions

8200 Set apart for acres 10, 11,
14 + 15 with mound and pits
as per instructions

Sand dune

Sub 2nd rate

Grease wood and mesquite

East on a random line
between 11 + 14

N 130 40' E

4000 Set temporary fence for

7960 Subtract N 1/2 line 2300 S
of acres 11, 12, 13 + 14
from volume of Durr

Range 2 East

Meridian

Ch 189°30'W natural line
bet rods 11 & 14
at 3440' E

39.80 Set apart fir & Que cor
with mound and pits
as per instructions

79.60 The cor to rods 10, 11, 1 & 15
Sand line
Int. Sur rate
Que wood and merquite

Unit bet rods 10 & 11
at 3241' E

41.20 Set apart fir & Que cor
with mound and pits
as per instructions

20

Township 5 South

Lata and Salt River

800 Set apart fir cuts recs 2, 3,
 10 + 11 with mound and
 pits as per instructions
 David Reed
 Onl 2nd 1/2nd rules
 Greasewood and mesquite

East on a random line
 bet recs 2 + 11
 Ta 130° 40' E

400 Set temporary # as per

79.72 Intersect N. line 1900s S
 of cuts recs 1, 2, 11 + 12
 Involvement cord run

S 89° 05' 2" W on a true line
 bet recs 2 + 11
 Ta 130° 40' E

Range 3 East

Median

39.86 Repair for 1/4 sec cor
with mound and pits
as per instructions

79.72 Repair to sec 2, 3, 10 + 11
Sand bank
On 2nd rate
area record and mesquite

North on a random line
bet sec 2nd & 3rd
T13 241 E

4000 Repair temporary # sec cor

80.25 Intersect North Boundary of
Township 28 E, west of cor
to sec 2, 3, 34 + 35
From which cor I run

24
32

BOOK 630

Township 5 South

into and Salt River

dis 200° 12' W on a true line
between 2 + 3
or 130° 41' E

40.45 Reaport for 1/4 Sec cor
with mound and pits
as per instructions

89.25 The cor to sec 2, 3, 10 + 11
Sand level
but 2ur rate
Measure and mesquite
July 27, 1868

North between 33 + 34
or 130° 41' E

40.00 Reaport for 1/4 Sec cor with
mound and pits as per
instructions

Range & East

Medicine

8000 Set apart from car to nos 27, 28.
 33 + 34 with moved and pits
 as per instructions
 Land level
 Int. for case
 Grasswood and mesquite

East on a random line
 between nos 27 & 34
 on 3040' E

4000 Set temporary 1/4 sec on

8020 Subnet N-H line on
 car to nos 26, 27, 34 & 35
 In middle of same

West on a line line between
 nos 27 & 34
 on 3040' E

26
24

BOOK 630

Township 5 South

between and Salt Rivers

40.00 Serapmt for 14 acres
with mound and pits
as per instructions

80.20 The contents 27, 28, 33 & 34
Land lease
Incl 2nd term notes
Grease wood and mesquite

North bet acres 27 & 28
N 13 1/4 E

40.00 Serapmt for 14 acres
with mound and pits
as per instructions

80.00 Serapmt for contents 21, 22,
27 & 28 with mound and
pits as per instructions

Range 3 East

Mendocino

Ch. Sand level
but sur^{face} ~~poor~~ ^{poor} water
Greewood and mesquite

East on a random line
bet ~~ac~~ 22 + 27
at 13 40' E

400 Let trap straight across

8032 Dubuque N.H. line 23 E S
of car to ~~ac~~ 22, 23, 26 + 27
frunulich cord sup

I 890 50' W a true line
bet ~~ac~~ 22 + 27
at 13 40' E

4006 Scrapnt for 1/2 sec car with
mud and pits as per
instructions

28
26

BOOK 630

Township 5 Smith

Auto and Salt River

8032 The auto sees 21, 22, 27 128
Land level
Auto 2nd rate
Greasewood and mesquite

With her sees 21 & 22
N 130 + 1 E

4020 Set apart for 1/4 sec on
auto mound and pits
as per instructions

8220 Set apart for auto sees 15, 16,
21 & 22 auto mound & pits
as per instructions
Land level
Auto 2nd rate
Greasewood and mesquite

Rough East

Meridian

Ch₁ East on a random line
between 15 + 22
at 3040' E

40.26 Let temporary 4 sec for

80.14 Cut across N + S line 12 sec 26
of cut to sec 14, 15, 22 + 23
From which cord run

N 89° 55' W natural line
between 15 + 22
at 3040' E

40.07 Serapms for 4 sec cor
with mound and pits
as per instructions

80.14 The cut to sec 15, 16, 21 + 22
Land level. Int 2 sec
Greewood and mesquite

30

BOOK 630

28

Township 5 South

Between Salt River

Chs Mts between 15 + 16
CA 13041 'E4000 Set apart fir & Dec con
with mound and pits
as per instructions8000 Set apart fir con to trees 9, 10,
15 + 16 with mound and
pits as per instructions
Sand level
Inl Durate
Guacero + mesquiteEast on sand on line between
aces 10 + 15
CA 13048 'E

4000 Set temporary Dec con

Range of East

Meridian

80.24 Intersect N 48 line 210 Rs N
of cor to sec 10, 11, 14 & 15
From south cor & run

N 89° 57' 45 on a true line
bet sec 10 & 15

N 13° 40' E

40.12 Let a post for 1/4 sec cor
with mound and pits
as per instructions

80.24 The cor to sec 9, 10, 15 & 16
Land level

and two post sets

Yucca wood and mesquite

July 28, 1868

North bet sec 9 & 10

N 13° 41' E

32

BOOK 630

30

Township 5 South

Gila and Salt River

40.00 Set apart for 1/4 sec cor
with mound and pits
as per instructions

80.00 Set apart for cor to sec 3, 4,
9 & 10 with mound and pits
as per instructions
Land level
Soil 2nd rate
Greasewood and mesquite

Cart on a random line
between sec 3 & 10
at 13040' E

40.00 Set temporary 4 sec parts

80.36 Interest 1/8 sec line 30 E R 1
of cor to sec 2, 3, 10 & 11
Involvement cor & sec

Range 3 East 31

Meridian

Chs N89°47'W on true line
between 3 & 40
at 30°40' E

40.18 Scrap for 1/2 acre
with mound and pits
as per instructions

80.36 The cor to nos 3, 4, 9 & 10
Sand level
Inl dirt rail
Guarwood and Mesquite

North on a random line
between 3 & 40
at 30°41' E

40.20 Scrap for 1/2 acre

79.70 Intersect North Boundary of

24

BOOK 630

32 Township 5 South

Green and Salt River

Ch of Township 16 E, West of
 Arteses 3, 4, 8, 9, 10
 From Colorado and New

100° 07' 10" meridian line
 between 3 & 4
 at 13° 41' E

39.70 Set apart for 14 acres
 with mound and pits as
 per instructions

79.70 The arteses 3, 4, 9 & 10
 Sand level
 Soil 2nd rate
 Greasewood and mesquite

North between 3 & 4
 at 13° 41' E

Range 3 East 33

Meridian

4120 Set apart for 'H' rec cor
with mound and pits
as per instructions

4130 Set apart for cor to recs 28, 29,
32 & 33 with mound and
pits as per instructions
Sand level
Oil 2nd rate
Greasewood and mesquite

East on a sandow line bet
recs 28 & 33
21340' E

4130 Set temporary 4 rec apart

4178 Determine N & S line 1911, S
of cor to recs 27, 28, 33 & 34
From which cor & run

36

BOOK 630

34

Township 5 South

Gila and Salt River

cb1 18932' W on a true line
 bet ~~secs 28 & 33~~
 T₁₈ 140' E

39.89 Serapmt for 1/4 Sec cor
 with mound and pits
 as per instructions

79.78 Near to secs 28, 29, 32 & 33
 found level
 but 2nd rate
 Gas record and mesquite

North bet ~~secs 28 & 29~~
 T₁₈ 141' E

4020 Serapmt for 1/4 Sec cor
 with mound and pits
 as per instructions

Range 3 East Meridian

80.00 Resurvey for art to nos 20, 21,
28 + 29 with mound and pits
as per instructions
Level level
Soil 2nd rate
Grass and mesquite

East on a random line
between 21 + 28
N 130° 40' E

80.00 Set temporary keep post

79.88 Interest N + S line 1400s N
of art to nos 21, 22, 27 + 28
Involvement cord run

N 89° 54' W on a true line
between 21 + 28
N 130° 40' E

38

BOOK 630

36 Township 5 Smeets

Green and Salt River Medicines

39.95 Serapmt for 1/2 acre
with mound and pits
as per instructions

79.88 The cut to secs 20, 21, 28 & 29
Sand level
Inl 2nd rate
Greasecorn and mesquite
July 29, 1888

North bearing 21/20
Vat 3041 '8

40.00 Serapmt for 1/2 acre
with mound and pits as
per instructions

80.00 Serapmt for cuts sec 16, 17,
20 & 21 with mound & pits
as per instructions

Range 3 East

37

Meridian

Obs Level level
 Int 2nd 1st rates
 Greasewood and mesquite

East on a random line
 between 16 & 21
 Val 3140' E

40.10 Set temporary 4 sec pins

80.22 Interval N-S line at cor
 to sec 15, 16, 21 & 22
 6 mmoloches cor down

West on a true line between
 16 & 21 - Val 3040' E

40.11 Set pins for 11 Sec cor with
 mound and pits as per
 instructions

40

BOOK 630

38

Township 5 South
 Gila and Salt River

80.22 The cor to sec 16, 17, 20 & 21
 Land level
 Inl 2nd part rates
 Greasewood and mesquite

North bet sec 16 & 17
 20 & 21 'E'

40.00 Set apart for 1/2 sec cor
 with mound and pits as
 per instructions

80.00 Set apart for cor to sec 8, 9,
 16 & 17 with mound and pits
 as per instructions
 Land level
 Inl 2nd rate
 Greasewood and mesquite

Range ~~3~~ East

Meridian

Ch East on a random line
bet sec 9 and 16
T₁ 130° 40' E

420 Set temporary # accept

79.92 Intersect N+S line 26 or, N
of cor to sec 9, 10, 15 + 16
from which cor I am

N 89° 49' W natural line
bet sec 9 + 16
T₁ 130° 40' E

39.96 Set apart for 1/4 sec cor
cor to mound and pits
as per instructions

79.92 The cor to sec 8, 9, 16 + 17
Land level

42

BOOK 630

40

Township 5 - South

Gila and Salt River

Obs Soil 2nd & 3rd notes

Greasewood and mesquite

North bet - recs 8 + 9
Ta 13041' E

4000 Serapms for 1/4 acre
with mound and pits
as per instructions

8000 Serapms for acre
8 + 9 with mound and pits
as per instructions
Land level
Soil 2nd & 3rd notes
Greasewood and mesquite

East mesa sandstone line bet recs 4 + 9
Ta 13040' E

Range 3 East

Meridian

40.00 Set camp near 1/4 sec post

79.64 Returned N + S line 162ks N
of cor to recs 3, 4, 9 + 10
From which cor I runN 89° 53' W on a true line
bet recs 4 + 9
N 13° 45' E79.82³ Set apart for 1/4 sec cor
into mound and pits
as per instructions79.64 The cor to recs 4, 5, 8 & 9
Land level
Int. 2nd 1/4 sec
Greenwood and mesquite

44

BOOK 630

42 Township 5 South

Site and Salt River

Chs North on a random line
between 4 & 3
at 3041' E

400 Set temporary Hox post

79.65 - Entered North Boundary
of Township 2 3/4 Ns East
of cor to sec 4, 5, 37 & 33
Involuted cor line

400 10' Equative line
between 4 & 3
at 3041' E

39.65 - Set apart for 1/2 sec cor
with mound and pits
as per instructions

79.65 - The cor to sec 4, 3, 8 & 9

Ramp 3 East

Meridian

Chs

Land level

Incl 2nd form rates

Yuccawood and mesquite

July 30, 1868

Write hermes 3/1882
Va 13041' E

4020

Scrap for 1/4 sec cor
with mound and pits
as per instructions

8220

Scrap for cor to west of 8220
31882 with mound and pits
as per instructions

Land level

Incl 3rd rate

Yuccawood and mesquite

46
44

BOOK 630

Township 5 South
Mesa and Sal River

Chs East on a random line
bet recs 29 182
Vas 3040' E

4000 Set temporary 4 rec pt

79.90 Intersect N 8 line 14 lps N
of cor to recs 28, 29, 32 183
From volute corner

N 8903 1/2 W on a true line
bet recs 29 182
Vas 3040' E

39.95 Set a post for 14 rec cor
with mound and pits
as per instructions

79.90 The cor to recs 29, 30, 31 182
Land Avel. In 3rd rate

Range & East Meridian

chr. Measure and measure

West on a random line
bet sec 30 & 31
71° 30' 40" E

40.00 Set temporary 4 as post

80.30 Intersect West Boundary of
Township 21 N, South of
cont sec 25, 26, 27 & 31
In which corner

189° 37' E on a true line
bet sec 30 & 31
71° 30' 40" E

40.30 Set post for 4 Decar with
mound and pits as per
instructions

46

Township 5 South

Gila and Salt River

80.30 The cor to sec 29, 30, 31 1832
 Land level: Soil low rate
 Greasewood and mesquite

North line sec 29 1830
 2413041' E

40.00 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

80.00 Set apart for arts sec 19, 20,
 29 1830 with mound and
 pits as per instructions
 Land level
 Soil low rate
 Greasewood and mesquite

Rang ~~B~~ East

Meridian

Ch East on a random line
bet ~~secs~~ 20 + 29
N 130° 40' E

400 Set temporary $\frac{1}{4}$ sec pm

St. 26 Intersect N to line 19 E to N
of cur to sec 20, 21, 28 + 29
from which cor I run

N 89° 52' W on a true
line bet ~~secs~~ 20 + 29
N 130° 40' E

40113 Set up ^{$\frac{1}{4}$ sec} for ~~cor~~ ~~with~~ mound
and pits as per instructions

St. 26 The cur to sec 19, 20, 29 + 30
Land level. Soil Lubrats
The are wood and mesquite

Township 5 South

Old and Salt River

Ch West on a random line
bet recs 19 & 30
N 130° 40' E

40.00 Set temporary as per

80.45 Interest West Boundary
of Township 28 E 1/2 North
of art to recs 24, 25, 19 & 30
From which cor & run

N 89° 48' E on a true line
bet recs 19 & 30
N 130° 40' E

40.45 Set as per for 1/4 sec cor
art. mound and pits
as per instructions

80.45 The art to recs 19, 20, 29 & 30

Range 3 East

Meridian

As Sand level
 Soil 2nd rate
 Greasewood and mesquite

North bearing 19 to 20
 on 3071' E

4200 Serapms for 14 acres
 with mound and pits
 as per instructions

5200 Serapms for 14 acres
 19 to 20 with mound & pits as
 per instructions
 Sand level - Soil 2nd rate
 Greasewood and mesquite

East on a random line bearing
 17 to 20
 on 3070' E

52

BOOK 630

50

Township 5 South

Between and Salt River

4000 Set temporary 4 ac pt

79.86 Intersect N + S line 3300 N
of cor to recs 16, 17, 20 + 21
Thence westerly cor to riverN 89° 46' W on same line
6000 recs 17 + 20
21300' E3993 Set apart for 1/4 ac cor
art mound and pits
as per instructions79.86 The cor to recs 14, 18, 19 + 20
Land level
Arl 200' auto
Greewood and mesquite
July 31st, 1888

Range 3 East

Meridian

Ch West on a random line
between 1877 & 9
N 130° 40' E

40.00 Per temporary 4 acc pms

80.60 Intended West Boundary
of Township 42 E 26 N
of cuto accs 13, 14, 18 & 19
Involving corner

N 89° 42' E on true line
between 1877 & 9
N 130° 40' E

40.60 Per pms for 4 acc cor
with mound and pits
as per instructions

80.60 The cuto secs 17, 18, 19 & 20

Township 5 South

Gila and Salt River

Chs Land level
One 2nd 3rd rates
Greewood and mesquite

North line - recs 17 & 18
at 3041' E

4000 Set a post for 1/4 corner
with mound and pits
as per instructions

8000 Set a post for cor to recs 7, 8,
17 & 18 with mound and
pits as per instructions
Land level
One 2nd 3rd rates
Greewood and mesquite

Range 3 East

Meridian

0.00 East on a random line
between 8717
718020' E

0.00 Set temporary 4 sec post

0.12 Returned NTS line 211Ks N
of cor to sec 8, 9, 16 & 17
from which cor & run

718902' W on same line
between 8717
718020' E

0.06 Set post for 4 sec post
with mound and pits
as per instructions

0.12 The cor to sec 7, 8, 17 & 18
Lined well

56
54

BOOK 630

Township 5 South

Gila and Salt River

Chs Soil 2nd part only
Guaiacum and mesquite

West on a random line
bet secs 7 & 8
N 130° 40' E

400 Set temporary 4 sec post

80.90 Intersect West Boundary
of Township 28 Ets North
of cor to secs 12, 13, 7 & 8
From which cor run

N 89° 48' E in a true line
bet secs 7 & 8
N 130° 40' E

40.90 Set up post for 4 sec cor

Range of Each Meridian

400 with mound and pits
as per instructions

400 Me cor to sec 4, 8, 17 & 18
Sand level
Soil Sur ~~for~~ notes
Grease wood and mesquite

North bet sec 7 & 8
Var $\frac{3}{4}$ 1' E

400 Scrapnt for 74 sec cor
with mound and pits
as per instructions

400 Scrapnt for cor to sec 5, 6,
7 & 8 with mound and
pits as per instructions
Sand level

58

BOOK 630

56

Township 5 South

Gila and Salt River

ch. 1st 2nd 3rd cuts
 Gacacwood and mesquite

East on a random line
 between 3 & 4
 on 3 1/2 H₀ 'E

4020 Set temporary # acc post

8020. Intersect N + S line 1600 S
 of cor to sec 41 5. 8 + 9
 from which cord run

890 5 3' 10 on a true line
 between 5 & 8
 on 1 3/4 H₀ 'E

4010 Set apart for 44 acc cor
 with mound and pits
 as per instructions

Range & East Meridian

8020 The center recs 5, 6, 7 & 8
 Land level
 In the 2nd 1/2 mile
 Greasewood and mesquite

West on a random line
 bet recs 6 & 7
 ran 3000' E

8320 Ady Creek 2000' wide course North

4000 Set temporary 1/4 section

7300 Ady gulch 12500' wide bears NW + SE

8120 Intersect West Boundary of
 Township 1200' South of cor
 to recs 1, 2, 6 & 7
 From which cor'd run

60

BOOK 630

58

Township 5 South

Gila and Salt River

Ch₁ 4890 55' E on natural line
 bearings 6 + 7
 2013 40' E

41.20 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

81.20 Measure across 5, 6, 7 + 8
 Land level. - Int 2nd rate
 mesquite and mesquite

North on a random
 line bearings 5 + 6.
 2013 41' E

4000 Set apart for temporary
 1/4 sec cor

Range 3 East

Meridian

79.86 Returned North Boundary
of Township 35 E 1/2 West
of cor to sec 5.6.31 1882
From volute cord run

200 15' to natural line
bet sec 5 & 6
2013041 'E

9.86 Set apart for 4 sec cor
with monument and pits
as per instructions

9.86 The cor to sec 5.6.7 & 8
Land level
but 2nd part notes
Greasewood and mesquite
August 1st, 1888

62
60

BOOK 630

General Description

T₁p 5-SR 3-E View and Eastlines Mendocino

The land in this Township
is about the common average
It is generally level pt, 2 or
3 or 4 miles and well adapted
for agricultural or grazing
purposes.

It is quite heavily timbered
with Greasewood and Mesquite
Water can be found 15 ft
from the surface

2

611

BOOK 630

Field notes of the survey of the
sub-division lines of

Township 4 S Range 3 E.

of the Gila and Salt River
Meridian in the Territory
of Arizona by Geo. P. Dugalls
Deputy Surveyor under
the joint contract of Geo P.
and Wilfred F. Dugalls bear-
ing date the 10th day of
July AD 1868

Exam Aug 5/68
Comp " 11/68

Plotted P.D.

Copied for Washington
J.R.S.

61A

4-674.

Township *4 S., R. 3 E., G. & S. R. & M.*

BOOK 630

6	118	5	101	4	91	3	80	2	71	1	
-	116	-	115	-	100	-	89	-	79	-	70
7	115	8	99	9	89	10	78	11	69	12	
-	113	-	112	-	98	-	87	-	77	-	68
18	111	17	97	16	87	15	76	14	67	13	
-	110	-	109	-	96	-	85	-	75	-	66
19	108	20	95	21	85	22	74	23	65	24	
-	107	-	106	-	94	-	84	-	73	-	64
30	105	29	94	28	83	27	72	26	63	25	
-	104	-	103	-	93	-	82	-	71"	-	62
31	102	32	92	33	81	34	71'	35	61	36	

To H Range & Co

Men Galt River Meridian

Ch From the cor to sec 12.30
+ 36 on south Boundary of
Township 2 run

North bet Secs 35 & 36
74° 30' 42" E as per
East Boundary

26.50 A Road bears N 20° W + 820' E

49.111 Scrap for 1/4 acre
with mound and pits
as per instructions

50.20 Scrap for cor to Secs 20 & 26,
35 & 36 with mound and pits
as per instructions
Land level. Soil red calc
Mesquite and sage brush

Township 4 North

Lot 4 and Salt River

ch East on random line
between 25736

as 3033' E as per
Smith Boundary

was set temporary 4 ac post

79.86 Intended East Boundary of
Township 19216 North
of cor to acc 25736.38731
Involute corner

289152' W on true
line between 25736

as 3033' E

39.93 Scrap for 4 ac cur
with mound and pits
as per instructions

Range & East

Meridian

79.86 The cor to pccs 25-26 35 + 36
 Land level
 Ant 2ur rate
 Mesquite and mesquite

North between 25 + 26
 cor 30 + 2' E

4000 Scrap for 1/4 sec cor
 with mound and pits
 as per instructions

8000 Scrap for into sec 23, 24,
 25 + 26 with mound and
 pits as per instructions
 Land level
 Ant 2ur rate
 Mesquite and mesquite

Township 4 South

Gila and Salt River

Ch East on a random line
between sec 24 + 25
N 13° 33' E

400 Set temporary 4 corners

79.78 Intended East Boundary
of Township 16 Ns South of
Arto sec 24, 25, 19 + 20
From which corner run

S 89° 03' 40" on a true line
between sec 24 + 25
N 13° 33' E

39.89 Set apart for 4 corners
with mound and pits
as per instructions

79.78 The arto sec 23, 24, 25 + 26

Range 3 East

Meridian

Ch. Land level

Int 2nd rate

Creosote and mesquite

North bet sec 2 & 3
 T130H2' 8

40.00 Serapat for 4 sec
 with mound and pits
 as per instructions

80.00 Serapat for cuts sec 13, 14
 23 mt with mound and
 pits as per instructions
 Land level
 Int 2nd rate
 Creosote and mesquite

Township 4 South

Go and Salt River

4000 East and random line
between 13 and 14
213° 23' E

4000 Set temporary 4 section

79.88 Intended East Boundary of
Township 23 and 24 South of
Cox to Secs 13, 14, 18 & 19
from which corner

189° 50' W or true line
between 13 and 14
213° 23' E

39.90 Report for 1/4 corner
with surrounding pits
as per instructions

79.88 The corner Secs 13, 14, 23 and 24

Range 2 East Meridian

Ch₁ Land level
 Soil sur rate
 Greasewood and mesquite

North bet sec 13 & 14
 R 13 & 2' E

4000 Scrap for 1/4 sec cor
 with mound and pits
 as per instructions

8000 Scrap for cor to sec 11, 12,
 13 & 14 with mound and
 pits as per instructions
 Land level
 Soil sur rate
 Greasewood and mesquite

68 Township 4 South
New and Salt River

Chs East and random line
between 12 & 13
Ta 13° 33' E

400 Set temporary 4 corners

8014 Intersect East Boundary
of Township 30 N 6 S South
of cor to acs 12, 13, 4 & 18
from which cor'd run

89047' W on true line
between 12 & 13
Ta 13° 33' E

40.07 Set apart for 1/4 corner
with mound and pits
as per instructions

80.14 The cor to acs 11, 12, 13 & 14

Range & East Meridian

chs Land level
Int 2nd rate
mesquero and mesquite

note bet Jess 11 & 12
var 2' E

4420 Set apart for 1 & 2
with mound and pits
as per instructions

4430 A Road bears NE & SW

8020 Set apart for cor to Jess 1, 2,
11 & 12 with mound and pits
as per instructions
Land level. Int 2nd rate
mesquero and mesquite

12

BOOK 630

70

Township 4 South

T12S and Salt River

Ch. East on a random line
 bet secs 1 & 2
 C&S 30 33' E

37.60 Road bears NE 1/4 Sec

4000 bet temporary 4 ac pm

80.22 Intended East Boundary of
 Township 21 Ns South of
 c&S to sec 1, 12, 6 & 7
 From which c&S are

of 89° 31' W distant line
 bet secs 1 & 2
 C&S 30 33' E

40.11 Set apart for 40 acres
 with mound and pits
 as per instructions

Range 3 East

715

Meridian

8022 Puerto res 1.2.11 + 2

Land level

Soil sandy 2nd rate

Greasewood and mesquite

August 5, 1888

North on a contour line
bet res + 2

N 130° 42' E

4000 Let Campway 1/4 ac per

8023 Intersect North Boundary of
Township 28 N West of cor to
res 1.2.30 + 36

From which cor I run

S 00° 12' W on a true line
bet res 1 + 2

N 130° 42' E

1471A

BOOK 630

Township # Smith

Idw and Salt River

40.23 Serapan for 40 acres
with mound and pits
as per instructions

80.23 The area to Secs 1, 2, 21 & 2
Land level
In 2nd 2nd part notes
Greenwood and mesquite

North line Secs 34 & 35
T₁ 13042' E

40.00 Serapan for 40 acres
with mound and pits
as per instructions

76.30 A day Creek 15-40 wide course new

80.00 Serapan for area Secs 26, 27, 30 & 35

Range of Earth

Meridian

cl. with mound and pits as
per instructions
Land level
Gr. 2nd cut
Sparse mesquite

East on a random line
bet. sec 26 & 35
2613'33" E

400 Set temporary $\frac{1}{4}$ section

67.50 Road bear N 20° W to 20° E

80.18 Intersect N & S line 14 1/2 miles South
of cut to sec 25, 26, 35 & 36
Involuntary column
8905 4' W natural line
bet. sec 26 & 35
2613'33" E

Township 4 South

Old and Salt River

- 40.09 Set apart for 40 acres
with mound and pits
as per instructions
- 80.18 The cr. to res 25.27, 34000 -
land level
One 2nd rate
Spare mesquite and gumwood
-
- North bet res 28027
ca 130 + 2' 8
- 40.00 Set apart for 40 acres
with mound and pits
as per instructions
- 80.00 Set apart for cr to res 22.23,
26+27 with mound and pits
as per instructions

Range 3 East

Meridian

Ch. Sand and gravel. Soil substrate
Guacwood and mesquiteEast on a random line bet
recs 23 126

N 30° 33' E

400 Perak not contemporary 1/4 sec on

47.30 N Road bears N + S

S.M.T. intersect N + S line 26.1 kts south
of curto recs 23, 24, 25 126
Pinus wulfschlagii commonA 89° 49' W natural line
bet recs 23 126

N 130° 33' E

Township 4 South

Gila and Salt River

4012 Serapmt for 40 ac cor
with mound and pits
as per instructions

S. 4 The cor to secs 22, 23, 26 & 27
Land level
fine Turpentine
Gumwood and mesquite

North bearing 21° 23'
Oa 13' 42' E

4020 Serapmt for 40 ac cor
with mound and pits
as per instructions

S. 00 Serapmt for cor to secs 14, 15,
22, 23 with mound and
pits as per instructions

Rough 3 East

Meridian

Chs Land level
Ine 2nd rate
mesquite and mesquite

East on random line bet
acc 14 + 2 3
N 130 33' E

39.40 Road bears N + S

4620 Set temporary 4 acc par

79.90 Entered N + S line 1904 N
of carto acc 13, 14, 23 + 4
Involuted and 1000

N 89° 52' W on a true line
bet acc 14 + 2 3
N 130 33' E

20
76

BOOK 630

Township 4 South

Geo and Salt River

39.90 Set apart for 14 acres
with mound and pits
as per instructions

79.90 Mear to sec 14, 15, 22 & 23
Land level
Int 2ur rate
Guarwood and mesquite

North bet sec 14 & 15
Ta 130 42' E

40.00 Set apart for 14 acres
with mound and pits
as per instructions

80.00 Set apart for ac to sec 10, 11,
14 & 15 with mound and
pits as per instructions

Range East

Meridian

Chs. Land level. Soil 2nd rate
Guarwood and mesquite

East on a random line bet
secs 11 + 14
N 13° 33' E

33.75 a road bears N 13° W + S 13° E

40.00 let temporarily accept
Enter deserted Indian village
of some twenty or more huts

50.00 Same name

79.68 returned N + S line 2800 N units
of cor to secs 11, 12, 13 + 14
Finnish tract and run
N 89° 48' W on natural line
bet secs 11 + 14
N 13° 33' E

Parish H South

78

Lata and Salt River

39.84 (See aptm for 1/4 acre
with mound and pits
as per instructions

79.68 One cr to accs 10, 11, 14 & 15
Land level. One 2nd cote
Guacwood and mesquite

North bet fcs 10 & 11
N 1/2 1/4 2' E

40.00 See aptm for 1/4 acre
with mound and pits as
per instructions

42.00 A Road bears NW 1/4 E

52.00 See aptm for cr to accs 2, 3, 10
& 11 with mound and pits
as per instructions

Range & East

BOOK 630

79

Meridian

Chs Land level. In 2nd rule
Greewood and mesquite
August 6, 1868

East on a random line
between 2 & 11
N 13° 33' E

also for temporary 4 corners

79.82 Intersect N 45 line 1600s south
of cor to nos 1, 2, 11 & 12
from which corner

S 89° 13' 3" W on a line
between 2 & 11
N 13° 33' E

39.91 Set apart by 1/4 sec cor
with mound and pits as
per instructions

248

BOOK 630

Township 14 North

80

Gila and Salt River

79.82 The cor to sec 2, 3, 10 + 11
Sand level
grt alkaline soil
Greasewood and mesquite

North on a random line
bet sec 2 + 3
N 130° 42' E

40.00 Set temporary 4 corners

80.35 - Intended north Boundary
of Township 23 N West
of cor to sec 2, 3, 34 + 35 -
Finnish which on June

200° 10' W on true line
bet sec 2 + 3
N 130° 42' E

Range & East

Meridian

4035 Set apart for 14 sec cor
with mound and pits
as per instructions

5035 Thence to sec 2, 3, 10 & 11
of said level
One 2nd rate
Gacewood and mesquite

North bet sec 33 13 &
24 20 21 E

4000 Set apart for 14 sec cor
with mound and pits
as per instructions

5000 Set apart for cor to sec 27, 28,
33 13 & with mound and pits
as per instructions

2682

BOOK 630

Township 24 Rm 10

Gila and Salt River

Ch Land lease. For 200 acres
Sagebrush and mesquite

East on random line
bet acres 27, 30 &
201 3' 33' E

4000 Let temporary 4 ac part

711.80 A dry creek 12 1/2 mi course NW

8026 Interest in S line 12 1/2 mi S
of cert. accs 26, 27, 34, 35 -
Firmly located and run

A 89° 55' W natural line
bet accs 27, 30 &
201 3' 33' E

Range & East

Meridian

48113 Scrap for 1/4 acre with
mound and pits
as per instructions

58.26 The cor to res 27, 28, 33 & 34
land level. One row also
greasewood and mesquite

North bet fees 27 & 28
at 130° 42' E

4100 for a part for 1/4 acre with
mound & pits as per instructions

5820 Scrap for cor to res 21, 22, 27 & 28
with mound and pits as
per instructions
Land level. One row also
greasewood and mesquite

Handup of limits
Quea Gael River

Ch. East on a random line
per ces 22, 27
2213° 33' E

40.20 Let tent on way to ce per

42.40 Dry Creek 2016 into course 22000

80.16 Intended N + line as the
corte ces 22, 23, 26, 27
Annuloch cordum

West nature line per
ces 22, 27
2213° 33' E

40.08 Report for 10 ces with
mound and pits as per instruct

80.16 One ces to ces 21, 22, 27, 28

Range of East Meridian

400 Land level Soil surface
Greasewood and mesquite

North bearing 21 022
221 304 2' E

400 Peraput for 1/4 acre
with mound and pits as
per instructions

800 Peraput for 1/4 acre 15:16,
21 022 with mound and
pits as per instructions
Land level. Soil surface
Greasewood and mesquite

East on a random line
bearing 15 022
221 313 3' E

Township 4 South

Getw and Salt River

33.65 A dry Creek 20 Elk units across north

4000 Set temporary 4 sec post

8030 returned N+S line 23 Elk units
of cart to sec 14, 15, 22 & 23
From which card run

N 89° 50' W on a true line
bet sec 15 & 22

On 3° 33' E.

40.15 - Set post for 1/4 sec cor
with round pits as
per instructions

8030 The cart to sec 15 & 16. 21 & 22
Land level. Int 2nd cart
measured times quite

Range 3 East

Meridian

4020 North bet sec 15 & 16
at 130 42' E

4020 Set apart for 1/4 acre
with mound and pits
as per instructions

5020 Set apart for cuto seeds 9, 10, 15,
16 with mound and pits
as per instructions
Land level
Int 2nd part soil
measured 1/2 acre

East on a random line
bet sec 10 & 15
at 130 33' E

4020 Set temporary 1/4 acre

82

BOOK 630

88

Township 4 South
New Salt River

58.90 Adiy Creek 20 1/4 miles course north

80.42 Intended N H line 16 1/2 miles S
of carto sec 10 1/4 1/4 1/4 1/4
from collets and run

S 89° 13' 3" W on above line
bet sec 10 1/4 1/4

20 13' 33" E

40.21 Set apart for 1/4 sec cor
with mound and pits
as per instructions

80.42 One carto sec 9, 10, 15 1/4 6
Land level — alkaline
One sustment note

Greasewood & mesquite
August 7, 1868

Range 3 East Meridian

Chy North between 9 & 10
N 31° 42' E

40.00 Set apart for 1/4 acre
with mound and pits
as per instructions

80.00 Set apart for cor to sec 3, 1/4
9 & 10 with mound and
pits as per instructions
Land level
In 2nd row
Creosote & mesquite

East on a sandbar line
between 3 & 10
N 31° 33' E

40.00 Set temporary 1/4 acre post

90 Township 4 South
Gila and Salt River

45.25 A dry creek 300 ft wide more NW

61.50 A Road bears NW $\frac{1}{2}$ E

80.28 Entered N + S line 26 lbs S
of cor to sec 2, 3, 10 + 11
From which cor I run

S 89° 24' 11" W oratus line
bet sec 3 + 10

N 130° 00' 00" E

41.14 Set apart for 1/4 section
into mound and pits
as per instructions

80.28 The cor to sec 3, 4, 9 + 10

Land level

Are alkaline soil and

Greasewood and mesquite

Range 3 East

91

Meridian

Ch. Nuts on a random line
 between ~~3~~ & ~~7~~
 $\text{Lat } 30^{\circ} 42' \text{ E}$

4000 Seraport $\frac{1}{4}$ Sec post

59,000 A dry creek 5000 ft wide course NW

80,600 Labeled ~~7~~ ~~8~~ Nuts Boundary
 of Township 1900 ft West of
~~3~~ ~~4~~ ~~3~~ ~~3~~ ~~3~~ ~~3~~ ~~3~~ ~~3~~
 From volute corner

4000 8' W random line
 between ~~3~~ & ~~7~~
 $\text{Lat } 30^{\circ} 42' \text{ E}$

40,600 Seraport $\frac{1}{4}$ Sec corner
 into mound and pits
 as per instructions

92 Township 4 South

Uta and Salt River

80.60 One cow to sec 3, 4, 9 & 10
Land level
In 2nd & 3rd
Greewood and mesquite

North Sec 32 & 33
2nd 3rd 2' @

4000 Seraput for cow to sec 3
with mound and pits
as per instructions

8000 Seraput for cow to sec 28, 29,
32 & 33 with mound and
pits as per instructions
Land level
In 2nd & 3rd
mesquite

Range 8 East

Meridian

Ch East on a random line
bet aces 28 03
21 30 33' E

400 Set temporary 4 re apr

79.82 Entered N & S line 16 lks S
of cor to aces 27, 28, 33 03
From vehicle on down

89.53 10 random line
bet aces 28 03
21 30 33' E

89.91 Set apart for 4 re cor units
mound pits as per instructions

79.82 Near to aces 28, 29, 32 03
Sand level. Int 2nd calc
meadow and mesquite

94 Township 4 South

Goa and Salt River

do North line sec 28 & 29
 N 13° 04' 2" E

do Set apart for 4 sec cor
 with mound and pits
 as per instructions

do Set apart for cor to sec 20. 21
 28 & 29 with mound and
 pits as per instructions
 Land level. Soil sub soil
 mesquite and mesquite

East on a random line
 bet sec 21 & 29
 N 13° 33' E

do Set temporary 4 sec part

Range 3 East 95

Meridian

9.76 Intersect N H line 23.5Ks N
 of carto recs 21, 22, 27 + 28
 From which cord run

N 89° 50' W a natural line
 bet recs 21 + 28
 at 3000' E

9.88 Set up pit for 1/4 acre cor
 with around and pit
 as per instructions

9.76 The carto recs 20, 21, 28 + 29
 Land level. Soil 2nd rate
 Greasewood and mesquite

North bet recs 20 + 21
 at 3000' E

40

BOOK 630

96

Township 4 South

Gita and Salt River

4000 set apart for 14 acres
with mound and pits
as per instructions

5000 set apart for 16.17
2000 with mound and
pits as per instructions
Land level
In the low part
Greasewood and mesquite

East on a boundary line
between 16 & 21
Twp 33 S E

4000 set temporary fence

79.84 returned N & S line 33 lots 16
of cor to Sec 15, 16, 21 & 22

Range & East 97

Meridian

Chs. From white cord and

21890' 46" W arature line
bet. res 16 & 21

at 30° 33' E

39.92 Serapat for 1/4 sec cor
into mound and pits
as per instructions

79.84 Chs cor to res 16, 17, 20 & 21

Sand and gravel

Int. 2nd case

Creosote wood & mesquite

North bet. res 16 & 17
at 30° 42' E

4420 Serapat for 1/4 sec cor into
mound and pits as per
instructions

98 Township 4 South

Gda and Salt River

8000 Survey on cove to recs 8, 9,
16 & 17 with mound and
pits as per instructions
Land level
Int 2nd ~~row~~ poles
Greasewood and mesquite
August 8, 1868

Cast on a random line
bet recs 9 & 16
ca 130 ~~33~~ 3' E

4000 Set temporary line post

79.72 Intersect N & S line 2 1/2 mi N
of cove to recs 9, 10, 15 & 16
Finnicoides cor & un
N 89° 51' W a true line

Range 3 East

99

Meridian

Chs bet sec 9 and 16
 T₁ 30 33' E

39.86 Seraport for 14 sec cor
 with mound and pits
 as per instructions

39.72 The cor to sec 8, 9, 16 & 17
 Land level
 One 2nd 100' rule
 Greasewood and mesquite

units bet sec 8 & 9
 T₁ 30 42' E

4020 Seraport for 14 sec cor
 with mound and pits
 as per instructions

44

BOOK 630

100

Township 4 South

Gda and Salt River

8000 Serapunt on cuto recs 4 & 5;
 8 + 9 with mound and
 pits as per instructions
 Land level
 One 2nd Pmt cuto
 Clearwood and mesquite

East and random line
 bet recs 4 + 9
 N 13° 33' E

4000 Set temporary 4 rec post

79.88 Intersect N + S line 12 N. N.
 of cuto recs 3, 4, 5, 6, 7, 8, 9
 From which cuto run

N 89° 55' W natural line
 bet recs 4 + 9
 N 13° 33' E

Range 3 East

Meridian

39.94 Set apart for 14 acres
into mound and pits
as per instructions

79.88 The cor to sec 4, 5, 8 & 9
Land level
One 2nd prairie
Greasewood and mesquite

North on a sandstone line
per sec 4 & 5
N 130° 42' E

40.00 Set temporary 4 acre prairie

80.38 Intersect North Boundary
of Township 28 N, 20 W
of cor to sec 4, 5, 8 & 9
Formerly with cor & sec

46

102

BOOK 630

Township 4 South

Gila and Salt River

Chy 200° 12' W on a true line
 between 4 + 3
 on 3042' E

4038 Serapmt for 1/4 ac cor
 with mound and pits
 as per instructions

SV. 38 Precor to sec 4, 5, 8 + 9
 Land level
 for 2nd rate
 Guacwood and mesquite

North between 31 + 32
 on 3042' E

4020 Serapmt for 1/4 ac cor
 with mound and pits
 as per instructions

Range 3 East

Meridian

5000 Set apron for cor to sec 29.30.
 31 32 with mound and pits
 as per instructions
 Land level. Put 2nd rate
 Mesquite and mesquite

Car on a random line
 bet sec 29 32
 2013033' E

5000 Set temporary 4 sec cor

50014 Lateral N line 1200 N
 of cor to sec 28.29.32 33
 Involuble cor & run

N 89° 55' W on a true line
 bet sec 29 32
 2013033' E

Township 4 North

104

Gila and Salt River

46.07 Scrapnt for 4 sec on
with mound and pits
as per instruction

80.14 One cart to sec 29. 30. 31. 32
Land level
Int 2nd rate
Mesquite and mesquite

West on a random line
sec sec 30 + 31
at 30 33' E

4.20 Set temporary 1/4 sec post
A day creek 15 mls wide comes North

80.70 Entered West Boundary
of Township 16 mls North
of cart to sec 25. 36. 30. 31

Range 3 East Meridian

105

Pls Fimucolite cord run

7189'33' E on true line
bet ~~acs 30 + 31~~
ca 130'33' E

7170 Set apart for 1/4 sec cor
with mound and pits as
per instructions

7170 The cor to acs 29, 30, 31 P32
Land level, and 2nd rate
measured + mesquite

with ~~bet acs 29 + 30~~
ca 130'42' E

7000 Set apart for 1/4 sec cor
with mound and pits as
per instructions

50

BOOK 630

Township 4 South

106

Ira and Salt River

8200

Set apart for cuts acco 19, 20, 31

29830 with mound and
pits as per instructions

Sand level

Incl 2nd Form notes

Greenwood and mesquite

East on a sandstone line

bet acco 20 & 29

2013033' E

60,00

Set temporary 4 acc post

79,92 Intersect N & S line 2300

N of acco acco 20, 21, 28 & 29

From which acco run

N 89° 30' W on a true line

bet acco 20 & 29

2013033' E

Range & East 107

Meridian

9.96 Swamp - Br 1/4 sec cor
 with mound and pits
 as per instructions

9.92 The cor to sec 19, 20, 29 1880
 Land used
 Int 2nd 1/2 sec notes
 Mesquite and mesquite

West on a random line
 bet sec 19 1880
 ca 130 33' E

4.00 Set temporary 1/4 sec post

71.50 A day creek 20 1/2 mile course north

71.85 Intersect West Boundary of
 Township 26 1/2 N of cor

52

BOOK 630

Township 4 South

108

Garden Salt River

Chs to secs 24, 25, 19 1880
From which cord runN 89° 49' E on a true line
bet - secs 19 & 20
20 1880 33' E41.85 - Set apart for 1/4 section
with mound and pits
as per instructions81.85 - One cor to secs 19, 20, 24 1880
Land and
and 2nd rate
measured and surveyed
August 10, 1888Units bet - secs 19 & 20
20 1880 42' E

Range of East

109

Meridian

1000 Set apart on 14 sec cor
with mound and pits
as per instructions

1000 Set apart on cor to sec 17, 18,
19 20 with mound & pits
as per instructions
Land level

Int 2nd part
Greensword and mesquite

East on a sandstone line
bet sec 17 + 20
on 13 + 31 E

1000 Set temporary 4 sec part

1000 Intended N + S line 35 sec N
of cor to sec 16, 17, 20 21

574

BOOK 630

Township 4 South

1110
Yuba and Salt River

the Town which cross and

N 89° 43' W a distance
line between 17 and
20130 33' E40.09 Serapunt or 14 acres
with mound and pits
at perpendicular junctions80.18 The cuts are 17, 18, 19 and
Sand level
Soil 2nd from table
Greewood and mesquiteWestward a distance
line between 18 and 19
20130 33' E

Range 3 East

111

Meridian

1020 for temporary receipt
 15.75 - A day care 25 ft wide concrete route

17.75 - Intended West Boundary of
 Township 28 E 30 N of cor
 to sec 13, 24, 18 + 19
 From which a 1/2 acre

7189048' E on a line line
 between 18 + 19
 on 13033' E

41.75 - See a part for 1/4 acre cor
 with mound and pits
 as per instructions

71.75 - One cor to sec 17, 18, 19 + 20
 Land level soil 2nd rate
 Mesquid and mesquite

56

BOOK 630

Township 4 North

112

San and Salt River

Ch North bet sec 17 & 18
T₁ at 30° 42' E4000 Set a post for cor 1 sec cor
into mound and pits
as per instructions8000 Set a post for cor to sec 7, 8,
17 & 18 into mound and
pits as per instructions
Sand level
frit and pits
Greasewood and mesquiteCut on a sandstone line
bet sec 8 & 17
at 31° 22' E

4000 Set temporary 1/4 sec post

Range 2 East

113

Meridian

20112 Entered N+H line 21/12/20
 of cor to accs 8, 9, 16 & 17
 Firmly planted cor & line

N 89° 13' 7" W natural line
 bet accs 8 & 17
 Dist 30' 30" E

20112 Separated for 11 Dec cor
 into mound and pit
 as per instructions

20112 Check to accs 7, 8, 14 & 18
 Land level. Soil 2nd rate
 Greasewood + mesquite

West on a random line
 bet accs 7 & 18
 Dist 30' 30" E

58

BOOK 630

Township 4 South

114

Gda and Salt River

27.60 Adey Creek 25 lks wide course north

40.00 Set temporary 1/4 sec pm

81.77 Intersect West Boundary
of Township 19 lks north of
Arto Sec 12, 13, 7, 18
From which cord andN 89° 52' E on a true line
bet sec 7 & 18
on 13° 33' E41.77 Set point for 1/4 sec cor
with mound and pits as
per instructions81.77 The cor to sec 7, 8, 17, 18
Land level. Put 2nd rate
Greenwood and mesquite

Range 3 Cor

115

Meridian

Chs North between 7 + 8
 N 130 + 2' E

no Serapunt fir 1/2 sec cor
 with mound and pits
 as per instructions

no Serapunt fir cor to sec 5, 6, 7
 + 8 with mound and pits
 as per instructions

Land level

One 2nd 1st cor
 Guacwood + mesquite

East on a random line
 between 3 + 8
 N 130 + 3' E

no Serapunt 1/2 sec cor

116 Township of Soneto

Gila and Salt River

80.32 Entered N+S line 2300 W
of cor to trees 4, 5, 8 + 9
from wicket and mound.

N 89° 50' W magnetic line
bet trees ~~4 & 5~~ 5 + 8
at 13133' E

40.16 Report for 1/3 rec cor
with mound and pits
as per instructions

80.32 The cor to trees 5, 6, 7 + 8
Land level
Int 2nd 1/3 rates
Sagebrush and mesquite

Rest on a random line
bet trees 6 + 7
at 13133' E

Range 3 East 117

Meridian

1.90 Let temporary 4 sec pm
 1.70 A dry creek 2500 ft wide course north

1.93 Located West Boundary of
 Township 1600 ft north of cor-
 to sec 1, 12, 6 + 7
 From volute and run

789133' E on a true line
 less sec 6 + 7
 2130 33' E

1.93 Set apart for 11 sec cor
 with mound and pits
 at her instructions

1.93 Recor to sec 5, 6, 7 + 8
 Land level - alkaline
 Int 2nd for vol
 Mesquero and mesquite

62
118

Township 4 North
Etna and Salt River

ch North on a random line
bet sec 5 & 6
N 130° 42' E

44.00 Set temporary 4 sec cor

80.21 Intersect North Boundary
of Township 25 Ns west
of cor to sec 5, 6, 31 & 32.
Innoculate and run

Two 11' W on a true line
bet sec 5 & 6
N 130° 42' E

40.21 Set apron for 1/4 sec cor
with mound and pits
as per instructions

80.21 The cor to sec 5, 6, ~~31 & 32~~ 478

Rough & Easy

Meridian

Land level - alkaline
fine soil & low rates
Greenwood and mesquite
August 11, 1868

General Description

The quality of the land
in this Township is about
the common average. It is
generally level - fine soil
and low rates and well a-
dapted for agricultural or
grazing purposes.

There are two creeks which con-
tain water during the rainy
season only - one running
through the west tier of sections
North and the other runs North

420
 General Description (Continued)

3. T45R3E G + Salt River Meridian

through the center of the T4
 A Road enters the T4 in sec
 2 bears SE and leaves it
 in sec 36

There is a deserted Indian
 Village in sec 11 T4 near
 the 1/4 sec post. It contains
 some twenty five or thirty
 huts.

Timber Meadow and mesquite
 and very well distributed over
 the T4.

Field Notes of the survey of
the Subdivision lines of
Township 5 S Range 4 E

of the Gila and Salt River
Meridians in the Territory
of Arizona by Geo. P. Zugalls
Deputy Surveyor under
the joint contract of Geo. P.
and Wilehel F. Zugalls bearing
date the 10th day of July
A. D. 1868

Comm Aug 17/68
Comp. 22/68

Plotted C. B.

Copied for Washington J. G.
Mar 4th 1869

121A

1000

BOOK 630

4-674.

Township 55, R. 4 E. & 2 R. B & M.

6	178	5	162	4	152	3	141	2	131	1
177	176	165	151	140	130					
7	175	8	160	9	150	10	139	11	129	12
174	173	159	149	138	128					
18	172	17	158	16	148	15	138	14	127	13
171	170	157	147	137	126					
19	169	20	157	21	146	22	136	23	125	24
168	167	156	145	135	124					
30	166	29	155	28	144	27	134	26	123	25
165	164	154	143	133	122					
31	163	32	153	33	143	34	132	35	121	36

No 5 Range E

Give Salt River Meridian

ch₂ From the Standard Corner
to sec 35 & 36 on south Boundary
of Township I run

North bet sec 35 & 36
ra 13° 43' E as per
East Boundary

4000 Set apart for 40 acres with
mound and pits as per
instructions

8000 Set apart for cuts sec 25, 26
& 35 & 36 with mound and pits
as per instructions

Land level

Soil 2nd 2nd 3rd rates

Greenwood and mesquite

Township 5 S

Ida and Salt River

4407 East on a random line
between 25 & 36

on 30' + 2' E as per
Instr. Boundary

4408 Set temporary 1/4 corner

82, 50 Road bears N 20° W + 20' E

80, 16 Intersect East Boundary of
Township 19 1/4 S South of
Certs nos 23, 36, 38 & 31
From which corner run

S 89° 32' 10" on a true line
between 25 & 36

on 30' + 2' E

4408 Set apart for 1/4 corner with monuments
and pits as per instructions

Range H East

Meridian

80.16 The cor to sec 25, 26, 33-186
 Sand level
 Int 2nd rate
 Greasewood and mesquite

North bet sec 25 & 26
 cor 13743' E

4020 Set apart for 1/4 sec cor
 with mound and pits as
 per instructions

80.00 Set apart for cor to sec 23, 24,
 25 & 26 with mound and pits
 as per instructions
 Sand level
 Int 2nd rate
 Greasewood and mesquite

Township 5 South

Iron and Salt River

Chy East on a random line bet
 recs 24 & 25
 Va 13042' E

40.00 Set temporary 1/4 sec post

44.60 A road bears N 20° W + S 20° E

80.28 Intersect East Boundary
 of Township 30 cks south of
 cove recs 24 & 25. 19 530
 Iron and Salt River

189047' W on a true line
 bet recs 24 & 25
 Va 13042' E

40.14 Set a post for 1/4 sec cor
 with mound and pits
 as per instructions

Ränge H East

Meridian

80.28 The cor to recs 23, 24, 25-26
 Sand level
 Inl 2nd part notes
 Greasewood and mesquite

North bet recs 23 and
 24 3' E

40.00 Set apart for 1/4 accor
 with mound and pits as
 per instructions

80.00 Set apart for cor to recs 13, 14,
 23 with mound and pits
 as per instructions
 Sand quite rolling
 Inl 2nd part notes
 Greasewood and mesquite

Township 5 South
New and Salt River

Chs East and sandstone line
bet sec 13 & 24
T₁₃ 042' E

37.25 A Road bears N + S

40.00 Set temporary 4 sec post

80.18 Delimited East Boundary of
Township 21 Ns limits of cor
to sec 13, 24, 18 & 19
From which cor I run

89° 37' W on a true line
bet sec 13 & 24
T₁₃ 042' E

40.09 Set apart for 14 sec cor
into mound and pits as
per instructions

Ranger East

Meridian

80118 The cor to recs 13, 14, 23 & 24
 Sand rolling
 One 2' rule
 Greasewood and mesquite

North bet recs 13 & 14
 at 13043' E

80120 Set apart for 14 rec cor
 with mound and pits
 as per instructions

80120 Set apart for cor to recs 11, 12,
 13 & 14 with mound and pits
 as per instructions
 Sand rolling
 One 2' rule
 Greasewood and mesquite

128

Township 5 South

Gila and Salt River

Ch. East on a random line
 per recs 12 & 13
 $N 130^{\circ} 42' E$

18.740 A Road bears $N 20^{\circ} 00' + 820^{\circ} E$

40.00 Set temporary $\frac{1}{4}$ sec pt

79.78 Intersect East Boundary of
 Township 12 E S Nth of
 coto recs 12, 13, 4 & 18
 From which cor I run

$N 89^{\circ} 55' W$ random line
 per recs 12 & 13
 $N 130^{\circ} 42' E$

39.89 Set about for 1/4 sec cor
 with mound and pits
 as per instructions

Ranger's Cor

Meridian

79.78 The cor to recs 11, 12, 13 & 14
 Land rolling
 Soil 2ur for rates
 Greasewood and mesquite

North bet recs 11 & 12
 Va 130 43' E

37.50 A Road bears N 20° W + S 20° E

4000 Set apart for 44 accor with
 mound and pits as per instructions

5000 Set apart for cor to recs 1, 2, 11 & 12
 with mound and pits as
 per instructions
 Land rolling
 Soil 2ur for rates
 Greasewood and mesquite

Township 5 South

Gila and Salt River

Ch East on a random line
bet accs 1 & 2
N 13° 42' E

4000 Set temporary 1/4 sec pt

79.86 Interest East Boundary of
Township 26 N, 20th of
cor to accs 1, 2, 6 & 7
From which cor drawn
N 89° 49' W on true line
bet accs 1 & 2
N 13° 42' E

39.93 Set apart for 1/4 sec cor
with mound and pits
as per instructions

79.86 The cor to accs 1, 2, 11 & 2

Range East

Mendocino

Ch₇ Land selling
 Int for rate
 Greasewood, mesquite and cactus
 August 17, 1868

North on a random line
 bet sec 1 & 2
 T₄₁ 30 43' E

3351 A Road bears E + W

4020 Is temporary 1/4 sec from
 The west front of mountains
 bears East about 15.00 ch₇

50.53 Interest North Boundary of
 Township 35 E₈ East of
 sec 1, 2, 35 + 36
 from which road runs

Township 5 South

Green Salt River

Chs 500°15' E on a true line
bet recs 1 & 2
T13°43' E

40.53 Set apart for 74 ac cor
with mound and pits
as per instructions

80.53 The cor to recs 1, 2, 11 & 2
Land rolling
In 3rd rate
Greewood and mesquite

North bet recs 3 & 8
T13°43' E

40.00 Set apart for 74 ac cor
with mound and pits
as per instructions

Range of East Meridian

8020 for report for cuts recs 26.27,
34 & 35 with mound and
pits as per instructions
Land level
Int. 2nd rate
Measurements and mesquite

East on a random line
bet recs 26 & 35
at 30° 42' E

4020 for temporary 1/4 section

8020 Intended N. S. line 16 ER, 1/4
of cuts recs 26.26.35 & 36
from which cross run

N 89° 03' 3" W on a true line
bet recs 26 & 35
at 30° 42' E

Councils 5 South

Green and Salt River

40,110 Aeraport for 14 acres
with mound and pits
as per instructions

80,20 The cuts sec^s 26, 27, 34 133-
Land level
for 2nd rate
Mesquero and mesquite

Mounds bet sec^s 26 or 27
213 or 43' @

40,00 Aeraport for 14 acres
with mound and pits
as per instructions

80,00 Aeraport for cuts sec^s 22, 23,
26 + 27 with mound and
pits as per instructions

Rough Ear

Meridian

Chs Sand web
Ine Sur cut
meadow and mesquite

East on a random line
bet acc 23 & 26
N 130° 42' E

4000 bet temporary 1/4 sec pm

79.84 returned N 1/8 line 23 N 1/2 W
of cur to acc 23, 24, 25 & 26
Famuloids cord run

N 89° 00' W on ature line
bet acc 23 & 26
N 130° 42' E

39.92 Seraput for 1/4 sec cur with mound
and pits as per instructions

18

BOOK 630

136

BOOK 630

Township 5 South

Gila and Salt River

79.84 The cuts are 22, 23, 26 + 27
 Land level
 Soil Surveys
 Greasewood and mesquite

North bearing 22 + 23
 N 18° 43' E

4620 Survey for 14 acres
 with mound and pits
 as per instructions

8220 Survey for cuts are 14, 15,
 22 + 23 with mound & pits
 as per instructions
 Land level
 Soil Surveys
 Greasewood and mesquite

Rangit Ear

Meridian

Ch₁ East on a random line
between 14 & 23
at 13° 42' E

400 set temporary 1/4 sec point

79.90 Returned N-H line 14 R, S
of car to recs 13, 14, 23 & 24
From which car and
S 89° 54' W on a true line
between 14 & 23
at 13° 42' E

39.85 set a point for 1/4 sec car with
round pits as per instructions

79.90 The car to recs 14, 15, 22 & 23
Land rolling - first 2nd part ruts
broomwood and mesquite

Township 6 South

Gula and Salt River

400 North between 14 + 15
 T₁₃ 43' E

4000 Report for 14 acres
 with mound and pits
 as per instructions

8000 Report for cuts recs 10, 11, 14
 14 + 15 with mound and
 pits as per instructions
 Sand colling
 and 2 or 3 m rules
 Mesquero and mesquite

East on a random line
 between 11 + 14
 T₁₃ 42' E

4000 Set temporary 1/4 sec post

Range H East Meridian

80.22 Intended N to line 21 R. S
of carto recs 11, 12, 13 & 14
From volute cor & area

§ 8937 W on above line
bet recs 11 & 14

at 3° 42' E

40.11 Set apart for 1/4 acre cor
carto mound and pits
as per instructions.

80.22 The carto recs 10, 11, 14 & 15
Land rolling
On 2nd & 3rd cables
In area and mesquite

N to bet recs 10 & 11
at 3° 43' E

Township 5 South

City and Salt River

4000 let apart for 14 acres
with mound and pits
as per instructions

8000 let apart for lots and 2, 3,
10 & 11 with mound & pits
as per instructions
Land rolling
In 2000
Measure wood and mosquito
August 18. 1888

East on a random line
between 2 & 11
at 30 42' E

4000 let temporary 1/4 acre post

74.50 A Road bears N 45

Range 4 East

Meridian

8130 Intersect N + S line 28 lrs S
of curve rec 1, 2, 11 + 12
From vehicle cor 1 and

A good S.W. on a true line
ber rec 2 + 11

ca 13° 42' E

4015 Set apart for 11 & record
with ground and pits
as per instructions

8030 The cor to rec 2, 3, 10 + 11

Land rolling

Int 2nd part rules

Creosote and mesquite

Notes on a random line
ber rec 2 + 3

ca 13° 43' E

Township 5 South

142

Quia and Salt River

4:20 Set temporary $\frac{1}{4}$ section

8:35 Intersect North Boundary
of Township 26 Lks East of
Cato runs 2, 3, 3 4 + 5
From which card run

400' E or at time line
between 2 + 3
at 13043' E

4:35 Set apart on $\frac{1}{4}$ section
into named and pits
as per instructions

8:30 The Cato runs 2, 3, 10 + 1
Land rolling
Int 2nd Cato
Pine wood and mesquite

Ranger East

143

Meridian

4000 North line across 33 & 34
 on 13043' E

4000 Re-survey for 1/4 sec cor
 with corner and pits
 as per instructions

5000 Re-survey for cor to sec 27, 28,
 33 1/4 with corner & pits
 as per instructions
 Land level
 Ant 2nd rate
 Guano wood and mesquite

East on a random line
 between 27 & 34
 on 13042' E

4000 Re-temporary 1/4 sec cor

144 Township 5 South

Water and Salt River

79.78 Lateral N+S line at
 cor to recs 26, 27, 34 & 35
 From volume cord and

West native line
 bet recs 27 & 34
 N 13° 42' E

39.89 Serapint for 1/4 acre cor
 with mound and pits
 as per instructions

79.78 The cor to recs 27, 28, 33 & 34
 Land level
 Soil 2nd rate
 Greasewood + mesquite

North bet recs 27 & 28
 N 13° 43' E

Range & East 145

Meridian

- 4000 Set apart for $\frac{1}{4}$ section
with mound and pits as
per instructions
- 8020 Set apart for corners 21, 22,
27 & 28 with mound and
pits as per instructions
and level. Put 2nd ~~rod~~
measureword and ~~measure~~

East on a random line
between 22 & 27
No 130 $\frac{1}{2}$ (E)

- 4000 Set temporary $\frac{1}{4}$ section
- 8014 Intersect N & S line 19th S
of corner rec 23, 22, 26 & 27
From which as usual

Township 5 South

Mesa and Salt River

Ch. S89°32'W on a true line
 her rec 22 + 27
 2013 042'E

40.07 Repair for 1/4 sec cor
 with mound and pits
 as per instructions

80.14 The cor to rec 21, 22, 27 + 28
 Land level
 One 2nd bar rates
 Mesquite and mesquite

North her rec 21 + 22
 2013 043'E

40.00 Repair for 1/4 sec cor
 with mound and pits
 as per instructions

Range East

147

Meridian

8020 Let a post from cor to recs 15, 16,
21 & 22 with rounded end
pits as per instructions
Sand line
Incl 20° rate
Mesquite and mesquite

East on a random line
bet recs 15 & 22
at 13042' E

4020 Temporary 4 ac post

8026 Intersect N + S line 16 lks N
of cor to recs 14, 15, 22 & 23
Innervolts cor I run
N 89° 05' 3" W a true line
bet recs 15 & 22
at 13042' E

148

Township 5 South

Mtn ^{and} Salt River

- 46113 Serapmt for 14 rec cor
with mound and pits
as per instructions
- 8026 The cor to recs 15, 16, 21 & 22
Land level
One 2nd rate
measured and ever quite

North bearing 15 + 16
21 + 23 'E

- 8000 Serapmt for 14 rec cor
with mound and pits
as per instructions
- 8000 Serapmt for cor to recs 9, 10,
15 + 16 with mound and pits
as per instructions

Range H East

Meridian

Chs Sand level
 Out 2nd rate
 Greasewood and mesquite

East on a random line
 bearings 10 + 15
 N 13° 42' E

40.00 for temporary 1/4 acc pt

80.18 returned N 1/4 line 23 lbs 2/2
 of corr to rec 10, 11, 14 + 15
 from which corr run

N 89° 05' 01" W natural line
 bearings 10 + 15
 N 13° 42' E

40.09 for pt for 1/4 acc cor

32

BOOK 630

Township 5 South

150

lots and Salt River

ch with mound and pits
as per instructions

80.18 The cut to ves 9, 10, 15 & 16

Land level

Int 2nd rate

Greasewood and mesquite

August 19, 1868

North bearings 9 & 10

N 130 42' E

4000 for a part for 14 acres
with mound and pits
as per instructions

8000 for a part for cut to ves 3, 4,
9 & 10 with mound and
pits as per instructions

Rangit East 151

Meridian

Chs Land level
 Ent 2nd rate
 Yucca wood and mesquite

East on a random line
 bet acc 3 + 10
 at 13° 42' E

4000 for temporary 1/4 sec cor

5012 Interval NTS line 14015 N
 of cor to acc 2, 3, 10 + 1
 Immovable cor & acc

N 89° 05' 4" W random line
 bet acc 3 + 10
 at 13° 42' E

4006 for part for 1/4 sec cor with
 mound pits as per instructions

Township 5 South

152

Gila and Salt River

88112 The art to sec 3, 4, 9 & 10
 Land level
 Int. 2nd rate
 Greasewood and mesquite

North on a random line
 bet sec 3 & 4
 on $130^{\circ}43' E$

4000 for temporary 4 sec pm

88117 Intersect North Boundary
 of Township 23 Sks East
 of art to sec 3, 4, 13 & 14
 from which cor. run

$100^{\circ}10' E$ random line
 bet sec 3 & 4
 on $130^{\circ}43' E$

Rough East

153

Meridian

40117 Set apart for 11 sec cor
with mound and pits
as per instructions

80117 The cor to sec 3, 4, 9 & 10
Sand level
put 2nd rate
mesquite and mesquite

North bearing 32° 33'
at 3243' 8"

40206 Set apart for 11 sec cor
with mound and pits
as per instructions

80206 Set apart for cor to sec 28, 29,
32 & 33 with mound and
pits as per instructions

36

BOOK 630

Township 5 South

Gila and Salt River Meridian

Chy Land level
In 2nd cat
Creosote and mesquite

East on a random line
between 28803
N 3042' E

400 for temporary 1/4 sec post

79.88 Dubred. NAD line 19 ex N
of car to recs 27, 28, 33 134
From which car run

N 89°32' W random line
between 28133
N 3042' E

39.94 Report for 1/4 sec cor with
marked pits as per instructions

Range H East — 155
~~Corral~~

79.88 The cor to sec 28, 29, 32 + 33.
 Land level
 One 2nd ~~row~~ ^{row}
 Mesquero and mesquite

North line sec 28 + 29
 Va 130 43' E

4000 Scrap for 4 sec cor
 with mound and pits
 as per instructions

8000 Scrap for cor to sec 20, 21,
 28 + 29 with mound and
 pits as per instructions
 Land level
 One 2nd ~~row~~ ^{row}
 Mesquero and mesquite

156

Township 5 South

Rita and Sal River

Chs East on a random line
 bet res 21 & 28
 N 13° 42' E

400 for temporary 4 acc pt

79.76 Intered N & S line 14 lks S
 of carto res 27, 28, 21 & 22
 from which cor'd run

A 89° 54' W on a true line
 bet res 21 & 28
 N 13° 42' E

39.88 Seraput for 4 acc cor
 with corner and pts as
 per instructions

79.76 The cor to res 20, 21, 28 & 29
 land line. Put sur note
 mesquite and mesquite

Ranget East

Meridian

des North between 20 & 21
 2 at 30° 43' E

des Set apart for 1/4 section
 onto mound and pits as
 per instructions

des Set apart for corners 16, 17,
 20 & 21 onto mound and
 pits as per instructions

Land level

One 2nd rate

Greasewood and mesquite

East on a sandstone line
 between 16 & 21
 2 at 30° 42' E

des Set temporary 1/4 section

Township 5 South

158

Wells and Salt Pines

79.92 Luted 7th line 23 lks South
 of car to recs 15, 16, 21, & 22
 From which car run

189000' W on a true line
 bet recs 16 & 21
 as 13042' E

39.96 Report for 1/4 sec car
 with ground and pits
 as per instructions

79.92 The car to recs 20, 21, 16 & 17
 Land level
 One 2nd rate
 mesquite and mesquite

North bet recs 16 & 17
 as 13023' E

Range East 159

Meridian

4000 Perapmt for 1/4 acre
with mound and pits
as per instructions

0000 Perapmt for cor to accs 8.9,
1677 with mound and pits
as per instructions

Land level

Int 2nd Pmt rates

Measure and measure

August 20, 1888

East on a random line
between 9 & 6
at 13042' E

4000 Let temporary 1/4 acre pmt

79.88 Dubined N & S line 30 cks South
of cor to accs 9, 10, 15 & 6

42
160

Township 5 South
Guth and Salt River

Ch From which cord run

D 89047' W on true line
bearing 9' 46"
N 130° 42' E

39.90 Scrap for 1/4 acre
with mound and pits as
per instructions

79.80 The cut to nos 8, 9, 10 & 11
Land level
Ent 2nd rate
breakwood and mesquite

with bearing 8 & 9
N 130° 43' E

400 Scrap for 1/4 acre
with mound and pits
as per instructions

Rauget E 161

Meridian

1900 Set apart for cuts nos 4, 5,
8 + 9 into mound and pits
as per instructions

Sand level

Int 2nd rate

Measure and merquite

East on a random line
bet nos 4 + 9
ca 13042' E

1900 Set temporary 'K' receptor

1978 Labeled N-S line 1916 S
of cuts nos 3, 4, 9 + 10
From which cut down

1890 52' W on a true line
bet nos 4 + 9
ca 13042' E

162 Township 5 South
 Mesa and Salt River

39.89 Scrap for 14 acres
 with mound and pits as
 per instructions

79.78 The cut to road 4, 5, 8 & 9
 Sand level
 Soil 2nd rate
 Mesquite wood and mesquite

North on a random line
 between 4 & 5
 ca 130 43' 8"

400 for temporary 14 acre part

79.75 Intersect North Boundary
 of Township 28 N 80 East
 of cut to road 4, 5, 8 & 9
 from which cut down

Ranget East 1630

Meridian

Chs 2000 12' East on a true
line bet recs 4 & 5
at 13043' E

39.75 Seraport for 1/4 accor
with mound and pits
as per instructions

79.75 The cor to recs 4, 5, 8 & 9
Sand level
Int 2ur rate
Guarecord and mesquite

With bet recs 3 & 2
at 13043' E

400 Seraport for 1/4 accor
with mound and pits
as per instructions

164 Township 5 South

Gila and Salt River

8000 (See part for cor to recs 29, 30,
31 & 32 with curved and
pits as per instructions
Land level
Int 2ur cal
Mesquite and mesquite

East on road line
bet recs 29 & 32
N 130 42' E

4000 Set temporary 1/4 sec pm

8022 Dubuque N of line 28, 29, 32 & 33
of cor to recs 28, 29, 32 & 33
From south at corner

S 89 04 1/2 W on actual line
bet recs 29 & 32
N 130 42' E

Range East 165

Meridian

40.11 Perapmt on 14 sec cor
with mound and pits
as per instructions

80.22 The cor to sec 29, 30, 31 & 32
Land level
In 2nd rate
Greewood and mesquite

West on a random line
bet sec 30 & 31
N 130° 42' E

40.20 Let temporary 1/4 sec pm

79.80 Intersect West Boundary of
Township 16 N, 30th of
cor to sec 25, 36, 30 & 31
From which cor I run

166

Township 5 South

Gila and Salt River

As 189°33' E on a true line
 between β_0 & β_1
 β_1 β_0 42' E

09.00 Set apart for 1/4 acre
 with mound and pits
 as per instructions

79.80 The corners β_0 , β_1 , β_2
 Land level
 One 2' rate
 here are wood + mesquite

North between β_0 & β_1
 β_1 β_0 23' E

40.00 Set apart for 1/4 acre
 with mound and pits
 as per instructions

Rangely East Meridian

80.30 Set apart for cor to sec 19, 20,
29 & 30 with mound and pits
as per instructions
Land level
Soil 2nd rate
Breadwood and mesquite

East on a random line
bet sec 20 & 29
T₁₃₀ 42' E

4000 Set temporary 1/4 sec part

80.30 Returned N & S line 12 E, N
of cor to sec 20, 21, 28 & 29
From which cor & run

N 89° 55' W natural line
bet sec 20 & 29
T₁₃₀ 42' E

168 Township 3 North

Gato and Salt River

- 40.15 Set a post for 1/4 section
with mound and pits as
per instructions
- 80.30 The cor to secs 19, 20, 29 T30
Sand Creek
Art 2nd rate
Greasewood and mesquite
-
- West end random line
bet secs 19 T30
N 130° 2' E
- 40.00 for temporary 1/4 sec post
- 79.72 Intersect West Boundary of
Township at cor to secs
24, 25, 19 T30
From where cor runs

Rangely East 169

Meridian

Ch East on true line bet
 sec 19 & 30
 N 130° 42' E

39.72 Set apart for 1/4 sec cor
 into mound and pits as
 per instructions

79.72 The cor to sec 19, 20, 29 & 30
 Land level
 for 2nd rate
 mesquite and mesquite
 August 21, 1888

North bet sec 19 & 30
 N 130° 43' E

480 Set apart for 1/4 sec cor
 into mound and pits
 as per instructions

170 Township 5 South

Cuts and Salt River

8000 Set apart for cuts acc 14, 18,
19 + 20 with mound and
pits as per instructions
Sand level
Int 2 in 100 rods
Quercum and mesquite

East on a random line
bet acc 14 + 20
on 130 + 2' E

4000 Set temporary 4 sec pm

8016 Intersect N + S line 23 E to N
of cut to acc 16, 17, 18 + 19
From which cor down

N 89 130' W on a true line
bet acc 14 + 20
on 130 + 2' E

Rangst East

171

Meridian

40.08 Lera post for 14 sec cor
with runned and pits
as per instructions

80.16 The cor to sec 14, 18, 19 & 20
Land level
Incl. 2nd rate
mesquid and mesquite

West on a random line bet
sec 18 & 19
at 130 ft 2' E

000 Let temporary 4 sec post

9.60 Lateral West Boundary of
Township 14 E 2 S North of
Arto sec 13, 14, 18 & 19
From which cor I run

37

BOOK 630

Township 5 South

Gila and Salt River

Chs N89°34' E on natural line
between 18 & 19
N130°42' E

39.65 - Serapmt for 1/2 acre cor
with mound and pits
as per instructions

79.65 - The cor to sec 17, 18, 19 & 20
Land level
Incl low rate
Guano wood and mesquite

North between 17 & 18
N130°48' E

40.20 Serapmt for 1/2 acre cor
with mound and pits
as per instructions

Ranget East 173

Meridian

000 Set apart for corners 7, 8, 17
 48 with mound and pits
 as per instructions
 Land level
 Int 2nd rate
 Greasewood and mesquite

East on a random line
 bet acs 8 + 17
 ran 3042' E

000 Set temporary 4 acc pm

030 Intersect N + S line 28 lks N
 of corners 8, 9, 16 + 17
 from which corner

N 89° 48' W on true line
 bet sec 8 + 17
 ran 3042' E

56

BOOK 630

174

Township 5 South

Area and Salt Run

40.17 Set apart for 1/4 section
with mound and pits
as per instructions

80.34 The cor to recs 7, 8, 14 + 18
Land level
Incl 2 in rate
Greewood and mesquite

West on a random line
bet recs 7 + 18
N 130° 42' E

40.00 Set temporary 1/4 section

79.50 Intersect West Boundary of
Township 21 N 1/2 mile north of
cor to recs 12, 13, 7 + 18
From which cor down

Ranger East 175

Meridian

4.30 N 89° 03' E on a true line
 between 7 & 18
 213042' E

9.50 Set apart for 40 acres
 with mound and pits
 as per instructions

9.50 The cor to sec 7, 8, 14 & 18
 Land level
 Int 200 rods
 Greasewood and mesquite

North between 7 & 18
 213043' E

4.00 Set apart for 40 acres
 with mound and
 pits as per instructions

578

BOOK 630

176

Township 5 South

Rita and Salt River

8000 Set apart for cuts recs 5, 6,
7 & 8 with mound and pits
as per instructions

Sand dune

Int 2nd rate

Greewood and Mesquite

East on a random line
between 5 & 8

N 130° 42' E

8000 Set temporary 4 sec post

80118 Intersect N & S line 14 E, N
of cut recs 4, 5, 8 & 9

From which cut run
N 89° 03' 44" on a true line
between 5 & 8

N 130° 42' E

Rangier Eas 1771

Meridian

40.09 Set apart for 4 sec cor
with mound and pins
as per instructions

80.18 Then to nos 5, 6, 7 + 8
Sand level
Int sur rate
Guano wood and mesquite

West meridian line
bet nos 6 + 7
N 13° 42' E

40.00 Set temporary 1/4 sec cor

79.43 Entered West Boundary of
Township 23 R, north of
cor to nos 1, 12, 6 + 7
From which cor I was

178 Township 5 South

Main and Salt River

Ch₁ N89°50' E mature line
between 6 + 7
at 3042' E

39.43 Seraport for 9 Dec cor
with mound and pits
as per instructions

79.43 The cor to acs 5, 6, 7 + 8
Land level
and sur rail
Guarwood and mesquite

Units on a random line
between 5 + 6
at 3043' E

40.00 Seraport for ^{temporary} 9 Dec cor
~~with mound and pits~~

Range East 179

Meridian

19.85 Intersect with Boundary of
Township 26 Rs East of
cor to sec 5, 6, 31 P³⁰ 2
From which cor I run

S⁷⁰ 11' E on a true line
bet sec 5 + 6
N 13° 43' E

19.85 Set a post Cor 4 & sec cor
with mound and pits
as per instructions

19.85 The cor to Sec 5, 6, 7 + 8
Sand level
One sur rate
Grease wood and mesquite
August 22, 1868

187
Twp 55 R 4 E Ulat Salt River Mer

General Description

The quality of the land in this
Twp is about the common average.
It is generally level good 2nd +
3rd rate soil and is adapted either
for agricultural or grazing
purposes.

It is quite densely covered with
brushwood and mesquite

Sec 1 is nearly all mountains
being the west part of a range
of high and rocky mountains which
extend East some 15 or 20 miles.

There is a road which enters
the Twp in sec 36 and bears Northw^{est}
and leaves it in sec 2

L

BOOK 630

181

28

6

Field notes of the survey of
the subdivision lines of
fractional

Township 5 S Range 5 E

of the Gila and Salt River
Meridian in the Territory
of Arizona by George P.
Ingalls Deputy Surveyor
under the joint contract
of Geo. P. and Wilfred F. Ingalls
bearing date the 11th day
of July A.D. 1888

5-26
7

34 3/4 miles from Aug 24/68
to 27/68

Philip C. Sabersky

u

Filed for Washington Dec 23/69
J. A. Goodrich

6 181A

BOOK 630

4-674.

Township 58. R. 56. S. & S. R. B. & M.

6	5	4	3	2	1					
	*									
7	216	8	9	10	11	12				
214		213	*							
18	212	17	202	16	15	14	13			
211		210		201	196, 195*					
19	209	20	200	21	194	22	*	23	*	24
208		207		199		193	190	188	185	184
30	206	29	198	28	192	27	188	26	183	25
205		204		197		191		186		182
31	203	32	197	33	190	34	186	35	181	36

Tp 5 - S Range 5 E

Gila and Salt River Meridian

Ch. *Fructus* cor to recs 35 and 36
on the 1st Standard Parallel
North of river

North bet recs 35 + 36
ra 13445' E as per
East Boundary

4000 per a post for 14 sec cor
with mound and pits
as per instructions

8000 per a post for cor to recs 25, 26,
35 + 36 with mound and pits
as per instructions

Land level

Incl 2nd corr

Sparse mesquite and palo verde

182

Township 5 South

Green Fork River

Chs East on a random line
bet recs 25 & 36
at 130° 45' E as per
first Boundary

4000 Set temporary 1/4 section

80.18 Intersect East Boundary of
Township 16 S 1/4 Sec 30
of Arts recs 25, 36, 38 & 31
From which corner

89° 05' 3" W on a true line
bet recs 25 & 36
at 130° 45' E

40.09 Set apart for 1/4 section
with mound and pits
as per instructions

80.18 The arts recs 25, 26, 30 & 36

Range 5 East

Meridian

Chs Sand level
 Soil 2nd $\frac{1}{2}$ rate
 Sparse mesquite and palo verde

North bet nos 25 & 26
 7 at 130 45' E

4020 Set apart for 4 acres
 with mound and pits
 as per instructions
 Ascend gentle slope

8020 Set apart for cuts nos 23, 24,
 25 & 26 with mound and
 pits as per instructions
 Sand level, North $\frac{1}{2}$ sloping gradually South
 Soil 2nd rate $\frac{1}{2}$ rate
 Mesquite and palo verde

6

184

BOOK 630

Township 5 South
Gila and Salt River

- Chs East on a random line
bet sec 24 T25-
R130 45-1 E
- 40.00 Set temporary 1/4 sec pm
- 80.24 Intersect East Boundary of
Township 28. No fossils
of cor to sec 24, 20, 19 & 30
From which cor'd run
S 89° 48' W on a true line
bet sec 24 T25-
R130 43-1 E
- 40.12 Set apron for 1/4 sec cor
with mound and pits
as per instructions
- 80.24 The cor to sec 23, 24, 25 & 26

Range to East

Meridian

Ch Sand rolling and sloping south
 Soil sandy 3m rate
 mesquite and Palo verde

North bet. nos 23 + 24
 24 13 24 5' E

37,000 A Road bears NE + SW at
 at base of mountain summit
 for cultivation bearing same

4000 Set a post for 1/4 ac cor
 into mound and pits
 as per instructions
 Sand rolling and sloping south
 Soil 3m rate
 Mesquite, Palo verde
 and cactus

Township 5 South

Yuba & Salt River

Ch. Nth bet accs 34130-
213145' E

40.00 Set apart for 1/4 acre
with mound and pits
as per instructions

80.00 Set apart for cots accs 2627,
34135 with mound and
pits as per instructions
Land level
Ant Gut rate
Guarwood and mesquite

East on a random line
bet accs 26130-
213143' E

40.00 Set temporary 1/4 acre apart

Ranges - East

Mendocino

79.78 Entered N & S line 21 to 26
 of cor to accs 25, 26, 33 & 36
 from which cor & run

N 89° 31' W on a true line
 bet accs 26 & 33
 to 13° 43' E

39.89 Scrap for 1/4 acre
 with mound and pits
 as per instructions

79.78 The cor to accs 26, 27, 34 & 35
 Sand level
 Oak 2 or 3 ft
 Greasewood, mesquite
 and palo verde
 August 24, 1888

Township 5 South

Green and Salt River

Ch North bet sec 26 & 27
 on 13043-1 E

4000 Det appt for 1/2 acre
 with mound and pits
 as per instructions.

800 Det appt for cor to sec 26 & 27
~~sec 22 & 23~~ with mound
 & pits as per instructions
 Land rolling
 Soil sandy 3rd rate
 Mesquite and palo verde

East on a random line
 bet sec 28 & 26
 on 13043-1 E

4000 Det temporary if nec for

Range of East

Meridian

79.82 Turned N to line 30 cross
of cor to acc 23, 24, 25 & 26
from which cor run

089047' W on same line
bet acc 23 & 26
Va 13045' E

39.91 Set a post for 1/4 sec cor
with mound and pits
as per instructions

79.82 The cor to acc 22, 23, 25 & 26
land rolling ^{and} sloping south
and sandy, but some rocks
Greasewood, mesquite and
palo verde

North bet acc 22 & 23
Va 13045' E
Ascend south slope

12

BOOK 630

Township 5 South

190

Green and Salt River

2000 A Road bears E + W

4000 Report for 1/4 accor
with mound and pits
as per instructions

5500 Report for cove fractumab
acc 22023 [at base of mountain
mound for cultivation bearing
NW + SE] in a stone
mound as per instructions
Land rolling and sloping south
Soil sandy in part
Sparse mesquite and palo verde

North bet acc 33 + 34
Ta 13043 - E

4000 Report for 1/4 accor

Range 5 East 191

00

Meridian

Chs with mound and pits
as per instructions

800 Set a post for cur to acc 27, 28,
33 & 34 with mound and pits
as per instructions

Land level

Soil test rate

Spars Guarewood and
mesquite.

East on a random line
bet acc 27 & 34
N 130° 43' E

4000 Set a temporary 4 acc post

80.26 Intersect N + S line 23 LKs N
of cur to acc 26, 27, 34 & 35

14

BOOK 630

192 Township 5 South

Gila and Salt River

Chs from which cor I am

N 89° 30' W orature line
bet recs 27 & 34
7213045' E

Co. 13 Set apart for 14 acres
with mound and pits
as per instructions

80.26 The cor to recs 33, 34, 27 & 28
Land quietly rolling
Arl Dur rate
Guano wood, mesquite
and palo verde

North bet recs 27 & 28
7213045' E

Range 5 East 193

Meridian

4000 Set apart for 1/4 sec cor
with mound and pits
as per instructions

8000 Set apart for cor to sec 21, 22
27 + 28 with mound and
pits as per instructions
Sand rolling
Soil 2nd ~~2nd~~ rates
Greasewood, Palo verde
and mesquite

East on a random line
bet sec 22 + 27
201° 30' 45" E

4000 Set temporary 1/4 sec part

8000 Interest N + S line 1400 S

Friendship 5 Smith

194

Gula Salt River

of cuts nos 22, 23, 26 & 27
From which cut I run

S 89° 54' W on a true line
bet nos 22 & 27
713° 43' E

40:15 Set apart for 1/4 sec cor
with mound and pits
as per instructions

80:30 The cuts nos 22, 21, 27 & 28
Land rolling and sloping south
Soil sandy 3rd rate
sparse mesquite and palo verde

North bet nos 21 & 22
713° 43' E

27:50 A Road bears E 71° W

Range East 195

Meridian

4000 Perapmt for 1/4 ac cor
with mound and pits
as per instructions

8000 Perapmt for cor to acs 15.16.
21022 with mound and pits
as per instructions

Land rolling and sloping faults
Soil 2nd ~~row~~ ~~rows~~
Mesquite and palo verde

East on a true line bet
acs 15 22

to 13 43 E

38.00 To foot of mountains north for
cultivation bears NW to E

4000 Perapmt for 1/4 ac cor with

18

BOOK 630

196

Township 5 South

Gila and Salt River

Ch. mound and pits as per
 instructions
 Sand rolling and sloping just
 Soil 3rd rate
 Greasewood and mesquite

North bet sec 15 & 16
 T₁₃ N 45' E

2000 Berapm for cuts practical
 sec 15 & 16 with mound and
 pits as per instructions at
 base of mountain unfit
 for cultivation
 Sand sloping south
 Soil 3rd rate
 Mesquite and palo verde
 August 25, 1868

Range East 197

Meridian

Obs North bet recs 22 + 23
 val 30 45' E

4000 Set a post for 1/4 sec cor
 with mound and pits as
 per instructions

8000 Set a post for cor to recs 28, 29
 32 + 33 with mound and
 pits as per instructions
 Sand level
 Set 2nd post rates
 Sparse greasewood, mesquite,
 and palo verde

East on a random line bet
 recs 28 + 33 — val 30 45' E

4000 Set temporary 1/4 sec post

198

Township 5 South

Gila and Salt River Meridian

80110 Interest N & S line across
to secs 27, 28, 30 & 33
From outside corner

Restoration line bet
secs 28 & 33

ra 13045-18

4403- Set apart for 1/4 acre
with mound and pits
as per instructions

8010 The cor to secs 28, 29, 32 & 33

Land level

at 300 rate

Spars grasswood, Palo verde
and mesquite

North bet secs 28 & 29
ra 13043-18

Range 3 East

199

Gila and Salt River Medicines

4000 Perapmt for 1/4 rec cr
with mound and pits
as per instructions

8000 Perapmt for cr to nos 20, 21,
28 & 29 with mound and
pits as per instructions
Land rolling
Pnl 2ur for rates
Guacwood and mesquite

East on a random line
bet nos 21 & 28
ca 13745' E

4000 Per temporary 1/4 rec cr

79.76 Suburbs N Line 28 N, 1/4
of cr to nos 21, 22, 27 & 28

22
1200

BOOK 630

Township 5th South

Green and Salt River

Chs From white cor I run

N 89° 49' W on atms line
bet recs 21 & 28
7a 130 45' E

39.88 Scrap for 1/4 sec cor
with mound and pits
as per instructions

79.76 The cor to recs 20, 21, 28 & 29
Sand rolling
One 2nd ~~1st~~ sales
Mes quite and p also under

N with bet recs 25 & 21
7a 130 45' E

40.20 Scrap for 1/4 sec cor

Range 5 East

Meridian

Ch with mound and pits
as per instructions

59.25 A Road bears NW & E
8000 Set apart for cuts rec^s 16, 17,
20 & 21 with mound and
pits as per instructions
Land rolling and sloping SW.
Soil 3rd rate
Mesquite and Palo verde

East on a random line
bet recs 16 & 21
ra 13045 E

4000 Set temporary 4 sec part

79.86 Intersect N & S line 28 LKs N
of cuts recs 15, 16, 21 & 22
From which cut & run

24

BOOK 630

202

Township 5 South

Gila and Salt River

Ch. N 89° 04' 8" W on a true line
bet nos 16 & 21
T 13° 04' 3" E

39.93 Levapmt for 1/4 acc cor
with mound and pits as
per instructions

79.86 The cor to Sec 16, 17, 20 & 21
Land selling
Dut & rate
Mesquite and palo verde

North bet nos 16 & 17
T 13° 04' 5" E

40.00 Levapmt for 1/4 acc cor
with mound and pits
as per instructions

Range East 203

Meridian

16.50 To foot of mountain's ridge
for cultivation bears NW + SE

20.00 Set apart in stone mound
for cor to recs 8, 9, 10 + 17
as per instructions

Laid rolling

Put 3rd rate

Mesquite and palo verde

North bet recs 31 + 32
2nd 30 + 31 - 18

16.00 Set apart for 1/2 sec cor
with mound and pits
as per instructions

20.00 Set apart for cor to recs 29, 30, 31
32 with mound and pits
as per instructions

26

BOOK 630

204

Township 5 South

Gda and Salt River

Chs Land level

Int 2nd rate

Greewood and mesquite

Exit on a random line
bet sec 29 & 32
T¹³ 43¹ E

4000 feet a temporary 1/4 sec pt

79.84 Intersect N & S line 19 & 20 S
of carto sec 28, 29, 32 & 33
From which cord run

8915 2' W natural line
bet sec. 29 & 32
T¹³ 43¹ E

39.92 Set a pt for 1/4 sec cor

Range 5 East 205

Meridian

Obs with mound and pits
as per instructions

79.84 The cor to secs 29, 30, 31 T32
Land level
Soil 2nd rate
Greasewood and mesquite

West or a random line
bet secs 30 T31
or T30 45' E

Coro Set temporary 1/4 sec post

87.30 Returned West Boundary of
Township 14 N 16 W North of
cor to secs 25, 36, 30 of 31
From which a corner

28

BOOK 630

Township 5 South

206

Gila and Salt Rivers

Ch. N 8900-4 E on a true line
between 30 (B)
N 13045' E

40.30 Set apart for 1/4 acc cor
with mound and and
pits as per instructions

80.30 The cor to nos 29, 30, 31, 32
Land line
Inl 2nd rate
Greasewood and mesquite
August 26, 1888

North between 29 & 30
N 13045' E

40.00 Set apart for 1/4 acc cor
with mound and pits as
per instructions

Range East

207

Mendenhall

200 Set apart for cut to trees 19, 20,
29 180 with mound and
pits as per instructions
Land level
One 2nd rate
Guano wood and mesquite

East on a rounder line
bet accs 20 + 29
at 18° 43' E

200 Set temporary 1/4 acd cor

28 Put into N & S line 2 1/2 R. S
of cut to accs 20, 21, 28 + 29.
From which a 1/4 acd run
S 89° 13' W a true line
bet accs 20 + 29
at 18° 45' E

30

BOOK 630

Township 5 South

208

Glen and Salt River Mendocino

- 40.14 A report for 14 acres
with mound and pits
as per instructions
- 80.28 The acre to recs 19, 20, 29 & 30
Land rolling
One 2nd bar sales
Guercuwood and mesquite
-
- West on a random line
bet recs 19 & 30
24 30 45' E
- 40.00 A report for ^{temp} 14 acres
- 80.16 Intersect West Boundary of
Township 16 N, South of
acres to recs 24, 25, 19 & 30
From which corner

Rouge's Ear

209

~~Tranship 5.11.16~~

cls 189133' E on a true line
 bearings 19 + 30
 va 130 45' E

10.16 Set apart for 1/4 sec on
 with mound and pits
 as per instructions

10.16 The cut to nos 19, 20, 29 + 30
 Land rolling
 Soil 2nd from cuts
 Greasewood and mesquite

with bearings 19 + 20
 va 130 45' E

10.16 Set apart for 1/4 sec on
 with mound and pits
 as per instructions

32

Township 5 South
210
Ada and Salt River

8000 Scrap for cuts acc 1705
1970 with mound and
pits as per instructions
Land rolling
Int. Sur. rules
Greasewood and mesquite

East meander line
per acc 17020
TA 13045-18

4000 Set temporary 1/4 sec on

8036 Intersect N+S line 2 1/2 blocks S
of cuts acc 16, 19, 20 & 21
from which cord run
S 89° 51' W on natural line
bet acc 17020
TA 13043-18

Rauze's Ear

211

Meridian

- 40.18 Scrap for 1/4 sec cor
with mound and pits
as per instructions
- 88.36 The cor to nos 17, 18, 19 & 20
Land rolling
full 2nd rate
Mesquite and palo verde
- West on random line
bet nos 18 & 19
No 13 & 15 & E
- 0.20 Set temporary 1/4 sec post
- 9.72 Intersect West Boundary
of Township 28 N 10 S south of
Arto nos 13, 14, 18 & 19
From collets cor same

34

BOOK 630

212

Township 5 South

Lata and Salt River

Chy 38948'E on a true line
 between 18719
 and 3045'E

39.72 Per a part for 14 acres
 with mound and pits
 as per instructions

79.72 The arto ves 14, 18, 19 & 20
 Land rolling
 Soil 30 rate
 Greasewood and mesquite

North between 14 & 18
 and 3045'E

40.00 Per a part for 14 acres
 with mound and pits
 as per instructions

55.00 A Road bears NW & S

Range 5 East

213

Meridian

8.00 Set apart for cur to nos 7, 8
 14 + 18 with mound and
 pits as per instructions
 Land rolling
 Int 3rd rate
 Greasewood and mesquite

East on random line
 bet nos 8 + 14
 2013043-1 E

8.20 Set temporary 1/4 sec post

7.00 To foot of mountains north for
 cultivation bears NW + E

8.24 Intersect N + S line 28 lks south
 of cur to nos 8, 9, 16 + 17
 From south to cur line

Township 5 South

City and Salt River

Chs 489048' W on true line
between 8717
72130415' E

40.12 for a part of 14 acres
with mound and pits
as per instructions

80.21 The cr to nos 7, 8, 17 & 18
Land rolling and sloping SW
Inl 30' rate
Mesquite and pals aside

West on a random line
between 87 & 18
7213043' E

18.75 A Road bears NW 1/4 E

Range 3 East 215

Meridian

- 4000 Set temporary 1/4 sec cor
- 79.68 Interset West Boundary of
Township 23R, South of cor
to sec 12, 13, 14 & 18
Innclude cor & run
- 189050' E on a true line
bet sec 14 & 18
at 13045' E
- 39.68 Set a post for 1/4 sec cor
with mound and pits
as per instructions
- 79.68 The cor to sec 7, 8, 14 & 18
Land rolling
Inl for rate
Mesquite and palo verde

216

T. J. Rauger &

Garden Hill near Mendocino

Chs North Secs 7 & 8
T. 13 N. 43 E40.00 Set apart for 1/4 acre
with mound and pits
as per instructions70.00 Set apart for 1/2 acre fractional
secs 7 & 8 with mounds
and pits as per instructions
at base of mountains suitable
for cultivation bears NW 1/4 E
Land rolling and sloping SW
part 3/4 rate

Mesquite and Palo verde

August 27, 1868

T_p 5 N 5 E 4th S River Meudain

217

General description

This Township is made fractional on the north by a high, barren and rocky mountain unfit for cultivation

The arable land is about the common average and is generally rolling and sloping south and west

Soil sandy 2nd 3rd rates

Trees Mesquite and palo verde - very equally distributed over the T_p

Field notes of the survey,
of the subdivision lines of
fractional

Township 5 S Range 6 E

of the Gila and Salt River
Meridian in the Territory
of Arizona by Geo. P. Ingalls
Deputy Surveyor under the
joint contract of George P.
and Wilfred F. Ingalls bearing
date the 10th day of July
A D 1888

born Aug 28 /69

born Sep. 4 /69

52 3/4 miles

Platac Sub

Copied for Washu. Nch 27/68
J. K. Goodrich

218A

4-674.

Township 5 S., R. 6 E., G. 2 S. R. B. & M.

BOOK 630

6	271	5	254	4	3	2	1			
x 270	269	253	*		x 236					
7	268	8	252	9	244	10	234	11	226	12
x 267	266	251		243		238		225		
18	265	17	250	16	242	15	233	14	224	13
264	262	249		241		231		223		
19	262	20	248	21	240	22	231	23	222	24
260	259	247		239		229		221		
30	259	29	247	28	238	27	229	26	220	25
257	256	246		237		227		219		
31	255	32	245	33	236	34	227	35	218	36

To 5 Range 6 E

Gila Salt River Meridian

Chs From the cor to sec 35786
on the 1st standard Par-
allel South 2 run

North bet sec 35786
on 13⁴⁴' E as per
East Boundary

4600 Set apart for 1/4 acre cor with
mound & pits as per instructions

73140 The Road from Casa Blanca to Blue
Water bears N.W. + S.E.

8000 Set apart for cor to sec 25786,
26785 with mound and pits
as per instructions

Sand dune. Soil 2nd rate
Greasewood and mesquite

4

BOOK 630

Tp 5 Range 6 E

219

Geo Gas River Meridian

Ch^r East on a random line
bet sec 25 & 36
at 130 44' E as per
Gmths Boundary

40.00 Set temporary 1/4 sec post

80.74 Intersect East Boundary of
Township 19 Ns north of
cont sec 25, 36, 30 & 31
from include cord run

N 89° 03' 2" W on a true line
bet sec 25 & 36
at 130 44' E

40.07 Set a post for 1/4 sec cor
with mound and pits
as per instructions

No 5 Range to E 220

Gila and Salt River Meridian

8074 The cor to sec 25, 26, 35 & 36
 Land level
 Inl 2nd rate
 Mesquite and mesquite

Units bet sec 25 & 26
 7 at 3044' E

4000 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

8000 Set apart for cor to sec 23, 24
 25 & 26 with mound and pits
 as per instructions
 Land level
 Inl 2nd rate
 Mesquite and palo verde

To 5th Range & E

221

Give Ed Salt River Meridian

Chs East on a random line
bet sec 24 & 25
Twp 30 44th E

40.00 Set apart for temporary
1/4 sec cor

80.28 Intersect East Boundary of
Township 26 Ns North of
cor to sec 24 & 25, 19 & 30
thru which cor run

N 89° 49' W on a true line
bet sec. 24 & 25
Twp 30 44th E

40.15 Set apart for 1/4 sec cor
into mound and pits
as per instructions

No 3 Range G E

1922

Gila and Salt River Meridian

80.28 The cor to secs 23, 24, 25 + 26

Sand rolling

Inl 2nd rate

Mesquite and Palo verde (sparse)

August 28, 1888

Notes bet secs 23 + 24
7 + 8 + 940.00 Set apart for ~~excavation~~ 1/4th of
cor into mound and pits
as per instructions80.00 Set apart for cor to secs 13, 14,
23 + 24 into mound and pits
as per instructionsSand rolling. Inl 2nd rate
Sparse mesquite and Palo verde

8

BOOK 630

No 5 Range 6 Co

New Salt River Meridian

Chs East on a random line
bet secs 13 & 24
ra 13° 44' E

40.00 Set temporary 4 sec post

S. 16 Return East Boundary of
Township 28 E, 11th N of ar
to secs 13, 24, 18 & 19
from which cor run

N 89° 48' 45" on a true line
bet secs 13 & 24
ra 13° 44' E

40.08 Set a post for 4 sec cor
with mound and pits
as per instructions

S. 16 The ar to secs 13, 14, 23 & 24

Tp 5 S Range 6 E

Leto and Salt River Meridian

ch Land rolling
Soil for sale
Sparse mesquite and palo verde

North bet sec 13 & 14
at 13044' E

has Set apart for 4 Dec cor
arts mound and pits
as per instructions

8000 Set apart for arts sec 11, 12,
13 & 14 arts mound and pits
as per instructions
Land rolling and sloping south
Soil for sale
Sparse mesquite and palo verde

Sp 54 Range & E

Gen Hall River Meridian

4000 East on a random line
 bet sec 12 & 13
 7a 13° 44' E

4000 Set temporary section

79.90 Subsect East Boundary
 of Township 16 E. 20 N. of
 carto sec 12, 13, 7 & 18
 From which cor I run

289.55 3' W on a true line
 bet sec 12 & 13
 7a 13° 44' E

289.95 Set apart for 4' section
 onto mound and pits
 as per instructions

79.90 The carto sec 11, 12, 13 & 14

To 5 Range 6 E

226

Gila and Salt River Meridian

Ch Land rolling and sloping south
 Soil 3rd rate
 Sparse mesquite and palo verde

Write bet sec 11 & 12
 Twp 30 N 4 E

470.000 Scrap for 4 Decar with
 mound & pits as per instructions

6000 Scrap for cor to fractional Sec
 11 & 12 at base of mountains on
 pit for cultivation with mound
 and pits as per instructions
 Land rolling and sloping south
 Soil sandy 3rd rate
 Mesquite and palo verde

227
 Twp 5 Range 6 E

Ida And Salt River Meridian

Chs North bet secs 3 & 5
 T₁₃ R₁₄ E

4000 Scrap for 4 sec
 with mound and pits as
 per instructions

8000 Scrap for sec 26, 27,
 34 & 35 with mound & pits as
 per instructions

Land level

Int'l 2nd rate

Guarewood and mesquite

East on a random line
 bet secs 26 & 35

T₁₃ R₁₄ E

4000 Set temporary 1/4 sec point

No 5 Range 6 E 228

Gila and Salt River Meridian

- 76.75 Road from Casa Blanca to Blue
Water bears NW to E
- 79.88 Returned NTS line 21 lks south
of curve recs 25, 26, 35 186
From which cor & run
89° 57' W on a true line bet
recs 26 183
On 130° 44' E
- 79.94 Set apart for 1/4 sec cor
with mound and pits as
per instructions
- 79.88 The cor to recs 26, 27, 34 185
Sand level
In 2nd cut
Mesquite and greasewood

Tr 5 Range E
229

Gila Salt River Meridian

Ch North bet recs 26 127
N 13 044' E

4000 Set a post for 74 recs
with mound and pits
asper instructions

8000 Set a post for cuts recs 22, 23,
26 127 with mound and
pits as per instructions
Sand level

Inl. 2nd rail

Grease wood and mesquite

East on a random line
bet recs 28 126
N 13 044' E

15.25 Road from Casa Blanca to
Blue water bears N 13 044' E

No 5 Range Co Es 230

Gila Salt River Meridian

4020 Set temporary '14 sec pt

79.76 Dubred Nth line 28 lks S
of cor to sec 23, 24, 25 & 26
from which cor & run

28948' W on a true line
bet sec 23 & 26
at 3074' E

39.88 Set apart for 44 sec cor
with mound and pits
as per instructions

79.76 The cor to sec 22, 23, 26 & 27
Land rolling
One 2nd rate
Mesquite and Palo verde

2315 Range (E)

Gila and Salt River Meridian

Ch North bet recs 22 & 23
 N 130 44' E

21.30 Road from Casa Blanca to
 Blue water beam NW to E

4000 Set a post for 1/4 secor
 with survey and pits
 as per instructions

8000 Set a post for cor to recs 14, 15,
 22 & 23. with survey & pits
 as per instructions

Land rolling
 Full sur for *tratis* ^{pals} ~~veg~~
 Sparse mesquite and ~~veg~~
 Aug 29, 1888

Set on a random line
 bet recs 14 & 23
 N 130 44' E

No 3 Range of E 232

Great Salt River Meridian

4000 Set temporary 74 sec pm

79.84 Pulvered N & S line 14 E Ks Smith
of carto recs 13, 14, 23 out
from which cord run

18903 H'W on a true line
bet recs 23 & 4
ra 13074' E

39.92 Set apart for 74 sec cor
with mound and pits
as per instructions

79.84 The carto recs 14, 15, 22 & 23
Sand rolling
One 2nd NW hole
Mesquite and palm seeds

Op 5 - Range E

18233

Grand Salt River Meridian

cls Wrote her recs 1 & 15
 on 13 044 E

4000 Scrap put for 4 accor
 with mound and pits
 as per instructions

8000 Scrap put for cor to recs 10, 11,
 14 & 15 with mound and pits
 as per instructions
 Land rolling and sloping faults
 fine sur for notes
 Sparse mesquite and palo verde

East end condone line
 her recs 11 & 14
 on 130 44' E

4000 for temporary 7/4 accor

To S Range 6 E

234

Given Salt River Meridian

30.18
 40.18 Lateral N to line 23 lks fronts
 of cor to secs 11, 12, 13 & 14
 From which a runner

\$89050' W on a true line
 bet secs 11 & 14
 Va 3044 E

40.09 Serapnt for 14 sec cor with
 mound and pits as per
 instructions

3.18 The cor to secs 10, 11, 14 & 15
 found rolling and sloping south
 Soil 3rd rate
 Mosquito and palm weevils

North bet secs 10 & 11
 Va 13044 E

Tr 5 Range E

235

Gravel Salt River Meridian

46.00 ~~Set~~ Set apart for 1/4 sec
cut with mound & pits
as per instructions

50.00 Set apart for cuts secs 2, 3,
10 & 11 with mound & pits
as per instructions
Land rolling ^{and} sloping south
fert sandy 3rd cut
Mesquite and brush and

Cart on a two line bar
secs 2 & 11

ra 13 & 14 'E'

16.00 Set apart at base of mountain
suit for cultivation for
cuts fractional secs 2 & 11 with
mound & pits as per instructions

Sp 5 Range 6 E

236

Given and Salt River Meridian

dy north bet sees 2 & 3
 2 at 130° 44' E

0000 Scrap on at base of mountains
 suitable for cultivation bearing
 NW & E in stone mound for
 air to fractional sees 2 & 3 as
 per instructions

August 31, 1888

North bet sees 3 & 4
 2 at 130° 44' E

4000 Scrap on for 4 see on
 with mound and pits
 as per instructions

5000 Scrap on for air to sees 28, 27, 33, 4
 with mound and pits as per
 instructions

Sp 5 Range E

237

Gila Gul Salt River Meridian

Ch Land level
 One 2nd cut
 Mesquite and quercus

East on a random line
 bet nos 27 & 34
 on 13074' E

420 bet temporary 1/4 sec cor

79.78 Intersect N + S line 212K,
 N of cut nos 26, 27, 34 130
 From which cor. run

N 89° 57' W on a true line
 bet nos 27 & 34
 on 13074' E

39.89 bet 1st & 2nd sec cor

Sp 5 Range 6 E

238

Gila and Salt River Meridian

Chs with mound and pits
as per instructions

79.78 The cor to read 27, 28. 83 734
Sand level
Soil 2nd rate
Mesquite and greasewood

Mnts bet read 27 28
Ra 130 44' E

4200 Serapmt for 14 acc cor.
with mound and pits
as per instructions

8000 Serapmt for cor to read 21, 22.
27 & 28 with mound & pits
as per instructions

Sand level. Soil 2nd rate
Shore greasewood and mesquite

Sp 5 Range E E

239

Line and Salt River Meridian

dy East on a random line
between 22 & 27
7a 18° 44' E

400. Set a post ^{temporary} for 14 sec or
~~into ground and~~

79.60 Intended N + S line 330 to S
of cor to nos 22, 23, 26 & 27
Inclusive corner

Set 6' W on a true line
between 22 & 27
7a 13° 44' E

39.80 Set a post for 14 sec or
into ground and pits
as per instructions

79.60 The cor to nos 21, 22, 27 & 28

To 5 Range 6th 240

Great Salt River Meridian

by Sand level
 and 2nd rate
 Mesquite and greasewood

North bearing 21° 22'
 at 130 44' E

1020 Set a post on 1/4 sec cor
 with mound and pits
 as per instructions

1030 Set a post on cor to sec 15, 16,
 21 & 22 with mound and
 pits as per instructions
 Sand level
 and 2nd rate
 Mesquite and greasewood

To 5 Range E

241

Great Salt River Meridian

Chs East on sandstone line
bet sees 15-22
on 13044' E

36.50 Road from Cora Blanca to
Blue Water bears NW + SE

40.00 Set temporary 1/4 sec pt

79.72 Intersect N + S line 1911s S
of cor to sees 14, 15, 22 + 23
from which cor run

S 84° 32' W on a true line
bet sees 15 + 22
on 13044' E

39.86 Set a post for 1/4 sec cor
with mound and pits
as per instructions

7p 5 Range Es 242

Gravel and talc River Meridian

79.72 The cur to nos 15, 16, 21, 22
 Land level
 Soil sur low water
 Mesquite and palo verde

4 mths bet nos 15-16
 no 18 + 4 (E)

4000 Scraping for 14 sec cur
 with mound and pits
 as per instructions

59.50 Road from Casa Blanca to
 Blue Water, near NW SE

8000 Scraping for cur to nos 9, 10,
 15 + 16 with mound & pits
 as per instructions
 Land rolling & sloping faults

Tp 3 Range E

243

Gravel Salt River Meidian

Chy Soil 2 or 3 ft water
Mesquite and palm acacia

East on a random line
bet sec 10 & 15

Pa 130 44' E

40.00 ^{temporary} Set apart from 14 ac cor
~~with owned and pits~~
~~as per instructions~~

79.86 Entered ~~West~~ S line at cor
to sec 10 14 & 15
From which cor I run.

West across line bet
sec 10 & 15

Pa 130 44' E

To 5 Range Co

244

Gen^l Ed Salt River Mendocino

39.43 Set apart for 1/4 sec cor
with mound and pits
as per instructions

79.88 The cor to sec 9, 10, 15 & 16
Land rolling ^{and} sloping south
And 3rd rate
Mes quite ^{and} pale verde

North bet sec 9 & 10
To 13th 44th E

40.00 Set apart for 1/4 sec cor
with mound and pits
as per instructions

63.00 To first of Butte bears E & W
Set apart at this point for
cor to fractional sec 9 & 10

Op 3 Range 6 E
245

Goa and Salt River Meridian

Ch with mound and pits
as per instructions
Land rolling and sloping fruits
Soil sandy 3m rule
Sparse mesquite and palo verde
September 1st, 1888

North bet acc 32 183
7 at 3044 'E

4000 Serapunt for 10 acc or
with mound and pits
as per instructions

8000 Serapunt for acc to acc 28.29
32 183 with mound and pits
as per instructions
Land level. Soil 2m 13m rule
Mesquite and greasewood

No 5 Range 6 E

246

Ida and Salt River Meridian

Chy East on a random line
bet accs 28 & 33
ra 13074 E

4000 Set temporary 1/4 acc pm

8.22 Intersect N & S line 1600 N
of cor to accs 27, 28, 33 & 34
From which cor run

N 89° 5' 3" W on a true line
bet accs 28 & 33
ra 13074 E

40.11 Scrap out for 1/4 acc cor
with mound and pits
as per instructions

8.22 The cor to accs 28, 29, 32 & 33
Sand level. Soil sur rate
Mesquite and palo verde

32

BOOK 630

To 5 Range Co

247

Line and Salt River Meridian

by North bet sec 28 & 29
T₁₃ 044' E

4000 Set apart for 1/4 sec cor
with mound and pits as
per instructions

8000 Set apart for cor to sec 20, 21,
28 & 29 with mound and
pits as per instructions
Sand Comb
Incl 2nd rate
Greasewood and mesquite

East on a random line
bet sec 21 & 28
T₁₃ 044' E

4020 Set temporary 1/4 sec cor

Sp 5 Range 6 E 248

Geo and Salt River Meridian

0.36 Intersect N+S line 26.6Ks N
of cor to recs 21, 27, 27 + 28
From which cor run

N 89° 49' W on a true line
bet recs 21 + 28
ca 13° 44' E

40.18 Set apart for 14 sec cor
with mound and pits
as per instructions

0.36 The cor to recs 20, 21, 28 + 29
Sand level
Soil 2nd rate
Greewood and mesquite

North bet recs 20 + 21
ca 13° 44' E

Op of Range O.E.

249

Gila and Salt River Meadions

4620 Seraport for 14 acres
with mound and pits
as per instructions

8000 Seraport for acre to acres 16, 17,
20 & 21 with mound and pits
as per instructions
Land rolling
Soil Sur rate
Mesquite and greewood

East on a rainbow line
bet acres 16 & 21
218' 44' E

4620 Seraport for 1/4 acre for

8044 Interest N+8 line 19 lks south
of acre to acres 15, 16, 21 and 22

To 5 Range 6 E 250

Gravel and Salt River Mendocino

From which we drew

Segs 52' to native line
bet secs 16 & 21
on 13⁰²4' E

0.22 Set apart for 1/4 sec cor
with mound and pits
as per instructions

0.24 The cor to secs 16, 17, 20 & 21
Land rolling
1st 2nd and 3rd rates
Mesquite and poles over

North bet secs 16 & 17
on 13⁰²4' E

0.25 Set apart for 1/4 sec cor
with mound and pits
as per instructions

No 5 Range E

251 Via Salt River Meridian

8000 Set apr for cuts Dec 8, 9.
 16+17 with ground and
 pits as per instructions
 Sand rolling
 Inl 2nd & 3rd rates
 Greasewood and mesquite

East on road from Luis
 bet sec 9 & 16
 on 13th & E

4000 Set temporary 14 sec pm

7175 Road from Casa Blanca to Blue
 Water bears NW & E

8000 Intersect N 45 line 12 E N North
 of cut to sec 9, 10, 15 & 16
 From which cor in

Twp 5 S Range 6 E

252

Gila and Salt River Meridian

by N 89° 35' W on a true line
bet sec 9 and 16
at 13044' E

0115 Set apart for 1/4 sec cor
with mound and pits
as per instructions

030 The cor to sec 8, 9, 16 & 17
land rolling and sloping South
for 2nd and 3rd rates
Sparse mesquite and palo verde

North bet sec 8 and 9
at 13044' E

400 Set apart for 1/4 sec cor
with mound and pits
as per instructions

Sp 5 Range B E

253

7th and Salt River Meridian

8000 Seraport for cuts nos 4, 5,
8 and 9 with mound and pits
as per instructions

Land drilling bills

Inl 3rd rate

Mesquite and Palo verde

September 2, 1868

East on a true line bet
nos 4 and 9
at 30 ft E

4000 Seraport for 14 ac cor
with mound and pits
as per instructions

3,500 Road from Casa Blanca to
Blue Water bears N + S

To 5 Range E 254

Eda and Salt River Meridian

000 To base of Butte bears NE + SE
 Perhaps at this point for
 onto fractional sec 4 and 9
 with mound and pits as
 per instructions
 Land rolling hills
 Soil 3rd rate
 Mesquite and pulp oaks

North on a random line bet
 sec 4 and 5
 on 130 44' E

000 Let temporary 4 sec point

00.20 A Dry Creek 15-20k wide course NE

00.52 Returned North Boundary of
 Township 42k West of

Sp 5 Range E
255

Gila and Salt River Meanders

Ch. Cor to acc 4, 5, 7, 8, 9
Annals which cor I run

100° 18' W as atens line
bet accs 4 and 5
7a B 24' E

40.52 Set a pm - Br 1/4 acc cor
onto mound and pits
as per instructions

80.52 The cor to accs 4, 5, 8 & 9
Sand high rolling hills
fine sandy soil
Mesquite and palo verde

X
North bet accs 31 B 2
7a B 24' E

Tp 5 Range 6 E

256

Great and Salt River Meridian

4000 Scrap for 44 ac cor
 with mound and pits
 as per instructions

4000 Scrap for cor to sec 29, 30,
 31 & 32 with mound and pits
 as per instructions

Land level

One 200' rule

Greewood and mesquite

East on a random line
 bet sec 29 & 32
 on 30 & 41 E

4000 Set temporary 1/4 sec post

8026 Dubuque NAD line 1400' N
 of cor to sec 28, 29, 32 & 33

To 5 Range 6 E

257

Gene Ed Salt River Meridian

Ch From which cor and sec

N 89° 05' 40" W unatms line
bet sec 29 182

N 130° 44' E

40.08 Deraport for 14 sec cor
with mound and pits
as per instructions

80.16 The cor to sec 29, 30, 31 182
Land level
Soil sur rate
Mesquite and greasewood.

X West on a random line
bet sec 30 181

N 130° 44' E

Tp 5 S Range 6 E

258

Gila Salt River Meridian

490 Set temporary 7 sec pm

275 Intersect West Boundary of
Township 19 E 1/2 mile S of cor
to sec 25, 26, 30 & 31
From which cor I run

N 89° 52' E on a true line
for sec 30 & 31

N 13° 44' E

29.75 Set up pm for 14 sec cor
with mound and pits
as per instructions

29.75 The cor to sec 29, 30, 31 & 32

Land level

for 2nd rate

Mesquite and greasewood

Sp 5 - Range 6 E

Gilwood Salt River Meindin

- ch North between 29 130
7a 13 144' E
- 400 Set apart for 14 acres
with mound and pits
as per instructions
- 8000 Set apart for 20 acres 19, 20,
29 130 with mound and pits
as per instructions
Sand level
Soil 2 1/2 rate
Guarwood and mesquite

Cart on a sandon line
between 20 129
7a 13 144' E

4000 Set temporary Hecor

Tp 3 Range 6 E. 260

Gila and Salt River Meridian

79.88 Intersect N + S line 28 Sks N
 of cor to nos 20, 21, 28 + 29
 from which cor run

N 89° 48' W on a true line
 bet nos 20 + 29
 N 130° 44' E

39.90 Corapnt for 40 ac cor
 with mound and pits
 as per instructions

79.88 The cor to nos 19, 20, 29 + 30
 Land level Sub 2 ur rate
 Greewood and mesquite

West on a true line
 bet nos 19 + 30
 N 130° 44' E

46

BOOK 630

Township 5th South

261

Gila and Salt River

- 4000 Set temporary 1/4 acre plot
- 29.67 Interest West Boundary of
Township 21 N, 7th North of
Corteces 24, 25, 19130
From which cord run
N 89° 37' E a true line
bet sec 19 + 30
N 13° 44' E
- 39.67 Set apart for 1/4 acre
with mound and pits
as per instructions
- 79.67 The corteces 19, 20, 29 130
Land arding
and 2nd 1st 1st rates
Mesquite and palo verde

Rauze @ East 262

Meridian

ch. Write bet recs 19 & 20
 on 13048' @

4000 Set apart for 1/4 sec cor
 with mound and pits
 as per instructions

4000 Set apart for cor to recs 17, 18,
 19 & 20 with mound and pits
 as per instructions

Land rolling

One 3/4 rate

Mes quite and poles aside

September 30th 1888

East and random line
 bet recs 17 & 20
 on 13048' @

263 Township 5 - South

Gila and Salt River

40.00 Per temporary 14 acc pmt

79.70 Interest N&S line 23 AKs
 1 of cartones 16, 17, 20 & 21
 Annucoluch cord & run

1890 ~~80~~ 'W on a true line
 between 17 & 20
 N 130° 44' E

39.85 Perapmt for 14 acc cor
 with mound and pits
 as per instructions

79.70 Theor to accs 17, 18, 19 & 20
 Land rolling
 Soil 2nd 3rd & 4th
 Mesquite and palo verde

Range 6 East 264

Meridian

by West on a random line
between 1871.9
and 13074 'E

7.00 A Road bears N E & W
at temporary 4 sec pm

7.00 A road a NE slope of mountain
bears N E and SW

9.85 Intersect West Boundary of
Township 16 Ns South of cor
to sec 13, Mt. 1871.9
From which cor I run

899 53 'E on a true line
between 1871.9
and 13074 'E

9.85 Aera pm for 4 sec cor
into mound and pits
as per instructions

Township 5 South

Gifted Salt River

79.85 The cor to recs 17, 18, 19 & 20
 Land rolling
 Soil 3^m rate
 Mesquite, Palo verde and
 cactus

~~Cor to~~ North recs 17 & 18
 Pa 13044' E

4000 Serapmt for 14 rec cor
 with mound and pits as
 per instructions

8000 Serapmt for cor to recs 7, 8,
 17 & 18 with mound and
 pits as per instructions
 Land rolling, soil 3^m rate
 Mesquite, Palo verde and cactus

Range 6 East

266

Meridian

by East on a random line
bet secs 8 & 17
7a 130 44' E

was set temporary 7/4 record

9.52 Intersect N 48 line 28 lks S
of cor to sec 8. 9. 16 & 17
From which cor'd run

S 89° 48' W a distance line
bet secs 8 & 17
7a 130 44' E

39.81 Set apart for 7/4 record
with mound and pits
as per instructions

79.82 The cor to sec 7, 8, 17 & 18
Sand rolling. Inl 3rd rate

52

BOOK 630

267

Township 5 South

Green and Salt River

Chs Greasewood, mesquite
and palo verde

West mature tree per
rec 7 & 18
Val $30^{\circ} 44' E$

257.00 A Road bears N48

40.00 Clear point for 1/4 section
with mound and pits
as per instructions

49.00 A Road bears N48

50.00 Clear point at base of mountains
suit for cultivating for
cattle fractional rec 7 & 18
with mound and pits as
per instructions

Range 6 East 368

Meridian

chs Land rolling hills
 Soil 3rd rate
 Mesquite and palo verde

North between 7 & 8
 7a 13074' E

4.000 Perapmt for 14 sec cor
 with mound and pits
 as per instructions

8.000 Perapmt for cor to sec 5, 6,
 7 & 8 with mound and pits
 as per instructions
 Land rolling hills
 Soil 3rd rate
 Greasewood, mesquite
 and palo verde

54

BOOK 630

Township 5 Smith

269

R. Gila and Salt River

Chs East on a sandstone line
bet wees 5 & 8
Ta 13044' E

40.20 Set temporary 4 sec pm

79.82 Intersect N & S line 21 lks
S of cor to wees 4, 5, 8 & 9
Monoclinic cor & am

Set 13031' W on a true line
bet wees 5 and 8
Ta 13044' E

39.91 Set a pm for 14 accor
with mound and pits
as per instructions

99.82 The cor to wees 5, 6, 7 & 8
Sand high rolling hills

Range 6 East 270

Meridian

Chs. Inl 3rd rate
 Mesquite, palo verde and
 Cactus

West native line her
 sec 6 + 7
 val 3544' E

10.50
~~10.50~~ A Road bears N + S
 38.00 " " " " " at
 foot of mountain bearing N + S.

40.00 A trap in stone mound
 for 1/4 sec or as per in
 instructions
 Sand rolling hills
 Inl 3rd rate
 Mesquite and palo verde

56

BOOK 630

Township 5 South

Idaho and Salt River

Chs North on a random line
between 5 + 6

Val 3044 '8

400 Temporary fence post

80,43 - Intersect North Boundary of
Township 33rd N, West of
cont^s nos 5, 6, 8, 1 + 2
From which cont^s run

400 15' W on a true line
between 5 + 6

Val 3044 '8

40,43 - Set apart for 1/4 section
with mound and pits
as per instructions

80,45 - The cont^s nos 5, 6, 7 + 8

Range 6 East 272

Meridian

chs Sand rolling hills
 Soil ^{sw} rate
 Mesquite, Palo verde & cactus
 September 4, 1888

General Description

This Township is made fractional
 on the N E and NW by high
 rocky mountains unfit for
 cultivation

The south half of the Tp is
 generally level - soil ^{sw} rate
 white the balance is mostly
 rolling hills sloping south - soil ^{sw}
 and ^{sw} rates and is well
 adapted for grazing purposes

The Road from Casa Blanca
 to Blue water enters the Tp

Tr. M 6 & Gila and Palmar Mes.

General Description

Ch. in sec 4 and bears SE
and leaves it on south boundary
of sec 36

There are two more small
Roads in the NW part of
the Tr. near the mountains

Timber scattering mesquite
greasewood and palo verde and
is very equally distributed over
the Township

U. S. Surveyor General's Office,

San Francisco, Cal.,

April 1st 1869.

The foregoing Field Notes of the surveys of
 Sub-division Lines of
 Sp. 4 S. R. 3 E.
 Sp. 5 S. R. 34. 5 & 6 E.
 Gila & Salt River Meridian
 in the ^{Ter} ~~State~~ ^{Arizona} of ~~California~~ executed by

George P. Ingalls

U. S. Deputy Surveyor, under his contract dated

July 10th 1868

having been critically examined, the necessary
 corrections and explanations made, the said
 Field Notes and the Surveys they describe are
 hereby approved.

Sherman Day

U. S. Surveyor General,

For Cal. and Arizona.