No. 632

John L. Harris Deputy Surveyor.

T. 5 South R. 14 East

Gila & Salt River Meridian.

FIELD NOTES

OF

The Subdivision Lines of

Township 5 South Range 14 East

Gila and Salt River Meridian.

BY

John L. Harris Deputy Surveyor.

under his Contract of July 17, 1877.

Survey commenced January 1, 1878

Survey completed " 5 1878.

Platted,

Copied for Washington, 1878, a. b.

Transcript sent to Commissioner,

No. 632

EDWARD DENNY & CO., PRINTERS, 512 SAC. S.

No. 632 BOOK 632

John L. Harris Deputy Surveyor.

T. 5 South R. 14 East

Gila and Salt River Meridian.

FIELD NOTES

OF

The Subdivision Lines of

Township 5 South Range 14 East

Gila and Salt River Meridian.

BY

John L. Harris Deputy Surveyor.

under his Contract of July 17. 1877.

Survey commenced January 1. 1877

Survey completed " 5 "

Platted,

Copied for Washington,

Transcript sent to Commissioner,

EDWARD DENNY & CO., PRINTERS, 512 SAC. S.

1A Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

6	60	5	44	4	33	3	22	2	11	1
59		58		43		32		21		10
7	57	8	42	9	31	10	20	11	9	12
56		55		41		30		19		8
18	54	17	40	16	29	15	18	14	7	13
53		52		39		28		17		6
19	51	20	38	21	27	22	16	23	5	24
50		49		37		26		15		4
30	48	29	36	28	25	27	14	26	3	25
47		46		35		24		13		2
31	45	32	34	33	23	34	12	35	1	36

1AA

BOOK 632

Preliminary Oaths of Assistants.

We, Lyman Wakefield
and Chas. B. Warren,
do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Lyman Wakefield
Chas B Warren

Sworn to and subscribed before me, this 29 day of September, 1877

William J Osborn
Notary Public

1AB

We Fred. C. Jones

J. P. Chenoweth

do solemnly swear that we will well and truly perform the duties of Axeman and flagman respectively according to instructions given us, and to the best of our skill and ability.

Fred. C. Jones

J. P. Chenoweth

Sworn to and subscribed before me this 29 day of September, 1877

William J. Osborn

Notary Public

1B Township 5 South Range 14 East

BOOK 632 Gila and Salt River Meridian.

Chains	From the corner to Sections 35, 36, 1 and 2 on the South boundary I ran North, between Sections 35 and 36. Variation 14°.30' East.
	As per Eastern Boundary
40.00	Set a granite stone 16x9x9 in. 2/3 in the ground, marked 1/4 and on the N. build md. of stones 2 ft high as per instructions for 1/4 sec. cor. No trees.
80.00	Set a granite stone 17x14x12 in. 2/3 in the ground, ~~mart~~ notched S. 1/4 C. and on the N. build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to Secs. 25, 26, 35 & 36. No trees near.

Rolling. Good grazing
No timber.

Township 5 South Range 14 East

Gila and Salt River Meridian.

Chains East, on a random line between Sections 25 and 36.

Variation 14°50' East.

40.00 Set a temporary 1/4 Sec. cor.

80.15 Intersect the N. & S. line 12 lks. N. of the cor. to Secs. 25, 30, 31 & 36 from which I run N. 89°55' W. on a true line between Secs. 25 & 26 Var. 14°50' E.

40.08 Set a granite stone 12 x 9 x 8 in. 2/3 in the ground, marked 1/4, and on the W. build up of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for 1/4 Sec. cor. No trees.

80.15 The cor. to Secs. 25, 26, 35 & 36

Rolling & hilly, Grazing
No timber of consequence

Township 5 South Range 14 East

BOOK 632

Gila and Salt River Meridian.

Chains	North, between Sections 25 and 26.
	Variation 14°50' East.
40.00	Set a granite stone 15 x 12 x 7 in. 2/3 in the ground, marked 1/4, and on the N. build md. of stones 2 ft. high as per instructions for 1/4 sec. cor. Notes.
79.00	Dry wash 20 lks. wide runs S.W.
80.00	Set a granite stone 19 x 16 x 10 in. 3/4 in the ground, notched S. & E. and on the N. build md. of stones 2 ft. high as per instructions for the cor. to secs. 23, 24, 25 & 26. Notes.

Rolling & hilly. Good grazing
Nothing of consequence

Township 5 South Range 14 East 4

Gila and Salt River Meridian.

Chains	East, on a random line between Sections 24 and 25. Variation 14°50' East.
40.00	Set a temporary 1/4 sec. cor.
80.17	Intersect the E. bndry. of the town-ship 20 lks. N. of the cor. to secs. 19, 24, 25 & 30 from which I run N. 89°51' W. on a true line between Secs. 24 & 25 Var. 14°50' E.
40.09	Set a granite stone 13x8x6 in. 2/3 in the ground, marked 1/4, and on the W. build md. of earth 2ft. high with pits 1ft. deep, 2ft. long & 1ft. wide as per instructions for 1/4 sec. cor. No trees.
80.17	The cor. to secs. 23, 24, 25 & 26

Rolling & hilly. Good grazing No timber

January 1, 1878

Township 5 South Range 14 East

Gila and Salt River Meridian.

Chains North, between Sections 23 and 24.

Variation 14° 50′ East.

Chains	
40.00	Set a granite stone 16×10×7 in. 2/3 in the ground, marked 1/4, and on the N. build md. of earth 2 ft. high with pits 1 ft. dip. 2 ft long 1 ft. wide as per instructions for 1/4 Sec. cor. No trees
80.00	Set a granite stone 14×14×12 in. 2/3 in the ground, notched S. & E. and on the N. build md. of stone 2 ft. high as per instructions for the cor. to Secs. 13, 14, 23 & 24 No trees.

Hilly & broken. Grass
No timber

Township 5 South Range 14 East. 6

Gila and Salt River Meridian.

Chains	East, on a random line between Sections 13 and 24. Variation 14° 50′ East.
40.00	Set a temporary ¼ sec. cor.
80.20	Intersect the E. boundary of the township 19 lks. N. of the cor. to secs. 13 18 19 & 24 from which I run W. 89° 52′ W. on a true line between Secs. 13 & 24 Var. 14° 50′ E.
40.10	Set a granite stone 13 x 8 x 8 in. ⅔ in the ground, marked ¼, and on the N. build md. of earth 2 ft. high with pits 1 ft. diag. 2 ft long & 1 ft wide as per instructions for ¼ sec. cor. No Ines
80.20	The cor. to secs. 13, 14, 23 & 24.

Rolling Hilly. Good grazing. No timber

7

Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

Chains North, between Sections 13 and 14.

Variation 14°50' East.

40.00 Set a granite stone 12 x 9 x 6 in. 2/3 in the ground, marked 1/4, and on the W. build md. of earth 2ft. high with pits 1ft. dep. 2ft. long & 1ft. wide as per instructions for 1/4 Sec. Cor. No trees.

80.00 Set a post 4ft. long, sqd 3 in. marked & notched and 1ft in the ground, drive charred stake and build md. of earth 2ft high with pits 1ft. dep. 2ft. long & 1ft. wide as per instructions for the Cor. to Secs. 11, 12, 13 & 14 from which

A Mesquite 6in. diam. bears N 75W. 47lks. dist.
do. 16" " " N 81½E. 59" "

No other trees near.

Rolling. Grass Scattering trees

Township 5 South Range 14 East

Gila and Salt River Meridian.

Chains	East, on a random line between Sections 12 and 13.
	Variation 14°50' East.
40.00	Set a temporary ¼ sec. cor.
80.16	Intersect the E. bndry. 24 lks. S. of the cor. to secs. 7, 12, 13 & 14, from which I run S. 89°50' W. on a true line between secs. 12 & 13. Var. 14°50' E.
40.08	Set a post 4 ft. long, flattened 3 in. wide, marked ¼ S. and 1 ft. in the ground, drive charred stake and build md. of stones 2 ft. high as per instructions for ¼ sec. cor. from which a pale verde 3 in. diam. brs East 14 lks. dist. do 4 " " " West 12 " "
80.16	The cor. to secs. 11, 12, 13 & 14

Hilly Prairie. Scattering trees.

Township 5 South Range 14 East.

Gila and Salt River Meridian.

BOOK 632

Chains North, between Sections 11 and 12.

Variation 14°50' East.

1.50 Drywash 50 lks. wide runs N.E.

40.00 Set a granite stone 16 x 14 x 9 in. 2/3 in the ground, marked 1/4. and on the N. build md. of stones 2 ft high as per instructions for 1/4 Sec. cor. from which

A palo verde 4 in. diam. bears S 35 E. 95 lks. dist.

5 No other tree near.

80.00 Set a post 4 ft. long, 8 sq'd 3 in marked & notched and ~~on~~ 1 ft. in the ground, drive charred stake and build md. of earth 2 ft. high with pits 1 ft. dep. 2 ft. long & 1 ft. wide as per instructions for the cor. to Secs. 1, 2, 11 & 12 from which

A Mesquite tree 18 in. diam. bears S 42 ½ E. 64 lks. dist.

Do 12 " " " S 31 W. 98 " "

No other trees near.

Rolling, Good Grazing
Scattering timber.

Township 5 South Range 14 East.

Gila and Salt River Meridian.

Chains	East, on a random line between Sections 1 and 12.
	Variation 14° 50' East.
40.00	Set a temporary 1/4 sec. cor.
47.00	Gila River 100 lks. wide runs N.W. Chain across.
61.75	Acequia runs N.W.
63.75	Gila Road bears N.W.
64.50	Leave bottom & ascend mesa.
79.71	Intersect the E. bndry of the township 41 lks. S. of the cor. to secs. 1, 6, 7 & 12 from which I run S. 89° 42' W. on a true line between secs. 1 & 12 Var. 14° 50' E.
39.86	Set a post 4 ft. long, flattened 3 in. wide, marked 1/4 S. ~~4 ft~~ in the ground drive charred stake and build md. of earth 2 ft high with pits 1 ft. deep 2 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor. from which a Mesquite tree 12 in. diam. bears South 300 lks. dist.
	do 14 " " " S 13 1/2 E. 437 "
79.71	The cor. to secs. 1, 2, 11 & 12
	Rolling, grazing land Scattering trees

11 Township 5 South Range 14 East,
Gila and Salt River Meridian.
BOOK 632

Chains North, on a random line between Sections 1 and 2.

Variation 14°50' East.

23.50 Enter Gila bottom brs. N.W.
40.00 Set a temporary 1/4 sec. cor.
46.24 Intersect the left bank of the Gila River 90 lks. wide brs N.W. chain across
62.30 Acequia brs N.W.
64.70 Gila Road N.W.
80.26 Intersect the N. bndry of the town ship 1S East of the cor. to secs. 1, 2, 35 & 36 from which I run S0°08' E. on a true line between Secs. 1 & 2
Var. 14°50' E.
40.26 Set a post 4 ft. long flattened 3 in. wide marked 1/4 S, 1 ft. in the ground drive charred stake and build md. of earth 2 ft. high with pits 1 ft. deep 2 ft. long & 1 ft wide as per instructions for 1/4 sec. cor. from which a Cottonwood 24 in. diam. brs N83E. 132 lks. dist.
do 18 " " " S63W 257 " "
80.26 The cor. to secs. 1, 2, 11 & 12

Rich bottom land.
Timber.

Township 5 South Range 14 East

Gila and Salt River Meridian.

Chains	North, between Sections 34 and 35.
	Variation 14° 50′ East.
40.00	Set a granite stone 11 x 9 x 6 in. 2/3 in the ground, marked 1/4 and on the N. build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor. No ties.
80.00	Set a granite stone 14 x 10 x 9 in. 2/3 in the ground, notched S. & E. and on the N. build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 26 & 27, 34 & 35 No ties
	Rolling Good grazing Volumes of consequence

Township 5 South Range 14 East.

BOOK 632 Gila and Salt River Meridian.

Chains	East, on a random line between Sections 26 and 35. Variation 14°50' East.
40.00	Set a temporary ¼ sec. cor.
79.88	Intersect the N. & S. line 9 lks. W. of the cor. to Secs. 25, 26, 35 & 36 from which I run
	N. 89°56' W. on a true line betwn. Secs. 26 & 35 Var. 14°50' E.
39.94	Set a granite stone 12 x 10 x 7 in. 2/3 in the ground, marked ¼, and on the W. build md. of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for ¼ sec. cor. No trees.
79.88	The cor. to Secs. 26, 27, 34 & 35

Rolling grass land. No timber

Township 5 South Range 14 East. 14

BOOK 632

Gila and Salt River Meridian.

Chains	North, between Sections 26 and 27. Variation 14°35' East.
40.00	Set a granite stone 10 x 10 x 8 in. 2/3 in the ground, marked 1/4, and on the N. build md. of ~~st~~ earth 2 ft. high with pits 1 ft. dep. 2 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor. No trees.
80.00	Set a post 4 ft. long, sqd 3 in. marked & notched, 1 ft. in the ground drive charred stake and build md. of earth 2 ft. high with pits 1 ft. dep. 2 ft. long & 1 ft. wide as per instructions for the cor. to Secs. 22, 23, 26 & 27 No trees.
	Rolling Grassland, Scattering trees

Township 5 South Range 14 East

BOOK 632 Gila and Salt River Meridian.

Chains East, on a random line between Sections 23 and 26.

Variation 14°50' East.

40.00 Set a temporary ¼ sec. cor.

79.84 Intersect the N. & S. line 30 lks. W. of the cor. to secs. 23, 24, 25 & 26, from which I run

N. 89° 47' W. on a true line between Secs. 23 & 26

Var. 14°50' E.

39.92 Set a granite stone 14 x 8 x 6 in. 2/3 in the ground, marked ¼, and on the E. build. md. of earth 2 ft. high with pits 1 ft. to dep. 2 ft. long, and 1 ft. wide as per instructions for ¼ sec. cor.

No trees near.

79.84 The cor. to secs. 22, 23, 26 & 27

Rolling grass land. No timber.

Township 5 South Range 14 East 16

Gila and Salt River Meridian.

Chains	North, between Sections 22 and 23.
	Variation 14° 50′ East.
40.00	Set a granite stone 14 x 9 x 6 in. 2/3 in the ground, marked 1/4, and on the N. build md. of earth 2 ft. high, with pits 1 ft. dep. 2 ft. long & 1 ft. wide as per instructions for 1/4 Sec. cor. No bns
80.00	Set a granite stone 18 x 16 x 12 in. 3/4 in the ground, notched S. & E. and on the N. build md. of stone 2 ft. high as per instructions for the cor. to Secs. 14, 15, 22 & 23 No bns.
	Rolling, Good grazing land. Not timber.

Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

Chains	East, on a random line between Sections 14 and 23. Variation 14°50' East.
40.00	Set a temporary ¼ sec. cor.
79.74	Intersect the N. & S. line 29 lks. N. of the cor. to secs. 13, 14, 23 & 24 from which I run N. 89° 48' W. on a true line between secs. 14 & 23. Var. 14°50' E.
39.87	Set a granite stone 16x16x4 in. ⅔ in the ground, marked ¼, and on the W. build pyd. of stones 2½ high as per instructions for ¼ sec. cor. No trees.
79.74	The cor. to secs. 14, 15, 22 & 23.

Rolling Grass land.
No timber

January 2, 1878.

Township 5 South Range 14 East 18

Gila and Salt River Meridian.

Chains North, between Sections 14 and 15.

Variation 14°50′ East.

40.00 Set a granite stone 14 x 9 x 7 in. 2/3 in the ground, marked 1/4, and on the N. build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor. Notices.

80.00 Set a post 4 ft. long, sqd 3 in. marked & notched, ~~to~~ 1 ft. in the ground, drive charred stake and build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instruction for the cor. to Secs. 10, 11, 14 & 15 Notices near.

Rolling. Good grazing land. No timber of consequence.

Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

Chains	East, on a random line between Sections 11 and 14. Variation 14°50' East.
40.00	Set a temporary ¼ Sec. cor.
80.25	Intersect the N. & S. line 18 lks. S. of the cor. to secs. 11, 12, 13 & 14 from which I run S. 89° 52' W. on a true line between secs. 11 & 14. Var. 14° 50' E.
40.13	Set a granite stone 15 x 8 x 7 in. 2/3 in the ground, marked ¼, and on the W. build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for ¼ Sec. cor. No pits near.
80.25	The cor. to secs. 10, 11, 14 & 15

Rolling Prairie land. No timber

Township 5 South Range 14 East 20

Gila and Salt River Meridian.

Chains North, between Sections 10 and 11.

Variation 14°50' East.

40.00 Set a post 4 ft. long, flattened 3 in. wide, marked 1/4 S. 1 ft. in the ground, drive charred stake and build md. of stone 2 ft. high as per instructions for the cor. to secs. 2, 3, 10 & 11

No trees.

80.00 Set a post 4 ft. long, sqd 3 in. marked & notched, 1 ft. in the ground, drive charred stake and build md. of stones 2 ft. high as per instructions for the cor. to secs. 2, 3, 10, 11

from which

A pale verde 6 in. diam. bears N 70 E 33 links dist.

No other trees near.

Rolling, good grazing land, scattering trees.

Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

Chains East, on a random line between Sections 2 and 11.

Variation 14° 50' East.

12.00 Dry wash 50 lks. wide runs N.E.

40.00 Set a temporary 1/4 sec. cor.

41.00 Dry wash 60 lks. wide runs N.E.

80.26 Intersect the N. & S. line 15 lks. W. of the cor. to secs. 1, 12, 11 & 12 from which I run N. 89° 54' W. on a true line between Secs. 2 & 11

Var. 14° 50' E.

40.13 Set a post 4 ft. long, flattened 3 in. wide, marked 1/4 S. 1 ft. in the ground, drive charred stake and build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. ~~deep~~ wide as per instructions for 1/4 sec. cor. from which

A pale verde 4 in. diam. bears N. 80 E. 56 lks. dist.

A Mesquite tree 10 " " " S. 85 W. 115 " "

80.26 The cor. to sec. cor. to secs. 2, 3, 10 & 11

Rolling. Some good land.

Some hunter.

Township 5 South Range 14 East 22

Gila and Salt River Meridian.

Chains	North, on a random line between Sections 2 and 3. Variation 14°50' East.
40.00	Set a temporary ¼ Sec. Cor.
79.77	Intersect the N. bndry. 30 lks. W. of the Cor. to Secs. 2, 3, 34 & 35 from which I run S 0°13' W. on a true line between Secs. 2 & 3 Var. 14°50' E.
39.77	Set a post 4 ft. long, flattened 5 in. wide, marked ¼ S. and ~~out~~ 1 ft. in the ground, drive charred stake and build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for ¼ Sec. Cor. from which a Mesquite tree 6 in. diam. bears N 75 W. 47 lks. dist. do 7" " " 86 W. 91 " "
79.77	The Cor. to Secs. 2, 3, 10 & 11

Good land. Some timber.

Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

Chains North, between Sections 33 and 34.

Variation 14° 50' East.

40.00 Set a granite stone 14 x 7 x 7 in. 2/3 in the ground, marked 1/4, and on the N. build md. of earth 2ft high with pits 1ft. dep. 2ft. long & 1ft. wide as per instructions for 1/4 sec. cor. No trees

80.00 Set a granite stone 18 x 14 x 8 in. 3/4 in the ground, noteched S. & E., and on the N. build md. of stones 2ft high as per instructions for the cor. to secs. 27, 28, 33 & 34 No trees

Rolling grassy hills
Not timber of consequence

Township 5 South Range 14 East 24

Gila and Salt River Meridian.

Chains	East, on a random line between Sections 27 and 34.
	Variation 14°50' East.
40.00	Set a temporary ¼ Sec. Cor.
80.13	Intersect the W. & S. line 9 lks. S. of the cor. to Secs. 26, 27, 34 & 35 from which I run S. 89°56' W. on a true line between Secs. 27 & 34 Var. 14°50' E.
40.07	Set a granite stone 12 x 10 x 5 in. 2/3 in the ground, marked ¼, and on the W. build mound of earth 2 ft. high with pits 1 ft. deep 2 ft. long & 1 ft. wide, as per instructions for ¼ Sec. cor. No trees.
80.13	The cor. to Secs. 27, 28, 33 & 34

Rolling Grassland.
No timber.

No. 632

Township 5 South Range 14 East,
Gila and Salt River Meridian.
BOOK 632

Chains North, between Sections 27 and 28.

Variation 14°50' East.

40.00 Set a granite stone 15 x 8 x 6 in 2/3 in the ground, marked 1/4, and on the W. build md. of earth 2 ft high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor.
No trees.

80.00 Set a granite stone 14 x 10 x 10 in. 2/3 in the ground, notched S.8E. and on the W. build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 21, 22, 27 & 28
No trees.

Rolling. Good grazing land.
No timber of any consequence.

Township 5 South Range 14 East 26

Gila and Salt River Meridian.

Chains East, on a random line between Sections 22 and 27.

Variation 14°50' East.

40.00 Set a temporary 1/4 sec. cor.
80.29 Intersect the N. & S. line
23 lks. W. of the cor. to secs.
22, 23, 26 & 27, from which I
run.
N. 89°50' W. on a true line between Secs. 22 & 27
Var. 14°50' E.
40.15 Set a granite stone 12 x 12 x 9 in.
2/3 in the ground, marked 1/4,
and on the W. build md. of stones
2 ft. high as per instructions for
1/4 sec. cor. Notes.
80.29 The cor. to secs. 21, 22, 27 & 28

Rolling Good grazing
Timber.

Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

Chains North, between Sections 21 and 22.

Variation 14° 50' East.

40.00 Set a granite stone 16×10×6 in. 2/3 in the ground, marked 1/4 and on the W. build md. of stones 2ft. high as per instructions for 1/4 Sec. cor. No trees.

80.00 Set a granite stone 17×10×9 in. 1/3 in the ground, notched S. & E. and on the W. build md. of earth 2ft. high with pits 1ft. deep, 2ft. long & 1ft. wide as per instructions for the cor. to secs. 15, 16, 21 & 22.
No trees.
This is on N. W. slope of hill.

Rolling Grass land.
No timber.

Township 5 South Range 14 East.

Gila and Salt River Meridian.

Chains East, on a random line between Sections 15 and 22.

Variation 14°50′ East.

40.00 Set a temporary 1/4 sec. cor.

79.78 Intersect the N. & S. line 21 lks. W. of the cor. to secs. 14, 15, 22 & 23 from which I run N. 89°51′ W. on a true line between secs. 15 & 22 Var. 14°50′ E.

39.89 Set a granite stone 14 x 10 x 9 in. 2/3 in the ground, marked 1/4, and on the W. build mound of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor. No pits.

79.78 The cor. to secs. 15, 16, 21 & 22.

Rolling Prairie
Volunteer of consequence

Township 5 South, Range 14 East,

Gila and Salt River Meridian.

BOOK 632

Chains North, between Sections 15 and 16.

Variation 14°50' East.

140.00 Set a granite stone 10x9x6 in. 2/3 in the ground, marked 1/4 and on the N. build md. of earth 2ft. high with pits 1ft. deep, 2ft. long and 1ft. wide as per instructions for 1/4 sec. cor. No trees.

80.00 Set a granite stone 14x12x10 in. 2/3 in the ground, notched S. & E. and on the N. build md. of stones 2ft. high with pits 1ft. deep, 2ft. long & 1ft. wide as per instructions for the cor. to secs. 9, 10, 15 & 16 from which

A pale verde 5 in. diam. bears North 30 lks. dist.

No other trees near.

Rolling. Good grass

No timber.

Township 5 South Range 14 East 30

Gila and Salt River Meridian.

Chains East, on a random line between Sections 10 and 15.

Variation 14° 50′ East.

40.00 Set a temporary ¼ Sec. cor.

80.30 Intersect the N. & S. line 28 lks.
S. of the cor. to Secs. 10, 11, 14 & 15
from which I run
S. 89° 48′ W. on a true line betwn. Secs. 10 & 15
Var. 14° 50′ E.

40.15 Set a granite stone 14 x 12 x 10 in. 4/5
in the ground, marked ¼, and
on the W. build md. of stones
2 ft. high as per instructions for
¼ Sec. cor. Notes

80.30 The cor. to Secs. 9, 10, 15 & 16

Rolling. Good grazing
Nothing of Consequence

Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

Chains North, between Sections 9 and 10.

Variation 14°50' East.

40.00 Set a granite stone 17×10×5 in. 2/3 in the ground, marked 1/4 and on the W. build md. of stones 2ft. high as per instructions for 1/4 Sec. cor. from which
A pale verde tree 4in. diam. bears S10E. 122 lks. dist.
No other tree near.

80.00 Set a granite stone 20×14×12 in. 3/4 in the ground, notched W, & S, and on the W. build md. of stones, 2ft high as per instructions for the cor. to Secs 3, 4, 9 & 10
from which
A pale verde 6 in. diam. bears N39W. 75 lks. dist.
do. 4 " " " S.60W. 130 " "
No other trees near.

Rolling. Good Grazing
Scattering trees.

Township 5 South Range 14 East 32

Gila and Salt River Meridian.

BOOK 632

Chains	East, on a random line between Sections 3 and 10.
	Variation 14°50' East.
40.00	Set a temporary ¼ Sec. cor,
80.32	Intersect the N. & S. line 20 lks. N. of the cor. to Secs. 2, 3, 10 & 11 from which I run N. 89° 51' W. on a true line between 3 & 10 Var. 14°50' E.
40.16	Set a granite stone 13 x 7 x 6 in. ⅓ in the ground, marked ¼, and on the W. build mound of earth 2 ft high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for ¼ Sec. cor. No trees
80.32	The cor. to Secs. 3, 4, 9 & 10

Rolling Grass land
No timber.

January 3, 1878

Township 5 South Range 14 East,

Gila and Salt River Meridian.

BOOK 632

Chains North, on a random line between Sections 3 and 4.

Variation 14°50' East.

40.00 Set a temporary 1/4 sec. cor.

79.70 Intersect the N. bndry 24 lks. W. of the cor. to secs. 3, 4, 33 & 34 from which I run S 0° 10' W. on a true line between secs. 3 & 4 Var. 14°50' E.

39.70 Set a granite stone 12x12x10 in. 2/3 in the ground, marked 1/4, and on the S. build md. of stones 2 ft high as per instructions for 1/4 sec. cor. No trees.

79.70 The cor. to secs. 3, 4, 9 & 10.

Rolling Good grazing
Nothing of consequence.

Township 5 South Range 14 East, 34

Gila and Salt River Meridian.

Chains North, between Sections 32 and 33.

Variation 14°50′ East.

40.00 Set a post 4 ft long, flattened 3 in wide, marked 1/4 S. 1 ft. in the ground, drove charred stake and build md. of earth 2 ft high with pits, 1 ft. deep 2 ft long & 1 ft wide as per instructions for 1/4 Sec. Cor, No trees

80.00 Set a granite stone 14 x 13 x 9 in. 2/3 in the ground, marked 1/4, and on the N. build md. of stones 2 ft. high as per instructions for the cor. to secs. 28, 29, 32, & 33. No trees near.

Rolling & broken,
Good grazing Volunteer
of any consequence

Township 5 South Range 14 East.

Gila and Salt River Meridian.

BOOK 632

Chains East, on a random line between Sections 28 and 33.

Variation 14°50' East.

40.00 Set a temporary 1/4 sec. cor.

79.90 Intersect the N. & S. line 14 lks. S. of the cor. to secs. 27, 28, 33 & 34 from which I run S. 89°54' W. on a true line between secs. 28 & 33

Var. 14°50' E.

39.95 Set a granite stone 15 x 8 x 7 in. 2/3 in the ground, marked "1/4," and on the W. build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for 1/4 sec. cor.

No trees.

79.90 The cor. to secs. 28, 29, 32 & 33

Rolling grass land.

No timber of consequence.

Township 5 South Range 14 East 36

Gila and Salt River Meridian.

Chains	North, between Sections 28 and 29. Variation 14°50' East.
40.00	Set a granite stone 12 x 10 x 8 in. 2/3 in the ground, marked 1/4 and on the N. build md. of stone 2 ft. high as per instructions for 1/4 Sec. Cor. No trees near.
80.00	Set a post 4 ft long, 5 dd 3 in. marked & notched, 1 ft. in the ground, drive charred stake and build md. of earth 2 ft. high with pits 1 ft. deep 2 ft. long & 1 ft. wide as per instructions for the cor. to secs. 20, 21, 28 & 29 No trees

Rolling & broken. Good grazing
Not timber.

Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

Chains East, on a random line between Sections 21 and 28.

Variation 14° 50' East.

40.00 Set a temporary 1/4 sec. cor.

79.84 Intersect the N. & S. line 20 lks. S. of the cor. to secs. 21, 22, 27 & 28 from which I run S. 89° 50' W. on a true line between secs. 21 & 28 Var. 14° 50' E.

39.92 Set a granite stone 11 x 8 x 8 in 2/3 in the ground, marked 1/4 and on the W. build md. of earth 2 ft. high with pits 1 ft. dep. 2 ft. long and 1 ft. wide as per instructions for 1/4 sec. cor.

No trees.

79.84 The cor. to secs. 20, 21, 28 & 29

Rolling grassland.

No timber.

Township 5 South Range 14 East, 38

Gila and Salt River Meridian.

Chains	North, between Sections 20 and 21. Variation 14° 50′ East.
40.00	Set a post 4 ft. long, flattened 3 in. marked 1/4 S. 1 ft. in the ground, drive charred stake and build md. of stones 2 ft. high as per instructions for 1/4 Sec. Cor. No trees near.
80.00	Set a post 4 ft. long, sq'd 3 in. marked & notched, 1 ft. in the ground, drive charred stake and build md. of stones 2 ft. high as per instructions for the cor. to Secs. 16, 17, 20 & 21 No trees near.

Rolling & broken No timber of any consequence

Township 5 South Range 14 East,

Gila and Salt River Meridian.

BOOK 632

Chains East, on a random line between Sections 16 and 21.

Variation 14° 50' East.

40.00 Set a temporary ¼ sec. cor.

80.27 Intersect the N. & S. line 17 lks. S. ~~line~~ of the cor. to secs. 15, 16, 21 & 22 from which I run S. 89° 53' W. on true line between Secs. 16 & 21 Var. 14° 50' E.

40.14 Set a granite stone 11 x 8 x 7, in ⅔ in the ground, marked ¼ and on the W. build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for ¼ sec. cor. No trees.

80.27 The cor. to secs. 16, 17, 20 & 21

Rolling & broken.
Nothing of consequence

Township 5 South Range 14 East,

Gila and Salt River Meridian.

Chains	North, between Sections 16 and 17. Variation 14°50' East.
40.00	Set a post 4 ft. long, flattened 3 in. wide marked 1/4 S. 1 ft. in the ground, drive charred stake and build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long 1 ft. wide as per instructions for 1/4 sec. cor. No trees. This is in bottom of canon b'ring W.
0.00	Set a granite stone 18 x 14 x 12 in. 3/4 in the ground, notched S. & E. and on thy N. build md. of stones 2 ft. high, as per instructions for the cor. to secs. 8, 9, 16 & 17. No trees.

Rolling - Good grazing
Nothing.

Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

Chains East, on a random line between Sections 9 and 16.

Variation 14°50' East.

40.00 Set a temporary ¼ sec. cor.

79.40 Dry wash 50 lks. wide runs N.E.

79.79 Intersect the M. & S. line 18 lks. S. of the cor. to secs. 9, 10, 15 & 16, from which I run

S. 89°52' W. on a true line between Secs. 9 & 16.

Var. 14°50' E.

39.90 Set a granite stone 12 x 12 x 8 in. 4/5 in the ground, marked ¼, and on the W. build md. of stones 2 ft. high as per instructions for ¼ sec. cor. No trees.

79.79 The cor. to secs. 8, 9, 16 & 17

Rolling grass land.

No timber.

Township 5 South Range 14 East.

Gila and Salt River Meridian.

Chains	North, between Sections 8 and 9.
	Variation 14°50' East.
40.00	Set a granite stone 16×12×10 in. 2/3 in the ground, marked 1/4, and on the W. build md. of stones 2 ft. high as per instructions for 1/4 sec. cor. No trees.
80.00	Set a granite stone 16×14×8 in. 2/3 in the ground, notched S. & E. and on the W. build md. of stones 2 ft. high as per instructions for the cor. to secs. 4, 5, 8 & 9. No trees.

Rolling grassland.
No timber of any consequence.

Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

Chains East, on a random line between Sections 4 and 9.

Variation 14° 50' East.

40.00 Set a temporary ¼ sec. cor.

80.20 Intersect the N. & S. line 25 lks. W. of the cor. to secs. 3, 4, 9 & 10 from which I run

N. 89° 49' W. on a true line betwn secs. 4 & 9. Var 14° 30' E. ~~on~~

40.10 Set a granite stone 13 x 8 x 6 in. ⅔ in the ground, marked ¼ and on the W. build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for ¼ sec. cor.

No pines.

80.20 The cor. to secs. 4, 5, 8 & 9

Rolling. Good grass land.

No timber.

Township 5 South Range 14 East. 44

Gila and Salt River Meridian.

Chains North, on a random line between Sections 4 and 5.

Variation 14°50' East.

40.00 Set a temporary 1/4 Sec. Cor.

79.80 Intersect the W. bndry 34 lks. E. of the Cor. to secs. 4, 5, 32 & 33 from which I run

S. 0° 15 E. on a true line between Secs. 4 & 5

Var. 14°50' E.

39.80 Set a granite stone 12 x 14 x 10 in. 1/3 in the ground, marked 1/4, and on the S. bndy and, of stone 3 ft. high as per instructions for 1/4 Sec. Cor. No mts

79.80 The cor. to secs. 4, 5, 8 & 9

Rolling grazing land.
No timber of consequence

Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

Chains North, between Sections 31 and 32.

Variation 14°50' East.

40.00 Set a granite stone 15 x 8 x 6 in. 2/3 in the ground, marked 1/4 and on the W. build md. of earth 2 ft. high with pits 1 ft. dep. 2 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor.

No trees near.

80.00 Set a granite stone 19 x 17 x 9 in. 3/4 in the ground, notched S.E. and on the W. build md. of earth 2 ft high with pits 1 ft. dep. 2 ft. long & 1 ft wide as per instructions for the cor. to secs. 29, 30, 31 & 32

Rolling, Good grazing

No timber.

Township 5 South Range 14 East. 46

Gila and Salt River Meridian.

Chains	East, on a random line between Sections 29 and 32. Variation 14°50′ East.
40.00	Set a temporary ¼ sec. cor.
80.18	Intersect the N. & S. line, 12 lks. W. of the cor. to secs. 28, 29, 32 & 33 from which I run N. 89°55′ W. on a true line between secs. 29 & 32. Var. 14°50′ E.
40.09	Set a granite stone 12 x 9 x 6 in. ⅔ in the ground, marked ¼, and on the W. build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1½ ft. wide as per instructions for ¼ sec. cor. No trees.
80.18	The cor. to secs. 29, 30, 31 & 32

Rolling. Good grazing. No timber.

January 4, 1878

Township 5 South Range 14 East.

Gila and Salt River Meridian.

BOOK 632

Chains	West, on a random line between Sections 30 and 31. Variation 14°50' East.
40.00	Set a temporary 1/4 Sec. Cor.
79.81	Intersect the W. bndry. of the township at 13 lks. N. of the Cor. to Secs. 25 30 31 & 36, from which I run N. 89°54' E. on a true line between Secs. 30 & 31 Var. 14°50' E.
39.81	Set a granite stone 13 X 8 X 8 in. 2/3 in the ground, marked 1/4, and on the E. build md. of earth 2 ft. high with pits 1 ft. deep 1 ft. long, and 1 ft. wide as per instructions for 1/4 Sec. Cor. No Trees.
79.81	The Cor. to Secs. 29, 30, 31 & 32.

Hilly. Good grazing
Volunteer of any consequence

Township 5 South Range 14 East 48

Gila and Salt River Meridian.

Chains North, between Sections 29 and 30.

Variation 14°50′ East.

40.00 Set a granite stone 16×12×7 in. 2/3 in the ground, marked 1/4, and on the W. build md. of stones 2 ft. high as per instructions for 1/4 Sec. Cor.
No trees

80.00 Set a granite stone 16×9×9 in. 2/3 in the ground, notched S. & E. and on the W. build md. of stones 2 ft. high as per instructions for the Cor. to Secs. 19, 20, 29 & 30
No trees mar.

Rolling & hilly. Good grazing land. No timber

Township 5 South Range 14 East.

Gila and Salt River Meridian.

BOOK 632

Chains East, on a random line between Sections 20 and 29.

Variation 14°50' East.

40.00 Set a temporary ¼ Sec. cor.

80.21 Intersect the N. & S. line 26 lks. S. of the cor. to Secs 20, 21, 28, & 29 from which I run S. 89°49' W. on a true line between Secs. 20 & 29. Var. 14°50' E.

40.11 Set a granite stone 13 X 7 X 7 in. ⅔ in the ground, marked ¼, and on the W. build md. of earth 2 ft high with pits 1 ft by 1 ft, 2 ft long & 1 ft wide as per instructions for ¼ Sec. cor.

No trees

80.21 The cor. to Secs. 19, 20, 29 & 30

Rolling. Broken. Good grazing

No timber of any consequence

Township 5 South Range 14 East

Gila and Salt River Meridian.

Chains	West, on a random line between Sections 19 and 30. Variation 14°50' East.
40.00	Set a temporary 1/4 sec. cor
79.87	Intersect the W. bndry. of the town-ship 24 ks. N. of the cor. to secs. 19, 24, 25 & 30, from which I run S. 89°50' E. on a true line between secs. 19 & 30 Var. 14°50
39.87	Set a granite stone 12 x 9 x 6 in 2/3 in the ground, marked 1/4, and on the E. build pyd. of earth 2 ft high with pits 1 ft. dep. 2 ft long & 1 ft wide as per instructions for 1/4 sec. cor. No trees.
79.87	The cor. to secs. 19, 20, 29 & 30.

Rolling, broken. Grass
No timber

Township 5 South Range 14 East

Gila and Salt River Meridian.

BOOK 632

Chains North, between Sections 19 and 20.

Variation 14°50' East.

40.00 Set a volcanic stone 15x13x6 in. 2/3 in the ground, marked 1/4, and on the W. build md. of stones 2 ft. high as per instructions for 1/4 sec. Cor. No trees near.

80.00 Set a granite stone 16x12x12 in. 2/3 in the ground, notched S.B.C. and on the W. build md. of stones 2 ft. high as per instructions for the cor. to secs. 17, 18, 19 & 20 No trees

Hilly & broken ground. Grass. No timber

Township 5 South Range 14 East 32

Gila and Salt River Meridian.

Chains	East, on a random line between Sections 17 and 20.
	Variation 14°50' East.
40.00	Set a temporary 1/4 sec. cor.
80.33	Intersect the W. B. & L. line 15 lks. S. of the cor. to secs. 16, 17, 20 & 21, from which I run S. 89°54' W. on a true line between secs. 17 & 20 Var. 14°50' E.
40.17	Set a granite stone 11 x 10 x 5 in. 2/3 in the ground, marked 1/4 and on the W. build mound of earth 2 ft. high with pits 1 ft. deep, 12 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor. No pines.
80.33	The cor. to secs. 17, 18, 19 & 20
	Rolling. Good grazing. No timber of consequence

Township 5 South Range 14 East,

Gila and Salt River Meridian.

BOOK 632

Chains	West, on a random line between Sections 18 and 19. Variation 14°50' East.
40.00	Set a temporary 1/4 Sec. Cor.
79.80	Intersect the W. boundary of the township 26 lks. N. of the cor. to Secs. 18 19 & 2 from which I run N. 89°49' E. on a true line between Secs. 18 & 19. Var. 14°50' E.
39.80	Set a granite stone 14 x 8 x 6 in. 2/3 in the ground, marked 1/4, and on the E. bold grid, & pile 2 ft high with pits 1 ft. deep, 2 ft long & 1 ft. wide as per instructions for 1/4 Sec. No trees
79.80	The cor. to secs. 17, 18 19 & 20

Holly & Broaker, Volunteer

Township 5 South Range 14 East,

Gila and Salt River Meridian.

Chains North, between Sections 17 and 18.

Variation 14°58' East.

40.00 Set a granite stone 12 x 10 x 9 in. 2/3 in the ground, marked 1/4, and on the N. build md. of stones 2 ft. high as per instructions for 1/4 sec. cor. No trees

80.00 Set a granite stone 30 x 14 x 6 in. 3/4 in the ground, notched S. & E. and on the N. build md. of stones 2 ft. high as per instructions for the cor. to secs. 7, 8, 17 & 18 No trees.

Hilly & broken. Good grass No timber of consequence

Township 5 South Range 14 East,

Gila and Salt River Meridian.

BOOK 632

Chains	East, on a random line between Sections 8 and 17.
	Variation 14°30' East.
40.00	Set a temporary 1/4 sec. cor.
80.18	Intersect the N. & S. line 15 lks. N. of the cor. to secs. 8, 9, 16 & 17 from which I run N. 89°54' W. on a true line between secs. 8 & 17 Var. 14°30' E.
40.09	Set a granite stone 14 x 8 x 5 in. 2/3 in the ground, marked 1/4, and on the W. build md. of earth 2 ft. high, with pits 1 ft. diep, 2 ft. long & 1 ft. wide as per instructions for 1/4 sec. cor.. No trees.
80.18	The cor. to secs. 4, 8, 17 & 18

Broken. Gross No timber.

Township 5 South Range 14 East 56

Gila and Salt River Meridian.

Chains West, on a random line between Sections 7 and 18.

Variation 14°50' East.

40.00 Set a temporary ¼ sec. cor.

79.42 Intersect the W. bndry of the township 26 lks N. of the cor. to secs. 7, 12, 13 & 18 from which Ldmk N. 89°49' E. on a true line between Secs. 7 & 18. Var. 14°50' E.

39.42 Set a granite stone 10 x 8 x 4 in. 2/3 in the ground, marked ~~cor~~ ¼ and on the E. build. md. of earth 2 ft high with pits 1 ft deep 2 ft long & 1 ft wide as per instruction for ¼ sec. cor.

Notes.

79.42 The cor. to secs 7, 18, 17 & 8 as per instructions for ¼ sec cor.

Hilly & broken. Good pasturage

No timber.

Township 5 South Range 14 East,

Gila and Salt River Meridian.

BOOK 632

Chains	North, between Sections 7 and 8.
	Variation 14° 50′ East.
40.00	Set a granite stone 16×12×9 in. 2/3 in the ground, marked 1/4, and on the W. build md. of stones 2 ft high as per instructions for the 1/4 sec. cor. No trees.
80.00	Set a granite stone 14×12×9 in. 2/3 in the ground, notched S. & E. and on the W. build md. of stones 2 ft high as per instructions for the cor. to secs. 5, 6, 7 & 8 No trees.
	Broken. Grass No timber

Township 5 South Range 14 East. 58

Gila and Salt River Meridian.

Chains	East, on a random line between Sections 5 and 8.
	Variation 14° 50' East.
40.00	Set a temporary 1/4 Sec. cor
80.17	Intersect the M. & P. line 21 lks. N. of the cor. to Secs. 4, 5, 8 & 9
	from which I run
	N. 89° 57' W. on a true line between
	Secs. 5 & 8. Var. 14° 50' E.
40.09	Set a granite stone 14 x 8 x 7 in.
	2/3 in the ground, marked 1/4
	and on the W. build md. of
	earth 2 ft. high with pits 1 ft. deep,
	2 ft. long, & 1 ft. wide as per
	instructions for 1/4 Sec. cor.
	No trees near.
80.17	The cor. to Secs. 5, 6, 7 & 8.

Rolling. & some broken
Grass. No timber.

Township 5 South Range 14 East.

Gila and Salt River Meridian.

BOOK 632

Chains West, on a random line between Sections 6 and 7.

Variation 14°50' East.

40.00 Set a temporary 1/4 Sec. Cor.

79.70 Intersect the W. bndry. of the town-
ship 22 lks. N. of the cor. to secs.
1, 6, 7 & 12 from which I run
N. 89°51' E. on a true line between Secs. 6 & 7
Var. 14°50' E.

39.70 Set a granite stone 16 x 12 x 9 ins. 2/3
in the ground, marked 1/4, and
on the E. build md. of stone 2 ft.
high as per instructions for 1/4
Sec. Cor. No trees.

79.70 The cor. to secs. 5, 6, 7 & 8

Hilly & broken. Grass
Nothing

Township 5 South Range 14 East

Gila and Salt River Meridian.

Chains North on a random line between Sec's 5 and 6.

Variation 14°50' East.

40.00 Set a temporary 1/4 sec. cor.

79.76 Intersect the N. bndry 28 lks. W. of the cor. to secs. 5, 6, 31 & 32. from which I run S 0°12' W. on a true line betwn Secs. 5 & 6. Var. 14°50' E.

39.76 Set a granite stone 12 x 10 x 10 in. 2/3 in the ground, marked 1/4, and on the S. build md. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long, 8 in. wide as per instructions for 1/4 sec. cor. 4 trees.

79.76 The cor. to secs. 5 6 7 & 8.

Rolling & broken
Grass. No timber

January 5, 1878

General Description,

This township lays along the Gila Valley, the Gila River passing through the N.E. cor. There is rich bottom land along the river. The interior is rolling & covered with grass furnishing excellent grazing. Along the Eastern & western borders it is hilly & mountainous. There is Cottonwood Willow and mesquite timber along the river and scattering paloverde on the rolling land.

John L. Harris
U.S. Dep. Surveyor.

List of Names.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

the Subdivision lines of
township 5 South of
Range 14 East of the Gila
and Salt River Meridian

Showing the respective capacities in which they acted.

Lyman Wakefield *Chainman.*
Chas. B. Warren *Chainman,*
Fred. C. Jones *Axeman.*
J. P. Chenoweth *Flagman.*

63

BOOK 632

Final Oath of Assistants.

We hereby certify that we assisted John L. Harris *U. S. Deputy Surveyor, in surveying* the subdivision lines of the township 5 South of Range 14 East of Gila and Salt River Meridian.

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Lyman Pickerill *Chainman.*

Chas B. Warren *Chainman,*

Fred Brown *Axeman.*

J. P. Chenoweth *Flagman.*

Sworn to and subscribed before me, this 8th *day of* January, 1878

William J. Osborn

Notary Public

Final Oath of Deputy Surveyor.

I, John L. Harris

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 1st day of July 187 . I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of the Subdivision Lines of Township 5 South of Range 14 East of the Gila and Salt River Meridian

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

John L. Harris
Deputy Surveyor.

Sworn to and subscribed before me, this 8th *day of* January, *187*8.

William J. Osborn
Notary Public

66

U. S. Surveyor General's Office,

TUCSON ARIZONA, February 28, 1878.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 5 South,
Range 14 East,

Of the Gila and Salt River Base and Meridian, Arizona, executed by John L. Harris,
Deputy Surveyor, under his joint *contract of the* 17th
day of July, *187*7, *having been critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.*

John Wasson.
Surveyor General.