

No. 633

BOOK 633

# Field Notes

OF THE SURVEY OF THE

*SUBDIVISION LINES*

- OF -

Township *5 South* Range *15 East*

*Gila and Salt River Base and Meridian*

ARIZONA No. 633

By *John L. Harris*, D. S.

under contract dated *July 17, 1877*.

Survey commenced *Decem 26, 1877*.

Survey completed *Decem 28, 1877*.

633

1A

BOOK 633

Township 5 South Range 15 East.

Gila and Salt River Meridian.

6	53	5	37.	4	26.	3	15.	2	X	1
52.		51		36.		25.		X		X
7	50.	8	35.	9	24.	10	14.	11	X	12
49.		48.		34.		23		7		X
18	47.	17	33.	16	22.	15	13.	14	X	13
46.		45.		32.		21.		12.		6.
19	44.	20	31.	21	20.	22	11.	23	5.	24
43.		42.		30.		19.		16.		4.
30	41.	29	29.	28	18.	27	9.	26	3.	25
40.		39.		28.		17.		8.		2.
31	38.	32	27.	33	16.	34	7.	35	1.	36

Meanders - 46, 57

## Preliminary Oaths of Assistants.

We, Lyman Wakefield  
 and Chas. B. Warren  
 do solemnly swear that we will faithfully execute  
 the duties of Chain Carriers; that we will level the  
 chain upon uneven ground, and plumb the tally  
 pins, whether by sticking or dropping the same;  
 that we will report the true distance to all notable  
 objects, and the true length of all lines that we as-  
 sist in measuring, to the best of our skill and  
 ability.

Lyman Wakefield  
Chas. B. Warren  
 -----  
 -----

Sworn to and subscribed before me, this 29  
 day of September, 1877

William B. Brown  
 Notary Public

1C

We, *Fred. C. Jones.*

*J. P. Chenoweth*

do solemnly swear that we will well and truly perform the duties of

according to instructions given us, and to the best of our skill and ability.

*Fred. C. Jones*

*J. P. Chenoweth*

Sworn to and subscribed before me this 29

day of *September*, 1877

*William Brown*

*Notary Public*



Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs. 35 & 36  
Var.  $14^{\circ}48' E$ .

As per Eastern Boundary

40.00 Set a post 4 ft. flattened 3 in  
wide, marked "4 S. 1" in the ground,  
drive charred stake and build ind.  
of earth 2 ft. high with pits 1 ft. deep  
2 ft long & 1 ft wide as per in-  
structions, from which  
a pale verde cin. diam. tree South  $8\frac{1}{2}$  krs. dist.

do. 6 " " " S  $75^{\circ} W$ , 23 " "

80.00 Set a post 4 ft. long, sq'd 3 in. mark-  
ed and notched, 1 ft. in the ground,  
drive charred stake and build  
ind. of stones 2 ft. high as per in-  
structions for cor. to Secs. 25, 26  
35 & 36, from which

a Mesquite tree 6 in. diam. tree South  $5\frac{1}{2}$  krs. dist.

A pale verde " 10 " " " S  $35^{\circ} E$ , 103 " "

Woods trees. Some good land.

Township 5 South Range 15 East  
Gila and Salt River Meridian

Cashew random line between Secs 25 & 36  
Var.  $14^{\circ}48' E$

- 27.00 San Pedro Road bro N.
- 28.00 Enter bottom land.
- 39.00 San Pedro River 50 fms. wide runs W. + N.
- 40.00 Set a temporary  $\frac{1}{4}$  sec. cor.
- 53.00 Harrington's house bro North about 7.00 chains.
- 53.50 Road to Harrington's bro N.
- 57.20 Acquia bro N, W.
- 80.00 Intersect the E. boundary, 10 fms  
N. of the cor. to Secs. 26, 30, 31 & 36  
from which I run  
N.  $89^{\circ}56' W$  on a true line between Secs. 25 & 36  
Var.  $14^{\circ}48' E$ .
- 40.04 Set a post  $\frac{1}{4}$  ft. long, flattened 3 in.  
wide, marked  $\frac{1}{4}$  S. drive charred  
stake and build mol. of earth 2 ft.  
high with feet 1 ft. deep, 2 ft. long and  
1 ft. wide as per instructions for  $\frac{1}{4}$   
sec. cor. from which  
A Cottonwood tree 20 in. diam. br  $N. 74^{\circ} E$ , 120 fms. dist.  
A Spruce " " " " South 21 " "  
80.00 The cor. to Secs. 25, 26, 35 & 36.  
Rich bottom land.

Township 5 South Range 15 East,  
Gila and Salt River Meridian

North between Secs. 25 & 26  
Var.  $14^{\circ}48' E$ .

40.00 Set a post 4 ft. long, flattened 3 in. wide  
marked  $\frac{1}{4} S$ , 1 ft. in the ground,  
drive charred stake and build  
rod, of earth 2 ft. high with pits  
1 ft. deep, 2 ft. long & 1 ft. wide as per  
instructions for  $\frac{1}{4}$  sec. cor. from which  
a Mesquite tree Prim. diam. bro N. 38. 153 lbs. dist.  
do. " " " " 5750, 143. "

50.00 San Pedro Road bro. N. W.

59.00 San Pedro River 40 fks. wide runs W. of N.

80.00 Set a post 4 ft. long, sq'd 3 in. marked  
& notched, 1 ft. in the ground, drive  
charred stake and build rod, of earth  
2 ft. high with pits 1 ft. deep, 2 ft. long  
& 1 ft. wide as per instructions for the  
Cor. to secs. 23, 24, 25 & 26 from which  
a Mesquite tree Prim. diam. bro 819 W. 322 lbs. dist.  
do 5 " " " 415 W. 380 " "

No other trees. Some good bottom land.

Township 5 South Range 15 East  
Gila and Salt River Meridian

East on a random line between Secs. 24 & 25  
Lat.  $14^{\circ}48' E$ .

- 12.63 Ranch road bns N. & S. This crosses  
river and joins S. road in Sec. 25
- 40.00 Set a temporary  $\frac{1}{4}$  Sec. cor.
- 55.30 Dry wash 20 kcs. wide runs W.
- 80.12 Intersect the E. boundary, 16 kcs.  
N. of the cor. to secs. 19, 24, 25 & 26  
from which I run  
N. 89 $^{\circ}$  5' 3" W. on a true line between  
Secs. 24 & 25. Lat.  $14^{\circ}48' E$ .
- 40.06 Set a post 4 ft. long, flattened 3 in.  
wide marked  $\frac{1}{4}$  Sec. 1 ft. in the ground  
drill charred stake and build a pile  
of stones 2 ft high as per instructions  
for  $\frac{1}{4}$  Sec. cor. from which  
a Mesquite tree (in diam. bns South 87 kcs. dist.)  
do. 8 " " " S 2020, 97 " "
- 80.12 The cor to Secs. 23, 24, 25 & 26  
Same good land. Mesquite trees.



Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs. 23 & 24

Lat.  $14^{\circ}48' E.$

- 15.58 Ranch road bns S.E.
- 40.00 Set a post 4 ft long, flattened 3 in wide, marked "4 Sec 1 ft in the ground, drive charred stake and build end. of earth 2 ft high with pits 1 ft. deep, 2 ft. long & 1 ft wide as per instructions for "4 sec. cor. No trees.
- 41.30 The point of junction of the Gila and San Pedro Rivers bears West and is 49,000 chs. dist.
- 50.00 Intersect the left bank of the Gila River. Set a post 4 ft long, sq'd 3 in, marked, 1 ft in the ground and build end. of earth 2 ft high taken from a pit S. The river here runs SW and is 900 yds. wide. It is the boundary line of the White Mountain Indian Reservation & do not run further W.

1<sup>st</sup> Township, 5 South Range 15 East,  
Gila and Salt River Meridian

This is true line between Secs. 13 & 24  
Par. 14° 48' E.

16.00  
28.218

Enter bottom land of Gila Valley  
Intersect the left bank of the  
Gila River. Set a post 4 ft. long  
sqd 3 in. marked, set in the ground  
drive charred stake and build under  
square set high, taken from a pit  
on the East, for fractional  
Secs. 13 & 24 as per instructions  
The River runs W. of S. and is  
75 lbs. wide. It is the boundary  
at this point of the San Carlos  
or White Mountain Indian Reser-  
vation so I do not run further  
west

Dec. 26, 1877

Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs. 34 & 35  
Var.  $14^{\circ} 48' E.$

- 40.00 Set a post 4 ft. long, flattened 3 in.  
wide, marked  $\frac{1}{4}$  S. 1 ft. in the ground  
drive charred stake and build mud  
spearth 2 ft. high with pits 1 ft. deep  
2 ft. long & 1 ft. wide as per instruc-  
tions for  $\frac{1}{4}$  sec. cor. from which  
a pale cord 4 in. diam. brs 21.41 w. 50 lbs. dist.  
do. 3 " " " S 56 E. 122 " "
- 80.00 Set a post 4 ft. long, sq'd 3 in.  
marked & notched, 1 ft. in the ground  
drive charred stake and build  
mud. spearth 2 ft. high with pits 1 ft.  
deep, 2 ft. long & 1 ft. wide as per in-  
structions for the cor. to secs. 34, 2, 34 & 35 from which  
a pale cord 10 in. diam. brs 51 E. 123 lbs. dist.  
do. 5 " " " S 49 W. 87 " "
- Weather trees  
Rolling grass, some timber

Township 5 South Range 15 East  
Gila and Salt River Meridian

Castrow random line betw. Secs. 26 & 35  
Var.  $14^{\circ}18' E$ .

40.00 Subtemporary  $\frac{1}{4}$  Sec. cor.  
80.07 Intersect N. & S. line 10 lbs. S. of  
the cor. to secs. 25, 26, 35 & 36, from  
which I run

S.  $84^{\circ}05' W$  on a true line between  
Secs. 26 & 35. Var.  $14^{\circ}48' E$ .

40.04 Set a post 4 ft. long, flattened  
3 in. wide, marked  $\frac{1}{4}$  S. 1 ft. in the  
ground, drive charred stake and  
build wd. of earth 2 ft. high with  
pits 1 ft. deep, 2 ft. long & 1 ft. wide as  
per instructions for  $\frac{1}{4}$  Sec. Cor. from which  
A Mesquite tree 8 in. diam. bns  $N 70^{\circ} E. 11 \frac{1}{2}$  lbs. dist.  
A palo verde tree. " " S  $28^{\circ} E. 176$  " "

80.07 The cor. to secs. 26, 27, 34 & 35

Some good land. Mesquite &  
palo verde trees

Township 5 South Range 15 East  
Gila and Salt River Meridians

North between Secs. 26 & 27  
Lat. 14° 48' East.

- 40.00 Set a granite stone 13x9x6 in.  $\frac{2}{3}$   
in the ground, marked 44  
and on the N. build ind. of earth  
2 ft high, with pits 1 ft. deep, 2 ft  
long and, 1 ft deep as per instruc-  
tions for  $\frac{1}{4}$  sec. cor. No trees
- 80.00 Set a post 4 ft. long, sq'd 3 in.  
marked & notched, 1 ft. in the ground,  
drive charred stake and build  
ind. of stones 2 ft high as per instruc-  
tions for the cor. & secs. 22, 23, 26  
& 27, from which  
A pole or ditto 5 in. diam. trs. S 65 E. 264 yds. dist.  
do 5 " " " N 60 W. 75 " "
- No other trees near.

Some good land. Scattered timber

Township 5 South Range 15 E.  
Gls and Salt River Meridian

East or random line betw. Secs. 23 & 26  
Var.  $14^{\circ}48'$  East

- 40.00 Set temporary  $\frac{1}{4}$  Sec. cor.  
63.85 San Pedro Road bro N.W.  
72.35 San Pedro River 35 lbs. wide runs N.W.  
79.86 Intersect N. & S. line 18 lbs.  
S. of the cor. to Secs. 23, 24, 25 & 26  
from which I run  
S.  $89^{\circ}52'$  W. on a true line betw. Secs.  
23 & 26 Var.  $14^{\circ}48'$  E.  
39.93 Set a post 4 ft. long, flattened  
3 in. wide, marked  $\frac{1}{4}$  S. 1 ft. in  
the ground, drive charred stake  
and build pd. of stones 2 ft. high  
as per instructions for  $\frac{1}{4}$  Sec. cor.  
from which  
A Mesquite 11 in. diam. bro N 80 E, 84 lbs. dist.  
A Palo verde 6 " " " N 40 W, 95 " "  
79.86 The cor. to Secs. 22, 23, 26 & 27.  
Some good land. Palo verde & mesquite trees.

Township 5 South Range 15 East.  
Gda and Salt River Meridian

North between Secs. 22 & 23  
Twp. 14<sup>048</sup> E.

35.60 Road down the valley bro N. of W.  
40.00 Set a post 4 ft. long, flattened 3 in.  
wide, marked  $\frac{1}{4}$  S. 1 ft. in the  
ground, drive charred stake and  
build ind. of earth 2 ft. high with  
pits 1 ft. deep, 2 ft. long & 1 ft. wide  
as per instructions for  $\frac{1}{4}$  sec. cor.  
from which

A Cottonwood tree 40 in. diam. bro N44 $\frac{1}{2}$  E. 98 kts. dist.

do 36 " " " S 60 W. 110 " "

80.00 Set a post 4 ft. long, sq'd 3 in. mark.  
ed & notched, 1 ft. in the ground, drive  
charred stake and build ind. of earth  
2 ft. high with pits 1 ft. deep, 2 ft. long  
& 1 ft. wide as per instructions for the  
cor. to secs. 14, 15, 22, & 23 from which  
A Cottonwood tree 40 in. diam. bro S 78 W. 238 kts. dist.  
No other trees near.

Good Soil. Some timber

Township 5 South Range 15 East.  
Gila and Salt River Meridian

East between Secs. 14 & 23

Var.  $14^{\circ}48' E.$

4.00 Intersect the left bank of the Gila River. Set a post 4 ft. long, sq'd 3 in. marked, 1 ft. in the ground. Drive charred stake and build ridg. of earth 2 ft high taken from one pit on the west, as per instructions for the Cor. to fractional Secs. 14 & 23. The river here runs nearly N. & is 100 yds. wide

Note: The West Boundary of the White Mountain Indian Reservation is a line running "southerly" from Chrome Plate to the junction of the Gila & Salt River. "southerly" is somewhat indefinite and I do not run further east on this line for fear of getting on the Reservation.



Township 5 South Range 15 East,  
Gila and Salt River Meridian

North between Secs. 14 & 15

Var. 14 28' E.

- 18.50 Gila River 100 yds. wide runs W.  
Set a post (see note in Gen. Description) Chain across
- 35.00 Leave Cornfield belonging to one Winkelman
- 38.70 Acquia N. W.
- 40.00 Set a post 4 ft long, flattened 3 in. wide  
marked  $\frac{1}{4}$  S. 1 ft in the ground,  
drive charred stake and build end  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long & 1 ft. wide as per instruc-  
tions for  $\frac{1}{4}$  Sec. cor. from which  
a Mesquite tree 7 in. diam. brs N 50 W, 200 yds. dist.
- do 9 " " West 3 1/2 " "
- 55.00 Winkelman's house brs N 69 W, 2 1/2 chs. dist.  
Leave bottom & ascend mesa.
- 40.40 Dry wash 40 yds. wide runs SW.
- 50.00 Set a post 4 ft long, 3 in. wide, flattened &  
notched, 1 ft in the ground, drive charred  
stake and build end, spatum 2 ft high as per  
instructions for the Cor. to Secs. 10, 11, 14 & 15 from which  
a palo verde tree 5 in. diam. brs S 19 E, 90 yds. dist.  
do 4 " " " N, 12 E, 48 " "  
do 5 " " " S 70 1/2 W, 146 " "
- No other trees.  
Rich bottom land. Timber

Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs. 10 & 11

Var.  $14^{\circ}48' E.$

- 40.00 Note; the W. boundary of the White Mountain Indian Reservation is a line running "Southwly" from Ahromahak to the junction of the Gila & San Pedro Rivers, so I do not deem it safe to run lines E. of the range line between 14 & 15 Sec. I therefore continued N. 40.00 Set a post 4 ft. long, flattened 3 in wide, marked 4 S. 1 ft. in the ground, drive charred stakes and build end of stones 2 ft high as per instructions for '4 Sec. Cor. from which a pale verde cin. diam. brs East 150 lbs. dist.  
do. " " " " 240 W. 148 " "
- 50.00 Set a post 4 ft. long, sq'd 3 in. marked and notched, 1 ft. in the ground, drive charred stakes and build end of stones 2 ft. high as per instructions for the cor. to sec. 2, 3, 10 & 11, from which a pale verde cin. diam. brs S 60 E. 143 lbs. dist.

Rolling. Pass the timber  
of consequence.

of Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs. 2 & 3 on random  
Var.  $14^{\circ}48'E$

26.00 Dry wash 40 kcs. with run S.  
40.00 Set a temporary  $\frac{1}{4}$  sec. cor.  
49.88 Intersect. the N. boundary, 17 kcs.  
W. of the cor. to secs. 2, 3, 34 & 35  
from which I run  
S.  $0^{\circ}7'W$ , on a true line between Secs. 2 & 3  
Var.  $14^{\circ}48'E$

39.88 Set a granite stone  $16 \times 14 \times 10$  in.  $\frac{2}{3}$   
in the ground, marked  $\frac{1}{4}$ , and  
on the S. build up of stones,  $\frac{1}{2}$   
high as per instructions for  $\frac{1}{4}$  sec.  
cor. No trees near.

49.88 The cor. to secs. 2, 3, 10 & 11

Rolling grass some broken  
grass. No timber

Township 5 South Range 15 East.  
 6th and Salt River Meridian

North between Secs. 33 & 34  
 Twp. 14<sup>th</sup> 48<sup>th</sup> E.

40.00 Set a post 4 ft. long, flattened  
 3 in. wide, marked  $\frac{1}{4}$  S. 1 ft. in  
 the ground, drive charred stake  
 and build end. of earth 2 ft. high  
 with pits 1 ft. deep, 2 ft. long & 1 ft.  
 wide as per instructions for  $\frac{1}{4}$   
 sec. cor. No trees

80.00 Set a post 4 ft. long 3 in  
 wide, marked & notched, 1 ft in  
 the ground drive charred stake  
 and build end. of earth 2 ft. high  
 with pits 1 ft. deep, 2 ft. long & 1 ft.  
 wide as per instructions for the  
 cor to secs. 27, 28, 33 & 34

No trees near.

Rolling Good pasture  
 Scattering trees

Township 5 South Range 15 East  
Gila and Salt River Meridian

East on random line between Secs. 27 & 34  
Var.  $14^{\circ}48' E.$

40.00 Set a temporary  $\frac{1}{4}$  sec. cor.

80.08 Intersect the N. & S. line 120 ft.

N. of the cor. to secs. 26, 27, 34 & 35  
from which I run

$N. 89^{\circ}55' W.$  on a true line between Secs.  
27 & 34 Var.  $14^{\circ}48' E.$

40.04 Set a post 4 ft. long, flattened 3 in.  
wide, marked  $\frac{1}{4}$  S. and 1 ft in the  
ground, drive charred stake and  
build end. of earth 4 ft high with  
pits 1 ft. deep, 4 ft long & 1 ft wide  
as per instructions for  $\frac{1}{4}$  sec. cor.  
The trees near.

80.08 The cor. to secs. 27, 28, 33 & 34

Rolling Grass

Not a timber of consequence.

Township 5 South Range 15 E.  
Gila and Salt River Meridian

North between Secs. 27 & 28  
Twp. 14 & 18 E.

40.00 Set a post 4 ft. long, flattened 3 in.  
wide, marked "A. S." 1 ft. in the  
ground, drive charred stake  
and build wd. of earth 2 ft.  
high with pits 1 ft. deep, 2 ft. long  
and 1 ft. wide as per instructions  
for 1/4 sec. cor. from which  
a pale verde 6 in. diam. brs  $N 70^{\circ} E$ . 73 kcs. dist.  
No other trees.

80.00 Set a post 4 ft. long, sq'd 3 in.  
marked & notched, 1 ft. in the  
ground, drive charred stake and  
build wd. of earth 2 ft. high with  
pits 1 ft. deep, 2 ft. long & 1 ft. wide  
as per instructions for the cor. to secs.  
21, 22, 27 & 28 from which  
a pale verde 6 in. diam. brs  $S 25^{\circ} E$ . 70 kcs. dist.  
do. 5 " " "  $S 40^{\circ} W$ . 74 " "  
Rolling. Some good land  
Scattering trees.

Township 5 South Range 15 East  
Gila and Salt River Meridian

Eastward running between Secs. 22 & 27  
Var. 14° 48' East.

14, 20 Set a temporary  $\frac{1}{4}$  sec. cor.

19, 94 Intersect the N. & S. line 190 ft.  
S. of the cor. to Secs. 22, 23, 26 & 27  
from which draw

S. 89° 52' W. on a true line between Secs. 22 & 27  
Var. 14° 48' E.

39, 97 Set a post 4 ft. long, flattened  
3 in. wide, marked  $\frac{1}{4}$  S. and 1 ft.  
in the ground, drive charred  
stake and build ind. of earth  
2 ft. high with pits 1 ft. deep, 2 ft.  
long & 1 ft. wide as per instruc-  
tions for  $\frac{1}{4}$  sec. cor. No trees.

49, 94 The cor. to Secs 21, 22, 27 & 28

Roaming grass. No timber  
of consequence.

1/2 Township 5 S. Range 15 East,  
Gila and Salt River Meridian

North between Secs. 21 & 22

Var. 14° 48' E.

- 40.00 Set a post 4 ft. long, flattened 3 in. wide, marked 1/4 S. 1 ft. in the ground. Drive charred stake and build wd. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for 1/4 sec. cor. from which a Mesquite tree 7 in. diam. bears N 30° W. 7 1/2 lbs. dist. a piliverdy 6 " " " S 70° E 93 " "
- 80.00 Set a post 4 ft. long, sq'd 3 in. wide, marked & notched 1 ft. in the ground drive charred stake and build wd. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long and 1 ft. wide as per instructions for the cor. to Secs. 15, 16, 21 & 22, from which a Mesquite 8 in. diam. bears N 42 1/2° E. 32 lbs. dist.
- |     |      |   |   |                    |   |
|-----|------|---|---|--------------------|---|
| do. | 10 " | " | " | S 19° E. 102 "     | " |
| do. | 30 " | " | " | S 65° W. 35 "      | " |
| do. | 15 " | " | " | N 17 1/2° W. 132 " | " |
- Good catty land. Some timber.



Township 5 South Range 15 East  
Gila and Salt River Meridian

Cast on random line between Secs. 15 & 22

9.50 Road down the Gila trs. N. of W. Var.  $14^{\circ}48'$  East.  
40.00 Set a temporary  $\frac{1}{4}$  sec. cor.

79.92 Intersect the N. & S. line 12 Secs. S. of  
the cor. to Secs. 14, 15, 22 & 23 from which  
I run

S.  $89^{\circ}55'$  W. on a true line between Secs. 15 & 22  
Var.  $14^{\circ}48'$  East.

89.96 Set a post 4 ft. long, flattened 3 in. wide  
marked  $\frac{1}{4}$  S. 1 ft. in the ground,  
drive charred stake and build wd.  
of earth 2 ft. high with pits 1 ft. deep,  
2 ft. long & 1 ft. wide as per instruc-  
tion for  $\frac{1}{4}$  sec. cor. No trees.

79.92 The cor. to Secs. 15, 16, 21 & 22

Good valley land. Some timber

Dec. 27, 1874

Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs. 15 & 16  
Var. 14° 48' E.

6.40 The Gila Road bns N. of W.  
32.56 Gila River 80 lks. wide runs W.  
Siba post (see note in general descrip-  
tion.) Chain across.

140.00 Siba post 4 ft. long, flattened  
3 in. wide, marked 4 ft. S. and  
1 ft. in the ground, drive charred  
stake and build med. of earth  
2 ft high with pits 1 ft. deep, 2 ft. long  
& 1 ft. wide as per instructions for 'C' sec.  
cor. from which

A Cottonwood tree 24 in. diam. bns S 42° E 70 lks. dist.

do. 21 " " " N 48° E 71 " "

78.00 Ranch road bns E. & W.

80.00 Siba post 4 ft. long, sq'd 3 in. marked  
and notched and 1 ft. in the ground, drive  
charred stake and build med. of earth 2 ft high  
with pits 1 ft. deep, 2 ft. long & 1 ft. wide as  
per instructions for the cor. to Secs. 9, 10, 15 & 16 from

A Mesquit tree 14 in. diam. bns N 21° E. 43 lks. dist.

do 20 " " " S 62° E 71 " "

do 24 " " " N 40 W. 130 " "

do 18 " " " S 48 W 308 " "

Rich hollow land. Timber.

Township 5 South Range 15 East  
Gila and Salt River Meridian

Eastward random line between Secs. 10 & 15  
Var.  $14^{\circ}48'$  East,

44.90 Acquia runs N.W.

40.00 Set a temporary  $\frac{1}{4}$  sec. cor.

0.16 Intersect the N. & S. line 25 lbs.

N. of the cor. to secs. 10, 11, 14 & 15  
from which I run

N.  $89^{\circ}04'9''$  W. on a true line between Secs.  
10 & 15. Var.  $14^{\circ}48'$  E.

40.08 Set a post 4 ft. long, flattened

3 in wide, marked "4 S. 1 ft.

in the ground, drive charred

stakes and build md. of stones

$\frac{1}{2}$  ft. high as per instructions

for  $\frac{1}{4}$  sec. cor. from which

a Mesquite tree 10 in. diam. brs 5' tall, 14 ft. dist.

do. 12 " " " S 200; 135 " "

80.16 The cor. to secs. 9, 10, 15 & 16

Rich bottom land.

Timber.

Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs. 9 & 10  
Var.  $14^{\circ}48' E$

- 5.00 Enter cultivated ground.
- 10.00 Smith's house b's west, 75 kcs. dist.
- 40.00 Sit a post 4 ft. long, flattened 3 in. wide, marked  $\frac{1}{4}$  S. 1 ft. in the ground, drive charred stake and build mound of stones 2 ft. high, as per instructions for  $\frac{1}{4}$  sec. cor. from which  
A pale verde 4 in. diam. b's N. 35 W. 75 kcs. dist.  
No other tree marks
- 80.00 Sit a post 4 ft. long, sq'd 3 in. marked and notched, 1 ft. in the ground, drive charred stake and build mound of stones 2 ft. high as per instructions for the cor. to secs. 3, 4, 9 & 10 from which  
A pale verde tree 7 in. diam. b's  $N48^{\circ}10' 210$  kcs. dist.  
No other trees.  
Mostly good valley land  
Some good timber.

Township 5 South Range 15 East.  
Gila and Salt River Meridian

Cast on random line between Secs. 3 & 10  
Var.  $14^{\circ}48' E$ .

140.00 Set a temporary  $\frac{1}{4}$  sec. cor.  
80.18 Intersect the N & S. line 33 lks.

N. of the cor. to Secs. 2, 3, 10 & 11

from which I run

N.  $89^{\circ}46' W$  on a true line between  
Secs. 3 & 10. Var.  $14^{\circ}48' E$ .

140.09 Set a granite stone  $10 \times 8 \times 8$  in.,  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ , and  
on this or build end. of with 2 ft.  
high with feet 1 ft. deep, 2 ft.  
long & 1 ft. wide as per instruc-  
tions for  $\frac{1}{4}$  sec. cor. No trees.

80.18 The cor. to Secs. 3, 4, 9 & 10

Rolling Grass  
No timber.

Township 5 South Range 15 East,  
Gila and Salt River Meridian

North on random line between Secs. 3 & 4  
Var.  $14^{\circ}48'$  East,

40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
79.71 Intersect the N. boundary 22 ft. S.  
W. of the cor. to secs. 3, 4, 9 & 10  
from which I run

5000 ft. W. on a true line between Secs. 3 & 4  
Var.  $14^{\circ}48'$  E,

39.71 Set a granite stone  $11 \times 9 \times 4$  in.  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$   
and on the S. build wd. of earth  
2 ft. high with pits 1 ft. deep, 2 ft.  
long & 1 ft. wide as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees.

79.71 The cor. to secs. 3, 4, 9 & 10

Rolling & broken. Grass  
No lumber

Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs. 32 & 33  
Plat. 14<sup>th</sup> 48' E.

140.00 Set a granite stone 14 x 9 x 5 in.  
 $\frac{2}{3}$  in the ground, marked  
 $\frac{1}{4}$ , and on the N. build md.  
of earth 4 ft high with pits  
1 ft deep, 2 ft long & 1 ft wide  
as per instructions for  $\frac{1}{4}$   
Sec. cor. No trees.

80.00 Set a post 4 ft long sq'd 3 in.  
marked and notched, 1 ft in  
the ground, drive charred stake  
and build md of earth 4 ft high  
as per instructions for the cor. to  
secs. 28 & 29 & 32 & 33.  
No trees.

Rolling good grazing  
No timber.

Township 5 South Range 15 East,  
Gda and Salt River Meridian

East on random between Secs. 28 & 33  
Var. 14° 41' 8" E

40.00 Set a temporary  $\frac{1}{4}$  Sec. cor.

79.97 Intersect the N. & S. line

14 lks. N. of the cor. to Secs.

27, 28, 29 & 34 from which I run

N. 89° 54' W. on a true line between Secs. 28 & 33

Var. 14° 41' 8" E.

39.96 Set a granite stone 11 x 8 x 8 in.

$\frac{1}{3}$  in the ground, marked  $\frac{1}{4}$

and on the W. build a pile of

earth 2 ft. high with pits 1 ft.

deep, 2 ft. long & 1 ft. wide as per

instructions for  $\frac{1}{4}$  Sec. cor.

No trees near.

79.97 The cor. to Secs. 28, 29, 32 & 33

Rolling Grass

No timber of consequence



Township 5 South Range 15 East,  
Gila and Salt River Meridian

North between Secs. 28 & 29  
Var.  $14^{\circ}48'$  East.

40.00 Set a post 4 ft. long, flattened  
3 in. wide, marked  $\frac{1}{4}$  S. 1 ft. in  
the ground, drive charred stake  
and build wd. of earth 2 ft. high  
with pits 1 ft. deep, 2 ft. long &  
1 ft. wide as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees.

80.00 Set a post 4 ft. long, sq'd 3 in.  
marked & notched, 1 ft. in the  
ground, drive charred stake  
and build wd. of earth 2 ft.  
high with pits 1 ft. deep, 2 ft.  
long & 1 ft. wide as per in-  
structions for the cor. to secs.  
20, 21, 28 & 29. No trees.  
Rolling. Good for grazing  
No timber.

Township 5 South Range 15 East,  
Gla and Salt River Meridian

Eastward random line between Secs. 21 & 28  
Var.  $14^{\circ}48' E.$

40.20 Subtemporary  $\frac{1}{4}$  sec. cor.

80.20 Intersect the N. & S. line

24 lbs. S. of the cor. to secs.

21, 22, 27 & 28, from which I run

S.  $89^{\circ}50' W.$  on a true line between

secs. 21 & 28. Var.  $14^{\circ}48' E.$

40.10 Sub a granite stone  $11 \times 8 \times \frac{1}{2}$  in

$\frac{2}{3}$  in the ground, marked 'M,

and on the W. build and. of earth

2 ft. high, with pits 1 ft. deep, 2 ft.

long & 1 ft. wide as per instruc-

tions for  $\frac{1}{4}$  sec. cor. No trees

80.20 The cor. to secs. 20, 21, 28 & 29

Rolling, good grazing

No timber of consequence

10  
Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs. 20 & 21

Var.  $14^{\circ}48'E$ .

40.00 Set a granite stone  $14 \times 8 \times 6$  in.  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ , and  
on the N. build. end. of earth  $2\frac{1}{2}$  ft.  
high with pits 1 ft. deep,  $2\frac{1}{2}$  ft. long  
and 1 ft. wide as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees

80.00 Set a post 4 ft long,  $3$  in. wide  
marked & notched,  $\frac{1}{2}$  ft. in the ground,  
drive charred stake and build end.  
of stones  $2\frac{1}{2}$  ft. high as per instruc-  
tions for the cor. to secs. 16, 17, 20 & 21  
from which

Apate verde pin. diam. by 56 W, 53 W. dist.

do " " "  $46\frac{1}{2}$  W, 133 " "

No other trees near.

Rolling, Grass. Scattering  
trees.

Township 5 South Range 15 East  
Gila and Salt River Meridian

Cast on random line between Secs. 16 & 21  
Var.  $14^{\circ}18' E.$

40.00 Set a temporary  $\frac{1}{4}$  sec. cor.

80.21 Intersect the N. & S. line 15 lbs.  
S. of the cor. to secs. 15, 16, 21 & 22  
from which run

S.  $89^{\circ}34' W.$  and true line between Secs.  
16 & 21 Var.  $14^{\circ}48' E.$

40.11 Set a post 4 ft. long, flattened  
3 in. wide, marked  $\frac{1}{4}$  S. 1/4 in the  
ground, drive charred stake and  
build end of earth 2 ft high with  
posts 1/2 ft. up, 2 ft. long & 1/2 ft. wide  
as per instructions for  $\frac{1}{4}$  sec.  
cor. No trees

80.21 The cor. to secs. 16, 17, 20 & 21

Some good land,  
scattering trees.

Township 5 South Range 15 East.  
Gila and Salt River Meridian

North between Secs. 16 & 17

Var. 140° 18' E.

10.00 Set a post 4 ft. long, flattened 3 in. wide  
marked 1/4 S. 1 ft. in the ground, drive  
charr'd stake and build wd. of stones 2 ft.  
high as per instructions for 1/4 p. 1 c.  
Cor. from which

A pale oxide 8 in. diam. brs N 52 E. 73 lbs. dist.

A Marquettina 12 " " " West 76 " "

10.50 Intersect a bend of the Gila River, offset  
100 lks. W. & continue North

11.50 Gila Road runs E. Crosses River just E.

12.00 Set back East 100 lks. this is not suitable  
ground for setting a cor. so I set a witness  
cor. 150 lks. S. 25° 39' W. Set a post 4 ft.  
long, 3/4" 3 in. marked & notched, 1 ft  
in the ground, drive charr'd stake &  
build wd. of earth 2 ft. high with pits 1 ft. deep  
3 ft. long & 1 ft. wide as per instructions for cor to secs. 8, 9, 16 & 17  
A Cottonwood 15 in. diam. brs S 19 W. 11 lbs. dist. (No other tree  
do. 10 " " " N 53 W. 11 " " ; A Cottonwood 7 in. brs S 70 E. 7 lbs. dist.)

Good bottom land. Some timber

Township 5 South Range 15 East  
Gila and Salt River Meridian

Cor. on a random line betw. Secs. 9 & 16  
Var. 14048' E.

Immediately cross river (starting  
from true place of cor.) 89 fms. wide  
runs N. W.

- 6.00 Gila Road runs W. of N.  
40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
145.40 Ranch road bnd. nearly W. & enters  
Gila Road in Sec. 9 in S.W. cor.  
49.10 Schoshausen's house bnd. South 8.50 chs. dist.  
79.72 Subsect the N. & S. line 22 fms. N. of the  
cor. to secs. 9, 10, 15 & 16 from which I run  
N. 89° 31' W. on a true line betw. Secs. 9 & 16  
Var. 14048' E.  
39.86 Set a post 44 ft long, flattened 3 in wide  
marked  $\frac{1}{4}$  S. 1 ft in the ground, engine  
charred stake and wood laid, of earth 2 ft  
high with pits 1 ft. deep, 2 ft. long & 1 ft. wide.  
as per instructions for  $\frac{1}{4}$  sec. cor., from which  
a Mesquite tree 23 in. diam. bnd. East 63 fms. dist.  
do 20 " " " N 67° W 83 " "  
79.72 The place of the cor. to secs. 8, 9, 16 & 17

Good bottom land, some timber.

Dec. 28, 1874

Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs. 8 & 9

Var.  $14^{\circ}48' E.$

Immediately cross the River 75 fms. wide  
runs N.W.

24.75 Gila Road bnd. W.

40.00 Set a post 4 ft. long, flattened 3 in.  
wide marked  $\frac{1}{4}$  S. 1 ft. in the  
ground, drive charred stake and  
build rid. of staves 2 ft. high  
as per instructions for  $\frac{1}{4}$  sec. cor.

A Mesquite tree 6 in. diam. bnd  $N 67^{\circ} E.$  53 fms. dist.

do. 24. " "  $S 23^{\frac{1}{2}} E$  270 " "

Leave bottom land

70.00 Dry wash 100 fms. wide runs S.W.

80.00 Set a post 4 ft. long, sq'd 3 in. marked &  
notched 1 ft. in the ground, drive charred  
stake & build rid. of staves ~~2~~ 2 ft. high  
as per instructions for the cor. to Sec. 4, 5, 8 & 9.  
A pale oak 6 in. diam. bnd  $S 54^{\frac{1}{2}} E.$  91 fms. dist.

do. 5 " " "  $N 77^{\frac{1}{2}} E.$  87 " "

do. 4 " " "  $N 40 W.$  80 " "

Good bottom land on S. Some timber

Township 5 South Range 15 East  
Gila and Salt River Meridian

⑨ Cash on random line between Secs. 4 & 9  
Var.  $14^{\circ}48' E$ ,

- 37.00 Dry wash 70 yds. wide runs S.  
40.00 Set a temporary  $\frac{1}{4}$  sec. cor.  
57.80 High bluff bet N. & S.  
80.28 Intersect the N. & S. line 30 yds.  
S. of the cor. to secs. 3, 4, 9 & 10 from  
which I run  
S.  $89^{\circ}47' W$  on a true line between  
secs. 4 & 9. Var.  $14^{\circ}48' E$   
140.14 Set a post 4 ft long, flattened 6 in.  
wide, marked  $\frac{1}{4}$  S. 1 ft. in the  
ground, drive charred slates  
and build wd. of stones 2 ft. high  
as per instructions for  $\frac{1}{4}$  sec. cor.  
A pole or de Cinciana wire bet North  $5^{\circ} 24'$  West.  
No other trees  
80.28 The cor. to secs. 4, 5, 8 & 9.  
Roosting some grass & scattering  
trees.



Township 5 South Range 15 East  
Gila and Salt River Meridians

North or random line between Secs. 4 & 5  
Var.  $14^{\circ}48'E$ .

0.00 Set a temporary  $\frac{1}{4}$  sec. cor.  
0.23 Intersect the N. boundary, 30 lbs,  
W. of the cor. to secs. 4, 5, 32 & 33  
from which I run  
 $S0^{\circ}13'W$ . on a true line between Secs.  
4 & 5 Var.  $14^{\circ}48'E$ .

0.23 Set a granite stone  $13 \times 8 \times 8$  in.  
 $\frac{2}{3}$  in the ground, marked "4"  
and on the S. build up of earth  
2 ft high with feet 1 ft. deep & 4 ft.  
long & 1 ft wide as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees.

0.23 The cor. to secs. 4, 5, 8 & 9

Rolling good grazing land  
No lumber of consequence.

Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs 31 & 32.

Var.  $14^{\circ}48'$  East.

- 40.00 Set a granite stone  $12 \times 11 \times 5$  in.  
 $\frac{3}{4}$  in the ground, marked  $\frac{1}{4}$   
and on the N. build mid. of earth  
4 ft. high with pits 1 ft. deep, 2 ft.  
long & 1 ft. wide as per instruc-  
tions for  $\frac{1}{4}$  sec. cor. No trees
- 80.00 Set a post 4 ft. long, sq'd 3 in.  
marked and notched, 1 ft in  
the ground, drive charred stakes  
and build mid. of earth 4 ft.  
high with pits 1 ft. deep, 2 ft.  
long & 1 ft. wide as per instruc-  
tions for the cor. to secs. 29, 30,  
31 & 32. No trees.

Rolling & somewhat broken

Township 5 South Range 15 East  
Gila and Salt River Meridian

East on random line between Secs. 29 & 32,  
Var.  $14^{\circ}48'$  East,

0.00 Set a temporary  $\frac{1}{4}$  sec. cor.  
0.13 Intersect the N. S. line. 10 Wks.  
W. of the cor. to Secs. 28, 29, 32 & 33  
from which I run

$N. 89^{\circ}56'20''$  on a true line between Secs. 29 & 32  
Var.  $14^{\circ}48'$  East,

0.07 Set a granite stake  $14 \times 10 \times 8$  in.  $\frac{2}{3}$   
in the ground, marked  $\frac{1}{4}$   
and on the W. build incl. of stones  
at high cor. per instructions for  
 $\frac{1}{4}$  sec. cor. No trees

0.13 The cor. to Secs. 29, 30, 31 & 32

Rolling Grass.  
Scattering trees.

Township 5 South Range 15 East,  
Gila, and Salt River Meridian

Westward line between Secs. 30 & 31  
Var.  $14^{\circ}48'E$

40.00 Set a temporary  $\frac{1}{4}$  sec. cor.  
80.13 Intersect the W. boundary of the  
township 9 blocks N. of the cor. to  
secs. 25, 30, 31 & 36, from which I run  
 $N. 89^{\circ}56'E$ . on a true line between Secs. 30 & 31  
Var.  $14^{\circ}48'E$ .

40.13 Set a granite stone  $11 \times 7 \times 7$  in  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$   
and on the E. build a wall of earth  
2 ft. high with pits 1 ft. deep, 2 ft.  
long & 1 ft. wide as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees

80.13 The cor. to secs. 29, 30, 31 & 32

Hilly & broken, grass  
No timber

Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs. 29 & 30

Lat.  $14^{\circ}48'E.$

- 6.00 Dry wash 100 yds. wide runs N.
- 10.00 Set a granite stone  $14 \times 12 \times 10$  in.  $\frac{2}{3}$   
in the ground, marked  $\frac{1}{4}$ , and  
on the N. build (mid. of stones) 2 ft.  
high as per instructions for  $\frac{1}{4}$   
Sec. cor. No trees.
- 1.00 Set a post 1 ft. long, sq'd 3 in.  
marked & notched. 1 ft. in the ground  
drive charred stakes and build  
mid. of earth 2 ft high, with pits  
1 ft. deep, 2 ft. long and 1 ft. wide  
as per instructions for the cor.  
to secs. 19, 20, 29 & 30 from which  
a Mesquite tree 8 in. diameter west 10 yds. dist.  
a paloverde 4 " " " East 30 " " .  
No other trees.
- Rolling & some broken. Grass.  
Scattering trees.

Township 5 South Range 15 East  
 6th and Salt River Meridian

Each on random line between Secs. 20 & 29  
 Var.  $14^{\circ}48' E.$

40.00 Set a temporary  $\frac{1}{4}$  sec. cor.  
 80.16 Intersect the N. & S. line 24 lks,  
 S. of the cor. to Secs. 20, 21, 28 & 29  
 from which I ran  
 S.  $89^{\circ}50' W.$  on a true line between  
 Secs. 20 & 29. Var.  $14^{\circ}48' E.$

40.08 Set a granite stone  $11 \times 9 \times 9$  in.  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$   
 and on the W. build incl. of earth  
 $2\frac{1}{2}$  ft. high with pits 1 ft. deep,  $2\frac{1}{2}$  ft. long  
 $\frac{1}{4}$  ft. wide as per instructions  
 for  $\frac{1}{4}$  sec. cor. No trees

80.16 The cor. to Secs. 19, 20, 29 & 30

Rolling broken. Grass  
 No timber of consequence

Township 5 South Range 15 East  
Gila and Salt River Meridian

Wishow rainbow line betw. Secs 19 & 30  
Var. 14°48' E.

40.00 Set a temporary  $\frac{1}{4}$  sec. cor.  
19.78 Intersect the W. bndry. of the  
township 34 Sec. N. of the cor.  
to Secs. 19, 24, 25 & 30, from which I run  
N. 89°45' E. and a true line betw. Secs.  
19 & 30. Var. 14°48' E.

19.78 Set a granite stone 14 x 8 x 9 in  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$   
and on the E. build end. of  
earth 2 ft. high with pits  
1 ft deep, 2 ft. long & 1 ft. wide  
as per instructions for  $\frac{1}{4}$  sec.  
cor. No trees.

19.78 The cor. to Secs. 19, 20, 29 & 30

Rolling. Good pasturage  
No timber of consequence.

Township 5 South Range 15 East  
 6th and Salt River Meridian

North between Secs. 19 & 20  
 Var.  $14^{\circ} 48' E$

Cross wash 100 yds. wide runs N.E.

140.00 Set a granite stone  $12 \times 10 \times 6$  in.  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$   
 and on the N. build out of stones  
 2 ft. high as per instructions  
 for  $\frac{1}{4}$  sec. cor. No trees

This is on S. slope of hill.

80.00 Set a post 4 ft. long, sq'd 3 in.  
 marked & notched, 1 ft. in the  
 ground, drive charred stake and  
 build out of stones 2 ft. high as  
 per instructions for the cor. to secs  
 17, 18, 19 & 20. From which  
 a pale verde 4 in. diam. has  $N 35^{\circ} W \frac{1}{4}$  Sec. dist.  
 do. 5 " " "  $S 89^{\circ} W 12 \frac{1}{2}$  "

No other trees near.

Rolling. Some grass and scattering  
 trees.



Township 5 South Range 15 East  
Gila and Salt River Meridian

Establish random line between Secs. 17 & 20  
Var.  $14^{\circ}48'E$

10.00 Set a temporary  $\frac{1}{4}$  sec. cor.

10.18 Intersect the N. & S. line 20 lks.

S. of the cor. to Secs. 16, 17, 20 & 21  
from which I run

S.  $89^{\circ}51'W$  on a true line between Secs. 17 & 20  
Var.  $14^{\circ}48'E$

10.19 Set a granite stone  $13 \times 7 \times 6$ , in.

$\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ ,  
and on the W. build a wd. of earth  
 $2\frac{1}{2}$  ft. high with pits 1 ft. deep, 2 ft.  
long & 1 ft. wide as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees.

10.18 The cor. to Secs. 17, 18, 19 & 20

Rolling. Good grazing  
November

Township 5 South, Range 15 East  
Gila and Salt River Meridian

Reshow a random line between Secs. 18 & 19  
Var.  $14^{\circ}48' E.$

111.00 Set a temporary  $\frac{1}{4}$  sec. cor.

149.88 Intersect the W. boundary of  
the township. 20 kts. N. of the  
cor. to secs. 18, 19 & 24 from  
which I run

N.  $89^{\circ}51' E.$  on a true line between Secs.  
18 & 19. Var.  $14^{\circ}48' E.$

39.88 Set a granite stone  $12 \times 8 \times 6$  in.  
 $\frac{1}{4}$  in the ground, marked  
 $\frac{1}{4}$ , and on the E. build end of  
earth 2 ft. high with pits 1 ft.  
deep 2 ft long & 1 ft wide as  
per instructions for  $\frac{1}{4}$  sec. cor.  
No trees.

149.88 The cor. to secs. 17, 18, 19 & 20

Hilly & broken. Grass  
No timber.

Township 5 South Range 15 East  
Gila and Salt River Meridian

North between Secs. 17 & 18

Cor. 14° 48' E.

0.00 Subapost 4 ft. long flattened 3 in.  
wide, marked  $\frac{1}{4}$  ft. 1 ft. in the  
ground, drive charred stake  
and build mid. of earth 2 ft.  
high with pits 1 ft. deep, 2 ft. long  
& 1 ft. wide as per instructions for  
 $\frac{1}{4}$  sec. cor. No trees

0.00 Subapost 4 ft. long, sq'd 3 in.  
marked & notched and 1 ft. in the  
ground, drive charred stake and  
build mid. of earth 2 ft. high with  
pits 1 ft. deep, 2 ft. long & 1 ft. wide as per  
instructions for the cor. to secs. 17, 18

A Stake 10 in. diam. brs N. 40° E 35 lbs. dist  
to 9" " " S 36° W 60 " "

No other trees, near

Rolling. Scattering trees. Grass.

Dec. 29, 1894

Township 5 South Range 15 East  
Gila and Salt River Meridian

Eastward random line between Secs. 88 & 89  
Var.  $14^{\circ}48' E$

9.90 Enter Gila bottom cross NW.

40.00 Set a temporary  $\frac{1}{4}$  sec. cor.

57.00 Bend of the Gila River, set S. 400 lbs &  
continue E.

61.30 Subback N. to beyond bend - 400 lbs. N.  
& continue E.

79.83 Intersect the N. & S. line 15  $\frac{1}{4}$  Sec. S.  
of the cor. to Secs. 89 & 88  $81^{\circ}$  from which draw  
S.  $89^{\circ}54' W$  on a true line between Secs. 88 & 89  
Var.  $14^{\circ}48' E$

39.92 Set a post 4 ft long, flattened 3 in wide  
marked  $\frac{1}{4}$  S. 1 ft. in the ground.  
Drive charred stakes and build mound  
of earth 2 ft high with pits 1 ft deep, 2 ft  
long & 1 ft wide as per instructions for  $\frac{1}{4}$  sec. cor.  
A Cottonwood tree 24 in. diam. br.  $W 60^{\circ} W$ . 231 lbs. dist.  
do. 18 " " " South 240 " "

79.83 The cor. to Secs. 7, 8, 17 & 18  
good valley land,  
Scattered of timber

Township 5 South Range 15 East  
Gila and Salt River Meridian

Dist. on random line between Secs. 7 & 18  
Var. 14° 48' E.

10.00 Set a temporary  $\frac{1}{4}$  sec. cor.  
79.80 Intersect the W. boundary of the  
township  $2\frac{1}{2}$  blocks N. of the cor. to  
secs. 7, 12, 13 & 18 from which I run  
N. 89° 48' W. on a true line between Secs. 7 & 18  
Var. 14° 48' E.

39.80 Set a post 4 ft. long, flattened 3 in  
wide, marked  $\frac{1}{4}$  S. 1 ft. in the  
ground, drive charred stake and  
build up of earth a ft high with  
pits 1 ft. deep & 1 ft long & 1 ft wide  
as per instructions for  $\frac{1}{4}$  sec. 1  
Cor. from which  
A paloverde 4 in diam. brs North  $2\frac{1}{2}$  blocks dist.  
do 6 " " " S 26 N. 38 " "

49.80 The cor. to secs. 7, 8, 17 & 18  
Willy Herobren, Scatterings

Township 5 South Range 15 East,  
Gila and Salt River Meridian

North between Secs. 7 & 8

Var.  $14^{\circ} 07' 8''$  E.

28.85 Intersect the left bank of the Gila River 90 lbs. wide & runs W. It is not suitable ground to set a post so I chain across & on the first suitable ground, or at

30.50 I set a post (see note in general description)

40.00 Set a post 4 ft. long, flattened 3 in. wide marked  $4^{\circ} 5'$  in the ground, drive a charred stake & build mid. of earth 2 ft. high with pit 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for  $\frac{1}{4}$  sec. cor. from which  
A Mesquite tree 16 in. diam. hrs  $N 31^{\circ} 4' W$  112 lbs. dist  
do 20 " "  $S 66^{\circ} 2' W$  74 " "

80.00 Set a post 4 ft. long, sq'd 3 in. marked & marked, 1 ft. in the ground, drive charred stake and build mid. of stone 2 ft. high as per instructions for the cor. to sec. 5, 6, 7 & 8 from which  
A pale yucca 4 in. diam. hrs  $S 57^{\circ} 2' E$  146 lbs. dist  
do 6 " " "  $N 62^{\circ} E$  138 " "  
do 7 " " "  $N 43^{\circ} W$  157 " "

Mostly good land. Some timber

Township 5 South Range 15 East  
Gla and Salt River Meridian

East on random line between Secs. 5 & 8  
Var. 14° 48' E.

19.00 Dry wash 50 lbs. with runs S.

19.00 Set a temporary  $\frac{1}{4}$  sec. cor.

19.76 Intersect the N. & S. line 19 lbs.  
S. of the cor. to secs. 4, 5, 8 & 9 from  
which I run

S. 89° 52' W. on a true line between Secs. 5 & 8  
Var. 14° 48' E.

19.88 Set a granite stone 16 x 14 x 8 in.  $\frac{2}{3}$  in  
the ground, marked  $\frac{1}{4}$ , and  
on the W. build wd. of stones 2 ft.  
high as per instructions for  $\frac{1}{4}$  sec.  
cor. No trees.

19.76 The cor. to secs. 5, 6, 7 & 8

Some rolling. Grass  
Scattering trees.

Township 5 South Range 15 E.  
Gila and Salt River Meridian

Witness random line between Secs. 68 &  
69.  $14^{\circ}48' E.$

40.00 Set a temporary  $\frac{1}{4}$  sec. cor.  
77.89 Intersect the W. boundary 23 Wks.  
N. of the cor. to sec. 16, 12 from which I run  
N. 89° 50' W. on a true line between sec. 68 &  
 $14^{\circ}48' E.$

39.89 Set a post 4 ft. long, flattened 3 in &  
wide, marked  $\frac{1}{4}$  S. 1 ft. in the  
ground, drive charred stake &  
build up of earth 2 ft high with  
pits 1 ft deep, 2 ft long & 1 ft wide  
as per instructions for  $\frac{1}{4}$  sec. cor.,  
from which  
a Mesquite tree 4 in diam. by 85 W. 182 Wks. dist.  
No other tree near

77.89 The cor. to sec. 5, 6, 7 & 8  
Some rolling grass  
Scattering of trees



Township 5 South Range 15 East  
Gila and Salt River Meridian

North on random line betw. Secs. 5 & 6  
Var.  $14^{\circ}48'$  East.

40.00 Suba temporary  $\frac{1}{4}$  sec. cor.

49.82 Intersect the N. boundary 240 ft.  
W. of the cor. to secs. 5, 6, 31 & 32  
from which I run

$50^{\circ}15'$  W. on a true line betw. Secs.  
5 & 6. Var.  $14^{\circ}48'$  E.

49.82 Suba granite stone  $12 \times 8 \times 8$  in.

$\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$   
rod on the S. build and. of earth  
2 ft. high with pits 1 ft deep, 2 ft.  
long & 1 ft. wide as per instruc-  
tions for  $\frac{1}{4}$  sec. cor. No trees.

49.82 The cor. to secs. 5, 6, 31 & 32

Rolling & some broken  
Material of consequence.  
Dec. 31, 1877.

### General Description

This township lays along the Gila valley and also along the San Pedro in the Eastern part, until the latter river forms a junction with the Gila which it does in sec. 23. The land along the rivers is rich and there is an abundance of water for irrigating purposes. On either side of the bottom land is rolling land covered with grass. The S.W. border is mountainous as is also the N.E. cor. The N.E. cor. north of the Gila is not surveyed as it is on the White Mountain Indian Reservation. There is Cottonwood willow & mesquite timber along the river bottom

and scattering paleverde on the  
rolling land.

Note: The Gila river where it  
passes through this township is  
not an "impassable" object and  
no posts are required where  
the lines intersect it, but I put  
one post at the intersection for  
the guidance of settlers, setting  
it on the bank least likely  
to be washed away.

John L. Harris  
U.S. Dep. Surveyor

Meanders of that Portion of the Gila River Forming the S. Boundary of The San Carlos Indian Reservation, in

Tp. 5 S. R. 15. E., Gila & Salt River Meridian

December 26, 1877.

From the cor. to secs. 12 & 13, on the E. Boundary of Tp. 5 S. R. 15 E., I run along the S. and left bank of the Gila river, in Sec. 13,

var.  $14^{\circ}48' E.$

S.  $70^{\circ} N.$ , 10.00 ch. to a point. Thence

S.  $10^{\circ} N.$ , 6.00 " " "

S.  $13^{\circ}56' N.$ , 24.00 " " "

S.  $14^{\circ}15' N.$ , 49.00 " To Cor. to fractional Secs. 13 and 7th.

Land, around high bluff, then out into open valley, with good soil; scattering trees.

From cor. to frac. secs. 13 & 7th, I run in Sec. 7th,

S.  $15^{\circ} N.$ , 16.00 ch. To a point. Thence

S.  $51^{\circ} N.$ , 10.00 " " "

S.  $78^{\circ} N.$ , 40.50 . To cor. fractional Secs.

23 & 24.

Land, valley. Soil good. Scattering trees.

List of Names.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

the subdivision lines of Township 5 South of the Range 15 East of the Gila and Salt River Meridian.

Showing the respective capacities in which they acted.

- Lepman Wakefield Chainman.
- Chas. B. Warren Chainman,
- Fred. C. Jones Axeman.
- J. P. Chewwith Flagman.

## Final Oath of Assistants.

We hereby certify that we assisted

*John L. Harris* U. S. Deputy Surveyor, in  
 surveying *the Subdivisions*  
*Lines of Township 5 South*  
*of Range 13 East of the Gila*  
*and Salt River Meridian*

and that said Survey has been in all respects, to  
 the best of our knowledge and belief, well and  
 faithfully executed, and the boundary monuments  
 planted according to the instructions furnished by  
 the Surveyor-General.

*Lynn An Intrepid* Chairman.  
*Chas B. Warden* Chainman,  
*Fred. C. Jones* Axeman.  
*J. T. Chenoweth* Flagman.

Sworn to and subscribed before me, this *8<sup>th</sup>*  
 day of *January*, 187*8*

*William J. Carbon*  
 Notary Public

Final Oath of Deputy Surveyor.

BOOK 633

59

I, John L. Harris

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the..... day of.....

187... I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of.....

The Subdivision Lines of  
Township 5 South of Range  
15 East of the Gila and  
Salt River Meridian

..... as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

*John L. Harris*  
Deputy Surveyor.

Sworn to and subscribed before me, this *8<sup>th</sup>*  
day of *January*, 187*8*

*William J. Osborn*  
Notary Public



Meanders of the Gila River, Continued.  
Twp. 5 S. Range 15 E.

From the cor. to frac. secs. 23 & 24, Inman Sec. 23.  
S.  $79^{\circ}56'$ , 49.77 chs. To a point. Thence  
N.  $63^{\circ}25'$ , 10.00 " " "  
N.  $27^{\circ}50'$ , 38.69 " To cor. to fractional  
Sec. 14 & 23.

Land, valley. Soil good. Cottonwood timber.

From the cor. to fractional Secs. 14 & 23,

Inman Sec. 14.

N.  $10^{\circ}$ , 12.00 chs. To a point. Thence  
N.  $16^{\circ}$ , 6.94 " To cor. to fractional  
secs. 14 and 15.

Land valley. Soil good. Cottonwood timber.  
December 28, 1877

The Gila river is not a navigable river.  
A portion of it is meandered by me in  
this Twp. because that portion is the  
boundary line of an Indian reservation  
and makes certain sections fractional.

John L. Harris

U.S. Dep. Surveyor.

62  
BOOK 633

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

Feb. 28, 1878.

The foregoing Field Notes of the Survey of the

Subdivision Lines of  
Township 5 South,  
Range 15 East.

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by

John L. Harris,

*junior*

Deputy Surveyor, under his contract of the

12<sup>th</sup>

day of

July

, 1878, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved.

John Masson,  
Surveyor General.