

No. 634

BOOK 634

634

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF -

Township 5 South Range 6 East,

Gila and Salt River Base and Meridian

ARIZONA.

By John L. Harris, D. S.

under contract dated July 17, 1877.

Survey commenced Dec. 20, 1877.

Survey completed Dec. 25, 1877.

No. 634

1A

1C

BOOK 634

Township 5 South Range 16 East.

Gila and Salt River Meridian.

6	60.	5	44.	4	33.	3	22.	2	11.	1
59.		58.		43.		32.		21.		10
7	57.	8	42.	9	31.	10	20.	11	9	12
56.		55.		41.		30.		19		8
18	54.	17	40.	16	29	15	18	14	7.	13
53		52.		39.		28.		17		6.
19	51.	20	38.	21	27.	22	16.	23	5.	24
50.		49.		37.		26.		15.		4
30	48.	29	36.	28	25.	27	14.	26	3.	25
47.		46.		35.		24.		13		2.
31	45.	32	34.	33	23.	34	12	35	1.	36

Meanders, 61.

No. 634

BOOK

634

1/10

Township 5 S. Range 16 East
Gda and Salt River Meridian

North between Secs. 35 & 36
Var. $14^{\circ}46' E.$

As per Eastern Boundary

14.00 Set a granite stone $11 \times 10 \times 5$ in,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the N. build mid. of earth
2 ft. high with pits 1 ft. deep
2 ft. long & 1 ft. wide as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees.

80.00 Set a granite stone $16 \times 12 \times 9$ in,
 $\frac{2}{3}$ in the ground, notched S. & E.
and on the N. build mid. of
stones 2 ft high as per instructions
for the cor. to secs. 25, 26, 35
& 36.

No trees.

Hilly & rolling. Some
Grass & timber

Township 5 South, Range 16 East
Gla and Salt River Meridian

Eastward random line between Secs. 25 & 36

Var. $14^{\circ}46' E.$

40.10 Set a temporary $\frac{1}{4}$ sec. cor.

80.12 Intersect the E. boundary 9 pps.

N. of the cor. to Secs. 25, 30, 31

& 36, from which I run

N. $89^{\circ}56' W.$ on true line between Secs. 25 & 36

Var. $14^{\circ}46' E.$

40.56 Set a granite stone $11 \times 9 \times 7$ in.

$\frac{2}{3}$ in the ground, marked $\frac{1}{4}$

and on the W. build ind. of stones

2 ft high as per instructions

for $\frac{1}{4}$ sec. cor.

No trees

80.12 The cor. to Secs. 25, 30, 35 & 36

Rolling Good grazing
No timber

Township 5 South Range 16 East
Gila and Salt River Meridian

North, between Secs. 25 & 26
Var. $14^{\circ}46' E$,

49.00 Set a granite $13 \times 9 \times 9$ in. $\frac{2}{3}$
in the ground, marked 44
and on the N. build wd. of stones
2 ft. high as per instructions for
4 sec. cor. No trees

80.00 Set a granite $18 \times 12 \times 8$ in. $\frac{3}{4}$
in the ground, notched S. & E.
and on the N. build wd. of
stones 2 ft high as per instruc-
tions for the cor. to secs. 23, 24,
25 & 26.

No trees

Rolling & hilly. Good grazing
November.

Township 5 South Range 16 East
Gila and Salt River Meridian

East on random line between Secs. 24 & 25
Var. $14^{\circ}46' E$.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.09 Intense at the E. boundary 19 lbs.
S. of the cor. to Secs 19, 24, 25 & 30
from which I run
S. $89^{\circ}52' W$, on a true line between Secs. 24 & 25
Var. $14^{\circ}46' E$.

40.05 Set a granite stone $16 \times 12 \times 11$ in. $\frac{2}{3}$ in
the ground, marked $\frac{1}{4}$, and
on the pt. build ind. of stones
2 ft. high as per instructions for
 $\frac{1}{4}$ sec. cor. No trees.

80.09 The cor. to Secs. 23, 24, 25 & 26

Hilly & broken. Some
Grass. No timber.

Township 5 South Range 16 East
Gila and Salt River Meridian

North between Sec. 23 & 24

Var. $14^{\circ}46'$ E.

40.00 Siba granite $11 \times 9 \times 8$ in. $\frac{3}{4}$
in the ground, marked $\frac{1}{4}$
and on the M. build ind. of
earth $2\frac{1}{2}$ ft high with pits 1 ft. deep
 $2\frac{1}{2}$ ft. long & 1 ft. wide as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees

80.00 Siba granite stone $24 \times 10 \times 10$ in.
 $\frac{3}{4}$ in the ground, notated S. & E.
and on the M. build ind. of
stone $2\frac{1}{2}$ ft high as per instruc-
tions for the sec. cor. to Secs. 13
14, 23 & 24
No trees.

Rolling Grass
No timber

Township 5 South Range 16 East.
Gila and Salt River Meridian

East or random line between Secs. 13 & 24
Var. $14^{\circ}46' E.$

40.00 Subtemporary $\frac{1}{4}$ sec. cor.
80.21 Interest of the Co. budry 13th Sec.
N. of the cor. to Secs. 13, 18, 19
& 24 from which I ran
N. 87 $^{\circ}$ 54' W. on a true line betw. Secs. 13 & 24
Var. $14^{\circ}46' E.$

40.11 Sub a granite stone 12 x 10 x 8 in
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the W. build wd. of cast. st.
2 ft. high with pits 1 ft. dep. 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor.
No trees.

80.21 The cor. to Secs. 13, 14, 23 & 24

Rolling & broken
Grass No timber.

Township 5 South Range 16 East
Glad and Salt River Meridian

North between Secs. 13 & 14

Var. $14^{\circ}46'E$.

40.00 Set a granite stone $13 \times 10 \times 5$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$,
and on the N. build end. of stone
2 ft. high as per instructions for
 $\frac{1}{4}$ sec. cor. No trees

80.00 Set a granite stone $15 \times 15 \times 10$ in. $\frac{2}{3}$
in the ground, notched S. & E.,
and on the N. build end. of stone
2 ft. high as per instructions for
the cor. to secs. 11, 12, 13 & 14
No trees.

Rolling. Good pasturage
No timber.

Township 5 South Range 16 East
Gila and Salt River Meridian

Eastward random line between Secs. 12 & 13
Var. $14^{\circ}46'$ E.

40.10 Set a temporary $\frac{1}{4}$ sec. cor.
80.24 Intersect the E. boundary 19 lbs.
N. of the cor. to Secs. 7, 12, 13 & 18 from
which I run

$N. 89^{\circ}52'$ W. on a true line between
Secs. 12 & 13 Var. $14^{\circ}46'$ E.

40.12 Set a granite stone $13 \times 10 \times 7$ in
 $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$ and on the W. build a pile
of earth 2 ft high with feet 1 ft.
deep, 2 ft. long & 1 ft. wide as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.24 This cor. to Secs. 11, 12, 13 & 14

Silly & some broken
No timber

Township 5 South, Range 16 East,
Gila and Salt River Meridian

North between Secs. 11 & 12

Var. $14^{\circ} 46' E$

37.50 Descend into canon 200 yds wide runs W.

40.00 Set a granite stone $18 \times 14 \times 10$ in.

$\frac{3}{4}$ in the ground, marked $\frac{1}{4}$
and on the W. build end of stone
2 ft. high as per instructions for
 $\frac{1}{4}$ sec. cor. This is in a canon

No trees

80.00 Set a granite stone $22 \times 12 \times 12$ in.

$\frac{3}{4}$ in the ground, notched S. E.
and on the W. build end of stone
2 ft. high as per instructions
for the cor. to Secs. 1, 2, 11 & 12

No trees near.

Hilly & broken. No timber.

Township 5 South Range 16 East.
Gila and Salt River Meridian

Cast on random line between Secs. 18 & 12
Var. $14^{\circ}46'E$

- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.20 Intersect the E. boundary,
31 fms. N. of the cor. to Secs.
1, 6, 7 & 12 from which I run
N. $89^{\circ}44' W$, on a true line between
Secs. 18 & 12 Var. $14^{\circ}46'E$
- 40.10 Set a granite stone 13 x 8 x 6 in.
 $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$ and set the W. build end. of
earth 2 ft. high with pits 1 ft.
deep, 2 ft. long & 1 ft. wide as
per instructions for $\frac{1}{4}$ sec. cor.
No trees
- 80.20 The cor. to Secs. 1, 2, 11 & 12

Half broken post
No timber.

Township 5 South, Range 16 East.
Gila and Salt River Meridian

North or random line between Secs. 18 & 2
Var. $14^{\circ}46' E$.

44.00 Set a temporary $\frac{1}{4}$ sec. cor.
79.78 Intersect the N. boundary. 22 lbs.
W. of the cor. to Secs. 1, 2, 36 & 36
from which I run

$50^{\circ}09' W$ on a true line between Secs. 18 & 2.
Var. $14^{\circ}46' E$.

39.78 Set a granite stone $14 \times 10 \times 7$ in.
 $\frac{1}{2}$ in the ground, marked $\frac{1}{4}$
and on the S. build up of
earth 2 ft. high with pits 1 ft.
deep, 2 ft. long & 1 ft. wide as
per instructions for $\frac{1}{4}$ sec. cor.
No trees

79.78 The cor. to Secs. 1, 2, 11 & 12

Rolling Hills & Oroqui
Pass November

Township 5 South, Range 16 East,
Gila and Salt River Meridian

North between Secs. 34 & 35

Var. 140°46' E.

40.00 Set a granite stone 13x10x5 in. $\frac{1}{4}$
in the ground, marked $\frac{1}{4}$, and
on the N. build and of earth 2 ft
high with pits 1 ft. deep, 2 ft. long,
4 ft. wide as per instructions for
 $\frac{1}{4}$ sec. cor. No trees.

80.00 Set a granite stone 14x12x9 in.
 $\frac{3}{4}$ in the ground, notched S. & E.
and on the N. build and of
stones 2 ft. high as per instruc-
tions for the cor. to secs. 26,
27, 34 & 35. No trees.

No trees. Rolling, Some Grass.

^W Township 5 South Range 16, East
Gla. and Salt River Meridian

East or random line between Secs. 26 & 35
Var. $14^{\circ}46'E$.

40.00 set a temporary $\frac{1}{4}$ sec. cor.

49.89 Intersect the N. & S. line 1800

N. of the cor. to secs. 25, 26, 35 & 36

from which I run

N. $89^{\circ}05'W$ on a true line between Secs.

26 & 35 Var. $14^{\circ}46'E$.

39.95 Set an igneous stone $13 \times 12 \times 8$ in.

$\frac{2}{3}$ in the ground, marked $\frac{1}{4}$

and on the W. build incl. of stones

2 ft. high as per instructions for

$\frac{1}{4}$ sec. cor.

No trees

49.89 The cor. to secs. 26, 27, 34 & 35-

Rolling, good pasturage

No timber.

Township 5 South Range 16 East,
Gla and Salt River Meridians

North between Sics. 26 & 27
Twp. 14 & 16 'E.

40.00 Set a granite stone 16 x 12 x 4 in.
 $\frac{3}{4}$ in. the ground, marked $\frac{1}{4}$,
and on the N. build mid of stones
as per instructions for $\frac{1}{4}$ sec.
Cor. No trees

80.00 Set a granite stone 19 x 18 x 16 in.
 $\frac{3}{4}$ in. the ground, notched
S. & E. and on the N. build
mid. of stones 2 ft. high as
per instructions for the cor.
to sics. 22, 23, 26 & 27
No trees

Rolling, good grazing
November

Dec. 20, 1877

Township 5 South, Range 16 East,
Gila and Salt River Meridian

② Cash on random line between Secs. 23 & 26
Var. $14^{\circ}46' E$.

44.00 Set a temporary $\frac{1}{4}$ sec. cor.
44.75 Intersect the U.S. line 14 kts.
N. of the cor. to secs. 23 24 25
& 26, from which I run
N. $89^{\circ}54'$ W on a true line between
Secs. 23 & 26. Var. $14^{\circ}46' E$.

39.88 Set a granite stone $13 \times 10 \times 7$ in
 $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$, and on the W. build out of
earth 2 ft high with pits 1 ft
deep, 2 ft long & 1 ft wide as
per instructions for $\frac{1}{4}$ sec.
cor. No trees

44.75 The cor. to secs. 22, 23, 26 & 27

Rolling good land for
pasturage No timber.

Township 5 South Range 16 East,
Gila and Salt River Meridian

North between Secs. 22 & 23
Var. $14^{\circ}46' E.$

40.00

Set an igneous stone $14 \times 12 \times 10$ in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the N. build and of stones
 $\frac{1}{4}$ ft high as per instructions for
 $\frac{1}{4}$ sec. cor.

No trees

80.00

Set a granite stone $15 \times 14 \times 6$ in.
 $\frac{2}{3}$ in the ground, notched S.
& E. and on the N. build and
of stones $\frac{1}{4}$ ft high as per in-
structions for the cor. to Secs.
14, 15, 22 & 23.

No trees

Rolling good for grazing.
No timber.

Township 5 South Range 16 East,
Gda and Salt River Meridian

East on random line between Secs. 14 & 23
Var. $14^{\circ}46' E$.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.26 Intersect the N. & S. line 3/4ths,
N. of the cor. to secs. 13, 14, & 23
& 24 from which I run
N. $89^{\circ}47'$ W. on a true line between
secs. 14 & 23. Var. $14^{\circ}46' E$.

40.13 Set a granite stone $16 \times 12 \times 11$ in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the W. build rad. of stone
2 ft. high as per instructions for
 $\frac{1}{4}$ sec. cor.
No trees

80.26 The cor. to secs. 14, 15, 22 & 23

Rolling Grass
November

Township 5 South Range 16 East
Gila and Salt River Meridian

North between Secs. 14 & 15
Twp. 14° 46' E.

140.00 Set a granite stone 12 x 9 x 5 in.
2/3 in the ground, marked 1/4
and on the N. build incl. of
earth 2 ft. high with pits 1 ft.
deep, 2 ft. long & 1 ft. wide
as per instructions for 1/4 sec. cor.
No trees.

80.00 Set an igneous stone 19 x 12 x 9 in.
3/4 in the ground, marked S. & E.
and on the N. build of stones
2 ft. high as per instructions
for the cor. to Secs. 10, 11, 14
& 15. No trees near.

Rolling. Good grazing
No timber.

Township 5 South Range 16 East
Gold and Salt River Meridian

East on random line betw. Secs. 11 & 14
Var. $14^{\circ}46'$ E.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
0.20 Interest of the N. & S. line 24 lks.
N. of the cor. to secs. 11, 12, 13 & 14
from which I ran

N. $89^{\circ}50'$ W. on a true line betw. Secs.
11 & 14, Var. $14^{\circ}46'$ E.

40.10 Set a granite stone $14 \times 9 \times 8$ in.
 $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$ and on the W. build a pd.
square 2 ft. high with feet
1 ft. deep, 2 ft. long & 1 ft. wide
as per instructions for $\frac{1}{4}$ sec.
cor. No trees.

0.20 The cor. to secs. 10, 11, 14 & 15

Rolling, good for grass
No timber of consequence.

Township 5 South, Range 16 East.
Gila and Salt River Meridian

North between Secs. 10 & 11

Var. $14^{\circ}46' E.$

40.00 Set a granite stone $16 \times 8 \times 8$ in.
 $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$ and on the N. build mnd.
of earth 2 ft. high with pits
1 ft. deep, 2 ft. long & 1 ft. wide
as per instructions for $\frac{1}{4}$
Sec. cor. No trees

80.00 Set a granite stone $14 \times 12 \times 9$ in.
 $\frac{2}{3}$ in the ground, notched S,
& E, and on the N. build mnd.
of stones 2 ft. high as per in-
structions for the cor. to secs.
2, 3, 10 & 11. No trees.

Rolling. Good pasturage
No timber

Township 5 South Range 16 East.
Tla and Salt River Meridian

East our random line between Secs. 2 & 11

Var. $14^{\circ}46' E$.

40.00 Separate survey $\frac{1}{4}$ sec. cor.

8.23 Intersect the N. & S. line 17 lbs.

N. of the cor. to secs. 1, 2, 11 & 12 from
which I run

N. $89^{\circ}52' W$ on a true line between Secs.

2 & 11.

Var. $14^{\circ}46' E$.

40.12 Set an igneous stone $16 \times 12 \times 10$ in

$\frac{2}{3}$ in the ground, marked $\frac{1}{4}$

and on the W. build md. of

stones app. high as per instruc-

tions for $\frac{1}{4}$ sec. cor.

No trees.

80.23 The cor. to secs. 2, 3, 10 & 11.

Rolling. Good pasturage.
No timber.

Township 5 South Range 16 East
Gila and Salt River Meridian

North on random line between Secs. 2 & 3
Var. $14^{\circ}46' E.$

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
79.80 Intersection of the N. boundary 31 kds.
W. of the cor. & secs. 2, 3, 34 & 35
from which I run
 $S 8^{\circ}13' W.$ on a true line between Secs. 2 & 3
Var. $14^{\circ}46' E.$

49.80 Set a granite stone $12 \times 9 \times \frac{1}{2}$ in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the S. build med. of earth
up high, with pit 1 ft. deep, 2 ft
long & 1 ft wide as per instructions
for $\frac{1}{4}$ sec. cor.

No trees.

79.80 The cor. to secs. 2, 3, 10 & 11

Rolling, some broken
Grass No timber of consequence

Township 5 South, Range 16 East
Gila and Salt River Meridian

North between Secs. 33 & 34
Cor. $14^{\circ}46'$ E.

11.00 Set a granite stone $11 \times 10 \times 5$ in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the N. build ind. of earth
 $2\frac{1}{2}$ ft. high with pits 1 ft. deep
 $2\frac{1}{2}$ ft. long & 1 ft. wide as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees.

11.00 Set a granite $16 \times 12 \times 10$ in. $\frac{2}{3}$
in the ground, notched S. & E.,
and on the N. build ind. of stones
 $2\frac{1}{2}$ ft. high as per instructions for
the cor. to secs. 2nd, 28, 33 & 34
No trees near.

Rolling. Good grazing.
No timber.

Township 5 South Range 16 East.
Gila and Salt River Meridian

Cast on random line between Secs. 27 & 34
Var. $14^{\circ}46'$ E.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.11 Intersect the N. & S. line 8ths.
S. of the cor. to Secs. 26, 27, 34 & 35
from which I run

S. $89^{\circ}57'$ on a true line between
Secs. 27 & 34 Var. $14^{\circ}46'$ E.

40.06 Set a granite stone $11 \times 9 \times 7$ in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the W. build mounds of
earth 2 ft high with spade 1 ft.
deep, 2 ft. long & 1 ft. wide as
per instructions for $\frac{1}{4}$ sec. cor.
(No trees.)

80.11 The cor. to Secs. 27, 28, 33 & 34

Rolling Good pasturage
No timber

Township 5 South Range 16 East
Gila and Salt River Meridian

North between Secs. 27 & 28
Var. $14^{\circ} 46' E$.

40.00 Set a granite stone $16 \times 14 \times 8$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$, and
on the N. build end. of stones 2 ft.
high as per instructions for $\frac{1}{4}$
Sec. cor. No trees near.

50.00 Set a granite stone $16 \times 14 \times 10$ in.
 $\frac{2}{3}$ in the ground, notched S. & E.
and on the N. build end. of ^{stones} ~~earth~~
2 ft. high as per instructions for
the cor. to secs. 21, 22, 27 & 28
No trees

Rolling. Good Grass
No timber of consequence

25
 Township 5 South Range 16 East,
 Gila and Salt River Meridian

Cast on random line between Sec. 22 & 27
 Var. $14^{\circ}46' E$.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
 80.16 Section set the U.S. line N.W. cor. to secs. 22, 23, 26 & 27 from which I run
 S. $89^{\circ}53' W$ on a true line between Secs. 22 & 27
 Var. $14^{\circ}46' E$.

40.08 Set a granite stone $12 \times 9 \times 6$ in. $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ and on the W. build end. of earth 2 ft. high with pits 1 ft. deep, 2 ft. long & 1 ft. wide as per instructions for $\frac{1}{4}$ sec. cor.
 No trees.

80.16 The cor. to Secs. 21, 22, 27 & 28

Rolling. Good for grazing
 No timber

Township 5 South Range 16 East
Gila and Salt River Meridian

North between Secs. 21 & 22
Twp. 14° 46' E.

40.00 Set a granite stone 14 x 9 x 8 in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the N. build and
of earth 2 ft. high with
pits 1 ft. deep, 2 ft. long and
1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a granite stone 30 x 20 x 12
in. $\frac{3}{4}$ in the ground, notated
S. & E. and on the N. build
and of stones 2 ft high as
per instructions for the cor.
& Secs. 15, 16, 21 & 22.

No trees.

Rolling. Grass No timber.

Dec. 21, 1877

Township 5 South Range 16 E.
Gila and Salt River Meridian

East on random line between Secs. 15 & 22
Var. $14^{\circ}46' E.$

140.00 Set a temporary $\frac{1}{4}$ sec. cor.
77.91 Intersect the N. & S. line 16 lbs.
S of the cor. to Secs. 14, 15, 22 & 23
from which I run

S. $89^{\circ}53' W.$, on a true line between
Secs. 15 & 22. Var. $14^{\circ}46' E.$

37.96 Set a granite stone $11 \times 9 \times 8$ in
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the W. build of road, 4 feet
2 ft high with pits 1 ft deep,
2 ft long & 1 ft wide as per in-
structions for $\frac{1}{4}$ sec. cor.
No trees.

77.91 The cor. to Secs. 15, 16, 21 & 22

Rolling, grass
No timber of consequence

Township 5 South Range 16 E.
Gda and Salt River Meridian

North between Secs. 15 & 16
Var. $14^{\circ} 46' E.$

40.00 Set a granite stone $13 \times 9 \times 7$ in.
 $\frac{3}{4}$ in the ground, marked
 $\frac{1}{4}$, and on the N. build md.
of stones, 2 ft high as per
instructions for $\frac{1}{4}$ Sec. cor.
No trees near.

80.00 Set a granite stone $15 \times 12 \times 6$ in.
 $\frac{2}{3}$ in the ground, notched
S. & E. and on the N. build
md. of stones 2 ft high as
per instructions for the cor.
to Secs. 9, 10, 15 & 16.
No trees

Rolling. Good Grazing
No timber

Township 5 South Range 16 East.
Gila and Salt River Meridian

Carbon sandstone line between Secs. 10 & 15
Var. $14^{\circ}46' E.$

41.00 Set a temporary $\frac{1}{4}$ sec. cor.
49.78 Intersect the N. & S. line $\frac{1}{4}$ sec.
N. of the cor. to Secs. 10, 11, 14 & 15
from which I run
N. $89^{\circ}50' W.$ on a true line between
Secs. 10 & 15. Var. $14^{\circ}46' E.$

3989 Set a granite stone $12 \times 10 \times 8$ in
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the W. build up of
stones 2 ft. high as per instruc-
tions for $\frac{1}{4}$ sec. cor. No trees
near.

49.78 The cor. to Secs. 9, 10, 15 & 16

Rolling, good grazing
No timber.

Township 5 South Range 16 East.
 Grand Salt River Meridian

North between Secs. 9 & 10
 Cor. $142^{\circ}46'E$.

40.00 Set a granite stone $11 \times 9 \times 6$ in.
 $\frac{2}{3}$ in the ground, marked '4
 and on the N. build mid. of earth
 $2\frac{1}{2}$ ft. high with pits $1\frac{1}{2}$ ft. deep, $2\frac{1}{2}$ ft
 long & $1\frac{1}{2}$ ft wide as per instructions
 for '4 sec. cor. No trees near.

80.00 Set a granite stone $16 \times 14 \times 6$ in
 $\frac{2}{3}$ in the ground, marked S. & E.
 and on the N. build mid. of stones
 $2\frac{1}{2}$ ft. high as per instructions for
 the cor. to Secs. 3, 4, 9 & 10
 No trees near.

Rolling. Good grazing
 No timber

Township 5 South Range 16 East.
Gila and Salt River Meridian

East or random line between Secs. 3 & 10
Var. $14^{\circ}46'E$

140.00 Set a temporary $\frac{1}{4}$ sec. cor.

79.84 Intersect the N. & S. line
2540s. N. of the cor. to Secs.
2, 3, 10 & 11 from which I run
N. $89^{\circ}49'W$, on a true line between
Secs. 3 & 10. Var. $14^{\circ}46'E$.

39.92 Set a granite stone $14 \times 10 \times 6$ in
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the W. build end of earth
2 ft. high with pits 1 ft. deep,
2 ft. long & 1 ft. wide as per in-
structions for $\frac{1}{4}$ sec. cor. No trees

79.84 The cor. to Secs. 3, 4, 9 & 10

Rolling Grass

No timber of consequence

Township 5 South Range 16 East
Gila and Salt River Meridian

North on random line to sec. 3 & 4
Var. $14^{\circ} 46' E$.

40, 190 Set a temporary $\frac{1}{4}$ sec. cor.
10, 19 Intense at the W. boundary, 24 Wks.
W of the cor. to sec. 3, 4, 33 & 34
from which I run
 $50^{\circ} 10' W$ on a true line between sec. 3 & 4
Var. $14^{\circ} 46' E$.

10, 19 Set an igneous stone $12 \times 12 \times 10$ in,
 $\frac{2}{3}$ in the ground, marked '4,
and on the W. build wd. of stones
2 ft high as per instructions for
the $\frac{1}{4}$ sec. cor. No trees.
10, 19 The cor. to sec. 3, 4, 9 & 10

Rolling & broken Grass
No timber.

Township 5 South Range 16 East
 6th and Salt River Meridian

North between Secs. 32 & 33

Var. $114^{\circ}16' E$

40.00 Set a granite stone $13 \times 9 \times 5$ in
 $\frac{1}{2}$ in the ground, marked $\frac{1}{4}$
 and on the N. build $\frac{1}{2}$ of
 earth $2\frac{1}{2}$ ft high with pits $1\frac{1}{2}$ ft
 deep, $2\frac{1}{2}$ ft long & $1\frac{1}{2}$ ft wide as per
 instruction for $\frac{1}{4}$ sec. cor.

No trees

80.00 Set a post $4\frac{1}{2}$ ft long, sq'd 3 in mark
 set, notched, $1\frac{1}{2}$ ft in the ground,
 drive charred stake and build
 $\frac{1}{2}$ of stones $2\frac{1}{2}$ ft high as per
 instructions for the cor. to
 Secs. 28, 29, 32 & 33 from which
 a pole would 5 in diam. be 8850. 90 lbs. dist.

do. 6 " " " 408. 125 " "

No other trees near.

Rolling good for pasturage
 scattering trees

Township 5 S. Range 16 East
Gila and Salt River Meridian

East on random line between Secs. 28 & 33
Var. $14^{\circ}46'$ E.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.13 Intersect the N. & S. line of the
S. of the cor. to Secs. 27, 28, 32 & 34
from which I run

$S. 89^{\circ}56' W.$ on a true line between Secs.
28 & 33 Var. $14^{\circ}46'$ E.

46.07 Set a post 4 ft. long, flattened 3 in.
wide, marked $\frac{1}{4}$, and on the W.
build and. of stones 2 ft. high as
per instructions for $\frac{1}{4}$ sec. cor.
No trees

80.13 The cor. to Secs. 28, 29, 32 & 33

Rolling Grass. No timber

Township 5 South Range 16 East
Gila and Salt River Meridian

North between Secs. 28 & 29

Var. $14^{\circ}46' E$

- 23.80 Dry wash 40 lbs. wide runs W.
- 40.00 Set a post 4 ft. long, flattened
3 in. wide, 1/4 in ground, marked
1/4 S; drive charred stake and
build mid of stones 2 ft high
as per instructions for 1/4 sec.
cor. No trees
- 80.00 Set a granite stone 46 x 14 x 10 in. 1/4
in the ground, marked, and
on the N. build mid. of stones 2 ft
high as per instructions for
the cor. to secs. 20, 21, 28 & 29
No trees.

Rolling. On the E. of the line
is a little valley with cottonwood
trees &c. in it.

Township 5 South Range 16 E.
Gla and Salt River Meridian

Eastward random line between Secs. 21 & 28
! Par. $14^{\circ}46'E$

38.80 Trail bring. S. of W. 1
40.00 Set a temporary $\frac{1}{4}$ sec. cor.
77.00 Dry wash colks. wide runs SW,
80.17 Interest of the N. & S. line 20 colks.
S. of the cor. to secs. 21, 22, 27 & 28
from which I run.
S. $89^{\circ}57'W$, on a true line between Secs. 21 & 28
Par. $14^{\circ}46'E$.

40.09 Set a granite $14 \times 12 \times 10$ in. $\frac{2}{3}$ in
the ground, marked $\frac{1}{4}$, and on the
W. build, ind. of stones 2 ft high
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.17 The cor. to secs. 20, 21, 28 & 29
Rolling.
Grass.
No timber of consequence.

Township 5 South Range 16 East.
 6th and Salt River Meridian.

North Section Secs. 20 & 21

Var. 14° 46' E.

40.00 Set a granite stone 16 x 14 x 12 in. $\frac{2}{3}$
 in the ground, marked 14, and
 on the N. build end of stone, $\frac{2}{3}$ ft.
 high as per instructions for 1/4
 sec. cor. from which
 a Cottonwood tree 14 in. diam. brs South 81° 40' dist.
 No other trees.

80.00 Set a granite stone 20 x 16 x 14 in. $\frac{3}{4}$ in
 the ground, notched S. & E. and
 on the N. build end of stone $\frac{2}{3}$ ft.
 high as per instructions for the
 cor. to Secs. 16, 17, 20 & 21

No trees.

Rolling. Good for Grass
 No timber.

Township 5 South Range 16 East
Gila and Salt River Meridian

① Cashow random line between Secs. 16 & 21
Var. 14° 46' E.

40,00 Set a temporary $\frac{1}{4}$ sec. cor.
0,22 Intersect the N. & S. line 18 lks.
S. of the cor. to secs. 15, 16, 20 & 22
from which I run

S. 89° 52' W on a true line between Secs.
16 & 21. Var. 14° 46' E.

40,11 Set a granite stone 13 x 9 x 6 in.
 $\frac{1}{3}$ in the ground, marked $\frac{1}{4}$
and on the W. build end of earth
2 ft high with pits 1 ft. deep, 2 ft.
long & 1 ft wide as per instruc-
tions for $\frac{1}{4}$ sec. cor. No trans.

0,22 The cor. to secs. 16, 17, 20 & 21

Rolling Grass
No timber of consequence

Township 5 South Range 16 East.
Gila and Salt River Meridian

North between Secs. 16 & 17
Var. $114^{\circ} 21' 6''$ E.

40.00 Set a granite Stone $16 \times 12 \times 10$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$, and
on the N. build wd. of stones 2 ft.
high as per instructions for $\frac{1}{4}$
Sec. cor. No trees.

80.00 Set a granite Stone $24 \times 16 \times 14$ in. $\frac{3}{4}$
in the ground, notched S. & E. and
on the N. build wd. of stones 2 ft.
high as per instructions for the
cor. to secs. 8, 9, 16 & 17.
No trees.

Rolling. Good grassland
No timber

Dec. 22, 1877

Township 5 South Range 16 East
T4a and Salt River Meridian

Eastern random line between Secs. 9 & 16
Var. $14^{\circ}46' E.$

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
0.20 Intersect the N. & S. line $2\frac{1}{2}$ mts.
S. of the cor. to Secs. 9, 10, 15 & 16
from which I run

S. $89^{\circ}48' W.$ on a true line between
Secs. 9 & 16. Var. $14^{\circ}46' E.$

40.10 Set a granite stone $14 \times 8 \times 6$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$,
and on the W. build wd. of earth
2 ft high with pits 1 ft. deep,
2 ft. long & 1 ft wide as per
instructions for $\frac{1}{4}$ sec. cor.
No trees near.

40.20 The cor. to Secs. 8, 9, 16 & 17

Rolling Grass

No timber of consequence

Township 5 South Range 16 East,
Gila and Salt River Meridian

North between Secs. 8 & 9

Var. $14^{\circ}46' E.$

40.00 Set a granite stone $18 \times 16 \times 10$ in. $\frac{3}{4}$
in the ground, marked $\frac{3}{4}$, and
on the N. build mid. of stones
2 ft high as per instructions for
 $\frac{3}{4}$ Sec. cor.

80.00 Set a granite stone $18 \times 16 \times 10$ in. $\frac{3}{4}$
in the ground, marked S. & E. and
on the N. build mid. of stones 2 ft high
as per instructions for the cor.
& Secs. 4, 5, 8 & 9
No trees.

Rolling. Good grazing land
No timber.

of Township 5 South Range 16 East.
Gda and Salt River Meridians

Establish random line between Secs. 489
Var. $14^{\circ}46' E$.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.22 Intersect the N.W. line 20 lks.
S. of the cor. to Secs. 3, 4, 9 & 10 from
which I run
S. $89^{\circ}57' W$ on a true line between Secs. 489
Var. $14^{\circ}46' E$.

40.11 Set a granite stone $12 \times 10 \times 5$ in
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and
on the W. build m.d. of earth 2 ft.
high with pits 1 ft. deep 2 ft. long
and 1 ft wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees

80.22 The cor. to Secs. 4, 5, 8 & 9

Rolling & broken. Grass
No timber

Township 5 South Range 16 E.
Gila and Salt River Meridian

North on random line between Secs. 4 & 5
Var. $14^{\circ}46' E$

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.32 Intersect the N. boundary, 20 ft
W. of the cor. to secs. 4, 5, 32 & 33
from which I run

$50^{\circ}09' W$. on a true line between Secs. 4 & 5
Var. $14^{\circ}46' E$

40.32 Set a granite stone 12 ft. 9×7 in
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$
and on the S. build mud. of earth
2 ft. high with pits 1 ft deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor.
(No trees)

80.32 The cor. to secs. 4, 5, 8 & 9

Rolling & broken
No timber of consequence.

Township 5 South, Range 16 East
Gila and Salt River Meridian

North between Secs. 31 & 32

Var. 14° 46' E.

40.00 Set a post 4 ft. long, flattened 3 in.
wide, marked "4 S. 1" in the
ground, drive charred stake and
build ind. of stones 2 ft. high as per
instructions for 1/4 sec. cor. from which
apale corde 4 in. diam. hrs North 89 Wks. dist.

46.00 Dry wash 20 lbs. wide runs W,

74.00 do. 200 " " "

88.00 Set a post 4 ft. long, sq'd 3 in.
marked & notched, 1/2 ft. in the ground,
drive charred stake and build ind.
of stones 2 ft high as per in-
structions for the cor. to secs.
29, 30, 31 & 32. from which
apale corde 4 in. diam. hrs N 31 E 112 Wks. dist.

do 5 " " " S 80 W, 87 " "

No other trees near

Rolling. Good pasture

Township 5 South Range 16 East
 6th and Salt River Meridian

Eastward run line between Secs. 29 & 32
 Var. $14^{\circ}46'$ E.

140.00 Set a temporary $\frac{1}{4}$ sec. cor.

29.82 Intersect N. & S. line 25 lbs
 S. of the cor. to secs. 28, 29, 32 & 33

from which I run

S. $89^{\circ}49'$ W. on a true line between
 Secs. 29 & 32. Var. $14^{\circ}46'$ E.

39.91 Set a post 4 ft long, flattened
 3 in. wide, marked $\frac{1}{4}$ S. 1 ft in
 the ground, drive charred stakes
 and build rd. of earth 2 ft
 high with pits 1 ft. deep, 2 ft. long
 & 1 ft. wide as per instructions
 for $\frac{1}{4}$ sec. cor. No true

29.82 The cor. to secs. 29, 30, 31 & 32

Rolling. Good grazing
 Scattered trees

Township 5 South Range 16 East.
Gila and Salt River Meridian

Historical boundary between Secs. 30 & 31
Var. $14^{\circ} 46' E$

40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
49.94 Intersection of the W. boundary of the
township of Sec. 30 of the cor. to Secs
29, 30, 31 & 32 from which I run
S. $89^{\circ} 56' E$, on a true line between Secs.
30 & 31 Var. $14^{\circ} 46' E$.

39.94 Set a post $4\frac{1}{2}$ ft. long flattened $3\frac{1}{2}$ in.
wide marked "4 S. 1 ft. in the
ground, drive charred stake and
build end of earth $4\frac{1}{2}$ ft. high, with
pit $1\frac{1}{2}$ ft. deep $4\frac{1}{2}$ ft. long $8\frac{1}{2}$ ft. wide as
per instructions for $\frac{1}{4}$ Sec. cor.
from which

A Mesquite tree 4 in. diam. bro $N 16^{\circ} W$, 54 lbs. dist.

do 5 " " " $N 65^{\circ} W$, 53 " "
49.94 The cor. to Secs. 29, 30, 31 & 32
Good bottom land on W.
Some mesquite timber

Township 5 South, Range 16 E.
Gila and Salt River Meridian

North between Secs. 29 & 30
Lat. $14^{\circ}46' E$

40.00 Set a granite stone $12 \times 9 \times 7$ in.
 $\frac{2}{3}$ in the ground, marked '41,
and on the N. build rad. of stones
 $\frac{2}{3}$ ft high as per instructions for
'41 sec. cor. No trees

80.00 Set a granite stone $12 \times 10 \times 10$ in.
 $\frac{2}{3}$ in the ground, notched S. & E.
and on the N. build rad. of stones
 $\frac{2}{3}$ ft high as per instructions for
the cor. to Secs. 19, 20, 29 & 30
from which
a pale verde tree (in diam. two South $\frac{2}{3}$ ft. dist.
by ^{other} No. trees near.

Rolling good grassland
Scattering trees.

Township 5 South Range 16 E.

Beland Salt River Meridian

East on random line between Secs. 20 & 29
 Var. $14^{\circ}46'$ E.

20.00 Dry wash 80 lks. wide runs S.W.

10.00 Set a temporary $\frac{1}{4}$ sec. cor.

19.90 Intersect the N. & S. line 14 lks.

N. of the cor. to secs. 20, 21, 28 & 29
 from which I run

$21.89^{\circ}54'$ W. on a true line between Secs.
 20 & 29 Var. $14^{\circ}46'$ E.

29.95 Set a granite stone $14 \times 12 \times 10$ in. $\frac{2}{3}$
 in the ground, marked $\frac{1}{4}$, and
 on the W. build up 2 ft. stones 2 ft.
 high as per instructions for the
 $\frac{1}{4}$ sec. cor. No trees near.

29.90 The cor. to secs. 19, 20, 29 & 30

Rolling, good grass land,
 No timber

Township 5 South Range 16 East
 T4a and Salt River Meridian

Weston rations between Secs. 19 & 30
 Var. $14^{\circ}46' E$.

6.50 Drywash 30 lbs. wide runs W.

140.00 Set a temporary $\frac{1}{4}$ sec. cor.

79.93 Intersect the W. boundary. 15 lbs.

S. of the cor. to Secs. 19, 24, 25 & 30 from
 which I run

S. $89^{\circ}54' E$, on a true line between Secs. 19 & 30.
 Var. $14^{\circ}46' E$.

39.93 Set a granite stone $16 \times 14 \times 10$ in. $\frac{2}{3}$

in the ground, marked $\frac{1}{4}$, and on
 the E. build ind. of stones 2 ft. high
 as per instructions for $\frac{1}{4}$ sec. cor.
 No tags.

79.93 The cor. to Secs. 19, 20, 29 & 30.

Rolling good grass land,
 No lumber

Township 5 South Range 16 East
 G. & Salt River Meridian

North between Secs. 19 & 20.

Var. $14^{\circ}46'$ E.

40.00 Set a granite stone $11 \times 9 \times 6$ in. $\frac{2}{3}$
 in the ground, marked $\frac{1}{4}$, and
 on the N. build a wall of earth
 2 ft. high with pits 1 ft. deep, 2 ft.
 long & 1 ft. wide as per instructions
 for $\frac{1}{4}$ sec. cor. No trees

30.00 Set a granite stone $16 \times 14 \times 12$ in. $\frac{2}{3}$
 in the ground, notched, S & E, and
 on the N. build a wall of stones 2 ft.
 high as per instructions for the
 cor. to secs. 17, 18, 19 & 20.
 No trees

Rolling, good grazing land
 No timber

Township 5 South Range 16 East
Gila and Salt River Meridian

East on random betwixt Secs. 17 & 20
Dist. 14° 46' E.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
80.10 Intersect the N. & S. line 21 lbs
N. of the cor. to Secs. 16, 17, 20 & 21
from which I run
31.89° 51' W. on a true line between Secs. 17 & 20
Var. 14° 46' E.

40.08 Set a granite stone 12 x 10 x 6 in.
 $\frac{1}{2}$ in the ground, marked $\frac{1}{4}$ and
on the W. build a mound of stones 2 ft.
high with pits 1 ft. deep, 2 ft. long
and 1 ft. wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees.

80.15 The cor. to Secs. 17, 18, 19 & 20

Rolling Grass
No timber.

Township 5 South Range 16 E.
Gla and Salt River Meridian

West on random line between Secs. 18 & 19
Cor. $14^{\circ}46' E.$

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

0.11 Intersect the W. boundary 23 lbs. S.
of the cor. to Secs. 13, 18, 19 & 24, from
which I run

S. $89^{\circ}50' E.$ on a true line between Secs. 18 & 19
Cor. $14^{\circ}46' E.$

40.11 Set a granite stone $12 \times 10 \times 6$ in
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$,

and on the E. build incl. of earth
app. high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor.

No. true.

0.11 The cor. to Secs. 14, 18, 19 & 20

Rolling. Some grass
No timber

Township 5 South Range 16 East
Gila and Salt River Meridian

North between Secs. 17 & 18

Ther. 114° 46' E.

40.00 Suba granite stone 14 x 9 x 6 in. $\frac{2}{3}$
in the ground, marked '4, and
on the N. build mid. of east's rft
high with pits 1 ft. deep, rft long
& 1 ft. wide as per instructions for '4
sec. cor. No trees.

80.00 Suba granite stone 15 x 15 x 9 in. $\frac{2}{3}$
in the ground, notched S. & E.
and on the N. build mid. of stones
rft high as per instructions for
the cor. to Secs. 7, 8, 17 & 18
No trees.

Rolling Grass
No timber of consequence

Dec. 24, 1877

Township 5 South Range 16 East
Gla and Salt River Meridian

Eastward random line between Secs. 8 & 17
Var. $11^{\circ}46' E$.

40.00 Set a temporary $\frac{1}{4}$ sec. cor.
79.82 Intersect the N. & S. line $2\frac{1}{2}$ blocks
S. of the cor. to Secs. 8, 9, 16 & 17
from which I run

S. $89^{\circ}48' W$ on a true line between Secs. 8 & 17
Var. $14^{\circ}46' E$.

39.91 Set a granite stone $14 \times 12 \times 7$ in. $\frac{2}{3}$ in
the ground, marked $\frac{1}{4}$, and on
the W. build ind. of stones $2\frac{1}{2}$ high
as per instructions for $\frac{1}{4}$ sec. cor.
No trees.

79.82 The cor. to Secs. 7, 8, 17 & 18

Rolling. Grass
No timber.

Township 5 South Range 16 East
Gila and Salt River Meridian

Historical random line between Secs. 7 & 18
Var. $14^{\circ}46' E.$

40.00 Subtemporary $\frac{1}{4}$ sec. cor.
49.83 Intersect the W. boundary 30 S. of
the cor. to Secs. 7, 12, 13 & 18 from
which I run

S. $89^{\circ}44' E.$ on a true line between Secs.
7 & 18, Var. $14^{\circ}46' E.$

39.83 Sub a granite stone $11 \times 10 \times 6$ in.
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$,
and on the E. build end of east
2 ft. high with pits 1 ft. deep, 2 ft.
long & 1 ft. wide as per instruc-
tions for $\frac{1}{4}$ sec. cor.

No trees.

49.83 The cor. to Secs. 7, 8, 17 & 18

Broken. Some grass
No timber of consequence.

Township 5 South Range 16 E.
Gila and Salt River Meridian

North between Secs. 7 & 8
Tas. $14^{\circ}46' E.$

40.00 Set a granite stone $11 \times 9 \times 8$ in. $\frac{2}{3}$
in the ground, marked $\frac{1}{4}$, and
on the N. build md. of earth
2 ft. high with pits 1 ft. deep,
1 ft. long & $\frac{1}{2}$ ft. wide as per in-
structions for $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Set a post 4 ft. long, sq'd 3 in.,
marked & notched and 1 ft in
the ground drive charred stakes
and build md. of stones 2 ft.
high as per instructions for the
abr. to secs. 5, 6, 7 & 8

No trees

Rolling broken,
No timber

Township 5 South Range 16 East
Gila and Salt River Meridian

East on random between Secs. 5 & 8
Var. $14^{\circ}46'E$.

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.27 Intersect the N. & S. line 1800 ft.
S of the cor. to secs. 4, 5, 8 & 9 from
which I run

S. $89^{\circ}52'W$. on a true line between Secs. 5 & 8
Var. $14^{\circ}46'E$.

40.14 Set a granite stone $14 \times 8 \times 6$ in.
 $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$, and on the W. build and
of earth 2 ft. high, with pits $\frac{1}{4}$ ft.
deep 2 ft long & $\frac{1}{4}$ ft wide as per
instructions for $\frac{1}{4}$ sec. cor.
No trees

80.27 The cor. to Secs. 5, 6, 7 & 8

Somewhat broken grass
No timber.

Township 5 South Range 16 East.

Gila and Salt River Meridian

Western true line between Secs. 6 & 7
 Var. $14^{\circ} 46' E$.

9.00 Intersect the left bank of the
 Gila River. Set a post 4 ft long
 3/4 in. marked, 1 ft. in the
 ground, drive charred stakes and
 build ind. sparth 2 ft high
 taken from a pit on the E. as
 per instructions for Cor. to frac.
 tional sec. 6 & 7. No trees
 The river runs S. W. and is $\frac{1}{5}$ m.
 wide. It is the boundary line
 of the ^{San Carlos} White Mountain Indian
 Reservation so I do not run
 further west.

Township 5 South Range 16 East
Gila and Salt River Meridian

North between Secs. 5 & 6

Cor. 14° 46' E.

2.00

Intersect the left bank of the
Gila River, set a post 4 ft. long
sq'd 3 in. 1 ft in the ground. mark
it, drive charred stakes and build
mt. of earth, 2 ft. high taken from
1 part on South as per instru-
tions for cor to fractional Secs.
5, 6. No trees.

The River runs S. of W. and
is 80 yds wide. This is the boundary
line of the ^{Sun} ^{Carson} Division of the
White Mountain Indian
Reservation, so I do not run any
further North.

Dec. 25, 1879.

Meanders of The Gila river in Twp. 5 S,
Range 16 E. Gila & Salt River Meridian

December 24. 1877.

Begin at the fractional corner to sec.
5 & 32, on the N. boundary of Twp. 5 S.
Range 16 E, and run thence on
the S. and left bank of the river
down stream

Var. $14^{\circ}46'$ East

S. $40^{\circ}N$, 22.00 chs. To a Point. Thence
S. $15^{\circ}N$, 40.00 " do. "
S. $22^{\circ}N$, 15.00 " do. "
S. $69\frac{1}{4}^{\circ}N$, 25.00 " To cor. to fraction-
al sec. 5 & 6.

Land, around foot of precipitous mountain
and then along level bottom to rocky bluff.
Some good soil. Brush and a few trees.

From fractional cor. to sec. 5 & 6. Run
West, 17.75 chs. To a Point. Thence
S. $48\frac{1}{4}^{\circ}N$, 3.00 " To cor. to frac-
tional sec. 6 & 7.

Land mostly level bottom. Good soil. A few trees.

Meanders of the Gila River in Twp. 5 S.
Range 16 E. Gila & Salt River Meanders
Continued—

From the cor. to frac. sec. 6 & 7. Thence
S. 45° W., 34.00 chs. To a Point. Thence
S. 10 1/4° E., 15.00 " do "
S. 38 1/2° W., 20.00 " do "
S. 16° W., 23.00 " do "
S. 80° W., 20.00 " To cor. to fraction-
al sec. 7 & 12, on N. boundary of the
Township.

Land in canon mostly. A few trees.

December 25, 1897.

The Gila River in Twp. 5 S. Range 16 E.
forms the S. boundary of the San Carlos
Indian Reservation, and renders
certain of the sections of the Town-
ship fractional. It is not a nav-
igable stream but was meandered
for the above reason.

Final Oath of Deputy Surveyor.

I, John L. Harris

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 17th day of July

1877 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

the subdivision lines of town
Ship 5 S. of Range 16 East of
the Gila and Salt River
Meridian

..... as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

64

BOOK 634

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

John L. Harris
Deputy Surveyor.

Sworn to and subscribed before me, this 8th day of January, 1878

William J. Cohen
Notary Public



List of Names.

BOOK 634

65

BOOK 634

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

the Subdivision lines of
township 3 South of Range
16 East of the Gila and Salt
River Meridian

Showing the respective capacities in which they acted.

Lyman Wakefield Chainman.

Chas. B. Warren Chainman.

Fred. C. Jones, Axeman.

J. B. Chenoweth Flagman.

64

Final Oath of Assistants.

BOOK 634

We hereby certify that we assisted.....

John L. Harris U. S. Deputy Surveyor, in
surveying *The Subdivision*
lines of townships 5 S. of
Range 16 E. of the 6th and
Salt River Meridian

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments
planted according to the instructions furnished by
the Surveyor-General.

Symon Westfield Chainman.
Chas R. Vance Chainman,
Fred. Brown Axeman.
J. P. Ketchum Flagman.

Sworn to and subscribed before me, this *8th*
day of *January*, 187*8*

William J. Gibson
Notary Public

General Description

This township lies in the junction of the Gila and San Pedro Rivers. There is agricultural land along the rivers and water to irrigate it. In the central part it is rolling and good grazing. Along the Eastern border it is hilly & broken. In the lowlands there is cottonwood willow and mesquite timber and elsewhere scattering palm verde and mesquite. The north west cor. of this township is not surveyed that portion N. W. of the Gila River — as it is on the ^{Saucales Division of the} White Mountain Indian Reservation

John S. Harris
U.S. Dep. Surveyor.

68
BOOK 634

U. S. Surveyor General's Office,

TUCSON, ARIZONA, February 28, 1878.

The foregoing Field Notes of the Survey of the

subdivision Lines of
Township 5 South,
Range 16 East,

of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by John L. Harris,

Deputy Surveyor, under his ^{joint} contract of the

14th

day of

July

, 1877, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved.

John Mason,
Surveyor General.