

Recd April 10, 1892

*copies compared*

Platted. x

BOOK 636

Sent to Gen. L. O. May 27/92

Survey approved.

August 31, 1892.

636

4-671

No. 636

**FIELD NOTES**

*of the*  
**GENERAL LAND OFFICE**

*Subdivisions Fractional*

**T5S.R7E**

By Daniel Drummond U.S. D.S.

UNDER CONTRACT, N<sup>o</sup> 19.

Dated June 13, 1891.

Sur. Tp. Commenced Dec. 2/91.

Sur. Tp. Completed Dec. 7/91.

1A

BOOK 636  
BOOK 637  
(4-674.)

Township 5<sup>S</sup>

R. 7<sup>E</sup>

6	5	4	3	2	63	1
						61
7	8	9	10	11	59	12
	12	24	36	56	57	
18	17	10	16	22	15	35
	9	21	33	50	52	
19	20	7	21	19	22	32
	5	18	30	45	47	
30	29	4	28	16	27	29
	3	15	27	40	42	
31	32	1	33	13	34	25
						38
						36

## Subdivisions Fractional T. 5 S. R. 7 E.

Chains

From the Stand. Cor. to Secs 32 and 33 on the S. bd'y of the Tp. which is a post firmly set and properly marked as described in the Field Notes furnished by the Surveyor General, I run

N. 0° 1' E bet Secs 32 & 33

Var 12° 56' E.

Over level ground

40.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on W. face, dug pits 18x18x12 ins N & S. of post  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

42.40 Wagon road from Casa Grande to Florence course N E & W.

67.80 Wash 10 Ws wide course N E.

## Lutdrivini Fractional T. S. R. 7 E

Chassis

80.00

Set a post 4 ft long 4 ins square  
with marked stone 12 ins in  
the ground for cor to Secs 28. 29  
32 & 33. marked

T. S. S. 28 on NE

R. 7 E. S. 33 on SE

S 32 on SW and

S 29 on NW. faces

marked with 1 notch on S and  
4 notches on E edges, dug pits  
18 x 18 x 12 ins in each Sec 5 1/2 ft  
dist and raised a mound of  
earth 2 ft high 4 1/2 ft base around post.

Land level

Soil, gravelly 2<sup>d</sup> rate

Timber, scattering Palo Verde.

Subdivision Rectangular T.S. R 7 E.

Thence  
 S  $89^{\circ} 33' W.$  on a random line parallel  
 to S. bd'g of Secs 32 bet Secs 29 & 32.  
 Var.  $12^{\circ} 56' E.$

Over broken ground.

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

80.06 Intersect N & S line 5 Mos. S. of the  
 cor to Secs 29, 30, 31 & 32

Thence I run

N.  $89^{\circ} 35' E.$  bet Secs 29 & 32

Var  $12^{\circ} 56' E.$

4.50 Ascend ridge

12.80 Top of ridge, course N  $6^{\circ} E$  & S  $W$  <sup>2nd</sup> descend

23.00 Enter on mesa

40.03 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on N. face dug pits 18 X 18 X 12  
 ins E & W. of post 5  $\frac{1}{2}$  ft dist and  
 raised a mound of earth 1  $\frac{1}{2}$  ft

Subdivision Fractional T5 S. R7 E  
 Chas

- 72.70 high  $3\frac{1}{2}$  ft base around post  
 Wagon road from Casa Grande  
 to Florence Course NE & SW.  
 80.06 The cor to Secs 28-29-32 & 33

Land broken

Soil, gravelly 2<sup>d</sup> rate

Timber scattering Palo Verde.

N.0°1'E bet Secs 28 & 29

Var 12°56'E.

Over rolling ground.

- 5.20 Wagon road from Casa Grande to  
 Florence course E & W.  
 20.00 Leave bottom and ascend  
 40.00 Set a granite stone  $20 \times 8 \times 4$  in  
 15 in in the ground for  $\frac{1}{4}$  Sec  
 Cor. marked  $\frac{1}{4}$  on W. face, and  
 raised a mound of stone  $1\frac{1}{2}$  ft  
 high 2 ft base along side. Pits

## Subdivision Fractional S. R. 7 E.

Chains

impracticable.

42.00 Top of ridge and descend

55.20 Wash 10 lks wide course NE.

78.50 Wash 15 lks wide, course NE.

80.00 Set a granite stone 30 x 20 x 6 in<sup>in</sup> 23

in the ground for cor to Secs 20-21

28 &amp; 29 marked with 2 notches on

S. and 4 notches on E face and

raised a mound of stone 1 1/2 ft

high 2 ft base along side. Pits

impracticable.

Land rolling

Soil gravelly 2<sup>d</sup> rate

Timber, scattering Palo Verde.

S. 89° 35' W on a random line bet

Secs 20 &amp; 29

Var. 12° 56' E.

40.00 Set tempo 1/4 Sec Cor.

## Subdivision Fractional T5 S. R7 E.

Chains

80.02 Intersect N & S line 10 lks S of cor  
to Secs 19.20.29.30

Thence S run

N89°39'E on a true line bet  
Secs 20 & 29

Var 12°56'E.

0.40 Wash 10 lks wide course SW

11.30 Wash 10 lks wide course SW.

23.60 Wash 10 lks wide course SW.

40.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins with  
ground for  $\frac{1}{4}$  Sec cor marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18x18x12  
ins E & W. of post 5  $\frac{1}{2}$  ft dist  
and raised a mound of earth  
1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft bear around post

57.90 Base of mountain ridge and ascend

65.80 Top of ridge bears NE &amp; SW and descend

76.05 Enter bottom and base of mountain



## Subdivision Fractured to S. R. 7 E.

Chains

bears NE &amp; SW.

80.02 The cor. to Secs 20, 21, 28 &amp; 29

Land partly mountainous.

Soil, rocky and gravelly 3<sup>d</sup> rate

Timber Scattering Palo Verde.

Mountainous 18, 15 chains

N 0° 1' E. bet Secs 20 &amp; 21

Var 12° 56' E

Ascend

4.50 Base of mountain Course NE &amp; SW.

14.30 Top of ridge, bears N &amp; S and descend

34.10 Enter bottom. Base of mountain  
bears NW and SE.40.00 Set a post 4 ft long 4 ins square  
12 ins in the ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  S on W. face; dug pits  
18 x 18 x 12 ins 5 $\frac{1}{2}$  ft dist N & S of  
post and raised a mound  
of earth 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base

## Subdivision Fractional T. 5 S. R. 7 E.

Chains

around post.

56.60 Wash 10 lbs wide, course at E.

80.00 Set a post 4 ft long 4 in square  
with marked at one 12 in in the  
ground for cor to Secs 16-17-20 & 21  
marked

T. 5 S. 16 on NE

R 7 E S 21 on SE

S 20 on SW and

S 17 on NW face, with  
3 notches on S and 4 notches on  
E edges, dug pits 18 X 18 X 12 in in  
each sec 5 1/2 ft dia. and raised  
a mound of earth 2 ft high, 4 1/2 ft  
base around postLand mountainous for 30 chs below  
level.Soil rocky & gravelly 3<sup>d</sup> and 4<sup>th</sup> rate

Subdivision fractional T.S.R. 7 E.

Thorne

Timber scattering Palo verde.

$N. 89^{\circ} 39' W.$  on a random line  
bet Secs 17 & 20

Var.  $12^{\circ} 56' E$

Over mountainous country.

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

80.00 Intersect N & S line 3 1/2 m S. of the  
cor to Secs 17, 18, 19 & 20

Thence S run

$N. 89^{\circ} 40' E$  on a true line bet  
Secs 17 & 20

Var  $12^{\circ} 56' E$

40.00 Set a granite stone  $24 \times 10 \times 4$  ins  
18 ins in the ground for  $\frac{1}{4}$  Sec  
Cor. marked  $\frac{1}{4}$  on N. face, and  
raised a mound of stone  $1\frac{1}{2}$  ft  
high 2 ft base, alongside. Pits  
impracticable.

Subdivision Section 16 & 17 S 1 R 7 E  
 chains

- 42.80 Base of mountain bears NW & S.  
and ascend
- 53.40 Top of ridge bears NW & SE and  
descend
- 61.20 Base of mountain bears NW & SE.  
enter mesa
- 80.00 The cor to Secs 16, 17, 20 & 21  
Land partly mountainous and  
partly level.  
Soil rocky and gravelly 1<sup>st</sup> & 2<sup>d</sup> dist.  
Timber scattering Palo Verde.  
Mountainous, 18.40 chs.
- 
- N 0° E bet Secs 16 & 17  
 Dip - 12° 56' E.  
 Over rolling land.
- 12.80 Wash 15 yds wide, course NE.
- 40.00 Set a post 4 ft long 4 in square  
with marked stone 12 in in  
the ground for 1/4 Sec cor. marked

Subdivision Fractional T.S. R 76.

Cham

1/4 S. on W. face, dug pits 18 X 18 X 12  
ins N & S of post and raised  
a mound of earth 1 1/2 ft high  
3 1/2 ft base around post.

80.00 Set a post 4 ft long 4 ins square  
with marked above 12 ins. in the  
ground for Cor to Secs 8, 9, 16 X 17  
marked

T.S. S 9 on NE.

R 76 - S. 16 on SE

S 17 on SW and

S 8 on NW face

marked with 4 notches on S & E  
edges and raised a mound of  
earth 2 ft high 4 1/2 ft base around  
post.

Land rolling

Soil rocky and gravelly, ord. rate  
Timber scattering, Palo Verde

## Subdivision Fractional T-S. R. 76

Chains

S.  $89^{\circ}40'W$ . on a random line  
bet Secs 8 & 17

Var.  $12^{\circ}56'E$

Over mountainous country.

40.00 Set temp  $\frac{1}{4}$  Sec Cor

80.08 Intersect N & S. line 10 lks N. of  
the cor. to Secs 7, 8, 17 & 18

Thence I run

N  $89^{\circ}36'E$  on a true line bet Secs  
8 & 17

Var.  $12^{\circ}56'E$ . Ascend.

11.30 Top of ridge courses N  $6^{\circ}$  & S  $W$ . and  
descend.

24.80 Base of mountain bears N  $6^{\circ}$  & S  $W$   
enter mesa.

40.04 Set a granite stone  $20 \times 15 \times 8$  ins  
15 ins in the ground for  $\frac{1}{4}$  Sec  
Cor. marked  $\frac{1}{4}$  on N. face and  
raised a mound of stone  $1\frac{1}{2}$  ft

Subdivisions Fractional T5 S. R7 E.

Items

with 2 ft bar alongside. Pits  
impracticable.

80.08 The bar to Secs 8, 9, 16 & 17

Land partly mountainous.

Soil rocky and gravelly 3<sup>d</sup> and  
4<sup>th</sup> rate.

Timber scattering Palo Verde.

Sec 2<sup>d</sup> 1891

mountainous 24.80. chs

From the Standard Cor. to Secs 33 &  
34 on the S. side of the Township  
which is a post firmly set and  
properly marked as described  
in the Field Notes furnished by the  
Surveyor General, I run

N. 0° 2' E bet Secs 33 & 34

Var. 12° 56' E

Over level ground.

Subdivision of Fractional T. 5 S. R 7 E  
 Chems

- 9.70 Stage road from Casa Grande  
 to Florence course NE & SW.
- 11.20 Telegraph line from Casa Grande  
 to Florence runs NE & SW.
- 40.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in  
 the ground for  $\frac{1}{4}$  sec cor. marked  
 $\frac{1}{4}$  S on W. face, dug pits 18 X 18  
 X 12 ins N & S. of post  $5\frac{1}{2}$  ft dist  
 and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
- 79.35 Wagon road from Casa Grande  
 to Florence, course E & W.
- 86.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in  
 the ground for cor. to Sec 27.  
 28.33 X 34. marked  
 T. 5 S. S 27 on NE  
 R 7 E. S 34 on SE



Subdivisions Fractional T<sub>5</sub> S. R 7 E.

S 33 on SW and

S 28 on NW face, with <sup>marked</sup> ~~marked~~  
one S and 3 notches on E edges,  
dug pits 18 X 18 X 12 ins in each  
Sec. 5 1/2 ft dist. and raised a  
mound of earth 2 ft 2 yd 4 1/2 ft  
base around post.

Land level

Soil sandy loam 1<sup>st</sup> rate

Timber scattering mesquite brush

Fence I run N 89° 26' W. on a  
random line parallel to the S. side  
of Sec 33 bet Sec 28 & 33.

Var. 12° 56' E.

40.00 Set temp 1/4 Sec bar.

79.80 Intersect N & S line 10 Chs N. of  
the cor to Secs 28-29-32 & 33

Fence I run

Subdivision Fractional T5 S. R 76

Chorus

- S. 89° 30' E on a true line bet Secs  
28 & 33.
- 39.90. Set a post 4 ft long 4 ins square  
with marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. cor. marked  
 $\frac{1}{4}$  S. on N. face dug pits 18 x 18 x 12  
ins E & W. of post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
- 56.00 Wagon road from Casa Grande  
to Florence course East only and West only.
- 79.80 The cor to Secs 27, 28, 33 & 34.  
Land level, soil sandy loam.  
Timber, scattering mesquite brush.
- N. 0° 2' E bet Secs 27 & 28  
Var. - 12° 56' E.
- Over level ground.
- 35.85 Wagon road from Casa Grande

Subdivision Fractional T. 5 S. R 7 E

Chairs

to Florence corner NE & SW.

40.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  S. on W. face, dig pits 18 X 18 X 12 ins N & S of post  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft high,  $3\frac{1}{2}$  ft base around post.

80.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for cor. to Secs 21. 22. 27 & 28 marked

T. 5 S. S. 22 on NE.

R 7 E. S. 27 on SE

S. 28 on SW and

S. 21 on NW. face marked with 2 notches on S. and 3 notches on E faces, dig pits 18 X 18 X 12 ins in each Sec.  $5\frac{1}{2}$  ft

Subdivisions Tracterial T5. R7E.  
Chains

dist. and raised a mound of earth 2 ft high 4 1/2 ft base around post.

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber scattering mesquite.

N. 89° 30' W. on a random line  
bet Secs 21 & 28

Dir. 12° 56' E.

Over level ground.

40.00 Set temp 1/4 Sec cor.

79.94 Intersect N & S line 5 Ch. N  
of the Cor. to Secs 20-21-28 & 29

Thence I run

S 89° 32' E on a true line  
bet Secs 21 & 28.

Dir. 12° 56' E.

39.97 Set a post 4 ft long 4 in square

## Subdivision of Fractional T5 S. R7 E.

Main

with marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on N. face, dug pits 18 X 18 X 12 ins E & W. of post  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post

79.94 The cor to Secs 21. 22. 27 & 28  
Land level

Soil, sandy loam, 1<sup>st</sup> rate  
Timber, scattering mesquite.

N. 0° 2' E bet. Secs 21 & 22

TW 12° 56' E

Over level ground

79.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on W. face, dug pits 18 X 18 X 12 ins. N & S of post  $5\frac{1}{2}$  ft dist

Subdivision's Fractional T. 5 S. R. 7 E  
 Chams

and raised a mound of earth  
 1 1/2 ft high 3 1/2 ft base around post  
 80.00 Set a post 4 ft long 4 in square  
 with marked stone 12 in in  
 the ground for cor to Sec 15. 16. 21  
 & 22. marked

T. 5 S. S. 15 on NE

R. 7 E S. 22 on SE

S. 21 on SW and

S. 16. on NW. posts

with 3 matches on S and E  
 edges, dug pits 18 X 18 X 12 in in  
 each Sec. 5 1/2 ft dist and raised  
 a mound of earth 2 ft high 4 1/2 ft  
 base around post.

Land level.

Soil, sandy loam 1<sup>st</sup> rate

Timber scattering mesquite brush.

Subdivisions Fractional T<sub>5</sub> S. R 7 E.

Lines

N.  $89^{\circ}32'$  W. on a random line  
bet Secs 16 & 21

Var.  $12^{\circ}56'$  E.

Over level ground.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

79.98 Intersect N & S line 7<sup>th</sup> S of  
the cor to Secs 16. 17. 20 & 21

Thence I run

S.  $89^{\circ}29'$  E on a true line bet  
Secs 16 & 21

Var.  $12^{\circ}56'$  E

39.99 Set a post  $\frac{1}{2}$  ft long 4 ins square  
with marked stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  S.  
on N. face, dug pits  $18 \times 18 \times 12$  ins  
E & W. of post  $5\frac{1}{2}$  ft dist. and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around post.

79.98 The cor to Secs 15. 16. 21 and 22

Subdivision Fractional T. 5 S. R. 7 E  
 Chain.

Land level.

Soil sandy loam 1<sup>st</sup> rate.

Timber, scattering mesquite brush

N. 0° 2' E. bet Secs 15 & 16

Var. 12° 56' E.

Over level ground.

- 33.15 Wagon road from Location to Florence, bears S E & N W.
- 36.15 Wash 60 lbs wide course N E.
- 40.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  Sec on W face, dug pits 15 x 15 x 12 ins N & S of post 5  $\frac{1}{2}$  ft dist and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around post.
- 47.60 Wash 15 lbs wide, course N E.
- 73.25 Wash 15 lbs wide, course East only



Subdivision Fractional T. 5 S. R. 7 E.  
~~Thems~~

80.00 Set a post 4 ft long 4 ins. square  
 with marked stone 12 ins. in the  
 ground for cor to Secs 9, 10, 15 & 16  
 marked

T. 5 S. S. 10 on NE.

R. 7 E. S. 15 on SE

S. 16 on SW and

S. 9 on NW face, with  
 4 notches on S and 3 notches  
 on E edges, dug pits 18 X 18 X 12 ins  
 in each sec 5 1/2 ft dist and  
 raised a mound of earth 2 ft  
 high 4 1/2 ft base around post  
 Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber, scattering mesquite

Subdivision Fractional T. 5. R. 7. E.  
 Chain

N.  $89^{\circ}29'W.$  on a random line  
 bet Secs 9 & 16

Var.  $12^{\circ}56'E.$

Over level ground.

40.00 Set temp  $\frac{1}{4}$  sec cor.

80.00 Intersect N & S. line 5 lks N.  
 of the cor. to Secs 8, 9, 16 & 17

Thence I run

S.  $89^{\circ}31'W.$  on a true line bet  
 Secs 9 & 16

Var.  $12^{\circ}56'E$

18.00 Wash 10 lks wide, course East only

19.20 Recross same wash, 10 lks wide,  
 course East only.

40.00 Set a sandstone  $24 \times 8 \times 4$  ins  
 18 ins. in the ground for  $\frac{1}{4}$  sec  
 cor. marked  $\frac{1}{4}$  on N. face,  
 dug pits  $18 \times 18 \times 12$  ins. E. & W.  
 of stone  $5\frac{1}{2}$  ft dist. and raised

Subdivision Tractorial T5 T. R 7 E  
 Trains

an mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base along side.

80.00 The cor to Secs 9, 10, 15 & 16.

Land level

Soil sandy loam 1<sup>st</sup> rate.

Timber scattering mesquite brush.

Dec 3<sup>d</sup> 1891

From the Standard Cor to Secs  
 34 & 35 on the S. bd'y of the Tp.  
 which is a post firmly set and  
 properly marked as described  
 in the Field Notes furnished  
 by the Surveyor General & run  
 N. 0° 2' E bet Secs 34 & 35

Var. 12° 56' E.

Over level ground.

28.40 Stage road from Casa Grande  
 to Florence, course N 6° E & S W.

Subdivision Fractional T.S. R7E  
 Chams

- 40.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in the  
 ground for  $\frac{1}{4}$  Sec Cor marked  
 $\frac{1}{4}$  S. on W. face, dug pits 18X18X12  
 ins N & S. of post 5  $\frac{1}{2}$  ft dist and  
 raised a mound of earth 1  $\frac{1}{2}$  ft  
 high 3  $\frac{1}{2}$  ft base around post.
- 45.50 Telegraph line from Casa Grande  
 to Florence runs NE & SW.
- 79.20. Wagon road from Casa Grande  
 to Florence course Eastward and  
 Westward.
- 80.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in  
 the ground for cor to Secs 26.27  
 34 & 35 marked.  
 T.S. S. 26 on NE  
 R7E. S 35 on SE.  
 S. 34 on SW

Subdivision Fractional T. 5 S. R. 7 E.

Rems

and S. 27 on NW. face, with  
 1 notch on S and 2 notches on  
 E. edges, dug pits 18 x 18 x 12 ins  
 in each Sec. 5 1/2 ft dist. and  
 raised a mound of earth 2 ft  
 high 4 1/2 ft base around post.  
 Land level

Soil sandy loam 1<sup>st</sup> rate

Timber scattering near into brush.

N. 89° 57' W. on a random line  
 parallel to S. bdy of S. 34 bet

Secs 27 & 34

Dir. 12° 56' E

Over level ground

70.00 Set temp 1/4 Sec cor.

80.04 Intersect N. & S line 5 Mo N.  
 of the cor to Secs 27, 28, 33 & 34  
 Thence I run

Subdivision Tracterial T.S. R7E  
 Chain

S  $89^{\circ}53'6''$  on a true line bet  
 Secs 27 & 34

Var.  $12^{\circ}56'6''$ .

5.00 Santa Cruz creek 70 fms wide  
 course NE & SW.

40.02 Set a post 4 ft long 4 ins square  
 with marked above 12 ins in  
 the ground for  $\frac{1}{4}$  Sec Cor. marked  
 $\frac{1}{4}$  S. on N. face; dug pits 18x18x12  
 ins E & W. of post  $5\frac{1}{2}$  ft dist and  
 raised a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base around post.

80.04 The cor to Secs 26, 27, 34 & 35  
 Land level.

Soil sandy loam 1<sup>st</sup> rate

Timber scattering mesquite brush

Subdivision Fractional T. 5 S. R. 7 E.

Chambers

N. 0° 2' E bet Secs 26 & 27

Or 12° 56' E.

Over level ground

7.60 Wagon road from Casa Grande  
to Florence (branch road) bears N E & S W

20.00 Enter dense mesquite brush bears N E & S W

40.00 Set a post 4 ft long 4 ins square with  
marked stone 12 ins in the ground  
for 4 Sec cor. marked  $\frac{1}{4}$  S. or W.  
face dug pits 18 X 18 X 12 ins N & S.  
of post 18 X 18 X 12 ins.  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around post.

40.20 Leave dense mesquite brush bears N E & S W

59.60 Enter dense mesquite brush bears N E & S W

76.30 Leave dense mesquite brush bears N E & S W

88.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in  
the ground for cor to Secs 22

Subdivision Fractional F.S. R 7E  
 Chamo

23, 26 & 27 marked

F.S. S. 23 on NE

R. 7E. S. 26 on SE

S. 27 on SW and

S. 22 on NW faces

with 2 notches on S and E edges  
 dug pits 18 X 18 X 12 ins in each  
 Sec 5 1/2 ft dist and raised a  
 mound of earth 2 ft high 4 1/2 ft  
 base around post.

Land level

Soil sandy loam 1<sup>st</sup> rate

Timber mesquite brush.

Dense S. G. Co. Cu.

N. 89° 53' W. on a random line  
 bet Secs 22 & 27

Var 12° 56' E.

Over level ground

40.00 set temp 1/4 Sec bar.



## Subdivision Fractional T.S.R. 7E

Trains

- 80.10 Intersect N & S. line 5<sup>th</sup> N. of  
the bar to Secs 21. 22. 27 & 28  
Thence I run  
S.  $89^{\circ}55' E.$  on a true line bet  
Secs 22 & 27  
Var.  $12^{\circ}56' E.$
- 23.15 Wash 15<sup>th</sup> wide course N.E.
- 40.05 Set a post 4 ft long 4 ins. square  
with marked stone 12 ins in the  
ground for  $\frac{1}{4}$  sec bar. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 15x18x12  
ins E & W. of post 5 $\frac{1}{2}$  ft dirt  
and raised a mound of earth  
1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base around post.
- 50.40 Branch road bears N.E. & S.W.
- 55.15 Enter dense mesquite brush  
bears N & S.
- 55.25 Santa Cruz wash 25<sup>th</sup> wide  
course N & S.

Subdivision Tract 55. R 7 E.

Chamo

80.10 The cor to Secs 22. 23. 26 & 27.

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber mesquite brush.

dense 24. 85.

No 2' C. bet Secs 22 & 23.

Var 12° 56' E.

Over level ground.

40.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in the  
ground for 1/4 Sec Cor. marked  
1/4 S. on W. face, dug pits 18 X 18 X 12  
ins N & S. of post 5 1/2 ft dist and  
raised a mound of earth 1 1/2 ft  
high 3 1/2 ft base around post.

40.20 Wagon road from Secaton to  
Florence corner NW & S E.

80.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in

# Subdivision Fractional T. 5 S. R. 7 E

Main

the ground for cor to Secs 14, 15  
22 & 23 marked

T. 5 S. S. 14 on NE

R. 7 E. S. 23 on SE

S. 22 on SW end

S. 15 on N.W. face

with 3 notches on S and 2 notches  
on E. edges, dug pits 18x18x12 in  
in each Sec 5 1/2 ft. dia. and raised  
a mound of earth 2 ft high 4 1/2 ft  
base around post.

Land level

Soil, sandy loam, 1<sup>st</sup> rate.

Timber, dense mesquite brush.

N. 89° 55' W. on a random line  
bet Secs 15 & 22

Ver. 12° 56' E.

Over level ground.

Subdivision Fractional T. 5 S. R. 7 E  
Main

- 40.00 Set temp  $1\frac{1}{4}$  Sec cor.
- 80.20 Intersect N. & S line 7  $\frac{1}{4}$  Sec S. of the  
Cor to Secs 15. 16. 21 & 22.
- Thence I run
- S  $89^{\circ} 52' E$  on a true line bet  
Secs 15 & 22.
- Var.  $12^{\circ} 56' E$ .
- 21.10 Wagon road from location to  
Florence course S E and N W.
- 39.00 Enter dense mesquite brush near N & S
- 40.10 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in the  
ground for  $1\frac{1}{4}$  Sec cor. marked  
 $1\frac{1}{4}$  S. on N. face, dug pits 15 x 18 x 12  
ins E & W. of post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.
- 42.20 Santa Cruz Wash 25  $\frac{1}{4}$  Sec wide  
course North
- 79.10 Leave dense mesquite brush

Subdivision Tracterial T. 5 S. R. 7 E.

Trains

80.20 The cor to Secs 14, 15, 22 & 23.

Land level

Soil sandy loam 1<sup>st</sup> rate

Timber mesquite brush dense  
Hoche

N<sup>0</sup> 2' E. bet Secs 14 & 15

Var. 12° 56' E.

Over level ground.

40.00 Set a post 4 ft long 4 in's square with marked stone 12 in's in the ground for "4 Sec  
Cov. marked "4 S. on W. face  
dug pits 18x18x12 in's N & S. of  
post 5 1/2 ft dist and raised  
a mound of earth 1 1/2 ft high  
3 1/2 ft base around post.

60.00 Enter dense mesquite brush.

80.00 Set a post 4 ft long 4 in's square with marked stone 12 in's in

Subdivision Fractional T5 S. R7 E.  
 Trano

the ground for cor to Secs 10-11  
 14 & 15 marked

T5 S. S 11 on NE

R7 E. S. 14 on SE

S. 15 on SW and

S 10 on NW. faces

with 4 notches on S and 2 notches  
 on E edges, dug pits 18x18x12 ins  
 in each Sec 5 1/2 ft dia. and  
 raised a mound of earth 2 ft  
 high 4 1/2 ft base around post.

Land level

Soil sandy loam 1<sup>st</sup> rate

Timber, mesquite bush, dense  
 20 dia.

N. 89° 52' W. on a random line  
 bet Secs 10 & 15

Var. 12° 56' E.

Over level ground

Subdivision Fractional T5 S. R7 E.

Hours

- 40.00 Set temp  $\frac{1}{4}$  Sec Cor.
- 80.00 Intersect N $\frac{1}{2}$  S line 5 $\frac{1}{2}$  kts S.  
of the cor to Secs 9, 10, 15 & 16  
Thence I run  
S.  $89^{\circ}50'E$  on a true line bet  
Secs 10 & 15  
Var.  $12^{\circ}56'E$ .
- 34.00 Enter very dense mesquite  
thicket bears N $\frac{1}{2}$  S.
- 40.00 Set a post 4 ft long 4 ins square  
24 ins in the ground for  
 $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on N  
face from which  
A mesquite tree 8 ins diam  
bears  $57^{\circ}30'E$ . 18 kts dist marked  
 $\frac{1}{4}$  S. B. T.
- A mesquite 10 ins diam. bears  
N.  $53^{\circ}30'E$ . 18 kts dist. marked  
 $\frac{1}{4}$  S. B. T.

Subdivision Fractional T. 5 S. R. 7 E.  
Chain no.

53.00 Leave very dense mesquite thicket  
bears N & S.

69.90 Upon road from Peaa Grande  
to Gila river course Northerly  
and Southerly.

80.00 The cor to Secs 10. 11. 14 & 15  
Land level

Soil sandy loam 1<sup>st</sup> rate

Timber, mesquite brush dense

Dec 4. <sup>19</sup> 1891

From the Standard Cor to Secs  
35 & 36 on the S. bd'y of the Tp.  
which is a post firmly set and  
properly marked as described  
in the Field Notes furnished  
by the Surveyor General  
Gunn N<sup>o</sup> 3 'E. bet Secs 35 & 36  
Var 12° 56' 'E.



Subdivision Fractional T. 5 S. R. 7 E

Chains

Over level ground.

- 40.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  sec bar marked  $\frac{1}{4}$  S. on W. face, dug pits 18 X 18 X 12 ins N & S of post 5  $\frac{1}{2}$  ft dist and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around post
- 60.70 Stage road from Casa Grande to Florence course NE & SW.
- 77.90 Telegraph line from Casa Grande to Florence bears NE & SW.
- 80.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for cor to Secs 25 26. 35 & 36 marked  
 T. 5 S. S. 25 on NE  
 R 7 E. S. 36 on SE.  
 S. 35 on SW.

Subdivision Tract No. 15 S. R. 7 E  
 Tharus

and S. 26 on NW. face with  
 1 notch on S and E. edges dug  
 pits 18x18x12 ins in each Sec  
 5 1/2 ft dist. and raised a mound  
 of earth 2 ft high 4 1/2 ft base  
 around post.

Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber mesquite brush.

N. 89° 32' W. on a random line  
 parallel to S. by bet Secs 26 & 35  
 Var. 12° 58' E.

Over level ground.

40.00 Set temp 1/4 Sec Cor.

79.84 Intersect N. & S line 7 lks S.  
 of the cor. to Secs 26. 27. 34 & 35

Thence I run

S 89° 29' E on a true line bet

Subdivision Fractional T. 5 S. R. 7 E

thams

Secs 26 & 35

Bear 12° 56' E.

39.00 Wagon road from Casa Grande  
to Florence, course N E & S W.

39.92 Set a post 4 ft long 4 in square  
with marked stone 12 in in the  
ground for  $\frac{1}{4}$  sec cor. marked  
 $\frac{1}{4}$  S. on N face, dug pits 18 x 18  
x 12 in E & W of post 5 ft  
dist. and raised a mound of  
earth  $1\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft base  
around post.

79.84 The cor to Secs 25, 26, 35 & 36  
Land level

Soil sandy loam 1<sup>st</sup> rate  
Timber, mesquite brush

Subdivision Tracterial T5 L. R76

Chaus

S  $89^{\circ}38'E$  on a true line parallel  
to S. bd'y of Tp bet Secs  
25 & 36.

Var.  $12^{\circ}56'E$ .

Over level ground.

- 5.40 Telegraph line from Casa Grande  
to Florence. course NE & SW.
- 27.90 Stage road from Casa Grande to  
Florence, bears NE & SW
- 40.00 Set a post 4 ft long 4 in square  
24 in in the ground for  $\frac{1}{4}$  sec  
Cor. marked  $\frac{1}{4}$  S. on N. face  
from which  
A mesquite 5 in diameter, bears  
N  $75^{\circ}$  W. 40 th dist. marked  $\frac{1}{4}$  S B T.  
No other tree within limit
- 118.64 Intersect the E bd'y of the Tp.  
at a point S.  $0^{\circ}14'E$ . 33.40 chs  
from the Cor to Secs 30 & 31 ~~Sp~~

Subdivision Fractional T5 S. R7E

Chorus

Tp 5 S. R 8 E. previously re-  
established and herein before  
described by me; where I set  
a post 4 ft long 4 ins square with marked stake  
12 ins in the ground for closing  
Cor to Secs 25 & 36 marked

C.C. T. 5 S. R 7 E on W.

S. 25 on N and

S. 36 on S. faces

with 5 notches on N and 1 notch  
on S faces; dug pits 18 x 18 x 12 ins  
N, S and W. of post 5 1/2 ft  
dist and raised a mound  
of earth 2 ft high 4 1/2 ft base  
around post

Land level

Soil sandy loam 1<sup>st</sup> Rate

Timber mesquite brush.

Subdivision Tracterial T. 5 S. R. 7 E  
 Chain

N<sup>o</sup> 3' E bet Secs 25 & 26

Var 12° 56' E.

Over level ground.

40.00 Set a post 4 ft long 4 in square  
 with marked stone 12 in in the  
 ground for  $\frac{1}{4}$  Sec line marked  $\frac{1}{4}$  Sec  
 on N. face, dug pits 18 x 18 x 12 in  
 N & S of post 5  $\frac{1}{2}$  ft diam. and raised  
 a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft  
 base around post from which

A mesquite 30 in diam bears N 70

E. 40 Mo dist marked  $\frac{1}{4}$  S. B. T.

61.70 <sup>No other trees within quarter</sup>  
 Wagon road from Co. a. Grande  
 to Florence course N 6° of S W.

80.00 Set a post 4 ft long 4 in square  
 with marked stone 12 in in  
 the ground for cor to Secs 23.  
 24. 25 & 26. marked

T. 5 S. S. 24 on N 6.

## Subdivision Frederick T. S. R. &amp; C.

Rains

R 7 E S. 25 on SE

S. 26 on SW and

S. 23 on NW. faces, with

2 notches on S and 1 notch on

E edges, dug pits 18 X 18 X 12 ins in

each sec. 5 1/2 ft dist and

raised a mound of earth 2 ft

high 4 1/2 ft base around feet.

Land level.

Soil, sandy loam 1<sup>st</sup> rate

Timber, mesquite brush.

N. 89° 29' W. on a random line

bet Secs 23 &amp; 26

Var 12° 56' E.

Over level ground:

40.00 Set temp 1/4 Sec bar.

79.90 Intersect N & S line 10 lks N.  
of the bar to Secs 22-23-26 & 27

Subdivision Fractional T. 5 S. R. 7 E.  
Chains.

Thence I run  
S  $89^{\circ} 33' E$  on a true line bet  
Secs 23 & 26.  
Dist.  $12^{\circ} 56' E$ .

- 22.80 Enter dense mesquite brush  
bearing N & S.
- 39.95 Set a post 4 ft long 4 ins square  
with marked above 12 ins in  
the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S. on N. face dug pits 18 x 18  
x 12 ins E & W. of post  $5\frac{1}{2}$  ft  
dist and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.
- 60.00 Beyond road from location to  
Florence corner N & S E.
- 79.90 Thence to secs 23. 24. 25 & 26  
Land level  
Soil sandy loam 1<sup>st</sup> rate



Subdivision Fractional F.S.L. R7E.

Chains

Timber dense mesquite  
brush for 57 chs.

S.  $89^{\circ}38'E$ . on a true line bet  
Secs 24 & 25  
Dm.  $12^{\circ}56'E$ .

Over-level ground

40.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in the  
ground for  $\frac{1}{4}$  sec cor. marked  
 $\frac{1}{4}$  S. on N. face dug pits 18x18  
x12 ins E & W. of post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around  
post. From which  
the S.E. cor. of Fred. J. Williams'  
house bears  $N64^{\circ}W$ . 12.30 chs dist.

61.40 Wagon road from Casa Grande  
to Florence course  $N6^{\circ}E$  &  $NW$ .

Subdivision Fractional T. 5 S. R. 7 E.

Main

118.20 Intersect the E. bd'y of the Tp. at  
at a point S.  $0^{\circ}14'E$ . 33.36 chs  
from cor to Secs 19 & 30 T. 5 S.  
R & E. previously re-established  
and hereinbefore described by  
me. I set a post 4 ft long,  
4 ins square with marked  
stone 12 ins in the ground for  
closing cor to Secs 24 & 25  
marked

C. C. T. 5 S. R. 7 E on W.

S 24 on N and

S 25 on S faces

with 4 notches on N and 2  
notches on S faces dry pits 18 X  
18 X 12 ins N. S. & W. of post  
5 1/2 ft dist and raised a  
mound of earth 2 ft high 4 1/2 ft  
base around post.

Subdivision Fractional T.S. R. 76.

Chains

Land level

Soil sandy loam 1<sup>st</sup> rate

Timber mesquite brush

N. 0° 3' 6" bet. Secs 23 & 24

Cor. 12° 56' E.

Over level ground

40.00 Set a post 4 ft long 4 in square with marked stone 12 in in the ground for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  sec on N. face, dig pits 15 x 18 x 12 in. N. of post 5  $\frac{1}{2}$  ft dist and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around post.

80.00 Set a post 4 ft long 4 in square with marked stone 12 in in the ground for cor. to Secs 13-14, 23 & 24 marked

Subdivision Fractional T58 R7E.  
 Charus.

T. 5 S. S. 13 on NE

R7E S. 24 on SE.

S. 23 on SW. end

S 14 on NW. faces

with 3 notches on S and 1 notch  
 on E edges dry pits 18x18x12  
 ins in each Sec 5 1/2 ft dist. and  
 raised a mound of earth  
 2 ft high 4 1/2 ft high around post  
 Land level

Soil, sandy loam 1<sup>st</sup> rate

Timber mesquite brush

Dec. 5<sup>th</sup> 1891.

N. 89° 33' W. on a random line  
 bet Secs 14 & 23

Var. 12° 56' E.

Over level ground.

40.00. Set temp 1/4 Sec low.

Subdivision Fractional T5. L. R7 C.

memo

- 86.00 Intersect N & S line at the cor to  
Secs 14, 15, 22 & 23  
Hence I run  
S.  $89^{\circ}33'$  E on a true line bet  
Secs 14 & 23  
For  $12^{\circ}56'$  E.
- 10.00 Leave dense mesquite brush  
bearing N & S.
- 40.00 Set a post & plow 4 ins square  
with marked stone 12 ins in  
the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18 x 18  
x 12 ins E & W of post  $5\frac{1}{2}$  ft  
dist and raised a mound  
of earth 1 $\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.
- 86.00 The cor to Secs 13, 14, 23 & 24  
Land level  
Soil, sandy loam 1<sup>st</sup> rate

Subdivision Fractional T. 5 S. R. 7 E  
 Chain

Timber, mesquite bush.  
 dense 10 chs

S.  $89^{\circ}38'6''$  on a true line bet  
 Secs 13 & 24

Var.  $12^{\circ}56'6''$

Over level ground.

31.00 Enter dense mesquite bush  
 bears N & S.

40.00 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in  
 the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S. on N. face, dug pits 18 x 18  
 x 12 ins E & W. of post 5  $\frac{1}{2}$  ft  
 dist. and raised a mound  
 of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base  
 around post.

92.30 Leave dense mesquite bush  
 bearing N & S.

117.82 Intersect E bdy of Tp. at a

Subdivision Fractional T5 S. R7 E.

Chains

point S.  $0^{\circ} 14' E.$  - 33.32 chs from  
 cor to Secs 18 & 19 T. 5 S. R 8 E.  
 which is a post previously established  
 and heretofore described by me  
 where I set a post 4 ft long  
 4 ins square with marked stone  
 12 ins in the ground for closing  
 cor to Secs 13 & 24 marked  
 C. 6 T. 5 S. R 7 E on W.

S 13 on N

and S. 24 on S face  
 with 3 notches on N & S faces  
 dug pits 18 x 18 x 12 ins N. S and  
 W. of post  $5 \frac{1}{2}$  ft diam. and raised  
 a mound of earth 2 ft high  $4 \frac{1}{2}$  ft  
 base around post.

From which

The S. E. cor. of Jas Phelps' Cabin  
 bears  $N 26^{\circ} W$  - 6.52 chs dist, the

Subdivision Memorial T.S. R 76  
 Charian

N.E. Cor of fence bears  $N 26^{\circ} 10' E$ .

3.54 chs dist.

Land level

Soil sandy loam 1<sup>st</sup> rate.

Timber, mesquite bush.

61.30 chs. dense

$N. 0^{\circ} 3' E$ . bet Secs 13 & 14

Var.  $12^{\circ} 56' E$

Over level ground.

40.00 Set a post 4 ft long 4 in's square  
 with marked stone 12 in's in  
 the ground for  $\frac{1}{4}$  Sec Cor. marked

$\frac{1}{4}$  S on W. face, dug pits

18 x 18 x 12 in's N.E. of post

5  $\frac{1}{2}$  ft dist and raised a  
 mound of earth 1  $\frac{1}{2}$  ft high

3  $\frac{1}{2}$  ft base around post.

65.80 Wood road bears  $N 6^{\circ} \& S W$

80.00 Set a post 4 ft long 4 in's



Subdivision Fractional T. 5 S. R. 7 E.  
 Plans

with marked stone 12 ins in the  
 ground for cor to Secs 11-12-13 & 14  
 marked

T. 5 S. S. 12 on NE

R 7 E S. 13 on SE

S. 14 on SW and

S. 11 on NW faces

with 4 notches on S and 1 notch  
 on E. edges dug pits 18 x 18 x 12  
 ins. in each sec. 5 1/2 ft diam  
 and raised a mound of earth  
 2 ft high 4 1/2 ft base around post  
 Land level

Soil sandy loam 1st rate

Timber mesquite brush.

Subdivision Fractional T. 5 S. R. 7 E.  
 Chano

N.  $89^{\circ}33'$  W. on a random line  
 bet Secs 11 & 14.

Var.  $12^{\circ}56'$  E.

Over level ground.

40.00 Set temp  $\frac{1}{4}$  sec cor.

79.94 Intersect N & S line 5  $\frac{1}{4}$  Sec S.  
 of the cor to Secs 10, 11, 14 & 15

Thence I run

S.  $89^{\circ}31'$  E. on a true line  
 bet Secs 11 & 14

Var.  $12^{\circ}56'$  E.

39.97 Set a post 4 ft long 4 ins square  
 with marked stone 12 ins in  
 the ground for  $\frac{1}{4}$  sec cor.  
 marked  $\frac{1}{4}$  S. on N. face, dig  
 pits 18 X 18 X 12 ins E & W of  
 post 5  $\frac{1}{2}$  ft dist and raised  
 a mound of earth 1  $\frac{1}{2}$  ft  
 high 3  $\frac{1}{2}$  ft low around post

Subdivision in Fractional T. 5 S. R. 7 E.

Chaves

79.94 The cor to Secs 11, 12, 13 & 14

Land level

Loose, sandy loam! <sup>st</sup> rats

Pinus scattering mesquite  
bush.

S.  $89^{\circ}38'E$  on a true line bet  
Secs 12 & 13

Var  $12^{\circ}56'E$ .

Over level ground

14.50 Wood road course NE & SW.

37.20 Enter dense mesquite brush trees  
NE S.

40.00 Set a post 4 ft long 4 ins square  
with marked stone 12 ins in  
the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  S. on N. face dry pits 18  
 $\times$  18  $\times$  12 ins E & W. of post  
5  $\frac{1}{2}$  ft dist. and raised a

## Subdivision Fractional T. 5 S. R. 7 E.

Chains

mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post.

113.50 wagon road for wood house NW 1/4 Sec 6

117.48 Intersect E. bd'y of Tp. at a point  
S  $0^{\circ}14'E$  33.29 chs from the cor to  
Secs 7 & 18 T. 5 S. R. 8 E which  
is a post recently established  
and hereinbefore described by  
me, where I set a post  $4\frac{1}{2}$  ft  
long 4 ins square with marked  
stone 12 ins in the ground  
for closing cor to Secs 12 &  
13 marked

C. C. T. 5 S. R. 7 E on W.

S. 12 on N and

S. 13 on S. faces

with 2 notches on N and

4 notches on S. faces, dug

pits 18 X 18 X 12 ins N. S.

Subdivision Fractional T. 5. S. R. 7. E.

Thames

and W. of post  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
2 ft high  $4\frac{1}{2}$  ft base around post  
From which

A mesquite 10 ins diam bears  
 $S 84^{\circ} W. 35$  ths dist marked C.C.  
T. 5. S. R. 7. E. S. 13 B.T.

A mesquite 12 ins diam bears  
 $N 33^{\circ} 30' E 107$  ths dist marked C.C.  
T. 5. S. R. 7. E. S. 12 & 13 B.T.

No other trees within limits.

Land level

Soil sandy loam 1st rate

Timber mesquite dense  
80.28. du

$N. 0^{\circ} 3' E$  bet Secs 11 & 12

Var.  $12^{\circ} 56' E.$

Over level ground.

10.00 Enter dense mesquite brush.

Subdivision T<sub>p</sub> 5 S. R 7 E.

Chains

- 40.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor. marked  $\frac{1}{4}$  S. on W. face dug pits 18 x 18 x 12 in N $\frac{1}{2}$  S of post 5  $\frac{1}{2}$  ft dist and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base around post.
- 48.00 Leave dense mesquite bush.
80. Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for Cor to Secs 1, 2, 11, 12 marked 5 S. S. 1 on N $\frac{1}{2}$  R 7 E. S. 12 on S $\frac{1}{2}$  S. 11 on S $\frac{1}{2}$  and S. 2 on N $\frac{1}{2}$  face, with 5 notches on S. and 1 notch on E. edges, dug pits

BOOK 636

U. S. Surveyor-General's Office,

TUCSON, A. T., *May 26 1892*

The foregoing Field Notes of the Surveys of  
*Fractional*

*T. S. R. 7 E.*

..... Gila and Salt River Meridian  
in *Arizona* .....

..... executed by  
*Daniel Drummond*

U. S. Deputy Surveyor, under his contract dated  
*June 15<sup>th</sup> 1891*

..... having been critically examined, the necessary correc-  
tions and explanations made, the said Field Notes and

the surveys they describe are hereby approved.

*Lucas Johnson*  
U. S. Surveyor-General  
for the Territory of Arizona.