

Recd April 10, 1892.

BOOK 641

Plattett - x d

To Gen L. O. May 27, 1892

Survey approved.

August 31, 1892.

4-671

No. 641

641

FIELD NOTES

GENERAL LAND OFFICE.

Subdivisions.

T2S. R. 5E.

By Daniel Drummond U.S. D.S.

UNDER CONTRACT N^o 19.

Dated June 13, 1891.

SUR. Tp. Commenced Nov. 17/91.

SUR. Tp. Completed Nov. 24/91.

1A

BOOK 641

(4-674.)

Township 25

R. 5E

6	5	4	3	43	2	21	1
						41	19
7	8	9	10	39	11	17	12
				58		37	15
18	17	16	57	15	35	14	13
				55		33	11
19	20	21	53	22	31	23	9
				51		29	7
30	29	28	49	27	27	26	5
				47		25	3
31	32	33	45	34	23	35	1
							36

Survey commenced on the morning of Nov. 17, 1891, with a light mountain transit with solar attachment, heretofore described.

At the Cor. to Secs. 1, 2, 35 & 36 on South bdy of Township, in Lat. $33^{\circ}12' N$, Long.

$111^{\circ}45' W$. I observe Polaris at its Upper Culmination at $9^{\text{h}} 36^{\text{m}}$ P.M., Nov. 16, 1891

I find the magnetic bearing of the Star to be $N13^{\circ}0' W$ North end of needle $13^{\circ}0' East$.

The Va. is $13^{\circ}0' East$.

I mark the true meridian so determined by driving a picket & chains, North of the Corner.

Subdivisions T. 2 S. R. 5 E

Chains

From the cor to Secs 1. 2. 35. & 36
on the S. side of the Tp. recently
established and heretofore described
by me I run

N. $0^{\circ}16'W$. bet Secs 35 & 36

Var 13° or E.

Over level ground.

40.00 Set a post 4 ft long 4 ins. square
24 ins in the ground for $\frac{1}{4}$ Sec Cor
marked $\frac{1}{4}$ S. on W face, from which

A mesquite 5 ins diam bears $S 48^{\circ}W$
22 lks dist. marked $\frac{1}{4}$ S. B.F.

A mesquite 6 ins diam bears
 $S. 73^{\circ}30'E$. 47 lks dist marked $\frac{1}{4}$ S. B.F.

80.00 Set a post 4 ft long 4 ins square with
marked stone 12 ins in the ground
for cor to Secs 25. 26. 35 & 36 marked

T. 2 S. S. 25 on NE.

R. 5 E. S. 36 on SE

Subdivision T2S R5E Cont^{ed}

Chambers

S 35 on SW and

S 26 on NW faces, with
 1 notch on S and E edges, dug pits
 18x18x12 ins in each sec. 5 1/2 ft
 dist and raised a mound of earth
 2 ft high 4 1/2 ft base around post
 Land level

Soil, sandy loam 1st rate

Timber, scattering mesquite, brush.

Subdivision T. 2 S. R. 5 E - Cont'd
 Chams

N. $89^{\circ} 9' E$ on a random line bet
 Secs 25 & 36

Var $13^{\circ} 00' E$.

Over level ground.

40.00 Set temp. $\frac{1}{4}$ Sec cor.

79.80 Intersect E bdy of Tp 10 Wks N. of
 the cor to Secs 25-30-31 & 36 recently
 re-established and heretofore described
 by me

Thence I run

S $89^{\circ} 13' W$. on a true line bet Secs
 25 & 36

Var $13^{\circ} 00' E$

35.90 Wagon road from location to Tempe
 corner N & S.

39.90 Set a post 4 ft long 4 ins square with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on N.
 face, dug pits 18x18x12 ins. E & W.

Subdivisions T2S. R5E - Cont^d

Chains

of post $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.

49.00 Wagon road from Sacaton to Tempe course NW & SE.

79.80 The cor to Secs 25. 26. 35 & 36
Land level.

Soil sandy loam 1st rate

Timber scattering mesquite & brush.

Subdivision T2 S. R5 E - cont'd

Chains

N^o 16' W. bet Secs 25 & 26

Var 13° 00' E

Over level ground

- 40.00 Set a post 4 ft long 4 in square with marked stone 12 in in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W. face dug pits 18x18x12 in N & S of post 5 $\frac{1}{2}$ ft dist. and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft diam around post.
- 64.10. Wagon road from Secaton to Temple, corner NW & SE
- 80.00 Set a post 4 ft long 4 in square with marked stone 12 in in the ground for cor. to Secs 23-24 25 & 26. marked
 T. 2 S. S. 24 on NE
 R 5 E. S 25 on SE
 S 26 on SW and

Subdivision T2 R5E Cont a

Cham

S 23 on NW face with 2 notches
on S and 1 notch on E edge, dug
pits 18x18x12 ins in each Sec. 5 1/2 ft
dist. and raised a mound of earth
2 ft high 4 1/2 ft base around post.
Land level

Soil, sandy loam 1st rate

Timber, mesquite, brush.

Subdivision T2 S. R5 E - Cont^d

Chains

N. $89^{\circ}13'$ E on a random line bet
Secs 24 & 25

Var. $13^{\circ}00'$ E.

Over level ground.

40.00 Set temp. $\frac{1}{4}$ Sec Cor.

79.82 Intersect E Sdy of Tp. at Cor to
Secs 19. 24. 25 & 30 recently es-
tablished and heretofore described
by me.

Thence I run

S. $89^{\circ}13'$ W. on a true line bet Secs
24 & 25

Var $13^{\circ}00'$ E

39.91 Set a post 4 ft long 4 ins square
with marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ S. on N. face, dug pits 18 X 18 X 12
ins E & W. of post $5\frac{1}{2}$ ft dist
and raised a mound of earth

Subdivisions T2 S. R5E - Cont'd

Chains

1½ ft high 3½ ft base around post.

42.60 Wagon road from Sacaton to Tempe
course N & S.

79.82 The cor to Secs 23. 24. 25 & 26.

Land level

Soil, sandy loam 1st rate

Timber, mesquite, brush.

Subdivisions T2 S. R5 E - Cont^d
 chains.

N. 0° 16' W. bet Secs 23 & 24

Var 13° 00' E.

Over level ground

40.00 Set a post 4 ft long 4 ins square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S.
 on W. face; dug pits 18x18x12 ins
 N & S of post. 5 $\frac{1}{2}$ ft dia and
 raised a mound of earth 1 $\frac{1}{2}$ ft
 high 3 $\frac{1}{2}$ ft base around post

80.00 Set a post 4 ft long 4 ins square
 with marked stone 12 ins in
 the ground for cor to Secs 13, 14,
 23, & 24 marked

T. 2 S. S. 13 on NE

R 5 E. S. 24 on SE

S 23 on SW and

S 14 on NW. faces

with 3 notches on S and 1 notch

Subdivision T2 S. R5 E - Cont'd

Chans

on E. edges, dug pits 18x18x12 ins
in each sec. 5 1/2 ft dist. and
raised a mound of earth 2 ft
high 4 1/2 ft base around post.

Land level

Soil, sandy loam, 1st rate

Timber, mesquite & brush.

Subdivision T2 S. R5 E. Cont'd
Chain

N. $89^{\circ}13'E$. on a random line bet
Secs 13 & 24

Var. $13^{\circ}00'E$.

Over level ground.

40.00 Set temp $\frac{1}{4}$ Sec. cor.

79.88 Intersect E. bd'y of the Tp. 7 dks S.
of the cor to Secs 13. 18. 19 & 24
recently re-established and herein
before described by me.

Thence I run

S $89^{\circ}10'W$. on a true line bet
Secs 13 & 24

Var $13^{\circ}00'E$.

39.94 Set a post 4 ft long 4 in square
with marked at one 12 in in the
ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ S. on N. face, dug pits 18 x 18
x 12 in. E & W. of post $5\frac{1}{2}$ ft
dist and raised a mound of

Subdivision T2 S. R5E base a

Chain

earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.

56.30 Wagon road from Sacaton to Tempe, course N & S.

79.88 The cor. to Secs 13. 14. 23 & 24
Land level

Soil, sandy loam 1st rate

Timber, mesquite & brush

Subdivisions T. S. R. 5 E. Cont'd

Chains

N. 0° 16' W. bet Secs 13 & 14

Dbr. 13° 00' E.

Over level ground.

40.00 Set a post 4 ft long 4 ins. square with marked stone 12 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on W. face dug pits 18 x 18 x 12 ins. N & S. of post 5 $\frac{1}{2}$ ft diam and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around post.

80.00 Set a granite stone 20 x 10 x 4 ins 15 ins in the ground for cor to Secs 11. 12. 13 & 14 marked with 4 notches on S and 1 notch on E edges, dug pits 18 x 18 x 12 ins in each Sec. 5 $\frac{1}{2}$ ft diam and raised a mound of earth 2 ft high 4 $\frac{1}{2}$ ft base alongside land level.

Subdivision T2 S. R5 E - Cont ^a

Chain

Soil, sandy loam, 1st rate.

No timber

Nov. 17. [#] 1891

Subdivision of T. S. R. 5 E. Cont^d
 Chain.

N. $89^{\circ} 10' E$ on a random line bet
 Secs 12 & 13

Var. $13^{\circ} 00' E$.

Over level ground.

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.94 Intersect E bdy of Tp 10 lks S of
 the cor to Secs 7, 12, 13 & 18 recently
 re-established and heretofore
 described by me

Thence I run

S. $89^{\circ} 6' W$ on a true line bet
 Secs 12 & 13

Var. $13^{\circ} 00' E$.

39.97 Set a post 4 ft long 4 ins square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ Sec. cor. marked
 $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
 ins E & W. of post $5\frac{1}{2}$ ft dist. and
 raised a mound of earth $1\frac{1}{2}$ ft

Subdivision T2S. R5E - Cont'd

Chans

high $3\frac{1}{2}$ ft base around post.77.45 Wagon road from Sacaton to Tempe
cross NW and SE.

79.94 The cor to Secs 11.12.13 & 14.

Land level

Soil, sandy loam, 1st rate

Timber, scattering mesquite

Subdivisions T2 S. R5 E. Cont'd
Chains

N. $0^{\circ}16'W$. bet Secs 11 & 12

Var $13^{\circ}00'E$.

Over level ground

12.00 Wagon road from Sacaton to
Tempe course NW & SE.

40.00 Set a post 4 ft long 4 in square
with marked stone 12 in in the
ground for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ S. on W. face, dug pits $18 \times 18 \times 12$
in NW & S. of post $5\frac{1}{2}$ ft dist and
raised a mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around post.

41.00 Enter mesquite break.

80.00 Set a post 4 ft long 4 in square
with marked stone 12 in in the
ground for Cor to Secs 1, 2, 11 & 12
marked

T2 S. 1 on NE

R5 E. 12 on SE

Subdivisions T₂ S. R 5 E - land

Chamo

S. 11 on S.W. end

S. 2 on NW. face, with 5
notches on S end 1 notch on E
edges, dug pits 18 x 18 x 12 ins in
each sec. 5 1/2 ft dist. and raised
a mound of earth 2 ft high 4 1/2 ft
base around post.

Land level

Soil, sandy loam, 1 strata
Timber, mesquite & brush.

Subdivision T2 S. R5 E - Cont'd
 Charms.

N. $89^{\circ}6'E$. on a random line bet
 Secs 1 & 12.

Var $13^{\circ}00'E$.

Over level ground.

40.00 Set temp $\frac{1}{4}$ Sec. cor.

79.98 Intersect E bd'y of T_p 5 lks S.
 of the cor to Secs 1, 6, 7 & 12
 recently re-established and here-
 in before described by me.

Thence I run

S $89^{\circ}4'W$. on a true line bet
 Secs 1 & 12

Var. $13^{\circ}00'E$.

39.99 Set a post 4 ft long 4 ins square
 24 ins in the ground for $\frac{1}{4}$ Sec
 Cor. marked $\frac{1}{4}$ S. on N. face
 from which

A mesquite 6 ins. in diam bears
 S. $15^{\circ}E$. 22 lks dist. marked $\frac{1}{4}$ S. B.T.

Subdivision T2 S. R5 E. Cont'd

Chain

No other trees within limits

79.98 The cor to Secs 1, 2, 11, & 12.

Land level

Soil, sandy loam, 1st rate

Timber, scattering mesquite.

Subdivision T2 S R5 E East ^a
 Chain

N. $0^{\circ} 16' W$ on a random line bet Secs 1 & 2

Var. $13^{\circ} 00' E$.

Over level ground

40.00 Set temp $\frac{1}{4}$ Sec Cor.

80.80 Intersect N. bd'y of Tp at the cor
 to Secs 1. 2. 35 & 36 recently re-established
 and heretofore described by me
 Thence I run

S. $0^{\circ} 16' E$. on a true line bet
 Secs. 1 & 2.

Var. $13^{\circ} 00' E$.

10.00 Enter dense mesquite brush

40.80 A mesquite tree 4 ins. diam. which
 I marked $\frac{1}{4}$ S on W. side for
 $\frac{1}{4}$ Sec. Cor. dug pits $18 \times 18 \times 12$ ins
 N & S. of tree $5\frac{1}{2}$ ft dist, and
 raised a mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base around tree.

80.80 The cor to secs 1. 2. 11. & 12

Subdivision T2 S. R5E - Cont'd

Main

Land level

Soil sandy loam, 1st rate

Timber, mesquite & brush.

Subdivision T2 S. R 5 E - Cont'd
Chains

From the cor to Secs 2, 3, 34 & 35
on the S. bd'y of the Tp. recently
established and heretofore described
by me I run

N. $0^{\circ}16'W$. bet Secs 34 & 35

Var. $13^{\circ}00' E$

Over level ground

40.00 Set a post 4 ft long 4 in square
with marked stone 12 in in the
ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ sec
on W. face, dug pits $18 \times 18 \times 12$ in ^{N. + S. of post}
 $5\frac{1}{2}$ ft dist. and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post.

80.00 Set a post 4 ft long 4 in square
with marked stone 12 in in the
ground for cor to Secs 26, 27, 34
& 35 marked

T. 2 S. S. 26 on NE

Subdivisions T2 S. R5 E - Cont^d

Chilms

R. 5 E. S. 35 on S E.

S. 34 on S W and

S. 27 on N W. faces

with 1 notch on S and 2 notches on
E edges, dug pits 18 X 18 X 12 ins in
each Sec. 5 1/2 ft - diet. and raised
a mound of earth 2 ft high 4 1/2 ft
base around pit.

Land level

Soil, sandy loam 1st rate

Timber, scattering mesquite, brush.

Subdivision T2 S. R5 E - Cont'd
 Chain

N. $89^{\circ} 9' E$ on a random line bet
 Secs 26 & 35

Var. $13^{\circ} 00' E$

Over level ground.

- 40.00 Set temp $\frac{1}{4}$ Sec Cor.
 80.20 Intersect N & S. line 10 lks S. of
 the cor to Secs 25, 26, 35 & 36.

Thence I run

S $89^{\circ} 5' W$. on a true line bet
 Secs 26 & 35

Var. $13^{\circ} 00' E$.

- 40.10 Set a post 4 ft long 4 ins square
 with marked stem 12 ins in the
 ground for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S.
 on N. face, dug pits $18 \times 18 \times 12$ ins
 E & W. of post $5\frac{1}{2}$ ft dist and
 raised a mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base around post.
 80.20 The cor to Secs 26, 27, 34 & 35.

Subdivision T2 S. R. 56 - ~~low~~
Cham

Land level

Soil, sandy loam 1st rate

Timber, scattering mesquite & brush.

Subdivision T2 S. R5E - Cont'd
 chains

N. $0^{\circ}16'$ W. bet Secs 26 & 27

Var $13^{\circ}00'$ E.

Over level ground.

35.10 Wagon road from location to Temple
 course N 6° W. S. W.

40.00 Set a post 4 ft long 4 ins square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ S. on W. face; dug pits 18 X 18
 X 12 ins. N & S. of post $3\frac{1}{2}$ ft dist.
 and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.

80.00 Set a post 4 ft long 4 ins. square
 with marked stone 12 ins in the
 ground for cor to Secs 22. 23. 26 & 27
 marked

T. 2 S. S. 23 on NE

R5E. S. 26 on SE.

S. 27 on SW and

Subdivision T2 S R5E - Cont'd

Chambers

S 22. on NW faces with
2 notches on S and E edges, dug
pits 18x18x12 ins in each Sec.
5 1/2 ft dist. and raised a
mound of earth 2 ft high 4 1/2 ft
base around post.

Land level

Soil, sandy loam 1st rate
Timber scattering mesquite
brush.

Subdivision F2 S. R 5 E - Cont'd
 Chamo

N. $89^{\circ}5'E$. on a random line bet
 Secs 23 & 26

Var. $13^{\circ}00'E$.

Over level ground.

40.00 Set temp $\frac{1}{4}$ Sec Cor

80.16 Intersect. NW $\frac{1}{4}$ line 7 lks N. of
 the cor to Secs 23, 24, 25 & 26.

Thence I run

S. $89^{\circ}8'W$. on a true line bet Secs
 23 & 26

Var. $13^{\circ}00'E$.

5.90 Wagon road from Sacaton to Tempe
 course NW & SE.

40.08 Set a post 4 ft long 4 mis square
 with marked stone 12 mis in the
 ground for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ S. on N. face, dug pits $18 \times 18 \times$
 12 mis E & W. of post $5\frac{1}{2}$ ft dist
 and raised a mound of earth

Sub-division 2 S. R 5 E - Court

Chamo

1½ ft high 3½ ft beam around post

70.00

Wagon road from Sacaton to
Tempe course N & S.

80.16

The cor to Secs 22. 23. 26 & 27
Land levelSoil sandy loam 1st rate

Timber scattering mesquite brush.

Nov. 18th 1891

BOOK 641

Subdivision T2 S. R56 - East of
ChainsN^o 16' W. bet Secs 22 & 23.

Var. 13° 00' E.

Over level ground.

- 31.10 Enter dense mesquite brush.
- 40.00 Set a post 4 ft long 4 ins square
with marked stone 12 ins in
the ground for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ S. on W. face, dug pits 18x18
x 12 ins N & S of post 5 $\frac{1}{2}$ ft
dist and raised a mound of
earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around
post.
- 41.00 Leave mesquite thicket.
- 80.00 Set a post 4 ft long 4 ins square
with marked stone 12 ins in the
ground for Cor to Secs 14, 15, 22
& 23. marked
T. 2 S. S. 14 on NE,
R56. S. 23 on SE

Subdivision T2 S. R5E Cont^d

Chains

S 22 on SW. and

S. 15 on NW. faces with
3 notches on S and 2 notches on
E edges, dug pits 18x18x12 ins
in each Sec. 5 1/2 ft dist. and
raised a mound of earth 2 ft
high 4 1/2 ft base around post.
Land level

Soil, sandy loam 1st rate

Timber, mesquite, brush

Dense mesquite brush 9.90 chs.

Subdivision T2 S R5 E Cont'd

Chains

N. $89^{\circ} 8' E$ on a random line bet
Secs 14 & 23

Var. $13^{\circ} 00' E$.

Over level ground.

40.00 Set temp $\frac{1}{4}$ Sec cor80.10 Intersect N & S line at the cor to
Secs 13, 14, 23 & 24

Thence I run

S $89^{\circ} 8' W$ on a true line bet
Secs 14 & 23.

Var. $13^{\circ} 00' E$.

40.05 Set a post 4 ft long & 4 ins. square
with marked above 12 ins in the
ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S.
on N. face, dug pits 18 x 18 x 12 ins
E & W. of post $5\frac{1}{2}$ ft dist. and
raised a mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around post.

44.10 Wagon road from location to

Subdivision T2 S. R5E - Cont. of

Chambers

Tempe corner NW & SE.

79.85 Wagon road from Sacaton to
Tempe corner Northwaly & Southwaly.

80.10 The cor to Secs 14, 15, 22 & 23

Land level

Soil, sandy loam 1st rate

Timber scattering mesquite, brush.

Subdivision T₂ S. R 5 E East ^{or}
 Chams

N. 0° 16' W. bet Secs 14 & 15

Var. 13° 00' E.

Over level ground.

- 13.70 Wagon road from Sacaton to Tempe, course NW & SE
- 40.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ S. on W. face, dry pits 18x18 x 12 ins NW S of post $5\frac{1}{2}$ ft dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.
- 73.00 Wagon road from Sacaton to Tempe course NW and SE.
- 80.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for cor to Secs 10. 11. 14 & 15 marked
 T. 2 S. S. 11 on NE

Subdivision T2 S. R5E. Part of

Chambers

R5E. S. 14 on SE

S. 15 on SW and

S. 10 on NW. faces with
4 notches on S and 2 notches
on E edges, dug pits 18x18x12
ins in each Sec. 5 1/2 ft dist. and
raised a mound of earth 2 ft
high 4 1/2 ft base around post.
N.E. Cor. of old Ruins below S48 W. 5. 70 ch
Land level

Soil, sandy loam 1st rate

Timber scattering mesquite, brush.

Subdivision T2 S. R5 E - Cont. of
 Chawco

N. $89^{\circ} 8' E$. on a random line bet
 Secs 11 & 14

Var. $13^{\circ} 00' E$.

40.00 Set temp $\frac{1}{4}$ Sec Cor.

80.04 Intersect N & S lines 5 Ws. S. of the
 Cor to Secs 11, 12, 13 & 14

Thence I run

S. $89^{\circ} 6' W$. on a true line bet
 Secs 11 & 14

Var $13^{\circ} 00' E$.

40.02 Set a post 4 ft long 4 ins square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ S on N. face, dig pits 18X18X12
 ins E & W of post and raised
 a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

80.04 The Cor to Secs 10, 11, 14 & 15
 Land level

Subdivision T2 S. R5 E - low^d

Chans

Soil sandy loam 1st rate

Timber scattering mesquite brush

Subdivisions T2 S. R5 E. Cont'd
 chains

N. 0° 16' W. bet Secs 10 & 11

Var 13° 00' E.

Over level ground.

40.00 Set a post 4 ft long 4 ins square
 with marked stone 12 ins in
 the ground for $\frac{1}{4}$ ac Cor marked
 $\frac{1}{4}$ S. on W. face, dug pits 18 x
 18 x 12 in N & S of post 5 $\frac{1}{2}$ ft
 dist. and raised a mound of
 earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around
 post.

80.00 Set a post 4 ft long 4 ins square
 with marked stone 12 ins in
 the ground for Cor to Secs 2-3
 10 & 11 marked

T. 2 S. S. 2 on NE

R 5 E S. 11 on SE

S 10 on SW and

S 3 on NW faces

Subdivision T2 S. R5 E. Cont'd

Charno

with 5 notches on S. and 2 notches
on E edges, dry pits 18x18x12 ins
in each sec 5 1/2 ft dist. and
raised a mound of earth 2 ft
high 4 1/2 ft base around post.
Land level

Soil, sandy loam 1st rate.

Timber, scattering mesquite bush

Subdivision T2 S R5 E. Cont'd
Chains.

N. $89^{\circ}6'E$ on a random line bet
Secs 2 & 11

Var. $13^{\circ}00'E$

Over level ground.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.00 Intersect N & S line at cor to
Secs 1, 2, 11 & 12

Thence S run

S $89^{\circ}6'W$ on a true line bet
Secs 2 & 11

Var. $13^{\circ}00'E$.

9.55 Wagon road from Sacaton to Tempe
course Northerly and Southerly.

10.00 Leave mesquite brush bears N & S.

40.00 Set a post 4 ft long 4 ins square
with marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S
on N. face, dug pits 18 x 18 x 12 ins
E & W. of post $5\frac{1}{2}$ ft dist. and

Subdivision T2 S. R 5 E - Cont^d

Chains

raised a mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around post

80.00 The cor to Secs 2, 3, 10 & 11

Land level

Soil, sandy loam 1st rate

Timber, mesquite brush.

Subdivision T2 S. R5 E. - Cont^d

Chains

N. $0^{\circ} 16' W.$ on a random line bet
Secs 2 & 3

Var $13^{\circ} 00' E.$

Over level ground

40.00 Set temp $\frac{1}{4}$ Sec cor.

81.45 Intersect N. bdy of Tp 9 Mo E of
the cor to Secs 2-3-34 & 35 recently
re-established and heretofore
described by me

Thence I run

S $0^{\circ} 20' E$ on a true line bet Secs
2 & 3

Var. $13^{\circ} 00' E.$

41.45 Set a post 4 ft long & in square
with marked stone 12 in in
the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ S on W. face; dug pits 18 x 18
x 12 in E & W. of post $5\frac{1}{2}$ ft
dist and raised a mound

Subdivision T2 S. R5 E Cont'd

Chambers

of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
around post.

81.45 The cor to Secs 2, 3, 10 & 11

Land level

Soil, sandy loam 1st rate

Timber, scattering mesquite brush

Nov 19th 1891

Subdivision T2 S. R5 E. Cont'd

Chains

From the cor to Secs 3.4. 33 &
34 on the S. bd'y of the Tp. recently
established and hereinbefore
described by me. I run

N. $0^{\circ}17'W.$ bet Secs 33 & 34

Var $13^{\circ}00' E$

Over level ground

40.00 Set a post 4 ft long 4 ins square
with marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ S. on W. face, dug pits 18 X 18 X 12
ins N & S of post $5\frac{1}{2}$ ft dist and
raised a mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around post.

50.00 Set a post 4 ft long 4 ins square
with marked stone 12 ins in
the ground for cor to Secs 27.28

33. & 34 marked

T. 2 S. S. 27 on NE

Subdivision T. 2 S. R. 5 E - Cont'd

Chaus

R 5 E. S. 34 on SE

S 33 on SW and

S. 28 on NW faces, with
1 notch on S and 3 notches on
E. edges dug pits 18 X 18 X 12 ins in
each Sec. 5 1/2 ft dist and raised
a mound of earth 2 ft high
4 1/2 ft base around post.

Land level

Soil sandy loam 1st rate

Timber scattering mesquite brush

Subdivision T2 S. R5 E - cont'd
 Chain

N. $89^{\circ} 9' E$. on a random line bet
 Secs 27 & 34

Var. $13^{\circ} 00' E$.

Over level ground.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.00 Intersect N & S. line at cor to
 Secs 26, 27, 34 & 35

Thence I run

S. $89^{\circ} 9' W$. on a true line bet
 Secs 27 & 34

Var $13^{\circ} 00' E$.

15.50 Wagon road from Sacaton to Tempe
 course Northwesterly & Southerly.

40.00 Set a post 4 ft long 4 ins square
 with marked stone 12 ins in
 the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ S. on N. face dug pits 18 x 18
 x 12 ins E & W. of post $5\frac{1}{2}$ ft
 dist. and raised a mound of

Subdivision T2 S. R5 E. East

Chains

earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post.

55.70 Wagon road to Sacaton course
NW & SE.

80.00 The cor to Secs 27, 28, 33 & 34
Land level

Soil, sandy loam 1st rate

Timber, scattering mesquite
bush.

Subdivision T2 S. R5E - Cont^d
Chains.

N. $0^{\circ}17'W$. bet Secs 27 & 28

Var. $13^{\circ}00'E$.

Over level ground.

- 40.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on W. face, dug pits $18 \times 18 \times 12$ ins N & S of post $5\frac{1}{2}$ ft dia and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post
- 80.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for cor to Secs 21, 22, 27 & 28 marked
 T. 2 S. S. 22 on NE
 R. 5 E S. 27 on SE
 S. 28 on SW. and
 S 21 on NW. faces with
 2 notches on S and 3 notches

Subdivision T2 S. R5 E - Cont'd

Thames

on E edges, dug pits 18x18x12 ins
in each sec. and raised a
mound of earth 2 ft high 4 1/2 ft
base around post.

Land level

Soil, sandy loam, 1st rate

Timber, scattering mesquite, brush

Subdivision T2 S. R5 E. - East^{1/4}
 Chains

N. $89^{\circ} 9' E$ on a random line bet
 Secs 22 & 27

Var. $13^{\circ} 00' E$.

Over level ground.

40.00 Set temp $1/4$ Sec bar

79.80 Intersect N & S line 10 lks S of
 the cor to Secs 22, 23, 26 & 27

Thence I run

S $89^{\circ} 5' W$ on a true line bet
 Secs 22 & 27. Var $13^{\circ} 00' E$.

35.70 The N.E. cor. of a deserted cabin
 bears South 37.20 chs dist.

39.90 Set a post 4 ft long 4 ins square
 with marked stone 12 ins in
 the ground for $1/4$ Sec bar marked
 $1/4$ S. on N. face, dug pits 18 X 18
 X 12 ins E & W. of post $5\frac{1}{2}$ ft
 dist and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base

Subdivision T2 S. R5E - Cont'd

Chains

around post

79.80 The cor. to secs 21. 22. 27 & 28

Land level

Soil sandy loam, 1st rate

Timber, scattering mesquite, brush.

Subdivision T2 S. R5 E Cont^d
Chains.

N^o 17 W. lot Secs 21 & 22

N^o 13^o 00' E.

Over level ground

40.00 Set a post 4 ft long 4 ins square
with marked at one 12 ins in the
ground for $\frac{1}{4}$ Sec corner marked
 $\frac{1}{4}$ S on W. face, dug pits 18 x 18
x 12 ins N & S. of post 5 $\frac{1}{2}$ ft
diam. and raised a mound
of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
around post

80.00 Set a post 4 ft long 4 ins square
with marked stone 12 ins in
the ground for cor. to Secs
15, 16, 21 & 22 marked

T. 2 S. S. 15 on NE.

R 5 E. S. 22 on SE

S. 21 on SW and

S. 16 on NW faces

Subdivision T2 S. R5 E - Cont'd

Chains

with 3 notches on S and E
edges, dug pits 18 X 18 X 12 ins in
each sec 5 1/2 ft dist. and raised
a mound of earth 2 ft high
4 1/2 ft base around post.

Land level

Soil, sandy loam 1st rate

Timber, scattering mesquite, brush.

Subdivision T2 S. R 5 E. Cont^d
 Champs

N89°5'E on a random line bet
 Secs 15 & 22

Var. 13°00' E

Over level ground.

40.00 Set temp $\frac{1}{4}$ Sec Cor.

79.84 Intersect N & S line at cor to
 Secs 14, 15, 22 & 23

Thence I run

S89°5'W. on a true line bet
 Secs 15 & 22.

Var 13°00' E.

39.92 Set a post 4 ft long 4 ins square
 with marked stone 12 ins in
 the ground for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ S. on N. face; dug pits 18 X 18 X 12
 ins. E & W. of post 5 $\frac{1}{2}$ ft dirt
 and raised a mound of earth
 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around
 post.

Subdivision T2 S. R5 E - Cont'd

Chans

79-84

The cor. to Secs 15, 16, 21 & 22.

Land level

Soil, sandy loam, 1st rate

Timber, scattering mesquite brush.

Subdivision T2 S. R 5 E - Cont^d

Chains

N. 0° 17' W. bet Secs 15 & 16

Var 13° 00' E.

Over level ground

24.00 Enter dense mesquite bush
bears E & W.40.00 Set a post 4 ft long 4 in square
with marked stone 12 in in
the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ S. on W. face, dry pits 18 x
18 x 12 in N & S of post 5 $\frac{1}{2}$ ft
dist and raised a mound
of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
around post52.00 Leave dense mesquite bush
bears E & W.80.00 Set a post 4 ft long 4 in square
with marked stone 12 in in
the ground for cor to Secs
9, 10, 15 & 16 marked

Subdivision T₂ S. R₅ E - Cont^d

Shows

T₂ S. S. 10 on NE.

R₅ E. S. 15 on SE.

S. 16 on SW and

S 9 on NW. faces

with 4 notches on S and 3
notches on E edges, dug pits 18
x 15 x 12 ins in each sec. 5 1/2 ft
dist and raised a mound of
earth 2 ft high 4 1/2 ft base around
post.

Land level

Soil sandy loam 1st rate

Timber, middle of section

dense mesquite brush. 28. ch.

N. 89° 5' E on a random line bet

Secs 10 & 15

Var. 13° E

Over level ground.

Subdivision T2 S. R56 - Cont'd

40.00 Set temp $\frac{1}{4}$ Sec Cor.

79.92 Intersect N & S line 7 lks N. of the cor. to Secs 10. 11. 14 & 15

Hence I run

S. $89^{\circ} 8' W.$ on a true line bet Secs 10 & 15. Var. $13^{\circ} 00' E.$

3.40 Wayon road from location to Temp $N \frac{1}{2} S 6$

39.96 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for $\frac{1}{4}$ Sec Cor marked $\frac{1}{4} S.$ on N. face dug pits $18 \times 18 \times 12$ ins. E & W. of post $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post

79.92 The cor to Secs 9-10. 15 & 16

Land level

Soil sandy loam 1st rate

Timber, scattering meagre
brush

Nov. 20th 1891

60

BOOK 641

U. S. Surveyor-General's Office,

TUCSON, A. T., *May 26* 1892

The foregoing Field Notes of the Surveys of

T. R. O. S. E.

Gila and Salt River Meridian
in *Arizona* executed by

Daniel Drummond

U. S. Deputy Surveyor, under his contract dated
June 13th 1891

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

Rufus Johnson
U. S. Surveyor-General
for the Territory of Arizona.